



# 1999 FOOD CODE

## Exclusions & Restrictions

NOTE: These tables are not a replacement to reading subpart 2-2, Employee Health, but are viewed as a learning aid.

GENERAL POPULATION FACILITIES		REINSTATING:
<b>EXCLUDE</b>	<p><b>If <u>diagnosed</u> w/ big 4:</b> S. Typhi, <i>Shigella</i> spp., <i>E. coli</i> O157:H7 &amp; HAV {per 2-201.12(A), agents listed in 2-201.11(A)}</p> <p><b><u>Jaundice</u> # 7 days</b> {per 2-201.12(D)(1)}</p> <p>(Cause of jaundice may not be HAV, but the person is excluded until MD clearance &amp; documentation is attained.)</p>	<p><u>Regulatory approval</u> &amp; MD* documentation: <b>free of symptoms &amp; negative stool for S. Typhi, <i>Shigella</i> &amp; <i>E. coli</i> O157:H7</b> {per 2-201.13(A) via 8-501.40}.</p> <p><b>1) If <u>diagnosed</u> as HAV</b>, then <u>regulatory approval</u> &amp; MD documentation: symptoms cease or at least 2 blood tests show falling liver enzymes {per 2-201.13(A) via 8-501.40(D)}.</p> <p><b>2) Not suspected of causing FBI</b>, then via the PIC per MD documentation that the person is free of HAV via symptoms cease {per 2-201.13(D)(1) via 8-501.40(D)(1)}.</p> <p><b>3) If suspected of causing FBI</b>, then via the PIC per MD documentation: symptoms cease &amp; at least 2 blood tests show falling liver enzymes {per 2-201.13(D)(2) via 8-501.40(D)(1&amp;2)}.</p>
<b>RESTRICT</b>	<p>Experiencing <u>symptoms</u> associated with GI: diarrhea, fever, vomiting, jaundice, or sore throat w/ fever  {per 2-201.12(B)(1), listed in 2-201.11(B)(1), no diagnosis of big 4}.</p> <p><b><u>Exposed lesion, boil</u></b> or wound containing pus or open/draining {per 2-201.12(B)(1) listed in 2-201.11(B)(2)}.</p> <p><b><u>Asymptomatic &amp; positive stool</u></b> for S. typhi, shigella, or E. Coli O157:H7 (shedder) {per 2-201.12(B)(2)}</p> <p><b><u>Jaundice</u> &gt; 7 days</b> {per 2-201.12(D)(2)(b)}</p> <p>(Cause of jaundice may not be HAV)</p> <p><b>Persistent sneezing, coughing or runny nose</b> {per 2-401.12, Discharges from Eyes, Nose &amp; Mouth}</p>	<p><b>1) Symptoms cease &amp; no FBI occurs</b>, then via the PIC {per 2-201.13(B)(1)(a)}.</p> <p><b>2) If suspected of causing FBI &amp; free of symptoms</b>, then via the PIC per MD documentation: free of agent causing symptoms or FBI {per 2-201.13(B)(1)(b) via 8-501.40}.</p> <p><b>3) Symptoms result from a chronic noninfectious condition</b>, then via the PIC per MD documentation, {per 2-201.13(B)(1)(c)}.</p> <p><b>1) Hands or wrists</b>, impermeable bandage covered with a single-use glove.</p> <p><b>2) Arms</b>, impermeable bandage</p> <p><b>3) Other parts of the body</b>, dry, durable, tight-fitting bandage</p> <p>When <b>stools are negative</b>, then via the PIC per MD documentation of consecutive negative stools {per 2-201.13(B)(2) via 8-501.40(A-C)}.</p> <p><b>1) If <u>diagnosed</u> as HAV</b>, then <u>regulatory approval</u> &amp; MD documentation: symptoms cease or at least 2 blood tests show falling liver enzymes {per 2-201.13(A) via 8-501.40(D)}.</p> <p><b>2) Not suspected of causing FBI</b>, then via the PIC per MD documentation that the person is free of HAV via symptoms cease &amp; no FBI occurs {per 2-201.13(D)(1) via 8-501.40(D)(1)}.</p> <p><b>3) If suspected of causing FBI</b>, then via the PIC per MD documentation: symptoms cease &amp; at least 2 blood tests show falling liver enzymes {per 2-201.13(D)(2) via 8-501.40(D)(1&amp;2)}.</p> <p>Once <b>symptoms cease</b>, via the PIC</p>
<b>NOT ROUTINELY RESTRICTED</b>	Asymptomatic & blood tests indicative of current HAV infection	<b>RATIONALE:</b> Dependent on duties, personal hygiene, previous exposure & recipient of IG. See Public Health Reasons, pages 244 - 250
<b>NOT RESTRICTED</b>	Other prior illnesses and/or other asymptomatic conditions	

Source: U.S. Food and Drug Administration Draft Document



HIGHLY SUSCEPTIBLE POPULATION FACILITIES		REINSTATING:
EXCLUDE	If <b>diagnosed w/ big 4:</b> S. Typhi, <i>Shigella</i> spp., <i>E. coli</i> O157:H7 & HAV {per 2-201.12(A), agents listed in 2-201.11(A)}	Regulatory approval & MD* documentation: <b>free of symptoms &amp; negative stool for S. Typhi, <i>Shigella</i> &amp; <i>E. coli</i> O157:H7</b> {per 2-201.13(A) via 8-501.40}.
	<b>Jaundice</b> # 7 days {per 2-201.12(D)(1)} > 7 days {per 2-201.12(D)(2)(a)}  (Cause of jaundice may not be HAV, but the person is excluded until MD clearance & documentation is attained.)	<b>1) If diagnosed as HAV</b> , then regulatory approval & MD documentation: symptoms cease or at least 2 blood tests show falling liver enzymes {per 2-201.13(A) via 8-501.40(D)}. <b>2) Not suspected of causing FBI</b> , then via the PIC per MD documentation that the person is free of HAV via symptoms cease & no FBI occurs {per 2-201.13(D)(1) via 8-501.40(D)(1)}. <b>3) If suspected of causing FBI</b> , then via the PIC per MD documentation: symptoms cease & at least 2 blood tests show falling liver enzymes {per 2-201.13(D)(2) via 8-501.40(D)(1&2)}.
	Experiencing <b>symptoms</b> associated with GI: diarrhea, fever, vomiting, jaundice, or sore throat w/ fever { 2-201.11(B)(1)} <b>AND meets ?high-risk conditions?</b> {2-201.11(D)}, {exclude per 2-201.12(C)(1)}.	<b>1) Free of big 4</b> , then via the PIC per MD documentation {per 2-201.13? via 8-501.40(A-D) symptoms cease & negative stools or falling liver enzymes}. <b>2) Free of big 4</b> per #1 above, but still experiencing GI symptoms, then restrict as stated under ?restrictions?. <b>3) Chronic noninfectious condition</b> , then via the PIC per MD documentation {per 2-201.13(B)(1)(c)}.
	<b>Asymptomatic &amp; positive stool</b> for S. typhi, <i>Shigella</i> spp. or <i>E. coli</i> O157:H7 (shedder) {per 2-201.12(C)(2)}	When <b>stools are negative</b> , then via the PIC per MD documentation of consecutive negative stools {per 2-201.13(C)(1)(a) via 8-501.40(A-C)}.
	<b>Prior illness</b> with: S. typhi w/in last 3 months {per 2-201.12(C)(3)} <i>Shigella</i> or <i>E. coli</i> O157:H7 w/in last month {per 2-201.12(C)(4)}	<b>Free of agent</b> , then via the PIC per MD documentation {per 2-201.13(C)(1)(a) via 8-501.40(A-C) negative stools}.
RESTRICT	Experiencing <b>symptoms</b> associated with GI: diarrhea, fever, vomiting, jaundice, or sore throat w/ fever {per 2-201.12(B)(1), listed in 2-201.11(B)(1), no diagnosis of big 4}.	<b>1) Symptoms cease &amp; no FBI occurs</b> , then via the PIC {per 2-201.13(B)(1)(a)}. <b>2) If suspected of causing FBI &amp; free of symptoms</b> , then via the PIC per MD documentation: free of agent causing symptoms or FBI {per 2-201.13(B)(1)(b) via 8-501.40}. <b>3) Symptoms result from a chronic noninfectious condition</b> , then via the PIC per MD documentation, {per 2-201.13(B)(1)(c)}.
	<b>Exposed lesion, boil</b> or wound containing pus or open/ draining {per 2-201.12(B)(1) listed in 2-201.11(B)(2)}.	<b>1) Hands or wrists</b> , impermeable bandage covered with a single-use glove. <b>2) Arms</b> , impermeable bandage <b>3) Other parts of the body</b> , dry, durable, tight-fitting bandage
	<b>Persistent sneezing, coughing or runny nose</b> {per 2-401.12, Discharges from Eyes, Nose & Mouth}	Once <b>symptoms cease</b> , via the PIC
NOT ROUTINELY RESTRICTED	Asymptomatic & blood tests indicative of current HAV infection	<b>RATIONALE:</b> Dependent on duties, personal hygiene, previous exposure & recipient of IG. See Public Health Reasons, pages 244 - 250
NOT RESTRICTED	Other prior illnesses and/or other asymptomatic conditions	

**Key for Abbreviations**

- FBI** - foodborne illness
- GI** - gastrointestinal
- HAV** - hepatitis A virus
- IG** - immune globulin
- PIC** - person in charge
- MD\*** - medical doctor or if allowed by law, via a nurse practitioner or physician assistant

**HIGH-RISK CONDITIONS**, 2-201.11(D)(1-3), the food employee:

- (1) Caused or was exposed to a confirmed outbreak w/ the big 4, because the individual prepared or consumed the implicated food, or consumed food prepared by an infected person or person suspected of being a shedder
- (2) Lives with someone diagnosed w/ the big 4, or
- (3) Lives with someone who attended or worked at a confirmed outbreak w/ the big 4