

JVCKENWOOD USA Corporation

2201 E. Dominguez Street

# STATE OF MICHIGAN CENTRAL PROCUREMENT SERVICES

Department of Technology, Management, and Budget

Gerald Leach

517-490-4148

**DTMB** 

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913 P.O. BOX 30026 LANSING, MICHIGAN 48909

### **CONTRACT CHANGE NOTICE**

Change Notice Number 7

to

Contract Number 071B0200128

| Ž             | Long Beach, CA 22745           |                |                 | <b>■ ~</b>  |                           | leachg@michigan.gov                            |        |                   |                   |
|---------------|--------------------------------|----------------|-----------------|---|---------------------------|--|--------|-------------------|-------------------|
| <b>₩</b>      |                                | 5              |                 | STATE   | >                         | Valerie Hiltz                                  |        | DTMB              |                   |
| April F       | Peterson                       |                |                 |   | Contra<br>dminist         |  |        |                   |                   |
| (310)         | 761-8213                       |                |                 |   | Contract<br>Administrator | (517) 249-0459                                 |        |                   |                   |
| apete         | rson@us.jvcken                 | wood.com       |                 |   | tator                     | hiltzv@michigan.gov                            | /      |                   |                   |
| CV00          | 66764                          |                |                 |   |                           |  |        |                   |                   |
|               |                                |                | CONTRAC         | T SUMN  | IARY                      |  |        |                   |                   |
| TWO-WA        | / RADIOS                       |                |                 |   |                           |  |        |                   |                   |
| INITIAL EF    | FECTIVE DATE                   | INITIAL EXPIRA | TION DATE       | IN  | ITIAL                     | AVAILABLE OPTIONS                              | S      |                   | TION DATE<br>FORE |
| Marc          | March 1, 2010 January 19, 2013 |                |                 |   | 5 - 1 Year January        |  |        | y 18, 2020        |                   |
| PAYMENT TERMS |                                |                |                 | DELIVERY TIMEFRAME  |                           |  |        |                   |                   |
|               | Ne                             | t 45 Days      |                 | Per agreed upon delivery date as specified on the individual delivery/purchase order. |                           |  |        |                   |                   |
|               |                                | ALTERNATE PA   | YMENT OPTION    | S   |                           |  | EXT    | TENDED PU         | IRCHASING         |
| □ P-Ca        | ard                            | ☐ Direct \     | /oucher (DV)    |   |                           | ☐ Other  |        | □ No              |                   |
| MINIMUM D     | ELIVERY REQUIR                 | REMENTS        |                 |   |                           |  |        |                   |                   |
| N/A           |                                |                |                 |   |                           |  |        |                   |                   |
|               |                                |                | ESCRIPTION O    |   |                           |  |        |                   |                   |
| OPTION        | LENGTI                         | H OF OPTION    | EXTENSION       |   | LENG                      | GTH OF EXTENSION                               |        | REVISED EXP. DATE |                   |
|               |                                |                |                 |   |                           |  |        | Januar            | y 18, 2020        |
| CURRI         | ENT VALUE                      | VALUE OF CHAN  | GE NOTICE       |   | ES                        | TIMATED AGGREGAT                               | LE COV | ITRACT VA         | LUE               |
| \$1,00        | 00,000.00                      | \$0.00         |                 |   |                           | \$1,000,0                                      | 00.00  |                   |                   |
|               |                                |                |                 | RIPTION   |                           |  |        |                   |                   |
| Revision to   | Contract Langua                |                | hement 1 is rep | laced w   | ith At                    | d:<br>tachment A.1. Categ<br>hment A.2. JVCKEN |        |                   |                   |

and Direct Sales Staff; and added Attachement A.3. Format for Quotations and A.4. Quotation Sample. Per Agency and

Contractor agreement and DTMB Central Procurement Services approval.

### **Program Managers**

for

### **Multi-Agency and Statewide Contracts**

| AGENCY | NAME | PHONE | EMAIL |
|--------|------|-------|-------|
|        |      |       |       |



REVISED LANGUAGE- Article 1 – Statement of Work

Section 1.022 (A.6) Catalogs (Deleted in its entirety)

### Section 1.022 (B.7) Receiving Orders

### A. State of Michigan Orders:

State of Michigan agencies and departments must place their purchases through JVCKENWOOD USA directly in the following manner:

- Orders shall be created via SIGMA with the authorizing Document being a Delivery Order (DO).
   Quotes or documenting paperwork showing items, quantities, unit costs, and total cost shall be attached to the DO in SIGMA. (See Exhibit 1 for Additional Ordering Requirements)
- 2. The Delivery Order shall be shall be submitted to JVCKENWOOD USA via U.S. postal mail, fax or e-mail for fulfillment. No oral orders are permissible.
- 3. The Contractor shall ensure that all orders for items that are intended to be used on the MPSCS System, which are received from a State of Michigan agency or department, arrives with the MPSCS Approval number clearly stated on the Delivery Order (DO). The Contractor is not authorized to process the order without it.
- 4. If the Contractor receives a DO without a required MPSCS approval, they shall provide the requesting agency and MPSCS with notification that the request cannot be fulfilled and that an MPSCS Approval number must be obtained to order fulfillment.

### B. MiDeal Member Orders:

MiDeal Members must place their purchases through the one of the approved Distributors/Dealers listed in this contract.

- When their order is placed, the MiDeal Member must include somewhere in the ordering paperwork the State of Michigan Master Agreement/Contract Number 071B0200128 in order to obtain the State of Michigan Pricing.
- 2. The Distributor/Dealer will confirm your MiDeal Member active status. If the local unit of government is not a MiDeal Member, they will be provided with the link to the MiDeal Membership page or otherwise directed to the State of Michigan MiDeal program, and will not be allowed to take advantage of this contract until their membership has been established.

### Section 1.031 Contractor Staff, Roles, and Responsibilities (revised in total)

- A. Sales and Service. The Contractor shall service this contract using through JVC Direct Sales Staff and Distributors/Dealers (subcontractors), See Attachment A.2.
  - 1. JVCKenwood Direct Sales will provide sales and service support to State of Michigan Agencies for products listed in the current JVCKENWOOD List Price catalog and priced per Attachment A.1.



- 2. The Distributors/Dealers (subcontractors) are authorized to sell and service JVCKENWOOD products to MiDeal members for products listed in the current JVCKENWOOD List Price catalog and priced per Attachment A.1.
  - a. Distributers/Dealers shall verify that governmental entities, other that State of Michigan Agencies and Departments, are MiDeal Members by visiting https://www.michigan.gov/dtmb/0,5552,7-358-82550 85753---,00.html.
  - b. This contract and its pricing is extended to verified MiDeal Members only.
- B. The Contractor will provide a Single Point of Contact (SPOC). The duties of the SPOC shall include, but not be limited to:
  - 1. supporting the management of the Contract,
  - 2. facilitating dispute resolution, and
  - 3. advising the State of performance under the terms and conditions of the Contract.

The State reserves the right to require a change in the current SPOC if the assigned SPOC is not, in the opinion of the State, adequately serving the needs of the State.

The SPOC for this contract is:

April Peterson
JVCKENWOOD USA Corporation
2201 E. Dominguez Street,
Long Beach CA 22745
310-639-9000
apeterson@us.jvckenwood.com

- C. If the State requests professional services during the term of this contract, the Contractor may be asked to provide a Project Manager. The duties of the Project Manager may include, but are not be limited to:
  - 1. Manage all defined Contractor responsibilities in this Scope of Services.
  - 2. Manage Contractor's subcontractors, if any
  - 3. Develop the project plan and schedule, and update as needed
  - 4. Serve as the point person for all project issues
  - 5. Coordinate and oversee the day-to-day project activities of the project team
  - 6. Assess and report project feedback and status
  - 7. Escalate project issues, project risks, and other concerns
  - 8. Review all project deliverables and provide feedback
  - 9. Proactively propose/suggest options and alternatives for consideration
  - 10. Utilize change control procedures
  - 11. Prepare project documents and materials
  - 12. Manage and report on the project's budget

### Section 1.061 Contract Pricing (Revised in Total)

1. The Contractor must make available to the State of Michigan, and all MiDeal Members, the complete catalog of JVCKENWOOD USA products.



- Contract Prices for equipment, hardware, and software shall be a percentage off the List Price, as
  established in Attachment A.1. Category Pricing and Category Descriptions, which includes all items in
  JVCKENWOOD USA's full catalog, as published by JVCKENWOOD USA Corporation and made available to
  its Direct Sales staff and its Distributors/Dealers.
  - a. Prices quoted and charged to the State and MiDeal members utilizing this contract shall never be more than prices quoted or offered by the Manufacture Representative's or direct sales through the Contractor "off-contract". This contract shall have "preferred status" and receive the Contractor's best statewide price.
  - b. Should the State discover that State and/or MiDeal members purchasing through this contract have not been offered the best statewide price, the Contractor shall reimburse the State and MiDeal Member for the difference. Contractor shall make the refund within 45 days of receipt of the notice to cure from the State.
- 3. Contract Pricing for professional services shall be based on the Contractor's current List Price
- 4. Quick Payment Terms. Kenwood offers prompt payment discount terms of 2% 20 Net 30 Days.
- 5. Prices quoted are Free On Board (FOB) Delivered with transportation charges prepaid on all orders. Other FOB terms will not be accepted.

#### Section 1.062 Price Term

Revise the following as noted:

Discount percentage quoted off List price as established in Attachment A.1., will remain fixed for the remainder of the contract

The rates for Professional Services, as established in Contractors current List Price, will remain fixed for the remainder of the contract.

Replace all reference to Purchase Order (PO) with Delivery Order (DO).

Section 1.064 Quotes for Sales (Added in its Entirety)

The Contractor may be approached to provide quotations for systems or "box" products. Quotes for sales shall be created and provided in one of two formats dependent on type of sale, for system or box, in a format as outlined in samples and described in **Attachment A.3. and A.4**.

REVISED LANGUAGE- Article 2 – Terms and Conditions

Section 2.281, last paragraph.

Please visit MiDeal At https://www.michigan.gov/dtmb/0,5552,7-358-82550\_85753---,00.html.


REVISED LANGUAGE- Exhibit 1- Additional Ordering Requirements (revised in total)

- A. State Agency Purchases:
  - 1. On the MPSCS System Use. State agencies or departments making radio or any communication service or accessories purchases from this contract with the intent of using them on the MPSCS



- system, must first be approved by MPSCS. This approval is obtained by making sure the agency selects "RADIO" on the Reporting Tab on the DO Header. That then causes the DO to route to MPSCS for approval before it moves thru the agency's normal approval path.
- 2. Off the MPSCS System Use. State agencies or departments that wish to purchase radios or other communication service or accessories from this contract for use outside of the MPSCS system need take no further steps other than to make the purchase via the Master Agreement on SIGMA. Please note on the DO, somewhere in the notes section, that this purchase is for "Off System"

### **STATE OF MICHIGAN**




### ATTACHMENT A.1. - CATEGORY PRICING AND CATEGORY DESCRIPTIONS

### **Pricing**

| DISCOUNT OFF LIST PRICE FOR HARDWARE AND SOFTWARE PRODUCTS |                           |  |  |  |  |
|--|---------------------------|--|--|--|--|
| CATEGORY   | PERCENTAGE OFF LIST PRICE |  |  |  |  |
| Mobile and Portables                                       | 30%                       |  |  |  |  |
| Spare Parts  | 30%                       |  |  |  |  |
| Accessories and Aftermarket                                | 30%                       |  |  |  |  |

### **Category Product Descriptions**

- 1. Mobile and Portable. Includes but are not limited to:
  - a. Mobile Radios- which is a fixed mount unit installed into a vehicle.
  - b. Portable Radios- which are personal radios
  - c. Consolette Radio- which are at dispatch centers or established for back up using 120v.
- 2. **Spare Parts.** To repair any items sold.
- 3. Accessories and Aftermarket. Includes but is not limited to such items as:
  - a. Belt clips
  - b. Remote speaker mics
  - c. Batteries
- 4. **Fixed Stations, Dropship, Consoles, Fixed Network Equipment and PSA/CAD** will no longer be included as offered items in this contract and may be obtained through the EF Johnson Contract. EF Johnson is a wholly owned subsidiary of JVCKENWOOD Group.




# ATTACHMENT A.2 JVCKENWOOD DISTRIBUTORS/DEALERS AND DIRECT SALES STAFF

### **Manufacturer Representatives List- For use by MiDeal**


| Distributor/Dealer Company Information | Distributor/Dealer Contact Information |
|--|--|
| Adams Distributing                     | 248.669.7100                           |
| 30469 Beck Rd.                         | Scott Adams                            |
| Wixom, MI 48393                        |  |
| Adrian Communications                  | 517.265.8470                           |
| 103 ½ Sand Creek Hwy.                  | Dan Baker                              |
| Adrian, MI 49221                       |  |
| Advanced Wireless Telecom              | 248.295.4600                           |
| 49716 Martin Dr.                       | Todd Jones                             |
| Wixom, MI 48393                        |  |
| Anderson Radio                         | 989.684.9969                           |
| 6149 Westside Saginaw Rd.              | Dale Schroeder                         |
| Bay City, MI 48706                     |  |
| C-Comm                                 | 269.673.9900                           |
| 1600 Lincoln Rd.                       | Fred White                             |
| Allegan, MI 49010                      |  |
| Communications Specialists             | 616.534.5862                           |
| 4138 S. Division Ave.                  | Arlen Dykema                           |
| Grand Rapids, MI 49548                 |  |
| Cynergy Wireless                       | 248.298.3855                           |
| 1463 Combermere Dr.                    | Chuck Harris                           |
| Troy, MI 48083                         |  |
| DeltaCom                               | 248.207.8587                           |
| 24875 Novi Rd. P.O. Box 813            | John Zimmerman                         |
| Novi, MI 48376                         |  |
| Digicom                                | 248.720.2001                           |
| 3911 Rochester Rd.                     | Tim Hoerner                            |
| Troy, MI 48083                         |  |
| Electrocomm – MI                       | 248.344.4300                           |
| 2648 Lapeer Rd.                        | Richard Pizzi                          |
| Auburn Hills, MI 48326                 |  |
| Grand Traverse Mobile                  | 231.947.9851                           |
| 1670 Barlow St. Suite 1                | Neil Pickard                           |
| Traverse City, MI 49686                |  |
| HEI Wireless                           | 269.926.1555                           |
| 2203 Plaza Dr.                         | Don Scharnowske                        |
| Benton Harbor, MI 49022                |  |

## STATE OF MICHIGAN



| Hi-Tech SMR                   | 269.683.7451     |
|-------------------------------|------------------|
| 255 Bell Rd.                  | Mike Ruedinger   |
| Niles, MI 49120               |                  |
| J.S. Electronics              | 906.863.2820     |
| 1108 20 <sup>th</sup> St.     | Jim Swanson      |
| Menominee, MI 49858           |                  |
| Midcom Radio Comm             | 810.648.3780     |
| 1370 E. Sanilac Rd.           | Dennis Krajenka  |
| Sandusky, MI 48471            |                  |
| Midcom Service                | 231.773.3107     |
| 2131 E. Laketon Ave.          | Steve Crow       |
| Muskegon, MI 49442            |                  |
| OTEC                          | 231.264.6133     |
| 405 Pine St.                  | Pete VanDenBerge |
| Elk Rapids, MI 49629          |                  |
| ProComm                       | 989.772.3751     |
| 2099 Independence Dr.         | Harold Stegman   |
| Mt. Pleasant, MI 48858        |                  |
| Radio North                   | 231.929.2934     |
| 2682 Garfield Rd. N. Suite 22 | Max Machuta      |
| Traverse City, MI 49686       |                  |
| Range Telecommunications      | 906.228.7000     |
| 2342 US 41 W                  | Jeff Paull       |
| Marquette, MI 49855           |                  |
| Spectrum Wireless             | 586.693.7525     |
| 27601 Little Mack Ave.        | Ron Stebbeds     |
| St. Clair Shores, MI 48081    |                  |
| State Systems Radio           | 269.349.1935     |
| 5066 S. Sprinkle Rd.          | Charles Agosti   |
| Portage, MI 49002             |                  |
| T & W Electronics             | 616.241.3645     |
| 1045 S. Division Ave.         | Dave Tubergen    |
| Grand Rapids, MI 49507        |                  |
| Thumb Radio                   | 989.269.6420     |
| 1020 N. Van Dyke              | Mary Robinson    |
| Bad Axe, MI 48413             |                  |
| Washtenaw Communications      | 734.662.7138     |
| 3684 Wagner Ridge Ct.         | Tim Andrews      |
| Ann Arbor, MI 48103           |                  |
| Wave Communications           | 231.258.8965     |
| 824 Golf Side Dr.             | Malinda Hayden   |
| Kalkaska, MI 49676            |                  |
| Great Lakes Communications    | 419.734.4200     |
| 2060 E. Harbor Rd.            | Jackie Dunn      |
| Port Clinton, OH 43452        |                  |

### STATE OF MICHIGAN



### JVCKENWOOD Direct Sales- for use by State of Michigan Agencies

### **Primary:**

John Bradley

Local Area Sales Representative

Toll Free: 800-443-6262 Cell: 248-212-2102 Fax: 419-734-4274


E-Mail: john@greatlakescom.com

### **Secondary:**

April Peterson (in California)
Manager National Accounts and Contracts


Office: 310-761-8213 Fax: 310-761-8246

E-Mail: apeterson@us.jvckenwood.com



# ATTACHMENT A.3 FORMAT REQUIRED FOR QUOTATIONS

- 1. **Quotations for Systems.** A professional quote will be required for equipment and services that are for systems requiring significant systems integration/ professional services. By providing quotes in this format, the Contractor provides a level of documentation required by governmental entities for audit purposes.
  - A. These quotes must be provided on the Motorola letterhead or bear the Motorola logo and shall include all the following elements:
    - a. Title Page
    - b. Table of Contents
    - c. Cover Letter Signed by the authorized Motorola representative
    - d. System Description including equipment and technical diagrams
    - e. Statement of Work which provides description of how the system will be implemented.
    - f. Warranty and maintenance information
    - g. Equipment list detailed by line item including Motorola part number, quantity, description, list price, and discounted price
    - h. Professional Services List- detailed by line item including quantity, list price and discounted price.
    - i. Training- Description of training included in this proposal, if applicable.
    - j. Pricing Summary Subtotals of equipment and Professional Services that mirrors the equipment list and pricing for install services.
    - k. Product Literature if applicable
    - I. No additional terms or conditions, other than provided for in this contract are allowed.
  - B. Quotations may be provided, at the discretion of the requestor in:
    - a. Hard copy via fax, US Postal Delivery, courier service or in person
    - b. PDF format via e-mail.
- 2. Quotations for Deliverables that are "Box Sales". The Contractor may provide a quote in a form format, for "Box Sales" which are those sales essentially for product with minimal amount of professional services or system integration. The quotation form must include all the elements of the sample Simple Quotation provided in Attachment A.4. No additional terms or conditions, other than provided for in this contract are allowed.



# ATTACHMENT A.4 SAMPLE- SIMPLE QUOTATION FORM

|         | МО    | TOROLA                |   |                       |                    |          | Date:          |                |              |
|---------|-------|-----------------------|---|-----------------------|--------------------|----------|----------------|----------------|--------------|
|         |       |                       |   | (Motorola office      | address goes here) |          | Quote #:       |                |              |
|         |       | Prepared By:          | (Motorola Sales Rep.) Phone:            |                       | Fax:               |          | CUSTOMER #:    |                |              |
| REPARED | FOR:  | (Customer Contac      | et)                                     | Bill To               | Please Provide     | Ship to  | Please Provide |                |              |
| COM     | PANY: |                       |   | Address:              |                    | Address: |                |                |              |
| PI      | HONE: |                       |   |                       |                    |          |                |                |              |
|         | FAX:  |                       |   |                       |                    |          |                |                |              |
|         |       |                       |   | Equipment Deta        | ails and Pricing   |          |                |                |              |
|         | Qty.  | <u>Model</u>          | Description                             |                       |                    |          | List Price     | Discount Price | Total Pric   |
|         |       |                       |   |                       |                    |          |                |                |              |
|         |       |                       | Motorola APX6000Li Portal               |                       |                    |          |                |                |              |
|         | 20    | H98UCF9PW6 N          | APX6000 700/800 MODEL 2.5               | PORTABLE              |                    |          | \$ 2,200.00    | \$ 1,606.00    | \$ 32,120.00 |
|         | 20    | QA02756               | ADD: 9600 TRUNKING OR 3                 | 600 DIGITAL TRUNK     | ING                |          | \$ 1,570.00    | \$ 1,146.10    | \$ 22,922.00 |
|         | 20    | QA01749               | ADD: ADVANCED SYSTEM                    | KEY - SOFTWARE K      | ŒY                 |          | \$ -           | \$ -           | \$ -         |
|         | 20    | WPLN7080              | APX 7000 IMPRES CG SU AI                | PX7000 US/NA/CA/LA    |                    |          | \$ 125.00      | \$ 87.50       | \$ 1,750.00  |
|         | 20    | PMNN4403              | LIION IMPRES 2150MAH IP                 | 67 BATT               |                    |          | \$ 125.00      | \$ 87.50       | \$ 1,750.00  |
|         |       |                       | Installation Services                   |                       |                    |          |                |                |              |
|         | 20    | SVC03                 | Radio programming & template            | generation            |                    |          | \$ 95.00       | \$ 95.00       | \$ 1,900.00  |
|         |       |                       |   |                       |                    |          |                |                |              |
|         |       |                       |   |                       |                    | QUOT     | E SUB TOTAL    | \$60,44        | 12.00        |
|         |       |                       |   |                       |                    |          |                |                |              |
|         |       | *All items are priced | I in accordance with the State of Michi | gan Radio Contract 07 | 71B2200101         |          |                |                |              |



# STATE OF MICHIGAN ENTERPRISE PROCUREMENT

Department of Technology, Management, and Budget

525 W. ALLEGAN ST., LANSING, MICHIGAN 48913 P.O. BOX 30026 LANSING, MICHIGAN 48909

### **CONTRACT CHANGE NOTICE**

Change Notice Number 6

to

Contract Number <u>071B0200128</u>

|     | JVCKENWOOD USA CORPORATION |
|-----|----------------------------|
| CO  | 2201 E. Dominguez Street   |
| Z   | Long Beach, CA 22745       |
| RAC | April Peterson             |
| TO  | (310) 761-8213             |
| Ř   | ayoung@us.jvckenwood.com   |
|     | *****8901                  |
|     |                            |

|     | 7 P                      | Gerald Leach        | DTMB         |  |  |  |
|-----|--------------------------|---------------------|--------------|--|--|--|
|     | Program<br>Manager       | 517-490-4148        |              |  |  |  |
| STA | n<br>er                  | leachg@michigan.gov | michigan.gov |  |  |  |
| ΊΈ  | C<br>Adr                 | Valerie Hiltz       | DTMB         |  |  |  |
|     | Contract<br>Administrato | (517) 284-7026      |              |  |  |  |
|     | ct<br>rator              | hiltzv@michigan.gov |              |  |  |  |

| 690                       | 1            |               |                 |   |              |  |
|---------------------------|--------------|---------------|-----------------|---|--------------|--|
|                           |              |               | CONTRACT        | SUMMARY   |              |  |
| TWO-WAY RA                | ADIOS        |               |                 |   |              |  |
| INITIAL EFFE              | CTIVE DATE   | INITIAL EXPIR | RATION DATE     | INITIAL AVAILABLE OPTIONS   |              | EXPIRATION DATE BEFORE CHANGE(S) NOTED BELOW |
| March                     | 1, 2010      | January       | 19, 2013        | 5 - 1 Ye  | ar           | January 18, 2018                             |
| PAYMENT TERMS             |              |               |                 |   | DELIVERY TIN | MEFRAME                                      |
| Net 45 Days               |              |               |                 | Per agreed upon delivery date as specified on the individual delivery/purchase order. |              |  |
| ALTERNATE PAYMENT OPTIONS |              |               |                 |   | EXTE         | ENDED PURCHASING                             |
| ☐ P-Card                  |              | □ Direct V    | oucher (DV)     | ☐ Other   | ⊠Y           | es □ No                                      |
| MINIMUM DELIV             | ERY REQUIREM | IENTS         |                 |   |              |  |
| N/A                       |              |               |                 |   |              |  |
|                           |              | D             | ESCRIPTION OF ( | CHANGE NOTICE   |              |  |
| OPTION                    | LENGTH       | OF OPTION     | EXTENSION       | LENGTH OF EX  | TENSION      | REVISED EXP. DATE                            |
|                           |              |               | $\boxtimes$     | 2 Year  | S            | January 18, 2020                             |
| CURREN                    | T VALUE      | VALUE OF CHA  | ANGE NOTICE     | ESTIMATE  | O AGGREGATI  | E CONTRACT VALUE                             |
| \$1,000                   | ,000.00      | \$0.          | .00             |   | \$1,000,00   | 00.00  |
|                           |              |               | DESCRI          | PTION   |              |  |

Effective 12/20/2017, this contract is hereby extended two years via Chapter 5.7.6. The revised contract expiration date is January 18, 2020. The Contract Administrator has been changed to Valerie Hiltz, DTMB Central Procurement. All other terms, conditions, specifications and pricing remain the same. Per contractor and agency agreement, DTMB Central Procurement approval and State of Michigan Administrative Board approval, December 19 2017.



JVCKENWOOD USA

### STATE OF MICHIGAN **ENTERPRISE PROCUREMENT**

Department of Technology, Management, and Budget 525 W. ALLEGAN ST., LANSING, MICHIGAN 48913

Gerald Leach

SW

P.O. BOX 30026 LANSING, MICHIGAN 48909

### **CONTRACT CHANGE NOTICE**

Change Notice Number 5

to

Contract Number <u>071B0200128</u>

|            |             |                |   |                                |                           | a r                       |                     |                  |             |                                  |
|------------|-------------|----------------|---|--------------------------------|---------------------------|---------------------------|---------------------|------------------|-------------|----------------------------------|
| CC         | 2201 E. D   | ominguez Stree | et .                                      |                                |                           | rogram<br>⁄lanager        | 517-490-4148        |                  |             |                                  |
| CONTRACTOR |             | ch, CA 22745   |   |                                | /TS                       | Ÿ ,                       | leachg@michigan.gov |                  |             |                                  |
| ΓRΑ        | April Peter |                |   |                                | STATE                     | Adr C                     | Mike Bree           | n                | DTMB        |                                  |
| CT         | (800) 752-  |                |   |                                |                           | Contract<br>Administrator | (517) 284-          | -7002            | <u>'</u>    |                                  |
| OR.        | ` '         |                |   |                                |                           | trator                    | breenm@             | michigan.gov     |             |                                  |
|            | ayounga@    | us.jvckenwood  | l.com                                     |                                |                           |                           |                     |                  |             |                                  |
|            | ******890   | 1              |   |                                |                           |                           |                     |                  |             |                                  |
|            |             |                |   | CONTRACT                       | SUMM                      | ARY                       |                     |                  |             |                                  |
| TW         | O-WAY R     | ADIOS          |   |                                |                           |                           |                     |                  |             |                                  |
| IN         | IITIAL EFFE | CTIVE DATE     | INITIAL EXPI                              | RATION DATE                    | INI                       | TIAL                      | AVAILABL            | E OPTIONS        |             | ON DATE BEFORE<br>S) NOTED BELOW |
|            | March '     | 1, 2010        | January                                   | 19, 2013                       | 5 - 1 Year February 4, 20 |                           |                     | uary 4, 2017     |             |                                  |
|            |             | PAYME          | NT TERMS                                  |                                |                           |                           | l                   | DELIVERY TIM     | IEFRAME     |                                  |
|            |             |                |   |                                |                           |                           |                     |                  |             |                                  |
|            |             | ALT            | ERNATE PAYMEN                             | T OPTIONS                      |                           |                           |                     | EXTE             | NDED PUR    | CHASING                          |
| [          | □ P-Card    |                | ☐ Direct \                                | /oucher (DV)                   |                           |                           | l Other ⊠ Yes □ No  |                  |             | □ No                             |
| MINI       | MUM DELIV   | ERY REQUIREM   | MENTS                                     |                                |                           |                           |                     |                  |             |                                  |
|            |             |                |   |                                |                           |                           |                     |                  |             |                                  |
|            | PTION       | LENGTH         |   | ESCRIPTION OF C                | 1                         |                           |                     | FENIOLON         | DEVIO       | ED EVE DATE                      |
| C          | PTION       |                | OF OPTION                                 | EXTENSION                      |                           | LENG                      | STH OF EXT          | IENSION          |             | ED EXP. DATE                     |
|            | $\boxtimes$ |                | year                                      |                                |                           |                           |                     |                  |             | ary 18, 2018                     |
|            | CURREN      |                | VALUE OF CH                               | ANGE NOTICE                    |                           | E                         | ESTIMATED           | AGGREGATE        | CONTRAC     | T VALUE                          |
|            | \$1,000,    | 00.00          | \$0                                       | .00                            |                           |                           |                     | \$1,000,00       | 00.00       |                                  |
|            |             |                |   | DESCRIF                        |                           |                           |                     |                  |             |                                  |
|            |             |                | e a contract option<br>with this change n | is exercised of o otification. | ne (1)                    | ) yea                     | r to 1/18/20        | 018. All other t | terms and o | condtions remain                 |



January 11, 2017

State of Michigan

Michigan Public Safety Communications System

Attn: Gerald Leach

2ND Floor, Wing A

7150 Harris Drive

Dimondale, MI 48821

RE: State of Michigan Contract Extension

To Whom It May Concern:

JVCKENWOOD USA Corporation wishes to extend contract 071B0200128 according to all terms, conditions, prices and specifications contained in the original contract. The effective date of the extension is January 19, 2017 through January 18, 2018. In addition we would like to reduce any confusion by combining the current price sheet with the contract document.

Thank you,

April Peterson

Manager National Accounts and Contracts

JVCKENWOOD USA Corporation

Cc: Mark Jasin; Dave Brandkamp; Adam Strode

Form No. 07A60-0531 | Rest. 169916} AMTROBETY: Act 431 of 1694 COMPLETION: Regulated PANALTY: Contract change will not be executed unless form in filed

### STATE OF MICHIGAN

# DEPARTMENT OF TECHNOLOGY, MANAGEMENT & BUDGET PROCUREMENT

NOT W. ALLEGAN STREET LANGERO, M. 41903

# CHANGE NOTICE NO. 004 CONTRACT NO. 071B0200128 between THE STATE OF MICHIGAN and

| NAME & ADDRESS OF CONTRACTOR | PRIMARY CONTACT | EMAIL                    |
|------------------------------|-----------------|--------------------------|
| JVCKENWOOD USA CORPORATION   | April-Peterson  | ayoung@us.jvckenwood.com |
| 2201 E. Dominguez Street     | PHONE           | CONTRACTOR'S TAX ID NO.  |
| Long Beach CA, 22745         | 310-761-8213    | ****8901                 |

| STATE CONTACTS         | AGENCY | NAME         | PHONE          | ENAIL.              |
|------------------------|--------|--------------|----------------|---------------------|
| PROGRAM MANAGER / CCI  | DTMB   | Gerald Leach | 517-490-4148   | leachg@michigan.gov |
| CONTRACT ADMINISTRATOR | DTMB   | Mike Breen   | (517) 284-7002 | breenm@michigan.gov |

| DESCRIPTION: Two-Way Ra   | dios                    |                           |  |  |
|---------------------------|-------------------------|---------------------------|--|--|
| INITIAL EFFECTIVE DATE    | INITIAL EXPIRATION DATE | INITIAL AVAILABLE OPTIONS | EXPIRATION DATE BEFORE<br>CHANGE(S) NOTED BELOW  |  |
| March 1, 2010             | January 19, 2013        | 5 - 1 Year                | February 5, 2016   |  |
| PAYMEN                    | TTERMS                  | DELIVERY TIMEFRAME        |  |  |
| NA.                       |                         | NA.                       |  |  |
| ALTERNATE PAYMENT OPTION  |                         |                           | EXTENDED PURCHASING  |  |
| ☑ P-card                  | ☑ Direct Voucher (DV)   | ☐ Other                   | ⊠ Yes □ No   |  |
| MINIMUM DELIVERY REQUIREM | ENTS                    | PRINCIPLE AND A SECOND    | A POOL OF THE PARTY OF THE PART |  |

| EXERCISE OPTION? | LENGTH OF OPTION | EXERCISE EXTENSION?    | LENGTH OF<br>EXTENSION | REVISED EXP. DATE    |  |
|------------------|------------------|------------------------|------------------------|----------------------|--|
| [X]              | 1 year           |                        |                        | February 4, 2017     |  |
| CURRENT          | VALUE            | VALUE OF CHANGE NOTICE | ESTIMATED AGGR         | EGATE CONTRACT VALUE |  |
| \$1,000,000.00   |                  | \$ 0.00                | \$1,000,000.00         |                      |  |

January 28, 2016

State of Michigan
Michigan Public Safety Communications System
Attn: Gerald Leach
2ND Floor, Wing A
7150 Harris Drive
Dimondale, MI 48821

RE: State of Michigan Contract Extension

To Whom It May Concern:

JVCKENWOOD USA Corporation wishes to extend contract 071B0200128 according to all terms, conditions, prices and specifications contained in the original contract. The effective date of the extension is January 19, 2016 through January 18, 2017. We also wish to update our pricing matrix to include new products that JVCKENWOOD offers at the same contract rates and discounts.

Thank you,

April Peterson

Manager National Accounts and Contracts JVCKENWOOD USA Corporation

Ce: Mark Jasin; Joe Glassett; Dave Brandkamp

JVCKENWOOD USA Corporation 2201 E. Domingues Street Long Beach, CA 90810 P.O. Box 22745 Long Beach, CA 90801-6745 310-639-9000 Form No. DTMB-3521 (Rev. 2/2015) AUTHORITY: Act 431 of 1984 COMPLETION: Required PENALTY: Contract change will not be executed unless form is filed

### STATE OF MICHIGAN DEPARTMENT OF TECHNOLOGY, MANAGEMENT AND BUDGET **PROCUREMENT** P.O. BOX 30026, LANSING, MI 48909

OR 525 W. ALLEGAN, LANSING, MI 48933

# CHANGE NOTICE NO. 3 CONTRACT NO. 071B0200128

### between

### THE STATE OF MICHIGAN

and

| NAME & ADDRESS OF CONTRACTOR         | PRIMARY CONTACT | EMAIL                                    |
|--------------------------------------|-----------------|--|
| Kenwood USA Corporation              | Barry Morris    | bmorris@kenwoodusa.com                   |
| 2201 E Dominguez Street PO Box 22745 | PHONE           | VENDOR FEIN #<br>(LAST FOUR DIGITS ONLY) |
| Longa Beach, CA 22745                | 800-752-0986    | 8901                                     |

| STATE CONTACTS            | TATE CONTACTS AGENCY |              | PHONE        | EMAIL               |
|---------------------------|----------------------|--------------|--------------|---------------------|
| PROGRAM MANAGER           | DTMB                 | Gerald Leach | 517-490-4148 | leachg@michigan.gov |
| CONTRACT<br>ADMINISTRATOR | DTMB                 | Mike Breen   | 517-284-7002 | breenm@michigan.gov |

|   | CONTRA   | CT SUMMARY                |                               |         |  |  |  |
|---|--|---------------------------|-------------------------------|---------|--|--|--|
| DESCRIPTION:                                  |  |                           |                               |         |  |  |  |
| Two Way Radios - Statewide                    |  |                           |                               |         |  |  |  |
| INITIAL EFFECTIVE DATE                        | INITIAL EXPIRATION<br>DATE                               | INITIAL AVAILABLE OPTIONS | EXPIRATION DA<br>CHANGE(S) NO |         |  |  |  |
| March 1, 2010                                 | rch 1, 2010 January 19, 2013 5 one year January 19, 2014 |                           |                               | 9, 2014 |  |  |  |
| PAYMENT TERMS                                 | F.O.B.   | SHIPPED TO                |                               |         |  |  |  |
| N/A   | N/A  | N/A                       |                               |         |  |  |  |
| ALTERNATE PAYMENT OPTIONS EXTENDED PURCHASING |  |                           |                               |         |  |  |  |
| ☐ P-card ☐ D                                  | irect Voucher (DV)                                       | ☐ Other                   |                               | □ No    |  |  |  |
| MINIMUM DELIVERY REQUIRE                      | MENTS  |                           |                               |         |  |  |  |
| N/A   |  |                           |                               |         |  |  |  |
| •   |  |                           |                               |         |  |  |  |

| DESCRIPTION OF CHANGE NOTICE |  |        |                          |                           |                            |                                    |  |  |
|------------------------------|--|--------|--------------------------|---------------------------|----------------------------|------------------------------------|--|--|
|                              | EXTEND CONTRACT EXERCISE CONTRACT OPTION YEAR(S) |        |                          |                           | LENGTH OF OPTION/EXTENSION | EXPIRATION<br>DATE AFTER<br>CHANGE |  |  |
| □No                          | ⊠ Yes  |        |                          |                           | One year                   | January 19,<br>2016                |  |  |
| CURRENT VALUE                |  | VAL    | UE/COST OF CHANGE NOTICE | ESTIMATED REVISE CONTRACT |                            |                                    |  |  |
| \$1,00,000.00                |  | \$0.00 | \$1,000,00               | 00.00                     |                            |                                    |  |  |

### **DESCRIPTION:**

Effective date, the March 10, 2015 option year available on this contract is hereby exercised. The revised contract expiration date is January 19, 2016. Please note the Program Manger has been changed to Gerald Leach.

All other terms, conditions, specifications and pricing remain the same. Per contractor and agency agreement, and DTMB Procurement approval.

Form No. DTMB-3521 (Rev. 4/2012) AUTHORITY: Act 431 of 1984 COMPLETION: Required PENALTY: Contract change will not be executed unless form is filed

# STATE OF MICHIGAN DEPARTMENT OF TECHNOLOGY, MANAGEMENT AND BUDGET PROCUREMENT

P.O. BOX 30026, LANSING, MI 48909 OR 530 W. ALLEGAN, LANSING, MI 48933

### **CHANGE NOTICE NO. 2**

to

### **CONTRACT NO. 071B0200128**

between

### THE STATE OF MICHIGAN

and

| NAME & ADDRESS OF CONTRACTOR: | PRIMARY CONTACT | EMAIL                   |
|-------------------------------|-----------------|-------------------------|
| Kenwood USA Corporation       | Barry Morris    | bmorris@kenwoodusa.com  |
| 2201 E. Dominguez Street      | TELEPHONE       | CONTRACTOR #, MAIL CODE |
| P.O. Box 22745                |                 |                         |
| Longa Beach, CA 22745         | (800) 752-0986  |                         |

| STATE CONTACTS                | AGENCY | NAME        | PHONE          | EMAIL                |
|-------------------------------|--------|-------------|----------------|----------------------|
| CONTRACT COMPLIANCE INSPECTOR | DTMB   | Toney Casey | (517) 333-6618 | caseyt1@michigan.gov |
| BUYER                         | DTMB   | Mike Breen  | (517) 284-7002 | breenm@michigan.gov  |

| CONTRACT SUMMARY:              |                   |                           |  |  |  |
|--------------------------------|-------------------|---------------------------|--|--|--|
| DESCRIPTION: Two Way R         | adios - Statewide |                           |  |  |  |
|                                |                   | INITIAL AVAILABLE OPTIONS | EXPIRATION DATE BEFORE CHANGE(S) NOTED BELOW |  |  |
| March 1, 2010                  | January 19, 2013  | Five (1) One Year         | January 19, 2014                             |  |  |
| PAYMENT TERMS                  | F.O.B             | SHIPPED                   | SHIPPED FROM                                 |  |  |
| N/A N/A                        |                   | N/A                       | N/A  |  |  |
| ALTERNATE PAYMENT OPTIO        | NS:               |                           | AVAILABLE TO MIDEAL PARTICIPANTS             |  |  |
| ☐ P-card ☐ Dir                 | ect Voucher (DV)  | Other                     | ⊠ Yes □ No                                   |  |  |
| MINIMUM DELIVERY REQUIREMENTS: |                   |                           |  |  |  |
| N/A                            |                   |                           |  |  |  |
|                                |                   |                           |  |  |  |

| DESCRIPTION OF CHANGE NOTICE:  |          |                |                           |                |                    |                  |  |
|--|----------|----------------|---------------------------|----------------|--------------------|------------------|--|
| EXTEND CONTRACT   EXERCISE CONTRACT   EXTENSION BEYOND   LENGTH OF   EXPIRATION DATE |          |                |                           |                | EXPIRATION DATE    |                  |  |
| EXPIRAT  | ION DATE | OPTION YEAR(S) | ON YEAR(S) CONTRACT OPTIO |                | OPTION/EXTENSION   | AFTER CHANGE     |  |
| ☐ No   |          | $\boxtimes$    |                           |                | One (1) Year       | January 19, 2015 |  |
| VALUE/COST OF CHANGE NOTICE:   |          |                |                           | ESTIMATED      | AGGREGATE CONTRACT | VALUE REMAINS:   |  |
| \$500,000.00   |          |                |                           | \$1,000,000.00 |                    |                  |  |
| = ::   |          |                |                           |                | 4 41 11            | 4 1 14           |  |

Effective February 25, 2014, this contract hereby exercises a contract option year and is extended to January 19, 2015. Contract is also increased by \$500,000.00. Please note that the buyer has been changed to Mike Breen. All other terms, conditions and pricing remain unchanged. Per vendor and agency agreement, DTMB Procurement approval and the approval of the State Administrative Board on February 25, 2014.

Form No. DTMB-3521 (Rev. 4/2012) AUTHORITY: Act 431 of 1984 COMPLETION: Required PENALTY: Contract change will not be executed unless form is filed

been update and are attached.

All other terms, conditions and pricing remain unchanged.

### STATE OF MICHIGAN DEPARTMENT OF TECHNOLOGY, MANAGEMENT AND BUDGET **PROCUREMENT** P.O. BOX 30026, LANSING, MI 48909

OR 530 W. ALLEGAN, LANSING, MI 48933

### CHANGE NOTICE NO. 1

to

### **CONTRACT NO. 071B0200128**

between

### THE STATE OF MICHIGAN

and

| NAME & ADDRESS OF CONTRACTOR: | PRIMARY CONTACT | EMAIL                   |
|-------------------------------|-----------------|-------------------------|
| Kenwood USA Corporation       | Barry Morris    | bmorris@kenwoodusa.com  |
| 2201 E. Dominguez Street      | TELEPHONE       | CONTRACTOR #, MAIL CODE |
| P.O. Box 22745                |                 |                         |
| Longa Beach, CA 22745         | (800) 752-0986  |                         |

|   | STATE CONTACTS                | AGENCY | NAME        | PHONE          | EMAIL                |
|---|-------------------------------|--------|-------------|----------------|----------------------|
| C | CONTRACT COMPLIANCE INSPECTOR | DTMB   | Toney Casey | (517) 333-6618 | caseyt1@michigan.gov |
|   | BUYER                         | DTMB   | Steve Motz  | (517) 241-3215 | motzs@michigan.gov   |

|   | CONTRACT SUMMARY:                |           |                               |                                  |                              |  |  |  |
|---|----------------------------------|-----------|-------------------------------|----------------------------------|------------------------------|--|--|--|
| DESCRIPTION: Two V                                | Nay Radios - Statewide           | 9         |                               |                                  |                              |  |  |  |
| INITIAL EFFECTIVE DA                              | INITIAL EXPIRATE                 | LION INI. | TIAL AVAILABLE OPTIONS        | EXPIRATION DATE B<br>NOTED I     |                              |  |  |  |
| March 1, 2010                                     | January 19, 20                   | )13 Fi    | ve (1) One Year               | January 19, 2013                 |                              |  |  |  |
| PAYMENT TERMS                                     | F.O.B                            | SHIF      | PPED                          | SHIPPED FROM                     |                              |  |  |  |
| N/A   | N/A                              |           | N/A                           | N/                               | A                            |  |  |  |
| ALTERNATE PAYMENT OPTIONS:                        |                                  |           |                               | AVAILABLE TO MIDEAL PARTICIPANTS |                              |  |  |  |
| ☐ P-card ☐ Direct Voucher (DV) ☐ Other ☐ Yes ☐ No |                                  |           | No                            |                                  |                              |  |  |  |
| MINIMUM DELIVERY REC                              | QUIREMENTS:                      |           |                               |                                  |                              |  |  |  |
| N/A   |                                  |           |                               |                                  |                              |  |  |  |
|   |                                  |           |                               |                                  |                              |  |  |  |
|   | DESC                             | RIPTION C | OF CHANGE NO                  | TICE:                            |                              |  |  |  |
| EXTEND CONTRACT EXPIRATION DATE                   | EXERCISE CONTRACT OPTION YEAR(S) |           | SION BEYOND<br>T OPTION YEARS | LENGTH OF OPTION/EXTENSION       | EXPIRATION DATE AFTER CHANGE |  |  |  |
| ☐ No ⊠ Yes  |                                  |           |                               | One (1) Year January 19, 2014    |                              |  |  |  |
| VALUE/COS   | T OF CHANGE NOTICE:              |           | ESTIMATED                     | AGGREGATE CONTRACT               | VALUE REMAINS:               |  |  |  |
|   | \$0.00                           |           |                               | \$500,000.00                     |                              |  |  |  |

This Contract is hereby extended for one (1) year, through use of a contract option. Additionally the pricing and product listing have

## **Attachment A – Pricing Matrix**

|                         | Attachinent A – Fricing Watrix |   |                    |             |                                |  |                                    |                           |
|-------------------------|--------------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| <b>KENWOOD</b>          | PRODUCT LI                     | ST  |                    |             |                                |  |                                    |                           |
| SECTION - CATEGORY      | MANUFACTURE                    | MODEL DESCRIPTION                               | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation     | Repeater, VHF, High-Performance 146-<br>162 MHz | 146-162<br>MHz     | TKR-740K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation     | Repeater, VHF, 146-174MHz, 25-50W               | 146-174<br>MHz     | TKR-750K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation     | Repeater, VHF, 136-150MHz, 25-50W               | 136-150<br>MHz     | TKR-750K2   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation     | Repeater, VHF, 146-174MHz, 25W                  | 146-174<br>MHz     | TKR-751K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation     | Repeater, UHF, High-Performance 450-480MHz      | 450-480<br>MHz     | TKR-840K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation     | Repeater, UHF, 450-480MHz 25-40W                | 450-480<br>MHz     | TKR-850K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation     | Repeater, UHF, 480-512MHz 25-40W                | 480-512<br>MHz     | TKR-850K2   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation     | Repeater, UHF, 400-430MHz 25-40W                | 400-430<br>MHz     | TKR-850K3   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation     | Repeater, UHF, 450-480MHz 1-25W                 | 450-480<br>MHz     | TKR-851K    | 25.0%                          | 25.0%  | YES                                | YES                       |

| <b>KENWOOD PRO</b> | ODUCT LIST |
|--------------------|------------|
|--------------------|------------|

| SECTION - CATEGORY      | MANUFACTURE                | MODEL DESCRIPTION                          | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Repeater, Digital, VHF, 136-174MHz, 25-50W | 136-174<br>MHz     | NXR-710K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Repeater, Digital, UHF, 450-520MHz, 1-40W  | 450-520<br>MHz     | NXR-810K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Repeater, Digital, UHF, 400-470MHz, 1-40W  | 400-470<br>MHz     | NXR-810K2   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Repeater, Digital, VHF, 146-174MHz         | 146-174<br>MHz     | NXR-700K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Repeater, Digital, VHF, 136-154MHz         | 136-154<br>MHz     | NXR-700K2   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Repeater, Digital, VHF, 146-174MHz, 25W    | 146-174<br>MHz     | NXR-700E    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Repeater, Digital, UHF, 450-480MHz, 1-5W   | 450-480<br>MHz     | NXR-800K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Repeater, Digital, UHF, 480-512MHz, 1-5W   | 480-512<br>MHz     | NXR-800K2   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Repeater, Digital, UHF, 400-430MHz, 1-5W   | 400-430<br>MHz     | NXR-800K3   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Repeater, Digital, UHF, 440-470MHz, 25W    | 440-470<br>MHz     | NXR-800E    | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY      | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Repeater, Digital, UHF, 400-430MHz, 25W                           | 400-430<br>MHz     | NXR-800E3   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Repeater, Digital, RX 806-825 MHz, TX 821-870 MHz                 | 806-825<br>MHz     | NXR-900K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Repeater, Digital, RX 896-902MHz, TX 935-941MHz                   | 896-902<br>MHz     | NXR-901K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Base Station, 146-174MHz<br>(TKR-750K, KSGPS20200)      | 146-174<br>MHz     | TKB7500PS   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Base Station, 146-174MHz<br>(TKR-751K, KSGPS20200)      | 146-174<br>MHz     | TKB7510PS   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Base Station, 450-480MHz<br>(TKR-850K, KSGPS20200)      | 450-480<br>MHz     | TKB8500PS   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Base Station, 450-480MHz<br>(TKR-851K, KSGPS20200)      | 450-480<br>MHz     | TKB8510PS   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Base Station, 136-174MHz<br>(NXR-710K, KSGPS20200)      | 136-174<br>MHz     | NXB7100PS   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Base Station, 450-520MHz<br>(NXR-810K, KSGPS20200)      | 450-520<br>MHz     | NXB8101PS   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Base Station, 400-470MHz (NXR-810K2, KSGPS20200)        | 400-470<br>MHz     | NXB8102PS   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station, 146-<br>174MHz (TKR-750K, KSGPS20200) | 146-174<br>MHz     | TKR7500PS   | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY      | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------|----------------------------|--|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station, 146-<br>174MHz (TKR-751K, KSGPS20200)  | 146-174<br>MHz     | TKR7510PS      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station, 450-<br>480MHz (TKR-850K, KSGPS20200)  | 450-480<br>MHz     | TKR8500PS      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station, 450-<br>480MHz (TKR-851K, KSGPS20200)  | 450-480<br>MHz     | TKR8510PS      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station, 136-<br>174MHz (NXR-710K, KSGPS20200)  | 136-174<br>MHz     | NXR7100PS      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station, 450-<br>520MHz (NXR-810K, KSGPS20200)  | 450-520<br>MHz     | NXR8101PS      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station, 400-<br>470MHz (NXR-810K2, KSGPS20200)   | 400-470<br>MHz     | NXR8102PS      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station with<br>Duplexer, 148-160MHz (TKR-750K,<br>KSGPS20200, KSGDX62001,<br>KSGCB20008, KSGCB20010) | 148-160<br>MHz     | TKR7500PS<br>D | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station with<br>Duplexer, 148-160MHz (TKR-751K,<br>KSGPS20200, KSGDX62001,<br>KSGCB20008, KSGCB20010) | 148-160<br>MHz     | TKR7510PS<br>D | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station with<br>Duplexer, 450-460MHz (TKR-850K,<br>KSGPS20200, KSGDX63002,<br>KSGCB20008, KSGCB20010) | 450-460<br>MHz     | TKR8500PS<br>D | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station with<br>Duplexer, 450-460MHz (TKR-851K,<br>KSGPS20200, KSGDX63002,<br>KSGCB20008, KSGCB20010) | 450-460<br>MHz     | TKR8510PS<br>D | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station with<br>Duplexer, 148-160MHz (NXR-710K,<br>KSGPS20200, KSGDX62001,<br>KSGCB20008, KSGCB20010) | 148-160<br>MHz     | NXR7100PS<br>D | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station with<br>Duplexer, 450-460 MHz (NXR-810K,<br>KSGPS20200, KSGDX63002,                           | 450-460<br>MHz     | NXR8101PS<br>D | 25.0%                          | 25.0%  | YES                                | YES                       |

| KENWOOD | PRODUCT LIS | T |
|---------|-------------|---|
|         |             |   |

| SECTION - CATEGORY      | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER     | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------|----------------------------|--|--------------------|-----------------|--------------------------------|--|------------------------------------|---------------------------|
|                         |                            | KSGCB20008, KSGCB20010)  |                    |                 |                                |  |                                    |                           |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station with<br>Duplexer, 450-460MHz (NXR-810K2,<br>KSGPS20200,<br>KSGDX63002,KSGCB20008,<br>KSGCB20010)        | 450-460<br>MHz     | NXR8102PS<br>D  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station, 136-<br>174MHz (NXR-710K, KSGPS20200, KTI-<br>3M)  | 136-174<br>MHz     | NXR7100PSI      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station, 450-<br>520MHz (NXR-810K, KSGPS20200, KTI-<br>3M)  | 450-520<br>MHz     | NXR8101PSI      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station, 400-<br>470MHz (NXR-810K2, KSGPS20200,<br>KTI-3M)  | 400-470<br>MHz     | NXR8102PSI      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station with<br>Duplexer, 148-160MHz 9NXR-710K,<br>KSGPS20201, KSGDX62001, KTI-3M,<br>KSGCB20008, KSGCB20010)   | 148-160<br>MHz     | NXR7100PS<br>DI | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station with<br>Duplexer, 450-460 MHz (NXR-810K,<br>KSGPS20201, KSGDX63002, KTI-3M,<br>KSGCB20008, KSGCB20010)  | 450-460<br>MHz     | NXR8101PS<br>DI | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Low Power Repeater Station with<br>Duplexer, 450-460 MHz (NXR-810K2,<br>KSGPS20201, KSGDX63002, KTI-3M,<br>KSGCB20008, KSGCB20010) | 450-460<br>MHz     | NXR8102PS<br>DI | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | 29.7-37.0MHz (TK-690HBK, KCH-10,<br>KCT-23M2, KSGUT50002)  | 29.7-37.0<br>MHz   | TKR-<br>6900SK1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | 35.0-43.0MHz (TK-690HBK, KCH-10, KCT-23M2, KSGUT50002)   | 35.0-43.0<br>MHz   | TKB6900SK2      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | 40.0-50.0MHz (TK-690HBK, KCH-10,<br>KCT-23M2, KSGUT50002)  | 40.0-50.0<br>MHz   | TKB6900SK3      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.0 - Fixed<br>Stations | Kenwood USA<br>Corporation | Kenwood MAX Pro Workstation Bundle -<br>Bundle Includes One (1) Operator   |                    | KMX9050410      | 25.0%                          | 25.0%  | YES                                | N/A                       |

| KENW   | PRO | DUCT | TZLL |
|--------|-----|------|------|
| LILIAN |     | DUCI | LIJI |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|--|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
|                                       |                            | Workstation PC, One (1) media Dock, Two (2) speakers, and power supply.  |                    |                |                                |  |                                    |                           |
| 1.0 - Fixed<br>Stations               | Kenwood USA<br>Corporation | Kenwood MAX Pro Workstation Bundle, PC not included  |                    | KMX9050411     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations               | Kenwood USA<br>Corporation | Kenwood MAX Pro Workstation, Laptop Bundle  Note: USB Headset included, Media Dock not included.   |                    | KMX9050412     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 6.25KHz "Very Narrow Bankd" Option high Stability Reference Oscillator <b>Note:</b> Only one KXK-3M# required per site for each 6.25KHz operation. |                    | KXK-3M3        | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Programming Software (TKR-740/840)   |                    | KPG-47DNK      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Programming Software (TKR-750/751/850/851)   |                    | KPG-91DNK      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Programming Software (NXR-710/810)   |                    | KPG-<br>129DNK | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | TKR-750 Service Manual   |                    | B51-8556-20    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | TKR-751 Service Manual   |                    | B51-8683-00    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | TKR-850 Service Manual   |                    | B51-8557-30    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | TKR-851 Service Manual   |                    | B51-8684-00    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | NXR-710 Service Manual   |                    | B51-8901-00    | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | NXR-810 Service Manual                                      |                    | B51-8902-00    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 2RU Desktop Enclosure - 16" deep by 20.5" wide by 5" high   |                    | KSGMT3000<br>1 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 4RU Desktop Enclosure - 16" deep by 20.5" wide by 8.5" high |                    | KSGMT3000<br>4 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | DC Switching Power Supply                                   |                    | KSGPS2020<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Duplexer, VHF, 148-160MHz, 6 cavities, 4.5MHz sep, N-F      |                    | KSGDX6200<br>1 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Duplexer, UHF, 440-470MHz, 6 cavities, 5MHz sep, N-F        |                    | KSGDX6300<br>2 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Cable, 10" 90 deg N-M to 90 deg BNC-M, RG-142 coaxial       |                    | KSGCB2000<br>8 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Cable, 10" 90 deg N-M to 90 deg N-M,<br>RG-142 coaxial      |                    | KSGCB2001<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Power Supply, 20A, no meter, RM-2512 w/BB6 & 8 place fuse   |                    | KSGPS2020<br>1 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | NXR-Series Programming Cable                                |                    | KSGCB6000<br>4 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Repeater Programming Software NXR-700/800                   |                    | KPG-<br>109DNK | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Nexedge Repeater Monitoring Software                        |                    | KPG-149RM      | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | NXR-700 Service Manual  |                    | B51-8794-00    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | NXR-800 Service Manual  |                    | B51-8795-00    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | NXR-700 Supplement Manual   |                    | B51-8826-00    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | NXR-800 Supplement Manual   |                    | B51-8827-00    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | NXR-900 Service Manual  |                    | B51-8946-00    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | NXR-901 Service Manual  |                    | B53-7004-00    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | TK-690 Service Manual   |                    | B51-8460-10    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | TKR-740 Service Manual  |                    | B51-8505-10    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | TKR-840 Service Manual  |                    | B51-8506-00    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 136-174MHz, 3W Input, 25-50W Output<br>RF Base Station Amp (K and K2 Models)  | 136-174<br>MHz     | KSGPA2242<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 136-144MHz, 3W Input, 55-110W Output<br>RF Base Station Amp (K and K2 Models) | 136-144<br>MHz     | KSGPA2240<br>0 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 144-152MHz, 3W Input, 55-110W Output<br>RF Base Station Amp (K and K2 Models) | 144-152<br>MHz     | KSGPA2241<br>0 | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 152-162MHz, 3W Input, 55-110W Output<br>RF Base Station Amp (K and K2 Models) | 152-162<br>MHz     | KSGPA2242<br>0 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 162-174MHz, 3W Input, 55-110W Output<br>RF Base Station Amp (K and K2 Models) | 162-174<br>MHz     | KSGPA2243<br>0 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 136-144MHz, 3W Input, 150W Output RF<br>Base Station Amp (K and K2 Models)    | 136-144<br>MHz     | KSGPA2245<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 144-152MHz, 3W Input, 150W Output RF<br>Base Station Amp (K and K2 Models)    | 144-152<br>MHz     | KSGPA2245<br>2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 152-162MHz, 3W Input, 150W Output RF<br>Base Station Amp (K and K2 Models)    | 152-162<br>MHz     | KSGPA2245<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 162-174MHz, 3W,Input, 150W Output RF<br>Base Station Amp (K and K2 Models)    | 162-174<br>MHz     | KSGPA2245<br>4 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 152-162MHz, 3W Input, 250W Output RF<br>Base Station Amp (K and K2 Models)    | 152-162<br>MHz     | KSGPA2225<br>8 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 136-174MHz, 25W Input, 25-50W Output<br>RF Base Amp (E Model)                 | 136-174<br>MHz     | KSGPA2252<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 136-174MHz, 25W Input, 55-110W<br>Output RF Base Station Amp                  | 136-174<br>MHz     | KSGPA2250<br>0 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 144-152MHz, 25W Input, 55-110W<br>Output RF Base Amp (E Model)                | 144-152<br>MHz     | KSGPA2251<br>0 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 152-162MHz, 25W Input, 55-110W<br>Output RF Base Amp (E Model)                | 152-162<br>MHz     | KSGPA2252<br>0 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 162-174MHz, 25W Input, 55-110 Output<br>RF Base Amp (E Model)                 | 162-174<br>MHz     | KSGPA2253<br>0 | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|--|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 136-144MHz, 25W Input, 150W Output<br>RF Base Station Amp                            | 136-144<br>MHz     | KSGPA2255<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 144-152MHz, 25W Input, 150W Output<br>RF Base Amp (E Model)                          | 144-152<br>MHz     | KSGPA2255<br>2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 152-162MHz, 25W Input, 150W Output<br>RF Base Amp (E Model)                          | 152-162<br>MHz     | KSGPA2255<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 162-174MHz, 25W Input, 150W Output<br>RF Base Amp (E Model)                          | 162-174<br>MHz     | KSGPA2255<br>4 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 136-174MHz, 3W Input, 25-50W Output<br>RF Repeater Station Amp (K and K2<br>Models)  | 136-174<br>MHz     | KSGPA2240<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 136-144MHz, 3W Input, 55-110W Output<br>RF Repeater Station Amp (K and K2<br>Models) | 136-144<br>MHz     | KSGPA2241<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 144-152MHz, 3W Input, 55-110W Output<br>RF Repeater Station Amp (K and K2<br>Models) | 144-152<br>MHz     | KSGPA2241<br>2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 152-162MHz, 3W Input, 55-110W Output<br>RF Repeater Station Amp (K and K2<br>Models) | 152-162<br>MHz     | KSGPA2241<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 162-174MHz, 3W Input, 55-110W Output<br>RF Repeater Station Amp (K and K2<br>Models) | 162-174<br>MHz     | KSGPA2241<br>4 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 136-144MHz, 3W Input, 150W Output RF<br>Repeater Station Amp (K and K2 Models)       | 136-144<br>MHz     | KSFPA22441     | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 144-152MHz, 3W Input, 150W Output RF<br>Repeater Station Amp (K and K2 Models)       | 144-152<br>MHz     | KSGPA2244<br>2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 152-162MHz, 3W Input, 150W Output RF<br>Repeater Station Amp (K and K2 Models)       | 152-162<br>MHz     | KSGPA2244<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|--|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 162-174MHz, 3W Input, 150W Output RF<br>Repeater Station Amp (K and K2 Models) | 162-174<br>MHz     | KSGPA2244<br>4 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 152-162MHz, 3W Input, 250W Output RF<br>Repeater Station Amp (K and K2 Models) | 152-162<br>MHz     | KSGPA2225<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 136-174MHz, 25W Input, 25-50W Output<br>RF Repeater Amp (E Model)              | 136-174<br>MHz     | KSGPA2250<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 136-144MHz, 25W Input, 55-110W<br>Output RF Repeater Amp                       | 136-144<br>MHz     | KSGPA2251<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 144-152MHz, 25W Input, 55-110W<br>Output RF Repeater Amp (E Model)             | 144-152<br>MHz     | KSGPA2251<br>2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 152-162MHz, 25W Input, 55-110W<br>Output RF Repeater Amp (E Model)             | 152-162<br>MHz     | KSGPA2251<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 162-174MHz, 25W Input, 55-110W<br>Output RF Repeater Amp (E Model)             | 162-174<br>MHz     | KSGPA2251<br>4 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 136-144MHz, 25W Input, 150W Output<br>RF Repeater Amp                          | 136-144<br>MHz     | KSGPA2254<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 144-152MHz, 25W Input, 150W Output<br>RF Repeater Amp (E Model)                | 144-152<br>MHz     | KSGPA2254<br>2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 152-162MHz, 25W Input, 150W Output<br>RF Repeater Amp (E Model)                | 152-162<br>MHz     | KSGPA2254<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 162-174MHz, 25W Input, 150W Output<br>RF Repeater Amp (E Model)                | 162-174<br>MHz     | KSGPA2254<br>4 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 406-450MHz, 3W Input, 20-40W Output<br>RF Base Station Amp (K, K2, K3 Models)  | 406-450<br>MHz     | KSGPA2342<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|--|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 450-512MHz, 3W Input, 20-40W Output<br>RF Base Station Amp (K, K2, K3 Models)            | 450-512<br>MHz     | KSGPA2342<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 406-450MHz, 3W Input, 50-100W Output<br>RF Base Station Amp (K, K2, K3 Models)           | 406-450<br>MHz     | KSGPA2340<br>0 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 450-512MHz, 3W Input, 50-100W Output<br>RF Base Station Amp (K, K2, K3 Models)           | 450-512<br>MHz     | KSGPA2342<br>0 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 406-450MHz, 3W Input, 150W Output RF<br>Base Station Amp (K, K2, K3 Models)              | 406-450<br>MHz     | KSGPA2345<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 450-512MHz, 3W Input, 150W Output RF<br>Base Station Amp (K, K2, K3 Models)              | 450-512<br>MHz     | KSGPA2345<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 406-450MHz, 25W Input, 20-40W Output<br>RF Base Station Amp (E and E3 Models)            | 406-450<br>MHz     | KSGPA2352<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 450-512MHz, 25W Input, 20-40W Output<br>RF Base Station Amp (E and E3 Models             | 450-512<br>MHz     | KSGPA2352<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 406-450MHz, 25W Input, 50-100W<br>Output RF Base Station Amp (E and E3<br>Models         | 406-450<br>MHz     | KSGPA2350<br>0 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 450-512MHz, 25W Input, 50-100W<br>Output RF Base Station Amp (E and E3<br>Models         | 450-512<br>MHz     | KSGPA2352<br>0 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 406-450MHz, 25W Input, 150W Output<br>RF Base Station Amp (E and E3 Models               | 406-450<br>MHz     | KSGPA2355<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 450-512MHz, 25W Input, 150W Output<br>RF Base Station Amp (E and E3 Models               | 450-512<br>MHz     | KSGPA2355<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 406-450MHz, 3W Input, 20-40W Output<br>RF Repeater Station Amp (K, K2, and K3<br>Models) | 406-450<br>MHz     | KSGPA2340<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 450-512MHz, 3W Input, 20-40W Output<br>RF Repeater Station Amp (K, K2, and K3<br>Models)  | 450-512<br>MHz     | KSGPA2340<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 406-450MHz, 3W Input, 50-100W Output<br>RF Repeater Station Amp (K, K2, and K3<br>Models) | 406-450<br>MHz     | KSGPA2341<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 450-512MHz, 3W Input, 50-100W Output<br>RF Repeater Station Amp (K, K2, and K3<br>Models) | 450-512<br>MHz     | KSGPA2341<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 406-450MHz, 3W Input, 150W Output RF<br>Repeater Station Amp (K, K2, and K3<br>Models)    | 450-512<br>MHz     | KSGPA2344<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 450-512MHz, 3W Input, 150W Output RF<br>Repeater Station Amp (K, K2, and K3<br>Models)    | 450-512<br>MHz     | KSGPA2344<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 406-450MHz, 25W Input, 20-40W Output<br>RF Repeater Station Amp (E and E3<br>Models)      | 406-450<br>MHz     | KSGPA2350<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 450-512MHz, 25W Input, 20-40W Output<br>RF Repeater Station Amp (E and E3<br>Models)      | 450-512<br>MHz     | KSGPA2350<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 406-450MHz, 25W Input, 50-100W<br>Output RF Repeater Station Amp (E and<br>E3 Models)     | 406-450<br>MHz     | KSGPA2351<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 450-512MHz, 25W Input, 50-100W<br>Output RF Repeater Station Amp (E and<br>E3 Models)     | 450-512<br>MHz     | KSGPA2351<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 406-450MHz, 25W Input, 150W Output<br>RF Repeater Station Amp (E and E3<br>Models)        | 406-450<br>MHz     | KSGPA2354<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 450-512MHz, 25W Input, 150W Output<br>RF Repeater Station Amp (E and E3<br>Models)        | 450-512<br>MHz     | KSGPA2354<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 764-870MHz, 250mW Input, 75W Output<br>RF Repeater Station Amp                            | 764-870<br>MHz     | KSGPA2418<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |

| KENW   | PRO | DUCT | TRILL |
|--------|-----|------|-------|
| LILIAN |     |      | LIJI  |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 764-870MHz, 250mW Input, 130W Output<br>RF Repeater Station Amp   | 764-870<br>MHz     | KSGPA2413<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 928-943MHz, 250mW Input, 75W Output<br>RF Repeater Station Amp  | 928-943<br>MHz     | KSGPA2517<br>2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 935-940MHz, 250mW Input, 130W Output<br>RF Repeater Station Amp   | 935-940<br>MHz     | KSGPA2513<br>2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 30-36MHz, 50W Input, 100W Output RF<br>Amp  | 30-36<br>MHz       | KSGPA2110<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 36-42MHz, 50W Input, 100W Output RF<br>Amp  | 36-42<br>MHz       | KSGPA2110<br>2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 42-50MHz, 50W Input, 100W Output RF<br>Amp  | 42-50<br>MHz       | KSGPA2110<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 30-36MHz, 50W Input, 250W Output RF<br>Amp  | 30-36<br>MHz       | KSGPA2125<br>1 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 36-42MHz, 50W Input, 250W Output RF<br>Amp  | 36-42<br>MHz       | KSGPA2125<br>2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 42-50MHz, 50W Input, 250W Output RF<br>Amp  | 42-50<br>MHz       | KSGPA2125<br>3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | P25 Controller (KSGCT50401,<br>KSGCP402, KSGMS00122)  Note: P25 Controller includes PCC box,<br>hardware, channel card and cable. |                    | KSGCP401       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | P25 Channel Card  Note: Required for additional repeaters at the same site.   |                    | KSGCP402       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 1.1 - Fixed<br>Station                | Kenwood USA<br>Corporation | 40A, 13.8VDC, 19" Wide Rack-Mounted Power Supply  |                    | KSGPS2040<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| Accessories                           |                            | <b>Note</b> : Incompatible with 150W or 250W amplifier option.  |                    |                |                                |  |                                    |                           |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 35A, 13.8VDC, 19" Wide Rack-Mounted Power Supply with SmartCharger Note: Incompatible with 150W or 250W amplifier option.     |                    | KSGPS2035<br>2 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 70A, 13.8VDC, 19" Wide Rack-Mounted Power Supply  |                    | KSGPS2070<br>1 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 70A, 13.8VDC, 19" Wide Rack-Mounted Power Supply with SmartCharger  |                    | KSGPS2070<br>2 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 3' (17RU) Aluminum Equipment Rack with Crate (KSGMT13000, KSGMT0C03R)   |                    | KSGMRCK3       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 7' (45RU) Aluminum Equipment Rack with Crate (KSGMT17000, KSGMT0C07R)   |                    | KSGMRCK7       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 77" (40RU) Locking Cabinet with Crate (KSGMT20040, KSGMT0C40U)  |                    | KSGMCAB4       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 42" (20RU) Locking Cabinet  |                    | KSGMT2002<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Crate for 42" (20RU) Locking Cabinet  Note: Optional for situations where extra protection during transportation is required. |                    | KSGMT0C20<br>U | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Cabinet Solid Top Panel   |                    | KSGMT2000<br>1 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Cabinet Fan Top Assembly  |                    | KSGMT2000<br>2 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station                | Kenwood USA<br>Corporation | Cabinet Solid Floor Panel (includes five pre-drilled openings and grommets)   |                    | KSGMT2000<br>3 | 25.0%                          | 25.0%  | YES                                | N/A                       |

| KENW   | PRO | DUCT | TRILL |
|--------|-----|------|-------|
| LILIAN |     |      | LIJI  |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| Accessories                           |                            |   |                    |                |                                |  |                                    |                           |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 2 Channel Tone Termination Panel (KSGTM10012, KSGTM10TCS, KSGCB32801)  Note: 2 or 4 wire, 600-Ohm balanced audio with monitor.  |                    | KSGTN02A       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | N-Series 2 Channel Tone Termination Panel (KSGTM10060, KSGTM20TCS, KSGCB32801)  Note: 2 or 4 wire, 600-Ohm balanced audio with monitor and automatic line leveling.   |                    | KSGTN02N       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 10 Channel BCD Tone Termination Panel (KSGTM10010, KSGBCDCASE, KSGCB32801)  |                    | KSGTN10A       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 16 Channel Tone Termination Panel  Note: 2 or 4 wire, 600-Ohm balanced audio with monitor.  |                    | KSGTM2001<br>6 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | DC Termination Panel (KSGTM10003, KSGTM10TCS, KSGCB32801)  Note: 2 or 4 wire, 600-Ohm balanced audio with monitor. Specify DC current settings at time of order.  |                    | KSGTDC2A       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 600 Ohm Line Driver (KSGTM10021, KSGTM10TCS, KSGCB32801)  Note: 1 channel receive audio line driver panel, 2 wire, 600Ohm balanced output. May also be configured to support 4-wire E&M interface applications. |                    | KSGTALD1       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 8-Port Managed Network Switch with Mounting Tray  |                    | KSGNS1000<br>8 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Rack Mounted 24-Port Managed Network<br>Switch  |                    | KSGNS1002<br>4 | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 4-Port Managed VPN Router with Mounting Tray  |                    | KSGRT1000<br>4 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Repeater Trunking Feature  Note: One Feature required for each trunking repeater.   |                    | KSGPG9180<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Multi-Site Networking Feature  Note: One required for each of the first five sites to be networked; sites 6 through 16 are available at no additional charge.   |                    | KSGPG9181<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | System Manager Software and Secure USB Key Package (KPG-110SMK, KSGPGKEY01)  Note: Only required when used as a trunking system. Software/Key package discount has been applied. (See component pricing below.) |                    | KSGPGKEY<br>SM | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | System Manager Trunking Software  Note: Additional Programming Software (One copy included with KSGPGKEYSM) Software cannot be opened without a valid KSGPGKEY01 or KSGPGKEY02 secure USB key                   |                    | KPG-<br>110SMK | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Grade-1 Unlimited Access Secure USB<br>Programming Key  |                    | KSGPGKEY0<br>1 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Grade-2 Limited Access Secure USB<br>Programming Key  |                    | KSGPGKEY0<br>2 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | LTR Dispatch Trunking Controller (KSGCT11040, KSGCB30532)   |                    | KSGC040L       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | LTR Dispatch & Interconnect Trunking<br>Controller (KSGCT11050, KSGCB30532)   |                    | KSGC050L       | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | LTR Dispatch Trunking Controller (901-9570, KSGCB32801)   |                    | KSGC452L       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | LTR Dispatch & Interconnect Trunking<br>Controller (905-0123, KSGCB32801)   |                    | KSGC459L       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 6 Cavity VHF BpBr Duplexer  Note: Bandpass/Bandreject duplexer, 350W continuous duty, minimum TX-RX 400 KHz. Includes one LMR-400 interface cable.  |                    | KSGDX1255<br>6 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 6 Cavity UHF BpBr Duplexer (450-470MHz Only)  Note: Bandpass/Bandreject duplexer, 250W continuous duty. Includes one LMR-400 interface cable.   |                    | KSGDX1354<br>6 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 4 Cavity UHF BpBr Duplexer (450-<br>470MHz Only)  Note: Bandpass/Bandreject duplexer,<br>350W continuous duty. Includes one<br>LMR-400 interface cable.                                     |                    | KSGDX2310      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 4 Cavity 800MHz BpBr Duplexer  Note: Bandpass/Bandreject duplexer, 250W continuous duty, minimum TX-RX 5MHz. Includes RF cables, mounting and tuning. Includes one LMR-400 interface cable. |                    | KSGDX1464<br>4 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 4 Cavity 900MHz BpBr Duplexer  Note: Bandpass/Bandreject duplexer, 250W continuous duty, minimum TX-RX 5MHz. Includes RF cables, mounting and tuning. Includes one LMR-400 interface cable. |                    | KSGDX1504<br>4 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Basic Site Management Modem (KSGMD10001, KSGCB22154)  Note: Modem 2400 bps to be used with  |                    | KSGOMOD1       | 25.0%                          | 25.0%  | YES                                | N/A                       |

|                                       | PRODUCT LI                 |   |                    |                |                                | OPTIONS  |                                    |                          |
|---------------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|--------------------------|
| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROV<br>BAND<br>CAPABL |
|                                       |                            | LTR controllers, includes interface cable.  |                    |                |                                |  |                                    |                          |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | High Performance Site Management Modem (KSGMD20000, KSGCB22154)  Note: Modem 2400 bps, extra stability in high RF environments, includes interface cable. |                    | KSGOMOD2       | 25.0%                          | 25.0%  | YES                                | N/A                      |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Signal-to-Noise Modular Voting Comparator Note: 19" rack mount; occupies 3RU. Order Station Module Cards below.   |                    | KSGSNV12       | 25.0%                          | 25.0%  | YES                                | N/A                      |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Station Module Card for Signal-to-Noise Voter (SVM-2)   |                    | KSGVOT2A       | 25.0%                          | 25.0%  | YES                                | N/A                      |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Pilot Tone Generator and Line Driver (PTG-10)  Note: For use with voting systems, supplies 600 Ohm balanced 2-wire audio.                                 |                    | KSGOPTG1       | 25.0%                          | 25.0%  | YES                                | N/A                      |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | CWID Morse Code Generator   |                    | KSGOCWID       | 25.0%                          | 25.0%  | YES                                | N/A                      |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Relay Antenna, x10 Series, 50W  |                    | KSGMS1001<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                      |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 2RU Utility Tray for Mounting Equipment TK-690HBK/K2/K3   |                    | KSGUT5000<br>2 | 25.0%                          | 25.0%  | YES                                | N/A                      |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Rack, Equipment, 3' Tall, 19 Inches Wide  |                    | KSGMT1300<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                      |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Crate for 3' Rack   |                    | KSGMT0C03      | 25.0%                          | 25.0%  | YES                                | N/A                      |

YES

N/A

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Rack, Equipment, 7' Tall, 19 Inches Wide                                      |                    | KSGMT1700<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Crate for 7' Rack   |                    | KSGMT0C07<br>R | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Cabinet, 40U w/Hardware Kit Pre-<br>Punched Pontoon Base                      |                    | KSGMT2004<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Crate for 40U Cabinet   |                    | KSGMT0C40<br>U | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Panel, Tone Term, 2 ch., no case, full dup, 2 or 4 wire, w/monitor            |                    | KSGTM1001<br>2 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Case, Tone Term Panel   |                    | KSGTM10TC<br>S | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Cable, Interface, Tone to '50   |                    | KSGCB3280<br>1 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Panel, Tone Term (N-Series), 2 ch., no case, full dup, 2 or 4 wire, w/monitor |                    | KSGTM1006<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Case, Tone Term Panel (N-Series)  |                    | KSGTM20TC<br>S | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Term panel, DC, 2ch, 2/4-wire, full duplex                                    |                    | KSGTM1000<br>3 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Panel, Tone Term, 10 ch., with case, full dupl, 2 or 4 wire, w/mon            |                    | KSGTM1001<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station                | Kenwood USA<br>Corporation | Case, Ton Term Panel  |                    | KSGBCDCA<br>SE | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|--|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| Accessories                           |                            |  |                    |                |                                |  |                                    |                           |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 600 Ohm Balanced Line Driver                                       |                    | KSGTM1002<br>1 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | PCC Box, Ancillary Hardware TKR-740/840(P)                         |                    | KSGCT5040<br>1 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Panel, Front TKR-740/840(P)  |                    | KSGMS0012<br>2 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Relay Antenna, x50 Series, 50W                                     |                    | KSGMS1005<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Relay, Antenna, x40 Series, 5W                                     |                    | KSGMS1004<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Controller, Dispatch Trunking (Trident Raider)                     |                    | KSGCT1104<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Cable, 32", DB-25 Male (Controller) to DB-25 Male(Repeater)        |                    | KSGCB3053<br>2 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Controller, Dispatch Trunking with Interconnect (Trident Maurader) |                    | KSGCT1105<br>0 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Controller, Dispatch Trunking (Zetron Model 452)                   |                    | 901-9570       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Controller, Dispatch Trunking with Interconnect (Zetron Model 459) |                    | 905-0123       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Modem, USR   |                    | KSGMD1000<br>1 | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER     | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|--|--------------------|-----------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Cable,54",DB-9 Female (Controller) to DB-25 Male(Modem)  |                    | KSGCB2215<br>4  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Modem, Tuff, with power cable and interface cable  |                    | KSGMD2000<br>0  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 1RU Mounting Tray  Note: Provides mounting space for up to two accessories.  |                    | KSGUT1000<br>1  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Voting System Option   |                    | KWD-<br>NX10VTR | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Pro Software   |                    | KMX9300258      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Headset, 6-wire, Noise Cancelling  Note: Dual Prong adapter which includes one headset top.  |                    | 950-0032        | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Headset 4-Wire, Noise Cancelling  Note: Dual Prong adapter which includes one headset top.   |                    | 950-0033        | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Wireless Headset, 6-Wire, Noise Canceling (includes 1 additional battery)  Note: Plantronics CA12CD improved belt-mounted PTT pack has secure battery retention and accepts Plantronics H-Series headset tops. |                    | 950-0454        | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Headset Top, Noise Cancelling  |                    | 802-0115        | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Kenwood Desktop Microphone, Standard with Cable  |                    | KMX9050413      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Kenwood Desktop Microphone, Shure with Cable   |                    | KMX9050414      | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Kenwood Media Dock XS Kit   |                    | KMX9019695  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Kenwood Speakers Single (Cable Separate)  |                    | KMX9500884  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Footswitch, Single w/ 10' cable   |                    | 950-9102    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Dual Prong Headset Jackbox Option (Single Volume Control)   |                    | 950-1082    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Dual Prong Headset Jackbox Option (Dual Volume Control)  Note: Required for TRHI functionality.   |                    | 950-1077    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 10 ft. Shielded Cat 5e cable for Speakers   |                    | 709-0170-10 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Model 6080 Relay Module   |                    | 901-9674    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Kenwood MAX Digital Radio Gateway  Note: Required when interfacing via IP directly to a NEXEDGE®DMR, or P25 DFSI System.  |                    | KMX9019692  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | NEXEDGE® Talkpath Interface  Note: Requires license for each NEXEDGE® Talkpath monitored at the console.  |                    | KMX9300264  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Radio Gateway Conventional (DB15) Hardware  Note: This hardware variant is used when the radio is co-located with the MAX Radio Gateway and the cable can run directly from the unit to the radio itself. This device supports 2 radio connections. |                    | 901-9675    | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
|                                       |                            | Includes one 10' shielded Cat 5e cable.   |                    |             |                                |  |                                    |                           |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Interface License (TK-x180,TK-5x10, NX-800/900)  Note: Per Channel  |                    | 930-0229    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Radio Gateway to Kenwood Radios<br>(TK-x180, TK-5x10,<br>NX-700/800/900) Cable (10 ft.)   |                    | 709-7977-10 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | MAX Radio Gateway to Kenwood Radios (TK-x180, TK-5x10, NX-700/800/900) Cable (20 ft.)   |                    | 709-7977-20 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Radio Gateway Conventional (RJ21) Hardware Note: This hardware variant is used when the site requires that the interconnects to be demarcated on punch down blocks. This device supports 2 radio connections. Includes one 10' shielded Cat 5e cable. |                    | 901-9677    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Interface License (TK-x180,TK-5x10, NX-800/900)  Note: Per Channel  |                    | 930-0229    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 25-pr Cable, M180-M90 (10 ft.)  |                    | 709-0167-10 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 25-pr Cable, M180-M90 (25 ft.)  |                    | 709-0167-25 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | 25-pr Cable, M180-M90 (50 ft.)  |                    | 709-0167-50 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Kenwood MAX Central  Note: Hardware platform hosting the MAX Manager, Telephony Gateway, IP Voice Logger Gateway, and the Auxiliary I/O Gateway. Includes five (5) 10 ft. shielded CAT5e cables for connectivity.   |                    | KMX9019694  | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Manager Note: Required for each MAX System.  |                    | 930-0231    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Fleetsync Signaling  |                    | 930-0263    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Block of 10 Radio Channels Licenses  Note: Up to 50 Channels in the systems.  Beyond 50 channels please contact  Kenwood for pricing |                    | 930-0221    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | IP Voice Logger Channel Block License (Up to 10 radio channels)  |                    | 930-0237    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Auxiliary I/O Port License (Supports inputs and outputs up to 32)  |                    | 930-0239    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Auxiliary I/O Unit - 16 Inputs/16 Outputs  |                    | 950-1132    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Auxiliary I/O Unit - 16 Inputs/8 Outputs   |                    | 950-1147    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | Expansion Auxiliary I/O Unit - 16 Inputs/16 Outputs  |                    | 950-1149    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Expansion Auxiliary I/O Unit - 16 Inputs/8 Outputs   |                    | 950-1148    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Telephone Gateway Services (1 per Max Central)   |                    | 930-0235    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Telephony Port License (1 license per line connection)  Note: License not required if purchasing one of the gateways above.          |                    | 930-0236    | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 2 Port FXS VoIP Gateway with 2 port license  Note: Unit requires use of 19" Rack 2U shelf (810-0142).                             |                    | 950-1130    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 12 Port FXS VoIP Gateway with 12 port license   |                    | 950-1131    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 2 Port FXO VoIP Gateway with 2 port license  Note: Unit requires use of 19" Rack 2U shelf (810-0142).                             |                    | 950-1138    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 12 Port FXO VoIP Gateway with 12 port license   |                    | 950-1139    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Portal Remote Radio License  Note: One remote Portal license is needed per Radio Gateway that is designated as remote device. |                    | 930-0233    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Redundant 12VDC Power System  Note: Supports up to 20 MAX Dispatch devices and includes 19" rack mount enclosure.                 |                    | 950-1142    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Redundant 12VDC Power System  Note: Supports up to 40 MAX Dispatch devices and includes 19" rack mount enclosure.                 |                    | 950-1143    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Isolated 12VDC Power Supply System (non-Redundant)  Note: Supports up to 20 MAX Dispatch devices                                  |                    | 950-1133    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 12VDC Power Distribution Panel  Note: Supports up to 40 MAX Dispatch devices.   |                    | 950-1134    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | DIN Rail Mounting Kit  Note: Generic Rack Mount Kit used for extra power supply mounting or other                                 |                    | 950-1135    | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
|                                       |                            | devices using DIN rail mounting.  |                    |             |                                |  |                                    |                           |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Radio Gateway Power Supply Option  Note: Used for powering one Radio Gateway. |                    | 950-0923    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Radio Interface Module Single Unit Rack<br>Mount Kit                              |                    | 950-0589    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Radio Interface Module Dual Unit Rack<br>Mount Kit                                |                    | 950-0588    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Connectorized Punch down Block  |                    | 950-9351    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Connectorized Punch down Block (Protected) [Baseline Product]                     |                    | 950-9199    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Protection Modules for 66-Block   |                    | 802-0230    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 19" Rack 2U Shelf   |                    | 810-0142    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Monitor, LCD Flatpanel, 23" (Resolution 1920 X 1080) (Recommended)                |                    | 802-2311    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Monitor, LCD Flatpanel, 22" (Resolution 1680 X 1050)                              |                    | 802-0748    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Tech Global 23" WS Multi-Touch Monitor (Resolution 1920 X 1080)                   |                    | 802-2313    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | HP 21.5" WS Multi-Touch Monitor<br>(Resolution 1920 X 1080)                       |                    | 802-2206    | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 24-Port Managed Gigabit Switch - Cisco   |                    | 950-1128    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | 48-Port Managed Gigabit Switch - Cisco   |                    | 950-1129    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | MAX Solutions Workstation PC   |                    | KMX9501136  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Dispatch Manual Set  Note: CD includes complete suite of MAX Dispatch Manuals. |                    | 395-0098    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX System Overview Manual   |                    | 025-9638    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | MAX System Installation Manual   |                    | 025-9645    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Radio Gateway (DB15) Product<br>Manual   |                    | 025-9624    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Radio Gateway (RJ21) Product<br>Manual   |                    | 025-9648    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Operation Manual   |                    | 025-9649    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Central Product Manual   |                    | 025-9647    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Dispatch Console Design Manual   |                    | 025-9650    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Model 6080 Manual  |                    | 025-9630    | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY                    | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Digital Radio Gateway Product<br>Manual                                |                    | 025-9625    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Media Dock XS Manual   |                    | 025-9658    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Dispatch Factory Technical Training, First Person                      |                    | X97-344F    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Dispatch Factory Technical Training,<br>Additional person              |                    | X97-344A    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Dispatch On-site Training, First Day                                   |                    | X98-344F    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Dispatch On-site Training, Additional Day                              |                    | X98-344A    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Dispatch On-site Training, Travel Day                                  |                    | X98-9344    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Dispatch On-site Technical Support, First Day                          |                    | X93-344F    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | MAX Dispatch On-site Technical Support,<br>Additional Day                  |                    | X93-344A    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed Station Accessories       | Kenwood USA<br>Corporation | MAX Dispatch On-site Technical Support,<br>Travel Day                      |                    | X93-344R    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Extended Limited Warranty per year (4% of System List Price)               |                    | X61-1344    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood USA<br>Corporation | Extended Limited Warranty 5 year from Ship Date (14% of System List Price) |                    | X61-5344    | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY     | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz 50W, 260 CH / 128 Zone                        | 136-174<br>MHz     | NX-720HGK   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | Digital 450-520 MHz 50W, 260 CH / 128 Zone                        | 450-520<br>MHz     | NX-820HGK   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation |   |                    | YES         | YES                            |  |                                    |                           |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz 45W, 512 CH / 128 Zone                        | 45W, 512 CH / 128  |             | YES                            | YES  |                                    |                           |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz 50W, 512 CH / 128 Zone                        | 136-<br>174MHz     | NX-700HK    | 25.0%                          | 25.0% 25.0%  |                                    | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | Digital 450-520 MHz 30W, 512 CH / 128 Zone                        | 450-520<br>MHz     | NX-800K     | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | Digital 400-470 MHz 30W, 512 CH / 128 Zone                        | 400-470<br>MHz     | NX-800K2    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | Digital450-520 MHz 45W, 512 CH / 128 Zone                         | 450-520<br>MHz     | NX-800HK    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | Digital 400-470 MHz 45W, 512 CH / 128 Zone                        | 400-470<br>MHz     | NX-800HK2   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | Digital 806-870 MHz 15W, 512 CH/128 Zone                          | 806-807<br>MHz     | NX-900K     | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | Digital 896-941 MHz 15W, 512 CH/128 Zone [Available 1st Qtr 2012] | 896-941<br>MHz     | NX-901K     | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | 29.7-37.0 MHz, 110W, 160 Channels (R.F. DECK ONLY)                | 23.7-37.0<br>MHz   | TK-690HBK   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | 35.0-43.0 MHz, 110W, 160 Channels (R.F. DECK ONLY)                | 35.0-43.0<br>MHz   | TK-690HBK2  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | 39.0-50.0 MHz, 110W, 160 Channels (R.F. DECK ONLY)                | 39.0-50.0<br>MHz   | TK-690HBK3  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | 148-174 MHz, 45W, 160 Channels (R.F. DECK ONLY)                   | 148-<br>174MHZ     | TK-790BK    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood USA<br>Corporation | 148-174 MHz, 110W, 160 Channels (R.F. DECK ONLY)                  | 148-174<br>MHz     | TK-790HBK   | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | 450-490 MHz, 40W, 160 Channels (R.F. DECK ONLY)                       | 450-490<br>MHz     | TK-890BK    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | 480-512 MHz, 40W, 160 Channels (R.F. DECK ONLY)                       | 480-512<br>MHz     | TK-890BK2   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | 450-480 MHz, 100/75W, 160 Channels (R.F. DECK ONLY)                   | 450-480<br>MHz     | TK-890HBK   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | 136-174 MHz 30W, 512 CH / 128 Zone<br>CONV-& LTR                      | 136-174<br>MHz     | TK-7180K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | CONV-& LTR MHZ  |                    | 25.0%       | YES                            | YES  |                                    |                           |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | 450-520 MHz 30W, 512 CH / 128 Zone<br>CONV-& LTR                      | 450-520<br>MHz     | TK-8180K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | 450-520 MHz 45W, 512 CH / 128 Zone<br>CONV-& LTR                      | 450-520<br>MHz     | TK-8180HK   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | 400-470 MHz 30W, 512 CH / 128 Zone<br>CONV-& LTR                      | 400-470<br>MHz     | TK-8180K2   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | 400-470 MHz 45W, 512 CH / 128 Zone<br>CONV-& LTR                      | 400-470<br>MHz     | TK-8180HK2  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | 136-174 MHz 50W, 16 CH / 2 Zone<br>Conventional                       | 136-174<br>MHz     | TK-7302HVK  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | 450-520 MHz 45W, 16 CH / 2 Zone<br>Conventional                       | 450-520<br>MHz     | TK-8302HUK  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | 136-174 MHz 50W, 128 CH/128 Zone<br>CONV-& LTR                        | 136-174<br>MHz     | TK-7360HVK  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | 450-520 MHz 45W, 128CH/128 Zone<br>CONV-& LTR                         | 450-520<br>MHz     | TK-8360HUK  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | VHF Low Band 29.7 – 37.0 MHz 70W, 32 Channels                         | 29.7-37.0<br>MHz   | TK-6110K    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood USA<br>Corporation | VHF Low Band 35.0 – 50.0 MHz 70W, 32 Channels                         | 35.0-50.0<br>MHz   | TK-6110K2   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys | 136-174<br>MHz     | NX-200K     | 25.0%                          | 25.0%  | YES                                | YES                       |

| KENWOOD PRODUCT | LIST |
|-----------------|------|
|-----------------|------|

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER      | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|---|--------------------|------------------|--------------------------------|--|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad  | 136-174<br>MHz     | NX-200K2         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz, 5W, Non-Display  | 136-174<br>MHz     | NX-200SK         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz, 5W, 14 Characters Alphanumeric LCD, 6 Control Keys IP67 (Immersion)  | 136-174<br>MHz     | NX-200-WK        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz, 5W, 14 Characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad IP67 (Immersion)                                   | 136-174<br>MHz     | NX-200-WK2       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz, 5W, 14 Characters<br>Alphanumeric LCD, 6 Control Keys IP67<br>(Immersion) Custom Color Housing<br>(Yellow)               | 136-174<br>MHz     | NX-200-WK-<br>YH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz, 5W, 14 Characters<br>Alphanumeric LCD, 6 Control Keys IP67<br>(Immersion) Custom Color Housing<br>(Orange)               | 136-174<br>MHz     | NX-200-WK-<br>OH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz, 5W, 14 Characters<br>Alphanumeric LCD, 6 Control Keys<br>Factory Mutual (FM) Approved                                    | 136-174<br>MHz     | NX-200-ISK       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz, 5W, 14 Characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad Factory Mutual (FM) Approved                       | 136-174<br>MHz     | NX-200-ISK2      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz, 5W, Non-Display Factory Mutual (FM) Approved   | 136-174<br>MHz     | NX-200-ISSK      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz, 5W, 14 Characters<br>Alphanumeric LCD, 6 Control Keys<br>Factory Mutual (FM) Approved, IP67<br>(Immersion)               | 136-174<br>MHz     | NX-200-<br>ISWK  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz, 5W, 14 Characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad, Factory Mutual (FM) Approved,<br>IP67 (Immersion) | 136-174<br>MHz     | NX-200-<br>ISWK2 | 25.0%                          | 25.0%  | YES                                | YES                       |

| KENW   | PRO | DUCT | TZLL |
|--------|-----|------|------|
| LILIAN |     | DUCI | LIJI |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|---|--------------------|-------------------|--------------------------------|--|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz, 5W, 14 Characters<br>Alphanumeric LCD, 6 Control Keys<br>Factory Mutual (FM) Approved, IP67<br>(Immersion), Custom Color Housing<br>(Yellow) | 136-174<br>MHz     | NX-200-<br>ISWKYH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 136-174 MHz, 5W, 14 Characters Alphanumeric LCD, 6 Control Keys Factory Mutual (FM) Approved, IP67 (Immersion), Custom Color Housing (Orange)             | 136-174<br>MHz     | NX-200-<br>ISWKOH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad  | 136-174<br>MHz     | NX-210K2          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, Full KeypadVHF Li-Ion Battery Package (NX- 210K2 + KNB-33L + KSC-32 + KBH-11 + KRA-26M)            | 136-174<br>MHz     | NX-210K2-<br>LKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 64 CH   | 136-174<br>MHz     | NX-220K           | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 260 CH, 8 characters<br>Alphanumeric LCD, 4 PF Keys   | 136-174<br>MHz     | NX-220K2          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 260 CH, 8 characters<br>Alphanumeric LCD, 4 PF Keys, Full<br>Keypad   | 136-174<br>MHz     | NX-220K3          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 64 CH, SGS US I.S.<br>Approved  | 136-174<br>MHz     | NX-220-ISK        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 260 CH, 8 characters<br>Alphanumeric LCD, 4 PF Keys, SGS US<br>I.S. Approved  | 136-174<br>MHz     | NX-220-ISK2       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 260 CH, 8 characters<br>Alphanumeric LCD, 4 PF Keys, Full<br>Keypad, SGS US I.S. Approved   | 136-174<br>MHz     | NX-220-ISK3       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 260 CH, VHF Basic<br>Package (NX-220K2 + KNB-56N + KSC-<br>30 + KRA-26M)  | 136-174<br>MHz     | NX-220K2-<br>NKP  | 25.0%                          | 25.0%  | YES                                | YES                       |

| KENWOOD | PRODUCT LIST | T |
|---------|--------------|---|
|         |              |   |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|---|--------------------|-------------------|--------------------------------|--|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 260 CH, VHF Standard<br>Slim Package (NX-220K2 + KNB-55L +<br>KSC-25 + KRA-26M)           | 136-174<br>MHz     | NX-220K2-<br>SLKP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 260 CH, VHF Premium<br>Package (NX-220K2 + KNB-57L + KSC-<br>25 + KRA-26M)                | 136-174<br>MHz     | NX-220K2-<br>LKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation |   |                    | YES               | YES                            |  |                                    |                           |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 260 CH, VHF Hi-Cap<br>Li-ion Value Package (NX-220K2 + KNB-<br>57L + KSC-25L + KRA-26M)   | 136-174<br>MHz     | NX-22K2-<br>LKVP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys                                  | 450-520<br>MHz     | NX-300K           | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys                                   | 400-470<br>MHz     | NX-300K2          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad                  | 450-520<br>MHz     | NX-300K3          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad                  | 400-470<br>MHz     | NX-300K4          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital400-470MHz 5W, Non-Display   | 400-470<br>MHz     | NX-300SK2         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, IP67<br>(Immersion)              | 450-520<br>MHz     | NX-300-WK         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, IP67<br>(Immersion)              | 400-470<br>MHz     | NX-300-WK2        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad IP67 (Immersion)  | 450-520<br>MHz     | NX-300-WK3        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad, IP67 (Immersion) | 400-470<br>MHz     | NX-300-WK4        | 25.0%                          | 25.0%  | YES                                | YES                       |

| KENW   | PRO | DUCT | TZLL |
|--------|-----|------|------|
| LILIAN |     | DUCI | LIJI |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|--|--------------------|-------------------|--------------------------------|--|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, IP67<br>(Immersion), Custom Color Housing<br>(Yellow) | 450-520<br>MHz     | NX-300-WK-<br>YH  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, IP67<br>(Immersion), Custom Color Housing<br>(Orange) | 450-520<br>MHz     | NX-300-WK-<br>OH  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, IP67<br>(Immersion) Custom Color Housing<br>(Yellow)  | 400-470<br>MHz     | NX-300-<br>WK2-YH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, IP67<br>(Immersion) Custom Color Housing<br>(Orange)  | 400-470<br>MHz     | NX-300-<br>WK2-OH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved                      | 450-520<br>MHz     | NX-300-ISK        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys<br>Factory Mutual (FM) Approved                       | 400-470<br>MHz     | NX-300-ISK2       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad, Factory Mutual (FM) Approved         | 450-520<br>MHz     | NX-300-ISK3       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad, Factory Mutual (FM) Approved         | 400-470<br>MHz     | NX-300-ISK4       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 400-470 MHz 5W, Non-Display, Factory Mutual (FM) Approved  | 400-470<br>MHz     | NX-300-<br>ISSK2  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved, IP67<br>(Immersion) | 450-520<br>MHz     | NX-300-<br>ISWK   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 400-470MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys,   | 400-470<br>MHz     | NX-300-<br>ISWK2  | 25.0%                          | 25.0%  | YES                                | YES                       |

| KENWOOD PRODUCT LIST     |                            |  |                    |                  |                                |  |                                    |                           |  |  |
|--------------------------|----------------------------|--|--------------------|------------------|--------------------------------|--|------------------------------------|---------------------------|--|--|
| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER      | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |  |  |
|                          |                            | Factory Mutual (FM) Approved, IP67 (Immersion)   |                    |                  |                                |  |                                    |                           |  |  |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 450-520MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, Fullkeypad, Factory Mutual (FM) | 450-520<br>MHz     | NX-300-<br>ISWK3 | 25.0%                          | 25.0%  | VEO                                | VEO                       |  |  |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER        | MSRP<br>DISCOUNT<br>PERCENTAGE | DISCOUNT PERCENTAG E (Purchased with model) | SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|--|--------------------|--------------------|--------------------------------|---|--------------------------|---------------------------|
|                          |                            | Factory Mutual (FM) Approved, IP67 (Immersion)   |                    |                    |                                |   |                          |                           |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Fullkeypad, Factory Mutual (FM)<br>Approved, IP67 (Immersion)                       | 450-520<br>MHz     | NX-300-<br>ISWK3   | 25.0%                          | 25.0%                                       | YES                      | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad, Factory Mutual (FM) Approved,<br>IP67 (Immersion)                      | 400-470<br>MHz     | NX-300-<br>ISWK4   | 25.0%                          | 25.0%                                       | YES                      | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved, IP67<br>(Immersion), Custom Color Housing<br>(Yellow) | 450-520<br>MHz     | NX-300-<br>ISWKYH  | 25.0%                          | 25.0%                                       | YES                      | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved, IP67<br>(Immersion) Custom Color Housing<br>(Orange)  | 450-520<br>MHz     | NX-300-<br>ISWKOH  | 25.0%                          | 25.0%                                       | YES                      | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved, IP67<br>(Immersion), Custom Color Housing<br>(Yellow) | 400-470<br>MHz     | NX-300-<br>ISWK2YH | 25.0%                          | 25.0%                                       | YES                      | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Digital 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved, IP67<br>(Immersion) Custom Color Housing<br>(Orange)  | 400-470<br>MHz     | NX-300-<br>ISWK2OH | 25.0%                          | 25.0%                                       | YES                      | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 64 CH  | 450520<br>MHz      | NX-320K            | 25.0%                          | 25.0%                                       | YES                      | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 260 CH, 8 Characters<br>Alphanumeric LCD, 4 PF Keys  | 450-520<br>MHz     | NX-320K2           | 25.0%                          | 25.0%                                       | YES                      | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 260 CH, 8 Characters<br>Alphanumeric LCD, 4 PF Keys, Full  | 450-520<br>MHz     | NX-320K3           | 25.0%                          | 25.0%                                       | YES                      | YES                       |

| <b>KENWOOD</b>           | PRODUCT LIS                | ST .  |                    |             |                                |  |                                    |                           |
|--------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|                          |                            | Keypad  |                    |             |                                |  |                                    |                           |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-470 MHz 5W, 64 CH   | 400-470<br>MHz     | NX-320K4    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-470 MHz 5W, 64 CH   | 400-470<br>MHz     | NX-320K5    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-470 MHz 5W, 260 CH, 8 Characters,<br>Alphanumeric LCD, 4 PF Keys, Full<br>Keypad                      | 400-470<br>MHz     | NX-320K6    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 64 CH   | 450-520<br>MHz     | NX-320-ISK  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 260 CH, 8 Characters<br>Alphanumeric LCD, 4 PF Keys, SGS US<br>I.S. Approved              | 450-520<br>MHz     | NX-320-ISK2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 260 CH, 8 Characters<br>Alphanumeric LCD, 4 PF Keys, Full<br>Keypad, SGS US I.S. Approved | 450-520<br>MHz     | NX-320-ISK3 | 25.0%                          | 25.0%  | YES                                | YES                       |

400-470

MHz

400-470

MHz

400-470

MHz

450-520

MHz

450-520

MHz

450-520

MHz

NX-320-ISK4

NX-320-ISK5

NX-320-ISK6

NX-320K2-

NKP

NX-320K2-

SLKP

NX-320K2-

LKP

25.0%

25.0%

25.0%

25.0%

25.0%

25.0%

25.0%

25.0%

25.0%

25.0%

25.0%

25.0%

YES

400-470 MHz 5W, 64 CH, SGS US I.S.

400-470 MHz 5W, 260 CH, 8 Characters

Alphanumeric LCD, 4 PF Keys, SGS US

400-470 MHz 5W, 260 CH, 8 Characters

450-520 MHz 5W, 260 CH, 8 Characters

Basic Package (NX-320K2 + KNB-56N +

450-520 MHz 5W, 260 CH, 8 Characters Alphanumeric LCD, 4 PF Keys, UHF

450-520 MHz 5W, 260 CH, 8 Characters

Premium Package (NX-320K2 + KNB-57L

Standard Slim Package (NX-320K2 +

Alphanumeric LCD, 4 PF Keys, UHF

KNB-55L + KSC-25 + KRA-27M)

Alphanumeric LCD, 4 PF Keys, Full

Alphanumeric LCD, 4 PF Keys, UHF

Keypad, SGS US I.S. Approved

KSC-30 + KRA-27M)

Approved

I.S. Approved

3.0 - PORTABLE

**RADIOS** 

3.0 - PORTABLE

**RADIOS** 

3.0 - PORTABLE

**RADIOS** 

3.0 - PORTABLE

RADIOS

3.0 - PORTABLE

**RADIOS** 

3.0 - PORTABLE

**RADIOS** 

Kenwood USA

Corporation

| KENW   | PRO | DUCT | TZLL |
|--------|-----|------|------|
| LILIAN |     | DUCI | LIJI |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER        | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|---|--------------------|--------------------|--------------------------------|--|------------------------------------|---------------------------|
|                          |                            | + KSC-25 + KRA-27M)   |                    |                    |                                |  |                                    |                           |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 260 CH, 8 Characters<br>Alphanumeric LCD, 4 PF Keys, UHF Li-<br>ion Value Package (NX-320K2 + KNB-<br>55L + KSC-25L + KRA-27M)                    | 450-520<br>MHz     | NX-320K2-<br>SLKVP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 260 CH, 8 Characters<br>Alphanumeric LCD, 4 PF Keys, UHF Hi-<br>Cap Li-ion Value Package (NX-32K2 +<br>KNB-57L + KSC-25L + KRA-27M)               | 450-520<br>MHz     | NX-320K2-<br>LKVP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 806-870 MHz 3W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad   | 806-870<br>MHz     | NX-410K2           | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 896-941 MHz 2.5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad   | 896-941<br>MHz     | NX-411K2           | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 806-870 MHz 3W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad, CSA Approved I.S.  | 806-870<br>MHz     | NX-410-ISK2        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 896-941 MHz 2.5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad, CSA Approved I.S.  | 896-941<br>MHz     | NX-411-ISK2        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 806-870 MHz 3W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad, Li-ion Battery Package (NX-<br>410K2 + KNB-33L + KSC-32 + KBH-11 +<br>KRA-24M) | 806-870<br>MHz     | NX-410K2-<br>LKP   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 896-941 MHz 2.5W, 14 characters Alphanumeric LCD, 6 Control Keys, Full Keypad, Li-Ion Battery package (NX- 411K2 + KNB-33L + KSC-32 + KBH-11 + KRA-38K)           | 896-941<br>MHz     | NX-411K2-<br>LKP   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 806-870 MHz 3W, 260 CH, 8 characters<br>Alphanumeric LCD, 4 PF Keys, Full<br>Keypad   | 806-870<br>MHz     | NX-420K3           | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 806-870 MHz 3W, 260 CH, 8 characters<br>Alphanumeric LCD, 4 PF Keys, Full   | 806-870<br>MHz     | NX-420K3-<br>SLKP  | 25.0%                          | 25.0%  | YES                                | YES                       |

| MEININGOD I MODOGI EIGI | KENWOOD PRODUCT LIST |
|-------------------------|----------------------|
|-------------------------|----------------------|

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER        | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|--|--------------------|--------------------|--------------------------------|--|------------------------------------|---------------------------|
|                          |                            | Keypad, Standard Slim Package (NX-<br>420K3 + KNB-55L + KSC-25)  |                    |                    |                                |  |                                    |                           |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 806-870 MHz 3W, 260 CH, 8 characters Alphanumeric LCD, 4 PF Keys, Full Keypad, Premium package (NX-420K3 + KNB-57L + KSC-25)                       | 806-870<br>MHz     | NX-420K3-<br>LKP   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 806-870 MHz 3W, 260 CH, 8 characters<br>Alphanumeric LCD, 4 PF Keys, Full<br>Keypad, Li-ion Value Package (NX-420K3<br>+ KNB-55L + KSC-25L)        | 806-870<br>MHz     | NX-420K3-<br>SLKVP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 806-870 MHz 3W, 260 CH, 8 characters<br>Alphanumeric LCD, 4 PF Keys, Full<br>Keypad, Hi-Cap Li-Ion Value Package<br>(NX-420K3 + KNB-57L + KSC-25L) | 806-870<br>MHz     | NX-420K3-<br>LKVP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR  | 136-174<br>MHz     | TK-2180K           | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR with DTMF keypad   | 136-174<br>MHz     | TK-2180K2          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR  | 450-520<br>MHz     | TK-3180K           | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-470 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR  | 400-470<br>MHz     | TK-3180K2          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR with DTMF Keypad   | 450-520<br>MHz     | TK-3180K3          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-470 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR with DTMF Keypad   | 400-470<br>MHz     | TK-3180K4          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 512 CH /128 Zone<br>CONV-& LTR VHF Li-Ion Battery<br>Package (TK-2180K + KNB-33L + KSC-<br>32 + KBH-11)                            | 136-174<br>MHz     | TK-2180K-<br>LKP   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 512 CH/ 128 Zone<br>CONV-& LTR VHF NiMH Battery<br>Package (TK-2180K + KNB-54N + KSC-<br>32 + KBH-11)                              | 136-174<br>MHz     | TK-2180K-<br>NKP   | 25.0%                          | 25.0%  | YES                                | YES                       |

| L |            | NI | Λ  | <b>(</b> |   | D | D                  | <b>(</b> |   | ш | $\bigcirc$ | ГІ | ST     | • |
|---|------------|----|----|----------|---|---|--------------------|----------|---|---|------------|----|--------|---|
|   | <b>\</b> ⊏ | W  | vv | U        | U |   | $\mathbf{\Lambda}$ | U        | u | u |            |    | <br>ЭI |   |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|---|--------------------|-------------------|--------------------------------|--|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-470 MHz 5W, 512 CH/128 Zone<br>CONV-& LTR UHF Li-Ion Battery<br>Package (TK-3180K2 + KNB-33L + KSC-<br>32 + KBH-11) | 400-470<br>MHz     | TK-3180K2-<br>LKP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-470 MHz 5W, 512 CH/ 128 Zone<br>CONV-& LTR UHF NiMH Battery<br>Package (TK-3180K2 + KNB-54N + KSC-<br>32 + KBH-11)  | 400-470<br>MHz     | TK-3180K2-<br>NKP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 512 CH/ 128 ZONE<br>CONV-& LTR UHF Li-Ion Battery<br>Package (TK-3180K + KNB-33L + KSC-<br>32 + KBH-11) | 450-520<br>MHz     | TK-3180K-<br>LKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 512 CH/ 128 Zone<br>CONV- & LTR UHF NiMH Battery<br>Package (TK-3180K + KNB-54N + KSC-<br>32 + KBH-11)  | 450-520<br>MHz     | TK-3180K-<br>NKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR, Factory Mutual (FM)<br>Approved  | 136-174<br>MHz     | TK-2180-ISK       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR with DTMF keypad, Factory<br>Mutual (FM) Approved                       | 136-174<br>MHz     | TK-2180-<br>ISK2  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR, Factory Mutual (FM)<br>Approved  | 450-520<br>MHz     | TK-3180-ISK       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-470 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR, Factory Mutual (FM)<br>Approved  | 400-470<br>MHz     | TK-3180-<br>ISK2  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 512 CH / 128 Zone CONV-& LTR with DTMF Keypad, Factory Mutual (FM) Approved                             | 450-520<br>MHz     | TK-3180-<br>ISK3  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-470 MHz 5W, 512 CH / 128 Zone CONV-& LTR with DTMF Keypad, Factory Mutual (FM) Approved                             | 400-470<br>MHz     | TK-3180-<br>ISK4  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4-key   | 450-490<br>MHz     | TK-3173K          | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|---|--------------------|-------------------|--------------------------------|--|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4 + 12-<br>key  | 450-490<br>MHz     | TK-3173K4         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH/128 Zone<br>Conventional; 8 Character LCD, 4-key<br>UHF Premium Package (TK-3173K +<br>KNB-57L + KSC-25 + KRA-27M)                   | 450-490<br>MHz     | TK-3173-LKP       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH/128 Zone<br>Conventional; 8 Character LCD, 4-key<br>UHF Standard Slim Package (TK-3173K<br>+ KNB-55L + KSC-25 + KRA-27M)             | 450-490<br>MHz     | TK-3173-<br>SLKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH/128 Zone<br>Conventional; 8 Character LCD, 4-key<br>UHF Basic Package (TK-3173K + KNB-<br>56N + KSC-30 + KRA-27M)                    | 450-490<br>MHz     | TK-3173-<br>NKP   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH/128 Zone<br>Conventional; 8 Character LCD, 4-key<br>UHF Li-ion Value Package (TK-3173K +<br>KNB-55L + KSC-25L + KRA-27M)             | 450-490<br>MHz     | TK-3173-<br>SLKVP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH/128 Zone<br>Conventional; 8 Character LCD, 4-key<br>UHF Hi-Cap Li-ion Value Package (TK-<br>3173K + KNB-57L + KSC-25L + KRA-<br>27M) | 450-490<br>MHz     | TK-3173-<br>LKVP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4-key   | 136-174<br>MHz     | TK-2170K          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4 + 12-<br>key  | 136-174<br>MHz     | TK-2170K2         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4-key   | 450-490<br>MHz     | TK-3170K          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-430 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4-key   | 400-430<br>MHz     | TK-3170K3         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4 + 12-<br>key  | 450-490<br>MHz     | TK-3170K4         | 25.0%                          | 25.0%  | YES                                | YES                       |

| V | (FI      | NV  | 10 | <b>OD</b> | PR | OD | LICT        | LIST |
|---|----------|-----|----|-----------|----|----|-------------|------|
|   | <b>1</b> | 4 4 |    | J         |    |    | <b>00</b> 1 |      |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|--|--------------------|-------------------|--------------------------------|--|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-430 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4 + 12-<br>key   | 400-430<br>MHz     | TK-3170K6         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 128 CH /128 Zone<br>Conventional; 8 Character LCD, 4-key<br>VHF Standard Package (TK-2170K +<br>KNB-56N + KSC-30 + KRA-26M)          | 136-174<br>MHz     | TK-2170-<br>NKP   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 128 CH /128 Zone<br>Conventional; 8 Character LCD, 4-key<br>VHF Standard Package (TK-2170K +<br>KNB-55L + KSC-25 + KRA-26M)          | 136-174<br>MHz     | TK-2170-<br>SLKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 128 CH / 128 Zone<br>Conventional; 8 character LCD, 4-key<br>VHF Premium Package (TK-2170K +<br>KNB-57L + KSC-25 + KRA-26M)          | 136-174<br>MHz     | TK-2170-LKP       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH/ 128 Zone<br>Conventional; 8 Character LCD 4-key<br>UHF Standard Package (TK-3170K +<br>KNB-56N + KSC-30 + KRA-27M)           | 450-490<br>MHz     | TK-3170-<br>NKP   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH /128 Zone<br>Conventional; 8 Character LCD, 4-key<br>UHF Standard Package (TK-3170K +<br>KNB-55L + KSC-25 + KRA-26M)          | 450-490<br>MHz     | TK-3170-<br>SLKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD 4-key<br>UHF Premium Package (TK-3170K +<br>KNB-57L + KSC-25 + KRA-27M)           | 450-490<br>MHz     | TK-3170-LKP       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 128 CH /128 Zone<br>Conventional; 8 Character LCD, 4-key<br>VHF Li-ion Value Package (TK-2170K +<br>KNB-55L + KSC-25L + KRA-26M)     | 136-174<br>MHz     | TK-2170-<br>SLKVP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 128 CH /128 Zone<br>Conventional; 8 Character LCD, 4-key<br>VHF Hi-Cap Li-ion Value Package (TK-<br>2170K + KNB-57L + KSC-25L + KRA- | 136-174<br>MHz     | TK-2170-<br>LKVP  | 25.0%                          | 25.0%  | \ <u></u>                          | \/F-5                     |
|                          |                            | 26M)   |                    |                   |                                |  | YES                                | YES                       |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|--|--------------------|-------------------|--------------------------------|--|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH /128 Zone<br>Conventional; 8 Character LCD, 4-key<br>UHF Li-ion Value Package (TK-3170K +<br>KNB-55L + KSC-25L+ KRA-26M)              | 450-490<br>MHz     | TK-3170-<br>SLKVP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 128 CH /128 Zone<br>Conventional; 8 Character LCD, 4-key<br>UHF Hi-Cap Li-ion Value Package (TK-<br>3170K + KNB-57L + KSC-25L + KRA-<br>26M) | 450-490<br>MHz     | TK-3170-<br>LKVP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, LTR-32 Systems,<br>CONV-250 CH.  | 136-174<br>MHz     | TK-2140           | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, LTR-32 Systems, CONV-250 CH.   | 450-490<br>MHz     | TK-3140K          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, LTR-32 Systems,<br>CONV-250 CH VHF Standard Package<br>(TK-2140 + KNB-56N + KSC-30 + KRA-<br>26M)  | 136-174<br>MHz     | TK-2140-<br>NKP   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, LTR-32 Systems,<br>CONV-250 CH VHF Standard Package<br>(TK-2140 + KNB-55L + KSC-25 + KRA-<br>26M)  | 136-174<br>MHz     | TK-2140-<br>SLKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, LTR-32 Systems,<br>CONV-250 CH VHF Premium Package<br>(TK-2140 + KNB-57L + KSC-25 + KRA-<br>26M)   | 136-174<br>MHz     | TK-2140K-<br>LKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, LTR-32 Systems,<br>CONV-250 CH UHF Standard Package<br>(TK-3140K + KNB-56N+ KSC-30 + KRA-<br>27M)  | 450-490<br>MHz     | TK-3140-<br>NKP   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, LTR-32 Systems,<br>CONV-250 CH UHF Standard Package<br>(TK-3140K + KNB-55L + KSC-25 + KRA-<br>27M)   | 450-490<br>MHz     | TK-3140-<br>SLKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, LTR-32 Systems,<br>CONV-250 CH UHF Premium Package<br>(TK-3140K + KNB-57L + KSC-25 + KRA-  | 450-490<br>MHz     | TK-3140K-<br>LKP  | 25.0%                          | 25.0%  | YES                                | YES                       |

| KENW   | PRO | DUCT | TRILL |
|--------|-----|------|-------|
| LILIAN |     |      | LIJI  |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|--|--------------------|-------------------|--------------------------------|--|------------------------------------|---------------------------|
|                          |                            | 27M)   |                    |                   |                                |  |                                    |                           |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, LTR-32 Systems,<br>CONV-250 CH VHF Li-ion Value Package<br>(TK-2140 + KNB-55L + KSC-25L + KRA-<br>26M)         | 136-174<br>MHz     | TK-2140-<br>SLKVP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, LTR-32 Systems,<br>CONV-250 CH VHF Hi-Cap Li-ion Value<br>Package (TK-2140 + KNB-57L + KSC-<br>25L + KRA-26M)  | 136-174<br>MHz     | TK-2140-<br>LKVP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, LTR-32 Systems,<br>CONV-250 CH UHF Li-ion Value Package<br>(TK-3140K + KNB-55L + KSC-25L +<br>KRA-27M)         | 450-490<br>MHz     | TK-3140-<br>SLKVP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, LTR-32 Systems,<br>CONV-250 CH UHF Hi-Cap Li-ion Value<br>Package (TK-3140K + KNB-57L + KSC-<br>25L + KRA-27M) | 450-490<br>MHz     | TK-3140-<br>LKVP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 16 CH Conventional   | 136-174<br>MHz     | TK-2360K          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 16 CH Conventional   | 450-520<br>MHz     | TK-3360K          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-470 MHz 5W, 16 CH Conventional   | 400-470<br>MHz     | TK-3360K2         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 16 CH Conventional,<br>VHF Basic Package (TK-2360K + KNB-<br>56N + KSC-30 + KRA-26M)                           | 136-174<br>MHz     | TK-2360-<br>NKP   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 16 CH Conventional,<br>VHF Standard Slim Package (TK-2360K +<br>KNB-55L + KSC-25 + KRA-26M)                    | 136-174<br>MHz     | TK-2360-<br>SLKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 16 CH Conventional,<br>VHF Premium Package (TK-2360K +<br>KNB-57L + KSC-25 + KRA-26M)                          | 136-174<br>MHz     | TK-2360-LKP       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 16 CH Conventional,<br>UHF Basic Package (TK-3360K + KNB-<br>56N + KSC-30 + KRA-27M)                           | 450-520<br>MHz     | TK-3360-<br>NKP   | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|---|--------------------|-------------------|--------------------------------|--|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 16 CH Conventional,<br>UHF Standard Slim Package (TK-3360K<br>+ KNB-55L + KSC-25 + KRA-27M)             | 450-520<br>MHz     | TK-3360-<br>SLKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 16 CH Conventional,<br>UHF Premium Package (TK-3360K +<br>KNB-57L + KSC-25 + KRA-27M)                   | 450-520<br>MHz     | TK-3360-LKP       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 16 CH Conventional,<br>VHF Li-ion Value Package (TK-2360K +<br>KNB-55L + KSC-25L + KRA-26M)             | 136-174<br>MHz     | TK-2360-<br>SLKVP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 16 CH Conventional,<br>VHF Hi-Cap Li-ion Value Package (TK-<br>2360K + KNB-57L + KSC-25L + KRA-<br>26M) | 136-174<br>MHz     | TK-2360-<br>LKVP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 16 CH Conventional,<br>UHF Li-ion Value Package (TK-3360K +<br>KNB-55L + KSC-25L + KRA-27M)             | 450-520<br>MHz     | TK-3360-<br>SLKVP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz 5W, 16 CH Conventional,<br>UHF Hi-Cap Li-ion Value Package (TK-<br>3360K + KNB-57L + KSC-25L + KRA-<br>27M) | 450-520<br>MHz     | TK-3360-<br>LKVP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz, 5W, 16 CH Conventional SGS US I.S. Approved  | 136-174<br>MHz     | TK-2360-ISK       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz, 5W, 16 CH Conventional SGS US I.S. Approved  | 450-520<br>MHz     | TK-3360-ISK       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-470 MHz, 5W, 16 CH Conventional, SGS US I.S. Approved   | 400-470<br>MHz     | TK-3360-<br>ISKK2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 806-825, 851-870 MHz 2.5W, LTR-32<br>Systems, CONV-250 CH.  | 806-825<br>MHz     | TK-480K3          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 806-825, 851-870 MHz 2.5W, LTR-32<br>Systems, CONV-250 CH., with DTMF<br>keypad   | 806-825<br>MHz     | TK-480K4          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 896-902, 935-941 MHz 2.5W, LTR-32<br>Systems, CONV-250 CH.  | 896-902<br>MHz     | TK-481K3          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 896-902, 935-941 MHz 2.5W, LTR-32<br>Systems, CONV-250 CH. With DTMF  | 896-902<br>MHz     | TK-481K4          | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|---|--------------------|-------------------|--------------------------------|--|------------------------------------|---------------------------|
|                          |                            | keypad  |                    |                   |                                |  |                                    |                           |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 700/800 MHz 3W, 1024 CH, Standard Model   | 700/800<br>MHz     | TK-5410K2         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 700/800 MHz 3W, 1024 CH, 12 Keypad<br>Model                                       | 700/800<br>MHz     | TK-5410K3         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | NiMH Battery Package (TK-5410K2 + KNB-54N + KSC-32 + KBH-11+KRA-32K)              | 700/800<br>MHz     | TK-5410K2-<br>NKP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Li-Polymer Battery Package (TK-5410K2<br>+ KNB-43L + KSC-32 + KBH-11+KRA-<br>32K) | 700/800<br>MHz     | TK-5410K2-<br>LKP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | NiMH Battery Package (TK-5410K3 + KNB-54N + KSC-32 + KBH-11+KRA-32K)              | 700/800<br>MHz     | TK-5410K3-<br>NKP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | Li-Polymer Battery Package (TK-5410K3<br>+ KNB-43L + KSC-32 + KBH-11+KRA-<br>32K) | 700/800<br>MHz     | TK-5410K3-<br>LKP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 700/800 MHz 3W, 1024 CH, Standard<br>Model, Factory Mutual (FM) Approved          | 700/800<br>MHz     | TK-5410-<br>ISK2  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 700/800 MHz 3W, 1024 CH, 12 Keypad<br>Model, Factory Mutual (FM) Approved         | 700/800<br>MHz     | TK-5410-<br>ISK3  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 160 Ch. w/dual priority scan                                      | 136-174<br>MHz     | TK-290K           | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz 5W, 160 Ch. w/dual priority scan, w/DTMF keypad                       | 136-174<br>MHz     | TK-290K2          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 160 Ch. w/dual priority scan                                      | 450-490<br>MHz     | TK-390K           | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz 4W, 160 Ch. w/dual priority scan, w/DTMF keypad                       | 450-490<br>MHz     | TK-390K4          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 29.7 – 37.0 MHz 6W, 16 Channels   | 29.7-37.0<br>MHz   | TK-190K           | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 35.0 – 50.0 MHz 6W, 16 Channels   | 35.0-50.0<br>MHz   | TK-190K2          | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz VHF 5W, 128 Ch.   | 136-174<br>MHz     | TK-2312K          | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY       | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER     | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|----------------------------|---|--------------------|-----------------|--------------------------------|--|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz UHF 5W, 128 Ch.                                   | 450-520<br>MHz     | TK-3312K        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 400-470 MHz UHF 5W, 128 Ch.                                   | 400-470<br>MHz     | TK-3312K2       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz VHF 5W, 16 Ch.                                    | 136-174<br>MHz     | TK-2402VK       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-490 MHz VHF 4W, 16 Ch.                                    | 450-490<br>MHz     | TK-3402UK       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz VHF 2W, 4 Ch.                                     | 136-174<br>MHz     | TK-2400K        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 136-174 MHz VHF 2W, 16 Ch.                                    | 136-174<br>MHz     | TK-2400K2       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz UHF 2W, 4 Ch.                                     | 450-520<br>MHz     | TK-3400K        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 450-520 MHz UHF 2W, 16 Ch.                                    | 450-520<br>MHz     | TK-3400K2       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 151-159 MHz VHF 2W, 4 Ch.                                     | 151-159<br>MHz     | TK-2400V4P      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 151-159 MHz VHF 2W, 16 Ch.                                    | 151-159<br>MHz     | TK-<br>2400V16P | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 451-470 MHz UHF 2W, 4 Ch.                                     | 451-470<br>MHz     | TK-3400U4P      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 451-470 MHz UHF 2W, 16 Ch.                                    | 451-470<br>MHz     | TK-<br>3400U16P | 25.0%                          | 25.0%  | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood USA<br>Corporation | 464-467 MHz UHF 1.5W or 500 mW, 6<br>Ch. Portable Transceiver | 464-467<br>MHz     | TK-3230K        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO   | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 1024 CH, Basic<br>Model                   | 136-174<br>MHz     | TK-5210GK       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO   | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 1024 CH,<br>Standard Model                | 134-174<br>MHz     | TK-5210GK2      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO   | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 1024 CH, 12<br>Keypad Model               | 136-174<br>MHz     | TK-5210GK3      | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY     | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|------------------------|----------------------------|---|--------------------|-------------------|--------------------------------|--|------------------------------------|---------------------------|
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 128 CH, Standard Model                                      | 136-174<br>MHz     | TK-5210GK7        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 1024 CH, Basic<br>Model                                    | 450-520<br>MHz     | TK-5310GK         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 1024 CH,<br>Standard Model                                 | 450-520<br>MHz     | TK-5310GK2        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 1024 CH, 12<br>Keypad Model                                | 450-520<br>MHz     | TK-5310GK3        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 1024 CH, Basic Model                                       | 380-470<br>MHz     | TK-5310GK4        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 1024 CH,<br>Standard Model                                 | 380-470<br>MHz     | TK-5310GK5        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 1024 CH, 12<br>Keypad Model                                | 380-470<br>MHz     | TK-5310GK6        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 128 CH,<br>Standard Model                                  | 380-470<br>MHz     | TK-5310GK7        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 1024 CH,<br>Standard Model (w/Yellow Housing)               | 136-174<br>MHz     | TK-<br>5210GK2-YH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 1024 CH,<br>Standard Model (w/Orange Housing)               | 136-174<br>MHz     | TK-<br>5210GK2-OH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 1024 CH,<br>Standard Model (w/Yellow Housing)              | 450-520<br>MHz     | TK-<br>5310GK2-YH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 1024 CH,<br>Standard Model (w/Orange Housing)              | 450-520<br>MHz     | TK-<br>5310GK2-OH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 1024 CH,<br>Standard Model (w/Yellow Housing)              | 380-470<br>MHz     | TK-<br>5310GK5-YH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 1024 CH,<br>Standard Model (w/Orange Housing)              | 380-470<br>MHz     | TK-<br>5310GK5-OH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 1024 CH, Basic<br>Model, Factory Mutual (FM) Approved       | 136-174<br>MHz     | TK-5210-<br>ISGK  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 1024 CH,<br>Standard Model, Factory Mutual (FM)<br>Approved | 136-174<br>MHz     | TK-5210-<br>ISGK2 | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY     | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER          | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|------------------------|----------------------------|--|--------------------|----------------------|--------------------------------|--|------------------------------------|---------------------------|
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 1024 CH,<br>Standard Model, Factory Mutual (FM)<br>Approved, (w/Yellow Housing)  | 136-174<br>MHz     | TK-5210-<br>ISGK2-YH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 1024 CH,<br>Standard Model, Factory Mutual (FM)<br>Approved, (w/Orange Housing)  | 136-174<br>MHz     | TK-5210-<br>ISGK2-OH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 1024 CH, 12<br>Keypad Model, Factory Mutual (FM)<br>Approved                     | 136-174<br>MHz     | TK-5210-<br>ISGK3    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 128 CH, Standard Model, Factory Mutual (FM) Approved                             | 136-174<br>MHz     | TK-5210-<br>ISGK7    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 1024 CH, Basic Model, Factory Mutual (FM) Approved                              | 450-520<br>MHz     | TK-5310-<br>ISGK     | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 1024 CH,<br>Standard Model, Factory Mutual (FM)<br>Approved                     | 450-520<br>MHz     | TK-5310-<br>ISGK2    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 1024 CH,<br>Standard Model, Factory Mutual (FM)<br>Approved, (w/Yellow Housing) | 450-520<br>MHz     | TK-5310-<br>ISGK2-YH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 1024 CH,<br>Standard Model, Factory Mutual (FM)<br>Approved, (w/Orange Housing) | 450-520<br>MHz     | TK-5310-<br>ISGK2-OH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 1024 CH, 12<br>Keypad Model, Factory Mutual (FM)<br>Approved                    | 450-520<br>MHz     | TK-5310-<br>ISGK3    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 1024 CH, Basic Model, Factory Mutual (FM) Approved                              | 380-470<br>MHz     | TK-5310-<br>ISGK4    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 1024 CH,<br>Standard Model, Factory Mutual (FM)<br>Approved                     | 380-470<br>MHz     | TK-5310-<br>ISGK5    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 1024 CH,<br>Standard Model, Factory Mutual (FM)<br>Approved, (w/Yellow Housing) | 380-470<br>MHz     | TK-5310-<br>ISGK5-YK | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 1024 CH,<br>Standard Model, Factory Mutual (FM)<br>Approved, (w/Orange Housing) | 380-470<br>MHz     | TK-5310-<br>ISGK5-OH | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY     | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER            | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|------------------------|----------------------------|--|--------------------|------------------------|--------------------------------|--|------------------------------------|---------------------------|
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 1024 CH, 12<br>Keypad Model, Factory Mutual (FM)<br>Approved            | 380-470<br>MHz     | TK-5310-<br>ISGK6      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 128 CH,<br>Standard Model, Factory Mutual (FM)<br>Approved              | 380-470<br>MHz     | TK-<br>5310ISGK7       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 512 CH, 12<br>Keypad Model   | 136-174<br>MHz     | TK-5210-<br>ISGK3      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 64 CH, Standard Model  | 136-174<br>MHz     | TK-5210-<br>ISGK7      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 512 CH, Basic<br>Model  | 450-520<br>MHz     | TK-5310-<br>ISGK       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 512 CH,<br>Standard Model   | 450-520<br>MHz     | TK-5310-<br>ISGK2      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 512 CH, 12<br>Keypad Model  | 450-520<br>MHz     | TK-5310-<br>ISGK3      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 512 CH, Basic<br>Model  | 380-470<br>MHz     | TK-5310-<br>ISGK4      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 512 CH,<br>Standard Model   | 380-470<br>MHz     | TK-5310-<br>ISGK5      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 512 CH, 12<br>Keypad Model  | 380-470<br>MHz     | TK-5310-<br>ISGK6      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 380-470 MHz 4W, 64 CH, Standard Model   | 380-470<br>MHz     | TK-5310-<br>ISGK7      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 1024 CH,<br>Standard Model (TK-5210GK2 + KNB-<br>54N + KSC-32 + KBH-11)  | 136-174<br>MHz     | TK-<br>5210GK2-<br>NKP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 5W, 1024 CH,<br>Standard Model (TK-5210GK2 + KNB-43L<br>+ KSC-32 + KBH-11)   | 136-174<br>MHz     | TK-<br>5210GK2-<br>LKP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 1024 CH,<br>Standard Model (TK-5310GK2 + KNB-<br>54N + KSC-32 + KBH-11) | 450-520<br>MHz     | TK-<br>5310GK2-<br>NKP | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY     | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER            | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|------------------------|----------------------------|--|--------------------|------------------------|--------------------------------|--|------------------------------------|---------------------------|
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 4W, 1024 CH,<br>Standard Model (TK-5310GK2 + KNB-43L<br>+ KSC-32 + KBH-11)  | 450-520<br>MHz     | TK-<br>5310GK2-<br>LKP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys                             | 136-174<br>MHz     | TK-5220K               | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad             | 136-174<br>MHz     | TK-5220K2              | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys                             | 450-520<br>MHz     | TK-5320K               | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys                             | 400-470<br>MHz     | TK-5320K2              | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad             | 450-520<br>MHz     | TK-5320K3              | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad             | 400-470<br>MHz     | TK-5320K4              | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 380-400 MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys                            | 380-400<br>MHz     | TK-5320K5              | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 380-400 MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad            | 380-400<br>MHz     | TK-5320K6              | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, IP67<br>(Immersion)        | 136-174<br>MHz     | TK-5220-WK             | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, Full Keypad, IP67 (Immersion) | 136-174<br>MHz     | TK-5220-<br>WK2        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, IP67<br>(Immersion)        | 450-520<br>MHz     | TK-5320-WK             | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, IP67<br>(Immersion)        | 400-470<br>MHz     | TK-5320-<br>WK2        | 25.0%                          | 25.0%  | YES                                | YES                       |

| KENW |                                  | PROD | LICT I | IST |
|------|----------------------------------|------|--------|-----|
|      | $\mathbf{U}\mathbf{U}\mathbf{U}$ | FNUD |        |     |

| SECTION - CATEGORY     | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER        | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|------------------------|----------------------------|---|--------------------|--------------------|--------------------------------|--|------------------------------------|---------------------------|
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad, IP67 (Immersion)                      | 450-520<br>MHz     | TK-5320-<br>WK3    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad, IP67 (Immersion)                      | 400-470<br>MHz     | TK-5320-<br>WK4    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, IP67 (Immersion), Custom Color Housing (Yellow)          | 136-174<br>MHz     | TK-5220-WK-<br>YH  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, IP67 (Immersion), Custom Color Housing (Orange)          | 136-174<br>MHz     | TK-5220-WK-<br>OH  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, IP67<br>(Immersion), Custom Color Housing<br>(Yellow) | 450-520<br>MHz     | TK-5320-WK-<br>YH  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, IP67<br>(Immersion), Custom Color Housing<br>(Orange) | 450-520<br>MHz     | TK-5320-WK-<br>OH  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, IP67<br>(Immersion), Custom Color Housing<br>(Yellow) | 400-470<br>MHz     | TK-5320-<br>WK2-YH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, IP67<br>(Immersion), Custom Color Housing<br>(Orange) | 400-470<br>MHz     | TK-5320-<br>WK2-OH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved                       | 136-174<br>MHz     | TK-5220-ISK        | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, Full Keypad, Factory Mutual (FM) Approved                | 136-174<br>MHz     | TK-5220-<br>ISK2   | 25.0%                          | 25.0%  | YES                                | YES                       |

| L | <b>(E</b> | NIV | M    | $\cap$ | <u></u> | D | D | D | 0 | ח | П | C1  | ГІ | CT      | • |
|---|-----------|-----|------|--------|---------|---|---|---|---|---|---|-----|----|---------|---|
| r |           | V   | AVA. | U      | U       | U | Г | М | U | u | U | C I |    | <br>O I |   |

| SECTION - CATEGORY     | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|------------------------|----------------------------|--|--------------------|-------------------|--------------------------------|--|------------------------------------|---------------------------|
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved                          | 450-520<br>MHz     | TK-5320-ISK       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved                          | 400-470<br>MHz     | TK-5320-<br>ISK2  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, Full Keypad, Factory Mutual (FM) Approved                   | 450-520<br>MHz     | TK-5320-<br>ISK3  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad, Factory Mutual (FM) Approved             | 400-470<br>MHz     | TK-5320-<br>ISK4  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved, IP67<br>(Immersion)     | 136-174<br>MHz     | TK-5220-<br>ISWK  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, Full Keypad, Factory Mutual (FM) Approved, IP67 (Immersion) | 136-174<br>MHz     | TK-5220-<br>ISWK2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved, IP67<br>(Immersion)     | 450-520<br>MHz     | TK-5320-<br>ISWK  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved, IP67<br>(Immersion)     | 400-470<br>MHz     | TK-5320-<br>ISWK2 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, Full Keypad, Factory Mutual (FM) Approved, IP67 (Immersion) | 450-520<br>MHz     | TK-5320-<br>ISWK3 | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad, Factory Mutual (FM) Approved             | 400-470<br>MHz     | TK-5320-<br>ISWK4 | 25.0%                          | 25.0%  | YES                                | YES                       |

| KENW   | PRO | DUCT | TZLL |
|--------|-----|------|------|
| LILIAN |     | DUCI | LIJI |

| SECTION - CATEGORY     | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER         | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|------------------------|----------------------------|---|--------------------|---------------------|--------------------------------|--|------------------------------------|---------------------------|
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved, IP67<br>(Immersion), Custom Color Housing<br>(Yellow)              | 136-174<br>MHz     | TK-5220-<br>ISWKYH  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, Factory Mutual (FM) Approved, IP67 (Immersion), Custom Color Housing (Orange)                          | 136-174<br>MHz     | TK-5220-<br>ISWKOH  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, Factory Mutual (FM) Approved, IP67 (Immersion), Custom Color Housing (Yellow)                          | 450-520<br>MHz     | TK-5320-<br>ISWKYH  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys,<br>Factory Mutual (FM) Approved, IP67<br>(Immersion), Custom Color Housing<br>(Orange)              | 450-520<br>MHz     | TK-5320-<br>ISWKOH  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, Full Keypad, Factory Mutual (FM) Approved, IP67 (Immersion), Custom Color Housing (Yellow)             | 400-470<br>MHz     | TK-5320-<br>ISWK2YH | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad, Factory Mutual (FM) Approved,<br>IP67 (Immersion), Custom Color Housing<br>(Orange) | 400-470<br>MHz     | TK-5320-<br>ISWK20H | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, VHF Li-ion Battery Package (TK-5220K+KNB-47L+KSC-32+KBH-11)  | 136-174<br>MHz     | TK-5220K-<br>LKP    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, VHF   | 136-174<br>MHz     | TK-5220K-<br>LHKP   | 25.0%                          | 25.0%  | YES                                | YES                       |

|--|

| 1121111000             | I KODOOT LIC               |  |                    |                    |                                |  |                                    |                           |
|------------------------|----------------------------|--|--------------------|--------------------|--------------------------------|--|------------------------------------|---------------------------|
| SECTION - CATEGORY     | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER        | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|                        |                            | Hi Cap Li-ion Package (TK-5220K+KNB-48L+KSC-32+KBH-11)   |                    |                    |                                |  |                                    |                           |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, UHF Li-lon Battery Package (TK-5320K+KNB- 47L+KSC-32+KBH-11)        | 450-520<br>MHz     | TK-5320K-<br>LKP   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 450-520MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, UHF Hi Cap Li-Ion Battery Package (TK- 5320K+KNB-48L+KSC-32+KBH-11) | 450-520<br>MHz     | TK-5320K-<br>LHKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, UHF Li-lon Battery Package (TK-5320K+KNB-47L+KSC-32+KBH-11)         | 400-470<br>MHz     | TK-5320K2-<br>LKP  | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | 400-470MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys, UHF Hi Cap Li-Ion Battery Package (TK- 5320K+KNB-48L+KSC-32+KBH-11) | 400-470<br>MHz     | TK-5320K2-<br>LHKP | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 10-50W 50 Zones/512<br>Channels (R.F. DECK ONLY)   | 136-<br>174MHz     | TK-5710BGK         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174MHz 50-110W 50<br>Zones/512 Channels (R.F. DECK ONLY)  | 136-<br>174MHz     | TK-<br>5710HBGK    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 5-45W 100<br>Zones/1024 Channels (R.F. DECK ONLY)   | 450-520<br>MHz     | TK-5810BGK         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 400-470 MHz 5-45W 50 Zones/512<br>Channels (R.F. DECK ONLY)   | 400-470<br>MHz     | TK-<br>5810BGK2    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 450-520 MHz 50-100W 50<br>Zones/512 Channels (R.F. DECK ONLY)   | 450-520<br>MHz     | TK-<br>5810HBGK    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 400-470 MHz 50-100W 50<br>Zones/512 Channels (R.F. DECK ONLY)   | 400-470<br>MHz     | TK-<br>5810HBGK2   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 700/800 MHz 2-30/35W 100<br>Zones/1024 Channels (R.F. DECK ONLY)  | 700/800<br>MHz     | TK-5910BGK         | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood USA<br>Corporation | P-25 136-174 MHz 50W, 512 CH/128<br>Zone   | 136-174<br>MHz     | TK-5720K           | 25.0%                          | 25.0%  | YES                                | YES                       |

| SECTION - CATEGORY         | MANUFACTURE                | MODEL DESCRIPTION                             | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 6.0 - TRUNKED<br>RADIO     | Kenwood USA<br>Corporation | P-25 450-520 MHz 45W, 512 CH/128<br>Zone      | 450-520<br>MHz     | TK-5820K    | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO     | Kenwood USA<br>Corporation | P-25 400-470 MHz 45W, 512 CH/128<br>Zone      | 400-470<br>MHz     | TK-5820K2   | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO     | Kenwood USA<br>Corporation | 800 MHz, 15W LTR-32 Systems, CONV-<br>250 CH. | 800 MHz            | TK-980      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO     | Kenwood USA<br>Corporation | 900 MHz, 15W LTR-32 Systems, CONV-<br>250 CH. | 900 MHz            | TK-981      | 25.0%                          | 25.0%  | YES                                | YES                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | VHF helical antenna 148-162 MHz               | 148-162<br>MHz     | KRA-14M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | VHF helical antenna 162-174 MHz               | 162-174<br>MHz     | KRA-14M2    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | VHF helical antenna 136-150 MHz               | 136-150<br>MHz     | KRA-14M3    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | UHF whip antenna 450-490 MHz                  | 450-490<br>MHz     | KRA-15AM    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | UHF whip antenna 470-512 MHz                  | 470-512<br>MHz     | KRA-15AM2   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | UHF whip antenna 403-430 MHz                  | 403-430<br>MHz     | KRA-15AM3   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | VHF stubby antenna 148-162 MHz                | 148-162<br>MHz     | KRA-16M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | VHF stubby antenna 162-174 MHz                | 162-174<br>MHz     | KRA-16M2    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | VHF stubby antenna 136-150 MHz                | 136-150<br>MHz     | KRA-16M3    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | UHF stubby antenna 450-490 MHz                | 450-490<br>MHz     | KRA-17M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | UHF stubby antenna 470-512 MHz                | 470-512<br>MHz     | KRA-17M2    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | UHF stubby antenna 403-430 MHz                | 403-430<br>MHz     | KRA-17M3    | 25.0%                          | 25.0%  | YES                                | N/A                       |

| L | <b>(E</b> | NIV | M    | $\cap$ | <u></u> | D | D | D | 0 | ח | П | C1  | ГІ | CT      | • |
|---|-----------|-----|------|--------|---------|---|---|---|---|---|---|-----|----|---------|---|
| r |           | V   | AVA. | U      | U       | U | Г | М | U | u | U | C I |    | <br>O I |   |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Tunable VHF Low Band helical antenna 29.7-50MHz.  Note: Antenna band width is 1 MHz Caution: the TK-190 antenna must be cut per the antennas cutting chart and instructions. Failure to do so will result in a poorly matched antenna, poor performance and most probably excessive and damage in the transmitters final power amplifier circuit. | 29.7-50<br>MHz     | KRA-21      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | VHF low-profile helical antenna 148-162 MHz   | 148-162<br>MHz     | KRA-22M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | VHF low-profile helical antenna 162-174 MHz   | 162-174<br>MHz     | KRA-22M2    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | VHF Low-profile helical antenna 136-150 MHz   | 136-150<br>MHz     | KRA-22M3    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | UHF low-profile helical antenna 450-490 MHz   | 450-490<br>MHz     | KRA-23M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | UHF low-profile helical antenna 470-512 MHz   | 470-512<br>MHz     | KRA-23M2    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | UHF low-profile helical antenna 403-430 MHz   | 403-430<br>MHz     | KRA-23M3    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 800 MHz Whip Antenna 1/4 wave end feed  | 800 MHz            | KRA-24M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | High gain VHF helically loaded whip antenna 148-162 MHz   | 148-162<br>MHz     | KRA-25      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | VHF helical antenna 146-162 MHz   | 146-162<br>MHz     | KRA-26M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | VHF helical antenna 162-174 MHz   | 162-174<br>MHz     | KRA-26M2    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | VHF helical antenna 136-150 MHz   | 136-150<br>MHz     | KRA-26M3    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | UHF whip antenna 440-490 MHz  | 440-490<br>MHz     | KRA-27M     | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY         | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | UHF whip antenna 470-520 MHz                                      | 470-520<br>MHz     | KRA-27M2    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | UHF whip antenna 400-450 MHz                                      | 400-450<br>MHz     | KRA-27M3    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Broad-band VHF helically loaded whip antenna 140-170 MHz          | 140-170<br>MHz     | KRA-28      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Broad Band UHF Whip Antenna 380-430 MHz                           | 380-430<br>MHz     | KRA-29      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | 700/800 MHz Whip Antenna  | 700/800<br>MHz     | KRA-32K     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | 700/800 MHz Stubby Antenna  | 700/800<br>MHz     | KRA-36      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | 800/900 MHz Whip Antenna  | 800/900<br>MHz     | KRA-38K     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | 900 MHz Stubby Antenna  | 900 MHz            | KRA-39      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | VHF Stubby Antenna 148-162 MHz                                    | 148-162<br>MHz     | KRA-41M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | VHF stubby antenna 162-174 MHz                                    | 162-174<br>MHz     | KRA-41M2    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | VHF stubby antenna 136-150 MHz                                    | 136-150<br>MHz     | KRA-41M3    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | UHF Stubby Antenna 440-490 MHz                                    | 440-490<br>MHz     | KRA-42M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | UHF Stubby antenna 470-520 MHz                                    | 470-520<br>MHz     | KRA-42M2    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Replacement Part: 800 MHz Whip Antenna for TK-480                 | 800 MHz            | T90-0636-25 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Replacement Part: 900 MHz Whip Antenna for TK-481                 | 900 MHz            | T90-0640-25 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | AA Alkaline Refillable Battery Pack (6 AA; 9V) cells not included |                    | KBP-1       | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER         | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|---|--------------------|---------------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | AA Alkaline Refillable Battery Pack (12 AA; 9V) cells not included                                      |                    | KBP-4               | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | AA Alkaline Refillable Battery Pack (6 AA; 9V) cells not included                                       |                    | KBP-5               | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | AA Alkaline Refillable Battery Pack (6 AA; 9V) cells not included (Color: Orange)                       |                    | KBP-6               | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | AA Alkaline Refillable Battery Pack (6 AA; 9V) cells not included Note: the color of the case is orange |                    | KBP-7               | 25.0%                          | 25.0%  | YES                                | YES                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 600 mAh, Ni-Cd battery  |                    | KNB-14              | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 1600 mAh, Ni-MH battery - requires KSC-<br>24 charger   |                    | KNB-20N             | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2100 mAh, Ni-MH battery - requires KSC-<br>24 charger   |                    | KNB-22N             | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2100 mAh, Ni-MH battery - requires KSC-<br>24 charger   |                    | KNB-52N             | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 1500 mAh, NiMH battery - requires KSC-<br>31K/E or KSC-43K charger                                      |                    | KNB-29N             | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2500 mAh, Ni-MH battery - requires KSC-32/326K charger  |                    | KNB-54N             | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2000 mAh, Li-ion battery - requires KSC-<br>32/326K charger   |                    | KNB-33L             | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 1950 mAh, Li-ion battery - requires KSC-<br>25/256K charger<br>[Intrinsically Safe Option]              |                    | KNB-40LCV           | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2500 mAh, Ni-MH battery - requires KSC-<br>32/326K charger<br>[Intrinsically Safe Option]               |                    | KNB-41NC-<br>FM     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | 2500 mAh, Ni-MH battery - requires KSC-<br>32/326K charger<br>[CSA Intrinsically Safe Option]           |                    | KNB-41NC-<br>CSA-US | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 3300 mAh, Li-Polymer battery - requires KSC-32/326K charger  |                    | KNB-43L     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2000 mAh, Li-ion battery - requires KSC-<br>35K/E charger  |                    | KNB-45L     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Li-Ion battery (Same as supplied with TK-3230)   |                    | KNB-46L     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 1950 mAh, Li-ion battery - requires KSC-<br>32/326K charger  |                    | KNB-47L     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2550 mAh, Li-ion battery - requires KSC-<br>32/326K charger  |                    | KNB-48L     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | 4500 mAh, Primary Lithium battery  Note: Non-Rechargeable (please recycle all batteries properly) 10 year Shelf Life (approx. 1% charge degradation per year when properly stored: +50 °F to +86 °F @ less than 70% humidity |                    | KNB-49PL    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2500 mAh, Ni-MH battery - requires KSC-<br>32/326K charger   |                    | KNB-54N     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 1480 mAh, Li-ion battery - requires KSC-<br>25/256K charger  |                    | KNB-55L     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2000 mAh, Li-ion battery - requires KSC-<br>25/256K charger  |                    | KNB-57L     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 1400 mAh, Ni-MH battery  |                    | KNB-56N     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2000 mAh, Ni-MH battery - requires KSC-<br>32/326K charger<br>[Intrinsically Safe Option]  |                    | KNB-50NC    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2100 mAh, Ni-MH battery - requires KSC-<br>24 charger [Intrinsically Safe Approved<br>Accessory]   |                    | KNB-51NC    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 1400 mAh, Ni-MH battery  |                    | KNB-52N     | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2550 mAh, Li-ion battery - requires KSC-<br>35K/SK charger   |                    | KNB-69L     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 110 volt Regular rate single unit desk charger for KNB-14/15   |                    | KSC-15      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 110 volt Regular rate single unit desk charger for KNB-16/17A/17B  |                    | KSC-19      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 110 volt Rapid rate single unit charger for KNB-<br>14/15/16/17A/17B/20N/21N/22N/22NC  |                    | KSC-24      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 110 volt Rapid rate single unit charger for KNB-25A/26N/35L/40LC   |                    | KSC-25      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 100-240 volt rapid rate single unit charger for KNB-35L/40LC(V)/55L/57L Li-ion Battery   |                    | KSC-25L     | 25.0%                          | 25.0%  | YES                                | YES                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Rapid rate 6-Unit charger for KNB-<br>25A/26N/35L/40LC   |                    | KSC-256K    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 110 volt Regular rate single unit charger for KNB-25A/26N  |                    | KSC-30      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 110 volt Fast rate single unit charger for KNB-29N   |                    | KSC-31K     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Rapid rate single unit charger for KNB-<br>31A/32N/33L/41NC/43L/47L/48L/50NC<br>Note: Includes 110/220V auto-switching<br>AC adapter with U.Sstyle line cord plug;<br>requires plug adapter for 220V Euro-style<br>outlets (not supplied). |                    | KSC-32      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Rapid rate 6-unit charger for KNB-<br>31A/32N/33L/41NC/43L/47L/48L/50NC  |                    | KSC-326K    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 110 volt Fast rate single unit charger for KNB-45L   |                    | KSC-35K     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Li-Ion Rapid rate charger (Same as supplied with TK-3230)  |                    | KSC-37      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 110-220 VOLT Fast rate single unit charger fo rKNB-29N/45L/69L   |                    | KSC-43K     | 25.0%                          | 25.0%  | YES                                | N/A                       |

| L | <b>(E</b> | NIV | M    | $\cap$ | <u></u> | D | D | D | 0 | ח | П | C1  | ГІ | CT      | • |
|---|-----------|-----|------|--------|---------|---|---|---|---|---|---|-----|----|---------|---|
| r |           | V   | AVA. | U      | U       | U | Г | М | U | u | U | C I |    | <br>O I |   |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Six Unit Charger Adapter for the KSC-<br>16/20/24/25 chargers<br>(chargers not included)  |                    | KMB-16      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Six Unit Charger Adapter for the KSC-<br>16/20/24/25/32 chargers<br>(chargers not included)   |                    | KMB-23      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Six Unit Charger Adapter for the KSC-28/37 chargers (chargers not included)  Note: The six KSC-xx AC wall Adapters are NOT used in the KMB-27 installation A supplied in-line AC-DC switching power supply with six DC plugs supply the six installed KSC-xx charger bases. This unit is lower profile and less weight than similar Kenwood six unit charger adapters.  Dimensions: 10.6(W) x 2.4(H) x 9.5(D) inches, Weight: approx. 10 lbs. (loaded with chargers/radios)       |                    | KMB-27      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Six Unit Charger Adapter for the KSC-23BK/28/35K chargers (chargers not included)  Note: The six KSC-xx AC wall Adapters are NOT used in the KMB-28 installation A supplied in-line AC-DC switching power supply with six DC plugs supply the six installed KSC-xx charger bases. This unit is lower profile and less weight than similar Kenwood six unit charger adapters.  Dimensions: 10.6(W) x 2.4(H) x 9.5(D) inches, Weight: approx. 10 lbs. (loaded with chargers/radios) |                    | KMB-28      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Wall Mount Bracket for KSC-326K/256K  |                    | KMB-30M     | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Rapid rate DC vehicular charger adapter for the KSC-32 (chargers not included; includes KSC-mobile bracket & cigarette lighter cable DC adapter) |                    | KVC-15      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Vehicular D.C. Charger for<br>180/5210/5310 Portables with NiCd or<br>NiMH Battery   |                    | KVC-18      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Vehicular D.C. Charger for 180/5**0/NX Portables with Li-ion or Li Polymer Battery   |                    | KVC-20L     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | 110~220 volt Fast rate DC vehicular charger adapter for KSC-35SK charger & KNB-45L Li-ion battery (charger not included)                         |                    | KVC-22      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Rapid rate DC vehicular charger adapter for the KSC-16/18/20/24/25 chargers (chargers not included)  |                    | KVC-4       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Spring action belt clip  |                    | KBH-10      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Spring action belt clip (2.5")   |                    | KBH-11      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Spring action belt clip  |                    | KBH-12      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Spring action belt clip (Same as supplied with TK-3230)  |                    | KBH-14M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Leather swivel belt loop with portable D-Ring attachment   |                    | KBH-13DS    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Leather swivel belt loop with portable D-Ring attachment   |                    | KBH-8DS     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Leather case for TK-272G/372G  |                    | KLH-112     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Soft leather case for TK-2140/3140   |                    | KLH-114     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Heavy-Duty Leather Case w/Swivel Belt Loop for TK-2140/3140  |                    | KLH-116     | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY         | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Heavy duty leather carrying case for TK-2180/3180 (Non DTMF keypad models)  |                    | KLH-122     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Heavy duty leather carrying case for TK-2180/3180 (DTMF keypad models)  |                    | KLH-123     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Cordura Nylon carrying case for TK-2180/3180 (Non DTMF keypad models)   |                    | KLH-124     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Cordura Nylon carrying case for TK-2180/3180 (DTMF keypad models)   |                    | KLH-125     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Nylon case for TK-*200/*202/*302 Series   |                    | KLH-126     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Heavy duty leather carrying case for TK-5210/5310 Basic Models  |                    | KLH-133K    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Heavy duty leather carrying case for TK-5210/5310 Standard Models   |                    | KLH-133K2   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Heavy duty leather carrying case for TK-5210/5310 12 Keypad Models  |                    | KLH-133K3   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Cordura Nylon carrying case for TK-<br>5210/5310 Basic Models   |                    | KLH-134K    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Cordura Nylon carrying case for TK-<br>5210/5310 Standard Models  |                    | KLH-134K2   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Cordura Nylon carrying case for TK-<br>5210/5310 12 Keypad Models   |                    | KLH-134K3   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Firemen's Heavy-Duty Leather Shoulder<br>Strap<br>for a Heavy-Duty Leather Case (KLH-<br>75B/76B/78B/79B//92/122/123/133/148) |                    | KLH-137ST   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Heavy-Duty Leather Case w/Swivel Belt<br>Loop for 160/170/173/360 (Non DTMF<br>keypad)  |                    | KLH-138     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Heavy-Duty Leather Case w/Swivel Belt Loop for 170/173 (w/ DTMF keypad)   |                    | KLH-139     | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Extra Heavy-Duty Cordura Nylon carrying case for TK-190/290/390 (all battery packs; no keypad access) |                    | KLH-141     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Heavy duty leather carrying case for NX-200/300 (Non DTMF keypad models)                              |                    | KLH-148K    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Heavy duty leather carrying case for NX-200/300 (DTMF keypad models)                                  |                    | KLH-148K2   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Nylon carrying case for NX-200/300 (Non DTMF keypad models)   |                    | KLH-149K    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Nylon carrying case for NX-200/300 (DTMF keypad models)   |                    | KLH-149K2   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Nylon case for TK-3230 (Black)  |                    | KLH-150     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Heavy duty leather carrying case for NX-210K2/410K2/411K2   |                    | KLH-154K2   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Heavy-Duty Leather Carrying Case for TK-2312K/3312  |                    | KLH-178K    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Heavy-Duty Leather Case w/Swivel Belt Loop for NX-220K/320k/K4 (Non Display)                          |                    | KLH-179K    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Heavy-Duty Leather Case w/Swivel Belt<br>Loop for NX-220K2/320K2/K5 (Display)                         |                    | KLH-179K2   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Heavy-Duty Leather Case w/Swivel Belt<br>Loop for NX-220K3/320K3/K6/420K3 (Full<br>Keypad)            |                    | KLH-179K3   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Nylon Carrying Case for NX-<br>220K/320K/K4 (Non Display)   |                    | KLH-180K    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Nylon Carrying Case for NX-<br>220K2/320K2/K5 (Display)   |                    | KLH-180K2   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Nylon Carrying Case for NX-<br>220K3/320K3/K6/420K3 (Full Keypad)                                     |                    | KLH-180K3   | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY         | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Nylon Carrying Case for TK-<br>*200/*202/*300/*302/*400/*402 Series                      |                    | KLH-187     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Bungi-cord for KLH-58/60/71/75/76  |                    | KLH-58BC    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Leather swivel belt loop / detachable swivel D-Ring back                                 |                    | KLH-6SW     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Heavy duty leather carrying case for TK-480/481 (Non DTMF keypad models)                 |                    | KLH-75B     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Heavy duty leather carrying case for TK-480/481 (DTMF keypad models)                     |                    | KLH-76B     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Heavy duty leather carrying case for TK-190/290/390/5400 (Non DTMF keypad models)        |                    | KLH-78B     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Heavy duty leather carrying case for TK-290/390/5400 (DTMF keypad models)                |                    | KLH-79B     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Cordura Nylon carrying case for TK-<br>480/481 (DTMF keypad models)                      |                    | KLH-85      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Cordura Nylon carrying case for TK-<br>480/481 (Non DTMF keypad models)                  |                    | KLH-86      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Cordura Nylon carrying case for TK-<br>190/290/390/5400 (Non DTMF keypad<br>models)      |                    | KLH-88      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Cordura Nylon carrying case for TK-290/390/5400 (DTMF Keypad models)                     |                    | KLH-89      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Heavy duty leather carrying case<br>for TK-290/390/5400 (DTMF keypad<br>models w/ KBP-4) |                    | KLH-90      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Heavy duty leather carrying case for TK-480/481 (DTMF keypad models w/ KBP-4)            |                    | KLH-92      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Water resistant bag  |                    | KWR-1       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | 2.5mm Audio Accessory Adapter for KEP-<br>3/4<br>[Intrinsically Safe Approved            |                    | KCT-30      | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
|                               |                            | Accessory]  |                    |             |                                |  |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Hirose 6-pin Adapter (adapts<br>KVL/aftermarket audio acc. to portable<br>connector)[Instrinsically Safe Approved<br>Accessory]         |                    | KCT-51      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | 3.5mm earphone kit for KMC-<br>25/26/41M/42WM Speaker Mics<br>[Intrinsically Safe Approved<br>Accessory]                                |                    | KEP-1       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | 2.5mm earphone kit for KMC-17/45 Speaker Mic [Intrinsically Safe Approved Accessory]  |                    | KEP-2       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | 30" Earphone kit w/ 2.5mm plug for KCT-<br>30<br>[Intrinsically Safe Approved<br>Accessory] [MSHA Approved<br>Accessory]                |                    | KEP-3       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | 48" Earphone kit w/ 2.5mm plug for KCT-<br>30<br>[Intrinsically Safe Approved<br>Accessory]   |                    | KEP-4       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Hvy-duty noise reduction behind-the-<br>headset w/noise cancelling boom mic &<br>in-line PTT [Intrinsically Safe Approved<br>Accessory] |                    | KHS-10-BH   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Hvy-duty noise reduction over-the-<br>headset w/noise cancelling boom mic &<br>in-line PTT [Intrinsically Safe Approval<br>Accessory]   |                    | KHS-10-OH   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | 2-wire palm mic w/earphone, universal connector (Beige) [Intrinsically Safe Approved Accessory]   |                    | KHS-11BE    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2-wire palm mic w/earphone, universal connector (Black)   |                    | KHS-11BL    | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
|                               |                            | [Intrinsically Safe Approved Accessory]  |                    |             |                                |  |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | 3-wire mini lapel mic w/earphone,<br>universal connector (Beige)<br>[Intrinsically Safe Approved<br>Accessory]   |                    | KHS-12BE    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 3-wire mini lapel mic w/earphone,<br>universal connector (Black)<br>[Intrinsically Safe Approved<br>Accessory]   |                    | KHS-12BL    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Lt. Wt. Single muff headset w/boom mic & In-line PTT [Intrinsically Safe Approved Accessory]   |                    | KHS-14      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Hvy-duty noise reduction behind-the-<br>headset w/noise cancelling boom mic &<br>in-line PTT [Intrinsically Safe Approved<br>Accessory] [MSHA Approved<br>Accessory] |                    | KHS-15-BH   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Hvy-duty noise reduction over-the-<br>headset w/noise cancelling boom mic &<br>in-line PTT [Intrinsically Safe Approved<br>Accessory] [MSHA Approved<br>Accessory]   |                    | KHS-15-OH   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | 2-Wire Cell-style Earbud Clip/PTT Palm<br>Mic (medium duty)  |                    | KHS-23      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Headset w/ D-Ring Ear Hanger w/ PTT & Boom Mic   |                    | KHS-25      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Clip Mic w/earphone  |                    | KHS-26      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | D-Ring Ear Hanger w/PTT & Mic  |                    | KHS-27      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | C-Ring Ear Hanger w/PTT & Mic  |                    | KHS-31      | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Single muff headset w/boom mic [Intrinsically Safe Approval Accessory]   |                    | KHS-7       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Lt. Wt Single muff headset w/boom mic & in-line PTT [Intrinsically Safe Approval Accessory]  |                    | KHS-7A      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Two-Wire palm mic w/earphone (black)   |                    | KHS-8BL     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Three-Wire lapel mic w/earphone (black)  |                    | KHS-9BL     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | MIL-SPEC, IP54/55 Speaker microphone (Built-in 2.5mm miniature earphone jack)  |                    | KMC-45      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Compact speaker microphone [Intrinsically Safe Approval Accessory]   |                    | KMC-21      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | MIL-SPEC, Noise canceling Speaker mic [Intrinsically Safe Approved Accessory]  |                    | KMC-25      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | MIL-SPEC, Noise canceling Speaker mic (TK-190 only) [Intrinsically Safe Approved Accessory]  |                    | KMC-25A     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | MIL-SPEC, Noise canceling Speaker mic w/Antenna Connector (ant. not incl.) [Intrinsically Safe Approved Accessory] [MSHA Approved Accessory] |                    | KMC-26      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | GPS Speaker Microphone [Intrinsically Safe Approved Accessory] Note: FM Intrinsically Safe Approved except for Group C gases                 |                    | KMC-38GPS   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | MIL-SPEC, Speaker Mic. with Antenna<br>Connector[Intrinsically Safe Approved<br>Accessory]Note: 5/16" Coax cable hex                         |                    | KMC-40      | 25.0%                          | 25.0%  |                                    |                           |

| V | (FI      | NV  | 10 | OD | PR | OD | LICT        | LIST |
|---|----------|-----|----|----|----|----|-------------|------|
|   | <b>1</b> | 4 4 |    | J  |    |    | <b>00</b> 1 |      |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
|                               |                            | wrench included (antenna is not included  |                    |             |                                |  |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | MIL-SPEC, IP54/55 Noise-canceling<br>Speaker Mic<br>[Intrinsically Safe Approved<br>Accessory]  |                    | KMC-41M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | MIL-SPEC, IP67 (Immersion) Noise-<br>canceling Speaker Mic<br>[Intrinsically Safe Approved<br>Accessory] [MSHA Approved<br>Accessory]   |                    | KMC-42WM    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | GPS Speaker Microphone [Intrinsically<br>Safe Approved Accessory] *CSA<br>Intrinically Safe Approved except for<br>Group C gases  |                    | KMC-47GPS   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | GPS Speaker Microphone  |                    | KMC-48GPS   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | MIL-SPEC, IP54/55 DSP Digital Noise-<br>canceling Speaker Mic [see note 1]<br>[Intrinsically Safe Approved<br>Accessory] *CSA Intrinsically Safe<br>Approved except for Group C gases   |                    | KMC-51M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | MIL-SPEC, IP54/55 DSP Digital Noise-canceling Speaker Mic [see note 1] Note: Radio does not have an IP67 Immersion option; meets MIL STD810 rain standards [Intrinsically Safe Approved Accessory] *CSA Intrinsically Safe Approved except for Group C gases [note 1]: To adjust microphone settings different from factory default, download KPG-147NC configuration software and special configuration firmware from kenwood Tools (no charge). |                    | KMC-52W     | 25.0%                          | 25.0%  | YES                                | N/A                       |

| KENW         |                                  | PROD | LICT | IST |
|--------------|----------------------------------|------|------|-----|
| L/ E I A A A | $\mathbf{U}\mathbf{U}\mathbf{U}$ | FNUD | UCI  |     |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | External Vibration Unit [Intrinsically Safe Approved Accessory] Note: Audio accessories cannot be used when this option installed.   |                    | KCT-48VU    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Man-Down Internal Tilt Switch (Non-Mercury Ball Switch Type) [Intrinsically Safe Approved Accessory]- Must be Kenwood installed for I.S. Order L-XXXX for CIM-1000, K-20, K-26 & L-XXXX for P25/NXDN®/FleetSync® operations  |                    | KCT-57MS    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Stationary & Motion Detection Must order L-1700 to activate this feature.  |                    | KWD-MS10    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | AES FIPS140-2 & DES Encryption Module for TK-5210/5710/5310/5810 (except K7 Portable) [Intrinsically Safe Approved Accessory] - Order L-1236 if installation is required. KWD-AE20K requires: a Motorola KVL3000 Plus key loader device. KWD-AE20K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1) - See IMPORTANT NOTES - |                    | KWD-AE20K   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | AES & DES Encryption Module for TK-5210/5710/5310/5810 (except K7 Portable) Order L-1237 if installation is required. Note: Requires KPG-113AE software key loader or Motorola KVL3000 Plus key loader device. KWD-AE21K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1) - See IMPORTANT NOTES -                           |                    | KWD-AE21K   | 25.0%                          | 25.0%  | YES                                | N/A                       |

| KENW         |                                  | PROD | LICT | IST |
|--------------|----------------------------------|------|------|-----|
| L/ E I A A A | $\mathbf{U}\mathbf{U}\mathbf{U}$ | FNUD | UCI  |     |

| SECTION - CATEGORY                                 | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES                      | Kenwood USA<br>Corporation | DES Encryption Module for TK-5210/5710/5310/5810  [Intrinsically Safe Approved Accessory] - Order L-1559 if installation is required.  KWD-DE20K requires: a Motorola KVL3000 or KVL3000 Plus key loader device.  KWD-DE20K is a U.S. DOC/BIS Export Controlled Item (ECCN 5A992A) - See IMPORTANT NOTES -  Other Option Board Installation: CIM-1000K-26 ANI, VGS-1 & aftermarket ANI/encryption boards cannot be installed with a KWD-DE20K or KWD-AE20K (portable option port are space limitation) |                    | KWD-DE20K   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES                      | Kenwood USA<br>Corporation | DES Encryption Module for TK-5210/5710/5310/5810 Order L-1560 if installation is required Note: Requires KPG-114DE or KPG-113AE software key loader or Motorola KVL3000 Plus key loader device. KWD-DE21K is a U.S. DOC/BIS Export Controlled Item (ECCN 5A992A) - See IMPORTANT NOTES -   |                    | KWD-DE21K   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES                      | Kenwood USA<br>Corporation | Voice Guide and Storage Unit [Intrinsically Safe Approved Accessory]   |                    | VGS-1       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & Kenwood USA ACCESSORIES Corporation |                            | Immersion Option Kit Must Order L-987 Note: Initial Installation Kenwood Long Beach Tuning Dept. only. To maintain immersion certification, re-certification is required every 2 years available at Kenwood Authorized Service Centers only. Call an ASC for return procedure (\$315.00 List Price)  |                    | KWD-IM10    | 25.0%                          | 25.0%  | YES                                | N/A                       |

| KENWOOD PRODUCT | LIS | T |
|-----------------|-----|---|
|-----------------|-----|---|

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION FREQUENC Y BAND  |  | PART NUMBER     | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--|-----------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | TK-5400 DES-OFB Multi-key Encryption Option; 16 keys  Note: Must order L-995 U.S. DOC/BIS Export Controlled Item (ECCN 5A992A) - See IMPORTANT NOTES -   |  | KWD-DE10        | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | P25 Flash upgrade; NX-200/300/700/800, factory only  |  | KWD-P25C        | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | MPT Trunking Field Upgrade Kit for NX series radio Must order L-1729 Note: Refer to NX Series MPT Price Pages. Not compatible with any other firmware options. Radio does not retain LTR trunking features once the MPT option is installed.   |  | KWD-<br>NX10MPT | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | MPT Trunking Field Upgrade Kit for 180- Series Must order L-1619 Note: Refer to 180-Series MPT Price Pages and 180-Series MPT In-Depth Technical Manuals for feature details (available from technical support). Not compatible with any other firmware options Radio does not retain all normal 180- Series conventional or LTR trunking features once the MPT option is installed. |  | KWD-<br>180MPT  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | TFS Tactical Feature Set Field Upgrade Kit for 180-Series Must order L-1624 Note: Refer to 180-Series "Tactical Feature Set" In-Depth Technical Manual for feature details (available from technical support). Not compatible with   |  | KWD-<br>180TFS  | 25.0%                          | 25.0%  | YES                                | N/A                       |

| KENWOOD                       | PRODUCT LI                 | <b>ST</b>  |                    |             |                                |  |                                    |                           |
|-------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | any other firmware options.  OTAR Option for KWD-AE20K Encryption Module for P25 Conventional Only; models TK-5x10 (VER2; except K7)  Must order:  • With KWD-AE20K (SN 005xxxxx or later)  • L-1108 for portable installation (no charge)  • L-1109 for mobile Installation (no charge)  Notes:  • Provides OTAR on P25 Conventional only (TIA/EIA-102.AACA compliant; not for use over trunked systems)  • Compatible with Motorola KMF P25 conventional OTAR  • Not compatible with Motorola-proprietary (non-TIA/P25) KMF features  • Not compatible with K7 64 Ch Model  • Requires KPG-95D V5.40 or later for radio programming  • Option deletes self-programming, cloning and analog FleetSync® (except PTT ID/Emergency) when installed.  KWD-RK20 is an U.S. DOC/BIS Export Controlled Item (ECCN 5D002A)  • See IMPORTANT NOTES - |                    | KWD-RK20    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Trunking Option for TK- 5210/5710/5310/5810 Order L-1055 also Note: [] Requires KPG-95DK with Network Level License ID [] Compatible with TK-5210 Version 2 hardware only  |                    | KWD-TR20    | 25.0%                          | 25.0%  | YES                                | N/A                       |

| KENW   | PRO | DUCT | TZLL |
|--------|-----|------|------|
| LILIAN |     | DUCI | LIJI |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | MPT Trunking Field Upgrade Kit for 180-Series Must order L-1619 Note: Refer to 180-Series MPT Price Pages and 180-Series MPT In-Depth Technical Manuals for feature details (available from technical support). Not compatible with any other firmware options Radio does not retain all normal 180- Series conventional or LTR trunking features once the MPT option is installed. |                    | KWD-<br>180MPT | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | TFS Tactical Feature Set Field Upgrade Kit for 180-Series Must order L-1624 Note: Refer to 180-Series "Tactical Feature Set" In-Depth Technical Manual for feature details (available from technical support). Not compatible with any other firmware options.  |                    | KWD-<br>180TFS | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | AES/DES Encryption Software Key Loader for KWD-DE21K/KWD-AE21K  Note: KPG-113AE is a U.S. DOC/BIS Export Controlled Item (ECCN 5D002A) - See IMPORTANT NOTES -  |                    | KPG-113AE      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | DES Encryption Software Key Loader for KWD-DE21K/KWD-AE21K  Note: KPG-114DE is a U.S. DOC/BIS Export Controlled Item (ECCN 5D992A.1) - See IMPORTANT NOTES -  |                    | KPG-114DE      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | USB Programming interface Cable 2-<br>PRONG   |                    | KPG-22UM       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | USB Programming interface Cable MULTI-PIN   |                    | KPG-36UM       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | USB Programming interface Cable - MOBILE  |                    | KPG-46UM       | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND   | PART NUMBER           | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--|-----------------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | TK-5210/5310/5400 KVL-3000/3000 Plus Interface Cable   |  | KPG-93                | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for TK-480/481/980/981   | 480/481/980/981  |                       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows <sup>®</sup> Program Software for TK-190/6110 (Version 2.00)   | ndows <sup>®</sup> Program Software for TK-<br>0/6110 (Version 2.00) |                       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Portable-to-Portable Cloning Cable (For TK-190/290/390/480/481 Only)   |  | E30-3325-05           | 25.0%                          | 25.0%  |                                    |                           |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | PassPort® Radio Programming Software V2.00 or higher   |  | KPG-63DK              | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | PassPort® ESN Field Installation Software  |  | KPG-64DK              | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | FleetSync® Enhanced Option Installation Software  Note: Required for L-925/926/927 & SRB08698 use.   |  | KPG-65EDK             | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for TK-2140/3140 portable (Compatible with FCC Part 90 Narrowbanding) <b>Note:</b> Self-programming is not available.  |  | KPG-74DNK             | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for TK-5400 - Includes DES encryption key loader; An export license is likely required (DOC/BIS ECCN 5D002A)   |  | KPG-78DTKL<br>(V2.02) | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Windows® Programming Software for TK-2180/3180/7180/8180 (Compliant with FCC Part 90 Narrowbanding) Note: Self-programming & Tactical Feature Set* functions are not available. *KPG-89DK is required for Tactical Feature Set. KPG-89DK is no longer supported or distributed |  | KPG-89DNK             | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for TK-5x10 & TK-5x10G Portables & Mobiles (Compliant with FCC Part 90   |  | KPG-<br>95DGNK        | 25.0%                          | 25.0%  | YES                                | N/A                       |

| KENWOOD            | PRODUCT LIS | ST  |                    |                                |  |                                    |                           |
|--------------------|-------------|---|--------------------|--------------------------------|--|------------------------------------|---------------------------|
| SECTION - CATEGORY | MANUFACTURE | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|                    |             | Narrowbanding)  Note: Self-programming function is not available.   |                    |                                |  |                                    |                           |
|                    |             | Analog & P25 Conventional Programming A "Dealer-Level" License ID is included with each KPG-95D/DG(N)K which only permits full analog conventional and P25 conventional programming. Data files created with a "Network-Level Licensed" KPG-95D/95DG(N) and containing P25 programmed P25 trunked network parameters can be loaded and viewed with a Dealer-Level Licensed KPG-95D/DG(N)K, but the trunked network parameters cannot be changed.  P25 Trunked Programming Capability (licensed by either 1 or 2 below):  1. KPG-95DG(N)K with System Key File |                    |                                |  |                                    |                           |
|                    |             | <ul> <li>(*.SKF)- See L-989</li> <li>For all TK-5x10 radio platforms (VER1, 2, 3 or later).</li> <li>3-digit HEX System ID (HSID) and verifiable written authorization required from trunked system operator (SYSOP).</li> <li>Purchase KPG-95DG(N)K &amp; L-989</li> </ul>   |                    |                                |  |                                    |                           |
|                    |             | Network-Level License ID  • Kenwood ships an encrypted *.SKF file on CD ROM  • The *.SKF securely embeds/encrypts the 16-digit Network Level License ID & the HSID.  2. KPG-95DG(N)K with Advanced Network Keys (ANK's)   |                    |                                |  |                                    |                           |

| V | (FI      | NV  | 10 | OD | PR | OD | LICT        | LIST |
|---|----------|-----|----|----|----|----|-------------|------|
|   | <b>1</b> | 4 4 |    | J  |    |    | <b>00</b> 1 |      |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
|                               |                            | radio platforms only. • SYSOPs: Refer to KWD-ANK-MK Master Key • Dealers/contractors: Refer to KWD- ANK-AK Access Key • KPG-95DG(N)K (V7.0 or later) supports up to 16 KWD-ANK-AK Access Keys (16 trunked networks).   |                    |                |                                |  |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Master Key for activating KWD-ANK-AK Access Keys - Restricted Purchase Requirements - Notes: For TK-5x10G/5410/5910 VER 3 or later radio platforms only. Sold to SYSOP or SYSOP authorized entities only Must have KPG-95DG(N)K (V7.0 or later) with L-989 Network-Level License ID SYSOP must provide 3-digit HEX HSID to Kenwood. Purchase KWD-ANK-AK Access Keys if needed. Battery Life: 3 years (non-serviceable; key must be replaced) |                    | KWD-ANK-<br>MK | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Access Key for KPG-95DG(N)K P25 trunked programming  Notes: For TK-5x10G/5410/5910 VER 3 or later radio platforms only Must be activated by a SYSOP with KWD-ANK-MK Master Key. Must have KPG-95DG(N)K (V7.0 or later); L-989 is NOT required. Battery Life: 3 years (non-serviceable; key must be replaced)   |                    | KWD-ANK-<br>AK | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER      | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|------------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Yellow Housing Kit for NX-x00 portables (6 Control Keys Version Only) Order <u>L-1714</u> for Factory Install. (required for Intrinsically Safe & IP67 radio orders)   |                    | KWD-YH20-<br>NX  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Orange Housing Kit for NX-x00 portables (6 Control Keys Version Only) Order <u>L-1739</u> for Factory Install. (required for Intrinsically Safe & IP67 radio orders)   |                    | KWD-OH20-<br>NX  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Yellow Housing Kit for TK-5x20 portables (6 Control Keys Version Only) Order <u>L-1713</u> for Factory Install. (required for Intrinsically Safe & IP67 radio orders)  |                    | KWD-YH20-<br>P25 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Orange Housing Kit for TK-5x20 portables (6 Control Keys Version Only) Order <u>L-1738</u> for Factory Install. (required for Intrinsically Safe & IP67 radio orders)  |                    | KWD-OH20-<br>P25 | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Windows® Programming Software for 180-Series MPT (Compliant with FCC Part 90 Narrowbanding) (Dealer Level License ID included) Note: Must order L-1013 for Network Level License ID & programming privileges |                    | KPG-96DNK        | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for TK-<br>2170/3170/3173 (Compliant with FCC<br>Part 90 Narrowbanding) <b>Note:</b> Self-<br>programming function is not available.   |                    | KPG-<br>101DNK   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Windows® Programming Software for NX 200/210/300/410/411/700/800/900/901 (Compliant with FCC Part 90 Narrowbanding)  |                    | KPG-<br>111DNK   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for TK-<br>5*20 Series (Compliant with FCC Part 90<br>Narrowbanding)   |                    | KPG-<br>112DNK   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Key Loader Interface Cable for Motorola KVL-3000/3000 Plus   |                    | KPG-115          | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND PART NUMBER   |                | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|---|--|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for TK-2302V/3302U  |  | KPG-119DN      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | FCC Part 90 Narrowbanding)  |  | KPG-<br>124DNK | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | 2360/3360 (Compliant with FCC part 90 Narrowbanding)  | Windows® Programming Software for TK- 2360/3360 (Compliant with FCC part 90 128DNK |                | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for TK-2312/3312 (Compliant with FCC part 90 Narrowbanding)   |  | KPG-<br>134DNK | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for NX-220/320/420 (Compliant with FCC part 90 Narrowbanding)   |  | KPG-<br>141DNK | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Windows® Programming Software for NX Series MPT (Compliant with FCC Part 90 Narrowbanding) (Dealer Network License ID included) Note: Must order L-1727 for network Level License ID & programming privileges |  | KPG-<br>143DNK | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | NEXEDGE OTAP MANAGER WINDOWS<br>SOFTWARE *LICENSE Includes 10<br>radios/1 Serial Port* *To add more<br>radios/serial ports, you must contact<br>Kenwood Systems Division [1-800-<br>TRUNKING]                 |  | KPG-150AP      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | AES/DES Encryption Software Key Loader for KWD-DE21K/KWD-AE21K Note: KPG-151AE is a U.S. DOC/BIS Export Controlled Item (ECCN 5D002A) - See IMPORTANT NOTES -   |  | KPG-151AE      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for TK-<br>2402VK/3402UK (Compliant with FCC<br>part 90 Narrowbanding)  |  | KPG-<br>159DNK | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for TK-2400/3400  |  | KPG-160DK      | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Programming software for NX-200/300/700/800 with PassPort®/NEXEDGE® Options Installed (12.5 /6.25 CH bandwidths only) • Programs NEXEDGE, PassPort®, LTR & analog Conventional modes. • Not for use on a standard NEXEDGE radios • KPG-111D(N) Must be installed in PC prior to installing KPG-163DNK.   |                    | KPG-<br>163DNK | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | PassPort ESN Generator device for NX-200/300/700/800  Note: PGM-NX-PP is stocked in minimum quantities. Please anticipate a minimum of 30 day lead time and call order desk to verify availability.  The TK-x180 PassPort ESN Generator device is NOT compatible for NX-x00 ESN loads.  The PGM-NX-PP requires older KPG-36AM (portable) & KPG-46AM (mobile) radio program interface cables with serial DB9 and an aftermarket DB9F-to-DB25M adapter ("KPG-XXUM" USB style cables are not compatible). |                    | PGM-NX-PP      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Hardware Key   |                    | SRB08698       | 25.0%                          | 25.0%  | YES                                | YES                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Horn Alert/P.A. Relay Option   |                    | KAP-2          | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Ignition sense cable (requires KCT-39 Acc. Cable Option)   |                    | KCT-18         | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Accessory connector cable (for ignition sense, horn alert, KSP- spkrs, & Data Port)  |                    | KCT-19         | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Remote Control Cable (8 Feet)  |                    | KCT-22M        | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY         | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Remote Control Cable (17 Feet) (typical sedan length)                         | n length)          |             | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Remote Control Cable (25 Feet)  |                    | KCT-22M3    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | DC Cable (10-50W Dash mount; pos/neg. 10 ft. leads)                           |                    | KCT-23M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | DC Cable (10-50W Remote mount; pos.23 ft.; neg. 3.3. ft. leads)               |                    | KCT-23M3    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | DC Cable (50-110W Remote mount)   |                    | KCT-23M4    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KGP-2A/2B & KDS-100 Radio Interface<br>Cable for 80-Series Mobiles            |                    | KCT-34      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Extension Cable for KCT-34/35/39/40M; 117.6 inches (9.8 ft)                   | 35/39/40M;         |             | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KGP-2A/2B & KDS-100 Radio Interface & Accesory Cable                          |                    | KCT-39      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KGP-2A/2B & KDS-100 Radio Interface<br>Cable                                  |                    | KCT-40M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Ignition sense cable (plugs directly into mobile chassis ignition sense line) |                    | KCT-46      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | DB15-TO-15PIN Molex Adapter Cable   |                    | KCT-60M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Line Filter (suppresses alternator whine, 25dB, 25A max).                     |                    | KLF-2       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Medium Power Mounting Bracket (10-50W models)                                 |                    | KMB-5       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Mobile mounting bracket (same as supplied)                                    |                    | KMB-6       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | High Power Mounting Bracket with built-in key lock (50-110W models)           |                    | KMB-9       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Key Lock Adapter for use with KMB-4/5/6                                       |                    | KMB-10      | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Remote Control Kit for TK-7150/8150  Note: purchase KCT-22M/M2/M3 cable separately                 |                    | KRK-9       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Remote Control Kit (a remote control cable (23 ft) is included)                                    |                    | KRK-10      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | PC Serial Interface cable (80-Series mobile-to-PC connection for FleetSync®)                       |                    | KCT-31      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Control Station Mounting Case for KPS-<br>15 Power Supplies<br>(mobile mounting hardware included) |                    | KMB-24      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | DC Switching Power Supply (117/230 VAC; 23A max. continuous, 25A peak)                             |                    | KPS-15      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-14M, KCT-23M2, KMB-9, KMC-27   |                    | 10BHD       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-14M, KCT-23M, KMB-5, KMC-27  |                    | 10BMD       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-14M, KCT-23M, KMB-9, KMC-27  |                    | 10BMD-9     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-14M, KRK-5, KCT-22M2, KCT-<br>23M3, KMB-9, KMC-27  |                    | 10BMSH-9    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-14M(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M3, KMB-9, KMC-27(x2)                                 |                    | 10BMDH-9    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-15M, KCT-23M2, KMB-9, KMC-27, KES-5  |                    | 10FHD       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-15M, KCT-23M, KMB-5, KMC-27,<br>KES-5  |                    | 10FMD       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | KCH-15M, KCT-23M, KMB-9, KMC-27,<br>KES-5  |                    | 10FMD-9     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-15M, KRK-5, KCT-22M2, KCT-<br>23M3, KMB-9, KMC-27, KES-5                                       |                    | 10FMSH-9    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-15M(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M3, KMB-9, KMC-27(x2), KES-<br>5(x2)                  |                    | 10FMDH-9    | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-10, KCT-23M2, KMB-9, KMC-27  |                    | 9BHD1       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-10, KCT-23M, KMB-5, KMC-27   |                    | 9BMD1       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-11, KCT-23M2, KMB-9, KMC-27, KES-5   |                    | 9FHD1       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-11, KCT-23M, KMB-5, KMC-27,<br>KES-5   |                    | 9FMD1       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | KCH-10, KRK-5, KCT-22M2, KCT-23M4,<br>KMB-9, KMC-27                              |                    | 9BHSH1      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | KCH-10, KRK-5, KCT-22M2, KCT-23M3,<br>KMB-5, KMC-27                              |                    | 9BMSH1      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-11, KRK-5, KCT-22M2, KCT-23M4,<br>KMB-9, KMC-27, KES-5                       |                    | 9FHSH1      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-11, KRK-5, KCT-22M2, KCT-23M3,<br>KMB-5, KMC-27, KES-5                       |                    | 9FMSH1      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | KCH-10(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M4, KMB-9, KMC-27(x2)                |                    | 9BHDH1      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | KCH-10(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M3, KMB-5, KMC-27(x2)                |                    | 9BMDH1      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-11(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M4, KMB-9, KMC-27(x2), KES-<br>5(x2) |                    | 9FHDH1      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-11(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M3, KMB-5, KMC-27(x2), KES-<br>5(x2) |                    | 9FMDH1      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-14M, KRK-5, KCT-22M2, KCT-<br>23M4, KMB-9, KMC-27                            |                    | 10BHSH      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-14M, KRK-5, KCT-22M2, KCT-<br>23M3, KMB-5, KMC-27                            |                    | 10BMSH      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-15M, KRK-5, KCT-22M2, KCT-<br>23M4, KMB-9, KMC-27, KES-5                     |                    | 10FHSH      | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY         | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-15M, KRK-5, KCT-22M2, KCT-<br>23M3, KMB-5, KMC-27, KES-5                                      |                    | 10FMSH      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-10, KRK-7DB, KMC-27, KCT-22M2, KCT-23M4(x2), KMB-9(x2)  |                    | 9BHHDB      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-10, KRK-7DB, KMC-27, KCT-22M2, KCT-23M3, KCT-23M4, KMB-5, KMB-9                               |                    | 9BHMDB      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-10, KRK-7DB, KMC-27, KCT-22M2, KCT-23M3(x2), KMB-5(x2)  |                    | 9BMMDB      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-11, KRK-7DB, KMC-27, KES-5,<br>KCT-22M2, KCT-23M4(x2), KMB-9(x2)                              |                    | 9FHHDB      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-11, KRK-7DB, KMC-27, KES-5,<br>KCT-22M2, KCT-23M3/KCT-23M4, KMB-<br>5/KMB-9                   |                    | 9FHMDB      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-11 KRK-7DB, KMC-27, KES-5,<br>KCT-22M2, KCT-23M3(x2), KMB-5(x2)                               |                    | 9FMMDB      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-10(x2), KMC-27(x2), KRK-8DBH,<br>KCT-22M2(x2), KCT-23M4(x2), KMB-<br>9(x2)                    |                    | 9ВВНН       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-10(x2), KMC-27(x2), KRK-8DBH,<br>KCT-22M2(x2), KCT-23M3, KCT-23M4,<br>KMB-5, KMB-9            |                    | 9BBHM       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-10(x2), KMC-27(x2), KRK-8DBH,<br>KCT-22M2(x2), KCT-23M3(x2), KMB-<br>5(x2)                    |                    | 9BBMM       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-11(x2), KMC-27(x2), KRK-8DBH,<br>KCT-22M2(x2), KCT-23M4(x2), KMB-<br>9(x2), KES-5(x2)         |                    | 9FFHH       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-11(x2), KMC-27(x2), KRK-8DBH,<br>KCT-22M2(x2), KCT-23M3, KCT-23M4,<br>KMB-5, KMB-9, KES-5(x2) |                    | 9FFHM       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-11(x2), KMC-27(x2), KRK-8DBH,<br>KCT-22M2(x2), KCT-23M3(x2), KMB-<br>5(x2), KES-5(x2)         |                    | 9FFMM       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-14M(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M4, KMB-9, KMC-27(x2)                                |                    | 10BHDH      | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION   | Y BAND |         | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|---|--------|---------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-14M(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M3, KMB-5, KMC-27(x2)  |        | 10BMDH  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-15M(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M4, KMB-9, KMC-27(x2), KES-<br>5(x2)   |        | 10FHDH  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-15M(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M3, KMB-5, KMC-27(x2), KES-<br>5(x2)   |        | 10FMDH  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-16M, KRK-11M, KCT-22M2, KCT-<br>23M4, KMB-9, KES-5  |        | 10CHSH  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | KCH-16M, KRK-11M, KCT-22M2, KCT-23M3, KMB-9, KES-5  |        | 10CMSH  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Basic Control Panel   |        | KCH-10  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Full Featured Control Panel   |        | KCH-11  | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Basic Remote Control Head w/ 12 Alphanumeric Display (4W Front Speaker)  Note: All KCH-14 / Basic Control Head configurations are shipped with the control heads 4W internal speaker enabled. Order L-1008 to enable the 13W external speaker output for KES-5 speaker use. This will disconnect the control heads internal 4W speaker! |        | KCH-14M | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Full-Featured Remote Control Head w/ 14 Alphanumeric Display Note: requires an external speaker   |        | KCH-15M | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Single Control Head Remote Mount Kit  |        | KRK-5   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Dual Control Head Remote Mount Kit  |        | KRK-6DH | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Dual Band Control Head Remote Mount<br>Kit  |        | KRK-7DB | 25.0%                          | 25.0%  | YES                                | N/A                       |

| L | <b>(E</b> | NIV | M    | $\cap$ | <u></u> | D | D | D | 0 | ח | П | C1  | ГІ | CT      | • |
|---|-----------|-----|------|--------|---------|---|---|---|---|---|---|-----|----|---------|---|
| r |           | V   | AVA. | U      | U       | U | Г | М | U | u | U | C I |    | <br>O I |   |

| SECTION - CATEGORY         | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Dual Band Dual Head Remote Mount Kit   |                    |             | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Handheld Control Head for P25 Mobiles  Note: requires KRK-11M, KCT- 22M/M2/M3, & KES-5 |                    | KCH-16M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | KCH-16M HHCH Interface Kit for Single<br>Head Remote                                   |                    | KRK-11M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | External speaker (compact low profile; black case; 3.5 mm phono plug-in)               |                    | KES-3       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | External speaker, 40W max input  |                    | KES-5       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Noise canceling microphone   |                    | KMC-2A      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Standard dynamic mobile microphone   |                    | KMC-14      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | DTMF mic, manual dial, auto PTT, Backlit keypad, MILSTD                                |                    | KMC-18      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | MIL-SPEC noise-canceling mobile hand microphone  |                    | KMC-27      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | MIL-SPEC DTMF noise-canceling mobile hand microphone                                   |                    | KMC-28      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | MIL-SPEC & Noise Canceling dynamic mobile microphone (8-pin mod. plug)                 |                    | KMC-27A     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Standard dynamic mobile microphone (8-pin mod. plug)                                   |                    | KMC-27B     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | MIL-SPEC & Noise Canceling dynamic mobile microphone (8-pin mod. plug) w/ DTMF         |                    | KMC-28A     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Standard mobile microphone (8-pin mod. plug)   |                    | KMC-30      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Low profile mobile microphone with 16 DTMF keypad (8-pin mod. plug)                    |                    | KMC-32      | 25.0%                          | 25.0%  | YES                                | N/A                       |

| KENW   | PRO | DUCT | TZLL |
|--------|-----|------|------|
| LILIAN |     | DUCI | LIJI |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Standard dynamic mobile microphone (8-pin mod. plug)  |                    | KMC-35      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Standard dynamic mobile microphone with 12 keypad (8-pin mod. plug)   |                    | KMC-36      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Control station desktop microphone  |                    | KMC-9       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Desk top microphone   |                    | KMC-9B      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Control Station Desktop Microphone (8-pin mod. plug)  |                    | KMC-9C      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Garmin On-dash Style Magnetic base GPS Antenna for GPS15L-W  Note: shipped loose only; Install GA25MCX antenna to GPS15L-W before vehicle install; Refer to 180/NX-Series Indepth Technical Manuals for mobile installation.  |                    | GA25MCX     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Garmin Internal GPS Receiver Board for FleetSync® AVL  Note: Conventional & LTR operation only Requires GA25 MCX GPS antenna Refer to 180/NX-Series & KGS-3 In-Depth Technical Manuals for installation, programming & KGS-3 software setup. Refer to www.garmin.com for GPS-15L-W technical specifications. Option: Order L-XXXX for Kenwood Long Beach installation |                    | GPS15XL-W   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | FleetSync® & NEXEDGETM AVL & Messaging Software (Windows® 2000/XP compatible),  Note: AVL operation /use is not required. Compatible with Microsoft®MapPoint®2004/2006 Software   |                    | KGS-3       | 25.0%                          | 25.0%  | YES                                | N/A                       |

| SECTION - CATEGORY MANUFACTURE |                            | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARRO<br>BAND<br>CAPABI |
|--------------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|-------------------------|
|                                |                            | or certain type imported maps (purchase aftermarket separately) Refer to KGS-3 spec sheet for detailed features & requirements.   |                    |             |                                |  |                                    |                         |
| 13.0 - PARTS &<br>ACCESSORIES  | Kenwood USA<br>Corporation | FleetSync® & NEXEDGETM AVL & Messaging Software (Windows® XP/VISTA compatible),  Note: AVL operation /use is not required. Compatible with Microsoft®MapPoint®2006/2009 Software or certain type imported maps (purchase aftermarket separately)  Refer to KAS-10 spec sheet for detailed features & requirements.  |                    | KAS-10      | 25.0%                          | 25.0%  | YES                                | N/A                     |
| 13.0 - PARTS &<br>ACCESSORIES  | Kenwood USA<br>Corporation | FleetDispatchPRO: FleetSync® messaging dispatch software for PC (Windows® 98/Me/NT/2000/XP compatible)  Note:  TK-7180/8180/7150/8150 base mobile requires a DB-25 PC serial cable to connect to the base computer (purchase aftermarket seperately).  TK-980/981base mobile requires a KCT-31 PC serial cable to connect to the base computer (purchase seperately).  Supports FleetSync® PTT ID, Emergency, Status/Text Messaging for all FleetSync compatible portables & mobiles. |                    | KAS-2FSD    | 25.0%                          | 25.0%  |                                    |                         |

YES

N/A

KDS-100 fleet units are compatible with the KAS-2FSD FleetSync calling & messaging features.
 Refer to KAS-2FSD spec sheet for detailed features & requirements

### **KENWOOD PRODUCT LIST**

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | NEXEDGE® Image Encoder Unit  Note: • Wireless Image System Monitor Station Operation. • KAS-11 is required for programming. • Not include Cameras (purchase aftermarket separately). • Works with NX-700/800 6.25/12.5Khz Digital mode, Radio to Radio, via Conventional Repeater, Trunking Repeater and Conventional IP Network. • Refer to Wireless Image Basic Operation and Installation Guide for detailed features & requirements. |                    | KVT-11      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | NEXEDGE® Image Viewer Software (Windows® XP/VISTA/7 compatible),  Note: • Wireless Image System Base Station Operation. • Works with NX-700/800 6.25/12.5Khz Digital mode, Radio to Radio, via Conventional Repeater, Trunking Repeater and Conventional IP Network. • Refer to Wireless Image Basic Operation and Installation Guide for detailed features & requirements.  |                    | KAS-11      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | FleetSync® Data Terminal  Note: The KDS-100 pigtail cable (1.83 ft) combined with the KDS-100 mobile interface cables KCT-34/35/39/40M (1 ft.) and use a KCT-36 (9.8 ft.) for an extension.  |                    | KDS-100     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Radio Interface Cable for KGP-2A/2B & KDS-100  |                    | KCT-34      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Radio Interface Cable for KGP-2A/2B & KDS-100  |                    | KCT-35      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Extension Cable for KCT-34/35/39/40M; 117.6 inches (9.8 ft)  |                    | KCT-36      | 25.0%                          | 25.0%  | YES                                | N/A                       |

| <b>KENWOOD</b> | <b>PRODUCT LIST</b> | • |
|----------------|---------------------|---|
|----------------|---------------------|---|

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Radio Interface Cable for KGP-2A/2B & KDS-100  |                    | KCT-39      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Radio Interface Cable for KGP-2A/2B & KDS-100  |                    | KCT-40M     | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for KDS-100  |                    | KPG-71DK    | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | DES Encryption Software Key Loader for KWD-DE21K/KWD-AE21K  Note: KPG-114DE is a U.S. DOC/BIS Export Controlled Item (ECCN 5D992A.1) - See NOTES   |                    | KPG-114DE   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | AES/DES Encryption Software Key Loader for KWD-DE21K/KWD-AE21K  Note: KPG-113AE is a U.S. DOC/BIS Export Controlled Item (ECCN 5D002A) - See NOTES   |                    | KPG-113AE   | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | OTAR Option for KWD-AE20K Encryption Module for P25 Conventional Only; models TK-5x10 (VER2; except K7)  Must order:  • With KWD-AE20K (SN 005xxxxx or later)  • L-1108 for portable installation (no charge)  • L-1109 for mobile Installation (no charge)  Notes:  • Provides OTAR on P25 Conventional only (TIA/EIA-102.AACA compliant; not for use over trunked systems)  • Compatible with Motorola KMF P25 conventional OTAR  • Not compatible with Motorola-proprietary (non-TIA/P25) KMF features  • Not compatible with K7 64 Ch Model  • Requires KPG-95D V5.40 or later for |                    | KWD-RK20    | 25.0%                          | 25.0%  | YES                                | N/A                       |

| KENWOOD PRODUCT LIST | <b>KEI</b> | NWO | OD | PR | ODI | JCT | LIST |
|----------------------|------------|-----|----|----|-----|-----|------|
|----------------------|------------|-----|----|----|-----|-----|------|

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
|                               |                            | radio programming Option deletes self-programming, cloning and analog FleetSync® (except PTT ID/Emergency) when installed.  KWD-RK20 is an U.S. DOC/BIS Export Controlled Item (ECCN 5D002A) See IMPORTANT NOTES -  |                    |                |                                |  |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Trunking Option for TK-5210/5710/5310/5810 - Must order L-1056 Must order L-1056 Note: KPG-95DK Requires Network Level License ID to program trunked network radio parameters (see KPG-95D for purchase restrictions & requirements) Compatible with TK-5210 Version 2 (SN 80600001 or later); TK-5310 (SN 809xxxxx or later); TK-5710 Version 2 (SN806xxxxx); TK-5810 (SN 809xxxxx or later) |                    | KWD-TR20       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | MPT Trunking Field Upgrade Kit for 180-Series Must order L-1620 Note: Refer to 180-Series MPT Price Pages and 180-Series MPT In-Depth Technical Manuals for feature details (available from technical support). Not compatible with any other firmware options Radio does not retain all normal 180- Series conventional or LTR trunking features once the MPT option is installed.           |                    | KWD-<br>180MPT | 25.0%                          | 25.0%  | YES                                | N/A                       |

| KENW   | PRO | DUCT | TRILL |
|--------|-----|------|-------|
| LILIAN |     | DUCI | LIJI  |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION  | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|--|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | TFS Tactical Feature Set Field Upgrade Kit for 180-Series Must order L-1625 Note: Refer to 180-Series "Tactical Feature Set" In-Depth Technical Manual for feature details (available from technical support). Not compatible with any other firmware options.           |                    | KWD-<br>180TFS | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | AES FIPS140-2 & DES Encryption Module for TK-5210/5710/5310/5810 Order L-1345 if installation is required. KWD-AE20K requires: a Motorola KVL3000 Plus key loader device. KWD-AE20K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1)- See NOTES                 |                    | KWD-AE20K      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | AES & DES Encryption Module for TK-5210/5710/5310/5810 Order L-1346 if installation is required. Note: Requires KPG-113AE software key loader or Motorola KVL3000 Plus key loader device. KWD-AE21K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1)- See NOTES |                    | KWD-AE21K      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | DES Encryption Module for TK-5210/5710/5310/5810 Order <u>L-1601</u> if installation is required. KWD-DE20K requires: a Motorola KVL3000 or KVL3000 Plus key loader device. KWD-DE20K is a U.S. DOC/BIS Export Controlled Item (ECCN 5A992A) - See NOTES                 |                    | KWD-DE20K      | 25.0%                          | 25.0%  | YES                                | N/A                       |

| KENW         | PROD | LICT | IST |
|--------------|------|------|-----|
| L/ E I A A A | FNUD | UGII |     |

| SECTION - CATEGORY            | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|----------------------------|---|--------------------|----------------|--------------------------------|--|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | DES Encryption Module for TK-5210/5710/5310/5810 Order L-1602 if installation is required Note: Requires KPG-114DE or KPG-113AE software key loader or Motorola KVL3000 Plus key loader device KWD-DE21K is a U.S. DOC/BIS Export Controlled Item (ECCN 5A992A) - See NOTES |                    | KWD-DE21K      | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Voice Guide and Storage Unit  |                    | VGS-1          | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Mobile Programming interface cable  |                    | KPG-4          | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Programming interface Cable   |                    | KPG-43UM       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Radio Interface Cable for KGP-2A/2B & KDS-100   |                    | KCT-35         | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Extension Cable for KCT-34/35/39/40M; 117.6 inches (9.8 ft)   |                    | KCT-36         | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Program Software for TK-190/6110 (Version 2.00)   |                    | KPG-59DK       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for KDS-100   |                    | KPG-71DK       | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Key Loader Interface Cable for Motorola KVL-3000/3000 Plus  |                    | KPG-94         | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood USA<br>Corporation | Windows® Programming Software for TK-7360/8360 (Compliant with FCC Part 90 Narrowbanding)   |                    | KPG-<br>135DNK | 25.0%                          | 25.0%  | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood USA<br>Corporation | Hardware Key (Sentinel Super Pro)  Note: The SRB08698 hardware key requires L-905, 906 or 907 options to be loaded into it. The hardware key requires the KPG-65ED to activate FleetSync® Enhanced Options in an 80-Series radio. The SRB08698 hardware key can be          |                    | SRB08698       | 25.0%                          | 25.0%  | YES                                | N/A                       |

| KENWOOD PRODUCT LIST       |                            |   |                    |             |                                |  |                                    |                           |  |  |
|----------------------------|----------------------------|---|--------------------|-------------|--------------------------------|--|------------------------------------|---------------------------|--|--|
| SECTION - CATEGORY         | MANUFACTURE                | MODEL DESCRIPTION   | FREQUENC<br>Y BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTAGE | OPTIONS MSRP DISCOUNT PERCENTAG E (Purchased with model) | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |  |  |
|                            |                            | returned when empty for 50% credit. Call the LMR order desk for an RMA#. Credit will NOT be issued for the L-905/906/907 options. |                    |             |                                |  |                                    |                           |  |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood USA<br>Corporation | Horn Alert/P.A. Relay Option (requires KCT-19)  |                    | KAP-1       | 25.0%                          | 25.0%  | YES                                | N/A                       |  |  |

| DESCRIPTION OF SERVICES | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments  |
|-------------------------|----------------------------|-----------------------------------|--|-----------|---|
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 15.00                                    | Fixed     | Assemble KMB-16 with six KSC-20/24/25/25L (Rapid Rate, 120 Volt version only) Must order Labor Code# L-836  |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 17.00                                    | Fixed     | Package Dash/Single Head Remote for 90-series mobiles  Must order Labor Code# L-846                         |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 34.00                                    | Fixed     | Package Dual Head Remote for 90-series mobiles Must order Labor Code# L-847                                 |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 34.00                                    | Fixed     | Package Dual Band Remote for 90-series mobiles Must order Labor Code# L-848                                 |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 50.00                                    | Fixed     | Package Dual Band Dual Head Remote for 90-series mobiles Must order Labor Code# L-849                       |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 17.00                                    | Fixed     | Assemble KMB-23 with six KSC/24/25/25L/32 (Rapid Rate, 120 Volt versions only) Must order Labor Code# L-961 |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | Assemble TK-7180/8180 with KRK-10 Remote Kit  Must use Labor Code# L-968                                    |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 17.00                                    | Fixed     | Package Dash/Single Head Remote for 5*10 mobiles Must<br>Order Labor Code# L-1028                           |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 34.00                                    | Fixed     | Package Dual Head Remote for 5*10 mobiles Must<br>Order Labor Code# L-1029                                  |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 42.00                                    | Fixed     | Assemble NX-700/800/900/901 with KRK-10 Remote Kit<br>Must use Labor Code L-1099                            |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | Package HHCH Remote for 5*10 mobiles  Must Order Labor Code# L-1110   |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 42.00                                    | Fixed     | Assemble TK-5720/5820 with KRK-10 Remote Kit Must order Labor Code# L-1656                                  |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 27.00                                    | Fixed     | Assemble Yellow Housing KWD-YH20-P25 with TK-5x20 Portable Must order Labor Code# L-1713                    |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 27.00                                    | Fixed     | Assemble Yellow Housing KWD-YH20-NX with NX-<br>200K/300K/300K3 Portable Must order Labor Code# L-<br>1714  |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 27.00                                    | Fixed     | Assemble Orange Housing KWD-OH20-P25 with TK-5x20 Portable Must order Labor Code# L-1738                    |
| Assembly                | Kenwood USA<br>Corporation | 0.0%                              | 27.00                                    | Fixed     | Assemble Orange Housing KWD-OH20-NX with NX-200K/300K/300K3 Portable Must order Labor Code# L-1739          |
| Cut KRA-21              | Kenwood USA<br>Corporation | 0.0%                              | 10.00                                    | Fixed     | Cut KRA-21 Low Band Antenna Must order Labor Code#<br>L-914   |

|                          |                            | CONTRACTOR | MOST CURRENT             |           |   |
|--------------------------|----------------------------|------------|--------------------------|-----------|---|
| DESCRIPTION OF SERVICES  | MANUFACTURE                | DISCOUNT   | CONTRACTOR<br>LIST PRICE | Rate Type | Comments  |
| Field Retrofit qty 100+  | Kenwood USA<br>Corporation | 0.0%       | 50.00                    | Fixed     | FleetSync® Enhanced Option (field retrofit) for 140-series;<br>Price each for qty. 100+ Must order Labor Code# L-927  |
| Field Retrofit Qty 1-24  | Kenwood USA<br>Corporation | 0.0%       | 50.00                    | Fixed     | FleetSync® Enhanced Option (field retrofit) for 140-series; Price each for qty. 1-24 Must order Labor Code# L-925   |
| Field Retrofit qty 25-99 | Kenwood USA<br>Corporation | 0.0%       | 50.00                    | Fixed     | FleetSync® Enhanced Option (field retrofit) for 140-series;<br>Price each for qty. 25-99 Must order Labor Code# L-926   |
| Field Upgrade            | Kenwood USA<br>Corporation | 0.0%       | 42.00                    | Fixed     | TK-5210/5310 KWD-TR20 FIELD-UPGRADE (Must purchase KWD-TR20 separately) Must order Labor Code# L-1067   |
| Field Upgrade            | Kenwood USA<br>Corporation | 0.0%       | NC                       | Fixed     | 180 Portable KWD-180MPT FIELD-UPGRADE (Must purchase KWD-180MPT separately) Must order Labor Code# L-1619   |
| Field Upgrade            | Kenwood USA<br>Corporation | 0.0%       | NC                       | Fixed     | 180 Mobile KWD-180MPT FIELD-UPGRADE (Must purchase KWD-180MPT separately) Must order Labor Code# L-1620   |
| Field Upgrade            | Kenwood USA<br>Corporation | 0.0%       | NC                       | Fixed     | 180 Portable KWD-180TFS FIELD-UPGRADE (Must purchase KWD-180TFS separately) Must order Labor Code# L-1624   |
| Field Upgrade            | Kenwood USA<br>Corporation | 0.0%       | NC                       | Fixed     | 180 Mobile KWD-180TFS FIELD-UPGRADE (Must purchase KWD-180TFS separately) Must order Labor Code# L-1625   |
| Field Upgrade            | Kenwood USA<br>Corporation | 0.0%       | N/C                      | Fixed     | TK-5220/5320 KWD-TR30 FIELD-UPGRADE (Must purchase KWD-TR30 separately) Must order Labor Code# L-1696   |
| Field Upgrade            | Kenwood USA<br>Corporation | 0.0%       | N/C                      | Fixed     | TK-5720/5820 KWD-TR30 FIELD-UPGRADE (Must purchase KWD-TR30 separately) Must order Labor Code# L-1697   |
| Field Upgrade            | Kenwood USA<br>Corporation | 0.0%       | 85.00                    | Fixed     | Retrofit Install of MPT option in NX series radio For previously purchased NX series radios. Order L-1728 through LMR order desk/rep. Ship radios to attn: Kenwood LMR Tuning, Long Beach for installation. Include Kenwood order number for L-1728 provided by order desk & copy of company P.O. or P.O. number. Note: see NX series MPT Introduction Sales Bulletin for details Must order Labor Code# L-1728 |
| Field Upgrade            | Kenwood USA<br>Corporation | 0.0%       | 42.00                    | Fixed     | KWD-RK20 Field Upgrade Option for TK-<br>5x10/5x10G/5410(Must purchase KWD-RK20 separately)<br>Must order Labor Code# L-1733  |
| Field Upgrade            | Kenwood USA                | 0.0%       | 42.00                    | Fixed     | KWD-RK20 Field Upgrade Option for TK-5x10/5x10G/5910  |

| DESCRIPTION OF SERVICES       | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments  |
|-------------------------------|----------------------------|-----------------------------------|--|-----------|---|
|                               | Corporation                | , ENGLIN                          | 2.0111102                                |           | (Must purchase KWD-RK20 separately) Must order Labor Code# L-1734   |
| Field Upgrade                 | Kenwood USA<br>Corporation | 0.0%                              | 80.00                                    | Fixed     | Field Retrofit PassPort®-Classic / NEXEDGE option for NX- 200/300/700/800 (order one option per the number of ESNs required) • ESN activation file with ordered number of ESNs and firmware will be shipped on a CD ROM. Allow 15 business days ARO. • KPG-163DNK required to program radio • Requires PGM-NX-PP PassPort ESN Generator device • Note: The TK-x180 PassPort ESN Generator device is NOT compatible for NX-x00 ESN loads. Must order Labor Code# L-1745            |
| Field Upgrade                 | Kenwood USA<br>Corporation | 0.0%                              | 108.35                                   | Fixed     | Field Retrofit PassPort®-Enhanced / NEXEDGE Option for NX-200/300/700/800 orders (order option one per the number of ESNs required)  • ESN activation file with ordered number of ESNs and firmware will be shipped on a CD ROM. Allow 15 business days ARO.  • KPG-163DNK required to program radio  • Requires PGM-NX-PP PassPort ESN Generator device  • Note: The TK-x180 PassPort ESN Generator device is NOT compatible for NX-x00 ESN loads. Must order Labor Code# L-1746 |
| Fixed Station<br>Modification | Kenwood USA<br>Corporation | 0.0%                              | 160.00                                   | Fixed     | TKR-740/840 Circuit Modification Required for use ith passport-NTS Protocol Must use Labor Code# L-8000   |
| Fixed Station<br>Modification | Kenwood USA<br>Corporation | 0.0%                              | 750.00                                   | Fixed     | TKR-740/840 Circuit Modification for Existing Repeaters Note: Previously purchased TKR-740/840 repeaters require a Kenwood modification. Must use Labor Code# L-8001  |
| Install Battery               | Kenwood USA<br>Corporation | 0.0%                              | 0.00                                     | Fixed     | Install KNB-21N/22N/22NC/51NC/52N battery Must order<br>Labor Code# L-837   |
| Installation                  | Kenwood USA<br>Corporation | 0.0%                              | 70.00                                    | Fixed     | Install Horn Alert output relay for 90-series mobiles (1 amp max.) Part #S76-0407-05 Relay incl. Must order Labor Code# L-861   |
| Installation                  | Kenwood USA<br>Corporation | 0.0%                              | 15.00                                    | Fixed     | Install Key Inserts for TK-5*10/90-series mobiles Note: For new radio tune orders only. Installs only the included KCH-10/11 key inserts. Must specify keys and placement (see Service Manuals for placement diagram, pg.   |

| DESCRIPTION OF SERVICES | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments   |
|-------------------------|----------------------------|-----------------------------------|--|-----------|--|
|                         |                            |                                   |  |           | 14). Also, see Service Manuals for technical details (pg. 14). Other Key Inserts are available from Parts Dept. See the "Service Related Accessories" section of the 90-series mobiles pricepages for more information. Must order Labor Code# L-862   |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 21.00                                    | Fixed     | Install KCT-31 in 80-Series mobile (order KCT-31 separately) Must Order Labor Code# L-918  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 50.00                                    | Fixed     | FleetSync® Enhanced Option Must order Labor Code# L-<br>928  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 21.00                                    | Fixed     | Install KCT-34 in 80-Series mobile for KDS-100/KPG-2A/2B Interface Must order Labor Code L-929   |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | Install KAP-2 (Default) HR1/internal Sp/PA Must use Labor Code# L-966  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | Install KAP-2 (External Sp.) KR1/External Sp/PA Must order Labor Code# L-1010  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 85.00                                    | Fixed     | Retrofit Install of MPT option in 180-Series radio For previously purchased 180-Series radios. Order L-1014 through LMR order desk/rep. Ship radios to attn: Kenwood LMR Tuning, Long Beach for installation. Include Kenwood order number for L-1014 provided by order desk & copy of company P.O. or P.O. number.  Note: Only certain Serial Number Lots produced in late 2004 and later can be retrofitted - see 180-Series MPT Introduction Sales Bulletin for details Must order Labor Code# L-1014 |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 100.00                                   | Fixed     | Install Garmin GPS15XL-W in 180-Series mobile for FleetSync® AVL  Note: The KGS-3 & GPS15XL-W are not compatible with KGP-2A/2B AVL systems Must order Labor Code# L-1033  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 20.00                                    | Fixed     | 80/90 PORTABLE KCT-57MS INSTALLATION (FOR FLEETSYNC) Must order Labor Code# L-1060   |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | Change Channel to other frequencies or program TK-3230   |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | Install KAP-2 (Default) HR1/Internal Sp/PA Must use Labor Code L-1094  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 100.00                                   | Fixed     | Install Garmin GPS15XL-W in NX-Series mobile for Fleetsync® AVL Must use Labor Code L-1098   |
| Installation            | Kenwood USA                | 0.0%                              | N/C                                      | Fixed     | Install KWD-RK20 OTAR Option in TK-5x10 & TK-5x10G   |

| DESCRIPTION OF SERVICES | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments   |
|-------------------------|----------------------------|-----------------------------------|--|-----------|--|
|                         | Corporation                |                                   |  |           | Series (Must purchase KWD-RK20 separately) Must order Labor Code# L-1108   |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE20K in TK-5x10 & TK-5x10G Series Portables Must order Labor Code# L-1236 (Must purchase module separately) |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE20K in TK-5*10 Mobile  Must Order Labor Code# L-1345  (Must purchase module separately)                    |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE21K in TK-5*10 Mobile  Must Order Labor Code# L-1346  (Must purchase module separately)                    |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-DE21K in TK-5*10 Mobile  Must Order Labor Code# L-1602  (Must purchase module separately)                    |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 100.00                                   | Fixed     | Install Garmin GPS15XL-W in 302-Series mobile for FleetSync® AVL Must order Labor Code# L-1643                           |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | Install VGS-1 Voice Guide & Storage Unit TK-5220/5320<br>Must order Labor Code# L-1645                                   |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-DE21K in TK-5x10 & TK-5x10G Series Portables (Must purchase module separately) Must order Labor Code L-1649  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE21K in TK-5220/TK-5320 Portables (Must purchase module separately) Must order Labor Code# L-1650           |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-DE21K in TK-5220/TK-5320 Portables (Must purchase module separately) Must order Labor Code# L-1651           |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | TK-5720/5820 Install KAP-2 (Default) HR1/Internal Sp/PA Must order Labor Code# L-1653                                    |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | TK-5720/5820 Install KAP-2 HR1/External Sp/PA Must order Labor Code# L-1654  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 100.00                                   | Fixed     | Install Garmin GPS15XL-W in TK-5720/5820 mobiles for FleetSync® AVL Must order Labor Code# L-1655                        |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE20K in TK-5720/TK-5820 Mobiles (Must purchase module separately) Must order Labor Code# L-1657             |

| DESCRIPTION OF SERVICES | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments   |
|-------------------------|----------------------------|-----------------------------------|--|-----------|--|
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE21K in TK-5720/TK-5820 Mobiles (Must purchase module separately) Must order Labor Code# L-1658       |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-DE21K in TK-5720/TK-5820 Mobiles (Must purchase module separately) Must order Labor Code# L-1659       |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 20.00                                    | Fixed     | NX-210/410/411 Portable KCT-57MS Installation (for NXDN®/Fleetsynce®) Must order Labor Code# L-1671                |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 20.00                                    | Fixed     | TK-2360/3360 Portable KCT-57MS Installation (for FleetSync®/MDC) Must order Labor Code# L-1679                     |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 20.00                                    | Fixed     | 180 Portable KWD-180TFS FIELD-UPGRADE (Must purchase KWD-180TFS separately)  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | N/C                                      | Fixed     | Install KWD-TR30 Trunking Option in TK-5220/5320 (Must purchase KWD-TR30 separately) Must order Labor Code# L-1694 |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | N/C                                      | Fixed     | Install KWD-TR30 Trunking Option in TK-5720/5820 (Must purchase KWD-TR30 separately) Must order Labor Code# L-1695 |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE20K in NX-200/300 Portables (Must purchase module separately) Must order Labor Code# L-1717          |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE21K in NX-200/300 Portables (Must purchase module separately) Must order Labor Code# L-1718          |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-DE21K in NX-200/300 Portables (Must purchase module separately) Must order Labor Code# L-1719          |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE20K in NX-700/800/900/901 Mobiles (Must purchase module separately) Must order Labor Code# L-1720    |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE20K in NX-700/800/900/901 Mobiles (Must purchase module separately) Must order Labor Code# L-1721    |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE20K in NX-700/800/900/901 Mobiles (Must purchase module separately) Must order Labor Code# L-1722    |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE20K in NX-210/410/411 Portables (Must purchase module separately) Must order Labor                   |

| DESCRIPTION OF SERVICES      | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments  |
|------------------------------|----------------------------|-----------------------------------|--|-----------|---|
|                              |                            |                                   |  |           | Code# L-1723  |
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE21K in NX-210/410/411 Portables (Must purchase module separately) Must order Labor Code# L-1724   |
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-DE21K in NX-210/410/411 Portables (Must purchase module separately) Must order Labor Code# L-1725   |
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | Install MPT option in NX series radio Must order Labor Code# L-1726   |
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | 20.00                                    | Fixed     | Install KCT-57MS (for MPT Emergency Call) NX 200(S)/300(S) Must order Labor Code# L-1730  |
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | 80.00                                    | Fixed     | Install PassPort®-Classic / NEXEDGE option in NX- 200/300/700/800 • Order one per radio • KPG-163DNK required to program radio Must order Labor Code# L-1743  |
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | 108.35                                   | Fixed     | Install PassPort®-Enhanced / NEXEDGE Option in NX-200/300/700/800• Order one per radio• KPG-163DNK required to program radio Must order Labor Code# L-1744  |
| Installation (enabling)      | Kenwood USA<br>Corporation | 0.0%                              | 50.00                                    | Fixed     | Simultaneous transpond and alert feature up-grade for 90-<br>series mobiles & portables Must order Labor Code# L-870  |
| Installation (enabling)      | Kenwood USA<br>Corporation | 0.0%                              | 50.00                                    | Fixed     | Simultaneous transpond and alert feature up-grade for 90-<br>series mobiles & portables Must order Labor Code# L-870  |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | 84.00                                    | Fixed     | Install firmware & enable NPSPAC operation in TK-480 Note: NPSPAC and PassPort capabilty are not available in the same firmware option. Must order Labor Code# L-853  |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | Install VGS-1 Voice Guide & Storage Unit Note: VGS-1 installation precludes any ANI or encryption board installation Must order Labor Code# L-962   |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | 16.67                                    | Fixed     | Install MPT option in 180-Series radio Must order Labor Code# L-1012  |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | 100.00                                   | Fixed     | TK-2180/3180 TFS INSTALLATION  Note: KPG-89DK is required to program the TFS (Tactical Feature Set). KPG-89DK is no longer supported or distributed by Kenwood. TFS will not workwith KPG-89DNK.  Must order Labor Code# L-1051 |
| Installation and             | Kenwood USA                | 0.0%                              | 100.00                                   | Fixed     | TK-7180/8180 TFS INSTALLATION   |

| DESCRIPTION OF SERVICES      | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments   |
|------------------------------|----------------------------|-----------------------------------|--|-----------|--|
| Programming                  | Corporation                |                                   |  |           | Note: KPG-89DK is required to program the TFS (Tactical  |
|                              |                            |                                   |  |           | Feature Set). KPG-89DK is no longer supported or distributed by Kenwood. TFS will not workwith KPG-89DNK.  |
|                              |                            |                                   |  |           | Must order Labor Code# L-1052  |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | 20.00                                    | Fixed     | Install KCT-57MS (for MPT Emergency Call) Must order Labor Code# L-1061  |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | Install VGS-1 Voice Guide & Storage Unit Note: VGS-1 installation precludes any ANI or encryption board installation Must use Labor Code# L-1087 |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | 20.00                                    | Fixed     | NX-200(S)/300(S) Portable KCT-57MS Installation (for NXDN® / FleetSync®) Must use Labor Code L-1093  |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-AE21K in TK-5x10 & TK-5x10G Series Portables (Must purchase module separately) Must order Labor Code# L-1237                         |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-DE20K in TK-5x10 & TK-5x10G Series Portables (Must purchase module separately) Must order Labor Code# L-1559                         |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Install KWD-DE21K in TK-5x10 & TK-5x10G Series Portables (Must purchase module separately) Must order Labor Code# L-1560                         |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | 20.00                                    | Fixed     | 170/173 Portable KCT-57MS Installation (for FleetSync®)  Must order Labor Code# L1609  |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | 20.00                                    | Fixed     | 180 Portable KCT-57MS Installation (for FleetSync®) Must order Labor Code# L-1611  |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | 20.00                                    | Fixed     | TK-5x10 & TK-5x10G Series Portable KCT-57MS Installation (for P25/FleetSync®) Must order Labor Code# L-1614                                      |
| Intrinsically Safe Option    | Kenwood USA<br>Corporation | 0.0%                              | 70.00                                    | Fixed     | Configure TK-2140/3140 for Intrinsically Safe Must order an I.S. battery Must order Labor Code# L-942  |
| Intrinsically Safe Option    | Kenwood USA<br>Corporation | 0.0%                              | 100.00                                   | Fixed     | Configure TK-5x10-IS & TK-5x10-ISG for Intrinsically Safe Must order an I.S. battery, KNB-41NC-FM Must order Labor Code# L-986                   |
| Intrinsically Safe Option    | Kenwood USA<br>Corporation | 0.0%                              | 70.00                                    | Fixed     | Configure TK-2180-IS/3180-IS for Intrinsically Safe Must order an I.S. battery Must order Labor Code# L-994                                      |
| Intrinsically Safe Option    | Kenwood USA<br>Corporation | 0.0%                              | 70.00                                    | Fixed     | Configure TK-2170/3170 for Intrinsically Safe (Must Order an I.S. Battery) Must order Labor Code# L-1000   |
| Intrinsically Safe Option    | Kenwood USA                | 0.0%                              | 70.00                                    | Fixed     | Configure TK-3173 for Intrinsically Safe   |

| DESCRIPTION OF SERVICES     | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments  |
|-----------------------------|----------------------------|-----------------------------------|--|-----------|---|
|                             | Corporation                |                                   |  |           | (Must order an I.S. battery)<br>Must order Labor Code# L-1001   |
| Intrinsically Safe Option   | Kenwood USA<br>Corporation | 0.0%                              | 70.00                                    | Fixed     | Configure TK-290/390 for MSHA Intrinsically Safe Must order KNB-51NC Must use Labor Code# L-1027  |
| Intrinsically Safe Option   | Kenwood USA<br>Corporation | 0.0%                              | 70.00                                    | Fixed     | Configure NX-200/300 for Intrinsically Safe Must order an I.S. battery Must order Labor Code# L-1101  |
| Intrinsically Safe Option   | Kenwood USA<br>Corporation | 0.0%                              | 70.00                                    | Fixed     | Configure TK-5220/5320 for Intrinsically SafeMust order an I.S. battery Must order Labor Code# L-1647   |
| Intrinsically Safe Option   | Kenwood USA<br>Corporation | 0.0%                              | 70.00                                    | Fixed     | Configure TK-2360/3360 for Intrinsically Safe Must order an I.S. Battery Must use Labor Code# L-1716  |
| Intrinsically Safe Option   | Kenwood USA<br>Corporation | 0.0%                              | 70.00                                    | Fixed     | Configure NX-220/320 for Intrinsically Safe Must order an I.S. Battery Must order Labor Code# L-1732  |
| Intrinsically Safe Option   | Kenwood USA<br>Corporation | 0.0%                              | 70.00                                    | Fixed     | Configure NX-210/410/411 for Intrinsically Safe Must order an I.S. battery, KNB-41NC-CSA-US Must order Labor Code# L-1750   |
| Intstallation               | Kenwood USA<br>Corporation | 0.0%                              | 20.00                                    | Fixed     | TK-5220/5320 Portable KCT-57MS Installation (for P25/FleetSync®/MDC-1200) Must order Labor Code# L-1648   |
| Mic Disable                 | Kenwood USA<br>Corporation | 0.0%                              | 17.00                                    | Fixed     | EXT PTT / Local KMC-27 mic disable Purpose: Disables the KMC-27 mobile hand mic element when 90-series mobile external PTT is active. For use with data modems, GPS AVL data units, headset systems (motorcycles, ambulance, fire engines), vehicle intercom Must Order Labor Code# L-917 |
| Mic Input                   | Kenwood USA<br>Corporation | 0.0%                              | 10.00                                    | Fixed     | 90-Series mobile low imp. mic. Input at RF deck<br>Must Order Labor Code# L-912   |
| Mobile Radio Programming    | Kenwood USA<br>Corporation | 0.0%                              | NC                                       | Fixed     | Tune TK-890 receiver channel spread (20 MHz max.); specify receive spread Must Order Labor Code# L-850  |
| Mobile Radio<br>Programming | Kenwood USA<br>Corporation | 0.0%                              | 30.00                                    | Fixed     | 90 Mobile Programming (with basic TX/RX check) Must order Labor Code# L-854   |
| Mobile Radio<br>Programming | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | 80 Mobile Programming (with basic TX/RX check) Must order Labor Code# L-857   |
| Mobile Radio<br>Programming | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | TK-7180/8180 Programming (with basic TX/RX check) Must use Labor Code# L-965  |
| Mobile Radio<br>Programming | Kenwood USA<br>Corporation | 0.0%                              | 125.00                                   | Fixed     | TK-5*10 Programming (Basic TX/RX check only with factory test freq.s or dealer/customer provided KPG-95D/DG(N) data file) Must Order Labor Code# L-1005   |

| DESCRIPTION OF SERVICES     | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments   |
|-----------------------------|----------------------------|-----------------------------------|--|-----------|--|
| Mobile Radio<br>Programming | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | NX-700/800 Programming (with basic TX/RX check) Must order Labor Code# L-1085  |
| Mobile Radio Programming    | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | TK-7302/8302 Programming (with basic TX/RX check) Must order Labor Code# L-1642  |
| Mobile Radio<br>Programming | Kenwood USA<br>Corporation | 0.0%                              | 125.00                                   | Fixed     | TK-5720/5820 Programming (Basic TX/RX check only with factory test freq.s or dealer/customer provided KPG-112D(N) data file) Must order Labor Code# L-1652   |
| Mobile Radio<br>Programming | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | NX-900/901 Programming (with basic TX/RX check) Must order Labor Code# L-1692  |
| Mobile Radio Programming    | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | NX-720HG/820HG Programming (with basic TX/RX check)  Must order Labor Code# L-1751   |
| Modification                | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Modify 90-Series mobile Single Band (Single Head) Mobile for Pyramid Vehicular Repeater Must order Labor Code# L-858   |
| Modification                | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Modify 90-Series mobile Single Band (Dual Head) Mobile for Pyramid Vehicular Repeater Must order Labor Code# L-859   |
| Modification                | Kenwood USA<br>Corporation | 0.0%                              | 190.00                                   | Fixed     | KCT-22A Extended Control Head Cable (up to 50 ft. max.) Note: Please specify exact length at 1ft. increments when ordering.  Caution: Extended control head cables exhibit a loss in speaker audio power to the control heads. For either type control head (KCH-10/11), it is recommended that the 13W audio output modification be implemented to drive extended cable runs and a KES-5 external speaker be used. Refer to the service manual pg. 15-17 for 13W modifications. Installing new radio firmware (hex files) via the KPG-44D software nor checking the firmware "checksum" is not possible through an extended control head cable. A standard KCT-22 cable of 25 ft. or less should be used when this has to be done. Normal KPG-44D radio parameter programming is possible at extended lengths. Must order Labor Code# L-864 |
| Modification                | Kenwood USA<br>Corporation | 0.0%                              | 245.00                                   | Fixed     | KCT-22A Extended Control Head Cable (up to 100 ft. max.)  Note: Please specify exact length at 1ft. increments when ordering.  Caution: Extended control head cables exhibit a loss in speaker audio power to the control heads. For either type control head (KCH-10/11), it is recommended that the 13W  |

| DESCRIPTION OF SERVICES | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments   |
|-------------------------|----------------------------|-----------------------------------|--|-----------|--|
|                         |                            |                                   |  |           | audio output modification be implemented to drive extended cable runs and a KES-5 external speaker be used. Refer to the service manual pg. 15-17 for 13W modifications. Installing new radio firmware (hex files) via the KPG-44D software nor checking the firmware "checksum" is not possible through an extended control head cable. A standard KCT-22 cable of 25 ft. or less should be used when this has to be done. Normal KPG-44D radio parameter programming is possible at extended lengths. Must order Labor Code# L-865 |
| Modification            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | KCT-23A-K2 Two Conductor 75/110W High Power DC Cable  (2 Conductor: 1x23 ft. positive, 1x23 ft. negative; AWG #10)  Note: This cable substitutes for the ff: DC Cables:> KCT-23M2 75/110W Dash Mount DC Cable: 4  Conductor: 2x10 ft. positive, 2x10 ft. negative> KCT-23M4 75/110W Remote Mount DC Cable: 4  Conductor: 2x23 ft. positive, 2x23 ft. negative Must order Labor Code# L-866   |
| Modification            | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | Jumper foil for SB to pin 14 of accessory connector for 90-<br>series mobile<br>(Ref. 90-Series Mobile Service Manual, page 17/18) Must<br>order Labor Code# L-867   |
| Modification            | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | Modify 90series mobile for KCT-18 Must order Labor<br>Code# L-883  |
| Modification            | Kenwood USA<br>Corporation | 0.0%                              | 10.00                                    | Fixed     | External speaker modification for 90-series mobile Control head (13W) Must order Labor Code# L-891   |
| Modification            | Kenwood USA<br>Corporation | 0.0%                              | 17.00                                    | Fixed     | R640 mic input modification for 90-series mobile  Must Order Labor Code# L-903   |
| Modification            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Modify 90-series mobile Dual Band (Single Head) for Pyramid Vehicular Repeater Must Order Labor Code# L-921  |
| Modification            | Kenwood USA<br>Corporation | 0.0%                              | 75.00                                    | Fixed     | Modify 90-series mobile Dual Band (Dual Head) for Pyramid  Vehicular Repeater  Must Order Labor Code# L-922  |
| Modification            | Kenwood USA<br>Corporation | 0.0%                              | 10.00                                    | Fixed     | External Speaker modification for TK-5*10 mobile Control Head (13W)  Note: All Basic Control Head (KCH-14M) configurations are shipped with the control heads 4W internal speaker enables.   |

| DESCRIPTION OF SERVICES | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments  |
|-------------------------|----------------------------|-----------------------------------|--|-----------|---|
|                         |                            | I ENGENI                          | LIOTT NOL                                |           | Order L-1008 to enable the 13W external speaker output for KES-5 speaker use. This will disconnect the control heads internal 4W speaker!  Must Order Labor Code# L-1008  |
| Modification            | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | Multi-Channel Encoder Modification TK-5220/TK-5320 Must order Labor Code# L-1646  |
| Modification            | Kenwood USA<br>Corporation | 0.0%                              | 60.00                                    | Fixed     | NX-700/800/900/901 Flow Control Modification Must order<br>Labor Code# L-1687   |
| Modification            | Kenwood USA<br>Corporation | 0.0%                              | N/C                                      | Fixed     | NX-220/320 KWD-MS10 Activation Must order Labor<br>Code# L-1700   |
| Network Level ID        | Kenwood USA<br>Corporation | 0.0%                              | 132.00                                   | Fixed     | KPG-95D/95DG(N) Network Level ID (encrypted data file) Note: Enables Trunked system programming privileges in a KPG-95DG(N)K.  - Restricted Purchase Requirements - • 3-Digit HEX System ID (HSID) from SYSOP required • Must Purchase KPG-95DG(N)K (V7.0 or later) with L-989 • Kenwood ships an encrypted *.SKF file on CD ROM • Non-SYSOP entities ordering L-989 must provide verifiable written authorization from SYSOP to receive an *.SKF file. • The 16-digit Network Level License ID & 3-digit HEX HSID are securely encrypted & embedded in the *.SKF file.  Must order Labor Code# L-989   |
| Network Level ID        | Kenwood USA<br>Corporation | 0.0%                              | 158.33                                   | Fixed     | Network Level License ID for KPG-96D(N) 180-Series Programmer Must order Labor Code# L-1013   |
| Network Level ID        | Kenwood USA<br>Corporation | 0.0%                              | 132.00                                   | Fixed     | KPG-112D(N) Network Level ID (encrypted data file) Note: Enables Trunking system programming privileges; See KPG-112D(N) Network Level ID (Trunking System Privileges) - Restricted Purchase Requirements - L-1698- KPG-112D(N) Network Level ID (Trunking System Privileges) The KPG-112D(N) only ships with a "Dealer Level License ID" which permits Conventional FM and P25 Conventional radio programming privileges only. For radios with the P25 Trunking option installed, trunked/network programming privileges require a "Network Level License ID" generally reserved ONLY for the system owner or the system owners authorized operators/service centers. Purchasing the KPG- 112D(N) Network Level License ID will require 1) Written |

| DESCRIPTION OF SERVICES      | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments  |
|------------------------------|----------------------------|-----------------------------------|--|-----------|---|
|                              |                            |                                   |  |           | verifiable authorization from the systems owner/operator. 2) The 3-digit hexadecimal P25 System ID from the system owner/operator. 3) Purchase of a L-1698 : KPG-112D(N) Network Level ID option. This option will include an encrypted KPG-112D(N) "System Key Data File" containing the 16-digit Network Level License ID & 3-digit hexadecimal System ID code. Must order Labor Code# L-1698 |
| Operations and<br>Firmware   | Kenwood USA<br>Corporation | 0.0%                              | 17.00                                    | Fixed     | Install firmware 094F (90-series mobile * and # DTMF without PTT)  Note: The firmware 094F gives the 90-series mobile the ability to generate a DTMF tone from the * and # keys without pushing the PTT button.  Must Order Labor Code# L-910   |
| Operations and Firmware      | Kenwood USA<br>Corporation | 0.0%                              | N/C                                      | Fixed     | NX-700/800 P25 Conventional Software Upgrade Must order a KWD-P25C firmware option Must order Labor Code# L-1663  |
| Options and Firmware         | Kenwood USA<br>Corporation | 0.0%                              | 68.00                                    | Fixed     | Install PassPort® ESN / Firmware Option (1-24 qty.) Must order Labor Code# L-876  |
| Options and Firmware         | Kenwood USA<br>Corporation | 0.0%                              | 68.00                                    | Fixed     | Install PassPort® ESN / Firmware Option (25-99 qty.) Must order Labor Code# L-877   |
| Options and Firmware         | Kenwood USA<br>Corporation | 0.0%                              | 68.00                                    | Fixed     | Install PassPort® ESN / Firmware Option (100 qty.) Must order Labor Code# L-878   |
| Options and Firmware         | Kenwood USA<br>Corporation | 0.0%                              | N/C                                      | Fixed     | Immersion Option Certification (Must purchase Immersion Option Kit, KWD-IM10 separately) Must order Labor Code# L-987   |
| Options and Firmware         | Kenwood USA<br>Corporation | 0.0%                              | 158.33                                   | Fixed     | Network Level License ID for KPG-143D(N) NX series Programmer Must order Labor Code# L-1727   |
| Options and Firmware         | Kenwood USA<br>Corporation | 0.0%                              | NC                                       | Fixed     | NX Series Radio MPT Firmware FIELD-UPGRADE (Must purchase KWD-NX10MPT separately) Must order Labor Code# L-1729   |
| Options and Firmware<br>Disk | Kenwood USA<br>Corporation | 0.0%                              | 84.00                                    | Fixed     | Install firmware and enable NPSPAC operation in TK-980 Note: NPSPAC and PassPort capability are not available in the same firmware option. Must order Labor Code# L-889   |
| Options and Firmware<br>Disk | Kenwood USA<br>Corporation | 0.0%                              | 68.00                                    | Fixed     | PassPort® ESN & Firmware disk (1-24 qty.) Must order Labor Code# L-892  |
| Options and Firmware<br>Disk | Kenwood USA<br>Corporation | 0.0%                              | 68.00                                    | Fixed     | PassPort® ESN & Firmware disk (25-99 qty.) Must order Labor Code# L-893   |
| Options and Firmware         | Kenwood USA                | 0.0%                              | 68.00                                    | Fixed     | PassPort® ESN & Firmware disk (100 qty.) Must order   |

| DESCRIPTION OF SERVICES              | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments   |
|--------------------------------------|----------------------------|-----------------------------------|--|-----------|--|
| Disk                                 | Corporation                | 1 =110=111                        |  |           | Labor Code# L-894  |
| Portable Radio<br>Programming        | Kenwood USA<br>Corporation | 0.0%                              | 120.00                                   | Fixed     | TK-5400 Programming (with basic TX/RX check) Must order Labor Code# L010   |
| Portable Radio Programming           | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | TK-290/390 Programming (with basic TX/RX check) Must order Labor Code# L-804   |
| Portable Radio<br>Programming        | Kenwood USA<br>Corporation | 0.0%                              | 17.00                                    | Fixed     | TK-480/481 Programming (with basic TX/RX check) Must use Labor Code# L-826   |
| Portable Radio<br>Programming        | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | TK-2140/3140 Programming (with basic TX/RX check)  Must order Labor Code# L-924  |
| Portable Radio<br>Programming        | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | TK-2180/3180 Programming (with basic TX/RX check) Must use Labor Code# L-963   |
| Portable Radio<br>Programming        | Kenwood USA<br>Corporation | 0.0%                              | 125.00                                   | Fixed     | TK-5x10 & TK-5x10G Portable Programming (Basic TX/RX check only with factory test freq.s or dealer/customer provided KPG-95D/95DG(N) data file) Must order Labor Code# L-990 |
| Portable Radio Programming           | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | TK-2170/3170 Programming (with basic TX/RX check)  Must order Labor Code# L-992  |
| Portable Radio<br>Programming        | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | NX-200(S)/300(S) Programming (with basic TX/RX check) Must order Labor Code# L-1084  |
| Portable Radio<br>Programming        | Kenwood USA<br>Corporation | 0.0%                              | 125.00                                   | Fixed     | TK-5220/5320 Programming (Basic TX/RX check only with factory test freq.s or dealer/customer provided KPG-112D data file) Must order Labor Code# L-1644                      |
| Portable Radio<br>Programming        | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | TK-2360/3360 Programming (with basic TX/RX check) Must order Labor Code# L-1678  |
| Portable Radio Programming           | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | TK-2312/3312 Programming (with basic TX/RX check)  Must order Labor Code# L-1688   |
| Portable Radio Programming           | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | NX-410/411 Programming (with basic TX/RX check) Must order Labor Code# L-1691  |
| Portable Radio<br>Programming        | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | NX-220/320 Programming (with basic TX/RX check) Must order Labor Code# L-1699  |
| Portable Radio Programming           | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | TK-2402VK/3402UK Programming (with basic TX/RX check)  Must order Labor Code# L-1756   |
| Portable Radio Programming           | Kenwood USA<br>Corporation | 0.0%                              | 37.50                                    | Fixed     | TK-2400/3400 Programming (with basic TX/RX check)  Must order Labor Code# L-1757   |
| Portable/Mobile Radio<br>Programming | Kenwood USA<br>Corporation | 0.0%                              | 25.00                                    | Fixed     | TK-190/TK-6110 Programming (with basic TX/RX check)  Must order Labor Code# L-911  |

March 18, 2010

## STATE OF MICHIGAN DEPARTMENT OF MANAGEMENT AND BUDGET PURCHASING OPERATIONS P.O. BOX 30026, LANSING, MI 48909 OR 530 W. ALLEGAN, LANSING, MI 48933

NOTICE TO

CONTRACT NO. 071B0200128

between

THE STATE OF MICHIGAN

and

| NAME & ADDRESS OF CONTRACTOR                | TELEPHONE Barry Morris  |                             |  |
|---|-------------------------|-----------------------------|--|
| Kenwood USA Corporation                     | (800) 752-0986          |                             |  |
| 2201 E. Dominguez Street                    |                         | VENDOR NUMBER/MAIL CODE     |  |
| P.O. Box 22745                              |                         |                             |  |
| Long Beach, CA 22745                        | BUYER/CA (517) 241-3215 |                             |  |
| Email: bmorris@ko                           | enwoodusa.com           | Steve Motz                  |  |
| Contract Compliance Inspector: Patty Bogard |                         |                             |  |
| 2-way Radios                                |                         |                             |  |
| CONTRACT PERIOD: From:                      | March 1, 2010           | To: <b>January 19, 2013</b> |  |
| TERMS                                       | SHIPMENT                |                             |  |
| N/A   |                         | N/A                         |  |
| F.O.B.                                      | SHIPPED FROM            |                             |  |
| N/A   | N/A                     |                             |  |
| MINIMUM DELIVERY REQUIREMENTS               |                         |                             |  |
| N/A   |                         |                             |  |
| MISCELLANEOUS INFORMATION:                  |                         |                             |  |
|   |                         |                             |  |

#### THIS CONTRACT IS HEREBY EXTENDED TO LOCAL UNITS OF GOVERNMENT

Estimated Contract Value: \$500,000.00

Form No. DMB 234 (Rev. 1/96) AUTHORITY: Act 431 of 1984 COMPLETION: Required PENALTY: Contract will not be executed unless form is filed

## STATE OF MICHIGAN DEPARTMENT OF MANAGEMENT AND BUDGET PURCHASING OPERATIONS P.O. BOX 30026, LANSING, MI 48909 OR 530 W. ALLEGAN, LANSING, MI 48933

## CONTRACT NO. <u>071B0200128</u> between THE STATE OF MICHIGAN and

| NAME & ADDRESS OF CONTRACTOR  | TELEPHONE Barry Morris                 |                               |  |  |
|---|--|-------------------------------|--|--|
| Kenwood USA Corporation   | (800) 752-0986                         |                               |  |  |
| 2201 E. Dominguez Street  | VENDOR NUMBER/MAIL CODE                |                               |  |  |
| P.O. Box 22745  |  |                               |  |  |
| Long Beach, CA 22745  |  | BUYER/CA (517) 241-3215       |  |  |
| Email: bmorris@ke   | enwoodusa.com                          | Steve Motz                    |  |  |
| Contract Compliance Inspector: Patty Bogard                                   |  |                               |  |  |
| 2-way F   | Radios                                 |                               |  |  |
| CONTRACT PERIOD: From:  | March 1, 2010                          | To: <b>January 19, 2013</b>   |  |  |
| TERMS   | SHIPMENT                               | -                             |  |  |
| N/A   |  | N/A                           |  |  |
| F.O.B.  | SHIPPED FROM                           |                               |  |  |
| N/A   |  | N/A                           |  |  |
| MINIMUM DELIVERY REQUIREMENTS   |  |                               |  |  |
| N/A   |  |                               |  |  |
| MISCELLANEOUS INFORMATION:  |  |                               |  |  |
|   |  |                               |  |  |
| THIS CONTRACT IS HEREBY EXTENDED TO   | LOCAL UNIT                             | S OF GOVERNMENT               |  |  |
|   |  |                               |  |  |
| Estimated Contract Value: \$500,000.00  |  |                               |  |  |
| Tomatou Community Turani Turani   | Limitated Contract value. \$500,000.00 |                               |  |  |
|   |  |                               |  |  |
|   |  |                               |  |  |
|   |  |                               |  |  |
| THIS IS NOT AN ORDER: The terms and conditions of this contract are enclosed. |  |                               |  |  |
|   |  |                               |  |  |
|   |  |                               |  |  |
|   |  |                               |  |  |
| FOR THE CONTRACTOR:   | FOR THE                                | STATE:                        |  |  |
|   |  |                               |  |  |
| Kenwood USA Corporation   |  |                               |  |  |
| Firm Name   |  | Signature                     |  |  |
|   | Greg Fa                                | remouth, IT Division Director |  |  |
| Authorized Agent Signature  |  | Name/Title                    |  |  |
| Ç Ç   | IT Divi                                | sion, Purchasing Operations   |  |  |
| Authorized Agent (Print or Type)  |  | Division                      |  |  |
| J - ( 71 - 7  | riamonizad rigani (i finit ar 1 jpa)   |                               |  |  |
|   |  |                               |  |  |

#### **TABLE OF CONTENTS**

| DEFINITION                 | 5  |    |
|----------------------------|--|----|
| Article 1 - St             | atement of Work (SOW)  | g  |
| 1.010 PR                   | OJECT IDENTIFICATION   | 9  |
| 1.011                      | Project Request  |    |
| 1.012                      | Background   |    |
| 4 000                      |  |    |
|                            | COPE OF WORK AND DELIVERABLES                                |    |
| 1.021                      | In Scope   |    |
| 1.022                      | Work and Deliverable   |    |
| 1.022 (A)                  | Product Requirements   |    |
| 1.022 (A.1)                | Specifications   |    |
| 1.022 (A.2)                | Research and Development                                     |    |
| 1.022 (A.3)                | Quality Assurance Program Warranty for Products or Services  |    |
| 1.022 (A.4)<br>1.022 (A.5) | Extended Warranty for Products or Services                   |    |
| 1.022 (A.6)                | Catalogs   |    |
| 1.022 (A.0)<br>1.022 (A.7) | Service Manuals  |    |
| 1.022 (A.7)<br>1.022 (A.8) | Environmental Requirements                                   |    |
| 1.022 (A.6)<br>1.022 (B)   | Service Capabilities   |    |
| 1.022 (B.1)                | Maintenance / Service / Equipment Repair / Replacement Parts |    |
| 1.022 (B.2)                | Training   |    |
| 1.022 (B.3)                | RESERVED - Special Programs                                  |    |
| 1.022 (B.4)                | Security   |    |
| 1.022 (B.5)                | Reports  |    |
| 1.022 (B.6)                | Meetings   |    |
| 1.022 (B.7)                | Receiving Orders   |    |
| 1.022 (B.8)                | Customer Service   | 18 |
| 1.022 (C)                  | Delivery Capabilities  | 18 |
| 1.022 (C.1)                | Terms and Time Frames  | 18 |
| 1.022 (C.2)                | Minimum Order  | 19 |
| 1.022 (C.3)                | Packaging  | 19 |
| 1.022 (C.4)                | Palletizing  | 19 |
| 1.030 RC                   | DLES AND RESPONSIBILITIES                                    | 19 |
| 1.031                      | Contractor Staff, Roles, and Responsibilities                |    |
| 1.032                      | Onsite Work Requirements                                     |    |
| 1.031                      | State Staff, Roles, and Responsibilities                     | 23 |
| 1.040 PR                   | OJECT PLAN MANAGEMENT  | 23 |
| 1.050 AC                   | CCEPTANCE  | 23 |
| 1.050 AC                   | Criteria   |    |
| 1.52                       | Final Acceptance   | -  |
|                            | •  |    |
| 1.060 CC                   | ONTRACT PRICING AND PAYMENT                                  |    |
| 1.061                      | Contract Pricing   |    |
| 1.062                      | Price Term   |    |
| 1.063                      | Tax Excluded from Price                                      |    |
| 1.064                      | Holdback - RESERVED  | -  |
| Article 2, Ter             | ms and Conditions  | 26 |
|                            | ntract Structure and Term                                    |    |
| 2.001                      | Contract Term  |    |
| 2.002                      | Options to Renew   |    |
| 2.003                      | Legal Effect   |    |
| 2.004                      | Attachments & Exhibits                                       |    |
| 2.005                      | Ordering   |    |
| 2.006                      | Order of Precedence  |    |
| 2.007                      | Headings   |    |
| 2.008                      | Form, Function & Utility                                     |    |
| 2.009                      | Reformation and Severability                                 |    |

| 2.010   | Consents and Approvals  | = 1                                |
|---|---|------------------------------------|
| 2.011   | No Waiver of Default  | 27                                 |
| 2.012   | Survival  |                                    |
|   |   |                                    |
| 2.020   | Contract Administration   |                                    |
| 2.021   | Issuing Office  |                                    |
| 2.022   | Contract Compliance Inspector (CCI)   |                                    |
| 2.023   | Project Manager   | 28                                 |
| 2.024   | Change Requests   | 28                                 |
| 2.025   | Notices   | 29                                 |
| 2.026   | Binding Commitments   |                                    |
| 2.027   | Relationship of the Parties   |                                    |
| 2.028   | Covenant of Good Faith  |                                    |
| 2.029   | Assignments   |                                    |
|   | <u> </u>  |                                    |
| 2.030   | General Provisions  | 30                                 |
| 2.031   | Media Releases  | 30                                 |
| 2.032   | Contract Distribution   | 30                                 |
| 2.033   | Permits   | 30                                 |
| 2.034   | Website Incorporation   |                                    |
| 2.035   | Future Bidding Preclusion   |                                    |
| 2.036   | Freedom of Information  |                                    |
| 2.037   | Disaster Recovery   |                                    |
| 2.037   | Disaster Recovery   | 30                                 |
| 2.040   | Financial Provisions  | 31                                 |
| 2.041   | Fixed Prices for Services/Deliverables.   | 31                                 |
| 2.042   | Adjustments for Reductions in Scope of Services/Deliverables  |                                    |
| 2.043   | Services/Deliverables Covered   |                                    |
| 2.044   | Invoicing and Payment – In General  |                                    |
| 2.045   | Pro-ration  |                                    |
| 2.045   | Antitrust Assignment  |                                    |
| 2.040   |   |                                    |
|   | Final Payment   |                                    |
| 2.048   | Electronic Payment Requirement  | 32                                 |
|   | _   | 22                                 |
| 2.050   | l axes  |                                    |
|   | Taxes Employment Taxes.   |                                    |
| 2.051   | Employment Taxes  | 32                                 |
| 2.051<br>2.052  | Employment Taxes  | 32<br>32                           |
| 2.051   | Employment Taxes  | 32<br>32                           |
| 2.051<br>2.052  | Employment Taxes  | 32<br>32                           |
| 2.051<br>2.052<br>2.060   | Employment Taxes  | 32<br>32<br>32<br>32               |
| 2.051<br>2.052<br>2.060<br>2.061  | Employment Taxes  | 32<br>32<br>32<br>32               |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062   | Employment Taxes  | 32<br>32<br>32<br>32<br>33         |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063  | Employment Taxes  | 32<br>32<br>32<br>32<br>33<br>33   |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065  | Employment Taxes  | 32323232323333                     |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066   | Employment Taxes. Sales and Use Taxes  Contract Management.  Contractor Personnel Qualifications. Contractor Key Personnel.  Re-assignment of Personnel at the State's Request. Contractor Personnel Location. Contractor Identification Cooperation with Third Parties.  | 32323232333333                     |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065  | Employment Taxes. Sales and Use Taxes  Contract Management.  Contractor Personnel Qualifications. Contractor Key Personnel. Re-assignment of Personnel at the State's Request. Contractor Personnel Location. Contractor Identification Cooperation with Third Parties. Contract Management Responsibilities  | 3232323233333333                   |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068   | Employment Taxes. Sales and Use Taxes  Contract Management.  Contractor Personnel Qualifications. Contractor Key Personnel Re-assignment of Personnel at the State's Request. Contractor Personnel Location. Contractor Identification Cooperation with Third Parties Contract Management Responsibilities Contractor Return of State Equipment/Resources   | 3232323233333333                   |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067  | Employment Taxes. Sales and Use Taxes  Contract Management.  Contractor Personnel Qualifications. Contractor Key Personnel. Re-assignment of Personnel at the State's Request. Contractor Personnel Location. Contractor Identification Cooperation with Third Parties. Contract Management Responsibilities  | 3232323233333333                   |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068   | Employment Taxes. Sales and Use Taxes  Contract Management.  Contractor Personnel Qualifications. Contractor Key Personnel Re-assignment of Personnel at the State's Request. Contractor Personnel Location. Contractor Identification Cooperation with Third Parties Contract Management Responsibilities Contractor Return of State Equipment/Resources   | 323232323333333434                 |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070  | Employment Taxes. Sales and Use Taxes  Contract Management.  Contractor Personnel Qualifications. Contractor Key Personnel. Re-assignment of Personnel at the State's Request. Contractor Personnel Location. Contractor Identification Cooperation with Third Parties. Contract Management Responsibilities Contractor Return of State Equipment/Resources  Subcontracting by Contractor   | 323232323333333434                 |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071   | Employment Taxes. Sales and Use Taxes  Contract Management.  Contractor Personnel Qualifications. Contractor Key Personnel. Re-assignment of Personnel at the State's Request. Contractor Personnel Location. Contractor Identification Cooperation with Third Parties. Contract Management Responsibilities Contractor Return of State Equipment/Resources  Subcontracting by Contractor Contractor full Responsibility  | 323232333333343434                 |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072  | Employment Taxes. Sales and Use Taxes  Contract Management.  Contractor Personnel Qualifications. Contractor Key Personnel. Re-assignment of Personnel at the State's Request. Contractor Personnel Location. Contractor Identification. Cooperation with Third Parties. Contract Management Responsibilities Contractor Return of State Equipment/Resources  Subcontracting by Contractor Contractor full Responsibility. State Consent to delegation.   | 32323232333333343434               |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072<br>2.073<br>2.074  | Employment Taxes. Sales and Use Taxes.  Contract Management   | 323232323333333434343434           |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072<br>2.073<br>2.074<br>2.075   | Employment Taxes Sales and Use Taxes  Contract Management Contractor Personnel Qualifications Contractor Key Personnel Re-assignment of Personnel at the State's Request Contractor Personnel Location Contractor Identification Cooperation with Third Parties Contract Management Responsibilities Contractor Return of State Equipment/Resources  Subcontracting by Contractor Contractor full Responsibility State Consent to delegation Subcontractor bound to Contract Flow Down Competitive Selection  | 32323233333334343434343435         |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072<br>2.073<br>2.074  | Employment Taxes. Sales and Use Taxes  Contract Management  | 32323233333334343434343535         |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072<br>2.073<br>2.074<br>2.075   | Employment Taxes Sales and Use Taxes  Contract Management Contractor Personnel Qualifications Contractor Key Personnel Re-assignment of Personnel at the State's Request Contractor Personnel Location Contractor Identification Cooperation with Third Parties Contract Management Responsibilities Contractor Return of State Equipment/Resources  Subcontracting by Contractor Contractor full Responsibility State Consent to delegation Subcontractor bound to Contract Flow Down Competitive Selection  | 32323233333334343434343535         |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072<br>2.073<br>2.074<br>2.075<br>2.080  | Employment Taxes. Sales and Use Taxes  Contract Management  | 323232333333343434343535           |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072<br>2.073<br>2.074<br>2.075<br>2.080<br>2.081<br>2.082  | Employment Taxes. Sales and Use Taxes  Contract Management  | 32323233333334343434353535         |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072<br>2.073<br>2.074<br>2.075<br>2.080<br>2.081<br>2.082<br>2.090                                     | Employment Taxes. Sales and Use Taxes.  Contract Management   | 32323233333334343434353535         |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072<br>2.073<br>2.074<br>2.075<br>2.080<br>2.081<br>2.082<br>2.090<br>2.091                            | Employment Taxes. Sales and Use Taxes.  Contract Management   |                                    |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072<br>2.073<br>2.074<br>2.075<br>2.080<br>2.081<br>2.082<br>2.090<br>2.091<br>2.092                   | Employment Taxes. Sales and Use Taxes  Contract Management  |                                    |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072<br>2.073<br>2.074<br>2.075<br>2.080<br>2.081<br>2.082<br>2.090<br>2.091                            | Employment Taxes. Sales and Use Taxes.  Contract Management   |                                    |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072<br>2.073<br>2.074<br>2.075<br>2.080<br>2.081<br>2.082<br>2.090<br>2.091<br>2.092<br>2.093          | Employment Taxes. Sales and Use Taxes  Contract Management. Contractor Personnel Qualifications. Contractor Key Personnel Re-assignment of Personnel at the State's Request. Contractor Personnel Location Contractor Identification Cooperation with Third Parties. Contract Management Responsibilities Contractor Return of State Equipment/Resources  Subcontracting by Contractor Contractor full Responsibility State Consent to delegation Subcontractor bound to Contract Flow Down Competitive Selection  State Responsibilities Equipment Facilities  Security  Background Checks Security Breach Notification PCI Data Security Requirements - RESERVED. | 323232333333343434343535353535     |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072<br>2.073<br>2.074<br>2.075<br>2.080<br>2.081<br>2.082<br>2.090<br>2.091<br>2.092<br>2.093<br>2.093 | Employment Taxes. Sales and Use Taxes.  Contract Management   | 32323233333334343434353535353535   |
| 2.051<br>2.052<br>2.060<br>2.061<br>2.062<br>2.063<br>2.064<br>2.065<br>2.066<br>2.067<br>2.068<br>2.070<br>2.071<br>2.072<br>2.073<br>2.074<br>2.075<br>2.080<br>2.081<br>2.082<br>2.090<br>2.091<br>2.092<br>2.093          | Employment Taxes. Sales and Use Taxes  Contract Management. Contractor Personnel Qualifications. Contractor Key Personnel Re-assignment of Personnel at the State's Request. Contractor Personnel Location Contractor Identification Cooperation with Third Parties. Contract Management Responsibilities Contractor Return of State Equipment/Resources  Subcontracting by Contractor Contractor full Responsibility State Consent to delegation Subcontractor bound to Contract Flow Down Competitive Selection  State Responsibilities Equipment Facilities  Security  Background Checks Security Breach Notification PCI Data Security Requirements - RESERVED. | 3232323333333434343435353535353636 |

| 2.103          | Exclusions                                       |          |
|----------------|--|----------|
| 2.104          | No Implied Rights                                |          |
| 2.105          | Respective Obligations                           | 37       |
| 2.110          | Records and Inspections                          | 37       |
| 2.111          | Inspection of Work Performed                     |          |
| 2.112          | Examination of Records                           |          |
| 2.113          | Retention of Records                             |          |
| 2.114          | Audit Resolution.                                |          |
| 2.115          | Errors   |          |
| 2.120          | Warranties                                       | 38       |
| 2.121          | Warranties and Representations                   |          |
| 2.121          | Warranty of Merchantability                      |          |
| 2.122          | Warranty of Fitness for a Particular Purpose     |          |
| 2.123          | Warranty of Title                                |          |
| 2.124          | Equipment Warranty                               |          |
| 2.125          | Equipment to be New                              |          |
| 2.120          | Prohibited Products                              |          |
| 2.127          | Consequences For Breach                          |          |
| 2.130          | Insurance  |          |
| 2.130          | Liability Insurance                              |          |
| 2.132          | Subcontractor Insurance Coverage                 |          |
| 2.132          | Certificates of Insurance and Other Requirements |          |
| 2.140          | Indemnification                                  | 43       |
| 2.141          | General Indemnification                          |          |
| 2.142          | Code Indemnification                             |          |
| 2.143          | Employee Indemnification                         |          |
| 2.144          | Patent/Copyright Infringement Indemnification    |          |
| 2.144          | Continuation of Indemnification Obligations      |          |
| 2.145          | Indemnification Procedures                       |          |
| 2.150          | Termination/Cancellation                         | 15       |
| 2.151          | Notice and Right to Cure                         |          |
| 2.151          | Termination for Cause                            |          |
| 2.152          | Termination for Cause                            |          |
| 2.154          | Termination for Non-Appropriation                |          |
| 2.155          | Termination for Criminal Conviction              |          |
| 2.156          | Termination for Approvals Rescinded              |          |
| 2.150          | Rights and Obligations upon Termination          |          |
| 2.157          | Reservation of Rights                            |          |
|                | C  |          |
| 2.160          | Termination by Contractor                        |          |
| 2.161          | Termination by Contractor                        | 47       |
| 2.170          | Transition Responsibilities                      | 47       |
| 2.171          | Contractor Transition Responsibilities           | 47       |
| 2.172          | Contractor Personnel Transition                  | 47       |
| 2.173          | Contractor Information Transition                | 47       |
| 2.174          | Contractor Software Transition                   | 48       |
| 2.175          | Transition Payments                              | 48       |
| 2.176          | State Transition Responsibilities                |          |
| 2.180          | Stop Work  | 48       |
| 2.181          | Stop Work Orders                                 |          |
| 2.182          | Cancellation or Expiration of Stop Work Order    |          |
| 2.183          | Allowance of Contractor Costs                    |          |
| 2.190          | Dispute Resolution                               | 40       |
| 2.191          | In General                                       |          |
| <b>4.171</b>   |  |          |
| 2.192          |  |          |
| 2.192<br>2.193 | Informal Dispute Resolution                      | 49       |
| 2.193          | Informal Dispute Resolution                      | 49<br>49 |
|                | Informal Dispute Resolution                      |          |

| 2.201     | Nondiscrimination                              | 50  |
|-----------|--|-----|
| 2,202     | Unfair Labor Practices                         | 50  |
| 2.203     | Workplace Safety and Discriminatory Harassment |     |
| 2.210     | Governing Law                                  |     |
| 2.211     | Governing Law                                  | 50  |
| 2.212     | Compliance with Laws                           | 50  |
| 2.213     | Jurisdiction                                   | 50  |
| 2.220     | Limitation of Liability                        | 51  |
| 2.221     | Limitation of Liability                        | 51  |
| 2.230     | Disclosure Responsibilities                    |     |
| 2.231     | Disclosure of Litigation                       |     |
| 2.232     | Call Center Disclosure                         | 52  |
| 2.233     | Bankruptcy                                     | 52  |
| 2.240     | Performance                                    |     |
| 2.241     | Time of Performance                            |     |
| 2.242     | Service Level Agreements (SLA(s))              | 52  |
| 2.243     | Liquidated Damages                             | 53  |
| 2.244     | Excusable Failure                              | 54  |
| 2.250     | Approval of Deliverables                       | 54  |
| 2.251     | Delivery Responsibilities                      | 55  |
| 2.252     | Delivery of Deliverables                       | 55  |
| 2.253     | Testing  | 55  |
| 2.254     | Approval of Deliverables, In General           | 55  |
| 2.255     | Process For Approval of Written Deliverables   | 56  |
| 2.256     | Process for Approval of Services               | 57  |
| 2.257     | Process for Approval of Physical Deliverables  | 57  |
| 2.258     | Final Acceptance                               | 57  |
| 2.260     | Ownership                                      | 57  |
| 2.261     | Ownership of Work Product by State             | 57  |
| 2.262     | Vesting of Rights                              | 57  |
| 2.263     | Rights in Data                                 | 58  |
| 2.264     | Ownership of Materials                         | 58  |
| 2.270     | State Standards                                | 58  |
| 2.271     | Existing Technology Standards                  | 58  |
| 2.272     | Acceptable Use Policy                          | 58  |
| 2.273     | Systems Changes                                | 58  |
| 2.280     | Extended Purchasing                            | 58  |
| 2.281     | MiDEAL   | 58  |
| 2.282     | State Employee Purchases                       | 59  |
| 2.290     | Environmental Provision                        |     |
| 2.291     | Environmental Provision                        | 59  |
| Attachme  | ent A – Pricing Matrix                         | 61  |
| Exhibit 1 | - Additional Ordering Requirements             | 160 |

#### **DEFINITIONS**

- "Days" means calendar days unless otherwise specified.
- "24x7x365" means 24 hours a day, seven days a week, and 365 days a year (including the 366th day in a leap year).
- "Additional Service" means any Services/Deliverables within the scope of the Contract, but not specifically provided under any Statement of Work, that once added will result in the need to provide the Contractor with additional consideration.
- "Audit Period" has the meaning given in Section 2.093.
- "Business Day," whether capitalized or not, shall mean any day other than a Saturday, Sunday or State-recognized legal holiday (as identified in the Collective Bargaining Agreement for State employees) from 8:00am EST through 5:00pm EST unless otherwise stated.
- "Blanket Purchase Order" is an alternate term for Contract and is used in the States computer system.
- "Business Critical" means any function identified in any Statement of Work as Business Critical.
- "Chronic Failure" is defined in any applicable Service Level Agreements.
- "Deleted Not Applicable" means that section is not applicable or included in this RFP. This is used as a placeholder to maintain consistent numbering.
- "Deliverable" means physical goods and/or commodities as required or identified by a Statement of Work
- "DMB" means the Michigan Department of Management and Budget
- "Environmentally preferable products" means a product or service that has a lesser or reduced effect on human health and the environment when compared with competing products or services that serve the same purpose. Such products or services may include, but are not limited to, those which contain recycled content, minimize waste, conserve energy or water, and reduce the amount of toxics either disposed of or consumed.
- "Excusable Failure" has the meaning given in Section 2.214.
- "Hazardous material" means any material defined as hazardous under the latest version of federal Emergency Planning and Community Right-to-Know Act of 1986 (including revisions adopted during the term of the Contract).
- "Incident" means any interruption in Services.
- "Key Personnel" means any Personnel designated in Section 1.031 as Key Personnel.
- "MDIT" means the Michigan Department of Information Technology
- "New Work" means any Services/Deliverables outside the scope of the Contract and not specifically provided under any Statement of Work, that once added will result in the need to provide the Contractor with additional consideration.
- "Ozone-depleting substance" means any substance the Environmental Protection Agency designates in 40 CFR part 82 as: (1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or (2) Class II, including, but not limited to, hydrochlorofluorocarbons.
- "Post-Consumer Waste" means any product generated by a business or consumer which has served its intended end use, and which has been separated or diverted from solid waste for the purpose of recycling into a usable commodity or product, and which does not include post-industrial waste.
- "Post-Industrial Waste" means industrial by-products which would otherwise go to disposal and wastes generated after completion of a manufacturing process, but does not include internally generated scrap commonly returned to industrial or manufacturing processes.
- "Recycling" means the series of activities by which materials that are no longer useful to the generator are collected, sorted, processed, and converted into raw materials and used in the production of new products. This definition excludes the use of these materials as a fuel substitute or for energy production.
- "Reuse" means using a product or component of municipal solid waste in its original form more than once.
- "RFP" means a Request for Proposal designed to solicit proposals for services.
- "Services" means any function performed for the benefit of the State.
- "Source reduction" means any practice that reduces the amount of any hazardous substance, pollutant, or contaminant entering any waste stream or otherwise released into the environment

prior to recycling, energy recovery, treatment, or disposal.

"State Location" means any physical location where the State performs work. State Location may include state-owned, leased, or rented space.

"Subcontractor" means a company Contractor delegates performance of a portion of the Services to, but does not include independent contractors engaged by Contractor solely in a staff augmentation role.

"Unauthorized Removal" means the Contractor's removal of Key Personnel without the prior written consent of the State.

"Waste prevention" means source reduction and reuse, but not recycling.

"Waste reduction" or "pollution prevention" means the practice of minimizing the generation of waste at the source and, when wastes cannot be prevented, utilizing environmentally sound onsite or off-site reuse and recycling. The term includes equipment or technology modifications, process or procedure modifications, product reformulation or redesign, and raw material substitutions. Waste treatment, control, management, and disposal are not considered pollution prevention, per the definitions under Part 143, Waste Minimization, of the Natural Resources and Environmental Protection Act (NREPA), 1994 PA 451, as amended.

"Work in Progress" means a Deliverable that has been partially prepared, but has not been presented to the State for Approval.

"Work Product" refers to any data compilations, reports, and other media, materials, or other objects or works of authorship created or produced by the Contractor as a result of an in furtherance of performing the services required by this Contract.

#### <u>Article 1 – Statement of Work (SOW)</u>

#### 1.010 PROJECT IDENTIFICATION

#### 1.011 Project Request

This contract provides the ability to purchase two-way radios, mobile data computers, software, accessories and related services for the Michigan Department of Information Technology (MDIT), Michigan Public Safety Communications System (MPSCS). Additionally, the Contractor will provide professional services, to include but not limited to: extended warranty, installation, maintenance, repair, and training services.

Exact quantities to be purchased are unknown, however the Contractor will be required to furnish all such materials and services as may be ordered during the contract period. Quantities specified if any, are estimates based on prior purchases, and the State is not obligated to purchase in these or any other quantities. Orders for delivery will be issued directly to the Contractor by various State Agencies.

This contract is available to MiDEAL purchasing members as identified in Article 2, Section 2.281 MiDEAL.

#### 1.012 Background

Due to federal mandate, all VHF and UHF radios used by the State that are not narrow band capable will need to be replaced by 2012. Most of the communications eqiupment is now over 11 years old and has reached its end of life cycle. Replacement of this equipment is necessary as it is cost prohibited to continue making repairs.

Contractor will provide state agencies and local units of government including cities, villages, counties, townships, school districts, non-profit hospitals, and institutions of higher education a means to purchase two-way radios, mobile data computers, software, accessories and related services.

#### 1.020 SCOPE OF WORK AND DELIVERABLES

#### 1.021 In Scope

The following commodities and services categories (but not limited to) shall be considered in scope for the resulting contract:

- 1.0 FIXED STATIONS
- 1.1 FIXED STATION ACCESSORIES
- 1.2 FIXED STATION CONTROLS
- 1.3 ANTENNA SYSTEMS
- 1.4 RECEIVERS
- 1.5 MICROWAVE
- **2.0** MOBILE RADIOS
- 2.1 MOBILE ACCESSORY
- 3.0 PORTABLE RADIOS
- 4.0 PAGERS
- 4.1 PAGING ENCODERS
- **5.0** SECURE SOLUTIONS
- **6.0** TRUNKED RADIO
- **7.0** FLASHPORT
- **8.0** DATA SYSTEMS
- 9.0 BROADBAND SOLUTIONS
- **10.0** BIOMETRICS
- 11.0 FIXED & MOBILE DATA
- 12.0 INTEGRATED SOLUTIONS (SOFTWARE)
- 13.0 PARTS & ACCESSORIES

#### **14.0** PROFESSIONAL SERVICES

- Extended Warranty
- Installation
- Maintenance
- Repair
- Training services

See Attachment A for the complete list of products and services that are currently available through this contract.

#### 1.022 Work and Deliverable

Contractor must provide Deliverables/Services and staff, and otherwise do all things necessary for or incidental to the performance of work, as set forth in Article 1 of this Contract.

#### 1.022 (A) Product Requirements

#### 1.022 (A.1) Specifications

All pre-approved MDIT commodities to be furnished hereunder are listed in Attachment A. Any additional items will require pre-approval by MPSCS, and submission the product specifications.

#### 1.022 (A.2) Research and Development

Contractor shall invest in new product research and development to stay current with ongoing demands.

#### 1.022 (A.3) Quality Assurance Program

The Contractor shall have a written quality control program which ensures that all manufacturers and suppliers to the Contractor have effective quality control programs, have standard operating procedures and use good manufacturing practices. The Contractor shall monitor the quality control program of all suppliers and manufacturers.

The State reserves the right to periodically test products which have been received to verify compliance with specifications. If laboratory analysis shows that the product does not meet specifications or fails to perform satisfactorily at any time, the Contractor shall be responsible for:

- 1) All costs of testing and laboratory analysis.
- 2) Disposal and/or replacement of all products which fail to meet specifications.
- 3) All costs of repair and/or replacement of equipment deemed to have been damaged by substandard products as determined by the State.

#### 1.022 (A.4) Warranty for Products or Services

Contractor shall support and supply parts to undertake all programming, repairs and preventive maintenance according to the applicable manufacturer's recommendations for the period specified in this Contract.

The Contractor represents and warrants that the equipment/system(s) are in good operating condition and operate and perform to the requirements and other standards of performance contained in this Contract, when installed, at the time of Acceptance by the State, and for a minimum period of **two years** commencing upon the first day following Acceptance.

While the equipment is under warranty, the Contractor must adjust, repair or replace all equipment that is defective or not performing in compliance with the Contract. The Contractor must assume all costs for replacing parts or units and their installation including transportation and delivery fees, if any.

The Contractor must provide a customer service telephone number to allow the State to report equipment failures and problems to be remedied by the Contractor.

The Contractor agrees that all warranty service it provides under this Contract must be performed by Original Equipment Manufacturer (OEM) trained, certified and authorized technicians.

The Contractor is the sole point of contact for warranty service. The Contractor warrants that it will pass through to the State any warranties obtained or available from the original equipment manufacturer, including any replacement, upgraded, or additional equipment warranties. All materials, equipment, parts and labor shall be guaranteed for a minimum period of **1 year** to begin from the date the equipment is received by the State and in accordance with the following:

The contractor(s) shall, without charge for parts and labor, repair or replace any defective components, materials or parts, if notice of such defect is given to the contractor (s) within the applicable Warranty Period.

Maintenance provided under such warranties shall be provided, during the applicable Warranty Period, under the following terms and conditions:

- 1) The period in which maintenance shall be provided will be 8:00 a.m. to 5:00 p.m. Monday through Friday, excluding legal State designated holidays.
- 2) The State may report a defect Monday through Friday, excluding legal State designated holidays, by telephone call to the contractor(s).
- 3) Arrangements shall be made within 2 (two) State working days of defect notice. Repairs shall be completed and equipment returned or replaced within 30 days.
- 4) Contractor(s) will proceed expeditiously to complete the repair of any defect or failure reported by the State. If any State agency is experiencing an equipment failure rate of greater than 5%, the contractor(s) shall provide immediate repair/replacement of all equipment of the same make and model purchased against the subject contract.

## WARRANTY ON LAND MOBILE RADIOS AND ACCESSORIES

Kenwood USA Corporation ("KENWOOD") warrants its Land Mobile Radios and accessories purchased from an authorized KENWOOD dealer in the United States (the "Products") as follows:

#### WHAT IS COVERED AND WHAT IS EXCLUDED

Except as specified below, Products will be free from defects in material and workmanship under normal use and service for the time specified below. The following are not covered by this Warranty:

- 1. Damage, defects, deterioration or failure resulting from:
  - A. Accident, misuse, negligence, abuse, neglect, improper handling, product modification or failure to follow instructions contained in your Owners Manual.
  - B. Improper or unauthorized testing, operation, alteration, disassembly, modification, adjustment or repairs.
  - C. Exposure to fire, water, excessive moisture, dampness, extreme changes in climate or temperature or other acts which are not the fault of KENWOOD and which the Product is not specified to tolerate.
  - D. Repair or attempted repair by anyone not authorized by KENWOOD.
  - E. Installation of parts or accessories that do not conform to the quality or specifications of the original parts or accessories.



- F. Installation of the Product in, or removal of the Product from, the vehicle or other site of its use.
- G. Use of a Product in conjunction with hardware or software electrically or mechanically incompatible with such Product.
- H. Use of a Product in conjunction with accessories or ancillary equipment not supplied by KENWOOD.
- I. Cosmetic damage due to normal and customary wear and tear.
- 2. RESERVED
- 3. Any unit which is not new when sold to the first end user or upon which the serial number has been defaced, modified or removed.
- 4. Damage, defects, deterioration or failure of antennas unless caused directly by defects in material and workmanship.
- 5. Damage, defects, deterioration or failure of rechargeable batteries if any of the seals on the battery enclosure of cells are broken or show evidence of tampering or if caused by use of the batteries in equipment or service other than in conjunction with the Product for which it is specified.

USE OF THE PRODUCT WITH ACCESSORIES OR OTHER EQUIPMENT NOT SUPPLIED BY KENWOOD OR OTHERWISE NOT EXPRESSLY AUTHORIZED BY KENWOOD MAY BE DANGEROUS AND WILL VOID THE PRODUCT WARRANTY. ALL SUCH ACCESSORIES AND ANCILLARY EQUIPMENT ARE EXPRESSLY EXCLUDED FROM THIS WARRANTY. BECAUSE EACH SYSTEM THAT MAY INCORPORATE A PRODUCT IS UNIQUE, KENWOOD DISCLAIMS ANY LIABILITY OR WARRANTY COVERAGE FOR OR WITH RESPECT TO RANGE, COVERAGE OR OPERATION OF THE SYSTEM AS A WHOLE.

#### **HOW LONG IS THE WARRANTY**

This Warranty will remain in effect for two (2) years for radios (except the TK-X140, TK-5X10, TK-X180, NX-X00 models that are three (3) years), and one (1) year for accessories (including rechargeable batteries) measured from the date of purchase by the first end user.

#### WHO IS PROTECTED

This Warranty is enforceable only by the first end user. Transfer or resale of a Product will automatically terminate warranty coverage with respect to that Product. This Warranty is not transferable to any third party, including but not limited to any subsequent purchaser or owner of the Product.

#### WHAT WE WILL DO AND HOW TO OBTAIN WARRANTY SERVICE

KENWOOD will, at its sole absolute discretion, either repair or replace a Product with a new or a rebuilt unit (which unit may include new and/or reconditioned parts) if found by KENWOOD to be defective in material and workmanship. If KENWOOD determines that it is unable to repair or replace such Product, KENWOOD shall refund the purchase price for such Product. The foregoing is subject to your returning the defective Product to a KENWOOD Land Mobile dealer or authorized service center within the Warranty period, accompanied by a sales receipt or other evidence of the date of purchase. If it is necessary to ship the Product for Warranty service, you are responsible for the initial shipping charges, but KENWOOD will pay the return shipping charges if the Product is repaired or replaced under Warranty. You are responsible for any charges incurred in removing the Product from the vehicle or other site of use and for reinstallation of the repaired or replaced Product. All replaced Products or parts and Products or parts for which a refund has been given will become the property of KENWOOD.

#### **EXCLUSION OF OTHER WARRANTIES AND DAMAGES**

Unless considered unlawful or unenforceable under applicable law:

A. THIS IS THE COMPLETE WARRANTY GIVEN BY KENWOOD AND IT IS GIVEN IN LIEU OF ALL OTHER EXPRESS WARRANTIES. KENWOOD ASSUMES NO OBLIGATIONS OR LIABILITY FOR ADDITIONS OR MODIFICATIONS TO THIS WARRANTY. ALL IMPLIED WARRANTIES WITH RESPECT TO PRODUCTS, INCLUDING WITHOUT LIMITATION

- IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXCLUDED.
- B. KENWOOD'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT, AT KENWOOD'S OPTION, OF ANY DEFECTIVE PRODUCT, AND SHALL NOT INCLUDE DAMAGES OF ANY KIND, WHETHER DIRECT, INDIRECT, SPECIAL, GENERAL, INCIDENTAL, CONSEQUENTIAL OR OTHERWISE, INCLUDING BUT NOT LIMITED TO LOSS OF USE, LOSS OF TIME, INCONVENIENCE, COMMERCIAL LOSS, OR LOSS OF PROFITS OR SAVINGS OR ANTICIPATED PROFITS OR SAVINGS.

This Warranty is enforceable only in the United States of America and governed by the laws of the State of California.

If a problem develops during or after the Warranty Period, or if you have any questions regarding the operation of the product, you should contact your KENWOOD Authorized Dealer or Authorized Service Center. If the problem or your question is not handled to your satisfaction, please contact our Customer Relations Department at the address listed below.

#### KENWOOD USA CORPORATION P.O. BOX 22745

2201 East Dominguez Street Long Beach, CA 90801-5745 U.S.A. Phone (310) 761-8275

Bidders shall describe all aspects of their warranty. This shall include the warranty associated with the actual product being proposed, as well as the warranty associated with any service work performed under the contract. Bidders shall also describe how they will handle any repairs that need to be made due to damaged or defective product, how installation problems will be rectified, and the process State agencies should follow to report warranty issues.

Bidder Response:

#### 1.022 (A.5) Extended Warranty for Products or Services

Kenwood does not offer any extended warranty at this time.

#### 1.022 (A.6) Catalogs

#### **Products**

The official manufacturer's suggested retail price (MSRP) will be provided to the State as requested. The catalog shall contain a complete description of all available models within each category, manufacturer catalog and product numbers.

#### **Professional Services**

The Contractor's current list price for the professional services is identified in **Attachment A**. The price listed in Attachment A, will be reduced by the discount percentage provided in Attachment A.

#### 1.022 (A.7) Service Manuals

All equipment must have a detailed service manual available for purchase. Detailed service manuals will include theory of operation, electronic schematics, and detailed parts diagrams.

#### 1.022 (A.8) Environmental Requirements

Energy Efficiency Purchasing Policy – The State shall seek wherever possible to purchase energy efficient products. This may include giving preference to U.S. Environmental Protection Agency (EPA) certified 'Energy Star' products for any category of products for which EPA has established Energy Star certification. For other purchases, the State may include energy efficiency as one of the priority factors to consider when choosing among comparable bids.

Environmental Purchasing Policy – The State of Michigan has committed to encourage the use of products and services that impact the environment less than competing products. This can be best accomplished by including environmental considerations in purchasing decisions, while remaining fiscally responsible, to promote practices that improve worker health, conserve natural resources, and prevent pollution. Environmental components that may be considered in Best Value Purchasing evaluation include: recycled content and recyclability; energy efficiency; and the presence of undesirable materials in the products, especially those toxic chemicals which are persistent and bioaccumulative. Bidders able to supply products containing recycled and environmentally preferable materials that meet performance requirements are encouraged to offer them in bids and proposals. Information on any relevant third party certification (such as Green Seal, Energy Star, etc.) should also be provided.

- I. Recycled Content and Recyclability
- A. Recycled Packaging. Bidders may offer some or all of the following items listed below or provide alternative proposal as to how packaging materials can be reduced, eliminated or otherwise made more environmentally preferable. It is desirable that Bidders offer packaging which:
- a. is made from recycled content which meets or exceeds all federal and state recycled content guidelines (currently 35% post-consumer for all corrugated cardboard)
- b. minimizes or eliminates the use of polystyrene or other difficult to recycle materials
- c. minimizes or eliminates the use packaging and containers and, in the alternative, minimize es or eliminates the use of non-recyclable packaging and containers
- d. provides for a return program where packaging can be returned to a specific location for recycling
- e. contains materials which are easily recyclable in Michigan.

All Bidders are requested to indicate below an estimate of the percentage of recycled materials, if any, contained in each item bid. Higher percentages of recycled materials are preferred. Product performance is paramount, whether containing recycled material or not; however, preference will be given to products that perform up to specification and are environmentally preferable without compromising quality.

0% (Total estimated percentage of recovered material)

0% (Estimated percentage of post-consumer material)

0% (Estimated percentage of post-industrial waste)

Kenwood has found that the use of recycled content in the manufacturing of two-way radios equipment results in a less robust product and the quality control is unmanageable. Kenwood does utilize earth friendly packaging. All Kenwood equipment is packaged in plain brown corrugated card board boxes and inserts. We have minimized the use of Styrofoam inserts and colored packaging. All Kenwood packaging materials are recyclable and labeling on the product encourages recycling.

# I, \_\_\_\_\_ (name of certifier), am an officer or employee responsible for the performance of this contract and hereby certify that the percentage of recovered material content for EPA-designated products met the applicable contract specifications. [Initial]

#### II. Materials Identification and Tracking

A. Hazardous Material Identification. 'Hazardous material', as used in this clause, includes any material defined as hazardous under the latest version of federal Emergency Planning and Community Right-to-Know Act of 1986 (including revisions adopted during the term of the contract).

(1) The bidder must list any hazardous material, as defined in §370.20 (a) of 40 CFR, to be delivered under this contract. The hazardous material shall be properly identified and include any applicable identification number, such as National Stock Number or Special Item Number. This information shall also be included on the Material Safety Data Sheet submitted under this contract.

| Material (if none, enter 'None') | Identification Number |  |
|----------------------------------|-----------------------|--|
| None                             |                       |  |
|                                  |                       |  |

- (2) This list must be updated during performance of the contract whenever the Contractor determines that any other material to be delivered under this contract is hazardous.
- (3) The apparently successful bidder agrees to submit, for each item as required prior to award, a Material Safety Data Sheet for each hazardous material identified in paragraph (1) of this clause. Data shall be submitted in accordance with Section 312 of the federal Emergency Planning and Community Right-to-Know Act, whether or not the apparently successful bidder is the actual manufacturer of these items. Failure to submit the Material Safety Data Sheet prior to award may result in the apparently successful bidder being considered non-responsive and ineligible for award.
- B. Mercury Content. It is the clear intent of state agencies to avoid purchasing products that contain intentionally-added mercury whenever possible. Bidders shall offer mercury-free product alternatives whenever available. Should mercury-free alternatives not exist, as presently is the case with a few select products and devices such as fluorescent lamps or where the alternative is not yet cost competitive, such as dental amalgam, bidders shall offer the lowest mercury content available for a given application. Bidders shall disclose whenever products contain added-mercury by using the following format.

(\_\_\_) Product contains added-Mercury (attach an explanation that includes: the amount or concentration of mercury and justification as to why this particular product is essential). In addition, the Bidder shall also ensure that all products to be purchased containing intentionally added-mercury shall be labeled as: "product contains mercury/recycle or dispose of properly." For instances where space constraints limit the amount or size of print, the chemical symbol "Hg" followed by a picture of a trash container with a diagonal line through it shall suffice for labeling requirements. BIDDERS PLEASE NOTE: Michigan Law Prohibits the sale of mercury-containing thermostats, thermometers, sphygmomanometers (blood pressure monitors) and other types of medical devices. For specific details visit: http://www.michigan.gov/deq/0,1607,7-135-3307\_29693\_4175-160230--,00.html

There is no Mercury in any of the Kenwood products offered in this proposal

- C. Brominated Flame Retardants (BFR). Bidders shall disclose whether the products being offered contain toxic flame retardants. Bidders are encouraged to provide BFR-free alternatives when available.
- (X) Product does not contain BFR's
- ( Product does contain BFR's (attach an explanation)

| CONTRACT #071B0200128  |  |
|------------------------|--|
| CONTRACT #07 IB0200120 |  |

# D. Ozone Depleting Substances

'Ozone-depleting substance', as used in this clause, means any substance the Environmental Protection Agency designates in 40 CFR part 82 as:

- (1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or
- (2) Class II, including, but not limited to, hydrochlorofluorocarbons.

The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j (b), (c), and (d) and 40 CFR part 82, Subpart E, as follows:

'Warning: Contains (or manufactured with, if applicable) \_\_\_\_\_\_ (insert the name of the substance(s).), a substance(s) which harm(s) public health and environment by destroying ozone in the upper atmosphere.'

#### A. Clean Air and Water

Vendor certifies that any facility to be used in the performance of this contract has all the necessary environmental permits and is in consistent compliance with all applicable environmental requirements and has no outstanding unresolved violations.

The vendor will immediately notify the state, before award, of the receipt of any communication from the Environmental Protection Agency or any state environmental agency, of civil or criminal enforcement for any facility that the vendor proposes to use in the performance of this contract.

BM (Initial)

- B. Emergency Planning and Community Right-to-Know Reporting By signing this offer, the bidder certifies that:
- (1) The owner or operator of each facility that will be used in the performance of this contract is in compliance with the filing and reporting requirements described in sections 302, 304, 311, 312 and 313 of the Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA) (42 U.S.C. 11001, et. seq.) and section 6607 of the Pollution Prevention Act of 1990 (PPA) (42 U.S.C. 13101, et. seq.). EPCRA filing and reporting requirements include emergency planning notification, release reporting, hazardous chemical inventory reporting, and toxic chemical release inventory (TRI) reporting.
- (2) The owner or operator of each facility that will be used in the performance of this contract will maintain compliance with the filing and reporting requirements described in sections 302, 304, 311, 312 and 313 of the Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA) (42 U.S.C. 11001, et. seq.) and section 6607 of the Pollution Prevention Act of 1990 (PPA) (42 U.S.C. 13101, et. seq.) for the life of the contract.

#### \_\_\_\_\_

## 1.022 (B) Service Capabilities

# 1.022 (B.1) Maintenance / Service / Equipment Repair / Replacement Parts

Maintenance, Service and Equipment Repair shall be made available for a minimum of **6 years** for all units once the **2 year** warranty has expired.

The Contractor shall make available, a listing of all equipment replacement parts. Only new parts will be considered. That information shall include pricing information and applied discounts. Parts supply

depot address(s) and contact person(s) name and phone numbers shall be included. Replacement parts shall be made available for a minimum of 7 years for all units/equipment after contract period.

## 1.022 (B.2) Training

The Contractor will provide training to the State agencies at the agencies request. This training will include operational, technical, installation and product safety training. Contractors pricing for training is provided in the Professional Services worksheet of **Attachment A**.

Contractor has a fully staffed technical training department who are expert on Kenwood two-way radios. Technical training sessions are eight hours in length per radio model and all reference materials are provided. The training is conducted at the customer facility or other off-site location and covers programming, alignment and FAQ's. Each of the Authorized Sales and Service Centers identified in this Contract also have the capability to offer training on any aspect of the radio equipment.

# 1.022 (B.3) RESERVED - Special Programs

# 1.022 (B.4) Security

The Contractor and its subcontractors shall comply with the security access requirements of individual State facilities; see section 2.090, Security.

## 1.022 (B.5) Reports

Contractor has the capability to generate any of the reports described below and will work with the State to identify the appropriate reports to qualify contractual purchases.

Contractor shall be able to provide various reports, when requested by the State. Examples include itemized report of total items (commodities and services) purchased by all agencies or individual agencies, open invoice reports, delivery compliance reports, quantity reports, service compliance reports, etc.

Contractor shall provide an itemized report of Contract usage by State agencies and/or local units of government. Such usage shall be reported upon request from the State. The format of the report(s) will be agreed to by the State and Contractor.

Contractor shall submit MiDEAL reports of purchasing activities to the DMB Purchasing Operations, on a quarterly basis. Reports shall include, at a minimum, an itemized listing of purchasing activities by each agency, with the agency name, and the total value of purchases for each agency, and a grand total of all purchases.

Within thirty (30) days after contract execution, the parties shall determine an appropriate set of periodic reports to be issued by Contractor to the State. Such reports may include:

- Contractor's performance in each area of the Product Delivery and Professional Services;
  - for each area of the Professional Services, assess the degree to which Contractor has attained or failed to attain the pertinent objectives in that area, including on-time completion and delivery of Deliverables;
  - explain the reasons for any failure to achieve on-time completion and delivery of Deliverables and include a plan for corrective action where appropriate;
  - describe any circumstances that Contractor anticipates will impair or prevent on-time completion and delivery of Deliverables in upcoming reporting periods;

- include plans for corrective action or risk mitigation where appropriate and describe the status of ongoing problem resolution efforts;
- provide reports setting forth a comparison of actual hours spent by Contractor (including its augmented personnel and Subcontractors) in performing the Project versus hours budgeted by Contractor.
- set forth a record of the material personnel changes that pertain to the Services and describe planned changes during the upcoming month that may affect the Services.
- include such documentation and other information may be mutually agreed to verify compliance with, and meeting the objectives of, this Contract.
- set forth an updated schedule that provides information on the status of upcoming Deliverables, expected dates of delivery (or redelivery) of such Deliverables and estimates on timing for completion of the Project.

### 1.022 (B.6) Meetings

Within thirty (30) days after contract execution, the parties shall determine an appropriate set of meetings to be held between representatives of the State and Contractor. Contractor shall prepare and circulate an agenda sufficiently in advance of each such meeting to give participants an opportunity to prepare for the meeting. Contractor shall incorporate into such agenda items that the State desires to discuss. At the State's request, Contractor shall prepare and circulate minutes within 5 business days of the meeting.

## 1.022 (B.7) Receiving Orders

Contractor will maintain a fully staffed order administration department. Contractor is fully EDI compliant and can receive orders electronically should the State choose to utilize this method. Contractor can receive electronic orders via e-mail or by facsimile. Orders may be discussed, reviewed and acknowledged via telephone but should be followed by a paper or electronic purchase order. The Contractor shall verify orders that have quantities that appear to be abnormal or excessive.

## 1.022 (B.8) Customer Service

The Contractor's customer service must respond to State agency inquiries within 2 business days. It is the preference of the State of Michigan that the Contractor provides a statewide toll-free number for customer service calls.

Contractor has a fully staffed technical support department who are expert on Kenwood two-way radios. Kenwood factory level technical support may be obtained Monday-Friday 8:00 am – 5:30 pm Pacific Time. Each of our Authorized Sales and Service Centers listed in this proposal also have the capability to offer detailed customer support on a more local level and supported by Kenwood's technical support department. Contractor factory technical support may be contacted at (800) 752-0987. Authorized Sales and Service Centers may be contacted during local business hours at the locations indicated in this Contract.

# 1.022 (C) Delivery Capabilities

### 1.022 (C.1) Terms and Time Frames

Prices shall be quoted **Free On Board (FOB) Delivered** with transportation charges prepaid on all orders. Other FOB terms **will not be accepted**.

Responsibility and liability for loss or damage shall remain with the Contractor until final inspection and acceptance when responsibility shall pass to the agency except as to latent defects, fraud, and the Contractor's warranty obligations, if any.

All orders/services shall be delivered throughout the State of Michigan no later than 45 calendar days FOB Delivered after receipt of order. Exceptions may be allowed at the State's discretion based on quantity and complexity. The State is interested in both a standard delivery program and a quick-ship program.

The Contractor shall be responsible for contacting the State agencies to arrange delivery schedules. Failure to deliver items according to established delivery schedules may result in cancellation of the contract for default.

The Contractor does not offer any special delivery options at this time. However, Contractor will accommodate special delivery requests by each customer based on their special needs. In most cases this will be not result in any reduction in cost or additional cost to the customer.

### 1.022 (C.2) Minimum Order

There shall be no minimum order requirement for the resulting contract(s).

## 1.022 (C.3) Packaging

The State reserves the right of final approval on packaging offered by the Contractor.

Each order shall be accompanied with a packing slip or invoice. The contractor will provide a detailed invoice within 30 days for shipment and repairs. The packing slip or invoice shall contain the following information:

- Agency name and address
- Purchase order number
- Stock number and brief description of each item
- Unit of issue and quantity issued for each item
- Unit price and extended price for each item
- Date order was received by Contractor
- Total price of order

If order is more than one box, the boxes must be labeled with total number of boxes, individual number of box (i.e. Box 1 of 8), and the purchase order number.

#### 1.022 (C.4) Palletizing

Shipments shall be palletized whenever possible and shall conform to the following:

- Manufacturers standard 4-way shipping pallets are acceptable.
- Maximum height: 5'6"; including pallet.
- Maximum weight: 3500 pounds; including pallet.
- Pallets are to be securely banded or shrink-wrapped.
- The cost of palletizing must be included in the unit price.

# 1.030 ROLES AND RESPONSIBILITIES

# 1.031 Contractor Staff, Roles, and Responsibilities

Contractor has provided a list of all subcontractors, including firm name, address, contact person, and a complete description of the work to be contracted.



| Subcontractor Company Information  | Subcontractor Contact Information |
|--|-----------------------------------|
| Adams Distributing<br>30469 Beck Rd<br>Wixom, MI 48393                     | (248)669-7100<br>Scott Adams      |
| Adrian Communications<br>103 ½ Sand Creek Hwy<br>Adrian, MI 49221          | (517)265-8470<br>Dan Baker        |
| Advanced Wireless<br>49716 Martin Dr<br>Wixom, MI 48393                    | (248)295-4600<br>Todd Jones       |
| Anderson Radio<br>6149 Westside Saginaw Road<br>Bay City, MI 47806         | (989) 684-9969<br>Dale Schroeder  |
| C-Comm<br>1600 Lincoln Road<br>Allegan, MI 49010                           | (269) 673-9900<br>Robert Quinn    |
| Communications Specialist<br>4138 S Division Ave<br>Grand Rapids, MI 49548 | (616)534-5862<br>Arlen Dykema     |
| Cynergy Wireless<br>2300 Bellingham<br>Troy, MI 48083                      | (248)457-9350<br>Dennis Mickel    |
| Deltacomm<br>1321 W Eight Mile Rd<br>Detroit, MI 48203                     | (313)368-1770<br>John Zimmerman   |
| Digicom<br>3914 Rochester Rd<br>Troy, MI 48083                             | (248)526-9911<br>Tim Hoerner      |
| Gaylord Communications<br>1234 S Otsego<br>Gaylord, MI 49735               | (989)732-2593<br>Wayne Miller     |
| Grand Traverse Mobile<br>716 Boon St<br>Traverse City, MI 49684            | (231)947-9851<br>Neil Pickard     |
| HEI Wireless<br>276 Colfax Ave<br>Benton Harbor, MI 49022                  | (269)926-1555<br>Don Scharnowske  |
| Hi Tech SMR<br>255 Bell Rd<br>Niles, MI 49120                              | (269)683-7451<br>Mike Ruedinger   |
| JS Electronics<br>1108 20 <sup>th</sup> St<br>Menominee, MI 49858          | (906)863-2820<br>Jim Swanson      |

| Midcom Radio<br>1370 E. Sanilac Rd<br>Sandusky, MI 48471                        | (810)648-3780<br>Nada Krajenka              |
|---|---|
| Midcom Service<br>2131 E Laketon Ave<br>Muskegon, MI 49442                      | (231)773-3107<br>Steve Crow                 |
| Otec<br>405 Pine St<br>Elk Rapids, MI 49629                                     | (231)264-6133<br>Pete Vandenberge           |
| Pro Comm<br>5788 East Airport Road<br>Mt. Pleasant, Mi 48858                    | (989) 772-3751<br>Harold Stegman            |
| Radio North<br>2682 Garfield Rd N<br>Suite 22<br>Traverse City, MI 49686        | (231)929-2934<br>Max Machuta                |
| Range Telecommunications<br>2342 US 41<br>Marquette, MI 49855                   | (906)228-7000<br>Jeff Paull                 |
| State Electronics<br>27041 Gloede<br>Warren, MI 48088                           | (877)778-1669<br>Mike Wrigglesworth         |
| State Sytems<br>5090 S. Sprinkle Rd<br>Portage, MI 49002                        | (269)349-1935<br>Charles Agosti             |
| T&W Electronics<br>1045 S Division<br>Grand Rapids, MI 49507                    | (616)241-3645<br>Dave Tubergen              |
| Thumb Radio<br>1020 N Van Dyke<br>Bad Axe, MI 48413                             | (989)269-6420<br>Tom Robinson               |
| Tri-County Communications<br>23519 Little Mack Ave<br>St Clair Shores, MI 48080 | (586)772-5870<br>Tom Rivard                 |
| Washtenaw Communications<br>1510 Saunders Crescent<br>Ann Arbor, MI 48103       | (734)662-7138<br>Ken Aungst                 |
| Wave Communications<br>6281 Woodline Rd NE<br>Rapid City, MI 49676              | (231)258-8965<br>Cody Hayden                |
| Great lakes Communications<br>2060 E. Harbor Road<br>Port Clinton, OH 43452     | (419) 734-4200<br>Rick Gecsi or Jackie Dunn |

The Contractor will provide a **Single Point of Contact (SPOC)**. The duties of the SPOC shall include, but not be limited to:



- supporting the management of the Contract,
- · facilitating dispute resolution, and
- advising the State of performance under the terms and conditions of the Contract.

The State reserves the right to require a change in the current SPOC if the assigned SPOC is not, in the opinion of the State, adequately serving the needs of the State.

The SPOC for this contract is:

Barry Morris
Public Safety Sales Manager
Kenwood USA Corporation
2201 E. Dominguez Street, P.O. Box 22745
Long Beach CA 90801-5745
(800) 752-0986, Ext. 8280
bmorris@kenwoodusa.com

If the State requests professional services during the term of this contract, the Contractor may be asked to provide a **Project Manager**. The duties of the Project Manager may include, but are not be limited to:

- Manage all defined Contractor responsibilities in this Scope of Services.
- Manage Contractor's subcontractors, if any
- Develop the project plan and schedule, and update as needed
- Serve as the point person for all project issues
- Coordinate and oversee the day-to-day project activities of the project team
- Assess and report project feedback and status
- Escalate project issues, project risks, and other concerns
- Review all project deliverables and provide feedback
- Proactively propose/suggest options and alternatives for consideration
- Utilize change control procedures
- Prepare project documents and materials
- Manage and report on the project's budget

## 1.032 Onsite Work Requirements

#### 1. Location of Work

Onsite professional services work is to be performed, completed, and managed at various locations throughout the State.

## 2. Hours of Operation:

- a. Normal State working hours are 8:00 a.m. to 5:00 p.m. EST, Monday through Friday, with work performed as necessary after those hours to meet project deadlines. No overtime will be authorized or paid.
- b. The State is not obligated to provide State management of assigned work outside of normal State working hours. The State reserves the right to modify the work hours in the best interest of the project.
- c. Contractor shall observe the same standard holidays as State employees. The State does not compensate for holiday pay.

## 3. Travel:

a. No travel or expenses will be reimbursed. This includes travel costs related to training provided to the State by Contractor.

b. Travel time will not be reimbursed.

# 4. Security and Background Check Requirements:

See Section 2.090.

# 1.031 State Staff, Roles, and Responsibilities

MDIT shall provide a Project Manager

| Name         | Agency/Division | Title           |
|--------------|-----------------|-----------------|
| Tom Thompson | MDIT/MPSCS      | Project Manager |

MDIT shall provide a Contract Compliance Inspector whose duties shall include, but not limited to, supporting the management of the Contract.

| Name         | Agency/Division           | Title                         |
|--------------|---------------------------|-------------------------------|
| Patty Bogard | MDIT/Enterprise Portfolio | Contract Compliance Inspector |
|              | Management Office         |                               |

## 1.040 PROJECT PLAN MANAGEMENT

The following section will apply if the State requests professional services that require project management from the Contractor.

The Contractor will carry out this project under the direction and control of the MDIT, MPSCS.

Although there will be continuous liaison with the contractor team, the State project manager will meet with the Contractor's project manager as needed, for the purpose of reviewing progress and providing necessary guidance to the contractor in solving problems that arise.

The Contractor will submit brief written summaries of progress as needed, which outline the work accomplished during the reporting period; work to be accomplished during the subsequent reporting period; problems, real and anticipated, which should be brought to the attention of the MDIT project manager; and notification of any significant deviation from previously agreed upon work plans.

The Contractor will provide a Microsoft Project work plan, detailing the project breakdown showing subprojects, activities and tasks, and resources required and allocated to each.

The plan shall be in the form of a graphic display, showing each event, task, and decision point in the work plan.

## 1.050 ACCEPTANCE

# 1.051 Criteria

The following criteria will be used by the State to determine Acceptance of the products provided under this Contract:

Product will be inspected by the ordering agency after receipt. Products will not be accepted if the products fail to meet specifications either in product quality or packaging or the product is an unauthorized substitute product. The Contractor must arrange the pick up the rejected product within 48 hours of being notified of the rejection by the agency. Defective items must be exchanged or credited by the Contractor at the option of the agency.

# 1.52 Final Acceptance

Final Acceptance of professional services will occur when the project is completed and functions according to the requirements specified in the Statement of Work. Any intermediate acceptance of sub-Deliverables does not complete the requirement of Final Acceptance.

# 1.060 CONTRACT PRICING AND PAYMENT

# 1.061 Contract Pricing

This Contract is a unit price contract based on a percentage off the MSRP for products, and time and material or firm fixed price for professional services.

Prices quoted are **Free On Board (FOB) Delivered** with transportation charges prepaid on all orders. Other FOB terms **will not be accepted**.

Any new or replacement product shall be available at the negotiated discount rate, which will be based on the pricing of a comparable product line or series.

Quick Payment Terms: Kenwood offers prompt payment discount terms of 2% 20 Net 30 Days.

<u>Product Discounts</u>: The State of Michigan reserves the right to negotiate pricing, discounts and/or rebates directly with the manufacturers for large volume purchases. The Contractor shall pass on to the State all price discounts and reductions in which the State of Michigan is entitled to receive from the manufacturers. These discounts and reductions shall include, without limitation, nonprofit allowances, free goods, rebates, quarterly and other discounts and special manufacturer deal prices. The State reserves the right to change to other product brands carried by the Contractor if the cost is beneficial to the State.

If a manufacturer offers rebates directly to an agency, the Contractor shall track purchase information for each agency for the items affected and submit this information to the manufacturer as required by the manufacturer.

Contractor's out-of-pocket expenses are not separately reimbursable by the State unless, on a case-by-case basis for unusual expenses, the State has agreed in advance and in writing to reimburse Contractor for the expense at the State's current travel reimbursement rates. See <a href="https://www.michigan.gov/dmb">www.michigan.gov/dmb</a> for current rates.

## 1.062 Price Term

The MSRP Discount Percentage quoted in **Attachment A**, shall remain fixed for the duration of the contract.

The Professional Services Percentage of discount quoted in **Attachment A**, shall remain **fixed for the duration of the contract**.

### Statements of Work and Issuance of Purchase Orders

The parties agree that the Services/Deliverables to be rendered by Contractor pursuant to this Contract (and any future amendments of it) will be defined and described in detail in Statements of Work or Purchase Orders (PO) executed under this Contract. Contractor shall not be obliged or authorized to commence any work to implement a Statement of Work until authorized via a PO issued against this Contract. Contractor shall perform in accordance with this Contract, including the Statements of Work/Purchase Orders executed under it.

All purchase orders are subject to the terms and conditions of any contract resulting from this Request for Proposals. In the event of a conflict between a purchase order and the contract, the contract shall control.

If mailed, a purchase order is considered "issued" when the State deposits the order in the mail. Orders may be issued orally, by facsimile, or by electronic commerce methods.

# Invoicing

Contractor will submit properly itemized invoices to "Bill To" Address on Purchase Order. Invoices must provide and itemize, as applicable:

- Contract number:
- Purchase Order number
- Contractor name, address, phone number, and Federal Tax Identification Number;
- Description of any commodities/hardware, including quantity ordered;
- Date(s) of delivery and/or date(s) of installation and set up;
- Price for each item, or Contractor's list price for each item and applicable discounts;
- Maintenance charges;
- Net invoice price for each item;
- Shipping costs;
- Other applicable charges;
- Total invoice price; and
- Payment terms, including any available prompt payment discount.

The State may pay maintenance and support charges on a monthly basis, in arrears. Payment of maintenance service/support of less than one (1) month's duration shall be prorated at 1/30th of the basic monthly maintenance charges for each calendar day.

Incorrect or incomplete invoices will be returned to Contractor for correction and reissue.

## 1.063 Tax Excluded from Price

- (a) Sales Tax: For purchases made directly by the State, the State is exempt from State and Local Sales Tax. Prices must not include the taxes. Exemption Certificates for State Sales Tax will be furnished upon request.
- (b) Federal Excise Tax: The State may be exempt from Federal Excise Tax, or the taxes may be reimbursable, if articles purchased under any resulting Contract are used for the State's exclusive use. Certificates showing exclusive use for the purposes of substantiating a tax-free, or tax-reimbursable sale will be sent upon request. If a sale is tax exempt or tax reimbursable under the Internal Revenue Code, prices must not include the Federal Excise Tax.

## 1.064 Holdback - RESERVED

# **Article 2, Terms and Conditions**

# 2.000 Contract Structure and Term

## 2.001 Contract Term

This Contract is for a period of **3 years** beginning **March 1, 2010** through **January 19, 2013**. All outstanding Purchase Orders must also expire upon the termination (cancellation for any of the reasons listed in **Section 2.130**) of the Contract, unless otherwise extended under the Contract. Absent an early termination for any reason, Purchase Orders issued but not expired, by the end of the Contract's stated term, will remain in effect for the balance of the fiscal year for which they were issued.

# 2.002 Options to Renew

This Contract may be renewed in writing by mutual agreement of the parties not less than 30 days before its expiration. The Contract may be renewed for up to **5** additional **1 year** periods.

# 2.003 Legal Effect

Contractor shall show acceptance of this Contract by signing two copies of the Contract and returning them to the Contract Administrator. The Contractor shall not proceed with the performance of the work to be done under the Contract, including the purchase of necessary materials, until both parties have signed the Contract to show acceptance of its terms, and the Contractor receives a contract release/purchase order that authorizes and defines specific performance requirements.

Except as otherwise agreed in writing by the parties, the State assumes no liability for costs incurred by Contractor or payment under this Contract, until Contractor is notified in writing that this Contract (or Change Order) has been approved by the State Administrative Board (if required), approved and signed by all the parties, and a Purchase Order against the Contract has been issued.

### 2.004 Attachments & Exhibits

All Attachments and Exhibits affixed to any and all Statement(s) of Work, or appended to or referencing this Contract, are incorporated in their entirety and form part of this Contract.

# 2.005 Ordering

The State will issue a written Purchase Order, Blanket Purchase Order, Direct Voucher or Procurement Card Order, which must be approved by the Contract Administrator or the Contract Administrator's designee, to order any Services/Deliverables under this Contract. All orders are subject to the terms and conditions of this Contract. No additional terms and conditions contained on either a Purchase Order or Blanket Purchase Order apply unless they are also specifically contained in that Purchase Order's or Blanket Purchase Order's accompanying Statement of Work. Exact quantities to be purchased are unknown; however, the Contractor will be required to furnish all such materials and services as may be ordered during the CONTRACT period. Quantities specified, if any, are estimates based on prior purchases, and the State is not obligated to purchase in these or any other quantities.

### 2.006 Order of Precedence

- (a) The Contract, including any Statements of Work and Exhibits, to the extent not contrary to the Contract, each of which is incorporated for all purposes, constitutes the entire agreement between the parties with respect to the subject matter and supersedes all prior agreements, whether written or oral, with respect to the subject matter and as additional terms and conditions on the purchase order must apply as limited by **Section 2.005.**
- (b) In the event of any inconsistency between the terms of the Contract and a Statement of Work, the terms of the Statement of Work will take precedence (as to that Statement of Work only); provided, however, that a Statement of Work may not modify or amend the terms of the Contract, which may be modified or amended only by a formal Contract amendment.

## 2.007 Headings

Captions and headings used in the Contract are for information and organization purposes. Captions and headings, including inaccurate references, do not, in any way, define or limit the requirements or terms and conditions of the Contract.

## 2.008 Form, Function & Utility

If the Deliverable/Service does not meet the form, function, and utility required by that State agency, that agency may, subject to State purchasing policies, procure the Deliverable/Service from another source.

# 2.009 Reformation and Severability

Each provision of the Contract is severable from all other provisions of the Contract and, if one or more of the provisions of the Contract is declared invalid, the remaining provisions of the Contract remain in full force and effect.

## 2.010 Consents and Approvals

Except as expressly provided otherwise in the Contract, if either party requires the consent or approval of the other party for the taking of any action under the Contract, the consent or approval must be in writing and must not be unreasonably withheld or delayed.

# 2.011 No Waiver of Default

If a party fails to insist upon strict adherence to any term of the Contract then the party has not waived the right to later insist upon strict adherence to that term, or any other term, of the Contract.

## 2.012 Survival

Any provisions of the Contract that impose continuing obligations on the parties, including without limitation the parties' respective warranty, indemnity and confidentiality obligations, survive the expiration or termination of the Contract for any reason. Specific references to survival in the Contract are solely for identification purposes and not meant to limit or prevent the survival of any other section.

# 2.020 Contract Administration

## 2.021 Issuing Office

This Contract is issued by the Department of Management and Budget, Purchasing Operations (collectively, including all other relevant State of Michigan departments and agencies, the "State"). Purchasing Operations is the sole point of contact in the State with regard to all procurement and contractual matters relating to the Contract. Purchasing Operations is the only State office authorized to change, modify, amend, alter or clarify the prices, specifications, terms and conditions of this Contract. The Contractor Administrator within Purchasing Operations for this Contract is:

#### **Steve Motz**

Purchasing Operations
Department of Management and Budget
Mason Bldg, 2nd Floor
PO Box 30026
Lansing, MI 48909
motzs@michigan.gov
517-241-3215

# 2.022 Contract Compliance Inspector (CCI)

After DMB-PurchOps receives the properly executed Contract, it is anticipated that the Director of Purchasing Operations, will direct the person named below, or any other person so designated, to monitor and coordinate the activities for the Contract on a day-to-day basis during its term. However,

monitoring of this Contract implies <u>no authority to change, modify, clarify, amend, or otherwise</u> <u>alter the prices, terms, conditions and specifications of the Contract as that authority is retained <u>by DMB Purchasing Operations</u>. The Contract Compliance Inspector for this Contract is:</u>

Patty Bogard
Department of Information Technology
Constitution Hall, 1<sup>st</sup> Floor
525 W. Allegan St.
Lansing, MI 48933
bogardp@michigan.gov
517-335-4051

### 2.023 Project Manager

Tom Thompson
Department of Information Technology
4000 Collins Road
Lansing, MI
thompsont8@michigan.gov
517-336-6618

### 2.024 Change Requests

The State reserves the right to request from time to time any changes to the requirements and specifications of the Contract and the work to be performed by the Contractor under the Contract. During the course of ordinary business, it may become necessary for the State to discontinue certain business practices or create Additional Services/Deliverables. At a minimum, to the extent applicable, the State would like the Contractor to provide a detailed outline of all work to be done, including tasks necessary to accomplish the services/deliverables, timeframes, listing of key personnel assigned, estimated hours for each individual per task, and a complete and detailed cost justification.

If the Contractor does not so notify the State, the Contractor has no right to claim thereafter that it is entitled to additional compensation for performing that service or providing that deliverable.

# Change Requests:

- (a) By giving Contractor written notice within a reasonable time, the State must be entitled to accept a Contractor proposal for Change, to reject it, or to reach another agreement with Contractor. Should the parties agree on carrying out a Change, a written Contract Change Notice must be prepared and issued under this Contract, describing the Change and its effects on the Services and any affected components of this Contract (a "Contract Change Notice").
- (b) No proposed Change must be performed until the proposed Change has been specified in a duly executed Contract Change Notice issued by the Department of Management and Budget, Purchasing Operations.
- (c) If the State requests or directs the Contractor to perform any activities that Contractor believes constitute a Change, the Contractor must notify the State that it believes the requested activities are a Change before beginning to work on the requested activities. If the Contractor fails to notify the State before beginning to work on the requested activities, then the Contractor waives any right to assert any claim for additional compensation or time for performing the requested activities. If the Contractor commences performing work outside the scope of this Contract and then ceases performing that work, the Contractor must, at the request of the State, retract any out-of-scope work that would adversely affect the Contract.

## 2.025 Notices

Any notice given to a party under the Contract must be deemed effective, if addressed to the party as addressed below, upon: (i) delivery, if hand delivered; (ii) receipt of a confirmed transmission by facsimile if a copy of the notice is sent by another means specified in this Section; (iii) the third Business Day after being sent by U.S. mail, postage pre-paid, return receipt requested; or (iv) the next Business Day after being sent by a nationally recognized overnight express courier with a reliable tracking system.

State:

State of Michigan Purchasing Operations Attention: PO Box 30026 530 West Allegan Lansing, Michigan 48909

Contractor:

Kenwood USA Corporation 2201 E. Dominguez Street P.O. Box 22745

Either party may change its address where notices are to be sent by giving notice according to this Section.

## 2.026 Binding Commitments

Representatives of Contractor must have the authority to make binding commitments on Contractor's behalf within the bounds set forth in the table. Contractor may change the representatives from time to time upon written notice.

## 2.027 Relationship of the Parties

The relationship between the State and Contractor is that of client and independent contractor. No agent, employee, or servant of Contractor or any of its Subcontractors must be or must be deemed to be an employee, agent or servant of the State for any reason. Contractor will be solely and entirely responsible for its acts and the acts of its agents, employees, servants and Subcontractors during the performance of the Contract.

## 2.028 Covenant of Good Faith

Each party must act reasonably and in good faith. Unless stated otherwise in the Contract, the parties will not unreasonably delay, condition or withhold the giving of any consent, decision or approval that is either requested or reasonably required of them in order for the other party to perform its responsibilities under the Contract.

#### 2.029 Assignments

(a) Neither party may assign the Contract, or assign or delegate any of its duties or obligations under the Contract, to any other party (whether by operation of law or otherwise), without the prior written consent of the other party; provided, however, that the State may assign the Contract to any other State agency, department, division or department without the prior consent of Contractor and Contractor may assign the Contract to an affiliate so long as the affiliate is adequately capitalized and can provide adequate assurances that the affiliate can perform the Contract. The State may withhold consent from proposed assignments, subcontracts, or novations when the transfer of responsibility would operate to decrease the State's likelihood of receiving performance on the Contract or the State's ability to recover damages.

- (b) Contractor may not, without the prior written approval of the State, assign its right to receive payments due under the Contract. If the State permits an assignment, the Contractor is not relieved of its responsibility to perform any of its contractual duties, and the requirement under the Contract that all payments must be made to one entity continues.
- (c) If the Contractor intends to assign the contract or any of the Contractor's rights or duties under the Contract, the Contractor must notify the State in writing at least 90 days before the assignment. The Contractor also must provide the State with adequate information about the assignee within a reasonable amount of time before the assignment for the State to determine whether to approve the assignment.

# 2.030 General Provisions

# 2.031 Media Releases

News releases (including promotional literature and commercial advertisements) pertaining to the RFP and Contract or project to which it relates shall not be made without prior written State approval, and then only in accordance with the explicit written instructions from the State. No results of the activities associated with the RFP and Contract are to be released without prior written approval of the State and then only to persons designated.

## 2.032 Contract Distribution

Purchasing Operations retains the sole right of Contract distribution to all State agencies and local units of government unless other arrangements are authorized by Purchasing Operations.

## **2.033 Permits**

Contractor must obtain and pay any associated costs for all required governmental permits, licenses and approvals for the delivery, installation and performance of the Services. The State must pay for all costs and expenses incurred in obtaining and maintaining any necessary easements or right of way.

## 2.034 Website Incorporation

The State is not bound by any content on the Contractor's website, even if the Contractor's documentation specifically referenced that content and attempts to incorporate it into any other communication, unless the State has actual knowledge of the content and has expressly agreed to be bound by it in a writing that has been manually signed by an authorized representative of the State.

### 2.035 Future Bidding Preclusion

Contractor acknowledges that, to the extent this Contract involves the creation, research, investigation or generation of a future RFP; it may be precluded from bidding on the subsequent RFP. The State reserves the right to disqualify any bidder if the State determines that the bidder has used its position (whether as an incumbent Contractor, or as a Contractor hired to assist with the RFP development, or as a Vendor offering free assistance) to gain a competitive advantage on the RFP.

# 2.036 Freedom of Information

All information in any proposal submitted to the State by Contractor and this Contract is subject to the provisions of the Michigan Freedom of Information Act, 1976 Public Act No. 442, as amended, MCL 15.231, et seq (the "FOIA").

### 2.037 Disaster Recovery

Contractor and the State recognize that the State provides essential services in times of natural or man-made disasters. Therefore, except as so mandated by Federal disaster response requirements, Contractor personnel dedicated to providing Services/Deliverables under this Contract will provide the State with priority service for repair and work around in the event of a natural or man-made disaster.

## 2.040 Financial Provisions

# 2.041 Fixed Prices for Services/Deliverables

Each Statement of Work or Purchase Order issued under this Contract shall specify (or indicate by reference to the appropriate Contract Exhibit) the firm, fixed prices for all Services/Deliverables, and the associated payment milestones and payment amounts. The State may make progress payments to the Contractor when requested as work progresses, but not more frequently than monthly, in amounts approved by the Contract Administrator, after negotiation. Contractor must show verification of measurable progress at the time of requesting progress payments.

# 2.042 Adjustments for Reductions in Scope of Services/Deliverables

If the scope of the Services/Deliverables under any Statement of Work issued under this Contract is subsequently reduced by the State, the parties shall negotiate an equitable reduction in Contractor's charges under such Statement of Work commensurate with the reduction in scope.

# 2.043 Services/Deliverables Covered

For all Services/Deliverables to be provided by Contractor (and its Subcontractors, if any) under this Contract, the State shall not be obligated to pay any amounts in addition to the charges specified in this Contract.

# 2.044 Invoicing and Payment - In General

- (a) Each Statement of Work issued under this Contract shall list (or indicate by reference to the appropriate Contract Exhibit) the prices for all Services/Deliverables, equipment and commodities to be provided, and the associated payment milestones and payment amounts.
- (b) Each Contractor invoice will show details as to charges by Service/Deliverable component and location at a level of detail reasonably necessary to satisfy the State's accounting and charge-back requirements. Invoices for Services performed on a time and materials basis will show, for each individual, the number of hours of Services performed during the billing period, the billable skill/labor category for such person and the applicable hourly billing rate. Prompt payment by the State is contingent on the Contractor's invoices showing the amount owed by the State minus any holdback amount to be retained by the State in accordance with **Section 1.064**.
- (c) Correct invoices will be due and payable by the State, in accordance with the State's standard payment procedure as specified in 1984 Public Act No. 279, MCL 17.51 et seq., within 45 days after receipt, provided the State determines that the invoice was properly rendered.
- (d) All invoices should reflect actual work done. Specific details of invoices and payments will be agreed upon between the Contract Administrator and the Contractor after the proposed Contract Agreement has been signed and accepted by both the Contractor and the Director of Purchasing Operations, Department of Management & Budget. This activity will occur only upon the specific written direction from Purchasing Operations.

The specific payment schedule for any Contract(s) entered into, as the State and the Contractor(s) will mutually agree upon. The schedule should show payment amount and should reflect actual goods delivered or work done by the payment dates, less any penalty cost charges accrued by those dates. As a general policy statements shall be forwarded to the designated representative by the 15th day of the following month.

The Government may make progress payments to the Contractor when requested as work progresses, but not more frequently than monthly, in amounts approved by the Contract Administrator, after negotiation. Contractor must show verification of measurable progress at the time of requesting progress payments.

#### 2.045 Pro-ration

To the extent there are any Services that are to be paid for on a monthly basis, the cost of such Services shall be pro-rated for any partial month.

## 2.046 Antitrust Assignment

The Contractor assigns to the State any claim for overcharges resulting from antitrust violations to the extent that those violations concern materials or services supplied by third parties to the Contractor, toward fulfillment of this Contract.

## 2.047 Final Payment

The making of final payment by the State to Contractor does not constitute a waiver by either party of any rights or other claims as to the other party's continuing obligations under the Contract, nor will it constitute a waiver of any claims by one party against the other arising from unsettled claims or failure by a party to comply with this Contract, including claims for Services and Deliverables not reasonably known until after acceptance to be defective or substandard. Contractor's acceptance of final payment by the State under this Contract shall constitute a waiver of all claims by Contractor against the State for payment under this Contract, other than those claims previously filed in writing on a timely basis and still unsettled.

# 2.048 Electronic Payment Requirement

Electronic transfer of funds is required for payments on State Contracts. Contractors are required to register with the State electronically at <a href="http://www.cpexpress.state.mi.us">http://www.cpexpress.state.mi.us</a>. As stated in Public Act 431 of 1984, all contracts that the State enters into for the purchase of goods and services shall provide that payment will be made by electronic fund transfer (EFT).

## 2.050 Taxes

## 2.051 Employment Taxes

Contractors are expected to collect and pay all applicable federal, state, and local employment taxes, including the taxes.

### 2.052 Sales and Use Taxes

Contractors are required to be registered and to remit sales and use taxes on taxable sales of tangible personal property or services delivered into the State. Contractors that lack sufficient presence in Michigan to be required to register and pay tax must do so as a volunteer. This requirement extends to: (1) all members of any controlled group as defined in § 1563(a) of the Internal Revenue Code and applicable regulations of which the company is a member, and (2) all organizations under common control as defined in § 414(c) of the Internal Revenue Code and applicable regulations of which the company is a member that make sales at retail for delivery into the State are registered with the State for the collection and remittance of sales and use taxes. In applying treasury regulations defining "two or more trades or businesses under common control" the term "organization" means sole proprietorship, a partnership (as defined in § 701(a)(2) of the Internal Revenue Code), a trust, an estate, a corporation, or a limited liability company.

## 2.060 Contract Management

## 2.061 Contractor Personnel Qualifications

All persons assigned by Contractor to the performance of Services under this Contract must be employees of Contractor or its majority-owned (directly or indirectly, at any tier) subsidiaries (or a State-approved Subcontractor) and must be fully qualified to perform the work assigned to them. Contractor must include a similar provision in any subcontract entered into with a Subcontractor. For the purposes of this Contract, independent contractors engaged by Contractor solely in a staff augmentation role must be treated by the State as if they were employees of Contractor for this Contract only; however, the State understands that the relationship between Contractor and Subcontractor is an independent contractor relationship.

### 2.062 Contractor Key Personnel

(a) The Contractor must provide the Contract Compliance Inspector with the names of the Key Personnel.

- (b) Key Personnel must be dedicated as defined in the Statement of Work to the Project for its duration in the applicable Statement of Work with respect to other individuals designated as Key Personnel for that Statement of Work.
- (c) The State will have the right to recommend and approve in writing the initial assignment, as well as any proposed reassignment or replacement, of any Key Personnel. Before assigning an individual to any Key Personnel position, Contractor will notify the State of the proposed assignment, will introduce the individual to the appropriate State representatives, and will provide the State with a resume and any other information about the individual reasonably requested by the State. The State reserves the right to interview the individual before granting written approval. In the event the State finds a proposed individual unacceptable, the State will provide a written explanation including reasonable detail outlining the reasons for the rejection.
- (d) Contractor must not remove any Key Personnel from their assigned roles or the Contract without the prior written consent of the State. The Contractor's removal of Key Personnel without the prior written consent of the State is an unauthorized removal ("Unauthorized Removal"). Unauthorized Removals does not include replacing Key Personnel for reasons beyond the reasonable control of Contractor, including illness, disability, leave of absence, personal emergency circumstances, resignation or for cause termination of the Key Personnel's employment. Unauthorized Removals does not include replacing Key Personnel because of promotions or other job movements allowed by Contractor personnel policies or Collective Bargaining Agreement(s) as long as the State receives prior written notice before shadowing occurs and Contractor provides 30 days of shadowing unless parties agree to a different time period. The Contractor with the State must review any Key Personnel replacements, and appropriate transition planning will be established. Any Unauthorized Removal may be considered by the State to be a material breach of the Contract, in respect of which the State may elect to exercise its termination and cancellation rights.
- (e) The Contractor must notify the Contract Compliance Inspector and the Contract Administrator at least 10 business days before redeploying non-Key Personnel, who are dedicated to primarily to the Project, to other projects. If the State does not object to the redeployment by its scheduled date, the Contractor may then redeploy the non-Key Personnel.

# 2.063 Re-assignment of Personnel at the State's Request

The State reserves the right to require the removal from the Project of Contractor personnel found, in the judgment of the State, to be unacceptable. The State's request must be written with reasonable detail outlining the reasons for the removal request. Additionally, the State's request must be based on legitimate, good-faith reasons. Replacement personnel for the removed person must be fully qualified for the position. If the State exercises this right, and the Contractor cannot immediately replace the removed personnel, the State agrees to an equitable adjustment in schedule or other terms that may be affected by the State's required removal. If any incident with removed personnel results in delay not reasonably anticipatable under the circumstances and which is attributable to the State, the applicable SLA(s) for the affected Service will not be counted for a time as agreed to by the parties.

## 2.064 Contractor Personnel Location

All staff assigned by Contractor to work on the Contract will perform their duties either primarily at Contractor's offices and facilities or at State facilities. Without limiting the generality of the foregoing, Key Personnel will, at a minimum, spend at least the amount of time on-site at State facilities as indicated in the applicable Statement of Work. Subject to availability, selected Contractor personnel may be assigned office space to be shared with State personnel.

### 2.065 Contractor Identification

Contractor employees must be clearly identifiable while on State property by wearing a State-issued badge, as required. Contractor employees are required to clearly identify themselves and the company they work for whenever making contact with State personnel by telephone or other means.

## 2.066 Cooperation with Third Parties

Contractor agrees to cause its personnel and the personnel of any Subcontractors to cooperate with the State and its agents and other contractors including the State's Quality Assurance personnel. As

reasonably requested by the State in writing, the Contractor will provide to the State's agents and other contractors reasonable access to Contractor's Project personnel, systems and facilities to the extent the access relates to activities specifically associated with this Contract and will not interfere or jeopardize the safety or operation of the systems or facilities. The State acknowledges that Contractor's time schedule for the Contract is very specific and agrees not to unnecessarily or unreasonably interfere with, delay or otherwise impeded Contractor's performance under this Contract with the requests for access.

## 2.067 Contract Management Responsibilities

The Contractor will be required to assume responsibility for all contractual activities, whether or not that Contractor performs them. Further, the State will consider the Contractor to be the sole point of contact with regard to contractual matters, including payment of any and all charges resulting from the anticipated Contract. If any part of the work is to be subcontracted, the Contract must include a list of subcontractors, including firm name and address, contact person and a complete description of work to be subcontracted. The State reserves the right to approve subcontractors and to require the Contractor to replace subcontractors found to be unacceptable. The Contractor is totally responsible for adherence by the subcontractor to all provisions of the Contract. Any change in subcontractors must be approved by the State, in writing, prior to such change.

## 2.068 Contractor Return of State Equipment/Resources

The Contractor must return to the State any State-furnished equipment, facilities and other resources when no longer required for the Contract in the same condition as when provided by the State, reasonable wear and tear excepted.

## 2.070 Subcontracting by Contractor

# 2.071 Contractor full Responsibility

Contractor shall have full responsibility for the successful performance and completion of all of the Services and Deliverables. The State will consider Contractor to be the sole point of contact with regard to all contractual matters under this Contract, including payment of any and all charges for Services and Deliverables.

#### 2.072 State Consent to delegation

Contractor shall not delegate any duties under this Contract to a Subcontractor unless the Department of Management and Budget, Purchasing Operations has given written consent to such delegation. The State shall have the right of prior written approval of all Subcontractors and to require Contractor to replace any Subcontractors found, in the reasonable judgment of the State, to be unacceptable. The State's request shall be written with reasonable detail outlining the reasons for the removal request. Additionally, the State's request shall be based on legitimate, good-faith reasons. Replacement Subcontractor(s) for the removed Subcontractor shall be fully qualified for the position. If the State exercises this right, and the Contractor cannot immediately replace the removed Subcontractor, the State will agree to an equitable adjustment in schedule or other terms that may be affected by the State's required removal. If any such incident with a removed Subcontractor results in delay not reasonable anticipatable under the circumstances and which is attributable to the State, the applicable SLA for the affected Work will not be counted in time agreed upon by the parties.

## 2.073 Subcontractor bound to Contract

In any subcontracts entered into by Contractor for the performance of the Services, Contractor shall require the Subcontractor, to the extent of the Services to be performed by the Subcontractor, to be bound to Contractor by the terms of this Contract and to assume toward Contractor all of the obligations and responsibilities that Contractor, by this Contract, assumes toward the State. The State reserves the right to receive copies of and review all subcontracts, although Contractor may delete or mask any proprietary information, including pricing, contained in such contracts before providing them to the State. The management of any Subcontractor will be the responsibility of Contractor, and Contractor shall remain responsible for the performance of its Subcontractors to the same extent as if Contractor

had not subcontracted such performance. Contractor shall make all payments to Subcontractors or suppliers of Contractor. Except as otherwise agreed in writing by the State and Contractor, the State will not be obligated to direct payments for the Services other than to Contractor. The State's written approval of any Subcontractor engaged by Contractor to perform any obligation under this Contract shall not relieve Contractor of any obligations or performance required under this Contract. Attached as **Exhibit A** is a list of the Subcontractors, if any, approved by the State as of the execution of this Contract, together with a copy of the applicable subcontract.

### 2.074 Flow Down

Except where specifically approved in writing by the State on a case-by-case basis, Contractor shall flow down the obligations in **Sections 2.031, 2.060, 2.100, 2.110, 2.120, 2.130, 2.200** in all of its agreements with any Subcontractors.

# 2.075 Competitive Selection

The Contractor shall select subcontractors (including suppliers) on a competitive basis to the maximum practical extent consistent with the objectives and requirements of the Contract.

## 2.080 State Responsibilities

## 2.081 Equipment

The State will provide only the equipment and resources identified in the Statements of Work and other Contract Exhibits.

# 2.082 Facilities

The State must designate space as long as it is available and as provided in the Statement of Work, to house the Contractor's personnel whom the parties agree will perform the Services/Deliverables at State facilities (collectively, the "State Facilities"). The Contractor must have reasonable access to, and unless agreed otherwise by the parties in writing must observe and comply with all rules and regulations relating to each of the State Facilities (including hours of operation) used by the Contractor in the course of providing the Services. Contractor agrees that it will not, without the prior written consent of the State, use any State Facilities or access any State information systems provided for the Contractor's use, or to which the Contractor otherwise gains access in the course of performing the Services, for any purpose other than providing the Services to the State.

### 2.090 Security

#### 2.091 Background Checks

On a case-by-case basis, the State may investigate the Contractor's personnel before they may have access to State facilities and systems. The scope of the background check is at the discretion of the State and the results will be used to determine Contractor personnel eligibility for working within State facilities and systems. The investigations will include Michigan State Police Background checks (ICHAT) and may include the National Crime Information Center (NCIC) Finger Prints. Proposed Contractor personnel may be required to complete and submit an RI-8 Fingerprint Card for the NCIC Finger Print Check. Any request for background checks will be initiated by the State and will be reasonably related to the type of work requested. The Contractor will be responsible for all costs associated with the background checks.

All Contractor personnel shall comply with the State's security and acceptable use policies for State IT equipment and resources. See <a href="http://www.michigan.gov/dit">http://www.michigan.gov/dit</a>. Furthermore, Contractor personnel shall comply with the State's security and acceptable use policies before the Contractor personnel will be accepted as a resource to perform work for the State. The Contractor shall present these documents to the prospective employee before the Contractor presents the individual to the State as a proposed resource. Contractor staff shall comply with all Physical Security procedures in place within the facilities where they are working.

## 2.092 Security Breach Notification

If the Contractor breaches this Section, the Contractor must (i) promptly cure any deficiencies and (ii) comply with any applicable federal and state laws and regulations pertaining to unauthorized disclosures. Contractor and the State will cooperate to mitigate, to the extent practicable, the effects of any breach, intrusion, or unauthorized use or disclosure. Contractor must report to the State in writing any use or disclosure of Confidential Information, whether suspected or actual, other than as provided for by the Contract within 10 days of becoming aware of the use or disclosure or the shorter time period as is reasonable under the circumstances.

# 2.093 PCI Data Security Requirements - RESERVED

# 2.100 Confidentiality

## 2.101 Confidentiality

Contractor and the State each acknowledge that the other possesses and will continue to possess confidential information that has been developed or received by it. As used in this Section, "Confidential Information" of Contractor must mean all non-public proprietary information of Contractor (other than Confidential Information of the State as defined below) which is marked confidential, restricted, proprietary or with a similar designation. "Confidential Information" of the State must mean any information which is retained in confidence by the State (or otherwise required to be held in confidence by the State under applicable federal, state and local laws and regulations) or which, in the case of tangible materials provided to Contractor by the State under its performance under this Contract, is marked as confidential, proprietary or with a similar designation by the State. "Confidential Information" excludes any information (including this Contract) that is publicly available under the Michigan FOIA.

#### 2.102 Protection and Destruction of Confidential Information

The State and Contractor will each use at least the same degree of care to prevent disclosing to third parties the Confidential Information of the other as it employs to avoid unauthorized disclosure, publication or dissemination of its own confidential information of like character, but in no event less than reasonable care. Neither Contractor nor the State will (i) make any use of the Confidential Information of the other except as contemplated by this Contract, (ii) acquire any right in or assert any lien against the Confidential Information of the other, or (iii) if requested to do so, refuse for any reason to promptly return the other party's Confidential Information to the other party. Each party will limit disclosure of the other party's Confidential Information to employees and Subcontractors who must have access to fulfill the purposes of this Contract. Disclosure to, and use by, a Subcontractor is permissible where (A) use of a Subcontractor is authorized under this Contract. (B) the disclosure is necessary or otherwise naturally occurs in connection with work that is within the Subcontractor's scope of responsibility, and (C) Contractor obligates the Subcontractor in a written Contract to maintain the State's Confidential Information in confidence. At the State's request, any employee of Contractor and of any Subcontractor having access or continued access to the State's Confidential Information may be required to execute an acknowledgment that the employee has been advised of Contractor's and the Subcontractor's obligations under this Section and of the employee's obligation to Contractor or Subcontractor, as the case may be, to protect the Confidential Information from unauthorized use or disclosure.

Promptly upon termination or cancellation of the Contract for any reason, Contractor must certify to the State that Contractor has destroyed all State Confidential Information.

## 2.103 Exclusions

Notwithstanding the foregoing, the provisions of **Section 2.100** will not apply to any particular information which the State or Contractor can demonstrate (i) was, at the time of disclosure to it, in the public domain; (ii) after disclosure to it, is published or otherwise becomes part of the public domain

through no fault of the receiving party; (iii) was in the possession of the receiving party at the time of disclosure to it without an obligation of confidentiality; (iv) was received after disclosure to it from a third party who had a lawful right to disclose the information to it without any obligation to restrict its further disclosure; or (v) was independently developed by the receiving party without reference to Confidential Information of the furnishing party. Further, the provisions of **Section 2.100** will not apply to any particular Confidential Information to the extent the receiving party is required by law to disclose the Confidential Information, provided that the receiving party (i) promptly provides the furnishing party with notice of the legal request, and (ii) assists the furnishing party in resisting or limiting the scope of the disclosure as reasonably requested by the furnishing party.

# 2.104 No Implied Rights

Nothing contained in this Section must be construed as obligating a party to disclose any particular Confidential Information to the other party, or as granting to or conferring on a party, expressly or impliedly, any right or license to the Confidential Information of the other party.

## 2.105 Respective Obligations

The parties' respective obligations under this Section must survive the termination or expiration of this Contract for any reason.

## 2.110 Records and Inspections

## 2.111 Inspection of Work Performed

The State's authorized representatives must at all reasonable times and with 10 days prior written request, have the right to enter Contractor's premises, or any other places, where the Services are being performed, and must have access, upon reasonable request, to interim drafts of Deliverables or work-in-progress. Upon 10 Days prior written notice and at all reasonable times, the State's representatives must be allowed to inspect, monitor, or otherwise evaluate the work being performed and to the extent that the access will not reasonably interfere or jeopardize the safety or operation of the systems or facilities. Contractor must provide all reasonable facilities and assistance for the State's representatives.

#### 2.112 Examination of Records

For seven years after the Contractor provides any work under this Contract (the "Audit Period"), the State may examine and copy any of Contractor's books, records, documents and papers pertinent to establishing Contractor's compliance with the Contract and with applicable laws and rules. The State must notify the Contractor 20 days before examining the Contractor's books and records. The State does not have the right to review any information deemed confidential by the Contractor to the extent access would require the confidential information to become publicly available. This provision also applies to the books, records, accounts, documents and papers, in print or electronic form, of any parent, affiliated or subsidiary organization of Contractor, or any Subcontractor of Contractor performing services in connection with the Contract.

# 2.113 Retention of Records

Contractor must maintain at least until the end of the Audit Period all pertinent financial and accounting records (including time sheets and payroll records, and information pertaining to the Contract and to the Services, equipment, and commodities provided under the Contract) pertaining to the Contract according to generally accepted accounting principles and other procedures specified in this Section. Financial and accounting records must be made available, upon request, to the State at any time during the Audit Period. If an audit, litigation, or other action involving Contractor's records is initiated before the end of the Audit Period, the records must be retained until all issues arising out of the audit, litigation, or other action are resolved or until the end of the Audit Period, whichever is later.

## 2.114 Audit Resolution

If necessary, the Contractor and the State will meet to review each audit report promptly after issuance. The Contractor will respond to each audit report in writing within 30 days from receipt of the report, unless a shorter response time is specified in the report. The Contractor and the State must develop, agree upon and monitor an action plan to promptly address and resolve any deficiencies, concerns, and/or recommendations in the audit report.

### **2.115 Errors**

- (a) If the audit demonstrates any errors in the documents provided to the State, then the amount in error must be reflected as a credit or debit on the next invoice and in subsequent invoices until the amount is paid or refunded in full. However, a credit or debit may not be carried for more than four invoices. If a balance remains after four invoices, then the remaining amount will be due as a payment or refund within 45 days of the last quarterly invoice that the balance appeared on or termination of the contract, whichever is earlier.
- (b) In addition to other available remedies, the difference between the payment received and the correct payment amount is greater than 10%, then the Contractor must pay all of the reasonable costs of the audit.

# 2.120 Warranties

### 2.121 Warranties and Representations

The Contractor represents and warrants:

- (a) It is capable in all respects of fulfilling and must fulfill all of its obligations under this Contract. The performance of all obligations under this Contract must be provided in a timely, professional, and workman-like manner and must meet the performance and operational standards required under this Contract.
- (b) The Contract Appendices, Attachments and Exhibits identify the equipment and software and services necessary for the Deliverable(s) to perform and Services to operate in compliance with the Contract's requirements and other standards of performance.
- (c) It is the lawful owner or licensee of any Deliverable licensed or sold to the State by Contractor or developed by Contractor under this Contract, and Contractor has all of the rights necessary to convey to the State the ownership rights or licensed use, as applicable, of any and all Deliverables. None of the Deliverables provided by Contractor to the State under this Contract, nor their use by the State, will infringe the patent, copyright, trade secret, or other proprietary rights of any third party.
- (d) If, under this Contract, Contractor procures any equipment, software or other Deliverable for the State (including equipment, software and other Deliverables manufactured, re-marketed or otherwise sold by Contractor under Contractor's name), then in addition to Contractor's other responsibilities with respect to the items in this Contract, Contractor must assign or otherwise transfer to the State or its designees, or afford the State the benefits of, any manufacturer's warranty for the Deliverable.
- (e) The contract signatory has the power and authority, including any necessary corporate authorizations, necessary to enter into this Contract, on behalf of Contractor.
- (f) It is qualified and registered to transact business in all locations where required.
- (g) Neither the Contractor nor any Affiliates, nor any employee of either, has, must have, or must acquire, any contractual, financial, business, or other interest, direct or indirect, that would conflict in any manner or degree with Contractor's performance of its duties and responsibilities to the State under this Contract or otherwise create an appearance of impropriety with respect to the award or

performance of this Agreement. Contractor must notify the State about the nature of the conflict or appearance of impropriety within two days of learning about it.

- (h) Neither Contractor nor any Affiliates, nor any employee of either has accepted or must accept anything of value based on an understanding that the actions of the Contractor or Affiliates or employee on behalf of the State would be influenced. Contractor must not attempt to influence any State employee by the direct or indirect offer of anything of value.
- (i) Neither Contractor nor any Affiliates, nor any employee of either has paid or agreed to pay any person, other than bona fide employees and consultants working solely for Contractor or the Affiliate, any fee, commission, percentage, brokerage fee, gift, or any other consideration, contingent upon or resulting from the award or making of this Contract.
- (j) The prices proposed by Contractor were arrived at independently, without consultation, communication, or agreement with any other bidder for the purpose of restricting competition; the prices quoted were not knowingly disclosed by Contractor to any other bidder; and no attempt was made by Contractor to induce any other person to submit or not submit a proposal for the purpose of restricting competition.
- (k) All financial statements, reports, and other information furnished by Contractor to the State as part of its response to the RFP or otherwise in connection with the award of this Contract fairly and accurately represent the business, properties, financial condition, and results of operations of Contractor as of the respective dates, or for the respective periods, covered by the financial statements, reports, other information. Since the respective dates or periods covered by the financial statements, reports, or other information, there have been no material adverse change in the business, properties, financial condition, or results of operations of Contractor.
- (I) All written information furnished to the State by or for the Contractor in connection with this Contract, including its bid, is true, accurate, and complete, and contains no untrue statement of material fact or omits any material fact necessary to make the information not misleading.
- (m) It is not in material default or breach of any other contract or agreement that it may have with the State or any of its departments, commissions, boards, or agencies. Contractor further represents and warrants that it has not been a party to any contract with the State or any of its departments that was terminated by the State or the department within the previous five years for the reason that Contractor failed to perform or otherwise breached an obligation of the contract.
- (n) If any of the certifications, representations, or disclosures made in the Contractor's original bid response change after contract award, the Contractor is required to report those changes immediately to the Department of Management and Budget, Purchasing Operations.

## 2.122 Warranty of Merchantability

Goods provided by Contractor under this agreement shall be merchantable. All goods provided under this Contract shall be of good quality within the description given by the State, shall be fit for their ordinary purpose, shall be adequately contained and packaged within the description given by the State, shall conform to the agreed upon specifications, and shall conform to the affirmations of fact made by the Contractor or on the container or label.

# 2.123 Warranty of Fitness for a Particular Purpose

When the Contractor has reason to know or knows any particular purpose for which the goods are required, and the State is relying on the Contractor's skill or judgment to select or furnish suitable goods, there is a warranty that the goods are fit for such purpose.

## 2.124 Warranty of Title

Contractor shall, in providing goods to the State, convey good title in those goods, whose transfer is right and lawful. All goods provided by Contractor shall be delivered free from any security interest, lien, or encumbrance of which the State, at the time of contracting, has no knowledge. Goods provided by Contractor, under this Contract, shall be delivered free of any rightful claim of any third person by of infringement or the like.

# 2.125 Equipment Warranty

See Article 1, Section 1.022 (A.4)

## 2.126 Equipment to be New

If applicable, all equipment provided under this Contract by Contractor shall be new where Contractor has knowledge regarding whether the equipment is new or assembled from new or serviceable used parts that are like new in performance or has the option of selecting one or the other. Equipment that is assembled from new or serviceable used parts that are like new in performance is acceptable where Contractor does not have knowledge or the ability to select one or other, unless specifically agreed otherwise in writing by the State.

### 2.127 Prohibited Products

The State will not accept salvage, distressed, outdated or discontinued merchandise. Shipping of such merchandise to any State agency, as a result of an order placed against the Contract, shall be considered default by the Contractor of the terms and conditions of the Contract and may result in cancellation of the Contract by the State. The brand and product number offered for all items shall remain consistent for the term of the Contract, unless Purchasing Operations has approved a change order pursuant to **Section 2.024**.

### 2.128 Consequences For Breach

In addition to any remedies available in law, if the Contractor breaches any of the warranties contained in this section, the breach may be considered as a default in the performance of a material obligation of this Contract.

#### 2.130 Insurance

# 2.131 Liability Insurance

The Contractor must provide proof of the minimum levels of insurance coverage as indicated below. The insurance must protect the State from claims which may arise out of or result from the Contractor's performance of services under the terms of this Contract, whether the services are performed by the Contractor, or by any subcontractor, or by anyone directly or indirectly employed by any of them, or by anyone for whose acts they may be liable.

The Contractor waives all rights against the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees and agents for recovery of damages to the extent these damages are covered by the insurance policies the Contractor is required to maintain under this Contract.

All insurance coverages provided relative to this Contract/Purchase Order are PRIMARY and NON-CONTRIBUTING to any comparable liability insurance (including self-insurances) carried by the State.

The insurance must be written for not less than any minimum coverage specified in this Contract or required by law, whichever is greater.

The insurers selected by Contractor must have an A.M. Best rating of A or better, or as otherwise approved in writing by the State, or if the ratings are no longer available, with a comparable rating from

a recognized insurance rating agency. All policies of insurance required in this Contract must be issued by companies that have been approved to do business in the State. See <a href="https://www.michigan.gov/dleg">www.michigan.gov/dleg</a>.

Where specific limits are shown, they are the minimum acceptable limits. If Contractor's policy contains higher limits, the State must be entitled to coverage to the extent of the higher limits.

The Contractor is required to pay for and provide the type and amount of insurance checked **☑** below:

☑ 1. Commercial General Liability with the following minimum coverage:

\$2,000,000 General Aggregate Limit other than Products/Completed Operations

\$2,000,000 Products/Completed Operations Aggregate Limit

\$1,000,000 Personal & Advertising Injury Limit

\$1,000,000 Each Occurrence Limit

The Contractor must list the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees and agents as ADDITIONAL INSUREDS on the Commercial General Liability certificate. The Contractor also agrees to provide evidence that insurance policies contain a waiver of subrogation by the insurance company.

2. If a motor vehicle is used to provide services or products under this Contract, the Contractor must have vehicle liability insurance on any auto including owned, hired and non-owned vehicles used in Contractor's business for bodily injury and property damage as required by law.

The Contractor must list the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees and agents as ADDITIONAL INSUREDS on the vehicle liability certificate. The Contractor also agrees to provide evidence that insurance policies contain a waiver of subrogation by the insurance company.


3. Workers' compensation coverage must be provided according to applicable laws governing the employees and employers work activities in the state of the Contractor's domicile. If the applicable coverage is provided by a self-insurer, proof must be provided of approved self-insured authority by the jurisdiction of domicile. For employees working outside of the state of qualification, Contractor must provide appropriate certificates of insurance proving mandated coverage levels for the jurisdictions where the employees' activities occur.

Any certificates of insurance received must also provide a list of states where the coverage is applicable.

The Contractor also agrees to provide evidence that insurance policies contain a waiver of subrogation by the insurance company. This provision must not be applicable where prohibited or limited by the laws of the jurisdiction in which the work is to be performed.

■ 4. Employers liability insurance with the following minimum limits:

\$100,000 each accident \$100,000 each employee by disease \$500,000 aggregate disease



- □ 5. Employee Fidelity, including Computer Crimes, insurance naming the State as a loss payee, providing coverage for direct loss to the State and any legal liability of the State arising out of or related to fraudulent or dishonest acts committed by the employees of Contractor or its Subcontractors, acting alone or in collusion with others, in a minimum amount of one million dollars (\$1,000,000.00) with a maximum deductible of fifty thousand dollars (\$50,000.00).
- 6. Umbrella or Excess Liability Insurance in a minimum amount of ten million dollars (\$5,000,000.00), which must apply, at a minimum, to the insurance required in Subsection 1 (Commercial General Liability) above.
- ☐ 7. Professional Liability (Errors and Omissions) Insurance with the following minimum coverage: three million dollars (\$3,000,000.00) each occurrence and three million dollars (\$3,000,000.00) annual aggregate.
- □ 8. Fire and Personal Property Insurance covering against any loss or damage to the office space used by Contractor for any reason under this Contract, and the equipment, software and other contents of the office space, including without limitation, those contents used by Contractor to provide the Services to the State, up to its replacement value, where the office space and its contents are under the care, custody and control of Contractor. The policy must cover all risks of direct physical loss or damage, including without limitation, flood and earthquake coverage and coverage for computer hardware and software. The State must be endorsed on the policy as a loss payee as its interests appear.

## 2.132 Subcontractor Insurance Coverage

Except where the State has approved in writing a Contractor subcontract with other insurance provisions, Contractor must require all of its Subcontractors under this Contract to purchase and maintain the insurance coverage as described in this Section for the Contractor in connection with the performance of work by those Subcontractors. Alternatively, Contractor may include any Subcontractors under Contractor's insurance on the coverage required in this Section. Subcontractor(s) must fully comply with the insurance coverage required in this Section. Failure of Subcontractor(s) to comply with insurance requirements does not limit Contractor's liability or responsibility.

### 2.133 Certificates of Insurance and Other Requirements

Contractor must furnish to DMB-PurchOps, certificate(s) of insurance verifying insurance coverage or providing satisfactory evidence of self-insurance as required in this Section (the "Certificates"). The Certificate must be on the standard "accord" form or equivalent. THE CONTRACT OR PURCHASE ORDER NO. MUST BE SHOWN ON THE CERTIFICATE OF INSURANCE TO ASSURE CORRECT FILING. All Certificate(s) are to be prepared and submitted by the Insurance Provider. All Certificate(s) must contain a provision indicating that coverages afforded under the policies WILL NOT BE CANCELLED, MATERIALLY CHANGED, OR NOT RENEWED without 30 days prior written notice, except for 10 days for non-payment of premium, having been given to the Director of Purchasing Operations, Department of Management and Budget. The notice must include the Contract or Purchase Order number affected. Before the Contract is signed, and not less than 20 days before the insurance expiration date every year thereafter, the Contractor must provide evidence that the State and its agents, officers and employees are listed as additional insures under each commercial general liability and commercial automobile liability policy. In the event the State approves the representation of the State by the insurer's attorney, the attorney may be required to be designated as a Special Assistant Attorney General by the Attorney General of the State of Michigan.

The Contractor must maintain all required insurance coverage throughout the term of the Contract and any extensions and, in the case of claims-made Commercial General Liability policies, must secure tail coverage for at least three years following the expiration or termination for any reason of this Contract. The minimum limits of coverage specified above are not intended, and must not be construed, to limit any liability or indemnity of Contractor under this Contract to any indemnified party or other persons.

Contractor is responsible for all deductibles with regard to the insurance. If the Contractor fails to pay any premium for required insurance as specified in this Contract, or if any insurer cancels or significantly reduces any required insurance as specified in this Contract without the State's written consent, then the State may, after the State has given the Contractor at least 30 days written notice, pay the premium or procure similar insurance coverage from another company or companies. The State may deduct any part of the cost from any payment due the Contractor, or the Contractor must pay that cost upon demand by the State.

# 2.140 Indemnification

## 2.141 General Indemnification

To the extent permitted by law, the Contractor must indemnify, defend and hold harmless the State from liability, including all claims and losses, and all related costs and expenses (including reasonable attorneys' fees and costs of investigation, litigation, settlement, judgments, interest and penalties), accruing or resulting to any person, firm or corporation that may be injured or damaged by the Contractor in the performance of this Contract and that are attributable to the negligence or tortious acts of the Contractor or any of its subcontractors, or by anyone else for whose acts any of them may be liable.

## 2.142 Code Indemnification

To the extent permitted by law, the Contractor shall indemnify, defend and hold harmless the State from any claim, loss, or expense arising from Contractor's breach of the No Surreptitious Code Warranty.

## 2.143 Employee Indemnification

In any claims against the State of Michigan, its departments, divisions, agencies, sections, commissions, officers, employees and agents, by any employee of the Contractor or any of its subcontractors, the indemnification obligation under the Contract must not be limited in any way by the amount or type of damages, compensation or benefits payable by or for the Contractor or any of its subcontractors under worker's disability compensation acts, disability benefit acts or other employee benefit acts. This indemnification clause is intended to be comprehensive. Any overlap in provisions, or the fact that greater specificity is provided as to some categories of risk, is not intended to limit the scope of indemnification under any other provisions.

#### 2.144 Patent/Copyright Infringement Indemnification

To the extent permitted by law, the Contractor must indemnify, defend and hold harmless the State from and against all losses, liabilities, damages (including taxes), and all related costs and expenses (including reasonable attorneys' fees and costs of investigation, litigation, settlement, judgments, interest and penalties) incurred in connection with any action or proceeding threatened or brought against the State to the extent that the action or proceeding is based on a claim that any piece of equipment, software, commodity or service supplied by the Contractor or its subcontractors, or the operation of the equipment, software, commodity or service, or the use or reproduction of any documentation provided with the equipment, software, commodity or service infringes any United States patent, copyright, trademark or trade secret of any person or entity, which is enforceable under the laws of the United States.

In addition, should the equipment, software, commodity, or service, or its operation, become or in the State's or Contractor's opinion be likely to become the subject of a claim of infringement, the Contractor must at the Contractor's sole expense (i) procure for the State the right to continue using the equipment, software, commodity or service or, if the option is not reasonably available to the Contractor, (ii) replace or modify to the State's satisfaction the same with equipment, software, commodity or service of equivalent function and performance so that it becomes non-infringing, or, if the option is not reasonably available to Contractor, (iii) accept its return by the State with appropriate credits to the State against the Contractor's charges and reimburse the State for any losses or costs incurred as a consequence of the State ceasing its use and returning it.

Notwithstanding the foregoing, the Contractor has no obligation to indemnify or defend the State for, or to pay any costs, damages or attorneys' fees related to, any claim based upon (i) equipment developed based on written specifications of the State; (ii) use of the equipment in a configuration other than implemented or approved in writing by the Contractor, including, but not limited to, any modification of the equipment by the State; or (iii) the combination, operation, or use of the equipment with equipment or software not supplied by the Contractor under this Contract.

## 2.145 Continuation of Indemnification Obligations

The Contractor's duty to indemnify under this Section continues in full force and effect, notwithstanding the expiration or early cancellation of the Contract, with respect to any claims based on facts or conditions that occurred before expiration or cancellation.

### 2.146 Indemnification Procedures

The procedures set forth below must apply to all indemnity obligations under this Contract.

- (a) After the State receives notice of the action or proceeding involving a claim for which it will seek indemnification, the State must promptly notify Contractor of the claim in writing and take or assist Contractor in taking, as the case may be, any reasonable action to avoid the imposition of a default judgment against Contractor. No failure to notify the Contractor relieves the Contractor of its indemnification obligations except to the extent that the Contractor can prove damages attributable to the failure. Within 10 days following receipt of written notice from the State relating to any claim, the Contractor must notify the State in writing whether Contractor agrees to assume control of the defense and settlement of that claim (a "Notice of Election"). After notifying Contractor of a claim and before the State receiving Contractor's Notice of Election, the State is entitled to defend against the claim, at the Contractor's expense, and the Contractor will be responsible for any reasonable costs incurred by the State in defending against the claim during that period.
- If Contractor delivers a Notice of Election relating to any claim: (i) the State is entitled to participate in the defense of the claim and to employ counsel at its own expense to assist in the handling of the claim and to monitor and advise the State about the status and progress of the defense; (ii) the Contractor must, at the request of the State, demonstrate to the reasonable satisfaction of the State, the Contractor's financial ability to carry out its defense and indemnity obligations under this Contract; (iii) the Contractor must periodically advise the State about the status and progress of the defense and must obtain the prior written approval of the State before entering into any settlement of the claim or ceasing to defend against the claim and (iv) to the extent that any principles of Michigan governmental or public law may be involved or challenged, the State has the right, at its own expense, to control the defense of that portion of the claim involving the principles of Michigan governmental or public law. But the State may retain control of the defense and settlement of a claim by notifying the Contractor in writing within 10 days after the State's receipt of Contractor's information requested by the State under clause (ii) of this paragraph if the State determines that the Contractor has failed to demonstrate to the reasonable satisfaction of the State the Contractor's financial ability to carry out its defense and indemnity obligations under this Section. Any litigation activity on behalf of the State, or any of its subdivisions under this Section, must be coordinated with the Department of Attorney General. In the event the insurer's attorney represents the State under this Section, the insurer's attorney may be required to be designated as a Special Assistant Attorney General by the Attorney General of the State of Michigan.
- (c) If Contractor does not deliver a Notice of Election relating to any claim of which it is notified by the State as provided above, the State may defend the claim in the manner as it may deem appropriate, at the cost and expense of Contractor. If it is determined that the claim was one against which Contractor was required to indemnify the State, upon request of the State, Contractor must promptly reimburse the State for all the reasonable costs and expenses.

# 2.150 Termination/Cancellation

# 2.151 Notice and Right to Cure

If the Contractor breaches the contract, and the State in its sole discretion determines that the breach is curable, then the State will provide the Contractor with written notice of the breach and a time period (not less than 30 days) to cure the Breach. The notice of breach and opportunity to cure is inapplicable for successive or repeated breaches or if the State determines in its sole discretion that the breach poses a serious and imminent threat to the health or safety of any person or the imminent loss, damage, or destruction of any real or tangible personal property.

# 2.152 Termination for Cause

- (a) The State may terminate this contract, for cause, by notifying the Contractor in writing, if the Contractor (i) breaches any of its material duties or obligations under this Contract (including a Chronic Failure to meet any particular SLA), or (ii) fails to cure a breach within the time period specified in the written notice of breach provided by the State
- (b) If this Contract is terminated for cause, the Contractor must pay all costs incurred by the State in terminating this Contract, including but not limited to, State administrative costs, reasonable attorneys' fees and court costs, and any reasonable additional costs the State may incur to procure the Services/Deliverables required by this Contract from other sources. Re-procurement costs are not consequential, indirect or incidental damages, and cannot be excluded by any other terms otherwise included in this Contract, provided the costs are not in excess of 50% more than the prices for the Service/Deliverables provided under this Contract.
- (c) If the State chooses to partially terminate this Contract for cause, charges payable under this Contract will be equitably adjusted to reflect those Services/Deliverables that are terminated and the State must pay for all Services/Deliverables for which Final Acceptance has been granted provided up to the termination date. Services and related provisions of this Contract that are terminated for cause must cease on the effective date of the termination.
- (d) If the State terminates this Contract for cause under this Section, and it is determined, for any reason, that Contractor was not in breach of contract under the provisions of this section, that termination for cause must be deemed to have been a termination for convenience, effective as of the same date, and the rights and obligations of the parties must be limited to that otherwise provided in this Contract for a termination for convenience.

#### 2.153 Termination for Convenience

The State may terminate this Contract for its convenience, in whole or part, if the State determines that a termination is in the State's best interest. Reasons for the termination must be left to the sole discretion of the State and may include, but not necessarily be limited to (a) the State no longer needs the Services or products specified in the Contract, (b) relocation of office, program changes, changes in laws, rules, or regulations make implementation of the Services no longer practical or feasible, (c) unacceptable prices for Additional Services or New Work requested by the State, or (d) falsification or misrepresentation, by inclusion or non-inclusion, of information material to a response to any RFP issued by the State. The State may terminate this Contract for its convenience, in whole or in part, by giving Contractor written notice at least 30 days before the date of termination. If the State chooses to terminate this Contract in part, the charges payable under this Contract must be equitably adjusted to reflect those Services/Deliverables that are terminated. Services and related provisions of this Contract that are terminated for cause must cease on the effective date of the termination.

# 2.154 Termination for Non-Appropriation

(a) Contractor acknowledges that, if this Contract extends for several fiscal years, continuation of this Contract is subject to appropriation or availability of funds for this Contract. If funds to enable the State to effect continued payment under this Contract are not appropriated or otherwise made available, the State must terminate this Contract and all affected Statements of Work, in whole or in part, at the end of the last period for which funds have been appropriated or otherwise made available

by giving written notice of termination to Contractor. The State must give Contractor at least 30 days advance written notice of termination for non-appropriation or unavailability (or the time as is available if the State receives notice of the final decision less than 30 days before the funding cutoff).

- (b) If funding for the Contract is reduced by law, or funds to pay Contractor for the agreed-to level of the Services or production of Deliverables to be provided by Contractor are not appropriated or otherwise unavailable, the State may, upon 30 days written notice to Contractor, reduce the level of the Services or the change the production of Deliverables in the manner and for the periods of time as the State may elect. The charges payable under this Contract will be equitably adjusted to reflect any equipment, services or commodities not provided by reason of the reduction.
- (c) If the State terminates this Contract, eliminates certain Deliverables, or reduces the level of Services to be provided by Contractor under this Section, the State must pay Contractor for all Work-in-Process performed through the effective date of the termination or reduction in level, as the case may be and as determined by the State, to the extent funds are available. This Section will not preclude Contractor from reducing or stopping Services/Deliverables or raising against the State in a court of competent jurisdiction, any claim for a shortfall in payment for Services performed or Deliverables finally accepted before the effective date of termination.

## 2.155 Termination for Criminal Conviction

The State may terminate this Contract immediately and without further liability or penalty in the event Contractor, an officer of Contractor, or an owner of a 25% or greater share of Contractor is convicted of a criminal offense related to a State, public or private Contract or subcontract.

# 2.156 Termination for Approvals Rescinded

The State may terminate this Contract if any final administrative or judicial decision or adjudication disapproves a previously approved request for purchase of personal services under Constitution 1963, Article 11, § 5, and Civil Service Rule 7-1. In that case, the State will pay the Contractor for only the work completed to that point under the Contract. Termination may be in whole or in part and may be immediate as of the date of the written notice to Contractor or may be effective as of the date stated in the written notice.

## 2.157 Rights and Obligations upon Termination

- (a) If the State terminates this Contract for any reason, the Contractor must (a) stop all work as specified in the notice of termination, (b) take any action that may be necessary, or that the State may direct, for preservation and protection of Deliverables or other property derived or resulting from this Contract that may be in Contractor's possession, (c) return all materials and property provided directly or indirectly to Contractor by any entity, agent or employee of the State, (d) transfer title in, and deliver to, the State, unless otherwise directed, all Deliverables intended to be transferred to the State at the termination of the Contract and which are resulting from the Contract (which must be provided to the State on an "As-Is" basis except to the extent the amounts paid by the State in respect of the items included compensation to Contractor for the provision of warranty services in respect of the materials), and (e) take any action to mitigate and limit any potential damages, or requests for Contractor adjustment or termination settlement costs, to the maximum practical extent, including terminating or limiting as otherwise applicable those subcontracts and outstanding orders for material and supplies resulting from the terminated Contract.
- (b) If the State terminates this Contract before its expiration for its own convenience, the State must pay Contractor for all charges due for Services provided before the date of termination and, if applicable, as a separate item of payment under this Contract, for Work In Process, on a percentage of completion basis at the level of completion determined by the State. All completed or partially completed Deliverables prepared by Contractor under this Contract, at the option of the State, becomes the State's property, and Contractor is entitled to receive equitable fair compensation for the Deliverables. Regardless of the basis for the termination, the State is not obligated to pay, or otherwise compensate, Contractor for any lost expected future profits, costs or expenses incurred with respect to Services not actually performed for the State.

(c) Upon a good faith termination, the State may assume, at its option, any subcontracts and agreements for services and deliverables provided under this Contract, and may further pursue completion of the Services/Deliverables under this Contract by replacement contract or otherwise as the State may in its sole judgment deem expedient.

# 2.158 Reservation of Rights

Any termination of this Contract or any Statement of Work issued under it by a party must be with full reservation of, and without prejudice to, any rights or remedies otherwise available to the party with respect to any claims arising before or as a result of the termination.

# 2.160 Termination by Contractor

# 2.161 Termination by Contractor

If the State breaches the Contract, and the Contractor in its sole discretion determines that the breach is curable, then the Contractor will provide the State with written notice of the breach and a time period (not less than 30 days) to cure the breach. The Notice of Breach and opportunity to cure is inapplicable for successive and repeated breaches.

The Contractor may terminate this Contract if the State (i) materially breaches its obligation to pay the Contractor undisputed amounts due and owing under this Contract, (ii) breaches its other obligations under this Contract to an extent that makes it impossible or commercially impractical for the Contractor to perform the Services, or (iii) does not cure the breach within the time period specified in a written notice of breach. But the Contractor must discharge its obligations under **Section 2.160** before it terminates the Contract.

## 2.170 Transition Responsibilities

# 2.171 Contractor Transition Responsibilities

If the State terminates this contract, for convenience or cause, or if the Contract is otherwise dissolved, voided, rescinded, nullified, expires or rendered unenforceable, the Contractor agrees to comply with direction provided by the State to assist in the orderly transition of equipment, services, software, leases, etc. to the State or a third party designated by the State. If this Contract expires or terminates, the Contractor agrees to make all reasonable efforts to effect an orderly transition of services within a reasonable period of time that in no event will exceed 60 days. These efforts must include, but are not limited to, those listed in **Sections 2.141, 2.142, 2.143, 2.144, and 2.145.** 

### 2.172 Contractor Personnel Transition

The Contractor must work with the State, or a specified third party, to develop a transition plan setting forth the specific tasks and schedule to be accomplished by the parties, to effect an orderly transition. The Contractor must allow as many personnel as practicable to remain on the job to help the State, or a specified third party, maintain the continuity and consistency of the services required by this Contract. In addition, during or following the transition period, in the event the State requires the Services of the Contractor's subcontractors or vendors, as necessary to meet its needs, Contractor agrees to reasonably, and with good-faith, work with the State to use the Services of Contractor's subcontractors or vendors. Contractor will notify all of Contractor's subcontractors of procedures to be followed during transition.

### 2.173 Contractor Information Transition

The Contractor agrees to provide reasonable detailed specifications for all Services/Deliverables needed by the State, or specified third party, to properly provide the Services/Deliverables required under this Contract. The Contractor will provide the State with asset management data generated from the inception of this Contract through the date on which this Contractor is terminated in a commadelineated format unless otherwise requested by the State. The Contractor will deliver to the State any remaining owed reports and documentation still in Contractor's possession subject to appropriate payment by the State.

## 2.174 Contractor Software Transition

The Contractor must reasonably assist the State in the acquisition of any Contractor software required to perform the Services/use the Deliverables under this Contract. This must include any documentation being used by the Contractor to perform the Services under this Contract. If the State transfers any software licenses to the Contractor, those licenses must, upon expiration of the Contract, transfer back to the State at their current revision level. Upon notification by the State, Contractor may be required to freeze all non-critical changes to Deliverables/Services.

### 2.175 Transition Payments

If the transition results from a termination for any reason, reimbursement must be governed by the termination provisions of this Contract. If the transition results from expiration, the Contractor will be reimbursed for all reasonable transition costs (i.e. costs incurred within the agreed period after contract expiration that result from transition operations) at the rates agreed upon by the State. The Contractor will prepare an accurate accounting from which the State and Contractor may reconcile all outstanding accounts.

# 2.176 State Transition Responsibilities

In the event that this Contract is terminated, dissolved, voided, rescinded, nullified, or otherwise rendered unenforceable, the State agrees to perform the following obligations, and any others upon which the State and the Contractor agree:

- (a) Reconciling all accounts between the State and the Contractor:
- (b) Completing any pending post-project reviews.

## 2.180 Stop Work

## 2.181 Stop Work Orders

The State may, at any time, by written stop work order to Contractor, require that Contractor stop all, or any part, of the work called for by the Contract for a period of up to 90 calendar days after the stop work order is delivered to Contractor, and for any further period to which the parties may agree. The stop work order must be identified as a stop work order and must indicate that it is issued under this **Section 2.150**. Upon receipt of the stop work order, Contractor must immediately comply with its terms and take all reasonable steps to minimize incurring costs allocable to the work covered by the stop work order during the period of work stoppage. Within the period of the stop work order, the State must either: (a) cancel the stop work order; or (b) terminate the work covered by the stop work order as provided in **Section 2.130**.

## 2.182 Cancellation or Expiration of Stop Work Order

The Contractor must resume work if the State cancels a Stop Work Order or if it expires. The parties will agree upon an equitable adjustment in the delivery schedule, the Contract price, or both, and the Contract must be modified, in writing, accordingly, if: (a) the stop work order results in an increase in the time required for, or in Contractor's costs properly allocable to, the performance of any part of the Contract; and (b) Contractor asserts its right to an equitable adjustment within 30 calendar days after the end of the period of work stoppage; provided that, if the State decides the facts justify the action, the State may receive and act upon a Contractor proposal submitted at any time before final payment under the Contract. Any adjustment will conform to the requirements of **Section 2.024**.

#### 2.183 Allowance of Contractor Costs

If the stop work order is not canceled and the work covered by the stop work order is terminated for reasons other than material breach, the termination must be deemed to be a termination for convenience under **Section 2.130**, and the State will pay reasonable costs resulting from the stop work order in arriving at the termination settlement. For the avoidance of doubt, the State is not be liable to Contractor for loss of profits because of a stop work order issued under this **Section 2.150**.

## 2.190 Dispute Resolution

# 2.191 In General

Any claim, counterclaim, or dispute between the State and Contractor arising out of or relating to the Contract or any Statement of Work must be resolved as follows. For all Contractor claims seeking an increase in the amounts payable to Contractor under the Contract, or the time for Contractor's performance, Contractor must submit a letter, together with all data supporting the claims, executed by Contractor's Contract Administrator or the Contract Administrator's designee certifying that (a) the claim is made in good faith, (b) the amount claimed accurately reflects the adjustments in the amounts payable to Contractor or the time for Contractor's performance for which Contractor believes the State is liable and covers all costs of every type to which Contractor is entitled from the occurrence of the claimed event, and (c) the claim and the supporting data are current and complete to Contractor's best knowledge and belief.

### 2.192 Informal Dispute Resolution

- (a) All disputes between the parties must be resolved under the Contract Management procedures in this Contract. If the parties are unable to resolve any disputes after compliance with the processes, the parties must meet with the Director of Purchasing Operations, DMB, or designee, for the purpose of attempting to resolve the dispute without the need for formal legal proceedings, as follows:
  - (i) The representatives of Contractor and the State must meet as often as the parties reasonably deem necessary to gather and furnish to each other all information with respect to the matter in issue which the parties believe to be appropriate and germane in connection with its resolution. The representatives must discuss the problem and negotiate in good faith in an effort to resolve the dispute without the necessity of any formal proceeding.
  - (ii) During the course of negotiations, all reasonable requests made by one party to another for non-privileged information reasonably related to the Contract will be honored in order that each of the parties may be fully advised of the other's position.
  - (iii) The specific format for the discussions will be left to the discretion of the designated State and Contractor representatives, but may include the preparation of agreed upon statements of fact or written statements of position.
  - (iv) Following the completion of this process within 60 calendar days, the Director of Purchasing Operations, DMB, or designee, must issue a written opinion regarding the issue(s) in dispute within 30 calendar days. The opinion regarding the dispute must be considered the State's final action and the exhaustion of administrative remedies.
- (b) This Section will not be construed to prevent either party from instituting, and a party is authorized to institute, formal proceedings earlier to avoid the expiration of any applicable limitations period, to preserve a superior position with respect to other creditors, or under **Section 2.192**.
- (c) The State will not mediate disputes between the Contractor and any other entity, except state agencies, concerning responsibility for performance of work under the Contract.

# 2.193 Injunctive Relief

The only circumstance in which disputes between the State and Contractor will not be subject to the provisions of **Section 2.192** is where a party makes a good faith determination that a breach of the terms of the Contract by the other party is the that the damages to the party resulting from the breach will be so immediate, so large or severe and so incapable of adequate redress after the fact that a temporary restraining order or other immediate injunctive relief is the only adequate remedy.

#### 2.194 Continued Performance

Each party agrees to continue performing its obligations under the Contract while a dispute is being resolved except to the extent the issue in dispute precludes performance (dispute over payment must not be deemed to preclude performance) and without limiting either party's right to terminate the Contract as provided in **Section 2.150**, as the case may be.

## 2.200 Federal and State Contract Requirements

# 2.201 Nondiscrimination

In the performance of the Contract, Contractor agrees not to discriminate against any employee or applicant for employment, with respect to his or her hire, tenure, terms, conditions or privileges of employment, or any matter directly or indirectly related to employment, because of race, color, religion, national origin, ancestry, age, sex, height, weight, marital status, physical or mental disability. Contractor further agrees that every subcontract entered into for the performance of this Contract or any purchase order resulting from this Contract will contain a provision requiring non-discrimination in employment, as specified here, binding upon each Subcontractor. This covenant is required under the Elliot Larsen Civil Rights Act, 1976 PA 453, MCL 37.2101, et seq., and the Persons with Disabilities Civil Rights Act, 1976 PA 220, MCL 37.1101, et seq., and any breach of this provision may be regarded as a material breach of the Contract.

### 2.202 Unfair Labor Practices

Under 1980 PA 278, MCL 423.321, et seq., the State must not award a Contract or subcontract to an employer whose name appears in the current register of employers failing to correct an unfair labor practice compiled under section 2 of the Act. This information is compiled by the United States National Labor Relations Board. A Contractor of the State, in relation to the Contract, must not enter into a contract with a Subcontractor, manufacturer, or supplier whose name appears in this register. Under section 4 of 1980 PA 278, MCL 423.324, the State may void any Contract if, after award of the Contract, the name of Contractor as an employer or the name of the Subcontractor, manufacturer or supplier of Contractor appears in the register.

## 2.203 Workplace Safety and Discriminatory Harassment

In performing Services for the State, the Contractor must comply with the Department of Civil Services Rule 2-20 regarding Workplace Safety and Rule 1-8.3 regarding Discriminatory Harassment. In addition, the Contractor must comply with Civil Service regulations and any applicable agency rules provided to the Contractor. For Civil Service Rules, see http://www.mi.gov/mdcs/0,1607,7-147-6877---,00.html.

## 2.210 Governing Law

# 2.211 Governing Law

The Contract must in all respects be governed by, and construed according to, the substantive laws of the State of Michigan without regard to any Michigan choice of law rules that would apply the substantive law of any other jurisdiction to the extent not inconsistent with, or pre-empted by federal law.

## 2.212 Compliance with Laws

Contractor shall comply with all applicable state, federal and local laws and ordinances in providing the Services/Deliverables.

## 2.213 Jurisdiction

Any dispute arising from the Contract must be resolved in the State of Michigan. With respect to any claim between the parties, Contractor consents to venue in Ingham County, Michigan, and irrevocably waives any objections it may have to the jurisdiction on the grounds of lack of personal jurisdiction of the court or the laying of venue of the court or on the basis of forum non conveniens or otherwise. Contractor agrees to appoint agents in the State of Michigan to receive service of process.

# 2.220 Limitation of Liability

# 2.221 Limitation of Liability

Neither the Contractor nor the State is liable to each other, regardless of the form of action, for consequential, incidental, indirect, or special damages. This limitation of liability does not apply to claims for infringement of United States patent, copyright, trademark or trade secrets; to claims for personal injury or damage to property caused by the gross negligence or willful misconduct of the Contractor; to claims covered by other specific provisions of this Contract calling for liquidated damages; or to court costs or attorney's fees awarded by a court in addition to damages after litigation based on this Contract.

## 2.230 Disclosure Responsibilities

# 2.231 Disclosure of Litigation

- (a) Disclosure. Contractor must disclose any material criminal litigation, investigations or proceedings involving the Contractor (and each Subcontractor) or any of its officers or directors or any litigation, investigations or proceedings under the Sarbanes-Oxley Act. In addition, each Contractor (and each Subcontractor) must notify the State of any material civil litigation, arbitration or proceeding which arises during the term of the Contract and extensions, to which Contractor (or, to the extent Contractor is aware, any Subcontractor) is a party, and which involves: (i) disputes that might reasonably be expected to adversely affect the viability or financial stability of Contractor or any Subcontractor; or (ii) a claim or written allegation of fraud against Contractor or, to the extent Contractor is aware, any Subcontractor by a governmental or public entity arising out of their business dealings with governmental or public entities. The Contractor must disclose in writing to the Contract Administrator any litigation, investigation, arbitration or other proceeding (collectively, "Proceeding") within 30 days of its occurrence. Details of settlements which are prevented from disclosure by the terms of the settlement may be annotated. Information provided to the State from Contractor's publicly filed documents referencing its material litigation will be deemed to satisfy the requirements of this Section.
- (b) Assurances. If any Proceeding disclosed to the State under this Section, or of which the State otherwise becomes aware, during the term of this Contract would cause a reasonable party to be concerned about:
  - (i) the ability of Contractor (or a Subcontractor) to continue to perform this Contract according to its terms and conditions, or
  - (ii) whether Contractor (or a Subcontractor) in performing Services for the State is engaged in conduct which is similar in nature to conduct alleged in the Proceeding, which conduct would constitute a breach of this Contract or a violation of Michigan law, regulations or public policy, then the Contractor must provide the State all reasonable assurances requested by the State to demonstrate that:
    - (a) Contractor and its Subcontractors will be able to continue to perform this Contract and any Statements of Work according to its terms and conditions, and
    - (b) Contractor and its Subcontractors have not and will not engage in conduct in performing the Services which is similar in nature to the conduct alleged in the Proceeding.
- (c) Contractor must make the following notifications in writing:
  - (1) Within 30 days of Contractor becoming aware that a change in its ownership or officers has occurred, or is certain to occur, or a change that could result in changes in the valuation of its capitalized assets in the accounting records, Contractor must notify DMB Purch-Ops.
  - (2) Contractor must also notify DMB Purch-Ops within 30 days whenever changes to asset valuations or any other cost changes have occurred or are certain to occur as a result of a change in ownership or officers.

(3) Contractor must also notify DMB Purch-Ops within 30 days whenever changes to company affiliations occur.

### 2.232 Call Center Disclosure

Contractor and/or all subcontractors involved in the performance of this Contract providing call or contact center services to the State must disclose the location of its call or contact center services to inbound callers. Failure to disclose this information is a material breach of this Contract.

### 2.233 Bankruptcy

The State may, without prejudice to any other right or remedy, terminate this Contract, in whole or in part, and, at its option, may take possession of the "Work in Process" and finish the Works in Process by whatever appropriate method the State may deem expedient if:

- (a) the Contractor files for protection under the bankruptcy laws;
- (b) an involuntary petition is filed against the Contractor and not removed within 30 days;
- (c) the Contractor becomes insolvent or if a receiver is appointed due to the Contractor's insolvency;
- (d) the Contractor makes a general assignment for the benefit of creditors; or
- (e) the Contractor or its affiliates are unable to provide reasonable assurances that the Contractor or its affiliates can deliver the services under this Contract.

Contractor will fix appropriate notices or labels on the Work in Process to indicate ownership by the State. To the extent reasonably possible, materials and Work in Process must be stored separately from other stock and marked conspicuously with labels indicating ownership by the State.

### 2.240 Performance

### 2.241 Time of Performance

- (a) Contractor must use commercially reasonable efforts to provide the resources necessary to complete all Services and Deliverables according to the time schedules contained in the Statements of Work and other Exhibits governing the work, and with professional quality.
- (b) Without limiting the generality of **Section 2.211(a)**, Contractor must notify the State in a timely manner upon becoming aware of any circumstances that may reasonably be expected to jeopardize the timely and successful completion of any Deliverables/Services on the scheduled due dates in the latest State-approved delivery schedule and must inform the State of the projected actual delivery date.
- (c) If the Contractor believes that a delay in performance by the State has caused or will cause the Contractor to be unable to perform its obligations according to specified Contract time periods, the Contractor must notify the State in a timely manner and must use commercially reasonable efforts to perform its obligations according to the Contract time periods notwithstanding the State's failure. Contractor will not be in default for a delay in performance to the extent the delay is caused by the State.

### 2.242 Service Level Agreements (SLA(s))

- (a) SLA(s) will be completed with the following operational considerations:
  - (i) SLA(s) will not be calculated for individual Incidents where any event of Excusable Failure has been determined; Incident means any interruption in Services.
  - (ii) SLA(s) will not be calculated for individual Incidents where loss of service is planned and where the State has received prior notification or coordination.
  - (iii) SLA(s) will not apply if the applicable Incident could have been prevented through planning proposed by Contractor and not implemented at the request of the State. To invoke this consideration, complete documentation relevant to the denied planning proposal must be presented to substantiate the proposal.
  - (iv) Time period measurements will be based on the time Incidents are received by the Contractor and the time that the State receives notification of resolution based on 24x7x365 time period, except that the time period measurement will be suspended based on the following:

- 1. Time period(s) will not apply where Contractor does not have access to a physical State Location and where access to the State Location is necessary for problem identification and resolution.
- 2. Time period(s) will not apply where Contractor needs to obtain timely and accurate information or appropriate feedback and is unable to obtain timely and accurate information or appropriate feedback from the State.
- (b) Chronic Failure for any Service(s) will be defined as three unscheduled outage(s) or interruption(s) on any individual Service for the same reason or cause or if the same reason or cause was reasonably discoverable in the first instance over a rolling 30 day period. Chronic Failure will result in the State's option to terminate the effected individual Service(s) and procure them from a different vendor for the chronic location(s) with Contractor to pay the difference in charges for up to three additional months. The termination of the Service will not affect any tiered pricing levels.
- (c) Root Cause Analysis will be performed on any Business Critical outage(s) or outage(s) on Services when requested by the Contract Administrator. Contractor will provide its analysis within two weeks of outage(s) and provide a recommendation for resolution.
- (d) All decimals must be rounded to two decimal places with five and greater rounding up and four and less rounding down unless otherwise specified.

#### 2.243 Liquidated Damages

The parties acknowledge that late or improper completion of the Work will cause loss and damage to the State, and that it would be impracticable and extremely difficult to fix the actual damage sustained by the State as a result. Therefore, Contractor and the State agree that if there is late or improper completion of the Work and the State does not elect to exercise its rights under section 2.152, the State is entitled to collect liquidated damages as follow:

### (a) Software Viruses:

- (i) In the amount of \$5,000 for each hour or fraction of an hour beyond one that the State is unable to continue use of normal computer operations if any deliverable associated with development, delivery, implementation, conversion of data, or other aspects of the collection system application software provided to the State by the Contractor contains or introduces a virus that results in contamination or damage to the State's operating system environments or equipment. The application software (both baseline software and modifications thereto) provided by the Contractor and used during the course of providing services to the State must be tested by the Contractor for software viruses before installation on the equipment in the State's operating system environment, including any environment provided by subcontractor (if applicable) under Contract to the State, and any updated, substituted, or replacement software must also be tested by the Contractor prior to installation of the software in the State's operating system environment. If damage is done to files as a result of such a virus introduced by the Contractor, the State will collect from the Contractor those actual costs associated with the efforts required to recover or recreate damaged files.
- (ii) If any software deliverables contain a virus that results in the contamination or damage to network or personal computer operating environments, the State will collect liquidated damages from the Contractor in the amount of \$200 for each hour or fraction of an hour beyond one for each piece of equipment which is unable to perform normal computer operations. If damage is done to State data files as a result of such a virus introduced by the Contractor, the State will collect from the Contractor liquidated damages equal to those actual costs associated with the staff effort required to recover or recreate damaged files.
- (b) Other Remedies: The assessment and collection of Liquidated Damages for compliance with section 2.242 shall not be construed to limit in any way any other legal or equitable remedies of the State for such Failure to Comply (including, without limitation, the right to terminate this Contract for cause), except that the State's right to seek actual damages shall be as set forth below. The State may seek actual damages for any Failure to Comply described above (regardless of whether the State terminates this Contract), if in the State's judgment it is possible to fix actual damages for such Failure

to Comply; provided, however, that if the State commences an action or proceeding seeking actual damages for any such Failure to Comply, the State will be entitled to receive only the amount of actual damages awarded in such action or proceeding (after the exhaustion of all appeals) or agreed to by the State and the Contractor in a written settlement agreement.

The State may retain any Liquidated Damages collected for such Failure to Comply pending final determination in such action or proceeding of the amount of actual damages to which the State is entitled. Such Liquidated Damages will be applied by the State as a credit against the amount of actual damages to which the State becomes entitled is less than the liquidated damages collected by the State for such Failure to Comply, the State will promptly refund the difference to the Contractor

### 2.244 Excusable Failure

Neither party will be liable for any default, damage or delay in the performance of its obligations under the Contract to the extent the default, damage or delay is caused by government regulations or requirements (executive, legislative, judicial, military or otherwise), power failure, electrical surges or current fluctuations, lightning, earthquake, war, water or other forces of nature or acts of God, delays or failures of transportation, equipment shortages, suppliers' failures, or acts or omissions of common carriers, fire; riots, civil disorders; strikes or other labor disputes, embargoes; injunctions (provided the injunction was not issued as a result of any fault or negligence of the party seeking to have its default or delay excused); or any other cause beyond the reasonable control of a party; provided the non-performing party and its Subcontractors are without fault in causing the default or delay, and the default or delay could not have been prevented by reasonable precautions and cannot reasonably be circumvented by the non-performing party through the use of alternate sources, workaround plans or other means, including disaster recovery plans.

If a party does not perform its contractual obligations for any of the reasons listed above, the non-performing party will be excused from any further performance of its affected obligation(s) for as long as the circumstances prevail. But the party must use commercially reasonable efforts to recommence performance whenever and to whatever extent possible without delay. A party must promptly notify the other party in writing immediately after the excusable failure occurs, and also when it abates or ends.

If any of the above-enumerated circumstances substantially prevent, hinder, or delay the Contractor's performance of the Services/provision of Deliverables for more than 10 Business Days, and the State determines that performance is not likely to be resumed within a period of time that is satisfactory to the State in its reasonable discretion, then at the State's option: (a) the State may procure the affected Services/Deliverables from an alternate source, and the State is not be liable for payment for the unperformed Services/ Deliverables not provided under the Contract for so long as the delay in performance continues; (b) the State may terminate any portion of the Contract so affected and the charges payable will be equitably adjusted to reflect those Services/Deliverables terminated; or (c) the State may terminate the affected Statement of Work without liability to Contractor as of a date specified by the State in a written notice of termination to the Contractor, except to the extent that the State must pay for Services/Deliverables provided through the date of termination.

The Contractor will not have the right to any additional payments from the State as a result of any Excusable Failure occurrence or to payments for Services not rendered/Deliverables not provided as a result of the Excusable Failure condition. Defaults or delays in performance by Contractor which are caused by acts or omissions of its Subcontractors will not relieve Contractor of its obligations under the Contract except to the extent that a Subcontractor is itself subject to an Excusable Failure condition described above and Contractor cannot reasonably circumvent the effect of the Subcontractor's default or delay in performance through the use of alternate sources, workaround plans or other means.

### 2.250 Approval of Deliverables

See Article 1, Section 1.051 (Criteria) for additional detail.

### 2.251 Delivery Responsibilities

Unless otherwise specified by the State within an individual order, the following must be applicable to all orders issued under this Contract.

- (a) Shipment responsibilities Services performed/Deliverables provided under this Contract must be delivered "FOB Destination, within Government Premises." The Contractor must have complete responsibility for providing all Services/Deliverables to all site(s) unless otherwise stated. Actual delivery dates will be specified on the individual purchase order.
- (b) Delivery locations Services will be performed/Deliverables will be provided at every State of Michigan location within Michigan unless otherwise stated in the SOW. Specific locations will be provided by the State or upon issuance of individual purchase orders.
- (c) Damage Disputes At the time of delivery to State Locations, the State must examine all packages. The quantity of packages delivered must be recorded and any obvious visible or suspected damage must be noted at time of delivery using the shipper's delivery document(s) and appropriate procedures to record the damage.

Where there is no obvious or suspected damage, all deliveries to a State Location must be opened by the State and the contents inspected for possible internal damage not visible externally within 14 days of receipt. Any damage must be reported to the Contractor within five days of inspection.

### 2.252 Delivery of Deliverables

Where applicable, the Statements of Work/POs contain lists of the Deliverables to be prepared and delivered by Contractor including, for each Deliverable, the scheduled delivery date and a designation of whether the Deliverable is a document ("Written Deliverable"), a good ("Physical Deliverable") or a Service. All Deliverables must be completed and delivered for State review and written approval and, where applicable, installed according to the State-approved delivery schedule and any other applicable terms and conditions of the Contract.

#### 2.253 Testing

- (a) Before delivering any of the above-mentioned Statement of Work Physical Deliverables or Services to the State, Contractor will first perform all required quality assurance activities to verify that the Physical Deliverable or Service is complete and conforms with its specifications listed in the applicable Statement of Work or Purchase Order. Before delivering a Physical Deliverable or Service to the State, Contractor must certify to the State that (1) it has performed the quality assurance activities, (2) it has performed any applicable testing, (3) it has corrected all material deficiencies discovered during the quality assurance activities and testing, (4) the Deliverable or Service is in a suitable state of readiness for the State's review and approval, and (5) the Deliverable/Service has all Critical Security patches/updates applied.
- (b) If a Deliverable includes installation at a State Location, then Contractor must (1) perform any applicable testing, (2) correct all material deficiencies discovered during the quality assurance activities and testing, and (3) inform the State that the Deliverable is in a suitable state of readiness for the State's review and approval. To the extent that testing occurs at State Locations, the State is entitled to observe or otherwise participate in testing.

### 2.254 Approval of Deliverables, In General

- (a) All Deliverables (Physical Deliverables and Written Deliverables) and Services require formal written approval by the State, according to the following procedures. Formal approval by the State requires the State to confirm in writing that the Deliverable meets its specifications. Formal approval may include the successful completion of Testing as applicable in **Section 2.253**, to be led by the State with the support and assistance of Contractor. The approval process will be facilitated by ongoing consultation between the parties, inspection of interim and intermediate Deliverables and collaboration on key decisions.
- (b) The State's obligation to comply with any State Review Period is conditioned on the timely delivery of Deliverables/Services being reviewed.

- (c) Before commencement of its review or testing of a Deliverable/Service, the State may inspect the Deliverable/Service to confirm that all components of the Deliverable/Service have been delivered without material deficiencies. If the State determines that the Deliverable/Service has material deficiencies, the State may refuse delivery of the Deliverable/Service without performing any further inspection or testing of the Deliverable/Service. Otherwise, the review period will be deemed to have started on the day the State receives the Deliverable or the Service begins, and the State and Contractor agree that the Deliverable/Service is ready for use and, where applicable, certification by Contractor according to **Section 2.253**.
- (d) The State will approve in writing a Deliverable/Service after confirming that it conforms to and performs according to its specifications without material deficiency. The State may, but is not be required to, conditionally approve in writing a Deliverable/Service that contains material deficiencies if the State elects to permit Contractor to rectify them post-approval. In any case, Contractor will be responsible for working diligently to correct within a reasonable time at Contractor's expense all deficiencies in the Deliverable/Service that remain outstanding at the time of State approval.
- (e) If, after three opportunities (the original and two repeat efforts), the Contractor is unable to correct all deficiencies preventing Final Acceptance of a Deliverable/Service, the State may: (i) demand that the Contractor cure the failure and give the Contractor additional time to cure the failure at the sole expense of the Contractor; or (ii) keep the Contract in force and do, either itself or through other parties, whatever the Contractor has failed to do, and recover the difference between the cost to cure the deficiency and the contract price plus an additional sum equal to 10% of the cost to cure the deficiency to cover the State's general expenses provided the State can furnish proof of the general expenses; or (iii) terminate the particular Statement of Work for default, either in whole or in part by notice to Contractor provided Contractor is unable to cure the breach. Notwithstanding the foregoing, the State cannot use, as a basis for exercising its termination rights under this Section, deficiencies discovered in a repeat State Review Period that could reasonably have been discovered during a prior State Review Period.
- (f) The State, at any time and in its reasonable discretion, may halt the testing or approval process if the process reveals deficiencies in or problems with a Deliverable/Service in a sufficient quantity or of a sufficient severity that renders continuing the process unproductive or unworkable. If that happens, the State may stop using the Service or return the applicable Deliverable to Contractor for correction and re-delivery before resuming the testing or approval process.

### 2.255 Process For Approval of Written Deliverables

The State Review Period for Written Deliverables will be the number of days set forth in the applicable Statement of Work following delivery of the final version of the Deliverable (and if the Statement of Work does not state the State Review Period, it is by default five Business Days for Written Deliverables of 100 pages or less and 10 Business Days for Written Deliverables of more than 100 pages). The duration of the State Review Periods will be doubled if the State has not had an opportunity to review an interim draft of the Written Deliverable before its submission to the State. The State agrees to notify Contractor in writing by the end of the State Review Period either stating that the Deliverable is approved in the form delivered by Contractor or describing any deficiencies that must be corrected before approval of the Deliverable (or at the State's election, after approval of the Deliverable). If the State notifies the Contractor about deficiencies, the Contractor will correct the described deficiencies and within 30 Business Days resubmit the Deliverable in a form that shows all revisions made to the original version delivered to the State. Contractor's correction efforts will be made at no additional charge. Upon receipt of a corrected Deliverable from Contractor, the State will have a reasonable additional period of time, not to exceed the length of the original State Review Period, to review the corrected Deliverable to confirm that the identified deficiencies have been corrected.

### 2.256 Process for Approval of Services

The State Review Period for approval of Services is governed by the applicable Statement of Work (and if the Statement of Work does not state the State Review Period, it is by default 30 Business Days for Services). The State agrees to notify the Contractor in writing by the end of the State Review Period either stating that the Service is approved in the form delivered by the Contractor or describing any deficiencies that must be corrected before approval of the Services (or at the State's election, after approval of the Service). If the State delivers to the Contractor a notice of deficiencies, the Contractor will correct the described deficiencies and within 30 Business Days resubmit the Service in a form that shows all revisions made to the original version delivered to the State. The Contractor's correction efforts will be made at no additional charge. Upon implementation of a corrected Service from Contractor, the State will have a reasonable additional period of time, not to exceed the length of the original State Review Period, to review the corrected Service for conformity and that the identified deficiencies have been corrected.

### 2.257 Process for Approval of Physical Deliverables

The State Review Period for approval of Physical Deliverables is governed by the applicable Statement of Work (and if the Statement of Work does not state the State Review Period, it is by default 30 continuous Business Days for a Physical Deliverable). The State agrees to notify the Contractor in writing by the end of the State Review Period either stating that the Deliverable is approved in the form delivered by the Contractor or describing any deficiencies that must be corrected before approval of the Deliverable (or at the State's election, after approval of the Deliverable). If the State delivers to the Contractor a notice of deficiencies, the Contractor will correct the described deficiencies and within 30 Business Days resubmit the Deliverable in a form that shows all revisions made to the original version delivered to the State. The Contractor's correction efforts will be made at no additional charge. Upon receipt of a corrected Deliverable from the Contractor, the State will have a reasonable additional period of time, not to exceed the length of the original State Review Period, to review the corrected Deliverable to confirm that the identified deficiencies have been corrected.

#### 2.258 Final Acceptance

Unless otherwise stated in the Article 1, Statement of Work or Purchase Order, "Final Acceptance" of each Deliverable must occur when each Deliverable/Service has been approved by the State following the State Review Periods identified in **Sections 2.251-2.257**. Payment will be made for Deliverables installed and accepted. Upon acceptance of a Service, the State will pay for all Services provided during the State Review Period that conformed to the acceptance criteria.

### 2.260 Ownership

#### 2.261 Ownership of Work Product by State

The State owns all Deliverables as they are works made for hire by the Contractor for the State. The State owns all United States and international copyrights, trademarks, patents or other proprietary rights in the Deliverables.

#### 2.262 Vesting of Rights

With the sole exception of any preexisting licensed works identified in the SOW, the Contractor assigns, and upon creation of each Deliverable automatically assigns, to the State, ownership of all United States and international copyrights, trademarks, patents, or other proprietary rights in each and every Deliverable, whether or not registered by the Contractor, insofar as any the Deliverable, by operation of law, may not be considered work made for hire by the Contractor for the State. From time to time upon the State's request, the Contractor must confirm the assignment by execution and delivery of the assignments, confirmations of assignment, or other written instruments as the State may request. The State may obtain and hold in its own name all copyright, trademark, and patent registrations and other evidence of rights that may be available for Deliverables.

### 2.263 Rights in Data

- (a) The State is the owner of all data made available by the State to the Contractor or its agents, Subcontractors or representatives under the Contract. The Contractor will not use the State's data for any purpose other than providing the Services, nor will any part of the State's data be disclosed, sold, assigned, leased or otherwise disposed of to the general public or to specific third parties or commercially exploited by or on behalf of the Contractor. No employees of the Contractor, other than those on a strictly need-to-know basis, have access to the State's data. Contractor will not possess or assert any lien or other right against the State's data. Without limiting the generality of this Section, the Contractor must only use personally identifiable information as strictly necessary to provide the Services and must disclose the information only to its employees who have a strict need-to-know the information. The Contractor must comply at all times with all laws and regulations applicable to the personally identifiable information.
- (b) The State is the owner of all State-specific data under the Contract. The State may use the data provided by the Contractor for any purpose. The State will not possess or assert any lien or other right against the Contractor's data. Without limiting the generality of this Section, the State may use personally identifiable information only as strictly necessary to utilize the Services and must disclose the information only to its employees who have a strict need to know the information, except as provided by law. The State must comply at all times with all laws and regulations applicable to the personally identifiable information. Other material developed and provided to the State remains the State's sole and exclusive property.

### 2.264 Ownership of Materials

The State and the Contractor will continue to own their respective proprietary technologies developed before entering into the Contract. Any hardware bought through the Contractor by the State, and paid for by the State, will be owned by the State. Any software licensed through the Contractor and sold to the State, will be licensed directly to the State.

#### 2.270 State Standards

#### 2.271 Existing Technology Standards

The Contractor will adhere to all existing standards as described within the comprehensive listing of the State's existing technology standards at <a href="http://www.michigan.gov/dit">http://www.michigan.gov/dit</a>.

#### 2.272 Acceptable Use Policy

To the extent that Contractor has access to the State computer system, Contractor must comply with the State's Acceptable Use Policy, see <a href="http://www.michigan.gov/ditservice">http://www.michigan.gov/ditservice</a>. All Contractor employees must be required, in writing, to agree to the State's Acceptable Use Policy before accessing the State system. The State reserves the right to terminate Contractor's access to the State system if a violation occurs.

### 2.273 Systems Changes

Contractor is not responsible for and not authorized to make changes to any State systems without written authorization from the Project Manager. Any changes Contractor makes to State systems with the State's approval must be done according to applicable State procedures, including security, access and configuration management procedures.

### 2.280 Extended Purchasing

### 2.281 MiDEAL

Act Number 431 of the Public Acts of 1984 permits the State of Michigan, Department of Management and Budget, to provide purchasing services to any city, village, county, township, school district, intermediate school district, non-profit hospital, institution of higher education, community, or junior college. As a result of the enactment of this legislation, the MIDEAL Program has been developed.

This program extends the use of state contracts to program members. The governmental agency must enter into an agreement with the State of Michigan to become authorized to participate, thus ensuring that local units of government secure a greater return for the expenditure of public funds.

In those cases, contract vendors supply merchandise at the established State of Michigan contract prices and terms. The Bidder must submit invoices and pay the authorized MIDEAL member on a direct and individual basis according to contract terms.

# THIS CONTRACT IS AVAILABLE TO ALL STATE OF MICHIGAN AGENCIES AND AUTHORIZED MIDEAL PURCHASING PROGRAM MEMBERS.

Please Visit Mi DEAL at www.michigan.gov/buymichiganfirst under MiDeal.

### 2.282 State Employee Purchases

The State allows State employees to purchase from this Contract. Unless otherwise stated, it is the responsibility of the Contractor to ensure that the State employee is an authorized purchaser before extending the Contract pricing.

The Contractor will supply Contract Services and Deliverables at the established State of Michigan contract prices and terms to the extent applicable and where available. The Contractor must send its invoices to and pay the State employee on a direct and individual basis.

To the extent that authorized State employees purchase quantities of Services or Deliverables under this Contract, the quantities of Services and/or Deliverables purchased will be included in determining the appropriate rate wherever tiered pricing based on quantity is provided.

#### 2.290 Environmental Provision

### 2.291 Environmental Provision

Energy Efficiency Purchasing Policy – The State seeks wherever possible to purchase energy efficient products. This includes giving preference to U.S. Environmental Protection Agency (EPA) certified 'Energy Star' products for any category of products for which EPA has established Energy Star certification. For other purchases, the State may include energy efficiency as one of the priority factors to consider when choosing among comparable products.

Environmental Purchasing Policy – The State of Michigan is committed to encouraging the use of products and services that impact the environment less than competing products. The State is accomplishing this by including environmental considerations in purchasing decisions, while remaining fiscally responsible, to promote practices that improve worker health, conserve natural resources, and prevent pollution. Environmental components that are to be considered include: recycled content and recyclability; energy efficiency; and the presence of undesirable materials in the products, especially those toxic chemicals which are persistent and bioaccumulative. The Contractor should be able to supply products containing recycled and environmentally preferable materials that meet performance requirements and is encouraged to offer such products throughout the duration of this Contract. Information on any relevant third party certification (such as Green Seal, Energy Star, etc.) should also be provided.

#### Hazardous Materials:

For the purposes of this Section, "Hazardous Materials" is a generic term used to describe asbestos, ACBMs, PCBs, petroleum products, construction materials including paint thinners, solvents, gasoline, oil, and any other material the manufacture, use, treatment, storage, transportation or disposal of which is regulated by the federal, state or local laws governing the protection of the public health, natural resources or the environment. This includes, but is not limited to, materials the as batteries and circuit

packs, and other materials that are regulated as (1) "Hazardous Materials" under the Hazardous Materials Transportation Act, (2) "chemical hazards" under the Occupational Safety and Health Administration standards, (3) "chemical substances or mixtures" under the Toxic Substances Control Act, (4) "pesticides" under the Federal Insecticide Fungicide and Rodenticide Act, and (5) "hazardous wastes" as defined or listed under the Resource Conservation and Recovery Act.

- (a) The Contractor must use, handle, store, dispose of, process, transport and transfer any material considered a Hazardous Material according to all federal, State and local laws. The State must provide a safe and suitable environment for performance of Contractor's Work. Before the commencement of Work, the State must advise the Contractor of the presence at the work site of any Hazardous Material to the extent that the State is aware of the Hazardous Material. If the Contractor encounters material reasonably believed to be a Hazardous Material and which may present a substantial danger, the Contractor must immediately stop all affected Work, notify the State in writing about the conditions encountered, and take appropriate health and safety precautions.
- (b) Upon receipt of a written notice, the State will investigate the conditions. If (a) the material is a Hazardous Material that may present a substantial danger, and (b) the Hazardous Material was not brought to the site by the Contractor, or does not result in whole or in part from any violation by the Contractor of any laws covering the use, handling, storage, disposal of, processing, transport and transfer of Hazardous Materials, the State must order a suspension of Work in writing. The State must proceed to have the Hazardous Material removed or rendered harmless. In the alternative, the State must terminate the affected Work for the State's convenience.
- (c) Once the Hazardous Material has been removed or rendered harmless by the State, the Contractor must resume Work as directed in writing by the State. Any determination by the Michigan Department of Community Health or the Michigan Department of Environmental Quality that the Hazardous Material has either been removed or rendered harmless is binding upon the State and Contractor for the purposes of resuming the Work. If any incident with Hazardous Material results in delay not reasonable anticipatable under the circumstances and which is attributable to the State, the applicable SLA(s) for the affected Work will not be counted in time as mutually agreed by the parties.
- (d) If the Hazardous Material was brought to the site by the Contractor, or results in whole or in part from any violation by the Contractor of any laws covering the use, handling, storage, disposal of, processing, transport and transfer of Hazardous Material, or from any other act or omission within the control of the Contractor, the Contractor must bear its proportionate share of the delay and costs involved in cleaning up the site and removing and rendering harmless the Hazardous Material according to Applicable Laws to the condition approved by applicable regulatory agency(ies).

Michigan has a Consumer Products Rule pertaining to labeling of certain products containing volatile organic compounds. For specific details visit http://www.michigan.gov/deq/0,1607,7-135-3310\_4108-173523--,00.html

#### Refrigeration and Air Conditioning:

The Contractor shall comply with the applicable requirements of Sections 608 and 609 of the Clean Air Act (42 U.S.C. 7671g and 7671h) as each or both apply to this contract.

#### **Environmental Performance:**

Waste Reduction Program - Contractor shall establish a program to promote cost-effective waste reduction in all operations and facilities covered by this contract. The Contractor's programs shall comply with applicable Federal, State, and local requirements, specifically including Section 6002 of the Resource Conservation and Recovery Act (42 U.S.C. 6962, et seq.).

### <u>Attachment A – Pricing Matrix</u>

| SECTION -<br>CATEGORY   | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER     | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------|-------------------------------|---|--------------------|-----------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 1.0 - Fixed<br>Stations | Kenwood<br>USA<br>Corporation | TKR-7400 repeater / base station basic configuration includes 5W continuous duty repeater and 19-inch rack mountable 20A DC power supply. Includes factory tuning and staging, one service manual and programming software, (146 - 162 MHz) |                    | TKR7400PSK<br>1 | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations | Kenwood<br>USA<br>Corporation | TKR-8400P repeater basic configuration includes 5W continuous duty repeater and 19-inch rack mountable 20A DC power supply. Includes factory tuning and staging, one service manual and programming software. (450 - 480 MHz)               |                    | TKR8400PSK<br>1 | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations | Kenwood<br>USA<br>Corporation | UHF 16CH REPEATER(400-430) 40W  |                    | TKR-850K3       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations | Kenwood<br>USA<br>Corporation | UHF 16CH REPEATER(480-512) 40W  |                    | TKR-850K2       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations | Kenwood<br>USA<br>Corporation | UHF 16CH REPEATER(450-480) 40W  |                    | TKR-850K        | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations | Kenwood<br>USA<br>Corporation | VHF 16CH REPEATER(136-150) 50W  |                    | TKR-750K2       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY                 | MANUFACTURE                   | MODEL DESCRIPTION                               | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|---------------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 1.0 - Fixed<br>Stations               | Kenwood<br>USA<br>Corporation | VHF 16CH REPEATER(146-174) 50W                  |                    | TKR-750K    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations               | Kenwood<br>USA<br>Corporation | UHF DIGITAL REPEATER 5W 400-<br>430MHZ          |                    | NXR-800K3   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations               | Kenwood<br>USA<br>Corporation | UHF DIGITAL REPEATER 5W 480-<br>512MHZ          |                    | NXR-800K2   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations               | Kenwood<br>USA<br>Corporation | UHF DIGITAL REPEATER 5W 450-<br>480MHZ          |                    | NXR-800K    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations               | Kenwood<br>USA<br>Corporation | VHF DIGITAL REPEATER 5W 136-<br>150MHZ          |                    | NXR-700K2   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations               | Kenwood<br>USA<br>Corporation | VHF DIGITAL REPEATER 5W 146-<br>174MHZ          |                    | NXR-700K    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations               | Kenwood<br>USA<br>Corporation | Low Power Base Station Repeater 136-<br>174 MHz |                    | NXR-710K    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations               | Kenwood<br>USA<br>Corporation | Low Power Base Station Repeater 450-<br>520 MHz |                    | NXR-810K    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations               | Kenwood<br>USA<br>Corporation | P25 Controller                                  |                    | KSGCP401    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.0 - Fixed<br>Stations               | Kenwood<br>USA<br>Corporation | Channel Card                                    |                    | KSGCP402    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood<br>USA<br>Corporation | Circuit Modification for existing repeaters     |                    | KSGMODP2    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY      | MANUFACTURE    | MODEL DESCRIPTION                    | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|----------------|--------------------------------------|--------------------|-------------|------------------------------|---|---|------------------------------------|---------------------------|
|                            |                |                                      |                    |             | GE                           | with model)                                 | WARRA<br>NTY                            |                                    |                           |
| 1.1 - Fixed                | Kenwood        | 50 w continuous duty RF Amplifier    |                    |             |                              |   |   |                                    |                           |
| Station                    | USA            | , ,                                  |                    | VCC 4 30.4C | 25.0%                        | 25.0%                                       |   |                                    |                           |
| Accessories<br>1.1 - Fixed | Corporation    | option for repeater station          |                    | KSGA204S    |                              |   |   | YES                                | N/A                       |
| Station                    | Kenwood<br>USA | 110 W continuous duty RF Amplifier   |                    |             | 25.0%                        | 25.0%                                       |   |                                    |                           |
| Accessories                | Corporation    | option for repeater station          |                    | KSGA211s    | 25.076                       | 25.0 /6                                     |   | YES                                | N/A                       |
| 1.1 - Fixed                | Kenwood        | option to repeater station           |                    | 1.00/12110  |                              |   |   | ILO                                | IN/A                      |
| Station                    | USA            | 150W continuous duty RF amplifier    |                    |             | 25.0%                        | 25.0%                                       |   |                                    |                           |
| Accessories                | Corporation    | option for repeater station          |                    | KSGA215S    |                              |   |   | YES                                | N/A                       |
| 1.1 - Fixed                | Kenwood        |                                      |                    |             |                              |   |   |                                    |                           |
| Station                    | USA            | 40W CONTINUOUS DUTY RF AMPLIFIER     |                    |             | 25.0%                        | 25.0%                                       |   |                                    |                           |
| Accessories                | Corporation    | OPTION FOR REPEATER STATION          |                    | KSGA304S    |                              |   |   | YES                                | N/A                       |
| 1.1 - Fixed                | Kenwood        | 100W CONTINUOUS DUTY RF              |                    |             |                              |   |   |                                    |                           |
| Station                    | USA            | AMPLIFIER OPTION FOR REPEATER        |                    |             | 25.0%                        | 25.0%                                       |   |                                    |                           |
| Accessories                | Corporation    | STATION                              |                    | KSGA310S    |                              |   |   | YES                                | N/A                       |
| 1.1 - Fixed                | Kenwood        | 150W CONTINUOUS DUTY RF              |                    |             |                              |   |   |                                    |                           |
| Station                    | USA            | AMPLIFIER OPTION FOR REPEATER        |                    |             | 25.0%                        | 25.0%                                       |   |                                    |                           |
| Accessories                | Corporation    | STATION                              |                    | KSGA315S    |                              |   |   | YES                                | N/A                       |
| 1.1 - Fixed                | Kenwood        |                                      |                    |             |                              |   |   | -                                  |                           |
| Station                    | USA            | Upgrade from 40A to 35A powersupply  |                    |             | 25.0%                        | 25.0%                                       |   |                                    |                           |
| Accessories                | Corporation    | with smart charger                   |                    | KSGPWR34    |                              |   |   | YES                                | N/A                       |
| 1.1 - Fixed                | Kenwood        | Unarada from 101 to 701 nower        |                    |             |                              |   |   |                                    |                           |
| Station                    | USA            | Upgrade from 40A to 70A power        |                    | VCCDVVD74   | 25.0%                        | 25.0%                                       |   |                                    |                           |
| Accessories                | Corporation    | supply                               |                    | KSGPWR74    |                              |   |   | YES                                | N/A                       |
| 1.1 - Fixed<br>Station     | Kenwood<br>USA | Upgrade from 40A to 70A power        |                    |             | 25.0%                        | 25.0%                                       |   |                                    |                           |
| Accessories                | Corporation    | supply with smart charger            |                    | KSGPWRB4    | 25.0%                        | 20.070                                      |   | YES                                | N/A                       |
| 1.1 - Fixed                | Kenwood        | Supply With Smart charger            |                    |             |                              |   |   | IES                                | IN/A                      |
| Station                    | USA            | Upgrade from 70A to 70A Power supply |                    |             | 25.0%                        | 25.0%                                       |   |                                    |                           |
| Accessories                | Corporation    | with smart charger                   |                    | KSGPWRH7    |                              |   |   | YES                                | N/A                       |
| 1.1 - Fixed                | Kenwood        |                                      |                    |             | OF 00/                       | 05.00/                                      |   |                                    |                           |
| Station                    | USA            | 17 RU (3') Aluminum equipment rack   |                    | KSGMRCK3    | 25.0%                        | 25.0%                                       |   | YES                                | N/A                       |

|                                       |                               | <del></del>                                |                    |             | •                                  |   |   |                                    |                           |
|---------------------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY                 | MANUFACTURE                   | MODEL DESCRIPTION                          | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| Accessories                           | Corporation                   |  |                    |             |                                    |   |   |                                    |                           |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood<br>USA<br>Corporation | 45 RU (7') Aluminum equipment rack         |                    | KSGMRCK7    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood<br>USA<br>Corporation | 20 RU (42") Locking Cabinet                |                    | KSGMCAB2    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood<br>USA<br>Corporation | 40 RU (77") Locking Cabinet                |                    | KSGMCAB4    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood<br>USA<br>Corporation | cabinet solid top upgrade                  |                    | KSGMCABT    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood<br>USA<br>Corporation | 6 cavity VHF BPBR Duplexer                 |                    | KSGD2P1B    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood<br>USA<br>Corporation | DB8M to USB Type A connector               |                    | KCT-53UM    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 1.1 - Fixed<br>Station<br>Accessories | Kenwood<br>USA<br>Corporation | Cabinet fan top upgrade                    |                    | KSGMCABF    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 2.0 - MOBILE<br>RADIOS                | Kenwood<br>USA<br>Corporation | Digital 136-174 MHz 30W, 512 CH / 128 Zone | 136-174<br>MHz     | NX-700K     | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS                | Kenwood<br>USA<br>Corporation | Digital 136-174 MHz 50W, 512 CH / 128 Zone | 136-<br>174MHz     | NX-700HK    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS                | Kenwood<br>USA<br>Corporation | Digital 450-520 MHz 30W, 512 CH / 128 Zone | 450-520<br>MHz     | NX-800K     | 25.0%                              | 25.0%   |   | YES                                | YES                       |



|                        |                               |   | 1                  |             |                                    |   |   |                                    |                           |
|------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY  | MANUFACTURE                   | MODEL DESCRIPTION                                     | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital 400-470 MHz 30W, 512 CH / 128 Zone            | 400-470<br>MHz     | NX-800K2    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital450-520 MHz 45W, 512 CH / 128 Zone             | 450-520<br>MHz     | NX-800HK    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-470 MHz 45W, 512 CH / 128 Zone                    | 400-470<br>MHz     | NX-800HK2   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 29.7-37.0 MHz, 110W, 160 Channels (R.F. DECK ONLY)    | 23.7-37.0<br>MHz   | TK-690HBK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 35.0-43.0 MHz, 110W, 160 Channels (R.F. DECK ONLY)    | 35.0-43.0<br>MHz   | TK-690HBK2  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 39.0-50.0 MHz, 110W, 160 Channels (R.F. DECK ONLY)    | 39.0-50.0<br>MHz   | TK-690HBK3  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 148-174 MHz, 45W, 160 Channels (R.F. DECK ONLY)       | 148-<br>174MHZ     | TK-790BK    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-156 MHz, 45W, 160 Channels<br>(R.F. DECK ONLY)    | 136-156<br>MHz     | TK-790BK2   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 148-174 MHz, 110W, 160 Channels<br>(R.F. DECK ONLY)   | 148-174<br>MHz     | TK-790HBK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 148-174 MHz, Basic Front("BMD"),<br>45W, 160 Channels | 148-174<br>MHz     | TK-790K     | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz, 40W, 160 Channels<br>(R.F. DECK ONLY)    | 450-490<br>MHz     | TK-890BK    | 25.0%                              | 25.0%   |   | YES                                | YES                       |

| ILLIAVIOO              | D 1 1000                      | 301 Li01  |                    |             |                                    |   |   |                                    |                           |
|------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY  | MANUFACTURE                   | MODEL DESCRIPTION                                     | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 480-512 MHz, 40W, 160 Channels<br>(R.F. DECK ONLY)    | 480-512<br>MHz     | TK-890BK2   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 403-430 MHz, 40W, 160 Channels (R.F. DECK ONLY)       | 403-430<br>MHz     | TK-890BK3   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-480 MHz, 100/75W, 160 Channels (R.F. DECK ONLY)   | 450-480<br>MHz     | TK-890HBK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz, Basic Front("BMD"),<br>40W, 160 Channels | 450-490<br>MHz     | TK-890K     | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 146-174 MHz 50W, 4 CH x 2 Banks<br>Conventional       | 146-174<br>MHz     | TK-7102HK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 45W, 4 CH x 2 Banks<br>Conventional       | 450-490<br>MHz     | TK-8102HK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 30W, 512 CH / 128 Zone<br>CONV-& LTR      | 136-174<br>MHz     | TK-7180K    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 50W, 512 CH / 128 Zone<br>CONV-& LTR      | 136-174<br>MHz     | TK-7180HK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-520 MHz 30W, 512 CH / 128 Zone<br>CONV-& LTR      | 450-520<br>MHz     | TK-8180K    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-520 MHz 45W, 512 CH / 128 Zone<br>CONV-& LTR      | 450-520<br>MHz     | TK-8180HK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-470 MHz 30W, 512 CH / 128 Zone<br>CONV-& LTR      | 400-470<br>MHz     | TK-8180K2   | 25.0%                              | 25.0%   |   | YES                                | YES                       |



| ILLIAMOO               | DIROD                         | JOT LIGT  |                    |             |                                    |   |   | 1                                  |                           |
|------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY  | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-470 MHz 45W, 512 CH / 128 Zone<br>CONV-& LTR          | 400-470<br>MHz     | TK-8180HK2  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 25W, 128 CH / 128 Zone<br>Conventional        | 136-174<br>MHz     | TK-7160K    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 50W, 128 CH / 128 Zone<br>Conventional        | 136-174<br>MHz     | TK-7160HK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 25W, 128 CH / 128 Zone<br>Conventional        | 450-490<br>MHz     | TK-8160K    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 45W, 128 CH / 128 Zone<br>Conventional        | 450-490<br>MHz     | TK-8160HK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz, 50 W, 128 Conventional/<br>32 LTR Zones max. | 136-174<br>MHz     | TK-7150     | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-500 MHz, 45 W, 128 Conventional/<br>32 LTR Zones max. | 400-500<br>MHz     | TK-8150     | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 25W, 16 CH / 2 Zone<br>Conventional           | 136-174<br>MHz     | TK-7302VK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 50W, 16 CH / 2 Zone<br>Conventional           | 136-174<br>MHz     | TK-7302HVK  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-520 MHz 25W, 16 CH / 2 Zone<br>Conventional           | 450-520<br>MHz     | TK-8302UK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-520 MHz 45W, 16 CH / 2 Zone<br>Conventional           | 450-520<br>MHz     | TK-8302HUK  | 25.0%                              | 25.0%   |   | YES                                | YES                       |



| SECTION -<br>CATEGORY    | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER      | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|-------------------------------|---|--------------------|------------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 2.0 - MOBILE<br>RADIOS   | Kenwood<br>USA<br>Corporation | 148-174 MHz 25W, 8 CH   | 148-174<br>MHz     | TK-762GK         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood<br>USA<br>Corporation | 148-174 MHz 50W, 8 CH   | 148-174<br>MHz     | TK-762HGK        | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood<br>USA<br>Corporation | 450-490 MHz 25W, 8 CH   | 450-490<br>MHz     | TK-862GK         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood<br>USA<br>Corporation | VHF Low Band 29.7 – 37.0 MHz 70W, 32 Channels   | 29.7-37.0<br>MHz   | TK-6110K         | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 2.0 - MOBILE<br>RADIOS   | Kenwood<br>USA<br>Corporation | VHF Low Band 35.0 – 50.0 MHz 70W,<br>32 Channels  | 35.0-50.0<br>MHz   | TK-6110K2        | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys  | 136-174<br>MHz     | NX-200K          | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad  | 136-174<br>MHz     | NX-200K2         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad  | 136-174<br>MHz     | NX-210K2         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>KeypadVHF Li-Ion Battery Package<br>(NX-210K2 + KNB-33L + KSC-32 +<br>KBH-11 + KRA-26M) | 136-174<br>MHz     | NX-210K2-<br>LKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys  | 450-520<br>MHz     | NX-300K          | 25.0%                              | 25.0%   |   | YES                                | YES                       |



|                          | - : : : : : : :               | 30: 2:0:   |                    |             |                                    |   |   |                                    |                           |
|--------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY    | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys                  | 400-470<br>MHz     | NX-300K2    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad | 450-520<br>MHz     | NX-300K3    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad | 400-470<br>MHz     | NX-300K4    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys                 | 136-174<br>MHz     | NX-200-ISK  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad | 136-174<br>MHz     | NX-200-ISK2 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys                 | 450-520<br>MHz     | NX-300-ISK  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital 400-470MHz 5W, 14 characters Alphanumeric LCD, 6 Control Keys                    | 400-470<br>MHz     | NX-300-ISK2 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad | 450-520<br>MHz     | NX-300-ISK3 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Digital 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad | 400-470<br>MHz     | NX-300-ISK4 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR  | 136-174<br>MHz     | TK-2180K    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR with DTMF keypad                         | 136-174<br>MHz     | TK-2180K2   | 25.0%                              | 25.0%   |   | YES                                | YES                       |



| SECTION -<br>CATEGORY    | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|-------------------------------|---|--------------------|-------------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-520 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR   | 450-520<br>MHz     | TK-3180K          | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-470 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR   | 400-470<br>MHz     | TK-3180K2         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-520 MHz 5W, 512 CH / 128 Zone CONV-& LTR with DTMF Keypad   | 450-520<br>MHz     | TK-3180K3         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-470 MHz 5W, 512 CH / 128 Zone CONV-& LTR with DTMF Keypad   | 400-470<br>MHz     | TK-3180K4         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 512 CH /128 Zone<br>CONV-& LTR VHF Li-Ion Battery<br>Package (TK-2180K + KNB-33L + KSC-<br>32 + KBH-11) | 136-174<br>MHz     | TK-2180K-<br>LKP  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 512 CH/ 128 Zone<br>CONV-& LTR VHF NiMH Battery<br>Package (TK-2180K + KNB-54N +<br>KSC-32 + KBH-11)    | 136-174<br>MHz     | TK-2180K-<br>NKP  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-470 MHz 5W, 512 CH/128 Zone<br>CONV-& LTR UHF Li-Ion Battery<br>Package (TK-3180K2 + KNB-33L +<br>KSC-32 + KBH-11)  | 400-470<br>MHz     | TK-3180K2-<br>LKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-470 MHz 5W, 512 CH/ 128 Zone<br>CONV-& LTR UHF NiMH Battery<br>Package (TK-3180K2 + KNB-54N +<br>KSC-32 + KBH-11)   | 400-470<br>MHz     | TK-3180K2-<br>NKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-520 MHz 5W, 512 CH/ 128 ZONE<br>CONV-& LTR UHF Li-Ion Battery<br>Package (TK-3180K + KNB-33L + KSC-<br>32 + KBH-11) | 450-520<br>MHz     | TK-3180K-<br>LKP  | 25.0%                              | 25.0%   |   | YES                                | YES                       |



| SECTION -<br>CATEGORY    | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER      | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|-------------------------------|---|--------------------|------------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-520 MHz 5W, 512 CH/ 128 Zone<br>CONV- & LTR UHF NiMH Battery<br>Package (TK-3180K + KNB-54N +<br>KSC-32 + KBH-11)                     | 450-520<br>MHz     | TK-3180K-<br>NKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR   | 136-174<br>MHz     | TK-2180-ISK      | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR with DTMF keypad  | 136-174<br>MHz     | TK-2180-<br>ISK2 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-520 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR   | 450-520<br>MHz     | TK-3180-ISK      | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-470 MHz 5W, 512 CH / 128 Zone<br>CONV-& LTR   | 400-470<br>MHz     | TK-3180-<br>ISK2 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-520 MHz 5W, 512 CH / 128 Zone CONV-& LTR with DTMF Keypad   | 450-520<br>MHz     | TK-3180-<br>ISK3 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-470 MHz 5W, 512 CH / 128 Zone CONV-& LTR with DTMF Keypad   | 400-470<br>MHz     | TK-3180-<br>ISK4 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4-key   | 450-490<br>MHz     | TK-3173K         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4 + 12-<br>key  | 450-490<br>MHz     | TK-3173K4        | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, 128 CH/128 Zone<br>Conventional; 8 Character LCD, 4-key<br>UHF Premium Package (TK-3173K +<br>KNB-57L + KSC-25 + KRA-27M) | 450-490<br>MHz     | TK-3173K-<br>LKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |

| KLINVVOO                 | DINOD                         | JOT LIGT   |                    |                  |                                    |   |   |                                    |                           |
|--------------------------|-------------------------------|--|--------------------|------------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY    | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER      | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, 128 CH/128 Zone<br>Conventional; 8 Character LCD, 4-key<br>UHF Standard Slim Package (TK-<br>3173K + KNB-55L + KSC-25 + KRA-<br>27M) | 450-490<br>MHz     | TK-3173-<br>SLKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, 128 CH/128 Zone<br>Conventional; 8 Character LCD, 4-key<br>UHF Basic Package (TK-3173K + KNB-<br>56N + KSC-30 + KRA-27M)             | 450-490<br>MHz     | TK-3173-<br>NKP  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4-key  | 136-174<br>MHz     | TK-2170K         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4 + 12-<br>key   | 136-174<br>MHz     | TK-2170K2        | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4-key  | 450-490<br>MHz     | TK-3170K         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-430 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4-key  | 400-430<br>MHz     | TK-3170K3        | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4 + 12-<br>key   | 450-490<br>MHz     | TK-3170K4        | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-430 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD, 4 + 12-<br>key   | 400-430<br>MHz     | TK-3170K6        | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 128 CH /128 Zone<br>Conventional; 8 Character LCD, 4-key<br>VHF Standard Package (TK-2170K +<br>KNB-56N + KSC-30 + KRA-26M)          | 136-174<br>MHz     | TK-2170K-<br>NKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |



| SECTION -<br>CATEGORY    | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|-------------------------------|---|--------------------|-------------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 128 CH /128 Zone<br>Conventional; 8 Character LCD, 4-key<br>VHF Standard Package (TK-2170K +<br>KNB-55L + KSC-30 + KRA-26M) | 136-174<br>MHz     | TK-2170K-<br>SLKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 128 CH / 128 Zone<br>Conventional; 8 character LCD, 4-key<br>VHF Premium Package (TK-2170K +<br>KNB-57L + KSC-25 + KRA-26M) | 136-174<br>MHz     | TK-2170K-<br>LKP  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, 128 CH/ 128 Zone<br>Conventional; 8 Character LCD 4-key<br>UHF Standard Package (TK-3170K +<br>KNB-56N + KSC-30 + KRA-27M)  | 450-490<br>MHz     | TK-3170K-<br>NKP  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, 128 CH/ 128 Zone<br>Conventional; 8 Character LCD 4-key<br>UHF Standard Package (TK-3170K +<br>KNB-57N + KSC-30 + KRA-27M)  | 450-490<br>MHz     | TK-3170K-<br>SLKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, 128 CH / 128 Zone<br>Conventional; 8 Character LCD 4-key<br>UHF Premium Package (TK-3170K +<br>KNB-57L + KSC-25 + KRA-27M)  | 450-490<br>MHz     | TK-3170K-<br>LKP  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, Conventional 16<br>Channels   | 136-174<br>MHz     | TK-2160           | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, Conventional 16 Channels  | 450-490<br>MHz     | TK-3160K          | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 470-512 MHz 4W, Conventional 16<br>Channels   | 470-512<br>MHz     | TK-3160K2         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-430 MHz 4W, Conventional 16 Channels  | 400-430<br>MHz     | TK-3160K3         | 25.0%                              | 25.0%   |   | YES                                | YES                       |



| SECTION -<br>CATEGORY    | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER      | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|-------------------------------|---|--------------------|------------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, LTR-32 Systems, CONV-250 CH.  | 136-174<br>MHz     | TK-2140          | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, LTR-32 Systems, CONV-250 CH.  | 450-490<br>MHz     | TK-3140K         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 470-512 MHz 4W, LTR-32 Systems, CONV-250 CH.  | 470-512<br>MHz     | TK-3140K2        | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-430 MHz 4W, LTR-32 Systems, CONV-250 CH.  | 400-430<br>MHz     | TK-3140K3        | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, LTR-32 Systems,<br>CONV-250 CH VHF Standard Package<br>(TK-2140 + KNB-56N + KSC-30 + KRA-<br>26M) | 136-174<br>MHz     | TK-2140-<br>NKP  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, LTR-32 Systems,<br>CONV-250 CH VHF Standard Package<br>(TK-2140 + KNB-55L + KSC-30 + KRA-<br>26M) | 136-174<br>MHz     | TK-2140-<br>SLKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, LTR-32 Systems,<br>CONV-250 CH VHF Premium Package<br>(TK-2140 + KNB-57L + KSC-25 + KRA-<br>26M)  | 136-174<br>MHz     | TK-2140K-<br>LKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, LTR-32 Systems,<br>CONV-250 CH UHF Standard Package<br>(TK-3140K + KNB-56N+ KSC-30 +<br>KRA-27M)  | 450-490<br>MHz     | TK-3140-<br>NKP  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, LTR-32 Systems,<br>CONV-250 CH UHF Standard Package<br>(TK-3140K + KNB-55L + KSC-30 +<br>KRA-27M) | 450-490<br>MHz     | TK-3140-<br>SLKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |

| SECTION -<br>CATEGORY    | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER      | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|-------------------------------|--|--------------------|------------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, LTR-32 Systems,<br>CONV-250 CH UHF Premium Package<br>(TK-3140K + KNB-57L + KSC-25 +<br>KRA-27M) | 450-490<br>MHz     | TK-3140K-<br>LKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 16 CH Conventional   | 136-174<br>MHz     | TK-2360K         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-520 MHz 5W, 16 CH Conventional   | 450-520<br>MHz     | TK-3360K         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 400-470 MHz 5W, 16 CH Conventional [Available: May 2010]   | 400-470<br>MHz     | TK-3360K2        | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 806-825, 851-870 MHz 2.5W, LTR-32<br>Systems, CONV-250 CH.   | 806-825<br>MHz     | TK-480K3         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 806-825, 851-870 MHz 2.5W, LTR-32<br>Systems, CONV-250 CH., with DTMF<br>keypad                                  | 806-825<br>MHz     | TK-480K4         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 896-902, 935-941 MHz 2.5W, LTR-32<br>Systems, CONV-250 CH.   | 896-902<br>MHz     | TK-481K3         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | P-25 806-870 MHz P25 FDMA<br>digital/FM analog potable, CONV-160<br>CH, Trunked with keypad                      | 806-870<br>MHz     | TK-5400K         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | P-25 806-870 MHz P25 FDMA digital /<br>FM analog portable, CONV-160 CH,<br>Trunked With DTMF Keypad              | 806-870<br>MHz     | TK-5400K2        | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 700/800 MHz 3W, 1024 CH, Standard<br>Model   | 700/800<br>MHz     | TK-5410K2        | 25.0%                              | 25.0%   |   | YES                                | YES                       |



|                          |                               |  | 1                  |                   |                                    |   |   |                                    |                           |
|--------------------------|-------------------------------|--|--------------------|-------------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY    | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 700/800 MHz 3W, 1024 CH, 12 Keypad<br>Model                            | 700/800<br>MHz     | TK-5410K3         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | NiMH Battery Package (TK-5410K2 + KNB-54N + KSC-32 + KBH-11+KRA-32K)   | 700/800<br>MHz     | TK-5410K2-<br>NKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Li-Ion Battery Package (TK-5410K2 + KNB-43L + KSC-32 + KBH-11+KRA-32K) | 700/800<br>MHz     | TK-5410K2-<br>LKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | NiMH Battery Package (TK-5410K3 + KNB-54N + KSC-32 + KBH-11+KRA-32K)   | 700/800<br>MHz     | TK-5410K3-<br>NKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | Li-Ion Battery Package (TK-5410K3 + KNB-43L + KSC-32 + KBH-11+KRA-32K) | 700/800<br>MHz     | TK-5410K3-<br>LKP | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 160 Ch. w/dual priority scan                           | 136-174<br>MHz     | TK-290K           | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz 5W, 160 Ch. w/dual priority scan, w/DTMF keypad            | 136-174<br>MHz     | TK-290K2          | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, 160 Ch. w/dual priority scan                           | 450-490<br>MHz     | TK-390K           | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 470-512 MHz 4W, 160 Ch. w/dual priority scan                           | 470-512<br>MHz     | TK-390K2          | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 403-430 MHz 4W, 160 Ch. w/dual priority scan                           | 403-430<br>MHz     | TK-390K3          | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz 4W, 160 Ch. w/dual priority scan, w/DTMF keypad            | 450-490<br>MHz     | TK-390K4          | 25.0%                              | 25.0%   |   | YES                                | YES                       |



| SECTION -<br>CATEGORY    | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER     | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|-------------------------------|---|--------------------|-----------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 403-430 MHz 4W, 160 Ch. w/dual priority scan, w/DTMF keypad | 403-430<br>MHz     | TK-390K6        | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 29.7 – 37.0 MHz 6W, 16 Channels                             | 29.7-37.0<br>MHz   | TK-190K         | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 35.0 – 50.0 MHz 6W, 16 Channels                             | 35.0-50.0<br>MHz   | TK-190K2        | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 150-174 MHz 5W, 32 Ch., w/ 110V charger                     | 150-174<br>MHz     | TK-<br>272GK1RK | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 150-174 MHz 5W, 32 Ch., w/ 220V charger                     | 150-174<br>MHz     | TK-<br>272GK1RM | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 150-174 MHz 5W, 32 Ch., w/ 110V charger                     | 150-174<br>MHz     | TK-<br>272GK1SK | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 150-174 MHz 5W, 32 Ch., w/ 220V charger                     | 150-174<br>MHz     | TK-<br>272GK1SM | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-470 MHz 4W, 32 Ch., w/ 110V charger                     | 450-470<br>MHz     | TK-<br>372GK1RK | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-470 MHz 4W, 32 Ch., w/ 220V charger                     | 450-470<br>MHz     | TK-<br>372GK1RM | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-470 MHz 4W, 32 Ch., w/ 110V charger                     | 450-470<br>MHz     | TK-<br>372GK1SK | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-470 MHz 4W, 32 Ch., w/ 220V charger                     | 450-470<br>MHz     | TK-<br>372GK1SM | 25.0%                              | 25.0%   |   | YES                                | YES                       |



| SECTION -<br>CATEGORY    | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|--------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz VHF 5W, 128 Ch.   | 136-174<br>MHz     | TK-2212LK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz VHF 4W, 128 Ch.   | 450-490<br>MHz     | TK-3212LK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 470-512 MHz VHF 4W, 128 Ch.   | 470-512<br>MHz     | TK-3212LK2  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 136-174 MHz VHF 5W, 16 Ch.  | 136-174<br>MHz     | TK-2302VK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 450-490 MHz VHF 4W, 16 Ch.  | 450-490<br>MHz     | TK-3302UK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 3.0 - PORTABLE<br>RADIOS | Kenwood<br>USA<br>Corporation | 464-467 MHz UHF 1.5W or 500 mW, 2<br>Ch.  | 464-467<br>MHz     | TK-3230K    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO   | Kenwood<br>USA<br>Corporation | 800 MHz, 15W LTR-32 Systems,<br>CONV-250 CH.  | 800 MHz            | TK-980      | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO   | Kenwood<br>USA<br>Corporation | 900 MHz, 15W LTR-32 Systems,<br>CONV-250 CH.  | 900 MHz            | TK-981      | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO   | Kenwood<br>USA<br>Corporation | 450-490 MHz 25W, 32 Systems   | 450-490<br>MHz     | TK-863GK    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO   | Kenwood<br>USA<br>Corporation | 800MHz, 35W, 10 Systems x 10 Groups (LTR® - compatible)  Note: NPSPAC Option available- Order L-811 | 800 MHz            | TK-930HD    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 6.0 - TRUNKED<br>RADIO   | Kenwood<br>USA                | P-25 136-174MHz 5W, 512 CH, Basic<br>Model  | 136-174<br>MHz     | TK-5210K    | 25.0%                              | 25.0%   |   | YES                                | YES                       |



| SECTION -<br>CATEGORY  | MANUFACTURE                   | MODEL DESCRIPTION                               | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                        | Corporation                   |   |                    |             |                                    |   |   |                                    |                           |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 136-174MHz 5W, 512 CH,<br>Standard Model   | 134-174<br>MHz     | TK-5210K2   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 136-174MHz 5W, 512 CH, 12<br>Keypad Model  | 136-174<br>MHz     | TK-5210K3   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 136-174MHz 5W, 64 CH,<br>Standard Model    | 136-174<br>MHz     | TK-5210K7   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 450-520 MHz 4W, 512 CH, Basic<br>Model     | 450-520<br>MHz     | TK-5310K    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 450-520 MHz 4W, 512 CH,<br>Standard Model  | 450-520<br>MHz     | TK-5310K2   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 450-520 MHz 4W, 512 CH, 12<br>Keypad Model | 450-520<br>MHz     | TK-5310K3   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 380-470 MHz 4W, 512 CH, Basic Model        | 380-470<br>MHz     | TK-5310K4   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 380-470 MHz 4W, 512 CH,<br>Standard Model  | 380-470<br>MHz     | TK-5310K5   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 380-470 MHz 4W, 512 CH, 12<br>Keypad Model | 380-470<br>MHz     | TK-5310K6   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 380-470 MHz 4W, 64 CH,<br>Standard Model   | 380-470<br>MHz     | TK-5310K7   | 25.0%                              | 25.0%   |   | YES                                | YES                       |



| SECTION -<br>CATEGORY  | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER       | MSRP<br>DISCOUNT<br>PERCENTA | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|------------------------|-------------------------------|--|--------------------|-------------------|------------------------------|---|---|------------------------------------|---------------------------|
|                        |                               |  |                    |                   | GE                           | with model)                                 | WARRA<br>NTY                            |                                    |                           |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 136-174MHz 5W, 512 CH,<br>Standard Model VHF NiMH Battery<br>Package (TK-5210K2+KNB-54N+KSC-<br>32+KBH-11)    | 136-174<br>MHz     | TK-5210K2-<br>NKP | 25.0%                        | 25.0%                                       |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 136-174MHz 5W, 512 CH,<br>Standard Model VHF Li-Ion Battery<br>Package (TK-5210K2+KNB-43L+KSC-<br>32+KBH-11)  | 136-174<br>MHz     | TK-5210K2-<br>LKP | 25.0%                        | 25.0%                                       |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 380-470 MHz 4W, 64 CH,<br>Standard Model VHF NiHM (TK-<br>5210K7+KNB-54N+KSC-32+KBH-11)                       | 380-470<br>MHz     | TK-5210K7-<br>NKP | 25.0%                        | 25.0%                                       |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 380-470 MHz 4W, 64 CH,<br>Standard Model VHF Li-lon (TK-<br>5210K7+KNB-43L+KSC-32+KBH-11)                     | 380-470<br>MHz     | TK-5210K7-<br>LKP | 25.0%                        | 25.0%                                       |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 450-520 MHz 4W, 512 CH,<br>Standard Model UHF NiHM Battery<br>Package (TK-5310K2+KNB-54N+KSC-<br>32+KBH-11)   | 450-520<br>MHz     | TK-5310K2-<br>NKP | 25.0%                        | 25.0%                                       |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 450-520 MHz 4W, 512 CH,<br>Standard Model UHF Li-Ion Battery<br>Package (TK-5310K2+KNB-43L+KSC-<br>32+KBH-11) | 450-520<br>MHz     | TK-5310K2-<br>LKP | 25.0%                        | 25.0%                                       |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 380-470 MHz 4W, 64 CH,<br>Standard Model UHF NiHM Battery<br>(TK-5310K7+KNB-54N+KSC-32+KBH-<br>11)            | 380-470<br>MHz     | TK-5310K7-<br>NKP | 25.0%                        | 25.0%                                       |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 380-470 MHz 4W, 64 CH,<br>Standard Model UHF Li-Ion Battery<br>Package(TK-5310K7+KNB-43L+KSC-<br>32+KBH-11)   | 380-470<br>MHz     | TK-5310K7-<br>LKP | 25.0%                        | 25.0%                                       |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 136-174MHz 5W, 512 CH, Basic<br>Model   | 136-174<br>MHz     | TK-5210-ISK       | 25.0%                        | 25.0%                                       |   | YES                                | YES                       |

|                        | 2                             | · - · · · · · · · · · · · · · · ·                                |                    |                  |                                    |   |   |                                    |                           |
|------------------------|-------------------------------|--|--------------------|------------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY  | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER      | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 136-174MHz 5W, 512 CH,<br>Standard Model                    | 136-174<br>MHz     | TK-5210-<br>ISK2 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 136-174MHz 5W, 512 CH, 12<br>Keypad Model                   | 136-174<br>MHz     | TK-5210-<br>ISK3 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 136-174MHz 5W, 64 CH,<br>Standard Model                     | 136-174<br>MHz     | TK-5210-<br>ISK7 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 450-520 MHz 4W, 512 CH, Basic<br>Model                      | 450-520<br>MHz     | TK-5310-ISK      | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 450-520 MHz 4W, 512 CH,<br>Standard Model                   | 450-520<br>MHz     | TK-5310-<br>ISK2 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 450-520 MHz 4W, 512 CH, 12<br>Keypad Model                  | 450-520<br>MHz     | TK-5310-<br>ISK3 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 380-470 MHz 4W, 512 CH, Basic Model                         | 380-470<br>MHz     | TK-5310-<br>ISK4 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 380-470 MHz 4W, 512 CH,<br>Standard Model                   | 380-470<br>MHz     | TK-5310-<br>ISK5 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 380-470 MHz 4W, 512 CH, 12<br>Keypad Model                  | 380-470<br>MHz     | TK-5310-<br>ISK6 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 380-470 MHz 4W, 64 CH,<br>Standard Model                    | 380-470<br>MHz     | TK-5310-<br>ISK7 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys | 136-174<br>MHz     | TK-5220K         | 25.0%                              | 25.0%   |   | YES                                | YES                       |



|                        | 2 : : : 0 2 :                 | · - · · · · · · · · · · · · · · ·  | 1                  |             | 1                                  |   | •   |                                    |                           |
|------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY  | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | 136-174MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad | 136-174<br>MHz     | TK-5220K2   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys                 | 450-520<br>MHz     | TK-5320K    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys                 | 400-470<br>MHz     | TK-5320K2   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | 450-520MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad | 450-520<br>MHz     | TK-5320K3   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | 400-470MHz 5W, 14 characters<br>Alphanumeric LCD, 6 Control Keys, Full<br>Keypad | 400-470<br>MHz     | TK-5320K4   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 136-174MHz 10-50W 50<br>Zones/512 Channels (R.F. DECK<br>ONLY)              | 136-<br>174MHz     | TK-5710BK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 136-174MHz 50-110W 50<br>Zones/512 Channels (R.F. DECK<br>ONLY)             | 136-<br>174MHz     | TK-5710HBK  | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | 136-174 MHz 50W, 512 CH / 128 Zone   | 136-174<br>MHz     | TK-5720K    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | 450-520 MHz 45W, 512 CH / 128 Zone   | 450-520<br>MHz     | TK-5820K    | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | 400-470 MHz 45W, 512 CH / 128 Zone   | 400-470<br>MHz     | TK-5820K2   | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO | Kenwood<br>USA<br>Corporation | P-25 450-520 MHz 5-45W 50<br>Zones/512 Channels (R.F. DECK<br>ONLY)              | 450-520<br>MHz     | TK-5810BK   | 25.0%                              | 25.0%   |   | YES                                | YES                       |



| ILLIAVVOO                  | D 1 1 (OD)                    |   | _                  |                 | 1                                  | 1   |   | 1                                  |                           |
|----------------------------|-------------------------------|---|--------------------|-----------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER     | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 6.0 - TRUNKED<br>RADIO     | Kenwood<br>USA<br>Corporation | P-25 400-470 MHz 5-45W 50<br>Zones/512 Channels (R.F. DECK<br>ONLY)   | 400-470<br>MHz     | TK-5810BK2      | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO     | Kenwood<br>USA<br>Corporation | P-25 450-520 MHz 50-100W 50<br>Zones/512 Channels (R.F. DECK<br>ONLY) | 450-520<br>MHz     | TK-5810HBK      | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO     | Kenwood<br>USA<br>Corporation | P-25 400-470 MHz 50-100W 50<br>Zones/512 Channels (R.F. DECK<br>ONLY) | 400-470<br>MHz     | TK-<br>5810HBK2 | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 6.0 - TRUNKED<br>RADIO     | Kenwood<br>USA<br>Corporation | 700/800 MHz 2-30/35W 100<br>Zones/1024 Channels (R.F. DECK<br>ONLY)   | 700/800<br>MHz     | TK-5910BK       | 25.0%                              | 25.0%   |   | YES                                | YES                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | VHF helical antenna 148-162 MHz                                       | 148-162<br>MHz     | KRA-14M         | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | VHF helical antenna 162-174 MHz                                       | 162-174<br>MHz     | KRA-14M2        | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | VHF helical antenna 136-150 MHz                                       | 136-150<br>MHz     | KRA-14M3        | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | UHF whip antenna 450-490 MHz  | 450-490<br>MHz     | KRA-15AM        | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | UHF whip antenna 470-512 MHz  | 470-512<br>MHz     | KRA-15AM2       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | UHF whip antenna 403-430 MHz  | 403-430<br>MHz     | KRA-15AM3       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | VHF stubby antenna 148-162 MHz  | 148-162<br>MHz     | KRA-16M         | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | VHF stubby antenna 162-174 MHz  | 162-174<br>MHz     | KRA-16M2    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | VHF stubby antenna 136-150 MHz  | 136-150<br>MHz     | KRA-16M3    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | UHF stubby antenna 450-490 MHz  | 450-490<br>MHz     | KRA-17M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | UHF stubby antenna 470-512 MHz  | 470-512<br>MHz     | KRA-17M2    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | UHF stubby antenna 403-430 MHz  | 403-430<br>MHz     | KRA-17M3    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Tunable VHF Low Band helical antenna 29.7-50MHz.  Note: Antenna band width is 1 MHz Caution: the TK-190 antenna must be cut per the antennas cutting chart and instructions. Failure to do so will result in a poorly matched antenna, poor performance and most probably excessive and damage in the transmitters final power amplifier circuit. | 29.7-50<br>MHz     | KRA-21      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | VHF low-profile helical antenna 148-<br>162 MHz   | 148-162<br>MHz     | KRA-22M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | VHF low-profile helical antenna 162-<br>174 MHz   | 162-174<br>MHz     | KRA-22M2    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA                | VHF Low-profile helical antenna 136-<br>150 MHz   | 136-150<br>MHz     | KRA-22M3    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION                                       | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                               | Corporation                   |   |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | UHF low-profile helical antenna 450-<br>490 MHz         | 450-490<br>MHz     | KRA-23M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | UHF low-profile helical antenna 470-<br>512 MHz         | 470-512<br>MHz     | KRA-23M2    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | UHF low-profile helical antenna 403-430 MHz             | 403-430<br>MHz     | KRA-23M3    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | 800 MHz Whip Antenna 1/4 wave end feed                  | 800 MHz            | KRA-24M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | High gain VHF helically loaded whip antenna 148-162 MHz | 148-162<br>MHz     | KRA-25      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | VHF helical antenna 146-162 MHz                         | 146-162<br>MHz     | KRA-26M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | VHF helical antenna 162-174 MHz                         | 162-174<br>MHz     | KRA-26M2    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | VHF helical antenna 136-150 MHz                         | 136-150<br>MHz     | KRA-26M3    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | UHF whip antenna 440-490 MHz                            | 440-490<br>MHz     | KRA-27M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | UHF whip antenna 470-520 MHz                            | 470-520<br>MHz     | KRA-27M2    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| REINVOOD I RODOOT EIGT     |                               |   |                    |             |                                    |   |   |                                    |                           |  |
|----------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|--|
| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | UHF whip antenna 400-450 MHz  | 400-450<br>MHz     | KRA-27M3    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Broad-band VHF helically loaded whip antenna 140-170 MHz                                | 140-170<br>MHz     | KRA-28      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Broad Band UHF Whip Antenna 380-<br>430 MHz   | 380-430<br>MHz     | KRA-29      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Replacement Part: 800 MHz Whip<br>Antenna for TK-480                                    | 800 MHz            | T90-0636-25 | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Replacement Part: 900 MHz Whip<br>Antenna for TK-481                                    | 900 MHz            | T90-0640-25 | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | AA Alkaline Refillable Battery Pack (6 AA; 9V) cells not included                       |                    | KBP-1       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | AA Alkaline Refillable Battery Pack (12 AA; 9V) cells not included                      |                    | KBP-4       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | AA Alkaline Refillable Battery Pack (6 AA; 9V) cells not included                       |                    | KBP-5       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | AA Alkaline Refillable Battery Pack (6<br>AA; 9V) cells not included (Color:<br>Orange) |                    | KBP-6       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 1600 mAh, Ni-MH battery - requires<br>KSC-24 charger                                    |                    | KNB-20N     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 1600 mAh, Ni-MH battery - requires<br>KSC-24 charger                                    |                    | KNB-21N     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |

| REINVOOD I RODOOT EIGT     |                               |   |                    |             |                                    |   |   |                                    |                           |  |
|----------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|--|
| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 2100 mAh, Ni-MH battery - requires<br>KSC-24 charger                                      |                    | KNB-52N     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 2100 mAh, Ni-MH battery - requires<br>KSC-24 charger<br>[Intrinsically Safe Option]       |                    | KNB-22NC    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 1500 mAh, NiMH battery - requires<br>KSC-31K/E  |                    | KNB-29N     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 2500 mAh, Ni-MH battery - requires<br>KSC-32/326K charger                                 |                    | KNB-54N     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 2000 mAh, Li-ion battery - requires<br>KSC-32/326K charger                                |                    | KNB-33L     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 1950 mAh, Li-ion battery - requires<br>KSC-25/256K charger<br>[Intrinsically Safe Option] |                    | KNB-40LC    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 2500 mAh, Ni-MH battery - requires<br>KSC-32/326K charger<br>[Intrinsically Safe Option]  |                    | KNB-41NC    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 3300 mAh, Li-Polymer battery - requires KSC-32/326K charger                               |                    | KNB-43L     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 1500 mAh, Ni-Cd battery - requires<br>KSC-24 charger<br>[MSHA Intrinsically Safe Option]  |                    | KNB-44BK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 2000 mAh, Li-ion battery - requires<br>KSC-35K/E charger                                  |                    | KNB-45L     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Li-lon battery (Same as supplied with TK-3230)  |                    | KNB-46L     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |



| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 1950 mAh, Li-ion battery - requires<br>KSC-32/326K charger  |                    | KNB-47L     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 2550 mAh, Li-ion battery - requires<br>KSC-32/326K charger  |                    | KNB-48L     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 4500 mAh, Primary Lithium battery  Note: Non-Rechargeable (please recycle all batteries properly)  10 year Shelf Life (approx. 1% charge degradation per year when properly stored: +50 °F to +86 °F @ less than 70% humidity |                    | KNB-49PL    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 1480 mAh, Li-ion battery - requires<br>KSC-25/256K charger  |                    | KNB-55L     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 2000 mAh, Li-ion battery - requires<br>KSC-25/256K charger  |                    | KNB-57L     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 1400 mAh, Ni-MH battery   |                    | KNB-56N     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 2000 mAh, Ni-MH battery - requires<br>KSC-32/326K charger<br>[Intrinsically Safe Option]  |                    | KNB-50NC    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 110 volt Regular rate single unit desk charger for KNB-14/15  |                    | KSC-15      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 220 volt Regular rate single unit desk charger for KNB-14/15  |                    | KSC-15M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA                | 110 volt Regular rate single unit desk charger for KNB-16/17A/17B   |                    | KSC-19      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                            | Corporation                   |   |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 220 volt Regular rate single unit desk charger for KNB-16/17A/17B                     |                    | KSC-19M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 110 volt Rapid rate single unit charger for KNB-<br>14/15/16/17A/17B/20N/21N/22N/22NC |                    | KSC-24      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 220 volt Rapid rate single unit charger for KNB-<br>14/15/16/17A/17B/20N/21N/22N/22NC |                    | KSC-24E     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 110 volt Rapid rate single unit charger for KNB-25A/26N/35L/40LC                      |                    | KSC-25      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 220 volt Rapid rate single unit charger for KNB-25A/26N/35L/40LC                      |                    | KSC-25E     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Rapid rate 6-Unit charger for KNB-<br>25A/26N/35L/40LC                                |                    | KSC-256K    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 110 volt Regular rate single unit charger for KNB-25A/26N                             |                    | KSC-30      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 220 volt Regular rate single unit charger for KNB-25A/26N                             |                    | KSC-30E     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 110 volt Fast rate single unit charger for KNB-29N                                    |                    | KSC-31K     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 220 volt Fast rate single unit charger for KNB-29N                                    |                    | KSC-31E     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Rapid rate single unit charger for KNB-<br>31A/32N/33L/41NC/43L/47L/48L/50NC<br>Note: Includes 110/220V auto-switching<br>AC adapter with U.Sstyle line cord<br>plug; requires plug adapter for 220V<br>Euro-style outlets (not supplied).   |                    | KSC-32      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Rapid rate 6-unit charger for KNB-<br>31A/32N/33L/41NC/43L/47L/48L/50NC  |                    | KSC-326K    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | 110 volt Fast rate single unit charger for KNB-45L   |                    | KSC-35K     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | 220 volt Fast rate single unit charger for KNB-45L   |                    | KSC-35E     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Li-Ion Rapid rate charger (Same as supplied with TK-3230)  |                    | KSC-37      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Six Unit Charger Adapter for the KSC-<br>16/20/24/25 chargers<br>(chargers not included)   |                    | KMB-16      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Six Unit Charger Adapter for the KSC-<br>16/20/24/25/32 chargers<br>(chargers not included)  |                    | KMB-23      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Six Unit Charger Adapter for the KSC-23BK/28/31K/35K/37 chargers (chargers not included)  Note: The six KSC-xx AC wall adapters are plugged into power strips inside the KMB-25 housing. This adds considerable weight: approx. 30 lbs. (loaded with chargers/radios)  Dimensions: 10.7(W) x 5.6(H) x 8.9(D) |                    | KMB-25      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                               |                               | inches,   |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Six Unit Charger Adapter for the KSC-28/37 chargers (chargers not included)  Note: The six KSC-xx AC wall Adapters are NOT used in the KMB-27 installation A supplied in-line AC-DC switching power supply with six DC plugs supply the six installed KSC-xx charger bases. This unit is lower profile and less weight than similar Kenwood six unit charger adapters.  Dimensions: 10.6(W) x 2.4(H) x 9.5(D) inches, Weight: approx. 10 lbs. (loaded with chargers/radios) |                    | KMB-27      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Six Unit Charger Adapter for the KSC-23BK/28/35K chargers (chargers not included)  Note: The six KSC-xx AC wall Adapters are NOT used in the KMB-28 installation A supplied in-line AC-DC switching power supply with six DC plugs supply the six installed KSC-xx charger bases. This unit is lower profile and less weight than similar Kenwood six unit charger adapters.  Dimensions: 10.6(W) x 2.4(H) x 9.5(D) inches, Weight: approx. 10 lbs. (loaded                 |                    | KMB-28      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| ILLIVVOO                   | J                             |  |                    |             |                                    |   |   |                                    |                           |
|----------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|                            |                               | with chargers/radios)  |                    |             |                                    |   |   |                                    |                           |
|                            |                               |  |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Wall Mount Bracket for KSC-326K/256K   |                    | KMB-30M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Rapid rate DC vehicular charger adapter for the KSC-32 (chargers not included; includes KSC-mobile bracket & cigarette lighter cable DC adapter) |                    | KVC-15      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Vehicular D.C. Charger for<br>180/5210/5310 Portables with NiCd or<br>NiMH Battery   |                    | KVC-18      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Regular rate DC vehicular charger adapter for the KSC-15/17/19/30 chargers (chargers not included)   |                    | KVC-3       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Rapid rate DC vehicular charger<br>adapter for the KSC-16/18/20/24/25<br>chargers<br>(chargers not included)                                     |                    | KVC-4       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Vehicular D.C. Charger for 80/90/5400<br>Portables with NiCd or NiMH Battery   |                    | KVC-5A      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Vehicular D.C. Charger for 72G Series<br>Portable with NiCd or NiMH Battery  |                    | KVC-6A      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Spring action belt clip  |                    | KBH-10      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Spring action belt clip (2.5")   |                    | KBH-11      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Spring action belt clip  |                    | KBH-12      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Spring action belt clip (Same as supplied with TK-3230)                    |                    | KBH-14M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Leather swivel belt loop with portable D-Ring attachment                   |                    | KBH-13DS    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Leather swivel belt loop with portable D-Ring attachment                   |                    | KBH-8DS     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Leather case for TK-272G/372G  |                    | KLH-112     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Soft leather case for TK-2140/3140   |                    | KLH-114     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy-Duty Leather Case w/Swivel Belt<br>Loop for TK-2140/3140             |                    | KLH-116     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy duty leather carrying case for TK-2180/3180 (Non DTMF keypad models) |                    | KLH-122     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy duty leather carrying case for TK-2180/3180 (DTMF keypad models)     |                    | KLH-123     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| ILLIAMOO                   | שטאוע                         | JOT LIGT  |                    |             |                                    |   |   |                                    |                           |
|----------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Cordura Nylon carrying case for TK-<br>2180/3180 (Non DTMF keypad models)   |                    | KLH-124     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Cordura Nylon carrying case for TK-<br>2180/3180 (DTMF keypad models)   |                    | KLH-125     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Nylon case for TK-*200/*202/*302<br>Series  |                    | KLH-126     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy duty leather carrying case for TK-5210/5310 Basic Models  |                    | KLH-133K    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy duty leather carrying case for TK-5210/5310 Standard Models   |                    | KLH-133K2   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy duty leather carrying case for TK-5210/5310 12 Keypad Models  |                    | KLH-133K3   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Cordura Nylon carrying case for TK-<br>5210/5310 Basic Models   |                    | KLH-134K    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Cordura Nylon carrying case for TK-<br>5210/5310 Standard Models  |                    | KLH-134K2   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Cordura Nylon carrying case for TK-<br>5210/5310 12 Keypad Models   |                    | KLH-134K3   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Firemen's Heavy-Duty Leather<br>Shoulder Strap<br>for a Heavy-Duty Leather Case (KLH-<br>75B/76B/78B/79B//92/122/123/133/148) |                    | KLH-137ST   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA                | Heavy-Duty Leather Case w/Swivel Belt<br>Loop for 160/170/173/360 (Non DTMF   |                    | KLH-138     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| KLINVVOO                   | DINODO                        | JOT LIGT  |                    |             |                                    |   |   |                                    |                           |
|----------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|                            | Corporation                   | keypad)   |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy-Duty Leather Case w/Swivel Belt<br>Loop for 170/173 (w/ DTMF keypad)                            |                    | KLH-139     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Extra Heavy-Duty Cordura Nylon carrying case for TK-190/290/390 (all battery packs; no keypad access) |                    | KLH-141     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy duty leather carrying case for NX-200/300 (Non DTMF keypad models)                              |                    | KLH-148K    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy duty leather carrying case for NX-200/300 (DTMF keypad models)                                  |                    | KLH-148K2   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Nylon carrying case for NX-200/300 (Non DTMF keypad models)   |                    | KLH-149K    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Nylon carrying case for NX-200/300 (DTMF keypad models)   |                    | KLH-149K2   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Nylon case for TK-3230 (Black)  |                    | KLH-150     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Bungi-cord for KLH-58/60/71/75/76   |                    | KLH-58BC    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Leather swivel belt loop / detachable swivel D-Ring back  |                    | KLH-6SW     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy duty leather carrying case for TK-480/481 (Non DTMF keypad models)                              |                    | KLH-75B     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



|                            |                               | · - · · · · · · · · · · · · · · · ·  |                    |             |                                    |   |   |                                    |                           |
|----------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy duty leather carrying case for TK-480/481 (DTMF keypad models)                     |                    | KLH-76B     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy duty leather carrying case<br>for TK-190/290/390/5400 (Non DTMF<br>keypad models)  |                    | KLH-78B     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy duty leather carrying case for TK-290/390/5400 (DTMF keypad models)                |                    | KLH-79B     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Cordura Nylon carrying case for TK-<br>480/481 (DTMF keypad models)                      |                    | KLH-85      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Cordura Nylon carrying case for TK-<br>480/481 (Non DTMF keypad models)                  |                    | KLH-86      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Cordura Nylon carrying case for TK-<br>190/290/390/5400 (Non DTMF keypad<br>models)      |                    | KLH-88      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Cordura Nylon carrying case for TK-290/390/5400 (DTMF Keypad models)                     |                    | KLH-89      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy duty leather carrying case<br>for TK-290/390/5400 (DTMF keypad<br>models w/ KBP-4) |                    | KLH-90      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Heavy duty leather carrying case for TK-480/481 (DTMF keypad models w/ KBP-4)            |                    | KLH-92      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Water resistant bag  |                    | KWR-1       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 2.5mm Audio Accessory Adapter for KEP-3/4 [Intrinsically Safe Approved                   |                    | KCT-30      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                               |                               | Accessory]  |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Hirose 6-pin Adapter (adapts<br>KVL/aftermarket audio acc. to portable<br>connector)  |                    | KCT-51      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | 3.5mm earphone kit for KMC-<br>25/26/41M/42WM Speaker Mics<br>[Intrinsically Safe Approved<br>Accessory]                                |                    | KEP-1       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | 2.5mm earphone kit for KMC-17/45 Speaker Mic [Intrinsically Safe Approved Accessory]  |                    | KEP-2       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | 30" Earphone kit w/ 2.5mm plug for KCT-30 [Intrinsically Safe Approved Accessory] [MSHA Approved Accessory]                             |                    | KEP-3       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | 48" Earphone kit w/ 2.5mm plug for KCT-30 [Intrinsically Safe Approved Accessory]   |                    | KEP-4       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Hvy-duty noise reduction behind-the-<br>headset w/noise cancelling boom mic &<br>in-line PTT [Intrinsically Safe<br>Approved Accessory] |                    | KHS-10-BH   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Hvy-duty noise reduction over-the-<br>headset w/noise cancelling boom mic &<br>in-line PTT [Intrinsically Safe<br>Approval Accessory]   |                    | KHS-10-OH   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | 2-wire palm mic w/earphone, universal connector (Beige) [Intrinsically Safe Approved  |                    | KHS-11BE    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|-------------------------------|--|--------------------|-------------|------------------------------|---|---|------------------------------------|---------------------------|
|                            |                               |  |                    |             | GE                           | with model)                                 | WARRA<br>NTY                            |                                    |                           |
|                            |                               | Accessory]   |                    |             |                              |   |   |                                    |                           |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 2-wire palm mic w/earphone, universal connector (Black) [Intrinsically Safe Approved Accessory]  |                    | KHS-11BL    | 25.0%                        | 25.0%                                       |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 3-wire mini lapel mic w/earphone,<br>universal connector (Beige)<br>[Intrinsically Safe Approved<br>Accessory]   |                    | KHS-12BE    | 25.0%                        | 25.0%                                       |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | 3-wire mini lapel mic w/earphone,<br>universal connector (Black)<br>[Intrinsically Safe Approved<br>Accessory]   |                    | KHS-12BL    | 25.0%                        | 25.0%                                       |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Lt. Wt. Single muff headset w/boom mic & In-line PTT [Intrinsically Safe Approved Accessory]   |                    | KHS-14      | 25.0%                        | 25.0%                                       |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Hvy-duty noise reduction behind-the-<br>headset w/noise cancelling boom mic &<br>in-line PTT [Intrinsically Safe<br>Approved Accessory] [MSHA<br>Approved Accessory] |                    | KHS-15-BH   | 25.0%                        | 25.0%                                       |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Hvy-duty noise reduction over-the-<br>headset w/noise cancelling boom mic &<br>in-line PTT [Intrinsically Safe<br>Approved Accessory] [MSHA<br>Approved Accessory]   |                    | KHS-15-OH   | 25.0%                        | 25.0%                                       |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Behind-the-Head Headset with flexible boom mic and in-line PTT single ear receiver (low profile wire head band)  |                    | KHS-22      | 25.0%                        | 25.0%                                       |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA                | 2-Wire Cell-style Earbud Clip/PTT Palm Mic (medium duty)   |                    | KHS-23      | 25.0%                        | 25.0%                                       |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                            | Corporation                   |   |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Headset w/ D-Ring Ear Hanger w/ PTT & Boom Mic  |                    | KHS-25      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Clip Mic w/earphone   |                    | KHS-26      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | D-Ring Ear Hanger w/PTT & Mic   |                    | KHS-27      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Single muff headset w/boom mic [Intrinsically Safe Approval Accessory]                      |                    | KHS-7       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Lt. Wt Single muff headset w/boom mic & in-line PTT [Intrinsically Safe Approval Accessory] |                    | KHS-7A      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Two-Wire palm mic w/earphone (beige)  |                    | KHS-8BE     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Two-Wire palm mic w/earphone (black)  |                    | KHS-8BL     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Three-Wire lapel mic w/earphone (beige)   |                    | KHS-9BE     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Three-Wire lapel mic w/earphone (black)   |                    | KHS-9BL     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | MIL-SPEC, IP54/55 Speaker<br>microphone (Built-in 2.5mm miniature<br>earphone jack)         |                    | KMC-45      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Speaker microphone (Built-in 2.5mm miniature earphone jack) [Intrinsically Safe Approval Accessory]   |                    | KMC-17      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Compact speaker microphone [Intrinsically Safe Approval Accessory]  |                    | KMC-21      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | MIL-SPEC, Noise canceling Speaker mic [Intrinsically Safe Approved Accessory]   |                    | KMC-25      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | MIL-SPEC, Noise canceling Speaker mic (TK-190 only) [Intrinsically Safe Approved Accessory]   |                    | KMC-25A     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | MIL-SPEC, Noise canceling Speaker mic w/Antenna Connector (ant. not incl.) [Intrinsically Safe Approved Accessory] [MSHA Approved Accessory]                        |                    | KMC-26      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | GPS Speaker Microphone [Intrinsically Safe Approved Accessory] Note: FM Intrinsically Safe Approved except for Group C gases  |                    | KMC-38GPS   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | MIL-SPEC, Speaker Mic. with Antenna<br>Connector[Intrinsically Safe Approved<br>Accessory]Note: 5/16" Coax cable hex<br>wrench included (antenna is not<br>included |                    | KMC-40      | 25.0%                              | 25.0%   |   |                                    |                           |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA                | MIL-SPEC, IP54/55 Noise-canceling<br>Speaker Mic  |                    | KMC-41M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                               | Corporation                   | [Intrinsically Safe Approved Accessory]   |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | MIL-SPEC, IP67 (Immersion) Noise-<br>canceling Speaker Mic<br>[Intrinsically Safe Approved<br>Accessory] [MSHA Approved<br>Accessory]   |                    | KMC-42WM    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Vehicular D.C. Charger for 180/5**0/,<br>NX Portables with Li-ion or Li Polymer<br>Battery  |                    | KVC-20L     | 25.0%                              | 25.0%   |   |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | GE-Star or MDC-1200 ANI Encode Board  [Intrinsically SafeApproved Accessory]- Must be Kenwood installed for I.S. Must order L-1038 for MDC-1200 or L- 1039 for G-Star operations Note: CIM-1000 G-Star®/ MDC1200 Digital ANI Boards Pre-programmed & installed boards require a completed CIM-1000 Information and Order Sheet" (available from Kenwood LMR Order Desk) submitted with order. a) Order the appropriate Labor Code for MDC-1200 or G-Star. b) CIM-1000 boards can be ordered and shipped loose (if shipped loose, Kenwood will not program the board). |                    | CIM-1000    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER      | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|-------------------------------|---|--------------------|------------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | GE-Star or MDC-1200 ANI Encode 20-Pin Plug-in Board [Intrinsically SafeApproved Accessory]- Must be Kenwood installed for I.S. Must order L-#### MDC-1200 or L-#### for G-Star operations Note: CIM-1000K-20 G-Star®/ MDC1200 Digital ANI (20-Pin Plug-in) Boards Pre-programmed & installed boards require a completed CIM-1000K-20 Information and Order Sheet" (available from Kenwood LMR Order Desk) submitted with order. a) Order the appropriate Labor Code for MDC-1200 or G-Star. b) CIM-1000K-20 boards can be ordered and shipped loose (if shipped loose, Kenwood will not program the board). |                    | CIM-1000K-<br>20 | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| KENWOOD I KODOCI EIST         |                               |  |                    |                  |                                    |   |   |                                    |                           |
|-------------------------------|-------------------------------|--|--------------------|------------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER      | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | GE-Star or MDC-1200 ANI Encode 26-Pin Plug-in Board  [Intrinsically SafeApproved Accessory] - Must be Kenwood installed for I.S.  Must order L-#### MDC-1200 or L-#### for G-Star operations  Note: CIM-1000K-26 G-Star®/  MDC1200 Digital ANI (26-Pin Plug-in) Boards Pre-programmed & installed boards require a completed CIM-1000K-26 Information and Order Sheet" (available from Kenwood LMR Order Desk) submitted with order.  a) Order the appropriate Labor Code for MDC-1200 or G-Star.  b) CIM-1000K-26 boards can be ordered and shipped loose (if shipped loose, Kenwood will not program the board). |                    | CIM-1000K-<br>26 | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Serial Program Cable  Note: CIM-1000, K-20, K-26 programs via Windows Hyper terminal (Windows Ver 3.1 or later) or any ProComm version; board must be installed in a powered radio for programming. The radio programmer does NOT program the CIM-1000, K-20, K-26. CIM-CABLE is a DB-9 PC connector with 3 short lead with clips and may require a PC serial extension cable. CIM-IRP (Part No 01-30-0510) Infrared wireless  |                    | CIM-CABLE        | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| ILLIAVIOO                     | D 1 1000                      | 301 LI01  |                    |             |                                    |   |   |                                    |                           |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|                               |                               | standalone programmer, C-Plus line of<br>desktop decoder displays and CIM-<br>1000, K-20, K-26 Instruction Manuals<br>are available directly from Cimmarron<br>Technologies 800-487-7184 at<br>www.cimtechcorp.com  |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | External Vibration Unit [Intrinsically Safe Approved Accessory] Note: Audio accessories cannot be used when this option installed.  |                    | KCT-48VU    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Man-Down Internal Tilt Switch (Non-Mercury Ball Switch Type) [Intrinsically Safe Approved Accessory]- Must be Kenwood installed for I.S. Order L-XXXX for CIM-1000, K-20, K-26 & L-XXXX for P25/NXDN®/FleetSync® operations   |                    | KCT-57MS    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | AES FIPS140-2 & DES Encryption Module for TK-5210/5710/5310/5810 (except K7 Portable) [Intrinsically Safe Approved Accessory] - Order L-1236 if installation is required. KWD-AE20K requires: a Motorola KVL3000 Plus key loader device. KWD-AE20K is an U.S. DOC/BIS |                    | KWD-AE20K   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| 112111100                     |                               | <u> </u>  |                    |             |                                    |   |   |                                    |                           |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|                               |                               | Export Controlled Item (ECCN 5A002A.1) - See IMPORTANT NOTES -  |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | AES & DES Encryption Module for TK-5210/5710/5310/5810 (except K7 Portable) Order L-1237 if installation is required. Note: Requires KPG-113AE software key loader or Motorola KVL3000 Plus key loader device. KWD-AE21K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1) - See IMPORTANT NOTES -  |                    | KWD-AE21K   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | DES Encryption Module for TK- 5210/5710/5310/5810 [Intrinsically Safe Approved Accessory] - Order L-1559 if installation is required. KWD-DE20K requires: a Motorola KVL3000 or KVL3000 Plus key loader device. KWD-DE20K is a U.S. DOC/BIS Export Controlled Item (ECCN 5A992A) - See IMPORTANT NOTES - Other Option Board Installation: CIM- 1000K-26 ANI, VGS-1 & aftermarket ANI/encryption boards cannot be installed with a KWD-DE20K or KWD- |                    | KWD-DE20K   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| 112111100                     | D 1 1000                      | <del></del>  |                    |             |                                    |   |   |                                    |                           |
|-------------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|                               |                               | AE20K (portable option port are space limitation)  |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | DES Encryption Module for TK- 5210/5710/5310/5810 Order L-1560 if installation is required Note: Requires KPG-114DE or KPG- 113AE software key loader or Motorola KVL3000 Plus key loader device. KWD- DE21K is a U.S. DOC/BIS Export Controlled Item (ECCN 5A992A) - See IMPORTANT NOTES -          |                    | KWD-DE21K   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Voice Guide and Storage Unit [Intrinsically Safe Approved Accessory]   |                    | VGS-1       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Immersion Option Kit Must Order L-987 Note: Initial Installation Kenwood Long Beach Tuning Dept. only. To maintain immersion certification, re- certification is required every 2 years available at Kenwood Authorized Service Centers only. Call an ASC for return procedure (\$315.00 List Price) |                    | KWD-IM10    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA | OPTIONS<br>MSRP<br>DISCOUNT<br>PERCENTAGE | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER | PUBLIC<br>SAFETY<br>RATED | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|--|--------------------|-------------|------------------------------|---|---|---------------------------|---------------------------|
|                               |                               |  |                    |             | GE                           | (Purchased with model)                    | WARRA                                   | RADIO                     | OAI ABEE                  |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | TK-5400 DES-OFB Multi-key Encryption Option; 16 keys  Note: Must order L-995 U.S. DOC/BIS Export Controlled Item (ECCN 5A992A) - See IMPORTANT NOTES -   |                    | KWD-DE10    | 25.0%                        | 25.0%                                     |   | YES                       | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | P25 Flash upgrade; NX-<br>200/300/700/800, factory only  |                    | KWD-P25C    | 25.0%                        | 25.0%                                     |   | YES                       | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | OTAR Option for KWD-AE20K Encryption Module for P25 Conventional Only; models TK-5x10 (VER2; except K7)  Must order:  • With KWD-AE20K (SN 005xxxxx or later)  • L-1108 for portable installation (no charge)  • L-1109 for mobile Installation (no charge)  Notes:  • Provides OTAR on P25 Conventional only (TIA/EIA-102.AACA compliant; not for use over trunked systems)  • Compatible with Motorola KMF P25 conventional OTAR  • Not compatible with Motorola-proprietary (non-TIA/P25) KMF features  • Not compatible with K7 64 Ch Model  • Requires KPG-95D V5.40 or later for radio programming  • Option deletes self-programming, cloning and analog FleetSync® (except |                    | KWD-RK20    | 25.0%                        | 25.0%                                     |   | YES                       | N/A                       |

| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                               |                               | PTT ID/Emergency) when installed.  KWD-RK20 is an U.S. DOC/BIS Export Controlled Item (ECCN 5D002A)  - See IMPORTANT NOTES -  |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Trunking Option for TK- 5210/5710/5310/5810 Order L-1055 also Note: [] Requires KPG-95DK with Network Level License ID [] Compatible with TK-5210 Version 2 hardware only |                    | KWD-TR20    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|--|--------------------|----------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | MPT Trunking Field Upgrade Kit for 180-Series Must order L-1619 Note: Refer to 180-Series MPT Price Pages and 180-Series MPT In-Depth Technical Manuals for feature details (available from technical support). Not compatible with any other firmware options Radio does not retain all normal 180-Series conventional or LTR trunking features once the MPT option is installed. |                    | KWD-<br>180MPT | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | TFS Tactical Feature Set Field Upgrade Kit for 180-Series Must order L-1624 Note: Refer to 180-Series "Tactical Feature Set" In-Depth Technical Manual for feature details (available from technical support). Not compatible with any other firmware options.   |                    | KWD-<br>180TFS | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | AES/DES Encryption Software Key<br>Loader for KWD-DE21K/KWD-AE21K<br>Note: KPG-113AE is a U.S. DOC/BIS<br>Export Controlled Item (ECCN 5D002A)<br>- See IMPORTANT NOTES -  |                    | KPG-113AE      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | DES Encryption Software Key Loader for KWD-DE21K/KWD-AE21K  Note: KPG-114DE is a U.S. DOC/BIS Export Controlled Item (ECCN 5D992A.1) - See IMPORTANT NOTES -   |                    | KPG-114DE      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| ILLIAVVOO                  | D 1 1000                      | 301 LI01  |                    | <b>1</b>    |                                    |   |   |                                    | 1                         |
|----------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | USB Adapter for Programming Interface<br>Cables<br>(DB9M - to - USB Type A connector)                         |                    | KCT-53UM    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Programming interface Cable   |                    | KPG-22AM    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Programming interface cable   |                    | KPG-36AM    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | TK-5210/5310/5400 KVL-3000/3000<br>Plus Interface Cable   |                    | KPG-93      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Windows <sup>®</sup> Programming Software for TK-290/390  |                    | KPG-38DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Windows <sup>®</sup> Programming Software for TK-480/481/980/981  |                    | KPG-49DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Windows <sup>®</sup> Programming Software for 60G/70G/72G Portables & 60G/62G Mobiles                         |                    | KPG-56DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Windows® Program Software for TK-190/6110 (Version 2.00)  |                    | KPG-59DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | PassPort <sup>®</sup> Radio Programming<br>Software V2.00 or higher   |                    | KPG-63DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | PassPort® ESN Field Installation<br>Software  |                    | KPG-64DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | FleetSync <sup>®</sup> Enhanced Option<br>Installation Software<br><b>Note</b> : Required for L-925/926/927 & |                    | KPG-65EDK   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| 112111100                     | 2 : : : 0 2 :                 | J G 1   | 1                  |                              | 1                                  |   |   |                                    |                           |
|-------------------------------|-------------------------------|---|--------------------|------------------------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER                  | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|                               |                               | SRB08698 use.   |                    |                              |                                    |   |   |                                    |                           |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-2140/3140 portable   |                    | KPG-74DK                     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-5400 - No DES encryption key loader An export license may be required (DOC/BIS ECCN 5D991)   |                    | KPG-78DK<br>(V3.00 or later) | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-5400 - Includes DES encryption key loader; An export license is likely required (DOC/BIS ECCN 5D002A)  |                    | KPG-78DTKL<br>(V2.02)        | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-2160/3160  |                    | KPG-82DK                     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-2200L/3200L  |                    | KPG-88DK                     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-2200/3200  |                    | KPG-88DK -<br>VER 1.20       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-2180/3180/7180/8180  |                    | KPG-89DK                     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-5210/5310/5710/5810 Includes "Dealer Level License ID" for FM & P25 Conventional modes only. Order <u>L-989</u> KPG-95DK Network Level ID for Trunking System programming (Restricted Purchase requirements) |                    | KPG-95DK                     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| ILLIAVVOO                     | <u> </u>                      |  |                    |             |                                    |   |   |                                    |                           |
|-------------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Windows® Programming Software for 180-Series MPT (Dealer Level License ID included)  Note: Must order L-1013 for Network Level License ID & programming privileges |                    | KPG-96DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | PassPort® Programming software for TK-2140/3140 portables  |                    | KPG-98DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-2212L/3212L   |                    | KPG-100DK   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-2170/3170/3173  |                    | KPG-101DK   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-3230  |                    | KPG-108DK   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for NX Series  |                    | KPG-111DK   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-2302V/3302U   |                    | KPG-119DK   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Hardware Key   |                    | SRB08698    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 Parts and                | Kenwood<br>USA<br>Corporation | Horn Alert/P.A. Relay Option (requires KCT-19)   |                    | KAP-1       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Horn Alert/P.A. Relay Option   |                    | KAP-2       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| ILLITTOO                      | REIWOOD I RODOOT EIGT         |   |                    |             |                                    |   |   |                                    |                           |  |  |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|--|--|
| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |  |  |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Ignition sense cable (requires KCT-39 Acc. Cable Option)                            |                    | KCT-18      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Accessory connector cable (for ignition sense, horn alert, KSP- spkrs, & Data Port) |                    | KCT-19      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Remote Control Cable (8 Feet)   |                    | KCT-22M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Remote Control Cable (17 Feet) (typical sedan length)                               |                    | KCT-22M2    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Remote Control Cable (25 Feet)  |                    | KCT-22M3    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | DC Cable (10-50W Dash mount; pos/neg. 10 ft. leads)                                 |                    | KCT-23M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | DC Cable (10-50W Remote mount; pos.23 ft.; neg. 3.3. ft. leads)                     |                    | KCT-23M3    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | KGP-2A/2B & KDS-100 Radio Interface<br>Cable for 80-Series Mobiles                  |                    | KCT-34      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Extension Cable for KCT-34/35/39/40M; 117.6 inches (9.8 ft)                         |                    | KCT-36      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | KGP-2A/2B & KDS-100 Radio Interface & Accesory Cable                                |                    | KCT-39      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | KGP-2A/2B & KDS-100 Radio Interface Cable   |                    | KCT-40M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |

| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Ignition sense cable (plugs directly into mobile chassis ignition sense line)      |                    | KCT-46      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Line Filter (suppresses alternator whine, 25dB, 25A max).                          |                    | KLF-2       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Mobile mounting bracket (same as supplied)   |                    | KMB-4       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Medium Power Mounting Bracket (10-50W models)                                      |                    | KMB-5       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Mobile mounting bracket (same as supplied)   |                    | KMB-6       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | High Power Mounting Bracket with built-<br>in key lock (50-110W models)            |                    | KMB-9       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Key Lock Adapter for use with KMB-<br>4/5/6  |                    | KMB-10      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Remote Control Kit for TK-7150/8150  Note: purchase KCT-22M/M2/M3 cable separately |                    | KRK-9       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Remote Control Kit (a remote control cable (23 ft) is included)                    |                    | KRK-10      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Auxiliary Adapter for 90-Series Mobiles (For AUX A, B, & C)  Features: 90-Series AUX A, B, & C Inputs, 3 AUX 1 Amp Relay Outputs, D-Sub 25 90-Series Accessory Connector Parallel Feed Through Supplied Items: Instruction Sheet (1pc.), KCK-6 (1pc.), Insulated Spade Lugs [0.250 female fully insulated, 16- 14 wire range] (8pcs.)  ***Hardware that may be required but NOT supplied - two 3/16" mounting screws, male-to-female DB-25 straight through serial cable, & wire peripheral.**  Caution: KCK-6 Relays are rated at 1A maximum. Do Not Exceed. The KCK-6 is not intended to directly drive siren and light packages. The siren/light package manufacturers recommended high amperage relay units and directions should be followed. |                    | KCK-6       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | PC Serial Interface cable (80-Series mobile-to-PC connection for FleetSync®)   |                    | KCT-31      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Control Station Mounting Case for KPS-<br>15 Power Supplies<br>(mobile mounting hardware included)   |                    | KMB-20      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Control Station Mounting Case for KPS-<br>15 Power Supplies<br>(mobile mounting hardware included)   |                    | KMB-24      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA                | Control Station Desktop Microphone (8-<br>pin mod. plug)   |                    | KMC-9C      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| 112111100                     | <u> </u>                      | JOT LIGT  |                    |             |                                    |   |   |                                    |                           |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|                               | Corporation                   |   |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | DC Switching Power Supply (117/230 VAC; 23A max. continuous, 25A peak)  |                    | KPS-15      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | KCH-14M, KCT-23M2, KMB-9, KMC-27  |                    | 10BHD       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | KCH-14M, KCT-23M, KMB-5, KMC-27   |                    | 10BMD       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | KCH-14M, KCT-23M, KMB-9, KMC-27   |                    | 10BMD-9     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | KCH-14M, KRK-5, KCT-22M2, KCT-<br>23M3, KMB-9, KMC-27                   |                    | 10BMSH-9    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | KCH-14M(x2), KRK-6DH, KCT-<br>22M2(x2), KCT-23M3, KMB-9, KMC-<br>27(x2) |                    | 10BMDH-9    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | KCH-15M, KCT-23M2, KMB-9, KMC-<br>27, KES-5                             |                    | 10FHD       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-15M, KCT-23M, KMB-5, KMC-27,<br>KES-5                               |                    | 10FMD       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | KCH-15M, KCT-23M, KMB-9, KMC-27,<br>KES-5                               |                    | 10FMD-9     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | KCH-15M, KRK-5, KCT-22M2, KCT-23M3, KMB-9, KMC-27, KES-5                |                    | 10FMSH-9    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



|                            |                               | · - · · · · · · · · · · · · · · · ·  |                    |             |                                    |   |   |                                    |                           |
|----------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-15M(x2), KRK-6DH, KCT-<br>22M2(x2), KCT-23M3, KMB-9, KMC-<br>27(x2), KES-5(x2) |                    | 10FMDH-9    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-10, KCT-23M2, KMB-9, KMC-27  |                    | 9BHD1       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-10, KCT-23M, KMB-5, KMC-27   |                    | 9BMD1       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-11, KCT-23M2, KMB-9, KMC-27,<br>KES-5  |                    | 9FHD1       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-11, KCT-23M, KMB-5, KMC-27,<br>KES-5   |                    | 9FMD1       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-10, KRK-5, KCT-22M2, KCT-<br>23M4, KMB-9, KMC-27                               |                    | 9BHSH1      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-10, KRK-5, KCT-22M2, KCT-<br>23M3, KMB-5, KMC-27                               |                    | 9BMSH1      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-11, KRK-5, KCT-22M2, KCT-<br>23M4, KMB-9, KMC-27, KES-5                        |                    | 9FHSH1      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-11, KRK-5, KCT-22M2, KCT-<br>23M3, KMB-5, KMC-27, KES-5                        |                    | 9FMSH1      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-10(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M4, KMB-9, KMC-27(x2)                  |                    | 9BHDH1      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-10(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M3, KMB-5, KMC-27(x2)                  |                    | 9BMDH1      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| INDIVIOU                   | REIWOOD I RODOOT EIOT         |  |                    |             |                                    |   |   |                                    |                           |  |  |
|----------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|--|--|
| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |  |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-11(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M4, KMB-9, KMC-27(x2), KES-<br>5(x2) |                    | 9FHDH1      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-11(x2), KRK-6DH, KCT-22M2(x2),<br>KCT-23M3, KMB-5, KMC-27(x2), KES-<br>5(x2) |                    | 9FMDH1      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-14M, KRK-5, KCT-22M2, KCT-<br>23M4, KMB-9, KMC-27                            |                    | 10BHSH      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-14M, KRK-5, KCT-22M2, KCT-<br>23M3, KMB-5, KMC-27                            |                    | 10BMSH      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-15M, KRK-5, KCT-22M2, KCT-<br>23M4, KMB-9, KMC-27, KES-5                     |                    | 10FHSH      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-15M, KRK-5, KCT-22M2, KCT-<br>23M3, KMB-5, KMC-27, KES-5                     |                    | 10FMSH      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-10, KRK-7DB, KMC-27, KCT-<br>22M2, KCT-23M4(x2), KMB-9(x2)                   |                    | 9BHHDB      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-10, KRK-7DB, KMC-27, KCT-<br>22M2, KCT-23M3, KCT-23M4, KMB-5,<br>KMB-9       |                    | 9BHMDB      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-10, KRK-7DB, KMC-27, KCT-<br>22M2, KCT-23M3(x2), KMB-5(x2)                   |                    | 9BMMDB      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-11, KRK-7DB, KMC-27, KES-5,<br>KCT-22M2, KCT-23M4(x2), KMB-9(x2)             |                    | 9FHHDB      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-11, KRK-7DB, KMC-27, KES-5,<br>KCT-22M2, KCT-23M3/KCT-23M4,<br>KMB-5/KMB-9   |                    | 9FHMDB      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |  |



| REITHOU                    | D 1 1000                      | JOT LIGT  |                    |             |                                    |   |   |                                    |                           |
|----------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-11 KRK-7DB, KMC-27, KES-5,<br>KCT-22M2, KCT-23M3(x2), KMB-5(x2)                               |                    | 9FMMDB      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-10(x2), KMC-27(x2), KRK-8DBH,<br>KCT-22M2(x2), KCT-23M4(x2), KMB-<br>9(x2)                    |                    | 9BBHH       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-10(x2), KMC-27(x2), KRK-8DBH,<br>KCT-22M2(x2), KCT-23M3, KCT-23M4,<br>KMB-5, KMB-9            |                    | 9BBHM       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-10(x2), KMC-27(x2), KRK-8DBH,<br>KCT-22M2(x2), KCT-23M3(x2), KMB-<br>5(x2)                    |                    | 9BBMM       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-11(x2), KMC-27(x2), KRK-8DBH,<br>KCT-22M2(x2), KCT-23M4(x2), KMB-<br>9(x2), KES-5(x2)         |                    | 9FFHH       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-11(x2), KMC-27(x2), KRK-8DBH,<br>KCT-22M2(x2), KCT-23M3, KCT-23M4,<br>KMB-5, KMB-9, KES-5(x2) |                    | 9FFHM       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-11(x2), KMC-27(x2), KRK-8DBH,<br>KCT-22M2(x2), KCT-23M3(x2), KMB-<br>5(x2), KES-5(x2)         |                    | 9FFMM       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-14M(x2), KRK-6DH, KCT-<br>22M2(x2), KCT-23M4, KMB-9, KMC-<br>27(x2)                           |                    | 10BHDH      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-14M(x2), KRK-6DH, KCT-<br>22M2(x2), KCT-23M3, KMB-5, KMC-<br>27(x2)                           |                    | 10BMDH      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-15M(x2), KRK-6DH, KCT-<br>22M2(x2), KCT-23M4, KMB-9, KMC-<br>27(x2), KES-5(x2)                |                    | 10FHDH      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-15M(x2), KRK-6DH, KCT-<br>22M2(x2), KCT-23M3, KMB-5, KMC-<br>27(x2), KES-5(x2)                |                    | 10FMDH      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | KCH-16M, KRK-11M, KCT-22M2, KCT-<br>23M4, KMB-9, KES-5   |                    | 10CHSH      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | KCH-16M, KRK-11M, KCT-22M2, KCT-<br>23M3, KMB-9, KES-5   |                    | 10CMSH      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Basic Control Panel  |                    | KCH-10      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Full Featured Control Panel  |                    | KCH-11      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Basic Remote Control Head w/ 12 Alphanumeric Display (4W Front Speaker) Note: All KCH-14 / Basic Control Head configurations are shipped with the control heads 4W internal speaker enabled. Order L-1008 to enable the 13W external speaker output for KES-5 speaker use. This will disconnect the control heads internal 4W speaker! |                    | KCH-14M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Full-Featured Remote Control Head w/ 14 Alphanumeric Display Note: requires an external speaker  |                    | KCH-15M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Single Control Head Remote Mount Kit   |                    | KRK-5       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Dual Control Head Remote Mount Kit   |                    | KRK-6DH     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA                | Dual Band Control Head Remote Mount<br>Kit   |                    | KRK-7DB     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                               | Corporation                   |  |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Dual Band Dual Head Remote Mount<br>Kit  |                    | KRK-8DBH    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Handheld Control Head for P25 Mobiles  Note: requires KRK-11M, KCT- 22M/M2/M3, & KES-5 |                    | KCH-16M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | KCH-16M HHCH Interface Kit for Single Head Remote                                      |                    | KRK-11M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | External speaker (compact low profile; black case; 3.5 mm phono plug-in)               |                    | KES-3       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | External speaker, 40W max input  |                    | KES-5       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Noise canceling microphone   |                    | KMC-2A      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Standard dynamic mobile microphone   |                    | KMC-14      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | DTMF mic, manual dial, auto PTT,<br>Backlit keypad, MILSTD                             |                    | KMC-18      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | MIL-SPEC noise-canceling mobile hand microphone  |                    | KMC-27      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | MIL-SPEC DTMF noise-canceling mobile hand microphone                                   |                    | KMC-28      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



|                            | 2                             | 30: 2:0:   |                    |             |                                    |   |   |                                    |                           |
|----------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | MIL-SPEC & Noise Canceling dynamic mobile microphone (8-pin mod. plug)         |                    | KMC-27A     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Standard dynamic mobile microphone (8-pin mod. plug)                           |                    | KMC-27B     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | MIL-SPEC & Noise Canceling dynamic mobile microphone (8-pin mod. plug) w/ DTMF |                    | KMC-28A     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Standard mobile microphone (8-pin mod. plug)                                   |                    | KMC-30      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Low profile mobile microphone with 16 DTMF keypad (8-pin mod. plug)            |                    | KMC-32      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Standard dynamic mobile microphone (8-pin mod. plug)                           |                    | KMC-35      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Standard dynamic mobile microphone with 12 keypad (8-pin mod. plug)            |                    | KMC-36      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Control station desktop microphone   |                    | KMC-9       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Desk top microphone  |                    | KMC-9B      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Control Station Desktop Microphone (8-pin mod. plug)                           |                    | KMC-9C      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Ignition sense cable   |                    | KCT-18      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY      | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|----------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Accessory connector cable (for ignition sense, horn alert, KSP- spkrs, & Data Port)                |                    | KCT-19      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Control cable - 8 Feet   |                    | KCT-22M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Control cable - 17 Feet (Standard accessory config. set cable)                                     |                    | KCT-22M2    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Control cable - 25 Feet  |                    | KCT-22M3    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | DC Cable (10-50W Dash mount)   |                    | KCT-23M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | DC Cable (50-110W Dash mount)  |                    | KCT-23M2    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | DC Cable (10-50W Remote mount)   |                    | KCT-23M3    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | DC Cable (50-110W Remote mount)  |                    | KCT-23M4    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | GPS Receiver / Modem Unit<br>(includes one dash-mount GPS<br>antenna, mounting bracket, screw set) |                    | KGP-2A      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Base Modem Unit  |                    | KGP-2B      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES | Kenwood<br>USA<br>Corporation | Radio Interface Cable for KGP-2A/2B & KDS-100  |                    | KCT-34      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Radio Interface Cable for KGP-2A/2B & KDS-100  |                    | KCT-35      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Extension Cable for KCT-34/35/39/40M; 117.6 inches (9.8 ft)  |                    | KCT-36      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Radio Interface Cable for KGP-2A/2B & KDS-100  |                    | KCT-39      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Radio Interface Cable for KGP-2A/2B & KDS-100  |                    | KCT-40M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows <sup>®</sup> Programming Software for KGP-2A/2B  |                    | KPG-73DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Garmin On-dash Style Magnetic base GPS Antenna for GPS15L-W  Note: shipped loose only; Install GA25MCX antenna to GPS15L-W before vehicle install; Refer to 180/NX-Series In-depth Technical Manuals for mobile installation.  |                    | GA25MCX     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Garmin Internal GPS Receiver Board for FleetSync® AVL  Note: Conventional & LTR operation only Requires GA25 MCX GPS antenna Refer to 180/NX-Series & KGS-3 In-Depth Technical Manuals for installation, programming & KGS-3 software setup. Refer to www.garmin.com for GPS-15L-W technical specifications. |                    | GPS15XL-W   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| INCIANA                       | <u> </u>                      | <u> </u>  |                    |             |                                    |   |   |                                    |                           |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|                               |                               | Option: Order <u>L-XXXX</u> for Kenwood<br>Long Beach installation  |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | FleetSync® & NEXEDGETM AVL & Messaging Software (Windows® 2000/XP compatible), Note: AVL operation /use is not required. Compatible with Microsoft®MapPoint®2004/2006 Software or certain type imported maps (purchase aftermarket separately) Refer to KGS-3 spec sheet for detailed features & requirements.      |                    | KGS-3       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | FleetSync® & NEXEDGETM AVL & Messaging Software (Windows® XP/VISTA compatible),  Note: AVL operation /use is not required. Compatible with Microsoft®MapPoint®2006/2009  Software or certain type imported maps (purchase aftermarket separately)  Refer to KAS-10 spec sheet for detailed features & requirements. |                    | KAS-10      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | FleetDispatchPRO: FleetSync® messaging dispatch software for PC (Windows® 98/Me/NT/2000/XP compatible)  Note: TK-7180/8180/7150/8150 base mobile requires a DB-25 PC serial cable to connect to the base computer (purchase aftermarket seperately). TK-980/981base mobile requires a KCT-31 PC serial cable to connect to the base computer (purchase seperately). Supports FleetSync® PTT ID, Emergency, Status/Text Messaging for all FleetSync compatible portables & mobiles. KDS-100 fleet units are compatible with the KAS-2FSD FleetSync calling & messaging features. Refer to KAS-2FSD spec sheet for detailed features & requirements |                    | KAS-2FSD    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | FleetSync® Data Terminal  Note: The KDS-100 pigtail cable (1.83 ft) combined with the KDS-100 mobile interface cables KCT-34/35/39/40M (1 ft.) and use a KCT-36 (9.8 ft.) for an extension.   |                    | KDS-100     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Radio Interface Cable for KGP-2A/2B & KDS-100   |                    | KCT-34      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA                | Radio Interface Cable for KGP-2A/2B & KDS-100   |                    | KCT-35      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                               | Corporation                   |   |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Extension Cable for KCT-34/35/39/40M; 117.6 inches (9.8 ft)   |                    | KCT-36      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Radio Interface Cable for KGP-2A/2B & KDS-100   |                    | KCT-39      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Radio Interface Cable for KGP-2A/2B & KDS-100   |                    | KCT-40M     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for KDS-100   |                    | KPG-71DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | DES Encryption Software Key Loader for KWD-DE21K/KWD-AE21K  Note: KPG-114DE is a U.S. DOC/BIS Export Controlled Item (ECCN 5D992A.1) - See NOTES              |                    | KPG-114DE   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | AES/DES Encryption Software Key<br>Loader for KWD-DE21K/KWD-AE21K<br>Note: KPG-113AE is a U.S. DOC/BIS<br>Export Controlled Item (ECCN 5D002A)<br>- See NOTES |                    | KPG-113AE   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | OTAR Option for KWD-AE20K Encryption Module for P25 Conventional Only; models TK-5x10 (VER2; except K7)  Must order:  • With KWD-AE20K (SN 005xxxxx or later)  • L-1108 for portable installation (no charge)  • L-1109 for mobile Installation (no charge)  Notes:  • Provides OTAR on P25 Conventional only (TIA/EIA-102.AACA compliant; not for use over trunked systems)  • Compatible with Motorola KMF P25 conventional OTAR  • Not compatible with Motorola-proprietary (non-TIA/P25) KMF features  • Not compatible with K7 64 Ch Model  • Requires KPG-95D V5.40 or later for radio programming  • Option deletes self-programming, cloning and analog FleetSync® (except PTT ID/Emergency) when installed.  KWD-RK20 is an U.S. DOC/BIS Export Controlled Item (ECCN 5D002A)  • See IMPORTANT NOTES - |                    | KWD-RK20    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER    | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|--|--------------------|----------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Trunking Option for TK- 5210/5710/5310/5810 - Must order L- 1056 Must order L-1056 Note: KPG-95DK Requires Network Level License ID to program trunked network radio parameters (see KPG- 95D for purchase restrictions & requirements) Compatible with TK-5210 Version 2 (SN 80600001 or later); TK-5310 (SN 809xxxxx or later); TK-5710 Version 2 (SN806xxxxx); TK-5810 (SN 809xxxxx or later) |                    | KWD-TR20       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | MPT Trunking Field Upgrade Kit for 180-Series Must order L-1620 Note: Refer to 180-Series MPT Price Pages and 180-Series MPT In-Depth Technical Manuals for feature details (available from technical support). Not compatible with any other firmware options Radio does not retain all normal 180-Series conventional or LTR trunking features once the MPT option is installed.               |                    | KWD-<br>180MPT | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | TFS Tactical Feature Set Field Upgrade Kit for 180-Series Must order L-1625 Note: Refer to 180-Series "Tactical Feature Set" In-Depth Technical Manual for feature details (available  |                    | KWD-<br>180TFS | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER      | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|------------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                               |                               | from technical support). Not compatible with any other firmware options.  |                    |                  |                                    |   |   |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | GE-Star or MDC-1200 ANI Encode Board Must order L-XXXX or L-XXXX for radio install & programming Note: CIM-1000 G-Star®/ MDC1200 Digital ANI Boards Pre-programmed & installed boards require a completed CIM-1000 Information and Order Sheet" (available from Kenwood LMR Order Desk) submitted with order. a) Order the appropriate Labor Code for MDC-1200 or G-Star. b) CIM-1000 boards can be ordered and shipped loose (if shipped loose, Kenwood will not program the board). |                    | CIM-1000         | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | GE-Star or MDC-1200 ANI Encode 20-Pin Plug-in Board Must order L-1057 or L-1058 for radio install & programming Note: CIM-1000K-20 G-Star®/ MDC1200 Digital ANI (20-Pin Plug-in) Boards Pre-programmed & installed boards require a completed CIM-1000K-20 Information and Order Sheet" (available from Kenwood LMR Order Desk) submitted with order. a) Order the  |                    | CIM-1000K-<br>20 | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER      | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|------------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                               |                               | appropriate Labor Code for MDC-1200 or G-Star. b) CIM-1000K-20 boards can be ordered and shipped loose (if shipped loose, Kenwood will not program the board).  |                    |                  |                                    |   |   |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | GE-Star or MDC-1200 ANI Encode 26-Pin Plug-in Board Must order L-XXXX or L-XXXX for radio install & programming Note: CIM-1000K-26 G-Star®/ MDC1200 Digital ANI (26-Pin Plug-in) Boards Pre-programmed & installed boards require a completed CIM-1000K-26 Information and Order Sheet" (available from Kenwood LMR Order Desk) submitted with order. a) Order the appropriate Labor Code for MDC-1200 or G-Star. b) CIM-1000K-26 boards can be ordered and shipped loose (if shipped loose, Kenwood will not program the board). |                    | CIM-1000K-<br>26 | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Serial Program Cable  Note: CIM-1000, K-20, K-26 programs via Windows Hyper terminal (Windows Ver 3.1 or later) or any ProComm version; board must be installed in a powered radio for programming. The radio programmer does NOT program the CIM-1000, K-20, K-26. CIM-CABLE is a DB-9 PC connector with 3 short lead with clips and may require a PC serial extension cable. CIM-IRP (Part No 01-30-0510) Infrared wireless standalone programmer, C-Plus line of desktop decoder displays and CIM- 1000, K-20, K-26 Instruction Manuals are available directly from Cimmarron Technologies 800-487-7184 at www.cimtechcorp.com |                    | CIM-CABLE   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | AES FIPS140-2 & DES Encryption Module for TK-5210/5710/5310/5810 Order <u>L-1345</u> if installation is required. KWD-AE20K requires: a Motorola KVL3000 Plus key loader device. KWD-AE20K is an U.S. DOC/BIS Export Controlled Item (ECCN 5A002A.1)- See NOTES   |                    | KWD-AE20K   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | AES & DES Encryption Module for TK-5210/5710/5310/5810 Order L-1346 if installation is required. Note: Requires KPG-113AE software key loader or Motorola KVL3000 Plus key loader device. KWD-AE21K is an U.S. DOC/BIS  |                    | KWD-AE21K   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                               |                               | Export Controlled Item (ECCN 5A002A.1)- See NOTES   |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | DES Encryption Module for TK-5210/5710/5310/5810 Order L-1601 if installation is required. KWD-DE20K requires: a Motorola KVL3000 or KVL3000 Plus key loader device. KWD-DE20K is a U.S. DOC/BIS Export Controlled Item (ECCN 5A992A) - See NOTES                           |                    | KWD-DE20K   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | DES Encryption Module for TK-5210/5710/5310/5810 Order L-1602 if installation is required Note: Requires KPG-114DE or KPG-113AE software key loader or Motorola KVL3000 Plus key loader device KWD-DE21K is a U.S. DOC/BIS Export Controlled Item (ECCN 5A992A) - See NOTES |                    | KWD-DE21K   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Voice Guide and Storage Unit  |                    | VGS-1       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Mobile Programming interface cable  |                    | KPG-4       | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Programming interface Cable   |                    | KPG-43AM    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



|                               | 2                             |   | 1                  |             | •                                  |   |   |                                    |                           |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Programming interface cable   |                    | KPG-46AM    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Radio Interface Cable for KGP-2A/2B & KDS-100   |                    | KCT-35      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Extension Cable for KCT-34/35/39/40M; 117.6 inches (9.8 ft)                                 |                    | KCT-36      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | USB Adapter for Programming Interface<br>Cables<br>(DB9M - to - USB Type A connector)       |                    | KCT-53UM    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-690/790/890  |                    | KPG-44DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-480/481/980/981 V3.00 or higher                        |                    | KPG-49DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-762G/862G  |                    | KPG-56DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Program Software for TK-190/6110 (Version 2.00)   |                    | KPG-59DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Programming software for TK-930HD   |                    | KPG-5DK     | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | PassPort® Radio Programming<br>Software V2.00 or higher                                     |                    | KPG-63DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | PassPort® ESN Field Installation<br>Software V1.12<br>· V1.12: supercedes V1.11; upgrade to |                    | KPG-64DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |



| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION   | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|---|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
|                               |                               | V1.12 recommended for improved ESN file database features   |                    |             |                                    |   |   |                                    |                           |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | FleetSync® Enhanced Option Installation Software  Note: The KPG-65ED is a one-time order and may be re-used on future orders of L-905/906/907. The SRB08698 hardware key must be installed on the PC parallel port for the KPG-65ED to operate. |                    | KPG-65EDK   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows <sup>®</sup> Programming Software for TK-7102H/8102H  |                    | KPG-70DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for KDS-100   |                    | KPG-71DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for KGP-2A/2B   |                    | KPG-73DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-863G   |                    | KPG-76DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-7150/8150  |                    | KPG-79DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-2180/3180/7180/8180  |                    | KPG-89DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Key Loader Interface Cable for<br>Motorola KVL-3000/3000 Plus   |                    | KPG-94      | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |
|-------------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-5210/5310/5710/5810 Includes "Dealer Level License ID" for FM & P25 Conventional modes only. See L-989 KPG-95DK Network Level ID (Trunking System Privileges Restricted Purchase Requirements.  Note: A Dealer Level License ID can load network data files provided by a Network Level Licensed KPG-95DK, but cannot change trunked network parameters.  KPG-95D V4.00 or later (no key loader): TK-5210/5710/5310/5810 VER1 & VER2 Radios (all Serial No.s) Note: A Kenwood Key Loader for VER2 radios is NOT currently available (see KWD-DE20/KWD-AE20) KPG-95D V3.11 or earlier (no key loader): TK-5210/5710 VER1 Radios (before SN 8060000) ONLY KPG-95DTKL VX.XX (includes key loader; discontinued): TK-5210/5710 VER1 Radios (before SN 8060000) ONLY |                    | KPG-95DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Windows® Programming Software for 180-Series MPT (Dealer Level License ID included)  Note: Must order L-1013 for Network Level License ID & programming privileges   |                    | KPG-96DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |

| SECTION -<br>CATEGORY         | MANUFACTURE                   | MODEL DESCRIPTION  | FREQUEN<br>CY BAND | PART NUMBER | MSRP<br>DISCOUNT<br>PERCENTA<br>GE | OPTIONS MSRP DISCOUNT PERCENTAGE (Purchased with model) | FLAT<br>RATE<br>REPAIR<br>COST<br>AFTER<br>WARRA<br>NTY | PUBLIC<br>SAFETY<br>RATED<br>RADIO | NARROW<br>BAND<br>CAPABLE |  |
|-------------------------------|-------------------------------|--|--------------------|-------------|------------------------------------|---|---|------------------------------------|---------------------------|--|
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Windows® Programming Software for TK-7160/8160   |                    | KPG-99DK    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS & ACCESSORIES    | Kenwood<br>USA<br>Corporation | Windows® Programming Software for NX-200/300/700/800   |                    | KPG-111DK   | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |
| 13.0 - PARTS &<br>ACCESSORIES | Kenwood<br>USA<br>Corporation | Hardware Key (Sentinel Super Pro)  Note: The SRB08698 hardware key requires L-905, 906 or 907 options to be loaded into it. The hardware key requires the KPG-65ED to activate FleetSync® Enhanced Options in an 80-Series radio. The SRB08698 hardware key can be returned when empty for 50% credit. Call the LMR order desk for an RMA#. Credit will NOT be issued for the L-905/906/907 options. |                    | SRB08698    | 25.0%                              | 25.0%   |   | YES                                | N/A                       |  |

| DESCRIPTION OF SERVICES    | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOS | T CURRENT<br>NTRACTOR<br>ST PRICE | Rate Type | Comments   |
|----------------------------|----------------------------|-----------------------------------|-----|-----------------------------------|-----------|--|
| Portable Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$  | 120.00                            | Fixed     | TK-5400 Programming (with basic TX/RX check) Must Order Labor Code# L-010  |
| Portable Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$  | 25.00                             | Fixed     | TK-290/390 Programming (with basic TX/RX check) Must Order Labor Code# L-804   |
| Training & Site Services   | Kenwood USA<br>Corporation | 0.0%                              | \$  | 1,500.00                          | Fixed     | 8 hour training/service session at Customer location or other suitable location, covering any topic such as operation, installation and repair.  Note: Training is calculated on common costs for this type of event and is offered on other contract opportunities at the same price of \$1,500.00. |
| Install Battery            | Kenwood USA<br>Corporation | 0.0%                              | \$  |                                   | Fixed     | Install KNB-14/15A Battery  Must Order Labor Code #L-805   |
| Portable Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$  | 17.00                             | Fixed     | TK-480/481 Programming (with basic TX/RX check) Must Order Labor Code# L-826   |
| Intrinsically Safe Option  | Kenwood USA<br>Corporation | 0.0%                              | \$  | 70.00                             | Fixed     | Configure TK-480/481 for Intrinsically Safe Must order KNB-17BK Battery Must Order Labor Code# L-834   |
| Intrinsically Safe Option  | Kenwood USA<br>Corporation | 0.0%                              | \$  | 70.00                             | Fixed     | Configure TK-190/290/390 for USTC Intrinsically Safe  Must order KNB-17BK Battery Must Order Labor Code# L-835   |
| Assembly                   | Kenwood USA<br>Corporation | 0.0%                              | \$  | 15.00                             | Fixed     | Assemble KMB-16 with six KSC-<br>20/24/25 (Rapid Rate, 120 Volt version<br>only)<br>Must Order Labor Code # L-836  |
| Install Battery            | Kenwood USA<br>Corporation | 0.0%                              | \$  | -                                 | Fixed     | Install KNB-17A/17BK/21N/22N/22NC battery Must Order Labor Code# L-837   |

| DESCRIPTION OF SERVICES            | MANUFACTURE                | CONTRACTOR DISCOUNT PERCENT | MOST<br>CON | CURRENT<br>TRACTOR<br>T PRICE | Rate Type | Comments  |
|------------------------------------|----------------------------|-----------------------------|-------------|-------------------------------|-----------|---|
| Installation of Firmware           | Kenwood USA<br>Corporation | 0.0%                        | \$          | 84.00                         | Fixed     | Install firmware & enable NPSPAC operation in TK-480 Must order Labor Code# L-853  Note: NPSPAC and PassPort capabilty are not available in the same firmware option. |
| 90 Series Upgrade                  | Kenwood USA<br>Corporation | 0.0%                        | \$          | 50.00                         | Fixed     | Simultaneous transpond and alert<br>feature up-grade for 90-series mobiles<br>& portables<br>Must Order Labor Code # L-870  |
| Firmware Installation<br>Qty 1-24  | Kenwood USA<br>Corporation | 0.0%                        | \$          | 68.00                         | Fixed     | Install PassPort® ESN / Firmware Option (1-24 qty.) For TK- 480/481 Series Radios Must Order Labor Code# L-876  |
| Firmware Installation<br>Qty 25-99 | Kenwood USA<br>Corporation | 0.0%                        | \$          | 68.00                         | Fixed     | Install PassPort® ESN / Firmware<br>Option (25-99 qty.) For TK-<br>480/481 Series Radios<br>Must Order Labor Code# L-877  |
| Firmware Installation<br>Qty 100   | Kenwood USA<br>Corporation | 0.0%                        | \$          | 68.00                         | Fixed     | Install PassPort® ESN / Firmware Option (100 qty.) For TK- 480/481 Series Radios Must Order Labor Code# L-878   |
| Firmware Disk<br>Qty 1-24          | Kenwood USA<br>Corporation | 0.0%                        | \$          | 68.00                         | Fixed     | PassPort® ESN & Firmware disk (1-24 qty.) For TK-480/481 Series Radios  Must OrderLabor Code# L-892   |
| Firmware Disk<br>Qty 25-99         | Kenwood USA<br>Corporation | 0.0%                        | \$          | 68.00                         | Fixed     | PassPort® ESN & Firmware disk (25-<br>99 qty.) For TK-480/481<br>Series Radios<br>Must Order Labor Code# L-893  |
| Firmware Disk<br>Qty 100           | Kenwood USA<br>Corporation | 0.0%                        | \$          | 68.00                         | Fixed     | PassPort® ESN & Firmware disk (100 qty.) For TK-<br>480/481 Series Radios<br>Must Order Labor Code# L-894   |
| Portable Radio Programming         | Kenwood USA<br>Corporation | 0.0%                        | \$          | 25.00                         | Fixed     | TK-272G/372G Programming (with basic TX/RX check) Must Order Labor Code# L-899  |

| DESCRIPTION OF SERVICES        | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST | CURRENT<br>TRACTOR<br>T PRICE | Rate Type | Comments   |
|--------------------------------|----------------------------|-----------------------------------|------|-------------------------------|-----------|--|
| 190/6110 Series<br>Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 25.00                         | Fixed     | TK-190/TK-6110 Programming (with basic TX/RX check) Must Order Labor Code# L-911   |
| Cut KRA-21                     | Kenwood USA<br>Corporation | 0.0%                              | \$   | 10.00                         | Fixed     | Cut KRA-21 Low Band Antenna  Must Order Labor Code# L-914  |
| Portable Radio Programming     | Kenwood USA<br>Corporation | 0.0%                              | \$   | 25.00                         | Fixed     | TK-2140/3140 Programming (with basic TX/RX check) Must Order Labor Code# L-924   |
| Field Retrofit Qty 1-24        | Kenwood USA<br>Corporation | 0.0%                              | \$   | 50.00                         | Fixed     | FleetSync <sup>®</sup> Enhanced Option (field retrofit) for 140-series; Price each for qty. 1-24  Must Order Labor Code# L-925                     |
| Field Retrofit qty 25-99       | Kenwood USA<br>Corporation | 0.0%                              | \$   | 50.00                         | Fixed     | FleetSync® Enhanced Option (field<br>retrofit) for 140-series; Price each for<br>qty. 25-99<br>Must Order Labor Code# L-926                        |
| Field Retrofit Qty 100+        | Kenwood USA<br>Corporation | 0.0%                              | \$   | 50.00                         | Fixed     | FleetSync® Enhanced Option (field retrofit) for 140-series; Price each for qty. 100+  Must orderLabor Code# L-927                                  |
| Option                         | Kenwood USA<br>Corporation | 0.0%                              | \$   | 50.00                         | Fixed     | FleetSync® Enhanced Option  Must Order Labor Code# L-928   |
| Intrinsically Safe Option      | Kenwood USA<br>Corporation | 0.0%                              | \$   | 70.00                         | Fixed     | Configure TK-2140/3140 for<br>Intrinsically Safe<br>Must Order a KNB-40LC Battery<br>Must Order Labor Code# L-942                                  |
| Portable Radio Programming     | Kenwood USA<br>Corporation | 0.0%                              | \$   | 25.00                         | Fixed     | TK-2160/3160 Programming (with basic TX/RX check) Must Order Labor Code# L-953   |
| Assembly                       | Kenwood USA<br>Corporation | 0.0%                              | \$   | 17.00                         | Fixed     | Assemble KMB-23 with six KSC-<br>24/25/32 (Rapid Rate, 120 Volt<br>versions only)<br>Must Order Labor Code# L-961                                  |
| Installation                   | Kenwood USA<br>Corporation | 0.0%                              | \$   | 25.00                         | Fixed     | Install VGS-1 Voice Guide & Storage Unit  Note: VGS-1 installation precludes any ANI or encryption board installation Must Order Labor Code# L-962 |

| KLIWOODTKO                 |                            |                                   |     |                                 |           |  |
|----------------------------|----------------------------|-----------------------------------|-----|---------------------------------|-----------|--|
| DESCRIPTION OF SERVICES    | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | CON | T CURRENT<br>TRACTOR<br>T PRICE | Rate Type | Comments   |
| Portable Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$  | 37.50                           | Fixed     | TK-2180/3180 Programming (with basic TX/RX check) Must Order Labor Code# L-963   |
| Installation               | Kenwood USA<br>Corporation | 0.0%                              | \$  | 9.00                            | Fixed     | Install CAE-3 (for FleetSync®)  Must Order Labor Code# L-961   |
| Portable Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$  | 37.50                           | Fixed     | Change channel to other frequencies* or program TK- 2200L/3200L Series Must Order Labor Code# L-967                        |
| Intrinsically Safe Option  | Kenwood USA<br>Corporation | 0.0%                              | \$  | 100.00                          | Fixed     | Configure TK-5400/KNB-22C for Intrinsically Safe Order KNB-22NC Battery Must Order Labor Code# L-970                       |
| Installation               | Kenwood USA<br>Corporation | 0.0%                              | \$  | -                               | Fixed     | Install PassPort® ESN option and firmware for new TK-2140/3140 orders  Must Order Labor Code# L-971                        |
| Intrinsically Safe Option  | Kenwood USA<br>Corporation | 0.0%                              | \$  | 70.00                           | Fixed     | Configure TK-2160/3160 for<br>Intrinsically Safe<br>Must order a KNB-40LC Battery<br>Must Order Labor Code# L-976          |
| Intrinsically Safe Option  | Kenwood USA<br>Corporation | 0.0%                              | \$  | 100.00                          | Fixed     | Configure TK-5400/KNB-17BK for Intrinsically Safe Must Order Labor Code# L-977   |
| Intrinsically Safe Option  | Kenwood USA<br>Corporation | 0.0%                              | \$  | 70.00                           | Fixed     | Configure TK-190/290/390 for USTC Intrinsically Safe  Must order KNB-22NC Battery Must Order Labor Code# L-979             |
| Intrinsically Safe Option  | Kenwood USA<br>Corporation | 0.0%                              | \$  | 70.00                           | Fixed     | Configure TK-480/481 for Intrinsically Safe Must order KNB-22NC Battery Must Order Labor Code# L-980                       |
| Intrinsically Safe Option  | Kenwood USA<br>Corporation | 0.0%                              | \$  | 100.00                          | Fixed     | Configure TK-5210-IS/TK-5310-IS for<br>Intrinsically Safe<br>Must order a KNB-41NC Battery<br>Must Order Labor Code# L-986 |

| DESCRIPTION OF SERVICES    | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments   |
|----------------------------|----------------------------|-----------------------------------|--|-----------|--|
| Certification              | Kenwood USA<br>Corporation | 0.0%                              | N/C Fixed                                |           | Immersion Option Certification (Must purchase Immersion Option Kit, KWD-IM10 separately) Must Order Labor Code# L-987  |
| Network Level ID           | Kenwood USA<br>Corporation | 0.0%                              | \$ 132.00                                | ) Fixed   | KPG-95DK Network Level ID  Note: Enables KPG-95D for Trunking system programming privileges; - Restricted Purchase Requirements -Reserved ONLY for the system owner or the system owners authorized operators/service centers. Purchase requires written verifiable authorization from the systems owner/operator and the 3-digit hexadecimal P25 System ID This option will include an encrypted KPG-95D "System Key Data File" containing the 16-digit Network Level License ID & 3-digit hexadecimal System ID code. Must Order Labor Code# L-989 |
| Portable Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$ 125.00                                | Fixed     | TK-5210/5310 Programming  Basic TX/RX check only with factory test freq.s or dealer/customer provided KPG-95D data file Must Order Labor Code# L-990   |
| Portable Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$ 37.50                                 | Fixed     | TK-2212L/3212L Programming (with basic TX/RX check) Must OrderLabor Code# L-991  |
| Portable Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$ 37.50                                 | Fixed     | TK-2170/3170 Programming (with basic TX/RX check) Must Order Labor Code# L-992   |
| Portable Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$ 37.50                                 | Fixed     | TK-3173 Programming (with basic TX/RX check) Must Order Labor Code# L-993  |
| Intrinsically Safe Option  | Kenwood USA<br>Corporation | 0.0%                              | \$ 70.00                                 | Fixed     | Configure TK-2180-IS/3180-IS for<br>Intrinsically Safe<br>Must order a KNB-41NC Battery<br>Must Order Labor Code# L-994  |

| DESCRIPTION OF SERVICES      | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | CON. | CURRENT<br>TRACTOR<br>T PRICE | Rate Type | Comments  |
|------------------------------|----------------------------|-----------------------------------|------|-------------------------------|-----------|---|
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              |      | N/C                           | Fixed     | Install DES-OFB P25 Encryption Option  Note: Must purchase firmware option seperately Must Order Labor Code# L-995  |
| Intrinsically Safe Option    | Kenwood USA<br>Corporation | 0.0%                              | \$   | 70.00                         | Fixed     | Configure TK-2170/3170 for Intrinsically Safe Must Order a KNB-40LC Battery Must Order Labor Code# L-1000   |
| Intrinsically Safe Option    | Kenwood USA<br>Corporation | 0.0%                              | \$   | 70.00                         | Fixed     | Configure TK-3173 for Intrinsically Safe  Must order a KNB-40LC  Must Order Labor Code# L-1001  |
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | \$   | 16.67                         | Fixed     | Install MPT option in 180-Series radio  Must Order Labor Code# L-1012   |
| Network Level ID             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 158.33                        | Fixed     | Network Level License ID for KPG-96D<br>180-Series Programmer<br>Must Order Labor Code# L-1013  |
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | \$   | 85.00                         | Fixed     | Retrofit Install of MPT option in 180- Seires radio  For previously purchased 180-Series radios. Order L-1014 through LMR order desk/rep. Ship radios to attn:  Kenwood LMR Tuning, Long Beach for installation. Include Kenwood order number for L-1014 provided by order desk & copy of company P.O. or P.O. number.  Must Order Labor Code# L-1014  Note: Only certain Serial Number Lots produced in late 2004 and later can be retrofitted - see 180-Series  MPT Introduction Sales Bulletin for details |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                         | Fixed     | Install & Program CIM-1000K-26 for<br>MDC-1200 in TK-2180/3180<br>Must Order Labor Code# L-1018   |

| DESCRIPTION OF SERVICES      | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | CON. | CURRENT<br>TRACTOR<br>T PRICE | Rate Type | Comments   |
|------------------------------|----------------------------|-----------------------------------|------|-------------------------------|-----------|--|
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                         | Fixed     | Install & Program CIM-1000K-26<br>for GE-Star in TK-2180/3180<br>Must Order Labor Code# L-1019             |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                         | Fixed     | Install & Program CIM-1000K-26 for MDC-1200 in TK- 5210/5310  Must Order Labor Code # L-1022               |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                         | Fixed     | Install & Program CIM-1000K-26 for GE-Star in TK- 5210/5310  Must Order Labor Code# L-1023                 |
| Intrinsically Safe Option    | Kenwood USA<br>Corporation | 0.0%                              | \$   | 70.00                         | Fixed     | Configure TK-290/390 for MSHA Intrinsically Safe Must order KNB-44BK Battery Must Order Labor Code# L-1027 |
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                         | Fixed     | TK-190/290/390 CIM-1000/MDC1200<br>ENCODER INSTALLATION<br>Must Order Labor Code# L-1038                   |
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                         | Fixed     | TK-190/290/390 CIM-1000/GE STAR<br>ENCODER INSTALLATION<br>Must Order Labor Code# L-1039                   |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                         | Fixed     | Install & Program CIM-1000K-20 for MDC-1200 for TK-2170/3170  Must Order Labor Code# L-1047                |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                         | Fixed     | Install & Program CIM-1000K-20 for GE-Star for TK-2170/3170  Must Order Labor Code# L-1048                 |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                         | Fixed     | Install & Program CIM-1000K-20 for MDC-1200 for TK-3173 <b>Must Order Labor Code# L-1049</b>               |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                         | Fixed     | Install & Program CIM-1000K-20 for GE-Star for TK-3173 Must Order Labor Code# L-1050                       |

| DESCRIPTION OF SERVICES      | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments  |
|------------------------------|----------------------------|-----------------------------------|--|-----------|---|
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | N/C                                      | Fixed     | Install KWD-TR20 Trunking Option in TK-5210/5310  Must purchase KWD-TR20K separately Order Labor Code# L-1055                                       |
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | \$ 9.00                                  | Fixed     | Install KCT-56MS  for MPT Emergency Call  Must Order Labor Code# L-1061   |
| Portable Radio Programming   | Kenwood USA<br>Corporation | 0.0%                              | \$ 25.00                                 | Fixed     | Change Channel to other frequencies<br>or program TK-3230 Must Order<br>Labor Code# L-1077  |
| Portable Radio Programming   | Kenwood USA<br>Corporation | 0.0%                              | \$ 37.50                                 | Fixed     | NX-200/300 Programming (with basic TX/RX check) Must Order Labor Code# L-1084   |
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | \$ 25.00                                 | Fixed     | Install VGS-1 Voice Guide & Storage Unit  Note: VGS-1 installation precludes any ANI or encryption board installation Must Order Labor Code# L-1087 |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$ 75.00                                 | Fixed     | Install & Program CIM-1000K-26 for MDC-1200 in NX-200/300 Must Order Labor Code# L-1088   |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$ 75.00                                 | Fixed     | Install & Program CIM-1000K-26 for<br>GE-Star in NX-200/300 <b>Must Order</b><br><b>Labor Code# L-1089</b>  |
| Modification                 | Kenwood USA<br>Corporation | 0.0%                              | \$ 25.00                                 | Fixed     | Multi-Channel Encoder Modification  Must Order Labor Code# L-1100   |
| Intrinsically Safe Option    | Kenwood USA<br>Corporation | 0.0%                              | \$ 70.00                                 | Fixed     | Configure NX-200/300 for Intrinsically Safe  Must order KNB-50NC Battery  Must Order Labor Code# L-1101   |
| Installation                 | Kenwood USA<br>Corporation | 0.0%                              | N/C                                      | Fixed     | Install KWD-RK20 OTAR Option in TK- 5210/5310  Must purchase KWD-RK20 separately Order Labor Code# L-1108   |

| KLIWOODIKO              |                            |                     |      |                               |           |  |
|-------------------------|----------------------------|---------------------|------|-------------------------------|-----------|--|
| DESCRIPTION OF SERVICES | MANUFACTURE                | DISCOUNT<br>PERCENT | CONT | CURRENT<br>TRACTOR<br>T PRICE | Rate Type | Comments   |
| Intstallation           | Kenwood USA<br>Corporation | 0.0%                | \$   | 75.00                         | Fixed     | Install KWD-AE20K in TK-5210/TK-<br>5310 Portables<br>Must purchase module separately<br>Must Order Labor Code# L-1236 |
| Installation            | Kenwood USA<br>Corporation | 0.0%                | \$   | 75.00                         | Fixed     | Install KWD-AE21K in TK-5210/5310 Mobile Must purchase module separately Must Order Labor Code# L-1108                 |
| Installation            | Kenwood USA<br>Corporation | 0.0%                | \$   | 75.00                         | Fixed     | Install KWD-DE20K in TK-5210/TK-<br>5310 Portables<br>Must purchase module separately<br>Must Order Labor Code# L-1559 |
| Installation            | Kenwood USA<br>Corporation | 0.0%                | \$   | 75.00                         | Fixed     | Install KWD-DE21K in TK-5210/5310 Portable Must purchase module separately Must Order Labor Code# L-1560               |
| Installation            | Kenwood USA<br>Corporation | 0.0%                | \$   | 20.00                         | Fixed     | 170/173 Portable KCT-57MS Installation for CIM-1000K-20 Must Order Labor Code# L-1608                                  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                | \$   | 20.00                         | Fixed     | 170/173 Portable KCT-57MS Installation for FleetSync® Must Order Labor Code# L-1609                                    |
| Installation            | Kenwood USA<br>Corporation | 0.0%                | \$   | 20.00                         | Fixed     | 180 Portable KCT-57MS Installation<br>for CIM-1000K-26<br>Must Order Labor Code# L-1610                                |
| Installation            | Kenwood USA<br>Corporation | 0.0%                | \$   | 20.00                         | Fixed     | 180 Portable KCT-57MS Installation<br>for FleetSync®<br>Must Order Labor Code# L-1611                                  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                | \$   | 20.00                         | Fixed     | Install KCT-57MS  for MPT Emergency Call  Must Order Labor Code# L-1612  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                | \$   | 20.00                         | Fixed     | 5210/5310 Portable KCT-57MS Installation for CIM- 1000K-26 Must Order Labor Code# L-1613                               |

| DESCRIPTION OF SERVICES    | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | CON | T CURRENT<br>NTRACTOR<br>ST PRICE | Rate Type | Comments  |
|----------------------------|----------------------------|-----------------------------------|-----|-----------------------------------|-----------|---|
| Installation               | Kenwood USA<br>Corporation | 0.0%                              | \$  | 20.00                             | Fixed     | 5210/5310 Portable KCT-57MS Installation for P25/FleetSync® Must Order Labor Code# L-1614                         |
| Installation               | Kenwood USA<br>Corporation | 0.0%                              | \$  | 20.00                             | Fixed     | NX-200/300 Portable KCT-57MS Installation for CIM- 1000K-26 Must Order Labor Code# L-1615                         |
| Installation               | Kenwood USA<br>Corporation | 0.0%                              | \$  | 20.00                             | Fixed     | NX-200/300 Portable KCT-57MS Installation for NXDN® / FleetSync® Must Order Labor Code# L-1616                    |
| Installation               | Kenwood USA<br>Corporation | 0.0%                              | \$  | 20.00                             | Fixed     | 90 PORTABLE KCT-57MS INSTALLATION for CIM-1000 Must Order Labor Code#L-1617                                       |
| Installation               | Kenwood USA<br>Corporation | 0.0%                              | \$  | 20.00                             | Fixed     | 80/90 PORTABLE KCT-57MS INSTALLATION for FleetSync® Must Order Labor Code#L-1617                                  |
| Field Upgrade              | Kenwood USA<br>Corporation | 0.0%                              |     | NC                                | Fixed     | 180 Portable KWD-180MPT FIELD-<br>UPGRADE Must<br>purchase KWD-180MPT separately<br>Must Order Labor Code# I-1619 |
| Field Upgrade              | Kenwood USA<br>Corporation | 0.0%                              |     | NC                                | Fixed     | 180 Portable KWD-180TFS FIELD-<br>UPGRADE Must<br>purchase KWD-180TFS separately<br>Must Order Laobr Code# L-1624 |
| Portable Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$  | 37.50                             | Fixed     | TK-2302VK/3302UK Programming<br>(with basic TX/RX check)<br>Must Order Labor Code# L-1626                         |
| Mobile Radio Programming   | Kenwood USA<br>Corporation | 0.0%                              | \$  | 20.00                             | Fixed     | 60G/62G Mobile Programming (with<br>basic TX/RX check) Must<br>order Labor Code# L- 136                           |

| DESCRIPTION OF SERVICES  | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | CON | CURRENT<br>TRACTOR<br>T PRICE | Rate Type | Comments  |
|--------------------------|----------------------------|-----------------------------------|-----|-------------------------------|-----------|---|
| Installation             | Kenwood USA<br>Corporation | 0.0%                              | \$  | 33.00                         | Fixed     | NPSPAC conversion kit installation for TK-930HD  Note: NSPAC is not programmable per channel with this option/model makes all channels transmit +/- 4 kHz max. deviation, installs receiver 12.5kHz narrowband filters and 1.5PPM TCXOs.  Must Order Labor Code# L- 811 |
| Mobile Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$  | 17.00                         | Fixed     | TK-930HD Programming (with basic TX/RX check) Must Order Labor Code# L- 812   |
| Assembly                 | Kenwood USA<br>Corporation | 0.0%                              | \$  | 17.00                         | Fixed     | Package Dash/Single Head Remote for<br>90-series mobiles<br>Must Order Labor Code# L-846  |
| Assembly                 | Kenwood USA<br>Corporation | 0.0%                              | \$  | 34.00                         | Fixed     | Package Dual Head Remote for 90-<br>series mobiles Must Order<br>Labor Code# L- 847   |
| Assembly                 | Kenwood USA<br>Corporation | 0.0%                              | \$  | 34.00                         | Fixed     | Package Dual Band Remote for 90-<br>series mobiles Must<br>Order Labor Code# L- 848   |
| Assembly                 | Kenwood USA<br>Corporation | 0.0%                              | \$  | 50.00                         | Fixed     | Package Dual Band Dual Head<br>Remote for 90-series mobiles <b>Must</b><br><b>Order Labor Code# L- 849</b>  |
| Mobile Radio Programming | Kenwood USA<br>Corporation | 0.0%                              |     | N/C                           | Fixed     | Tune TK-890 receiver channel spread (20 MHz max.); specify receive spread Must Order Labor Code# L- 850   |
| Mobile Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$  | 30.00                         | Fixed     | 90 Mobile Programming (with basic TX/RX check) Must Order Labor Code# L- 854  |
| Mobile Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$  | 25.00                         | Fixed     | 80 Mobile Programming (with basic TX/RX check) Must Order Labor Code# L- 857  |
| Modification             | Kenwood USA<br>Corporation | 0.0%                              | \$  | 75.00                         | Fixed     | Modify 90-series mobile Single Band<br>(Single Head) Mobile for Pyramid<br>Vehicular Repeater<br>Must Order Labor Code# L- 858  |

| KLIWWOODTKO             | I LOCIOIVIL                |                     |     |                                  |           |  |
|-------------------------|----------------------------|---------------------|-----|----------------------------------|-----------|--|
| DESCRIPTION OF SERVICES | MANUFACTURE                | DISCOUNT<br>PERCENT | CON | T CURRENT<br>TRACTOR<br>ST PRICE | Rate Type | Comments   |
| Modification            | Kenwood USA<br>Corporation | 0.0%                | \$  | 75.00                            | Fixed     | Modify 90-series mobile Single Band<br>(Dual Head) Mobile for Pyramid<br>Vehicular Repeater<br>Must Order Labor Code# L-859  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                | \$  | 70.00                            | Fixed     | Install Horn Alert output relay for 90-<br>series mobiles (1 amp max.) Part<br>#S76-0407-05 Relay incl.<br>Must Order Labor Code # 861   |
| Installation            | Kenwood USA<br>Corporation | 0.0%                | \$  | 15.00                            | Fixed     | Install Front Panel PF Key Label Inserts in TK-5710/5810/90-series Mobile (key names and positions must be specified)  Must Order  Labor Code# L- 862  |
| Custom Cable 50 Ft Max  | Kenwood USA<br>Corporation | 0.0%                | \$  | 190.00                           | Fixed     | KCT-22A Extended Control Head Cable (up to 50 ft. max.)  Note: Please specify exact length at 1ft. increments when ordering.  Caution: Extended control head cables exhibit a loss in speaker audio power to the control heads. For either type control head (KCH-10/11), it is recommended that the 13W audio output modification be implemented to drive extended cable runs and a KES-5 external speaker be used. Refer to the service manual pg. 15-17 for 13W modifications. Installing new radio firmware (hex files) via the KPG-44D software nor checking the firmware "checksum" is not possible through an extended control head cable. A standard KCT-22 cable of 25 ft. or less should be used when this has to be done. Normal KPG-44D radio parameter programming is possible at extended lengths.  Must Order Labor Code# L-864 |

| DESCRIPTION OF SERVICES | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments   |
|-------------------------|----------------------------|-----------------------------------|--|-----------|--|
| Custom Cable 100 Ft Max | Kenwood USA<br>Corporation | 0.0%                              | \$ 245.00                                | Fixed     | KCT-22A Extended Control Head Cable (up to 100 ft. max.)  Note: Please specify exact length at 1ft. increments when ordering.  Caution: Extended control head cables exhibit a loss in speaker audio power to the control heads. For either type control head (KCH-10/11), it is recommended that the 13W audio output modification be implemented to drive extended cable runs and a KES-5 external speaker be used. Refer to the service manual pg. 15-17 for 13W modifications. Installing new radio firmware (hex files) via the KPG-44D software nor checking the firmware "checksum" is not possible through an extended control head cable. A standard KCT-22 cable of 25 ft. or less should be used when this has to be done. Normal KPG-44D radio parameter programming is possible at extended lengths.  Must Order Labor Code # 865 |
| Cable                   | Kenwood USA<br>Corporation | 0.0%                              | \$ 75.00                                 | Fixed     | KCT-23A-K2 Two Conductor 75/110W High Power DC Cable (2 Conductor: 1x23 ft. positive, 1x23 ft. negative; AWG #10)  Note: This cable substitutes for the ff: DC Cables:> KCT-23M2 75/110W Dash Mount DC Cable: 4 Conductor: 2x10 ft. positive, 2x10 ft. negative> KCT-23M4 75/110W Remote Mount DC Cable: 4 Conductor: 2x23 ft. positive, 2x23 ft. negative Must Order Labor Code# L-866  |

| KLINVVOOD I KO          |                            | CONTRACTOR          | MOST | CURRENT             |           |   |
|-------------------------|----------------------------|---------------------|------|---------------------|-----------|---|
| DESCRIPTION OF SERVICES | MANUFACTURE                | DISCOUNT<br>PERCENT |      | TRACTOR<br>ST PRICE | Rate Type | Comments  |
| Modification            | Kenwood USA<br>Corporation | 0.0%                | \$   | 75.00               | Fixed     | Modify KCT-23M2/M4 110W High Power DC Cables from 4 to 2 Conductors (1x23 ft. positive, 1x23 ft. negative; AWG #10) Must Order Labor Code# L-866  |
| Jumper Foil             | Kenwood USA<br>Corporation | 0.0%                | \$   | 25.00               | Fixed     | Jumper foil for SB to pin 14 of accessory connector for 90-series mobile  Must Order Labor Codes# L- 867 (Ref. 90-Series Mobile Service Manual, page 17/18)                                       |
| Upgrade                 | Kenwood USA<br>Corporation | 0.0%                | \$   | 50.00               | Fixed     | Simultaneous transpond and alert<br>feature up-grade for 90-series mobiles<br>& portables<br>Must Order Labor Code# L- 870  |
| Option                  | Kenwood USA<br>Corporation | 0.0%                | \$   | 50.00               | Fixed     | Enable FleetSync® Enhanced Option<br>in 80-Series (mobile/portable)<br>Must Order Labor Code# L- 875  |
| Options and Firmware    | Kenwood USA<br>Corporation | 0.0%                | \$   | 68.00               | Fixed     | Install PassPort® ESN options and firmware in TK-480/481/980/981  Must Order Labor Code# L- 876  · 1-24 qty. lot price; Price is per ESN  · The latest PassPort® radio firmware will be installed |
| Options and Firmware    | Kenwood USA<br>Corporation | 0.0%                | \$   | 68.00               | Fixed     | Install PassPort® ESN options and firmware  Must Order Labor Code# L- 877  · 25-99 qty. lot price; Price is per ESN  · The latest PassPort® radio firmware will be installed                      |
| Options and Firmware    | Kenwood USA<br>Corporation | 0.0%                | \$   | 68.00               | Fixed     | Install PassPort® ESN options and firmware  · 100 qty. lot price; Price is per ESN  · The latest PassPort® radio firmware will be installed  Must Order Labor Code# L- 878                        |

| DESCRIPTION OF SERVICES   | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | CON | CURRENT<br>TRACTOR<br>T PRICE | Rate Type | Comments   |
|---------------------------|----------------------------|-----------------------------------|-----|-------------------------------|-----------|--|
| Modification              | Kenwood USA<br>Corporation | 0.0%                              | \$  | 25.00                         | Fixed     | Modify 90-series mobile for KCT-18  Must Order Labor Code# L- 883  |
| Installation (enabling)   | Kenwood USA<br>Corporation | 0.0%                              | \$  | 84.00                         | Fixed     | Install firmware & enable NPSPAC operation in TK-980  Note: NPSPAC and PassPort capabilty are not available in the same firmware option.  Must Order Labor Code# L-889                   |
| Modification              | Kenwood USA<br>Corporation | 0.0%                              | \$  | 10.00                         | Fixed     | External speaker modification for 90-<br>series mobile Control Head (13W)<br>Must Order Labor Code# L-891  |
| Options and Firmware Disk | Kenwood USA<br>Corporation | 0.0%                              | \$  | 68.00                         | Fixed     | PassPort® ESN Options & PassPort® firmware disk (SPECIFY RADIO MODEL) Must Order Labor Code# L-892 · 1-24 qty. lot price; Price is per ESN   |
| Options and Firmware Disk | Kenwood USA<br>Corporation | 0.0%                              | \$  | 68.00                         | Fixed     | PassPort® ESN Options & PassPort® firmware disk (SPECIFY RADIO MODEL)  Must Order Labor Code# L-893  · 25-99 qty. lot price; Price is per ESN  |
| Options and Firmware Disk | Kenwood USA<br>Corporation | 0.0%                              | \$  | 68.00                         | Fixed     | PassPort® ESN Options & PassPort® firmware disk  (SPECIFY RADIO MODEL)  Must Order Labor Code# L- 894  · 100 qty lot price; Price is per ESN  · Maximum 100 ESN options per hardware key |
| Installation              | Kenwood USA<br>Corporation | 0.0%                              | \$  | 17.00                         | Fixed     | Install KCT-19 in 60G/62G/63G Series<br>Mobiles for Data/MDT mode<br><b>Must Order Labor Code#L-895</b>  |
| Installation              | Kenwood USA<br>Corporation | 0.0%                              | \$  | 17.00                         | Fixed     | Install KCT-19 in 60G/62G/63G Series<br>Mobiles for Emergency Foot Sw. Input<br>Must Order Labor Code# L-897   |
| Modification              | Kenwood USA<br>Corporation | 0.0%                              | \$  | 17.00                         | Fixed     | R640 mic input modification for 90-<br>series mobile<br>Must Order Labor Code# L-903   |

| DESCRIPTION OF SERVICES                  | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | CONT | CURRENT<br>RACTOR<br>PRICE | Rate Type | Comments  |
|--|----------------------------|-----------------------------------|------|----------------------------|-----------|---|
| Installation                             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 20.00                      | Fixed     | Install ST-865KW4/ST-909 (in<br>60G/62G mobile)<br>Must Order Labor Code# L-908   |
| Installation                             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 17.00                      | Fixed     | Install firmware 094F (90-series mobile     * and # DTMF without PTT)  Note: The firmware 094F gives the 90- series mobile the ability to generate a DTMF tone from the * and # keys without pushing the PTT button. Must Order Labor Code# L-910   |
| Mobile and Portable Radio<br>Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 25.00                      | Fixed     | TK-190/TK-6110 Programming (with<br>basic TX/RX check)<br>Must Order Labor Code# L-911  |
| Mic Input                                | Kenwood USA<br>Corporation | 0.0%                              | \$   | 10.00                      | Fixed     | 90-Series mobile low imp. mic. Input at RF deck Must Order Labor Code# L-912  |
| Mic Disable                              | Kenwood USA<br>Corporation | 0.0%                              | \$   | 17.00                      | Fixed     | EXT PTT / Local KMC-27 mic disable  Purpose: Disables the KMC-27 mobile hand mic element when 90- series mobile external PTT is active. For use with data modems, GPS AVL data units, headset systems (motorcycles, ambulance, fire engines), vehicle intercom Must Order Labor Code# L-917 |
| Installation                             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 21.00                      | Fixed     | Install KCT-31 in 80-Series mobile<br>(order KCT-31 separately) Must<br>Order Labor Code# L-918   |
| Modification                             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                      | Fixed     | Modify 90-series mobile Dual Band<br>(Single Head) for Pyramid Vehicular<br>Repeater<br>Must Order Labor Code# L-921  |
| Modification                             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                      | Fixed     | Modify 90-series mobile Dual Band<br>(Dual Head) for Pyramid Vehicular<br>Repeater<br>Must Order Labor Code# L-922  |

| DESCRIPTION OF SERVICES  | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | CON. | CURRENT<br>TRACTOR<br>T PRICE | Rate Type | Comments   |
|--------------------------|----------------------------|-----------------------------------|------|-------------------------------|-----------|--|
| Installation             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 21.00                         | Fixed     | Install KCT-34 to 80-Series mobile for KDS-100/KGP-2A/2B interface  Must Order Labor Code# L-929  (Order KCT-34 Separately)                        |
| Installation             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 21.00                         | Fixed     | Install KCT-35 in 60G/62G/63G Series Mobiles for KDS-100/KGP-2A/2B Interface Must Order Labor Code# L-930 (Order KCT-35 Separately)                |
| Mobile Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 37.50                         | Fixed     | TK-7102H/8102H Programming (with basic TX/RX check) Must Order Labor Code# L-934   |
| Mobile Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 25.00                         | Fixed     | TK-863G Programming (with basic TX/RX check)  Must Order Labor Code# L- 936  |
| Mobile Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 50.00                         | Fixed     | TK-7150/8150 Programming (with basic TX/RX check)  Must Order Labor Code# L-939  |
| Assembly                 | Kenwood USA<br>Corporation | 0.0%                              | \$   | 35.00                         | Fixed     | Assemble TK-7150/8150 with KRK-9<br>Remote Kit<br>Must Order Labor Code# L-940   |
| Installation             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 25.00                         | Fixed     | Install VGS-1 Voice Guide & Storage Unit  Note: VGS-1 installation precludes any ANI or encryption board installation Must Order Labor Code# L-962 |
| Mobile Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 37.50                         | Fixed     | TK-7180/8180 Programming (with<br>basic TX/RX check)<br>Must Order Labor Code# L-965   |
| Installation             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 25.00                         | Fixed     | Install KAP-2 (Default) HR1/Internal<br>Sp./PA<br>Must Order Labor Code# L-966   |
| Assembly                 | Kenwood USA<br>Corporation | 0.0%                              | \$   | 42.00                         | Fixed     | Assemble TK-7180/8180 with KRK-10 Remote Kit Must Order Labor Code# L-968  |
| Mobile Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 37.50                         | Fixed     | TK-7160/8160 Programming (with basic TX/RX check)  Must Order Labor Code# L- 985   |

| DESCRIPTION OF SERVICES  | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | CONT | CURRENT<br>RACTOR<br>PRICE | Rate Type | Comments   |
|--------------------------|----------------------------|-----------------------------------|------|----------------------------|-----------|--|
| Network Level ID         | Kenwood USA<br>Corporation | 0.0%                              | \$   | 132.00                     | Fixed     | KPG-95DK Network Level ID Privilege (encrypted data file)  Note: Enables Trunking system programming privileges; See KPG- 95DK Network Level ID (Trunking System Privileges) - Restricted Purchase Requirements Must Order Labor Code# L-989   |
| Mobile Radio Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 125.00                     | Fixed     | TK-5710/5810 Programming (Basic TX/RX check only with factory test freq.s or dealer/customer provided KPG-95D data file)  Must Order Labor Code# L-1005  |
| Modification             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 25.00                      | Fixed     | Modify TK-5710/5810 for Horn Alert relay output (1 ampmax.; relay factory installed already)  Must Order Labor Code# L-1006  |
| Modification             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 10.00                      | Fixed     | External Speaker modification for TK-5710/5810 mobile Control Head (13W)  Note: All Basic Control Head (KCH-14M) configurations are shipped with the control heads 4W internal speaker enables. Order L-1008 to enable the 13W external speaker output for KES-5 speaker use. This will disconnect the control heads internal 4W speaker!  Must Order Labor Code# L-1008 |
| Installation             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 25.00                      | Fixed     | Install KAP-2 (External Sp.) HR1/External Sp./PA Must Order Labor Code# L-1010   |
| Installation             | Kenwood USA<br>Corporation | 0.0%                              | \$   | 16.67                      | Fixed     | Install MPT option in 180-Series radio  Must Order Labor Code# L-1012  |
| Network Level ID         | Kenwood USA<br>Corporation | 0.0%                              | \$   | 158.33                     | Fixed     | Network Level License ID for KPG-96D<br>180-Series Programmer<br>Must Order Labor Code# L-1013   |

| DESCRIPTION OF SERVICES      | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | CONT | CURRENT<br>RACTOR<br>PRICE | Rate Type | Comments  |
|------------------------------|----------------------------|-----------------------------------|------|----------------------------|-----------|---|
| Retrofit Installation        | Kenwood USA<br>Corporation | 0.0%                              | \$   | 85.00                      | Fixed     | Retrofit Install of MPT option in 180- Seires radio  Note: For previously purchased 180- Series radios. Order L-1014 through LMR order desk/rep. Ship radios to attn: Kenwood LMR Tuning, Long Beach for installation. Include Kenwood order number for L-1014 provided by order desk & copy of company P.O. or P.O. number.  Note: Only certain Serial Number Lots produced in late 2004 and later can be retrofitted - see 180-Series MPT Introduction Sales Bulletin for details Must Order Labor Code# L-1014 |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                      | Fixed     | Install & Program CIM-1000K-26 for<br>MDC-1200 in TK-7180/8180<br>Must Order Labor Code# L-1020   |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                      | Fixed     | Install & Program CIM-1000K-26 for GE-Star in TK-7180/8180  Must Order Labor Code# L-1021   |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                      | Fixed     | Install & Program CIM-1000K-26 for MDC-1200 in TK-5710/5810  Must Order Labor Code# L-1024  |
| Installation and Programming | Kenwood USA<br>Corporation | 0.0%                              | \$   | 75.00                      | Fixed     | Install & Program CIM-1000K-26 for<br>GE-Star in TK-5710/5810<br>Must Order Labor Code# L-1025  |
| Assembly                     | Kenwood USA<br>Corporation | 0.0%                              | \$   | 17.00                      | Fixed     | Package Dash/Single Head Remote for 5710/5810 mobiles Must Order Labor Code# L-1028   |
| Assembly                     | Kenwood USA<br>Corporation | 0.0%                              | \$   | 34.00                      | Fixed     | Package Dual Head Remote for 5710/5810 mobiles Must Order Labor Code# L-1029  |

| DESCRIPTION OF SERVICES | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | CON | T CURRENT<br>ITRACTOR<br>ST PRICE | Rate Type | Comments   |
|-------------------------|----------------------------|-----------------------------------|-----|-----------------------------------|-----------|--|
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | \$  | 100.00                            | Fixed     | Install Garmin GPS15L-W in 180-<br>Series mobile for FleetSync® AVL<br>Note: The KGS-3 & GPS15L-W are not<br>compatible with KGP-2A/2B AVL<br>systems<br>Must Order Labor Code# L-1033 |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | \$  | 75.00                             | Fixed     | TK-7150/8150 CIM-1000/MDC1200<br>ENCODER INSTALLATION<br>Must Order Labor Code# L-1034   |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | \$  | 75.00                             | Fixed     | TK-7150/8150 CIM-1000/GE STAR<br>ENCODER INSTALLATION<br>Must Order Labor Code# L-1035   |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | \$  | 75.00                             | Fixed     | TK-690/790/890 CIM-1000/MDC1200<br>ENCODER INSTALLATION<br>Must Order Labor Code# L-1036   |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | \$  | 75.00                             | Fixed     | TK-690/790/890 CIM-1000/GE STAR<br>ENCODER INSTALLATION<br>Must Order Labor Code# L-1037   |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | \$  | 75.00                             | Fixed     | TK-6110 CIM-1000/MDC1200 ENCODER INSTALLATION Must Order Labor Code# L-1040  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | \$  | 75.00                             | Fixed     | TK-6110 CIM-1000/GE STAR ENCODER INSTALLATION Must Order Labor Code# L-1041  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              |     | N/C                               | Fixed     | Install KWD-TR20 Trunking Option in TK-5710/5810 (Must purchase KWD-TR20K separately) Must Order Labor Code# L-1056  |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | \$  | 75.00                             | Fixed     | TK-7160/8160 CIM-1000K-<br>20/MDC1200 ENCODER<br>INSTALLATION<br>Must Order Labor Code# L-1057   |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | \$  | 75.00                             | Fixed     | TK-7160/8160 CIM-1000K-20/GE<br>STAR ENCODER INSTALLATION<br>Must Order Labor Code# L-1058   |

|                              | RE14VVCCB 1 RC1 ECCIO14/RE CERVICEC |                                   |     |                                   |           |   |  |  |  |
|------------------------------|-------------------------------------|-----------------------------------|-----|-----------------------------------|-----------|---|--|--|--|
| DESCRIPTION OF SERVICES      | MANUFACTURE                         | CONTRACTOR<br>DISCOUNT<br>PERCENT | CON | T CURRENT<br>ITRACTOR<br>ST PRICE | Rate Type | Comments  |  |  |  |
| Mobile Radio Programming     | Kenwood USA<br>Corporation          | 0.0%                              | \$  | 37.50                             | Fixed     | NX-700/800 Programming (with basic<br>TX/RX check)<br>Must Order Labor Code# L-1085   |  |  |  |
| Installation                 | Kenwood USA<br>Corporation          | 0.0%                              | \$  | 25.00                             | Fixed     | Install VGS-1 Voice Guide & Storage Unit  Note: VGS-1 installation precludes any ANI or encryption board installation Must Order Labor Code# L-1087 |  |  |  |
| Installation and Programming | Kenwood USA<br>Corporation          | 0.0%                              | \$  | 75.00                             | Fixed     | Install & Program CIM-1000K-26 for<br>MDC-1200 in NX-700/800 Must<br>Order Labor Code # 1090  |  |  |  |
| Installation and Programming | Kenwood USA<br>Corporation          | 0.0%                              | \$  | 75.00                             | Fixed     | Install & Program CIM-1000K-26 for<br>GE-Star in NX-700/800 Must Order<br>Labor Code # 1091   |  |  |  |
| Installation                 | Kenwood USA<br>Corporation          | 0.0%                              | \$  | 25.00                             | Fixed     | Install KAP-2 (Default) HR1/Internal<br>Sp./PA Must<br>Order Labor Code# L-1094   |  |  |  |
| Installation                 | Kenwood USA<br>Corporation          | 0.0%                              | \$  | 100.00                            | Fixed     | Install Garmin GPS15L-W in NX-Series<br>mobile for FleetSync® AVL<br>Must Order Labor Code# L-1098  |  |  |  |
| Assembly                     | Kenwood USA<br>Corporation          | 0.0%                              | \$  | 42.00                             | Fixed     | Assemble NX-700/800 with KRK-10<br>Remote Kit<br>Must Order Labor Code# L- 1099   |  |  |  |
| Installation                 | Kenwood USA<br>Corporation          | 0.0%                              |     | N/C                               | Fixed     | Install KWD-RK20 OTAR Option in TK- 5710/5810 Must Order Labor Code# L-1109 (Must purchase KWD-RK20 separately)                                     |  |  |  |
| Assembly                     | Kenwood USA<br>Corporation          | 0.0%                              | \$  | 25.00                             | Fixed     | Package HHCH Remote for 5710/5810<br>mobiles Must<br>Order Labor Code# L-1110   |  |  |  |
| Installation                 | Kenwood USA<br>Corporation          | 0.0%                              | \$  | 75.00                             | Fixed     | Install KWD-AE20K in TK-5710/5810 Mobile Must Order Labor Code# L-1345 (Must purchase module separately)  |  |  |  |

| DESCRIPTION OF SERVICES | MANUFACTURE                | CONTRACTOR<br>DISCOUNT<br>PERCENT | MOST CURRENT<br>CONTRACTOR<br>LIST PRICE | Rate Type | Comments   |
|-------------------------|----------------------------|-----------------------------------|--|-----------|--|
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | \$ 75.00                                 | Fixed     | Install KWD-AE21K in TK-5710/5810 Mobile Must Order Labor Code# L-1346 (Must purchase module separately)               |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | \$ 75.00                                 | Fixed     | Install KWD-DE20K in TK-5710/5810 Mobile Must Order Labor Code# L-1601 (Must purchase module separately)               |
| Installation            | Kenwood USA<br>Corporation | 0.0%                              | \$ 75.00                                 | Fixed     | Install KWD-DE21K in TK-5710/5810 Mobile Must Order Labor Code# L-1602 (Must purchase module separately)               |
| Field Upgrade           | Kenwood USA<br>Corporation | 0.0%                              | NC                                       | Fixed     | 180 Portable KWD-180MPT FIELD-<br>UPGRADE (Must<br>purchase KWD-180MPT separately)<br>Must Order Labor Code# L-1620    |
| Field Upgrade           | Kenwood USA<br>Corporation | 0.0%                              | NC                                       | Fixed     | 180 Portable KWD-180TFS FIELD-<br>UPGRADE<br>(Must purchase KWD-180TFS<br>separately)<br>Must Order Labor Code# L-1625 |

#### **Exhibit 1 – Additional Ordering Requirements**

The State has established an internal policy that enables State agencies to use their delegated authority to purchase radio communication equipment, accessories, and services.

Actual <u>radio</u> purchases and any communication service or accessory <u>purchased off a State contract (BPO)</u> must first have MDIT/MPSCS approval obtained through ITRAC.

The following items may be purchased by agencies within their delegated authority and are NOT required to be submitted through ITRAC for MDIT/MPSCS approval:

- Communication accessories purchased using the P-Card
- Communication accessories or service purchases using a Direct Purchase Order DA-DP

The following items must be submitted through ITRAC for MPSCS approval:

- All radio purchases (whether or not off contract)
- All communication accessories and services purchased off a contract (BPO)

All radio accessories and services purchased by issuing a Direct Purchase Order and/or P Card may still leverage the State contract (BPO) prices.

Once approval is obtained from MPSCS, agencies are responsible for creating their own purchase orders, receiving the product, and paying the invoices.

#### Contractor Responsibilities:

The Contractor shall ensure that all orders received that require approval from MPSCS have an ITRAC reference number included in Line Item #1 description field of the purchase order. The contractor is not authorized to process the order without this ITRAC #. (*Note: This does not apply to MiDEAL purchases*)

If the Contractor receives an order that requires MPSCS approval without an ITRAC reference number they shall provide the requesting agency and MPSCS with notification that the request cannot be fulfilled and the ITRAC reference number must be obtained prior to order fulfillment.