


STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

APPENDIX A

SPECIFICATIONS AND PRICING
INFORMATION
FOR

PASSENGER VEHICLES & TRUCKS

2008 MODEL YEAR



RED HOLMAN (MiDEAL)

Contract# 071B8200126

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INDEX TO

SPECIFICATIONS FOR
2008 PASSENGER VEHICLES & TRUCKS

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>	<u>PAGE NO</u>
Passenger Vehicle Equipment	Preface	A
Truck Equipment	Preface	B-B1
Pre-Delivery Service	Preface	C-C1
Receiving Procedure	Preface	D

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

The dealer's vehicle order confirmation sheet listing all the standard options provided with the vehicle in accordance with the State of Michigan Specification shall be provided at each of these steps in the process:

- With dealers bid submittal to the State of Michigan**
- With original quote from the dealer to the customer**
- Upon delivery of the vehicle from the dealer to the customer**
- Customer shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**Diesel Vehicles are indicated with a “D” at the end of the specification number.
Alternative Fuel vehicles are indicated with a “A” at the end of the specification number.**

PASSENGER VEHICLES

Small, 4-Door Sedan, Auto. Trans.	3905-0002
Large-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0003
Alt Fuel - 4-Door Sedan, Auto. Trans.	3905-0003A
Mid-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0004
Large, Administrator Series, 4 -Door Sedan, Auto. Trans.	3905-0005

STATION WAGONS

5-Passenger, Auto. Trans., 4 door	3905-0017
-----------------------------------	-----------

Multi Functional Utility Vehicle,

5 Passenger, 4-Door, Auto. Trans., 4 door	3905-0018
Alt Fuel - 5 Passenger, Auto. Trans., 4 door	3905-0018A
6-7 Passenger, 4-Door, Auto. Trans.	3905-0019

TRUCKS, LIGHT DUTY

Pick-Up, 7 Ft. Box, Standard Cab, Payload – 1,000 lbs., min.	3958-0020
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,260 lbs., min.	3958-0023
Pick-Up, 6 Ft. Box, Payload - 1,600 lbs., min., “Work Truck”	3958-0025
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026
Alt Fuel -Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min	3958-0027
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min.	3958-0027A
Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028
Alt Fuel - Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028A

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029D
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0030
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030A
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031D

VANS, PASSENGER AND UTILITY

Panel Van, Payload - 1,700 lbs., min.	3958-0032
Utility Vehicle, 4 Door, 5-6 Passenger, Payload 1,500 lbs., min.	3905-0034
Sport Van, 8 Passenger, Payload - 1,600 lbs., min.	3905-0035
Utility Vehicle, Large, 6-Passenger, Payload - 1,940 lbs., min.	3905-0036
Sport-Van, 12-Passenger, Payload - 2,649 lbs., min.	3905-0037
Panel Van, Payload - 3,100 lbs., min.	3958-0039
Van, 15-Passenger	3905-0040
Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042
Alt Fuel -Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042A
Van, Cargo, Compact, Front Wheel Drive	3958-0044
Van, 7 Passenger, Compact, Long Wheel Base, Front Wheel Drive	3905-0045
Alt Fuel -Van, 7 Passenger, Compact, Extended Body, Front Wheel Drive	3905-0045A

TRUCKS, LIGHT DUTY

Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046
Diesel - Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046D

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047D
Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payload - 4,200 lbs., min.	3958-0048
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payld - 4,200 lbs.	3958-0048D
Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049
Diesel - Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051D
<u>VANS, COMMERCIAL</u>	
Van, Commercial, 10-Passenger, Raised Roof, Payload - 3,200 lbs., min.	3905-0057
Van, Commercial, Cargo, Raised Roof, Payload - 4,800 lbs., min.	3905-0058
<u>TRUCKS AND BODIES, MEDIUM DUTY</u>	
Cab and Chassis, approx. 137" W.B., G.V.W.R. 10,000 lbs., Gas	3958-0072
Cab and Chassis, approx. 128" W.B., G.V.W.R. 12,500 lbs., Diesel	3958-0073
Dump Body and Hoist, 2 cu. yd.	3958-0074
Stake Body, 9 Ft.	3958-0075
Stake Body and Hydraulic Hoist, 9 Ft.	3958-0076
Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077
Diesel - Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077D
Cab and Chassis, approx. 152" W.B., Payload 6,675 lbs., min. Diesel	3958-0078
Stake Body, 12 Ft.	3958-0079

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0080
<u>TRUCKS, LIGHT DUTY, 4X4</u>	
Utility Vehicle, 4 Door, Payload 900 lbs., min.	3958-0083
Alt Fuel - Utility Vehicle, 4 Door, 2 Wheel Drive, Payload – 900 lbs., min.	3958-0083A
Pick-Up, 7 Ft. Box, Standard Cab, Payload 1,000 lbs., min.	3958-0084
Utility Vehicle, 4 Door, 6 Passenger, Payload 1,480 lbs., min.	3958-0085
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086A
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087
Alt Fuel -Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089D
Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090
Alt Fuel - Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090A
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091
Alt Fuel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091A
Pick-Up, 8 Ft. Box, Standard Cab, Payload – 2,800 lbs., min.	3958-0092
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 2,800 lbs., min.	3958-0092D
Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093
Diesel - Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093D
Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Alt Fuel - Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094A
 <u>TRUCKS, MEDIUM DUTY, 4X4</u>	
Cab and Chassis, Body and Payload - approx. 13,000 lbs., min. 25,950 lbs. Min. G.V.W.R., Diesel engine	3958-0096
Cab and Chassis, approx. 137" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,800 lbs., min.	3958-0098
Cab and Chassis, approx. 161" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,930 lbs., min.	3958-0099
 <u>TRUCK, CUT-AWAY AND VAN BODY</u>	
Truck, Cut-Away, 8,900 lbs. G.V.W.R.	3958-0100
Truck, Cut-Away, 10,000 lbs. G.V.W.R	3958-0101
Van Body, Cut-Away Aluminum	3958-0102
Van Body, Cut-Away, Fiberglass Reinforced Plastic (F.R.P.)	3958-0103
Van, Full Body, Aluminum	3958-0104
Van, Full Body, Fiberglass Reinforced Plastic F.R.P.	3958-0105
Truck, Cut-Away, 11,000 lbs. G.V.W.R	3958-0108
Truck, Cut-Away, 14,000 lbs. G.V.W.R	3958-0109
 <u>TRUCKS AND BODIES, HEAVY DUTY</u>	
Cab and Chassis, approx. 128" W.B., G.V.W.R 14,500 lbs., Gas	3958-0110
Cab and Chassis, approx. 128" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0111
Cab and Chassis, approx. 140" W.B., G.V.W.R 14,000 lbs. Gas, (4 x 4)	3958-0112
Cab and Chassis, approx 140" W.B., G.V.W.R 14,500 lbs., Diesel, (4 x 4)	3958-0113
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Gas	3958-0114
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0115
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Gas, (4 x 4)	3958-0116

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Diesel, (4 x 4)	3958-0117
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.. Low Pro	3958-0134
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.	3958-0135
Cab and Chassis, approx. 152" W.B., G.V.W.R 23,500 lbs., Diesel	3958-0136
Stake Body, 12 Ft.	3958-0137
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0141
Dump Body and Hydraulic Hoist, 5-6 Yd.	3958-0158
Cab and Chassis, approx. 169" W.B., G.V.W.R 33,000 lbs. Diesel, 170 HP	3958-0160
Stake Body, 14 Ft.	3958-0161

TRUCKS AND BODIES, HEAVY DUTY

Cab and Chassis, approx. 217" W.B., G.V.W.R 27,000 lbs. Diesel, 210 HP	3958-0164
Van Body, 20 Ft., Aluminum	3958-0165
Van Body, 20 Ft., Fiberglass Reinforced Plastic, F.R.P.	3958-0167
Cab and Chassis, approx. 112" W.B., G.V.W.R 44,000 lbs., Diesel Single Axle	3958-0170
Dump Body and Hydraulic Hoist, 6.5 cu. yd.	3958-0171
Cab and Chassis, approx. 211" W.B., G.V.W.R 64,000 lbs., Diesel Tandem Axle	3958-0172
Cab and Chassis, approx. 177" W.B., G.V.W.R 52,000 lbs., Diesel Tandem Axle	3958-0173
Dump Body and Hydraulic Hoist, 10-12 cu. yd.	3958-0174

TRACTORS

70,000 lbs. G.C.W.R., Diesel Engine	3958-0178
-------------------------------------	-----------

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
<u>TAIL GATES</u>	
Hydraulic Power Tail Gate, 2,000 lbs. Capacity, 15,000 G.V.W.R., Conventional Type	3958-0215
Hydraulic Power Tail Gate, 3,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0216
Hydraulic Power Tail Gate, 4,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0217
Hydraulic Power Tail Gate, Various Capacities, 15,000 G.V.W.R., Stow Away Type	3958-0218
Hydraulic Tailgate, approx. 1,000 Lb. Capacity, 10,000 G.V.W.R. or less, (Step Van, Parcel Vans or Pick-Ups)	3958-0219
Hydraulic Tailgate, approx. 1,500 Lb. Capacity, (10,000 G.V.W.R. and smaller, stake body) Fold-Up Type Or Tuck-Away Type	3958-0220
Hydraulic Tailgate, 1,250 to 4,000 lb. Capacities, Rail Type	3958-0221

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PASSENGER VEHICLE EQUIPMENT

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

Air Bag, Dual

Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)

Air Conditioning.

Anti-freeze protection-to -30°F.

Battery-Maximum CCA available.

Brakes-Anti Locking System (ABS)

Color-Manufacturers Standard Color to be selected.

Defroster-Electric, rear window.

Floor Mats-Mfg. Stnd. , front and rear, color coordinated.

Glass-Tinted, all around.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

Lights, Daytime Running (If available from manufacturer as standard equipment)

Mirror-Right-hand, outside (factory installed).

Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.

Pre-delivery inspection and servicing.

Radio-AM/FM mfg. standard, factory installed.

Rear Axle Ratio for maximum mileage in highway driving.

Seats; Front, Split Bench or Bucket Type

Speed Control, factory installed

Steering-Power, Tilt Wheel.

Tires, Radial, Manufacturers Standard

Upholstery, Seats - Cloth or Cloth and Vinyl.

Wipers, Windshield - dual, intermittent, electric with automatic type washers.

**ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE
FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.**

Note: No dealer advertising decals are to be on vehicle.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

12 Volt auxiliary outlet

Air Conditioning - All trucks

Anti-freeze protection, to -30°F.

Arm Rest-Driver's side.

Color-Manufacturers Standard to be selected.

Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

Dome Light.

Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT)

Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT (Continued)

Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.

Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.

Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.

Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.

Pre-delivery inspection and servicing.

Radio - AM/FM Manufacturers Standard, Factory Installed

Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)

Seats-Split Bench type, unless otherwise specified

Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.

Speed Control, Factory Installed

Steering-Power, Tilt Wheel

Sun visors-dual.

Jack-Furnish on trucks up to and including 12,000 G.V.W.R.

Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

1. General appearance of body both interior and exterior for completeness and quality of workmanship.
2. Lubrication and fluid levels and correcting any leaks:
 - a. Radiator
 - b. Windshield Washer
 - c. Battery
 - d. Power steering pump
 - e. Brake master cylinder
 - f. Engine oil
 - g. Transmission fluid level.
3. Mechanical operation of vehicle:
 - a. Steering gear and linkage
 - b. Suspension assembly, front and rear
 - c. Proper tire pressure to normal rated road requirements
 - d. Hood latch
 - e. Head lights, aim and adjust
 - f. Front wheel toe in and torque wheel nuts
 - g. Seat and shoulder belts operative
 - h. All locks and latches to be operative
 - i. Windshield wiper and washer to be operative
 - j. Proper adjustment to all drive belts
4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.
5. **Miscellaneous items to be furnished:**
 - a. **Manufacturers Window Sticker shall not be removed from vehicle**
 - b. **Odometer Certification, and Vehicle Curb Weight at time of delivery**
 - c. **Manufacturers or Dealers Pre-Delivery Check Sheet**
 - d. **Vehicle shall have a Minimum of (4) Gallons of Fuel in tank when delivered**
 - e. **Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE (Continued)

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

It is intended that vehicles delivered in accordance with the Michigan specifications will be complete, including mechanical details, general workmanship and appearance, and shall be delivered complete with all warranty service books and identification plate.

Failure to adhere to specifications may be reason to delay payment.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

RECEIVING PROCEDURE

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the vendor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the receiving agency.

It is recommended that the following items be checked prior to signing the Freight Bill:

1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.
2. Visually inspect under hood for the following items:
 - a. Air cleaner
 - b. Battery and caps
 - c. Radiator cap
 - d. Windshield washer container.
3. Check for cracked or broken windows.
4. Check trunk compartment for the following:
 - a. Spare tire and wheel
 - b. Jack
 - c. Wheel wrench
 - d. Four hub caps
 - e. Trunk mat.
5. Check interior of vehicle for the following items:
 - a. Owner's manual and warranty material
 - b. Cigarette lighter
 - c. Two sets of keys (Three sets for MDOT)
 - d. Make sure all seat belts are installed
 - e. Sun visors
 - f. Upholstery damage or excessive soil.

It is the responsibility of the agency to check for any other items that could possibly have been missing in accordance with the purchase order and the specification data.

PASSENGER VEHICLES: MID-SIZE (Front Wheel Drive)
4-Door Sedan -(Automatic Transmission)

MODEL-2008 CURRENT NEW

<u>MAKE</u>	<u>W.B.</u>	<u>ENGINE</u>	<u>CYL.</u>
Chevrolet Malibu	112.3	2.4L	4
Chrysler Sebring Sedan	108.9	2.7L	6
Dodge Avenger	108.9	2.4L	4
Ford Fusion	107.4	2.3L	4
Pontiac G6	112.3	2.4L	4

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- Air Bag, Dual
- Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- Air Conditioning.
- Anti-freeze protection-to -30°F.
- Battery-Maximum CCA available.
- Brakes-Anti Locking System (ABS)
- Color-Manufacturers Standard Color to be selected.
- Defroster-Electric, rear window.
- Floor Mats-Mfg. Stnd. , front and rear, color coordinated.
- Glass-Tinted, all around.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

- Lights, Daytime Running (If available from manufacturer as standard equipment)
- Mirror-Right-hand, outside (factory installed).

STANDARD FACTORY EQUIPMENT CONTINUED

- Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
- Pre-delivery inspection and servicing.
- Radio-AM/FM mfg. standard, factory installed.
- Rear Axle Ratio for maximum mileage in highway driving.
- Seats; Front, Split Bench or Bucket Type
- Speed Control, factory installed
- Steering-Power, Tilt Wheel.
- Tires, Radial, Manufacturers Standard
- Upholstery, Seats - Cloth or Cloth and Vinyl.
- Wipers, Windshield - dual, intermittent, electric with automatic type washers.

Delete: On GM vehicles, OnStar and XM radio are deleted.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on all MDOT passenger vehicles.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Locks; power with remote
- Seats-Bucket type, front
- Traction Control

PRICING SHEET

PASSENGER VEHICLES: MID-SIZE (Front Wheel Drive)

4-Door Sedan -(Automatic Transmission)

Mich. Spec. #3905-0004

Standard Equipped Per above Specification

Standard Equipped Cost

Make: Pontiac Model: G6

\$ 15,063.14

F.O.B. - Dealership

Delivery Cost Per Mile \$1.00

Final Point of Assembly: Lake Orion, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Bill Martin

Telephone: (734) 721-1144

Cell: N/A

E-mail: bmartin@redholman.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Prepared By:
 BILL MARTIN
 RED HOLMAN PONTIAC - GMC
 35300 FORD ROAD
 WESTLAND, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac G6 4dr Sdn G6 2ZG69

SELECTED MODEL & OPTIONS

.....
SELECTED MODEL - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
2ZG69	2008 Pontiac G6 4dr Sdn G6	\$19,440.00

.....
SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

.....
SELECTED OPTIONS - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LE5	ENGINE, ECOTEC 2.4L 4-CYLINDER MFI, ALUMINUM (164 hp [122.3 kW] @ 6400 rpm, 156 lb-ft of torque [210.6 N-m] @ 5000 rpm) (STD)	\$0.00
TRANSMISSION		
MN5	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE (STD)	\$0.00
SEAT TYPE		
A51	SEATS, 45/45 FRONT BUCKET (STD)	\$0.00
SEAT TRIM		
_B	EBONY VORTEX CLOTH SEAT TRIM (Available with (FAD) Trim, simulated Walnut Burl accents.)	\$0.00
PAINT TYPE		
___	SOLID PAINT (STD)	\$0.00
RADIO		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared By:
 BILL MARTIN
 RED HOLMAN PONTIAC - GMC
 35300 FORD ROAD
 WESTLAND, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac G6 4dr Sdn G6 2ZG69

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
RADIO		
UBJ	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER, seek-and-scan, Radio Data System (RDS), speed-compensated volume, TheftLock, equalizer, Driver Information Center and auxiliary input jack for iPod/MP3 player (STD)	\$0.00
WHEEL TYPE		
P22	WHEELS, 17" (43.2 CM) CUSTOM 5-SPOKE, HIGH-VENT (STD)	\$0.00
ADDITIONAL OPTIONS		
AP9	CARGO NETS, TRUNK (Available separately or included with (PCM) Preferred Package. Requires (B37) front and rear carpeted floor mats.)	\$45.00
B37	FLOOR MATS, CARPETED FRONT AND REAR (Available separately or included with (PCM) G6 Preferred Package. Requires (AP9) trunk cargo nets.)	\$80.00
B86	MOLDINGS, BODY-COLOR BODYSIDE	\$100.00
OPTIONS TOTAL		\$225.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac G6 4dr Sdn G6 2ZG69

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

EPA FUEL ECONOMY RATINGS

- City 22/hwy 30 (2.4L engine/4-speed auto trans)
- City 18/hwy 29 (3.5L engine/4-speed auto trans)

EXTERIOR

- Headlamps, halogen composite with reflector optics, automatic exterior lamp control and 20-second delay off feature
- Daytime Running Lamps
- Glass, Solar-Ray light-tinted, heat rejecting
- Mirrors, outside power-adjustable, Satin Black
- Wipers, front intermittent, speed-sensitive, controlled-cycle

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:34:08 PM

Page 4

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac G6 4dr Sdn G6 2ZG69

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

INTERIOR

- Seats, 45/45 front bucket
- Seat adjuster, driver 4-way manual with power height adjustment and ratcheting lumbar
- Seat, rear 60/40 split-folding
- Console, floor with floor shifter, integral armrest, lighted shift indicator, parking brake and storage compartment
- Steering column, tilt and telescopic
- Steering wheel, 3-spoke
- Instrumentation, analog with speedometer, temperature, fuel, tachometer and trip odometer
- Door locks, power programmable with lockout protection and delayed locking
- Windows, power with driver Express-Down
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands- Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Includes rear center-mounted roof antenna.)
- Cruise control, electronic with set and resume speed
- Remote Keyless Entry, extended-range
- Trunk release, power
- Theft-deterrent system, vehicle, PASS-key III+
- Audio system, AM/FM stereo with CD player, seek-and-scan, Radio Data System (RDS), speed-compensated volume, TheftLock, equalizer, Driver Information Center and auxiliary input jack for iPod/MP3 player
- Audio system feature, 6-speaker system
- Air conditioning, single-zone manual
- Defogger, rear-window
- Mirror, inside rearview manual day/night

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:34:08 PM

Page 5

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac G6 4dr Sdn G6 2ZG69

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

- Visors, driver and front passenger vanity mirrors
- Lighting, interior with illuminated entry and theater dimming
- Map pocket, driver seatback
- Map pocket, front passenger seatback

MECHANICAL

- Engine, ECOTEC 2.4L 4-cylinder MFI, aluminum (164 hp [122.3 kW] @ 6400 rpm, 156 lb-ft of torque [210.6 N-m] @ 5000 rpm)
- Transmission, 4-speed automatic, electronically controlled with overdrive
- Axle, 3.91 ratio
- Traction control, Traction Control System (TCS), full-function
- Front wheel drive
- Suspension, Touring
- Tires, P225/50R17 touring, blackwall
- Wheels, 17" (43.2 cm) custom 5-spoke, high-vent
- Steering, Electric Power Steering (EPS)
- Brakes, 4-wheel antilock, 4-wheel disc, includes Traction Control
- Exhaust outlet, stainless steel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:34:08 PM

Page 6

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac G6 4dr Sdn G6 2ZG69

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2ZG69 4dr Sdn G6

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc, includes Traction Control
- Air bags, dual-stage frontal and side-impact, driver and right-front passenger and head curtain side-impact, front and rear outboard seating positions with Passenger Sensing System (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Safety belts, 3-point, driver and right-front passenger, height-adjustable
- Safety belts, 3-point, rear, all seating positions
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats
- Door locks, rear child security
- Traction control, Traction Control System (TCS), full-function
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:34:08 PM

Page 7

STATION WAGON,
5 Passenger, 4 Door, Automatic Transmission

MODEL-2008 CURRENT NEW

<u>MAKE</u>	<u>W.B.</u>	<u>ENGINE</u>	<u>CYL.</u>
Chevrolet Equinox	112.5	3.4L	V-6
Dodge Magnum	120.0	3.5L	V-6
Ford Edge	111.2	3.5L	V-6
Pontiac Torrent	112.5	3.4L	V-6
Jeep Compass	103.7	2.4L	I-4

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- Air Bag, Dual
- Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- Air Conditioning.
- Anti-freeze protection-to -30°F.
- Battery-Maximum CCA available.
- Brakes-Anti Locking System (ABS)
- Color-Manufacturers Standard Color to be selected.
- Defroster-Electric, rear window.
- Floor Mats-Mfg. Std. , front and rear, color coordinated.
- Glass-Tinted, all around.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Lights, Daytime Running (If available from manufacturer as standard equipment)
- Mirror-Right-hand, outside (factory installed).
- Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
- Pre-delivery inspection and servicing.
- Radio-AM/FM mfg. standard, factory installed.
- Rear Axle Ratio for maximum mileage in highway driving.
- Seats; Front, Split Bench or Bucket Type

- Speed Control, factory installed
 - Steering-Power, Tilt Wheel.
 - Tires, Radial, Manufacturers Standard
 - Upholstery, Seats - Cloth or Cloth and Vinyl.
 - Wipers, Windshield - dual, intermittent, electric with automatic type washers.
- Delete: On GM vehicles, OnStar and XM radio are deleted.**

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included all on MDOT passenger vehicles.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Locks; power with remote
- Traction Control

PRICING SHEET

<u>STATION WAGON,</u> 5 Passenger, 4 Door, Automatic Transmission Mich. Spec. #3905-0017	
Standard Equipped Per above Specification	Standard Equipped Cost

Make: Pontiac Model: Torrent
F.O.B. - Dealership
Delivery Cost Per Mile \$1.00

\$18,977.90*

Final Point of Assembly: Ingersol, ONT, Canada

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Bill Martin

Telephone: (734) 721-1144

Cell: N/A

E-mail: bmartin@redholman.com

**Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.*

Prepared By:
 BILL MARTIN
 RED HOLMAN PONTIAC - GMC
 35300 FORD ROAD
 WESTLAND, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
2LF26	2008 Pontiac Torrent FWD 4dr	\$22,855.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LNJ	ENGINE, 3.4L V6 (185 hp [138.0 kW] @ 5200 rpm, 210 lb-ft of torque [283.8 N-m] @ 3800 rpm) (STD)	\$0.00
TRANSMISSION		
MX0	TRANSMISSION, 5-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED (STD)	\$0.00
TIRES		
QKG	TIRES, P235/65R16 ALL-SEASON, BLACKWALL (STD)	\$0.00
SEAT TRIM		
_B	SEAT TRIM, BASE CLOTH	\$0.00
PAINT TYPE		
___	SOLID PAINT (STD)	\$0.00
RADIO		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:19:03 PM

Page 2

Prepared By:
 BILL MARTIN
 RED HOLMAN PONTIAC - GMC
 35300 FORD ROAD
 WESTLAND, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
RADIO		
US8	AUDIO SYSTEM, AM/FM STEREO WITH CD/MP3 PLAYER, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), automatic volume, TheftLock, auxiliary input jack for iPod/MP3 player and 6 speakers (STD)	\$0.00
WHEELS		
PY0	WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) CAST ALUMINUM, includes spare tire and wheel (STD)	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE. (Requires a Fleet or Government order type.) *CREDIT*	-\$85.00
OPTIONS TOTAL		-\$85.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:19:03 PM

Page 3

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

EPA FUEL ECONOMY RATINGS

- City 17/hwy 24 (3.4L engine/5-speed auto trans)

EXTERIOR

- Liftgate, rear with glass
- Spoiler, rear
- Luggage rack, roof-mounted, Silver
- Bumpers, front and rear body-color with Charcoal pads
- Moldings, body-color bodyside
- Headlamps, halogen composite with automatic exterior lamp control and flash-to-pass feature
- Fog lamps, front halogen with chrome accents
- Daytime Running Lamps
- Mirrors, outside power-adjustable, body-color, manual-folding
- Wipers, front intermittent
- Wiper, rear intermittent with washer
- Door handles, body-color

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 2:34:51 PM

Page 4

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

INTERIOR

- Seats, front bucket, includes driver manual height seat adjuster
- Seat, front passenger flat-folding seatback
- Seats, rear Multi-Flex 60/40 split-bench with 2-position recline
- Seat trim, Base cloth
- Console, center, front with armrest, concealed storage and 2 cup holders
- Console, floor with storage bin and cup holder
- Cup holders, 3 front and 2 rear
- Steering column, tilt
- Steering wheel, urethane 3-spoke
- Instrumentation, electronic with speedometer, fuel level, engine temperature and tachometer
- Driver Information Center, electronic, includes over 20 personalization and vehicle information features including trip odometer, fuel range, outside temperature and compass display
- Warning tones, headlamp on, key-in-ignition and turn signal reminder
- Tire Pressure Monitoring System
- Door locks, power programmable with Remote Keyless Entry
- Windows, power with driver Express-Down and passenger lockout
- Remote Keyless Entry, with 2 transmitters, panic button, content theft alarm, activation verification and illuminated entry
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Cruise control, electronic with set and resume speed

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 2:34:51 PM

Page 5

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

- Theft-deterrent alarm system, content theft alarm
- Audio system, AM/FM stereo with CD/MP3 player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), automatic volume, TheftLock, auxiliary input jack for iPod/MP3 player and 6 speakers
- Audio system feature, 6-speaker system
- Antenna, roof-mounted combination
- Air conditioning, single-zone manual
- Defogger, rear-window electric
- Air filtration system
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger vanity mirrors
- Lighting, interior with theatre dimming, dual front reading, center-mounted dome and rear cargo area
- Power outlets, 2 auxiliary with covers, 12-volt, includes 1 front and 1 rear

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 2:34:51 PM

Page 6

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

MECHANICAL

- Engine, 3.4L V6 (185 hp [138.0 kW] @ 5200 rpm, 210 lb-ft of torque [283.8 N-m] @ 3800 rpm)
- Transmission, 5-speed automatic, electronically controlled
- Rear axle, 2.48 ratio
- Traction control
- StabiliTrak, vehicle stability enhancement system
- Front wheel drive
- Battery, maintenance-free with rundown protection
- GVWR, 5070 lbs (2300 kg)
- Suspension, Sport, 4-wheel independent, front strut type with coil springs
- Tires, P235/65R16 all-season, blackwall
- Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) cast aluminum, includes spare tire and wheel
- Steering, power-assist, electric-variable
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, stainless-steel
- Exhaust outlet, stainless-steel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 2:34:51 PM

Page 7

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2008 Fleet/Non-Retail Pontiac Torrent FWD 4dr 2LF26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail 2LF26 FWD 4dr

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Safety belts, 3-point, driver and right-front passenger, height-adjustable includes pretensioners
- Safety belts, 3-point, rear, all seating positions
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats
- Door locks, rear child security
- Traction control
- StabiliTrak, vehicle stability enhancement system
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 2:34:51 PM

Page 8

Multi-Functional Utility Vehicle, Front Wheel Drive,
5 Passenger, 4 Door, Automatic Transmission

MODEL-2008 CURRENT NEW

<u>MAKE</u>	<u>W.B.</u>	<u>ENGINE</u>	<u>CYL.</u>
Chevrolet HHR	103.5	2.2L	I-4
Ford Escape	103.1	2.3L	I-4
Jeep Liberty	104.2	2.8L	I-4
Jeep Patriot	103.7	2.4L	I-4
Pontiac Vibe	102.4	1.8L	I-4
Dodge Nitro	108.8	3.7L	V-6

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- Air Bag, Dual
- Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- Air Conditioning.
- Anti-freeze protection-to -30°F.
- Battery-Maximum CCA available.
- Brakes-Anti Locking System (ABS)
- Color-Manufacturers Standard Color to be selected.
- Defroster-Electric, rear window.
- Floor Mats-Mfg. Std. , front and rear, color coordinated.
- Glass-Tinted, all around.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Lights, Daytime Running (If available from manufacturer as standard equipment)
- Mirror-Right-hand, outside (factory installed).
- Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
- Pre-delivery inspection and servicing.
- Radio-AM/FM mfg. standard, factory installed.
- Rear Axle Ratio for maximum mileage in highway driving.

- Seats; Front, Split Bench or Bucket Type
 - Speed Control, factory installed
 - Steering-Power, Tilt Wheel.
 - Tires, Radial, Manufacturers Standard
 - Upholstery, Seats - Cloth or Cloth and Vinyl.
 - Wipers, Windshield - dual, intermittent, electric with automatic type washers.
- Delete: On GM vehicles, OnStar and XM radio are deleted.**

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:
(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on all MDOT passenger vehicles.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Locks; power with remote
- Traction Control

PRICING SHEET

Multi-Functional Utility Vehicle, Front Wheel Drive 5 Passenger, 4 Door, Automatic Transmission Mich. Spec. #3905-0018	
Standard Equipped Per above Specification	Standard Equipped Cost
Make: Pontiac Model: Vibe <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$1.00	\$16,152.93*

Final Point of Assembly: Fremont, CA

<u>Dealer Information</u>

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Bill Martin

Telephone: (734) 721-1144

Cell: N/A

E-mail: bmartin@redholman.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Prepared By:
 BILL MARTIN
 RED HOLMAN PONTIAC - GMC
 35300 FORD ROAD
 WESTLAND, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
2SL26	2009 Pontiac Vibe 4dr HB FWD	W/A

SELECTED VEHICLE COLORS - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS	FE9	EMISSIONS, FEDERAL REQUIREMENTS	W/A
ENGINE	LAX	ENGINE, 2.4L VARIABLE VALVE TIMING INTELLIGENCE 4-CYLINDER, (158 HP [117.8 kW] @ 6000 rpm, 162 lb.-ft. [218.7 N-m] @ 4000 rpm)	W/A
TRANSMISSION	MX0	TRANSMISSION, 5-SPEED AUTOMATIC WITH DRIVER SHIFT CONTROL (Requires 1SB Preferred Equipment Group)	W/A
PREFERRED EQUIPMENT GROUP	1SB	1SB PREFERRED EQUIPMENT GROUP includes Seat, front passenger flat-folding seatback with rear table surface, (RAE) Rear cargo storage system, (LAX) Engine, 2.4L variable valve timing intelligence 4-cylinder	W/A
TIRES	QGF	TIRES, P205/55R16 ALL-SEASON, BLACKWALL (STD)	W/A
SEAT TYPE			

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:26:07 PM

Page 2

Prepared By:
 BILL MARTIN
 RED HOLMAN PONTIAC - GMC
 35300 FORD ROAD
 WESTLAND, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

CATEGORY		MSRP
Code	Description	
SEAT TYPE		
AR9	SEATS, FRONT BUCKET WITH CLOTH, includes vertical adjustable outboard head restraints (STD)	W/A
SEAT TRIM		
_C	CLOTH SEAT TRIM (STD)	W/A
PAINT TYPE		
___	SOLID PAINT (STD)	W/A
AIR CONDITIONING		
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL WITH AIR FILTRATION SYSTEM	W/A
RADIO		
U1C	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER, seek-and-scan, digital clock, Radio Data System (RDS), TheftLock and programmable equalizer (STD)	W/A
WHEEL TYPE		
QB5	WHEELS, 16" (40.6 CM) STEEL WITH BOLT-ON WHEEL COVERS (STD)	W/A
ADDITIONAL OPTIONS		
C35	VENTS, REAR HVAC (Included and only available with (C60) single-zone manual air conditioning.)	W/A
PCM	PREFERRED PACKAGE, includes (AU0) Remote Keyless Entry, (AU3) power door locks, (A31) power windows, (K34) cruise control and (C13) front and rear variable intermittent wipers (with 1SA Preferred Equipment Group Includes (AU4) power door locks only when (MX0) 4-speed automatic transmission is ordered. Does not include (C13) front and rear variable intermittent wipers.) (with 1SB Preferred Equipment Group Includes (AU4) power door locks only when (MX0) 4-speed automatic transmission is ordered. Includes (C13) front and rear variable intermittent wipers only when (LAX) 2.4L VVT-i, 4-cylinder engine is ordered.)	W/A

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 4:26:07 PM

Page 3

Prepared By:
 BILL MARTIN
 RED HOLMAN PONTIAC - GMC
 35300 FORD ROAD
 WESTLAND, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ADDITIONAL OPTIONS		
C13	WIPERS, FRONT AND REAR INTERMITTENT, VARIABLE WITH WASHER (Included and only available with (PCM) Preferred Package and (LAX) 2.4L VVT-i, 4-cylinder engine.)	W/A
RAE	REAR CARGO STORAGE SYSTEM	W/A
OPTIONS TOTAL		W/A

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:26:07 PM

Page 4

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

EPA FUEL ECONOMY RATINGS

- City 26/hwy 33 (1.8L engine/5-speed manual trans) (2008)
- City 25/hwy 31 (1.8L engine/4-speed auto trans) (2008)

EXTERIOR

- Headlamps, halogen composite with automatic exterior lamp control and flash-to-pass feature
- Daytime Running Lamps
- Mirrors, outside power-adjustable, body-color
- Glass, Solar-Ray light-tinted
- Wipers, front and rear intermittent with pulse washers and non-variable delay
- Liftgate, rear with glass

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:22:01 PM

Page 5

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

INTERIOR

- Seats, front bucket with Cloth, includes vertical adjustable outboard head restraints
- Seat, front passenger flat-folding seatback with rear table surface and vertical adjust head restraint (Not available with (LAY) 1.8L VVT-I 4-cylinder engine.)
- Seats, rear 60/40 split-bench, flat-folding with 3 vertical adjust head restraints
- Seat adjuster, driver manual height
- Head restraints, front seats, active and 3-position rear
- Console, floor with storage, cup holders and armrest
- Floor mats, color-keyed carpeted front and rear
- Steering wheel, 3-spoke
- Steering column, rake, adjustable and telescoping
- Instrumentation, analog, includes speedometer, tachometer, trip odometer, engine temperature, fuel gauge, outside temperature display, chrome accented and warning system for front passenger safety belts, ignition key, headlamps on and door ajar
- Tire Pressure Monitoring System
- Windows, manual
- Door locks, front manual
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (if equipped), Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Audio system, AM/FM stereo with CD player, seek-and-scan, digital clock, Radio Data System (RDS), TheftLock and programmable equalizer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:22:01 PM

Page 6

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com.)
- Audio system feature, 4-speaker system
- Antenna, roof-mounted
- Heater, outside air with fan (Does not include air conditioning.)
- Vents, rear heat
- Defogger, rear-window electric with front and side window outlets for the driver and front passenger
- Power outlet, 3-prong, household-style on instrument panel, 115-volt, 100-watt, 1-amp
- Mirror, inside rearview, manual day/night with OnStar buttons
- Lighting, interior with cargo area light
- Lighting, interior illuminated entry with delay
- Storage, floor, dual-stage cargo box, floor storage with adjustable partitions, center instrument panel storage and fold-down coin holder, 4 rear cargo tie-downs, front door map pockets with beverage holders, rear beverage holders, oversized glove box with an integrated shelf and rear cargo storage box
- Visors, driver and front passenger vanity mirrors, includes driver's side pamphlet holder
- Assist handles, 2 driver and front passenger and 2 rear outboard with coat hooks

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:22:01 PM

Page 7

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

MECHANICAL

- Engine, 1.8L Variable Valve Timing intelligence 4-cylinder, (132 HP [98.4 kW] @ 6000 rpm, 128 lb.-ft. [178.2 N-m] @ 4400 rpm)
- Transmission, 5-speed manual
- StabiliTrak, vehicle stability enhancement system
- Front wheel drive
- Suspension, front independent, rear torsion beam with front and rear stabilizer bar
- Suspension, Ride and Handling
- Tires, P205/55R16 all-season, blackwall
- Wheels, 16" (40.6 cm) steel with bolt-on wheel covers
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, stainless-steel

NOTE

- ****ALL STANDARDS ARE 2009 UNLESS OTHERWISE NOTED****

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:22:01 PM

Page 8

Prepared By:
BILL MARTIN
RED HOLMAN PONTIAC - GMC
35300 FORD ROAD
WESTLAND, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780

2009 Fleet/Non-Retail Pontiac Vibe 4dr HB FWD 2SL26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2009 Fleet/Non-Retail 2SL26 4dr HB FWD

SAFETY

- Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Safety belts, 3-point, driver and front passenger, height-adjustable with pretensioners and load limiters
- Safety belts, 3-point, rear, all seating positions with center position lap belt and head restraints
- Door locks, rear child security
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats in the 3 rear seating positions
- StabiliTrak, vehicle stability enhancement system
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 132.3, Data updated 12/4/2007 9:30:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 12, 2007 3:22:01 PM

Page 9

Multi-Functional Utility Vehicle
6 – 7 Passenger, 4 Door, Automatic Transmission

MODEL-2008 CURRENT NEW

<u>MAKE</u>	<u>W.B.</u>	<u>ENGINE</u>	<u>CYL.</u>
Chrysler Pacifica	116.3	3.5L	V-6
Ford Taurus X	112.9	3.5L	V-6
GMC Acadia	118.9	3.6L	V-6

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- Air Bag, Dual
- Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- Air Conditioning.
- Anti-freeze protection-to -30°F.
- Battery-Maximum CCA available.
- Brakes-Anti Locking System (ABS)
- Color-Manufacturers Standard Color to be selected.
- Defroster-Electric, rear window.
- Floor Mats-Mfg. Std. , front and rear, color coordinated.
- Glass-Tinted, all around.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Lights, Daytime Running (If available from manufacturer as standard equipment)
- Mirror-Right-hand, outside (factory installed).
- Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
- Pre-delivery inspection and servicing.
- Radio-AM/FM mfg. standard, factory installed.
- Rear Axle Ratio for maximum mileage in highway driving.
- Seats; Front, Split Bench or Bucket Type
- Speed Control, factory installed
- Steering-Power, Tilt Wheel.

- Tires, Radial, Manufacturers Standard
 - Upholstery, Seats - Cloth or Cloth and Vinyl.
 - Wipers, Windshield - dual, intermittent, electric with automatic type washers.
- Delete: On GM vehicles, OnStar and XM radio are deleted.**

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on all MDOT passenger vehicles.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Locks; power with remote
- Traction Control

PRICING SHEET

Multi-Functional Utility Vehicle 6 – 7 Passenger, 4 Door, Automatic Transmission Mich. Spec. #3905-0019	
Standard Equipped Per above Specification	Standard Equipped Cost
Make: GMC Model: Acadia F.O.B. - Dealership Delivery Cost Per Mile \$1.00	\$23,068.00*

Final Point of Assembly: Lansing, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3905-0019

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TR14526	2008 GMC Acadia FWD 4dr SLE1	\$29,255.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY7	ENGINE, 3.6L VARIABLE VALVE TIMING V6 MPFI	\$0.00
TRANSMISSION		
MY9	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
PREFERRED EQUIPMENT GROUP		
3SA	SLE-1 PREFERRED EQUIPMENT GROUP	\$0.00
SEATING ARRANGEMENT		
ABC	SEATING, 8-PASSENGER	\$0.00
SEAT TYPE		
AR9	DELUXE CLOTH, RECLINING BUCKETS	\$0.00
SEAT TRIM		
_C	SEAT TRIM, PREMIUM CLOTH	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

<u>CATEGORY</u>		<u>Code</u>	<u>Description</u>	<u>MSRP</u>
PAINT				
			PAINT, SOLID	\$0.00
RADIO				
		US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER,	\$0.00
ADDITIONAL OPTIONS				
		U2J	XM SATELLITE RADIO, DELETE	\$0.00
		UE0	ONSTAR, DELETE	-\$85.00
		VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL				-\$85.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

EPA FUEL ECONOMY RATINGS

- City 16/hwy 24 (3.6L engine/6-speed auto trans)

EXTERIOR

- Spoiler, rear
- Roof rails, brushed aluminum, longitudinal
- Moldings, body-color bodyside
- Headlamps, dual halogen projector lamp
- Headlamp control, automatic on and off
- Fog lamps, front round halogen
- Daytime Running Lamps
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver and front passenger-side glass)
- Mirrors, outside heated power-adjustable, Black, manual-folding
- Door handles, chrome (Black beltline molding.)
- Wipers, front intermittent with washers
- Wiper, rear intermittent with washer
- Body, manual rear liftgate

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acibox@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

INTERIOR

- Seating, 8-passenger (2-3-3 seating configuration) (Includes 2nd row 60/40 split flat-folding bench seat)
- Seat trim, Premium Cloth
- Seat, 4-way manual driver with manual lumbar control
- Seat, 2-way manual front passenger
- Console, front center with 2 cup holders and storage
- Console, overhead with map lights
- Cup holders, 2 front on the floor console
- Cup holders, 2 in the second row
- Floor mats, color-keyed carpeted front, second and third row, removable
- Floor covering, color-keyed carpeting
- Insulation, acoustical package
- Steering wheel, vinyl
- Steering wheel, Tilt-Wheel and telescopic with brake/transmission shift interlock
- Instrumentation, 5-gauge
- Tire Pressure Monitoring System
- Windows, power with driver Express-Down
- Door locks, power programmable with lockout protection
- Remote Keyless Entry, programmable with 2 transmitters and panic button
- Cruise control, electronic with set and resume speed

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 4

Prepared By:

Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

- OnStar, 1-year of Directions and Connections plan. Includes the innovative easy to use Turn-by-Turn Navigation services which provide voice-guided directions (where available). Also includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands- Free Calling, AccidentAssist, Remote Horn and Lights, Information and Convenience Services, and Driving Directions (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Turn-by-turn Navigation requires ABS and is not available in certain areas. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Theft-deterrent system, vehicle, PASS-Key III, engine immobilizer
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 6-speaker system
- Antenna, Quad-Band for AM/FM stereo, OnStar and XM Satellite Radio
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Includes (UUD) XM antenna.)
- Air conditioning, single-zone manual front climate control
- Air conditioning, rear manual
- Defogger, rear-window, electric
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded with cloth trim, color-keyed
- Lighting, interior with theater dimming, cargo compartment, reading lights for front seats, second row reading lamps integrated into dome light, door-and tailgate-activated switches and illuminated entry and exit feature
- Cargo storage, under rear floor

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

MECHANICAL

- Engine, 3.6L Variable Valve Timing V6 MPFI (275 hp [205.1 kW] @ 6600 rpm, 251 lb-ft of torque [338.9 N-m] @ 3200 rpm)
- Transmission, 6-speed automatic, electronically controlled with overdrive (Included and only available with TR14526 FWD models.)
- Axle, 3.16 ratio
- Front wheel drive
- Alternator, 170 amps
- GVWR, 6411 lbs. (2908 kg) (TR14526 FWD models only.)
- Suspension, Ride and Handling
- StabiliTrak, stability control system
- Tires, P255/65R18 all-season, blackwall
- Tire, compact spare
- Wheels, 4 - 18" x 7.5" (45.7 cm x 19.1 cm) painted aluminum
- Wheel, 17" (43.2 cm) compact aluminum spare
- Steering, power, constant effort
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, double dual with chrome tips

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Acadia FWD 4dr SLE1 TR14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TR14526 FWD 4dr SLE1

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal and side-impact for driver and front passenger and head curtain side-impact for all rows in outboard seating positions (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the rear side of certain side-impact collisions. Always use safety belts and correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, front passenger air bag suppression (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Door locks, rear child security
- StabiliTrak, stability control system
- Daytime Running Lamps
- Horn, dual-note

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 20, 2007 2:07:41 PM

Page 7

TRUCK: PICK-UP BODY MIDSIZE
(Approx. 7' Box) (Payload-1,000 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>FORD RANGER</u>	<u>DODGE DAKOTA</u>	<u>GMC CANYON CHEV COLORADO</u>
G.V.W.R. (lbs.)	4,720	5,000	4,850
Wheelbase (inches)	117.5	112.0	111.3
Engine: Gasoline	3.0L	3.7L	3.7L
Type & No. of Cylinders	6	V-6	I-5
Net H.P.-S.A.E.	148	210	242
Transmission: Automatic			
Axle, Min. Cap., Rear-lbs.	2,750	3,166	2,900
Springs, Cap. at Ground			
Front-lbs. each	1,200	1,500	1,266
Rear-lbs. each	1,375	1,625	1,450

Cab-Full width rear window.

Tires, Mfg. Standard, radial, tubeless, All Season or On/Off Road.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

STANDARD FACTORY EQUIPMENT CONTINUED

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-60 amp. min.
- Axle, rear-limited slip
- Battery-12, Volt, 475 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY MIDSIZE</u> (Approx. 7' Box) (Payload-1,000 lbs., min.) Mich. Spec. #3958-0020	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Canyon <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$1.00	\$12,583.00*

Final Point of Assembly: Shreveport, LA

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0020

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Reg Cab 111.2" Work Truck TS15

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TS15403	2008 GMC Canyon 2WD Reg Cab 111.2" Work Truck	\$14,650.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS	FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE	LLR	ENGINE, 3.7L DOHC 5-CYLINDER MFI	\$1,000.00
TRANSMISSION	M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE	\$1,095.00
DIFFERENTIAL	G80	DIFFERENTIAL, AUTOMATIC LOCKING REAR	\$295.00
AXLE	GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP	1SA	YC1 PREFERRED EQUIPMENT GROUP	\$0.00
SPARE TIRE			

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2007 6:00:25 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Reg Cab 111.2" Work Truck TS15

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

CATEGORY			
Code	Description		MSRP
SPARE TIRE			
ZCE	TIRE, SPARE P205/75R15 ALL-SEASON, BLACKWALL,		\$95.00
SEAT TYPE			
AM6	SEATS, FRONT 60/40 SPLIT-BENCH WITH VINYL,		\$0.00
SEAT TRIM			
_W	SEAT TRIM, VINYL		\$0.00
PAINT			
___	PAINT, SOLID		\$0.00
RADIO			
UM7	AUDIO SYSTEM, AM/FM STEREO		\$0.00
ADDITIONAL OPTIONS			
VQ1	FLEET PROCESSING OPTION		\$0.00
OPTIONS TOTAL			\$2,485.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2007 6:00:25 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Reg Cab 111.2" Work Truck TS15
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

EPA FUEL ECONOMY RATINGS

- City 18/hwy 24 (2.9L engine/5-speed manual trans)
- City 18/hwy 24 (2.9L engine/4-speed auto trans)
- City 16/hwy 22 (3.7L engine/4-speed auto trans)

EXTERIOR

- Bumpers, front and rear chrome with a Dark Smoke Gray pad on the rear step-style bumper
- Air dam, Ebony
- Fascia, front Dark Smoke Gray
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, manual-folding
- Wipers, front intermittent with washers

- Tailgate, 2-position

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2007 6:00:25 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Reg Cab 111.2" Work Truck TS15

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

INTERIOR

- SL Decor
- Seats, front 60/40 split-bench with vinyl, integral outboard head restraints and dual cup holders (Upgradeable to (92D) Pewter SL Cloth trim)
- Floor covering, full-width rubberized-vinyl (Not available with (AJ2) driver- and passenger-side, forward-facing, flat-folding rear seat on T*15653. Upgradeable to (B30) color-keyed carpeted floor covering)
- Steering wheel, 4-spoke
- Steering column, Tilt-Wheel
- Theft-deterrent system, vehicle, PASSlock
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, engine temperature, tachometer and Driver Information Center
- Warning tones, headlamp on, key-in-ignition, driver safety belt unfasten, turn signal on and critical Driver Information Center active
- Tire Pressure Monitor
- Door locks, manual
- Windows, manual driver and front passenger
- Cruise control
- Audio system, AM/FM stereo with seek-and-scan and digital clock (does not include (UE1) OnStar) (Upgradeable to (US8) AM/FM stereo with CD/MP3 player for Fleet and Government order types only and (UE1) OnStar)
- Air conditioning, single-zone manual
- Power outlets, 2 auxiliary, covered, 12-volt
- Door trim, integral armrests and driver- and front passenger-side map pockets
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded with cloth, includes front passenger vanity mirror
- Coat hook, driver-side rear

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2007 6:00:25 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Reg Cab 111.2" Work Truck TS15
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

MECHANICAL

- Engine, 2.9L DOHC 4-cylinder MFI (185 hp [137.9 kW] @ 5600 rpm), 190 lb-ft [263.2 Nm] @ 2800 rpm) (Upgradeable to (LLR) 3.7L DOHC 5-cylinder Engine. Not available or included with (YF5) California state emissions or (NE1) Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island and Vermont state emissions on TS15403 2WD models. Refer to the Engine and Axle section for compatibility requirements. Must specify. Not available with (Z71) High Stance Off-Road Suspension Package)
- Transmission, 5-speed manual with overdrive (Not available with (LLR) 3.7L DOHC 5-cylinder MFI engine or (Z71) High Stance Off-Road Suspension on 4WD Models. Refer to the Engine and Axle section for compatibility requirements. Must specify. Upgradeable to (M30) 4-speed automatic transmission.)
- Rear wheel drive
- Rear axle, 3.73 ratio (Refer to the Engine and Axle section for compatibility requirements. Must specify.)
- Battery, heavy-duty 590 cold-cranking amps, maintenance-free with rundown protection
- Alternator, 125 amps
- Pickup box, Fleetside, all-welded steel with double-wall construction and corrosion protection with 4 cargo tie-downs
- GVWR, 4850 lbs. (2200 kg) (Standard on TS15403 2WD Regular Cab models. Refer to the Engine and Axle section for compatibility requirements)
- Suspension Package, Heavy-Duty
- Suspension, front independent with coil springs (Standard on 2WD models only)
- Suspension, rear semi-floating axle with 2-stage multi-leaf springs
- Tires, P205/75R15 all-season, blackwall (2WD models only)
- Tire, compact spare, located at rear underbody of vehicle (Upgradeable to (ZCE) spare P205/75R15 all-season, blackwall tire on 2WD models and (ZFL) P235/75R15 all-season, blackwall spare tire on 4WD models)
- Wheels, 4 - 15" x 6" (38.1 cm x 15.2 cm) steel
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2007 6:00:25 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acliix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Reg Cab 111.2" Work Truck TS15

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15403 2WD Reg Cab 111.2" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's manual and child safety seat instructions for more safety information.)
- Safety belts, 3-point, driver and right-front passenger, adjustable (center position lap belt with bench seat only)
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2007 6:00:25 PM

Page 6



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac - GMC ITEM NO(s): Spec 3958-0020
 MAKE OF TRUCK: GMC MODEL: Canyon T515403 GVWR 4850 lbs.
 PAYLOAD: 1464# W.B. 111.3" C.A. 34.2" C.E. TBD
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LLR, 3.7L SAE H.P. 242
 FUEL TANK(S) CAPACITY: 19 (GALS. TOTAL) TRANSMISSION: Hydramatic 4-spd Auto
 SPRING CAP. @ GROUND EACH: FRONT 1266 lbs. REAR 1450 lbs. AUX. N/A lbs.
 AXLES: FRONT 2533 lbs. REAR 2900 lbs. REAR RATIO 3.73 : 1
 ALTERNATOR: 125 amps. BATTERY 590 cca cca.
 TIRE SIZE: FRONT P205/75R15 PR REAR P205/75R15 PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCE
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY MIDSIZE, EXTENDED CAB
 (Approx. 6' Box) (Payload-1,260 lbs., min.)

MODEL-2008 CURRENT NEW

	DODGE DAKOTA ND1L33	GMC CANYON CHEV. COLORADO	FORD RANGER
G.V.W.R. (lbs.)	5,350	5,000	4,760
Wheelbase (inches)	130.9	126.0	125.9
Engine: Gasoline	3.7L	3.7L	3.0L
Type & No. of Cylinders	V-6	I-5	V-6
Net H.P.-S.A.E.	210	242	148
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	3,166	2,900	2,750
Springs, Cap. at Ground			
Front-lbs. each	1,500	1,267	1,200
Rear-lbs. each	1,625	1,450	1,300

Cab-Full width rear window.

Tires, Tubeless, Radial, to meet G.V.W.R. All Season or On/Off Road.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

STANDARD FACTORY EQUIPMENT CONTINUED

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip
- Battery-12, Volt, 475 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-rear-View inside. Outside R.H. and L. H. below eye level, 34 sq. in. minimum, swing away type. Installed.
- Seats-Rear
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY MIDSIZE, EXTENDED CAB</u> (Approx. 6' Box) (Payload-1,260 lbs., min.) Mich. Spec. #3958-0023	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Canyon F.O.B. - Dealership Delivery Cost Per Mile \$1.00	\$13,928.00*

Final Point of Assembly: Shreveport, LA

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0023

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclbxx@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Ext Cab 125.9" Work Truck TS156

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TS15653	2008 GMC Canyon 2WD Ext Cab 125.9" Work Truck	\$16,725.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

<u>Code</u>	<u>Description</u>
92W	Interior: Medium Pewter
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LLR	ENGINE, 3.7L DOHC 5-CYLINDER MFI	\$1,000.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE	\$1,095.00
DIFFERENTIAL		
G80	DIFFERENTIAL, AUTOMATIC LOCKING REAR	\$295.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	YC1 PREFERRED EQUIPMENT GROUP	\$0.00
SPARE TIRE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:48:23 AM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Ext Cab 125.9" Work Truck TS156

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

CATEGORY		MSRP
Code	Description	
SPARE TIRE		
ZCE	TIRE, SPARE P205/75R15 ALL-SEASON, BLACKWALL,	\$95.00
SEAT TYPE		
AM6	SEATS, FRONT 60/40 SPLIT-BENCH WITH VINYL,	\$0.00
SEAT TRIM		
__W	SEAT TRIM, VINYL	\$0.00
PAINT		
__	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
B30	FLOOR COVERING, COLOR-KEYED CARPETING	\$115.00
B32	FLOOR MATS, RUBBERIZED-VINYL FRONT	\$45.00
__	SAFETY BELTS, 3-POINT, REAR, ALL SEATING POSITIONS	INC
AJ2	SEATS, DRIVER-AND PASSENGER-SIDE, FORWARD-FACING, FLAT-FOLDING REAR,	INC
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$2,645.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:48:23 AM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Ext Cab 125.9" Work Truck TS156
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

EPA FUEL ECONOMY RATINGS

- City 18/hwy 24 (2.9L engine/5-speed manual trans)
- City 18/hwy 24 (2.9L engine/4-speed auto trans)
- City 16/hwy 22 (3.7L engine/4-speed auto trans)

EXTERIOR

- Bumpers, front and rear chrome with a Dark Smoke Gray pad on the rear step-style bumper
- Air dam, Ebony
- Fascia, front Dark Smoke Gray
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, manual-folding
- Wipers, front intermittent with washers
- Bedliner
- Tailgate, 2-position

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 26, 2007 10:48:23 AM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Ext Cab 125.9" Work Truck TS156
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

INTERIOR

- SL Decor
- Seats, front 60/40 split-bench with vinyl, integral outboard head restraints and dual cup holders (Upgradeable to (92D) Pewter SL Cloth trim)
- Floor covering, full-width rubberized-vinyl (Not available with (AJ2) driver- and passenger-side, forward-facing, flat-folding rear seat on T*15653. Upgradeable to (B30) color-keyed carpeted floor covering)
- Steering wheel, 4-spoke
- Steering column, Tilt-Wheel
- Theft-deterrent system, vehicle, PASSlock
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, engine temperature, tachometer and Driver Information Center
- Warning tones, headlamp on, key-in-ignition, driver safety belt unfasten, turn signal on and critical Driver Information Center active
- Tire Pressure Monitor
- Door locks, manual
- Windows, manual driver and front passenger
- Cruise control
- Audio system, AM/FM stereo with seek-and-scan and digital clock (does not include (UE1) OnStar) (Upgradeable to (US8) AM/FM stereo with CD/MP3 player for Fleet and Government order types only and (UE1) OnStar)
- Air conditioning, single-zone manual
- Power outlets, 2 auxiliary, covered, 12-volt
- Door trim, integral armrests and driver- and front passenger-side map pockets
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded with cloth, includes front passenger vanity mirror
- Coat hook, driver-side rear

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:48:23 AM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Ext Cab 125.9" Work Truck TS156

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

MECHANICAL

- Engine, 2.9L DOHC 4-cylinder MFI (185 hp [137.9 kW] @ 5600 rpm), 190 lb-ft [263.2 Nm] @ 2800 rpm (Upgradeable to (LLR) 3.7L DOHC 5-cylinder Engine. Must Specify)
- Transmission, 5-speed manual with overdrive (Not available with (LLR) 3.7L DOHC 5-cylinder MFI engine or (Z71) High Stance Off-Road Suspension on 4WD Models. Refer to the Engine and Axle section for compatibility requirements. Must specify. Upgradeable to (M30) 4-speed automatic transmission.)
- Rear wheel drive
- Rear axle, 3.73 ratio (Refer to the Engine and Axle section for compatibility requirements. Must specify.)
- Battery, heavy-duty 590 cold-cranking amps, maintenance-free with rundown protection
- Alternator, 125 amps
- Pickup box, Fleetside, all-welded steel with double-wall construction and corrosion protection with 4 cargo tie-downs
- GVWR, 5000 lbs. (2268 kg) (Standard on TS15653 2WD Extended Cab models. Refer to the Engine and Axle section for compatibility requirements.)
- Suspension Package, Heavy-Duty
- Suspension, front independent with coil springs (Standard on 2WD models only)
- Suspension, rear semi-floating axle with 2-stage multi-leaf springs
- Tires, P205/75R15 all-season, blackwall (2WD models only)
- Tire, compact spare, located at rear underbody of vehicle (Upgradeable to (ZCE) spare P205/75R15 all-season, blackwall tire on 2WD models and (ZFL) P235/75R15 all-season, blackwall spare tire on 4WD models)
- Wheels, 4 - 15" x 6" (38.1 cm x 15.2 cm) steel
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:48:23 AM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 2WD Ext Cab 125.9" Work Truck TS156

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TS15653 2WD Ext Cab 125.9" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's manual and child safety seat instructions for more safety information.)
- Safety belts, 3-point, driver and right-front passenger, adjustable (center position lap belt with bench seat only)
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:48:23 AM

Page 6



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3958-0023 ✓
 MAKE OF TRUCK: Gmc MODEL: Canyon GVWR 5000 lbs. ✓
 PAYLOAD: 1434# ✓ W.B. 126" ✓ C.A. 34.20" C.E. TBD
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LLR, 3.7L SAE H.P. 242 ✓
 FUEL TANK(S) CAPACITY: 19 (GALS. TOTAL) TRANSMISSION: Hydraulic 4-spd Auto
 SPRING CAP. @ GROUND EACH: FRONT 1267.5 lbs. REAR 1450 lbs. AUX. N/A lbs.
 AXLES: FRONT 2533 lbs. REAR 2900 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY 590 ✓ cca.
 TIRE SIZE: FRONT P205/75R15 PR REAR P205/75R15 PR SINGLE ✓ DUAL _____ M&S _____
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCE
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY
(6' Box) (Payload-1,600 lbs., min.)

(This vehicle may be considered to be a Manufacturers "WORK TRUCK" specification, which may not allow for addition or deletion of factory optional equipment, and paint colors may be limited.)

MODEL-2008 CURRENT NEW

	CHEV/GMC C10703	DODGE <u>DR1L61</u>	FORD <u>F150</u>
G.V.W.R. (lbs.)	6,400	6,350	6,500
Wheelbase (inches)	119.0	120.5	126.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	4.3L	3.7L	4.2L
Type & No. of Cylinders	V-6	V-6	V-6
Net H.P.-S.A.E.	195	215	202
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	3,750	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,600	1,825	1,700
Rear-lbs. each	1,875	1,950	1,925

Cab-Full width rear window.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Seats, cloth
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY</u> (6' Box) (Payload-1,600 lbs., min.) Mich. Spec. #3958-0025	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra F.O.B. - Dealership Delivery Cost Per Mile: \$1.00	\$14,799.00*

Final Point of Assembly: Fort Wayne, IN

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0025

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 119.0" Work Truck T

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10703 2WD Reg Cab 119.0" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10703	2008 GMC Sierra 1500 2WD Reg Cab 119.0" Work Truck	\$17,220.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10703 2WD Reg Cab 119.0" Work Truck

<u>Code</u>	<u>Description</u>
88B	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10703 2WD Reg Cab 119.0" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SUSPENSION PKG		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LU3	ENGINE, VORTEC 4.3L V6 MFI (195 HP [145.4 KW] @ 4600 RPM, 260 LB-FT OF TORQUE [351.0 N-M] @ 2800 RPM)	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GU5	REAR AXLE, 3.23 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:58:29 AM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 119.0" Work Truck T

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10703 2WD Reg Cab 119.0" Work Truck

CATEGORY		MSRP
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QPR	TIRES, P245/70R17 ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM		
_B	SEAT TRIM, DARK TITANIUM CLOTH	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS		
AM1	SEAT ADJUSTER, MANUAL LUMBAR CONTROL ON THE DRIVER-SIDE	INC
UE0	ONSTAR, DELETE	-\$85.00
K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:58:29 AM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 119.0" Work Truck T
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10703 2WD Reg Cab 119.0" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
OPTIONS TOTAL		\$1,160.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:58:29 AM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 119.0" Work Truck T

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10703 2WD Reg Cab 119.0" Work Truck

EPA FUEL ECONOMY RATINGS

- City 15/hwy 20 (4.3L engine/4-speed auto trans)
- City 14/hwy 19 (4.8L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 15 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:58:29 AM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 119.0" Work Truck T

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10703 2WD Reg Cab 119.0" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:58:29 AM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 119.0" Work Truck T

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10703 2WD Reg Cab 119.0" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, 4-speaker system (Requires Regular Cab models.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:58:29 AM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 119.0" Work Truck T

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10703 2WD Reg Cab 119.0" Work Truck

MECHANICAL

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Requires T*10*03, TC10553 or TC10753 models. Standard with T*10*03, TC10553 or TC10753 models. Not available with (VYU) Snow Plow Prep Package or (Z82) heavy-duty trailering equipment.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.23 ratio (Refer to Engine/Axle chart for availability.)
- Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- GVWR, 6400 lbs. (2903 kg) (Standard on T*10703, T*10903, TC10553, and TC10753 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P245/70R17 all-season, blackwall (Requires 2WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:58:29 AM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 119.0" Work Truck T

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10703 2WD Reg Cab 119.0" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 10:58:29 AM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s): Spec # 3958-0025
 MAKE OF TRUCK: Gmc MODEL: Sierra 1500 TC10703GVWR 6400 lbs. ✓
 PAYLOAD: 2046 ✓ W.B. 119" ✓ C.A. 41.90" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LU3, 4.3 ✓ SAE H.P. 195 ✓
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4-spd
 SPRING CAP. @ GROUND EACH: FRONT 1600 ✓ lbs. REAR 1875 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 3200 lbs. REAR 3750 ✓ lbs. REAR RATIO 3.23
 ALTERNATOR: 145 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT P245/70R17 PR REAR P245/70R17 PR SINGLE ✓ DUAL _____ M&S _____
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QPR
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY
(8 Foot Box) (Payload-1,600 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC <u>C10903</u>	DODGE <u>DR1L62</u>	FORD <u>F150</u>
G.V.W.R. (lbs.)	6,400	6,550	6,800
Wheelbase (inches)	133.0	140.5	144.5
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	4.3L	4.7L	4.6L
Type & No. of Cylinders	V-6	V-8	V-8
Net H.P.-S.A.E.	195	235	248
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	3,750	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,650	1,825	1,650
Rear-lbs. each	1,875	1,950	1,900

Cab-Full width rear window.

Tires, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Alternator-75 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY</u> (8 Foot Box) (Payload-1,600 lbs., min.) Mich. Spec. #3958-0026	
Standard Equipped Per above Specification (including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra F.O.B. - Dealership Delivery Cost Per Mile: \$1.00	\$15,155.00*

Final Point of Assembly: Pontiac, MI and Ft. Wayne, IN

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0026

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10903	2008 GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck	\$17,605.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SUSPENSION PKG		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LU3	ENGINE, VORTEC 4.3L V6 MFI (195 HP [145.4 KW] @ 4600 RPM, 260 LB-FT OF TORQUE [351.0 N-M] @ 2800 RPM)	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GU5	REAR AXLE, 3.23 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 11:20:47 AM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

<u>CATEGORY</u>		<u>Code</u>	<u>Description</u>	<u>MSRP</u>
PREFERRED EQUIPMENT GROUP				
	1SA		WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES				
	QPR		TIRES, P245/70R17 ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE				
	AE7		SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM				
	_V		SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT				
	ZY1		PAINT, SOLID	\$0.00
AIR CONDITIONING				
	C67		AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO				
	UM7		AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS				
	NX7		WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS				
	UE0		ONSTAR, DELETE	-\$85.00
	K34		CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
	U2J		XM SATELLITE RADIO, DELETE	-\$200.00
	VQ1		FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL				\$1,160.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 11:20:47 AM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

EPA FUEL ECONOMY RATINGS

- City 15/hwy 20 (4.3L engine/4-speed auto trans)
- City 14/hwy 19 (4.8L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 15 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 11:20:47 AM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, Accident Assist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 26, 2007 11:20:47 AM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acliix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, 4-speaker system (Requires Regular Cab models.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 11:20:47 AM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

MECHANICAL

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Requires T*10*03, TC10553 or TC10753 models. Standard with T*10*03, TC10553 or TC10753 models. Not available with (VYU) Snow Plow Prep Package or (Z82) heavy-duty trailering equipment.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.23 ratio (Refer to Engine/Axle chart for availability.)
- Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- GVWR, 6400 lbs. (2903 kg) (Standard on T*10703, T*10903, TC10553, and TC10753 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P245/70R17 all-season, blackwall (Requires 2WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 26, 2007 11:20:47 AM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 11:20:47 AM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s): Spec # 3958-0026
 MAKE OF TRUCK: GMC MODEL: Sierra 1500 TC10903 GVWR 6400 lbs. ✓
 PAYLOAD: 1964 # ✓ W.B. 133" ✓ C.A. 55.90" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: Lu3, 4.3 SAE H.P. 195 ✓
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydraulic M30 4-spd
 SPRING CAP. @ GROUND EACH: FRONT 1650 lbs. ✓ REAR 1875 lbs. ✓ AUX. N/A lbs.
 AXLES: FRONT 3300 lbs. ✓ REAR 3750 lbs. ✓ REAR RATIO 3.23
 ALTERNATOR: 145 amps. BATTERY 600 cca. ✓
 TIRE SIZE: FRONT P245/70R17 PR REAR P245/70R17 PR SINGLE ✓ DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QPR
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY
ALTERNATE FUEL VEHICLES
 (8 Foot Box) (Payload-1,500 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>FORD</u> <u>F150</u>	<u>CHEV/GMC</u> <u>C10903</u>	<u>DODGE</u> <u>DR1L62</u>
G.V.W.R. (lbs.)	7,050	6,400	6,350
Wheelbase (inches)	144.5	133	120.5
Type & Size of Body	Styleside	Fleetside	
Engine: Alternate Fuel Type of Fuel	5.4L E-85 FFV	5.3L E-85 FFV	4.7L E-85 FFV
Type & No. of Cylinders Net H.P.-S.A.E. J1349	V-8 300	V-8 315	V-8 TBD
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	4,200	3,750	3,900
Springs, Min. Cap. at Ground Front-lbs. each Rear-lbs. each	1,650 1,900	1,650 1,875	1,825 1,950

Cab-Full width rear window.

Tires, Tubeless, P235/75R15 minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-75 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT passenger vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Seats, cloth

PRICING SHEET

<u>ALTERNATIVE FUEL - TRUCK: PICK-UP BODY</u> (8 Foot Box) (Payload-1,600 lbs., min.) Mich. Spec. #3958-0026A	
Standard Equipped Per above Specification (including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$1.00	\$15,999.00*

Final Point of Assembly: Pontiac, MI or Ft. Wayne, IN

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0026A

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10903	2008 GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck	\$17,605.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SUSPENSION PKG		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT, CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHANOL, (315 HP [234.9 KW] @ 5200 RPM, 338 LB-FT OF TORQUE [456.3 N-M] @ 4400 RPM), IRON BLOCK	\$1,545.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:56:40 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
AXLE		
GU6	REAR AXLE, 3.42 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QPR	TIRES, P245/70R17 ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:56:40 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
OPTIONS TOTAL		\$2,705.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:56:40 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

EPA FUEL ECONOMY RATINGS

- City 15/hwy 20 (4.3L engine/4-speed auto trans)
- City 14/hwy 19 (4.8L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L flexfuel engine/4-speed auto trans w/gas) ✓
- City 11/hwy 15 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:56:40 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:56:40 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, 4-speaker system (Requires Regular Cab models.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:56:40 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

MECHANICAL

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Requires T*10*03, TC10553 or TC10753 models. Standard with T*10*03, TC10553 or TC10753 models. Not available with (VYU) Snow Plow Prep Package or (Z82) heavy-duty trailering equipment.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.23 ratio (Refer to Engine/Axle chart for availability.)
- Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- GVWR, 6400 lbs. (2903 kg) (Standard on T*10703, T*10903, TC10553, and TC10753 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P245/70R17 all-season, blackwall (Requires 2WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:56:40 PM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 4:56:40 PM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s): Spec # 3958-0026 A
 MAKE OF TRUCK: GMC MODEL: Sierra TC10903 GVWR 6400 lbs.
 PAYLOAD: 1833 # W.B. 133" ✓ C.A. 55.9" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas / E85 MAKE: GM MODEL: LMG ✓ SAE H.P. 315 ✓
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydraulic M30 4spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 1650 ✓ lbs. REAR 1875 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 3900 lbs. REAR 3750 ✓ lbs. REAR RATIO 3.42 : 1
 ALTERNATOR: 145 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT P245/70R17 PR REAR P245/70R17 PR SINGLE ✓ DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QPR
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
(8 Foot Box, Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD <u>F150</u>	CHEV/ <u>GMC</u> <u>C10953</u>	DODGE <u>DR1L42</u>
G.V.W.R. (lbs.)	8,200	6,900	6,650
Wheelbase (inches)	163.0	157.5	160.5
Type & Size of Body	Styleside	Fleetside/ Wideside	Sweptline
Engine: Gasoline	5.4L	5.3L	4.7L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	300	315	235
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,150	3,700	3,650
Rear	5,300	3,950	3,900
Springs, Min. Cap. at Ground			
Front-lbs. each	1,875	1,850	1,825
Rear-lbs. each	2,400	1,975	1,950

Tires, Tubeless, Radial, to meet G.V.W.R. All season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

STANDARD FACTORY EQUIPPED continued

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Doors-Rear
- Fuel capacity - largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Spare tire and wheel. Full size. Mfg. Stnd. mounting.
- Steering-Power
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (8 Foot Box, Payload-1,400 lbs., min.) Mich. Spec. #3958-0027	
Standard Equipped Per above Specification (Including options specified above)	Standard Equipped Cost
Make: GMC Model: Sierra F.O.B. - Dealership Delivery Cost Per Mile \$1.00	\$17,963.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0027

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10953	2008 GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck	\$24,390.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SUSPENSION PKG		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY5	ENGINE, VORTEC 5.3L V8 SFI WITH ACTIVE FUEL MANAGEMENT (315 HP [234.9 KW] @ 5200 RPM, 338 LB-FT OF TORQUE [456.3 N-M] @ 4400 RPM), IRON BLOCK	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GU6	REAR AXLE, 3.42 RATIO	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 5:40:53 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>CATEGORY</u>		<u>Code</u>	<u>Description</u>	<u>MSRP</u>
PREFERRED EQUIPMENT GROUP				
	1SA		WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES				
	QPR		TIRES, P245/70R17 ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE				
	AE7		SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM				
	_V		SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT				
	ZY1		PAINT, SOLID	\$0.00
RADIO				
	UM7		AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS				
	NX7		WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS				
	UE0		ONSTAR, DELETE	-\$85.00
	K34		CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
	U2J		XM SATELLITE RADIO, DELETE	-\$200.00
	VQ1		FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL				\$290.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 5:40:53 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

EPA FUEL ECONOMY RATINGS

- City 15/hwy 20 (5.3L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 15 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 5:40:53 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only.)
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 5:40:53 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acliix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 5:40:53 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

MECHANICAL

- Engine, Vortec 5.3L V8 SFI with Active Fuel Management (315 hp [234.9 kW] @ 5200 rpm, 338 lb-ft of torque [456.3 N-m] @ 4400 rpm), iron block (Not available with TK10543 Models. Standard on T*10953 Models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.42 ratio (Refer to Engine/Axle chart for availability.)
- Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- GVWR, 6900 lbs. (3130 kg) (Requires TC10953 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P245/70R17 all-season, blackwall (Requires 2WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 5:40:54 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 5:40:54 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3958-0027
 MAKE OF TRUCK: Gmc MODEL: Sierra TC10953 GVWR 6900 lbs.
 PAYLOAD: 1874 # W.B. 157.50 C.A. 55.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY5, 5.3 SAE H.P. 315
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4-spd
 SPRING CAP. @ GROUND EACH: FRONT 1850 lbs. REAR 1975 lbs. AUX. N/A lbs.
 AXLES: FRONT 3700 lbs. REAR 3950 lbs. REAR RATIO 3.42
 ALTERNATOR: 145 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT P245/70 R17 PR REAR P245/70 R17 PR SINGLE ✓ DUAL M&S
 TIRE: MAKE TDA STYLE NO. TDA MFG. CODE QPR
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
ALTERNATE FUEL VEHICLES
(8 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>C10953</u>	<u>DODGE</u> <u>DR1L42</u>
G.V.W.R. (lbs.)	6,900	6,350
Wheelbase (inches)	157.5	120.5
Type & Size of Body	Fleetside	TBD
Engine: Alternate Fuel	5.3L	4.7L
Type of Fuel	E-85	E-85 FFV
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E. J1349	315	TBD
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	3,950	3,900
Springs, Min. Cap. at Ground		
Front-lbs. each	1,850	1,825
Rear-lbs. each	1,975	1,950

Cab-Full width rear window.

Tires, Tubeless, P235/75R15 minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-75 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Seats, cloth

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> ALTERNATE FUEL VEHICLES (8 Foot Box) (Payload-1,500 lbs., min.) Mich. Spec. #3958-0027A	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$ _____	\$17,963.00*

Final Point of Assembly: Pontiac, MI

<u>Dealer Information</u>

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet

Spec # 3958-0027 A

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10953	2008 GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck	\$24,390.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SUSPENSION PKG		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT, CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHANOL, (315 HP [234.9 KW] @ 5200 RPM, 338 LB-FT OF TORQUE [456.3 N-M] @ 4400 RPM), IRON BLOCK	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 5:49:08 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>CATEGORY</u>		<u>Code</u>	<u>Description</u>	<u>MSRP</u>
AXLE		GU6	REAR AXLE, 3.42 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		QPR	TIRES, P245/70R17 ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM		_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		ZY1	PAINT, SOLID	\$0.00
RADIO		UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS		UE0	ONSTAR, DELETE	-\$85.00
		K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
		U2J	XM SATELLITE RADIO, DELETE	-\$200.00
		VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL				\$290.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 5:49:08 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

EPA FUEL ECONOMY RATINGS

- City 15/hwy 20 (5.3L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 15 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 5:49:08 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only.)
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 5:49:08 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 5:49:08 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

MECHANICAL

- Engine, Vortec 5.3L V8 SFI with Active Fuel Management (315 hp [234.9 kW] @ 5200 rpm, 338 lb-ft of torque [456.3 N-m] @ 4400 rpm), iron block (Not available with TK10543 Models. Standard on T*10953 Models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.42 ratio (Refer to Engine/Axle chart for availability.)
- Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- GVWR, 6900 lbs. (3130 kg) (Requires TC10953 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P245/70R17 all-season, blackwall (Requires 2WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 5:49:08 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 5:49:08 PM

Page 7

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3958-0027A

MAKE OF TRUCK: Gmc MODEL: Sierra TC10953 GVWR 6900 lbs.

PAYLOAD: 1874# W.B. 157.50" C.A. 55.50" C.E. N/A

ENGINE: (GAS - DIESEL) Gas / EPS MAKE: Gm MODEL: LMG, S3 SAE H.P. 315

FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydraulic M30

SPRING CAP. @ GROUND EACH: FRONT 1850 lbs. REAR 1975 lbs. AUX. N/A lbs.

AXLES: FRONT 3700 lbs. REAR 3950 lbs. REAR RATIO 3.42

ALTERNATOR: 145 amps. BATTERY 600 cca.

TIRE SIZE: FRONT P245/70R17 PR REAR P245/70R17 PR SINGLE DUAL M&S

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QPR

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
(6 Foot Box, Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD <u>F150</u>	CHEV/ GMC <u>C10753</u>	DODGE <u>DR1L41</u>
G.V.W.R. (lbs.)	6,700	6,400	6,650
Wheelbase (inches)	144.5	143.5	140.5
Type & Size of Body	Styleside	Fleetside/ Wideside	Sweptline
Engine: Gasoline	4.6L	4.3L	4.7L
Type & No. of Cylinders	V-8	V-6	V-8
Net H.P.-S.A.E.	248	195	235
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,150	3,600	3,650
Rear	3,800	3,750	3,900
Springs, Min. Cap. at Ground			
Front-lbs. each	1,725	1,800	1,850
Rear-lbs. each	1,900	1,875	1,950

Tires, Tubeless, Radial, to meet G.V.W.R.. All season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**
ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.

- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear
- Fuel capacity - largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (6 Foot Box, Payload-1,400 lbs., min.) Mich. Spec. #3958-0028	
Standard Equipped Per above Specification (Including options specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$16,924.00*

Final Point of Assembly: Ft. Wayne, IN

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0028

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10753	2008 GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck	\$22,550.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
SUSPENSION PKG		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LU3	ENGINE, VORTEC 4.3L V6 MFI (195 HP [145.4 KW] @ 4600 RPM, 260 LB-FT OF TORQUE [351.0 N-M] @ 2800 RPM)	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
GVWR		
C7H	GVWR, 6400 LBS. (2903 KG)	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:03:14 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
AXLE	GU5	REAR AXLE, 3.23 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP	1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES	QPR	TIRES, P245/70R17 ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE	AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM	_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT	ZY1	PAINT, SOLID	\$0.00
RADIO	UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS	NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS	UE0	ONSTAR, DELETE	-\$85.00
	K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
	U2J	XM SATELLITE RADIO, DELETE	-\$200.00
	VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL			\$290.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:03:14 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

EPA FUEL ECONOMY RATINGS

- City 15/hwy 20 (4.3L engine/4-speed auto trans)
- City 14/hwy 19 (4.8L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 15 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:03:14 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only.)
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:03:14 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:03:15 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

MECHANICAL

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Requires T*10*03, TC10553 or TC10753 models. Standard with T*10*03, TC10553 or TC10753 models. Not available with (VYU) Snow Plow Prep Package or (Z82) heavy-duty trailering equipment.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.23 ratio (Refer to Engine/Axle chart for availability.)
- Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- GVWR, 6400 lbs. (2903 kg) (Standard on T*10703, T*10903, TC10553, and TC10753 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P245/70R17 all-season, blackwall (Requires 2WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:03:15 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:03:15 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holmen Pontiac GMC ITEM NO(s). Spec # 3958-0028
 MAKE OF TRUCK: Gmc MODEL: Sierra TC10753 GVWR 6400 lbs.
 PAYLOAD: 1620 # W.B. 143.50" C.A. 41.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: L43, 4.3 SAE H.P. 195
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydraulic M30 4-spd
 SPRING CAP. @ GROUND EACH: FRONT 1800 lbs. REAR 1875 lbs. AUX. N/A lbs.
 AXLES: FRONT 3600 lbs. REAR 3750 lbs. REAR RATIO 3.23
 ALTERNATOR: 145 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT P245/70R17 PR REAR P245/70R17 PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QPR
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
ALTERNATE FUEL VEHICLES
(6 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC C10953	DODGE DR1L42	FORD F150
G.V.W.R. (lbs.)	6,800	6,350	7050
Wheelbase (inches)	143.5	120.5	145
Type & Size of Body	Fleetside	TBD	Styleside
Engine: Alternate Fuel Type of Fuel	5.3L E-85	4.7L E-85 FFV	5.4L E-85
Type & No. of Cylinders Net H.P.-S.A.E. J1349	V-8 315	V-8 310	V-8 TBD
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	3,750	3,900	4,200
Springs, Min. Cap. at Ground Front-lbs. each Rear-lbs. each	1,800 1,875	1,825 1,950	1,725 1,925

Cab-Full width rear window.

Tires, Tubeless, P235/75R15 minimum. All Season. P235/70R17 BSW (F-150)

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-75 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Seats, cloth

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> ALTERNATE FUEL VEHICLES (6 Foot Box) (Payload-1,500 lbs., min.) Mich. Spec. #3958-0028A	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$17,566.00*

Final Point of Assembly: Ft. Wayne, IN or Oshawa, ONT, CAN

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0028A

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10753	2008 GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck	\$22,550.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SUSPENSION PKG		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT, CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHANOL, (315 HP [234.9 KW] @ 5200 RPM, 338 LB-FT OF TORQUE [456.3 N-M] @ 4400 RPM), IRON BLOCK	\$1,545.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
GVWR		
C5U	GVWR, 6800 LBS. (3084 KG)	\$0.00
DIFFERENTIAL		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:18:05 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GU6	REAR AXLE, 3.42 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QPR	TIRES, P245/70R17 ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$1,835.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 6:18:05 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

EPA FUEL ECONOMY RATINGS

- City 15/hwy 20 (4.3L engine/4-speed auto trans)
- City 14/hwy 19 (4.8L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 15 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 6:18:05 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only.)
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 6:18:05 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:18:05 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

MECHANICAL

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Requires T*10*03, TC10553 or TC10753 models. Standard with T*10*03, TC10553 or TC10753 models. Not available with (VYU) Snow Plow Prep Package or (Z82) heavy-duty trailering equipment.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.23 ratio (Refer to Engine/Axle chart for availability.)
- Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- GVWR, 6400 lbs. (2903 kg) (Standard on T*10703, T*10903, TC10553, and TC10753 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P245/70R17 all-season, blackwall (Requires 2WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:18:05 PM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbxx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:18:05 PM

Page 8



APPENDIX B

Spec info was incorrect in Bid. Truck form is correct

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0028A 6900
 MAKE OF TRUCK: GMC MODEL: Sierra TC10753 GVWR (6800 lbs.)
 PAYLOAD: 1888 # ✓ W.B. 143.50" ✓ C.A. 41.50" C.F. N/A
 ENGINE: (GAS - DIESEL) Gas/ERS MAKE: Gm MODEL: LMG SAE H.P. 315 ✓
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 1800 ✓ lbs. REAR 1875 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 3600 lbs. REAR 3750 lbs. REAR RATIO 3.42
 ALTERNATOR: 145 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT P245/70R17 PR REAR P245/70R17 PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QPR
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY
(8' Box) (Payload-3,240 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC <u>C20903</u>	DODGE <u>DH2L62</u>	FORD <u>F250</u>
G.V.W.R. 8,600.(lbs.), minimum	9,200	8,650	8,800
Wheelbase (inches)	133	160.5	137.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	345	300
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	6,900	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,250	1,825
Rear-lbs. each	3,042	3,000	3,050

Cab-Full width rear window.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

Ford: This configuration of F-250 (wheelbase/regular cab/GVWR) results in a payload capacity of 3060 lbs.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Hood latch interior operated, factory installed.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

TRUCK: PICK-UP BODY (8' Box) (Payload-3,240 lbs., min.) Mich. Spec. #3958-0029	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$16,886.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0029

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20903	2008 GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck	\$23,980.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:27:07 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
__V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$1,160.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:27:07 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:27:07 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acliix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:27:07 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, 4-speaker system (Requires Regular Cab models)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 6:27:07 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailering, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:27:07 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:27:07 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0029
 MAKE OF TRUCK: Gmc MODEL: Sierra TC20903 GVWR 9200 lbs.
 PAYLOAD: 4024 # W.B. 133" C.A. 55-90" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0SAE H.P. 353
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-spd
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3042 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6900 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT LT245/75R16E PR REAR LT245/75R16E PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QIZ
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY
 (8' Box) (Payload-3,240 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC <u>C20903</u>	DODGE <u>DH2L62</u>	FORD <u>F250</u>
G.V.W.R. 8,600.(lbs.), minimum	9,200	8,650	8,800
Wheelbase (inches)	133	160.5	137.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Diesel	6.6L	5.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	345	300
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	6,900	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,250	1,825
Rear-lbs. each	3,042	3,000	3,050

Cab-Full width rear window.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Hood latch interior operated, factory installed.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

TRUCK: PICK-UP BODY (8' Box) (Payload-3,240 lbs., min.) Mich. Spec. #3958-0029D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$23,208.00*

Final Point of Assembly: _____

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-00290

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20903	2008 GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck	\$23,980.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS	\$55.00
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	\$9,610.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, 4-speaker system (Requires Regular Cab models)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

- Steering, power, recirculating ball
 - Brakes, 4-wheel antilock, 4-wheel disc
 - Exhaust, aluminized stainless-steel muffler and tailpipe
- SAFETY*
- Brakes, 4-wheel antilock, 4-wheel disc
 - Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
 - Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 7:12:22 PM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-00290

MAKE OF TRUCK: GMC MODEL: Sierra TC20903 GVWR 9200 lbs.

PAYLOAD: 3321 # ✓ W.B. 133" ✓ C.A. 55.90" C.E. N/A

ENGINE: (GAS - DIESEL) Diesel ✓ MAKE: Gm Duramax MODEL: Lmm, V-8 ✓ SAE H.P. 365 ✓

FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison MW7 1000 6-spd

SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 3042 ✓ lbs. AUX. N/A lbs.

AXLES: FRONT 4800 lbs. REAR 6900 ✓ lbs. REAR RATIO 3.73

ALTERNATOR: 125 ✓ amps. BATTERY Dual 730 ✓ cca.

TIRE SIZE: FRONT LT245/75R16 PR REAR LT245/75R16 PR SINGLE DUAL M&S

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QIZ

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
(8 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD F-250 "XL"	CHEV/GMC TC20903	DODGE DR2500 DH2L42
G.V.W.R. 8,600 (lbs.), minimum	9,200	9,200	8,800
Wheelbase (inches)	158.0	157.5	160.5
Type & Size of Body	Styleside	Fleetside/ Wideside	Sweptline
Engine: Gasoline			
Type & No. of Cylinders	5.4L V-8	6.0L V-8	5.7L V-8
Net H.P.-S.A.E.	300	353	345
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,850	4,800	4,000
Rear	6,200	6,900	6,000
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	2,400	2,000
Rear-lbs. each	3,050	3,042	3,000

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

-

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats, cloth, split bench
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (8 Foot Box) (Payload-3,000 lbs., min.) Mich. Spec. #3958-0030	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$19,314.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0030

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20953	2008 GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck	\$27,275.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>CATEGORY</u>		
<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:26:08 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>CATEGORY</u>		<u>Code</u>	<u>Description</u>	<u>MSRP</u>
PREFERRED EQUIPMENT GROUP				
	1SA		WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES				
	QIZ		TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE				
	AE7		SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM				
	_V		SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT				
	ZY1		PAINT, SOLID	\$0.00
RADIO				
	UM7		AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS				
	QB5		WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS				
	UE0		ONSTAR, DELETE	-\$85.00
	U2J		XM SATELLITE RADIO, DELETE	-\$200.00
	K34		CRUISE CONTROL, ELECTRONIC	\$250.00
	Z82		TRAILERING EQUIPMENT, HEAVY-DUTY,	\$230.00
	VQ1		FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL				\$520.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:26:08 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:26:08 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 7:26:08 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:26:08 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 7:26:08 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

- Steering, power, recirculating ball
 - Brakes, 4-wheel antilock, 4-wheel disc
 - Exhaust, aluminized stainless-steel muffler and tailpipe
- SAFETY*
- Brakes, 4-wheel antilock, 4-wheel disc
 - Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
 - Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:26:08 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0030
 MAKE OF TRUCK: GMC MODEL: Sierra TC20953 GVWR 9200 lbs. ✓
 PAYLOAD: 3637 # ✓ W.B. 157.50 " C.A. 55.50 " C.E. N/A
 ENGINE: (GAS - DIESEL) Gas ✓ MAKE: Gm MODEL: LY6, 6.0SAE H.P. 353 ✓
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3042 per wheel lbs. AUX. N/A lbs. ✓
 AXLES: FRONT 4800 lbs. REAR 6900 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY 600 cca. ✓
 TIRE SIZE: FRONT LT245/75R16E PR REAR LT245/75R16E PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QIZ
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
ALTERNATE FUEL VEHICLES
(8 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC <u>C10953</u>	DODGE <u>DR1L42</u>
G.V.W.R. (lbs.)	6,900	6,650
Wheelbase (inches)	157.5	160.5
Type & Size of Body	Fleetside	
Engine: Alternate Fuel	5.3L	4.7L
Type of Fuel	<u>E-85</u>	<u>E-85 FFV</u>
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E. J1349	315	TBD
Transmission: Automatic		
Axle, Min. Cap.-lbs.		
Front	3,700	3,650
Rear	3,950	3,900
Springs, Min. Cap. at Ground		
Front-lbs. each	1,850	1,825
Rear-lbs. each	1,975	1,950

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Alternator-75 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Locks; power with remote
- Seats, cloth

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> ALTERNATE FUEL VEHICLES (8 Foot Box) (Payload-1,400 lbs., min.) Mich. Spec. #3958-0030A	
Standard Equipped Per above Specification (including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$17,963.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet

Spec # 3958-0030A

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10953	2008 GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck	\$24,390.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SUSPENSION PKG		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT, CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHANOL, (315 HP [234.9 KW] @ 5200 RPM, 338 LB-FT OF TORQUE [456.3 N-M] @ 4400 RPM), IRON BLOCK	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:35:17 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
AXLE	GU6	REAR AXLE, 3.42 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP	1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES	QPR	TIRES, P245/70R17 ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE	AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM	_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT	ZY1	PAINT, SOLID	\$0.00
RADIO	UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS	NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS	UE0	ONSTAR, DELETE	-\$85.00
	K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
	U2J	XM SATELLITE RADIO, DELETE	-\$200.00
	VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL			\$290.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 7:35:17 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

EPA FUEL ECONOMY RATINGS

- City 15/hwy 20 (5.3L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 15 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 7:35:17 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only.)
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:35:17 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 7:35:17 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

MECHANICAL

- Engine, Vortec 5.3L V8 SFI with Active Fuel Management (315 hp [234.9 kW] @ 5200 rpm, 338 lb-ft of torque [456.3 N-m] @ 4400 rpm), iron block (Not available with TK10543 Models. Standard on T*10953 Models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.42 ratio (Refer to Engine/Axle chart for availability.)
- Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- GVWR, 6900 lbs. (3130 kg) (Requires TC10953 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P245/70R17 all-season, blackwall (Requires 2WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:35:17 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:35:17 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0030A
 MAKE OF TRUCK: GMC MODEL: Sierra TC10953 GVWR 6900 lbs.
 PAYLOAD: 1874 # ✓ W.B. 157.50 ✓ C.A. 55.50 ✓ C.E. N/A
 ENGINE: (GAS - DIESEL) Gas / E85 MAKE: GM MODEL: LM6, S3SAE H.P. 315 ✓
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6 spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 1850 ✓ lbs. REAR 1975 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 3700 ✓ lbs. REAR 3950 ✓ lbs. REAR RATIO 3.42
 ALTERNATOR: 145 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT P245/70R17 PR REAR P245/70R17 PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QPR
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
(8 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD F-250 "XL"	CHEV/GMC CC20953	DODGE DR2500 DH2L42
G.V.W.R. 8,600 (lbs.), minimum	9,200	9,200	8,800
Wheelbase (inches)	158.0	157.5	160.5
Type & Size of Body	Styleside	Fleetside/ Wideside	Sweptline
Engine: Diesel			
Type & No. of Cylinders	6.4L V-8	6.6L V-8	5.7L V-8
Net H.P.-S.A.E.	300	365	345
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,850	4,800	4,000
Rear	6,200	6,900	6,000
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	2,400	2,000
Rear-lbs. each	3,050	3,042	3,000

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats, cloth, split bench
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (8 Foot Box) (Payload-3,000 lbs., min.) Mich. Spec. #3958-0030D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$25,636.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-00300

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20953	2008 GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck	\$27,275.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
Z82	TRAILERING EQUIPMENT, HEAVY-DUTY,	\$230.00
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
OPTIONS TOTAL		\$8,915.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 7:53:30 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailing, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 7

Prepared By:

Albert Li

Red Holman Pontiac GMC

35300 Ford Rd

Westland, MI 48185

Phone: (734) 721-1144

Fax: (734) 721-1780

Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(S): Spec # 3958-0030B
 MAKE OF TRUCK: GMC MODEL: Sierra TC20953 GVWR 9200 lbs.
 PAYLOAD: 2919# ✓ W.B. 157.50" ✓ C.A. 55.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Diesel ✓ MAKE: Gm Duramax MODEL: Lmm ^{6.6} ✓ SAE H.P. 365 ✓
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison 1000 mw 7 6-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3042 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6900 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY Dual 730 ✓ cca.
 TIRE SIZE: FRONT T245/75R16E PR REAR T245/75R16E PR SINGLE ✓ DUAL _____ M&S _____
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QI Z
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
(6 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD F-250 _____	DODGE DR2500 DH2L41	CHEV/GMC C20753
G.V.W.R. 8,800 (lbs.), minimum	9,000	8,800	9,200
Wheelbase (inches)	141.8	140.5	143.5
Type & Size of Body	Styleside	Sweptline	Fleetside
Engine: Gasoline	5.4L	5.7L	6.0L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	300	345	353
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,850	4,000	4,800
Rear	6,200	6,000	6,900
Springs, Min. Cap. at Ground			
Front-lbs. each	1,825	2,000	2,400
Rear-lbs. each	3,050	3,000	3,042

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Mfg. Std.
- Bumper-Mfg. Std
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Seats, Cloth, Split Bench
- Spare tire and wheel. Full size. Mfg. Stnd. mounting.
- Steering-Power
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats, cloth, split bench
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (6 Foot Box) (Payload-3,000 lbs., min.) Mich. Spec. #3958-0031	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$19,050.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0031

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20753	2008 GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck	\$26,980.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>
88B	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 8:10:29 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_B	SEAT TRIM, DARK TITANIUM CLOTH	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
AM1	SEAT ADJUSTER, MANUAL LUMBAR CONTROL ON THE DRIVER-SIDE	INC
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
Z82	TRAILERING EQUIPMENT, HEAVY-DUTY,	\$230.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$520.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 8:10:29 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:10:29 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:10:29 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 8:10:29 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:10:29 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:10:29 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0031
 MAKE OF TRUCK: GMC MODEL: Sierra TC20753 GVWR 9200 lbs.
 PAYLOAD: 3722 # ✓ W.B. 143.50" ✓ C.A. 41.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas ✓ MAKE: Gm MODEL: LY6.60SAE H.P. 353 ✓
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 3042 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 ✓ lbs. REAR 6900 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT LT245/75R16E PR REAR LT245/75R16E PR SINGLE ✓ DUAL _____ M&S _____
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QIZ
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
(6 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD <u>F-250</u>	DODGE DR2500 <u>DH2L41</u>	CHEV/ GMC <u>C20753</u>
G.V.W.R. 8,800 (lbs.), minimum	9,000	8,800	9,200
Wheelbase (inches)	141.8	140.5	143.5
Type & Size of Body	Styleside	Sweptline	Fleetside
Engine: Diesel	6.4L	5.7L	6.0L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	300	345	353
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,850	4,000	4,800
Rear	6,200	6,000	6,900
Springs, Min. Cap. at Ground			
Front-lbs. each	1,825	2,000	2,400
Rear-lbs. each	3,050	3,000	3,042

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Mfg. Std.
- Bumper-Mfg. Std
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Seats, Cloth, Split Bench
- Spare tire and wheel. Full size. Mfg. Stnd. mounting.
- Steering-Power
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats, cloth, split bench
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

TRUCK: PICK-UP BODY, EXTENDED CAB (6 Foot Box) (Payload-3,000 lbs., min.) Mich. Spec. #3958-0031D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$25,373.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet

Spec # 3958-0031A

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20753	2008 GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck	\$26,980.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>
88B	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_B	SEAT TRIM, DARK TITANIUM CLOTH	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
AM1	SEAT ADJUSTER, MANUAL LUMBAR CONTROL ON THE DRIVER-SIDE	INC
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
Z82	TRAILERING EQUIPMENT, HEAVY-DUTY,	\$230.00
V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS	\$55.00
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	\$8,970.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-00310
 MAKE OF TRUCK: GMC MODEL: Sierra TC20753 GVWR 9200 lbs.
 PAYLOAD: 3000 # W.B. 143.50" C.A. 41.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Diesel MAKE: GM Duramax MODEL: LMM⁶⁶ SAE H.P. 365
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW 6-Spd
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3042 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6900 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY Dual 730 cca.
 TIRE SIZE: FRONT LT215/75 R16E PR REAR LT215/75 R16E SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QIZ
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PANEL-VAN BODY
(Payload-1,700 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC G13405	FORD ECONOLINE E150
G.V.W.R. (lbs.)	7,200	8,520
Wheelbase (inches), 125 minimum	135	138
Engine: Gasoline	5.3L	4.6L
Type & No. of Cylinders, 8 minimum	V-8	V-8
Net H.P.-S.A.E.	301	225
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	4,000	5,520
Springs, Min. Cap. at Ground		
Front-lbs. each	1,800	1,900
Rear-lbs. each	2,000	2,560

Tires, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 600 CCA minimum.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Glass-movable side door window(s), fixed or movable rear door windows.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Panel doors, rear-Window in top of each door. Locks on all doors. Door right side, hinged.
- Seats-high back, driver and passenger.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PANEL-VAN BODY</u> (Payload-1,700 lbs., min.) Mich. Spec. #3958-0032	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Savana <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$16,807.00*

Final Point of Assembly: Wentzville, MO

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet

Spec # 3958-0032

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TG13405	2008 GMC Savana Cargo Van RWD 1500 135"	\$22,375.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

<u>Code</u>	<u>Description</u>
93W	Interior: Medium Pewter
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
ZW9	BODY, STANDARD	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMF	ENGINE, VORTEC 5.3L V8 SFI	\$995.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR	\$325.00
AXLE		
GU6	REAR AXLE, 3.42 RATIO	\$0.00
SIDE DOOR		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:50:50 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SIDE DOOR E24	DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT	\$0.00
PREFERRED EQUIPMENT GROUP 1WT	PREFERRED EQUIPMENT GROUP,	\$0.00
FRONT TIRES XNK	TIRES, FRONT P245/75R16 ALL-SEASON, BLACKWALL	\$0.00
REAR TIRES YNK	TIRES, REAR P245/75R16 ALL-SEASON, BLACKWALL	\$0.00
SPARE TIRE ZNK	TIRE, SPARE P245/75R16 ALL-SEASON, BLACKWALL, LOCATED AT REAR UNDERBODY OF VEHICLE	\$0.00
SEATING ARRANGEMENT ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGH-BACK BUCKETS, ADJUSTABLE	\$0.00
SEAT TYPE AR7	SEATS, FRONT BUCKET WITH VINYL TRIM	\$0.00
SEAT TRIM _W	SEAT TRIM, CUSTOM VINYL	\$0.00
PAINT ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING C60	AIR CONDITIONING, SINGLE-ZONE MANUAL	\$0.00
RADIO UM7	AUDIO SYSTEM, AM/FM STEREO	\$150.00
WHEELS _	WHEELS, GRAY-PAINTED,	\$0.00
GLASS PACKAGE ZW3	GLASS, FIXED REAR DOORS AND SIDE CARGO DOORS	\$130.00
REQUIRED OPTION		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:50:50 PM

Page 2

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
REQUIRED OPTION		
PPC	TRIM PANELS, HINGED REAR SIDE DOORS AND HINGED REAR DOORS	\$0.00
ADDITIONAL OPTIONS		
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL	\$395.00
DAA	VISORS, DRIVER AND FRONT PASSENGER,	INC
A18	GLASS, SWING-OUT REAR CARGO DOOR WINDOWS	\$0.00
A19	GLASS, SWING-OUT REAR SIDE DOOR AND REAR DOOR WINDOW	\$160.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$2,155.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:50:50 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

EPA FUEL ECONOMY RATINGS

- City 15/hwy 20 (4.3L engine/4-speed auto trans)
- City 14/hwy 18 (5.3L FlexFuel engine/4-speed auto trans w/gas)
- City 10/hwy 13 (5.3L FlexFuel engine/4-speed auto trans w/E85 gas/eth. mix)

EXTERIOR

- Paint, solid
- Body, standard
- Bumpers, front and rear painted Black with step-pad (Not available with (ZR7) Chrome Appearance Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- Headlamps, single halogen (Not available with (ZR7) Chrome Appearance Package.)
- Daytime Running Lamps
- Mirrors, outside manual, Black
- Glass, Solar-Ray light-tinted, all windows
- License plate kit, front
- Wipers, front intermittent wet-arm with pulse washers
- Door, swing-out passenger-side, 60/40 split

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:50:50 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acliix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

INTERIOR

- Seating arrangement, driver and front passenger high-back buckets, adjustable with head restraints and vinyl or cloth trim
- Seats, front bucket with vinyl trim and outboard head restraints (Requires (**W) interior trim.)
- Console, engine cover with open storage bin
- Floor covering, full-length Black rubberized-vinyl (Not standard with (YF2) Ambulance Package.)
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Driver Information Center, includes fuel range, average speed, oil life, and tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Tow/haul mode selector, instrument panel-mounted
- Theft-deterrent system, vehicle, PASS-Key III
- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers
- Air conditioning, single-zone manual
- Defogger, side windows
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, cloth, over driver and passenger (Not included with (YF2) Ambulance Package.)
- Visors, driver and front passenger, padded
- Assist handle, front passenger
- Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 8:50:50 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

MECHANICAL

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Standard and only available on *G13405 model. Reference the Engine/Axle page for availability.)
- Transmission, 4-speed automatic, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Required and standard when ordered with (LU3) Vortec 4.3L V6 MFI engine or (LMF) Vortec 5.3L V8 SFI engine. Reference the Engine/Axle page for availability.)
- Brake/transmission shift interlock, for automatic transmissions
- Rear axle, 3.42 ratio (Standard on **13405 models. Reference the Engine/Axle page for availability.)
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 105 amps (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- GVWR, 7200 lbs. (3266 kg) (Standard on *G13405 models. Reference the Engine/Axle page for availability.)
- Frame, full-length box ladder-type
- Suspension, front independent with coil springs and stabilizer bar (Requires *G***05 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- Tires, front P245/75R16 all-season, blackwall (Standard on **13405 models.)
- Tires, rear P245/75R16 all-season, blackwall (Standard on **13405 models.)
- Tire, spare P245/75R16, all-season, blackwall, located at rear underbody of vehicle (Standard on **13405 models.)
- Wheels, Gray-painted, includes Gray center caps and steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 8:50:50 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch on models with (C6P) 8600 lbs. (3901 kg) GVWR and above. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver side only frontal air bag. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Brake/transmission shift interlock, for automatic transmissions
- Door beams, steel-side
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:50:50 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0032
 MAKE OF TRUCK: GMC MODEL: Savana T613405 GVWR 7200 lbs.
 PAYLOAD: 2309 # W.B. 135" C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: GM MODEL: LMF SAE H.P. 301
 FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4spd
 SPRING CAP. @ GROUND EACH: FRONT 1800 lbs. REAR 2000 lbs. AUX. N/A lbs.
 AXLES: FRONT 3600 lbs. REAR 4000 lbs. REAR RATIO 3.42
 ALTERNATOR: 105 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT P245/75R16 PR REAR P245/75R16 PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XNK
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE
(Payload-1,500 lbs., min.)

MODEL-2008 CURRENT NEW

	JEEP GRAND CHEROKEE/ COMMANDER	FORD EXPEDITION	DODGE DURANGO HB1M74	CHEV/GMC TAHOE/YUKON
G.V.W.R. (lbs.)	5,700	7,400	6,600	7,100
Wheelbase (inches)	109.5	119	119.2	116
Engine: Gasoline	4.7L	5.4L	4.7L	4.8L
Type & No. of Cylinders	V-8	V-8	V-8	V-8
Net H.P.-S.A.E.	235	300	230	295
Transmission: Automatic				
Axle, Min. Cap. Rear-lbs.	3,200	4,250	3,686	4,100
Springs, Cap. at Ground				
Front-lbs., ea.	TBD	1,750	1,550	1,600
Rear-lbs., ea.	TBD	2,125	1,950	2,050

Tires, Tubeless-P235/75R15 minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA min.
- Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 54 sq. in. minimum, swing away type. Installed.
- Seats-Full bench front, & full width seat facing forward back of the front seat.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Stabilizer bar-front.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE</u> (Payload-1,500 lbs., min.) Mich. Spec. #3905-0034	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Yukon <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$23,799.00*

Final Point of Assembly: Arlington, TX

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3905-0034

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10706	2008 GMC Yukon 2WD 4dr 1500 Commercial	\$34,790.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

<u>Code</u>	<u>Description</u>
19V	Interior: Ebony
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY2	ENGINE, VORTEC 4.8L V8 SFI	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR	\$295.00
AXLE		
GU5	REAR AXLE, 3.23 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	COMMERCIAL PREFERRED EQUIPMENT GROUP	-\$1,950.00
SEATING ARRANGEMENT		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:18:12 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SEATING ARRANGEMENT			
		NO THIRD ROW SEAT	\$0.00
SEAT TYPE			
	AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00
	AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH	\$0.00
SEAT TRIM			
	_V	VINYL SEAT TRIM	\$0.00
PAINT			
		PAINT, SOLID	\$0.00
RADIO			
	US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER,	\$0.00
WHEEL TYPE			
	NX7	WHEELS, 4-17" X 7" (43.2 CM X 17.8 CM) STEEL	\$0.00
ADDITIONAL OPTIONS			
	ANJ	GLASS, NON-DEEP TINTED	-\$295.00
	G63	LUGGAGE RACK, DELETE	-\$25.00
	UE0	ONSTAR, DELETE	-\$85.00
	VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL			-\$2,060.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:18:12 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

EPA FUEL ECONOMY RATINGS

- City 14/hwy 19 (4.8L engine/4-speed auto trans)
- City 14/hwy 20 (5.3L engine/4-speed auto trans)
- City 14/hwy 20 (5.3L flex-fuel engine/4-speed auto trans)
- City 11/hwy 15 (5.3L flex-fuel engine/4-speed auto trans with E85 gas/ethan. mix)

EXTERIOR

- Luggage rack side rails, roof-mounted, Black
- Fascia, front color-keyed
- Fascia, rear color-keyed
- Air dam, Gray
- Grille, chrome surround
- Assist steps, body-color, mounted between front and rear wheels
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Mirrors, outside heated power-adjustable, body-color, manual-folding
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wipers, front intermittent wet-arm with flat blade and pulse washers
- Body, liftgate with liftglass, rear door system with rear-window wiper/washer
- Wiper, rear intermittent with washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:18:12 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

INTERIOR

- Seats, front 40/20/40 split-bench with Custom Cloth, 3-passenger, includes 6-way power driver seat adjuster, driver and front passenger manual reclining, center fold-down storage armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets
- Seat adjuster, driver power (Not available with vinyl seats.)
- Seats, second row 60/40 split-folding bench with Custom Cloth, 3-passenger with center armrest and storage tray
- Cup holders, in front seating area
- Cup holders, driver and passenger-side in third row side trim
- Floor covering, Black rubberized-vinyl (Required with (AZ3) front 40/20/40 split-bench seat with vinyl or SEO (9S1) vinyl bucket seats.)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, vinyl
- Tow/haul mode selector, button located at end of shift lever
- Tire Pressure Monitoring System (does not apply to spare tire)
- Driver Information Center, full-functionality included
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Remote vehicle starter prep package, includes Remote Keyless Entry (Remote vehicle starter fob available through GM Accessories.)
- Cruise control, electronic with set and resume speed
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 8-speaker system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:18:12 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

- XM Satellite Radio, delete
- Antenna, integral in rear quarter glass
- Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger
- Air conditioning, rear auxiliary
- Heater, rear auxiliary with rear passenger heating ducts
- Defogger, rear-window electric
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Theft-deterrent system, vehicle, PASS-Key III
- Power outlets, 3 auxiliary, 12-volt, includes 2 on the instrument panel and 1 in the cargo area
- Door trim, lights on the front doors and side reflectors on the rear doors
- Armrests, driver and passenger doors, padded
- Mirror, inside rearview auto-dimming with 8-point compass and outside temperature display
- Console, overhead mini with map lights
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod, includes corner storage pockets on back of visors, Shale-colored
- Assist handles, front passenger and second row outboard
- Coat hooks, driver- and passenger-side rear seat and cargo area
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Storage bin, behind driver-side rear quarter panel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 9:18:12 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

- Fleet Package

MECHANICAL

- Vortec 4.8L V8 SFI (295 hp [220.0 kW] @ 5600 rpm, 305 lb-ft torque [411.8 N-m] @ 4800 rpm), iron block (Standard on 2WD models only. Not available on 4WD models or with (NHT) Max Trailering Package.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.23 ratio (Requires 2WD models. Upgradeable to (GT4) 3.73 rear axle ratio. Not available with (NHT) Max Trailering Package.)
- Rear wheel drive
- Alternator, 160 amps
- Trailering equipment, heavy-duty, includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and (VR4) 2" trailering receiver
- GVWR, 7100 lbs. (3221 kg) (Standard on 2WD models.)
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Suspension Package, Premium Smooth Ride
- Suspension, front coil-over-shock with stabilizer bar
- Suspension, rear multi-link with coil springs
- Tires, P265/70R17 all-season, blackwall
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Tire, spare P265/70R17 (Upgradeable to (4JP) P265/70R17 on-/off-road, blackwall spare tire.)
- Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel (Upgradeable to (QF7) 4 - 17" x 7.5" (43.2 cm x 19.1 cm) bright aluminum wheels.)
- Wheel, 17" (43.2 cm) full-size, steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench, stored in rear quarter trim

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:18:12 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acliix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) 3-passenger third row 50/50 split-bench seat or (AW2) 2-passenger third row 50/50 split-bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:18:12 PM

Page 7