



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(S): Spec # 3905-0034
 MAKE OF TRUCK: GMC MODEL: Yukon TC10706 GVWR 7100 lbs.
 PAYLOAD: 1913 # W.B. 116" C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: GMC MODEL: LY2, 4.8L SAE H.P. 295
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4spd
 SPRING CAP. @ GROUND EACH: FRONT 1625 lbs. REAR 2050 lbs. AUX. N/A lbs.
 AXLES: FRONT 3200 lbs. REAR 4100 lbs. REAR RATIO 3.23
 ALTERNATOR: 160 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT P265/70R17 PR REAR P265/70R17 PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QAN
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: SPORT-VAN, 8 PASSENGER
(Payload-1,600 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV. EXPRESS GMC, SAVANA G13406	FORD ECONOLINE WAGON E150
G.V.W.R. (lbs.)	7,200	8,520
Wheelbase (inches)	135	138
Engine: Gasoline	5.3L	4.6L
Type & No. of Cylinders, 8 minimum	V-8	V-8
Net H.P.-S.A.E.	301	225
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	4,000	5,520
Springs, Min. Cap. at Ground		
Front-lbs. each	1,800	1,900
Rear-lbs. each	2,000	2,560

Tires, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip.
- Battery-12 Volts; 600 CCA minimum.
- Body-Finished interior, (no exposed outside body sheet metal), full length Headliner.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Door-Right Side, hinged.
- Fuel capacity-largest available from mfg.
- Glass-movable side door window(s), fixed or movable rear door windows.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: SPORT-VAN, 8 PASSENGER</u> (Payload-1,600 lbs., min.) Mich. Spec. #3905-0035	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Savana <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$16,263.00*

Final Point of Assembly: Wentzville, MO

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3905-0035

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 1500 135" TG13406

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TG13406	2008 GMC Savana Passenger RWD 1500 135"	\$25,955.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMF	ENGINE, VORTEC 5.3L V8 SFI	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1LS	LS PREFERRED EQUIPMENT GROUP	\$0.00
FRONT TIRES		
XNK	TIRES, FRONT P245/75R16 ALL-SEASON, BLACKWALL	\$0.00
REAR TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:31:28 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 1500 135" TG13406

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

<u>CATEGORY</u>		<u>Code</u>	<u>Description</u>	<u>MSRP</u>
REAR TIRES		YNK	TIRES, REAR P245/75R16 ALL-SEASON, BLACKWALL	\$0.00
SPARE TIRE		ZNK	TIRE, SPARE P245/75R16 ALL-SEASON, BLACKWALL,	\$0.00
SEATING ARRANGEMENT		ZP8	SEATING, 8-PASSENGER, (2-3-3 SEATING CONFIGURATION)	\$0.00
SEAT TYPE		AR7	SEATS, FRONT BUCKET WITH VINYL TRIM AND OUTBOARD HEAD RESTRAINTS	\$0.00
SEAT TRIM		__W	CUSTOM VINYL	\$0.00
PAINT		ZY1	PAINT, SOLID	\$0.00
RADIO		UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		___	WHEELS, GRAY-PAINTED,	\$0.00
ADDITIONAL OPTIONS		ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL	\$395.00
		DAA	VISORS, DRIVER AND FRONT PASSENGER, VINYL IN LIEU OF STANDARD CLOTH	INC
		VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL				\$395.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:31:28 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 1500 135" TG13406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

EPA FUEL ECONOMY RATINGS

- City 12/hwy 16 (5.3L engine/4-speed auto trans)
- City 12/hwy 16 (5.3L FlexFuel engine/4-speed auto trans w/gas)
- City 9/hwy 12 (5.3L FlexFuel engine/4-speed auto trans w/E85 gas/ethanol mix)

EXTERIOR

- Paint, solid
- Body, standard
- Bumpers, front and rear painted Black with step-pad (Not available when ordered with (V37) front and rear chrome bumpers.)
- Grille, Black composite with single rectangular halogen headlamps
- Headlamps, halogen
- Daytime Running Lamps
- Mirrors, outside manual, Black
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Glass, swing-out side door windows
- Glass, swing-out rear cargo door windows
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front
- Door, swing-out passenger-side, 60/40 split

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:31:28 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 1500 135" TG13406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints (Requires (**W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.)
- Seating, 8-passenger, (2-3-3 seating configuration) (Standard on **13406 model only. Available on *G23406 or *G33406 models.)
- Console, engine cover with open storage bin
- Cup holders, 3 on engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Floor covering, full-length Black rubberized-vinyl
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center, includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Theft-deterrent system, vehicle, PASS-Key III
- Air conditioning, single-zone manual
- Defogger, front and side windows
- Audio system, AM/FM stereo with seek-and-scan, digital clock and 2 front door speakers (Not available with (NP5) leather wrapped steering wheel.)
- Headliner, cloth
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded (Not standard with *G33706 models. See (DH6) padded driver and front passenger visors with cloth trim and dual vanity mirrors.)
- Assist handle, front passenger

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:31:29 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 1500 135" TG13406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

- Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches
MECHANICAL
- Engine, Vortec 5.3L V8 SFI (301 hp [224.4 kW] @ 5200 rpm, 325 lb-ft of torque [438.8 N-m] @ 4500 rpm) (Standard on **13406 models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Standard on **13406 models. Reference the Engine/Axle page for availability.)
- Tow/haul mode selector, instrument panel-mounted
- Brake/transmission shift interlock, for automatic transmissions
- StabilITrak, traction assistance and vehicle stability enhancement system
- Rear axle, 3.73 ratio
- Rear-wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 105 amps (Not available with (C69) rear air conditioning.)
- Frame, ladder-type
- Suspension, front independent with coil springs and stabilizer bar (Standard and only available on *G***06 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- GVWR, 7200 lbs. (3266 kg) (Standard on *G13406 models. Reference the Engine/Axle page for availability.)
- Tires, front P245/75R16 all-season, blackwall (Standard on **13406 models.)
- Tires, rear P245/75R16 all-season, blackwall (Standard on **13406 models.)
- Tire, spare P245/75R16 all-season, blackwall, located at rear underbody of vehicle (Standard on **13406 models.)
- Wheels, Gray-painted, includes Gray center caps and steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:31:29 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 1500 135" TG13406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch for models with (C6P) 8600 lbs. (3901 kg) GVWR and above. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head/side-curtain provides coverage for first 3-rows only. Enhanced-technology glass is provided for the fourth and fifth rows when equipped with 12- and 15-passenger seating. (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Child seat anchors, all three passenger rear seats have four anchors and two tethers
- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Door beams, steel-side
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:31:29 PM

Page 6



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3905-0085
 MAKE OF TRUCK: Gmc MODEL: Savana T6B406 GVWR 7200 lbs.
 PAYLOAD: 1894 # W.B. 135" C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LMF, 5.3 SAE H.P. 301
 FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4spd
 SPRING CAP. @ GROUND EACH: FRONT 1800 lbs. REAR 2000 lbs. AUX. N/A lbs.
 AXLES: FRONT 3600 lbs. REAR 4000 lbs. REAR RATIO 3.73
 ALTERNATOR: 105 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT P245/75R16 PR REAR P245/75R16 PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XNK
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: UTILITY VEHICLE, LARGE-6-PASSENGER
(Payload-1,940 lbs., min.)

MODEL-2008 CURRENT NEW

SUBURBAN/**YUKON XL**
C20906

G.V.W.R. (lbs.)	8,600
Wheelbase (inches)	130
Engine: Gasoline	6.0L
Type & No. of Cylinders	V-8
Net H.P.-S.A.E.	352
Transmission: Automatic	
Axle, Min. Cap. Rear-lbs.	5,500
Springs, Cap. at Ground	
Front-lbs., ea.	2,050
Rear-lbs., ea.	3,000

Tires, Tubeless-P235/75R15 minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA min.
- Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 54 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Stabilizer bar-front.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: UTILITY VEHICLE, LARGE-6-PASSENGER</u> (Payload-1,940 lbs., min.) Mich. Spec. #3905-0036	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Yukon <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$27,778.00*

Final Point of Assembly: Arlington, TX or Jamesville, WI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3905-0036

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20906	2008 GMC Yukon XL 2WD 4dr 2500 Commercial	\$39,680.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

<u>Code</u>	<u>Description</u>
19V	Interior: Ebony
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR	\$295.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	COMMERCIAL PREFERRED EQUIPMENT GROUP	-\$2,480.00
TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

December 13, 2007 9:40:22 PM

Customer File:

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEATING ARRANGEMENT		
___	NO THIRD ROW SEAT	\$0.00
SEAT TYPE		
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH	\$0.00
SEAT TRIM		
__V	VINYL SEAT TRIM	\$0.00
PAINT		
___	PAINT, SOLID	\$0.00
RADIO		
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER,	\$0.00
WHEEL TYPE		
QB5	WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) STEEL DISC	\$0.00
ADDITIONAL OPTIONS		
ANJ	GLASS, NON-DEEP TINTED	-\$295.00
G63	LUGGAGE RACK, DELETE	-\$25.00
UE0	ONSTAR, DELETE	-\$85.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		-\$2,590.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 9:40:22 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

EXTERIOR

- Luggage rack side rails, roof-mounted, Black
- Fascia, front color-keyed
- Fascia, rear color-keyed
- Air dam, Gray
- Grille, chrome surround
- Assist steps, body-color, mounted between front and rear wheels
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Mirrors, outside heated power-adjustable, body-color, manual-folding
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wipers, front intermittent wet-arm with flat blade and pulse washers
- Body, liftgate with liftglass, rear door system with rear-window wiper/washer
- Wiper, rear intermittent with washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 9:40:22 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

INTERIOR

- Seats, front 40/20/40 split-bench with Custom Cloth, 3-passenger, includes 6-way power driver seat adjuster, driver and front passenger manual reclining, center fold-down storage armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets
- Seat adjuster, driver power (Not available with vinyl seats.)
- Seats, second row 60/40 split-folding bench with Custom Cloth, 3-passenger with center armrest and storage tray
- Cup holders, in front seating area
- Cup holders, driver and passenger-side in third row side trim
- Floor covering, Black rubberized-vinyl (Required with (AZ3) front 40/20/40 split-bench seat with vinyl or SEO (9S1) vinyl bucket seats.)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, vinyl
- Tow/haul mode selector, button located at end of shift lever
- Tire Pressure Monitoring System (does not apply to spare tire)
- Driver Information Center, full-functionality included
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Remote vehicle starter prep package, includes Remote Keyless Entry (Remote vehicle starter fob available through GM Accessories.)
- Cruise control, electronic with set and resume speed
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 8-speaker system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:40:22 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acliix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

- XM Satellite Radio, delete
- Antenna, integral in rear quarter glass
- Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger
- Air conditioning, rear auxiliary
- Heater, rear auxiliary with rear passenger heating ducts
- Defogger, rear-window electric
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, Accident Assist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Theft-deterrent system, vehicle, PASS-Key III
- Power outlets, 3 auxiliary, 12-volt, includes 2 on the instrument panel and 1 in the cargo area
- Door trim, lights on the front doors and side reflectors on the rear doors
- Armrests, driver and passenger doors, padded
- Mirror, inside rearview auto-dimming with 8-point compass and outside temperature display
- Console, overhead mini with map lights
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod, includes corner storage pockets on back of visors, Shale-colored
- Assist handles, front passenger and second row outboard
- Coat hooks, driver- and passenger-side rear seat and cargo area
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Storage bin, behind driver-side rear quarter panel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:40:22 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

- Fleet Package

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:40:22 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

MECHANICAL

- Engine, Vortec 6.0L V8 SFI (352 hp [262.5 kW] @ 5400 rpm, 383 lb-ft of torque [517.1 N-m] @ 4300 rpm) (Requires 3/4 ton models.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires 3/4 ton models.)
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator (Not available on 1/2 ton models.)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil (Standard on 3/4 ton models. Required with (GT5) 4.10 rear axle ratio.)
- Alternator, 145 amps (Requires 3/4 ton models. Not available with (VYU) Snow Plow Prep Package.)
- Trailing equipment, heavy-duty, includes trailing hitch platform, 7-wire harness with independent fused trailing circuits mated to a 7-way sealed connector and (VR4) 2" trailing receiver
- Recovery hooks, 2 front, frame-mounted (Standard on 4WD models. Standard on 3/4 ton models.)
- GVWR, 8600 lbs. (3901 kg) (Requires 3/4 ton models.)
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Suspension Package, Handling/Trailing, heavy-duty (3/4 ton models only.)
- Suspension, front independent with torsion bar (3/4 ton models only.)
- Suspension, rear multi-stage leaf springs (3/4 ton models only.)
- Tires, LT245/75R16E all-season, blackwall (Requires 3/4 ton models. Upgradeable to (QIW) LT245/75R16E on-/off-road blackwall tires.)
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Tire, spare LT245/75R16 all-season, blackwall (Requires 3/4 ton models. Upgradeable to (4GK) LT245/75R16E on-/off-road, blackwall spare tire.)
- Wheels, 4 - 16" X 6.5" (40.6 cm x 16.5 cm) steel disc (3/4 ton models only. Upgradeable to (PY0) 4 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug polished forged aluminum wheels.)
- Wheel, 16" (40.6 cm) full-size spare (3/4 ton models only.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GMC AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:40:22 PM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc with hydroboost (Requires 3/4 ton models.)
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench, stored in rear quarter trim

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) 3-passenger third row 50/50 split-bench seat or (AW2) 2-passenger third row 50/50 split-bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:40:22 PM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3905-0036
 MAKE OF TRUCK: Gmc MODEL: Yukon XL TCC0906 GVWR 8600 lbs.
 PAYLOAD: 2634 ✓ W.B. 130" ✓ C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) Gas ✓ MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 352 ✓
 FUEL TANK(S) CAPACITY: 39 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2050 ✓ lbs. REAR 2750 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 4100 lbs. REAR 6000 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 145 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT T245/75R16 PR REAR T245/75R16 PR SINGLE ✓ DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE Q1Z
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: SPORT-VAN-12-PASSENGER
(Payload-2,649 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV EXPRESS/ GMC SAVANA <u>G23406</u>	FORD ECONOLINE WAGON <u>E350</u>
G.V.W.R. 8,600 (lbs.), minimum	8,600	8,800
Wheelbase (inches)	135	138
Engine: Gasoline	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	322	255
Transmission: Automatic.		
Axle, Rear Min. Cap. Rear-lb.	5,360	6,340
Springs, Min. Cap. at Ground		
Front-lbs. each	2,050	1,950
Rear-lbs. each	2,680	2,772

Tires, Truck, Tubeless, Radial to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Air Conditioning-Front and Rear
- Alternator-80 amp. min.
- Arm rest-Driver's side and 3 bench seats.
- Battery-12 Volts, 600 CCA min.
- Body-Finished interior (No exposed outside body sheet metal), full length headliner.
- Brakes-Power.
- Bumper-Mfg. Std.
- Door(s)-Right Side, hinged. Rear panel doors with glass.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Seats, Cloth
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Glass-Deep tinted or privacy, all around, movable side door window(s), fixed or movable rear door windows.
- Heater, auxiliary-Passenger compartment.
- Locks – Power Doors, Factory Installed
- Seats-Cloth, Front, Driver and passenger and 3 bench seats. High back driver and passenger.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: SPORT-VAN-12-PASSENGER</u> (Payload-2,649 lbs., min.) Mich. Spec. #3905-0037	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Savana <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$19,614.00*

Final Point of Assembly: Wentzville, MO

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3905-0037

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 2500 135" TG23406

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TG23406	2008 GMC Savana Passenger RWD 2500 135"	\$27,440.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L V8 SFI	\$0.00
TRANSMISSION		
MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1LS	LS PREFERRED EQUIPMENT GROUP	\$0.00
SEATING ARRANGEMENT		
ZX5	SEATING, 12-PASSENGER, (2-3-3-4 SEATING CONFIGURATION)	\$0.00
SEAT TYPE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:55:00 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 2500 135" TG23406

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
SEAT TYPE		
AS5	SEATS, FRONT BUCKET WITH CUSTOM CLOTH TRIM, HEAD RESTRAINTS AND INBOARD ARMRESTS	\$235.00
SEAT TRIM		
_G	CUSTOM CLOTH	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
___	WHEELS, GRAY-PAINTED,	\$0.00
ADDITIONAL OPTIONS		
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL	\$395.00
C69	AIR CONDITIONING, REAR	\$870.00
U80	COMPASS, 8-POINT DIGITAL	INC
TR9	LIGHTING, AUXILIARY	\$150.00
DH6	VISORS, DRIVER AND FRONT PASSENGER, PADDED	INC
C36	HEATER, REAR AUXILIARY	INC
KG3	ALTERNATOR, 145 AMPS	INC
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$1,650.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:55:00 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 2500 135" TG23406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

EXTERIOR

- Paint, solid
- Body, standard
- Bumpers, front and rear painted Black with step-pad (Not available when ordered with (V37) front and rear chrome bumpers.)
- Grille, Black composite with single rectangular halogen headlamps
- Headlamps, halogen
- Daytime Running Lamps
- Mirrors, outside manual, Black
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Glass, swing-out side door windows
- Glass, swing-out rear cargo door windows
- Glass, enhanced-technology, rearmost side windows. 3-layer special glass is designed to help reduce the risk of ejection during a crash. (Standard on *G23406, *G33406 and *G33706 models with 12- and 15-passenger seating. Not available with 8-passenger seating.)
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front
- Door, swing-out passenger-side, 60/40 split

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:55:00 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 2500 135" TG23406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints (Requires (**W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.)
- Seating, 12-passenger, (2-3-3-4 seating configuration), 4-passenger seat is a 50/50 split, 2-piece configuration (Standard on *G23406, *G33406, and *G33706 models only.)
- Console, engine cover with open storage bin
- Cup holders, 3 on engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Floor covering, full-length Black rubberized-vinyl
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center, includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Theft-deterrent system, vehicle, PASS-Key III
- Air conditioning, single-zone manual
- Defogger, front and side windows
- Audio system, AM/FM stereo with seek-and-scan, digital clock and 2 front door speakers (Not available with (NP5) leather wrapped steering wheel.)
- Headliner, cloth
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded (Not standard with *G33706 models. See (DH6) padded driver and front passenger visors with cloth trim and dual vanity mirrors.)
- Assist handle, front passenger

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:55:00 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 2500 135" TG23406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

- Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches

MECHANICAL

- Engine, Vortec 6.0L V8 SFI (323 hp [240.8 kW] @ 4600 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) (Standard on *G23406, *G33406 or *G33706 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Standard on *G23406, *G33406 or *G33706 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Tow/haul mode selector, instrument panel-mounted
- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Rear axle, 3.73 ratio
- Rear-wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 105 amps (Not available with (C69) rear air conditioning.)
- Frame, ladder-type
- Suspension, front independent with coil springs and stabilizer bar (Standard and only available on *G***06 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- GVWR, 8600 lbs. (3901 kg) (Standard on TG23406 model. Reference the Engine/Axle page for availability.)
- Tires, front LT245/75R16E all-season, blackwall (Standard on *G23406, *G33406 and *G33706 models.)
- Tires, rear LT245/75R16E all-season, blackwall (Standard on *G23406, *G33406 and *G33706 models.)
- Tire, spare LT245/75R16E all-season, blackwall, located at rear underbody of vehicle (Standard on *G23406, *G33406 and *G33706 models.)
- Wheels, Gray-painted, includes Gray center caps and steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:55:00 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 2500 135" TG23406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch for models with (C6P) 8600 lbs. (3901 kg) GVWR and above. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head/side-curtain provides coverage for first 3-rows only. Enhanced-technology glass is provided for the fourth and fifth rows when equipped with 12- and 15-passenger seating. (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Child seat anchors, all three passenger rear seats have four anchors and two tethers
- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Door beams, steel-side
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:55:00 PM

Page 6



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3905-0037
 MAKE OF TRUCK: GMC MODEL: Savana TG-23406GVWR 8600 lbs.
 PAYLOAD: 2628 # W.B. 135" C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 323
 FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: Hydramatic MT1 4spd
 SPRING CAP. @ GROUND EACH: FRONT 2050 lbs. REAR 2680 lbs. AUX. N/A lbs.
 AXLES: FRONT 4100 lbs. REAR 5360 lbs. REAR RATIO 3.73
 ALTERNATOR: 145 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT T245/75R16 PR REAR T245/75R16 PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XHH
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PANEL-VAN BODY
(Payload-3,100 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV VAN/ GMC SAVANA G23405	FORD ECONOLINE E-250
G.V.W.R. 8,550 (lbs.), minimum	8,600	9,000
Wheelbase (inches)	135	138
Engine: Gasoline	4.8L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	279	255
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	5,360	5,520
Springs, Min. Cap. at Ground		
Front-lbs. each	2,050	1,900
Rear-lbs. each	2,680	2,772

Cab-Standard.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA min.
- Brakes-Power.
- Bumper Rear, Mfg. Std.
- Doors, Rear, Panel-Window in top of each door, fixed or movable type. Locks on all
- doors. Door Right Side, hinged with movable windows.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed
- Seats-Cloth, Front, Driver and passenger. High back driver and passenger.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PANEL-VAN BODY</u> (Payload-3,100 lbs., min.) Mich. Spec. #3958-0039	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Savana <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$15,651.00*

Final Point of Assembly: Wentzville, MO

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0039

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TG23405	2008 GMC Savana Cargo Van RWD 2500 135"	\$23,450.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

<u>Code</u>	<u>Description</u>
93W	Interior: Medium Pewter
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
BODY CODE		
ZW9	BODY, STANDARD	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY2	ENGINE, VORTEC 4.8L V8 SFI	\$0.00
TRANSMISSION		
MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
SIDE DOOR		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:08:46 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SIDE DOOR		
E24	DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT	\$0.00
PREFERRED EQUIPMENT GROUP		
1WT	PREFERRED EQUIPMENT GROUP,	\$0.00
FRONT TIRES		
XHH	TIRES, FRONT LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
REAR TIRES		
YHH	TIRES, REAR LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SPARE TIRE		
ZHH	TIRE, SPARE LT245/75R16E ALL-SEASON, BLACKWALL, LOCATED AT REAR UNDERBODY OF VEHICLE	\$0.00
SEATING ARRANGEMENT		
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGH-BACK BUCKETS, ADJUSTABLE	\$0.00
SEAT TYPE		
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM	\$0.00
SEAT TRIM		
__W	SEAT TRIM, CUSTOM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$150.00
WHEELS		
___	WHEELS, GRAY-PAINTED,	\$0.00
GLASS PACKAGE		
ZW3	GLASS, FIXED REAR DOORS AND SIDE CARGO DOORS	\$130.00
REQUIRED OPTION		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 10:08:46 PM

Page 2

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
REQUIRED OPTION		
PPC	TRIM PANELS, HINGED REAR SIDE DOORS AND HINGED REAR DOORS	\$0.00
ADDITIONAL OPTIONS		
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL	\$395.00
DAA	VISORS, DRIVER AND FRONT PASSENGER,	INC
A18	GLASS, SWING-OUT REAR CARGO DOOR WINDOWS	\$0.00
A19	GLASS, SWING-OUT REAR SIDE DOOR AND REAR DOOR WINDOW	\$160.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$1,160.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:08:46 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

EXTERIOR

- Paint, solid
- Body, standard
- Bumpers, front and rear painted Black with step-pad (Not available with (ZR7) Chrome Appearance Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- Headlamps, single halogen (Not available with (ZR7) Chrome Appearance Package.)
- Daytime Running Lamps
- Mirrors, outside manual, Black
- Glass, Solar-Ray light-tinted, all windows
- License plate kit, front
- Wipers, front intermittent wet-arm with pulse washers
- Door, swing-out passenger-side, 60/40 split

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:08:46 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

INTERIOR

- Seating arrangement, driver and front passenger high-back buckets, adjustable with head restraints and vinyl or cloth trim
- Seats, front bucket with vinyl trim and outboard head restraints (Requires (**W) interior trim.)
- Console, engine cover with open storage bin
- Floor covering, full-length Black rubberized-vinyl (Not standard with (YF2) Ambulance Package.)
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Driver Information Center, includes fuel range, average speed, oil life, and tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Tow/haul mode selector, instrument panel-mounted
- Theft-deterrent system, vehicle, PASS-Key III
- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers
- Air conditioning, single-zone manual
- Defogger, side windows
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, cloth, over driver and passenger (Not included with (YF2) Ambulance Package.)
- Visors, driver and front passenger, padded
- Assist handle, front passenger
- Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:08:46 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

MECHANICAL

- Engine, Vortec 4.8L V8 SFI (279 hp [208 kW] @ 5200 rpm, 294 lb-ft of torque [396.9 N-m] @ 4500 rpm) (Includes external engine oil cooler. Standard on *G23*05 models and *G33*05 models. Reference the Engine/Axle page for availability.)
- Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Required and standard when ordered with (LY2) Vortec 4.8L V8 SFI engine or (LY6) Vortec 6.0L V8 SFI engine. Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine. Reference the Engine/Axle page for availability.)
- Brake/transmission shift interlock, for automatic transmissions
- Rear axle, 3.73 ratio (Standard on the *G23*05 and *G33*05 models. Available on **13405 models with (LMF) Vortec 5.3L V8 SFI engine. Reference the Engine/Axle page for availability.)
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 105 amps (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- GVWR, 8600 lbs. (3901 kg) (Standard on *G23*05 models. Reference the Engine/Axle page for availability.)
- Frame, full-length box ladder-type
- Suspension, front independent with coil springs and stabilizer bar (Requires *G***05 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- Tires, front LT245/75R16E all-season, blackwall (Standard on the *G23*05 and *G33*05 models.)
- Tires, rear LT245/75R16E all-season, blackwall (Standard on the *G23*05 and *G33*05 models.)
- Tire, spare LT245/75R16E all-season, blackwall, located at rear underbody of vehicle (Standard on the *G23*05 and *G33*05 models.)
- Wheels, Gray-painted, includes Gray center caps and steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:08:46 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch on models with (C6P) 8600 lbs. (3901 kg) GVWR and above. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver side only frontal air bag. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Air bag deactivation switch, frontal, passenger-side (Requires (C6P) 8600 lbs. (3901 kg) GVWR or (C6Y) 9600 lbs. (4354 kg) GVWR. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Brake/transmission shift interlock, for automatic transmissions
- Door beams, steel-side
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:08:46 PM

Page 7

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0039

MAKE OF TRUCK: Gmc MODEL: Savana T623405 GVWR 8600 lbs.

PAYLOAD: 3260 # ✓ W.B. 135" ✓ C.A. N/A C.E. N/A

ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY2, 4.8 SAE H.P. 279 ✓

FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: Hydramatic MT1 4-spd ✓

SPRING CAP. @ GROUND EACH: FRONT 2050 ✓ lbs. REAR 2680 ✓ lbs. AUX. N/A lbs.

AXLES: FRONT 4100 lbs. REAR 5360 ✓ lbs. REAR RATIO 3.73

ALTERNATOR: 105 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT T295/SR16E PR REAR T295/SR16E PR SINGLE ✓ DUAL M&S

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XHH

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: VAN-15 PASSENGER

MODEL-2008 CURRENT NEW

	FORD SUPER DUTY EXT. WAGON <u>E-350</u>	CHEVY/ GMC EXTENDED SPORTVAN <u>G33706</u>
G.V.W.R. (lbs.)	9,100	9,600
Wheelbase (inches)	138	155
O.A.L	231.8	244.1
Engine: Gasoline	5.4L	6.0L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	255	323
Transmission: Automatic		
Axle, Min. Cap.		
Front-lbs.	5,000	4,300
Rear-lbs.	6,340	6,084
Springs, Min. Cap. at Ground		
Front-lbs. each	1,700	2,150
Rear-lbs. each	3,097	3,042

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Air Conditioning-Front and Rear
- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA min.
- Brakes- Power.
- Bumper-Front and Rear, Mfg. standard finish.
- Doors-Passenger, right side, double.
- Fuel capacity-largest available from mfg.
- Glass -Swing-out side doors, and fixed or swing-out rear door windows.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Stabilizer bar-front.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Glass-Deep tinted or privacy, all around, movable side door window(s), fixed or movable rear door windows.
- Heater, Auxiliary-Passenger compartment.
- Insulation package-Front floor driver's compartment, side panels. Full-length headlining insulation, full width floor mat passenger compartment. (Deluxe or heavy duty.)
- Locks – Power Doors.
- Seat, driver and passenger, high back bucket, and 4-bench type passenger cloth seats with arm rests.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

TRUCK: VAN-15 PASSENGER	
Mich. Spec. #3905-0040	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Savana <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$21,184.00*

Final Point of Assembly: Wentzville, MO

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3905-0040

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TG33706	2008 GMC Savana Passenger RWD 3500 155"	\$30,824.20

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L V8 SFI	\$0.00
TRANSMISSION		
MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1LS	LS PREFERRED EQUIPMENT GROUP	\$0.00
SEATING ARRANGEMENT		
ZP3	SEATING, 15-PASSENGER, (2-3-3-3-4 SEATING CONFIGURATION)	\$475.00
SEAT TYPE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:21:14 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

<u>CATEGORY</u>		<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SEAT TYPE		AR7	SEATS, FRONT BUCKET WITH VINYL TRIM AND OUTBOARD HEAD RESTRAINTS	\$0.00
SEAT TRIM		_W	CUSTOM VINYL	\$0.00
PAINT		ZY1	PAINT, SOLID	\$0.00
RADIO		UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		___	WHEELS, GRAY-PAINTED,	\$0.00
ADDITIONAL OPTIONS		DAA	VISORS, DRIVER AND FRONT PASSENGER, VINYL IN LIEU OF STANDARD CLOTH	INC
OPTIONS TOTAL				\$475.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:21:14 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

EXTERIOR

- Paint, solid
- Body, standard
- Bumpers, front and rear painted Black with step-pad (Not available when ordered with (V37) front and rear chrome bumpers.)
- Grille, Black composite with single rectangular halogen headlamps
- Headlamps, halogen
- Daytime Running Lamps
- Mirrors, outside manual, Black
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Glass, swing-out side door windows
- Glass, swing-out rear cargo door windows
- Glass, enhanced-technology, rearmost side windows. 3-layer special glass is designed to help reduce the risk of ejection during a crash. (Standard on *G23406, *G33406 and *G33706 models with 12- and 15-passenger seating. Not available with 8-passenger seating.)
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front
- Door, swing-out passenger-side, 60/40 split

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 10:21:14 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints (Requires (**W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.)
- Seating, 12-passenger, (2-3-3-4 seating configuration), 4-passenger seat is a 50/50 split, 2-piece configuration (Standard on *G23406, *G33406, and *G33706 models only.)
- Console, engine cover with open storage bin
- Cup holders, 3 on engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Floor covering, full-length Black rubberized-vinyl
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Convenience Package, Tilt-Wheel and cruise control (Standard on the *G33406 and *G33706 models.)
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center, includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Compass, 8-point digital located in the Driver Information Center (Included and only available with (C69) rear air conditioning.)
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Theft-deterrent system, vehicle, PASS-Key III
- Air conditioning, single-zone manual
- Air conditioning, rear (Requires (TR9) auxiliary lighting. Includes (C36) rear heater, (U80) digital compass and (KG3) 145-amp alternator. Standard on *G33706 models only.)
- Heater, rear auxiliary (Included with (C69) rear air conditioning. Standard on *G33706 models only.)
- Defogger, front and side windows

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:21:14 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

- Audio system, AM/FM stereo with seek-and-scan, digital clock and 2 front door speakers (Not available with (NP5) leather wrapped steering wheel.)
- Headliner, cloth
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded with cloth trim and dual vanity mirrors, illuminated on passenger-side (Included and only available with (TR9) auxiliary lighting. Standard on *G33706 models only.)
- Assist handle, front passenger
- Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches
- Lighting, auxiliary with reading and underhood lights (Required with (C69) rear air conditioning. Includes (DH6) driver and front passenger visor vanity mirrors. Standard on *G33706 models only.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 10:21:14 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

MECHANICAL

- Engine, Vortec 6.0L V8 SFI (323 hp [240.8 kW] @ 4600 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) (Standard on *G23406, *G33406 or *G33706 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Standard on *G23406, *G33406 or *G33706 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Tow/haul mode selector, instrument panel-mounted
- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Rear axle, 3.73 ratio
- Rear-wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps (Included with (C69) rear air conditioning. Standard on *G33706 models only.)
- Frame, ladder-type
- Suspension, front independent with coil springs and stabilizer bar (Standard and only available on *G***06 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- GVWR, 9600 lbs. (4354 kg) (Standard on TG33*06 models. Reference the Engine/Axle page for availability.)
- Tires, front LT245/75R16E all-season, blackwall (Standard on *G23406, *G33406 and *G33706 models.)
- Tires, rear LT245/75R16E all-season, blackwall (Standard on *G23406, *G33406 and *G33706 models.)
- Tire, spare LT245/75R16E all-season, blackwall, located at rear underbody of vehicle (Standard on *G23406, *G33406 and *G33706 models.)
- Wheels, Gray-painted, includes Gray center caps and steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:21:14 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch for models with (C6P) 8600 lbs. (3901 kg) GVWR and above. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head/side-curtain provides coverage for first 3-rows only. Enhanced-technology glass is provided for the fourth and fifth rows when equipped with 12- and 15-passenger seating. (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Child seat anchors, all three passenger rear seats have four anchors and two tethers
- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Door beams, steel-side
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:21:14 PM

Page 7

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3905-0040

MAKE OF TRUCK: Gmc MODEL: Savana T633706GVWR 9600 lbs.

PAYLOAD: 3199 #? W.B. 155" C.A. N/A C.E. N/A

ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6 6.0SAE H.P. 323

FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: Hydramatic MT1 4-spd

SPRING CAP. @ GROUND EACH: FRONT 2150 lbs. REAR 3042 lbs. AUX. N/A lbs.

AXLES: FRONT 4300 lbs. REAR 6084 lbs. REAR RATIO 3.73

ALTERNATOR: 145 amps. BATTERY 600 cca.

TIRE SIZE: FRONT T245/75R16 PR REAR T245/75R16 PR SINGLE DUAL M&S

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XHH

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR
(6 Foot Box) (Payload-3,800 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC	FORD	DODGE
	<u>C20743</u>	<u>W-30</u>	<u>D13H81</u>
G.V.W.R. (lbs.)	9,200	10,100	9,900
Wheelbase (inches)	153	156	160.5
Type & Size of Body	Fleetside/ Wideside	Styleside	Sweptline
Engine: Gasoline	6.0L	5.4L	5.7L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	300	345
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	6,900	7,280	
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	1,900	
Rear-lbs. each	3,042	3,500	

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Bumper- Mfg. Std.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., Power* Adjustable, below eye level, 40 sq. in.
- minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Wrench-wheel.

GMC only: *Power adjustable mirrors not included in Standard MiDEAL spec. Only available as part of a Power Package for an additional charge of \$670.00. (Includes power locks, windows, & mirrors)

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed.
- Seats-Front Split Bench and rear bench, cloth
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR</u> (6 Foot Box) (Payload-3,800 lbs., min.) Mich. Spec. #3958-0046	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$19,633.00* (Does not include power mirrors)

Final Point of Assembly: Flint, MI

<u>Dealer Information</u>

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification. “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0046

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20743	2008 GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck	\$28,405.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:07:07 AM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$290.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:07:07 AM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:07:07 AM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear 60/40 folding bench (folds up), 3-passenger, folding (includes child seat top tether anchor) (Requires Crew Cab models)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Door locks, power (Standard on Crew Cab Models. Includes (AU0) Remote Keyless Entry unless SEO (5B5) power windows, locks and mirrors is ordered. Included with (PCM) Work Truck Preferred Package.)
- Remote Keyless Entry , with 2 transmitters, panic button and content theft alarm (Included and only available with (AU3) power door locks or (PCM) Work Truck Preferred Package. If SEO (5B5) power windows, locks and mirrors is ordered (AU0) becomes optional on ALL models.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 14, 2007 10:07:07 AM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:07:07 AM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 14, 2007 10:07:07 AM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:07:07 AM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0046
 MAKE OF TRUCK: Gmc MODEL: Sierra TC20743 GVWR 9200 lbs.
 PAYLOAD: 3578 # ✓ W.B. 153" ✓ C.A. 41.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas ✓ MAKE: Gm MODEL: LY6, 6.0 ✓ SAE H.P. 353 ✓
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydraulic MYD 6-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 3042 ✓ lbs. AUX. 1 N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6900 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT L7245/75R16E PR REAR L7245/75R16E PR SINGLE ✓ DUAL _____ M&S _____
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QI Z
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR
(6 Foot Box) (Payload-3,800 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC	FORD	DODGE
	<u>C20743</u>	<u>W-30</u>	<u>D13H81</u>
G.V.W.R. (lbs.)	9,200	10,100	9,900
Wheelbase (inches)	153	156	160.5
Type & Size of Body	Fleetside/ Wideside	Styleside	Sweptline
Engine: Diesel	6.6L	6.4L	5.7L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	300	345
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	6,900	7,280	
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	1,900	
Rear-lbs. each	3,042	3,500	

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Bumper- Mfg. Std.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., Power Adjustable, below eye level, 40 sq. in.
- minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed.
- Seats-Front Split Bench and rear bench, cloth
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR (6 Foot Box) (Payload-3,800 lbs., min.) Mich. Spec. #3958-0046D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$25,955.00* (Does not include power mirrors)

Final Point of Assembly: Flint, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0046A

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20743	2008 GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck	\$28,405.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:28:59 AM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$8,685.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 14, 2007 10:28:59 AM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:28:59 AM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear 60/40 folding bench (folds up), 3-passenger, folding (includes child seat top tether anchor) (Requires Crew Cab models)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Door locks, power (Standard on Crew Cab Models. Includes (AU0) Remote Keyless Entry unless SEO (5B5) power windows, locks and mirrors is ordered. Included with (PCM) Work Truck Preferred Package.)
- Remote Keyless Entry , with 2 transmitters, panic button and content theft alarm (Included and only available with (AU3) power door locks or (PCM) Work Truck Preferred Package. If SEO (5B5) power windows, locks and mirrors is ordered (AU0) becomes optional on ALL models.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:28:59 AM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 14, 2007 10:28:59 AM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:28:59 AM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:28:59 AM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0046 D
 MAKE OF TRUCK: GMC MODEL: Sierra TC20743 GVWR 9200 lbs.
 PAYLOAD: 2881 # W.B. 153" C.A. 41.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Diesel MAKE: Gm Duramax MODEL: Lmm, 6.6 SAE H.P. 365
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7 6-spd
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3042 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6900 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY Dual 730 cca.
 TIRE SIZE: FRONT T245/75R16E PR REAR T245/75R16E P R SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QI Z
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS
(8 Foot Box) (Payload-5,000 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC <u>K30903</u>	DODGE DR3500 <u>D13L62</u>	FORD <u>F-350</u>
G.V.W.R. 11,000 (lbs.), minimum	11,400	11,000	11,800
Wheelbase (inches)	133	140.5	137.0
Type & Size of Body	Fleetside	Sweptline	Styleside
Engine: Gasoline	6.6L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	330	300
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,200	9,350	9,000
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	TBD	1,900
Rear-lbs. each	4,100	TBD	4,500
Rear Wheels	Dual	Dual	Dual

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Stnd. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Stnd.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS</u> (8 Foot Box) (Payload-5,000 lbs., min.) Mich. Spec. #3958-0047	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra Dually <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$20,957.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0047

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK30903	2008 GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work Truck	\$28,535.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QBD	TIRES, LT225/75R17E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C7W	GVWR, 11,400 LBS. (5171 KG)	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
OPTIONS TOTAL		\$1,160.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, Smoked Amber roof marker (Standard on (C7W) 11,400 lbs. (5171 kg) GVWR only. Not available with (YF5) California state emissions requirements.)
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

- Audio system feature, 4-speaker system (Requires Regular Cab models)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Transfer case, with floor-mounted shifter (Requires 4WD models)
- Rear axle, 3.73 ratio
- Four wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 11,400 lbs. (5171 kg) with dual rear wheels (Not available with TC30903 models)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailing, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Not available with TC30903 models. Requires (C7W) 11,400 lbs. GVWR Includes 7 tires with (E63) Wideside pickup box. Includes 6 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 6 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Requires and only available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel))
- Wheel, 16" (40.6 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels) (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel))
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0047
 MAKE OF TRUCK: GMC MODEL: Sierra TK30903 Daily GVWR 11400 lbs.
 PAYLOAD: 5414 # W.B. 133" C.A. 55.90" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 312 L
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydraulic MYD 6 spd
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4100 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT T225/75 R17E PR REAR T225/75 R17E PPR SINGLE _____ DUAL M&S _____
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QBD
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS

(8 Foot Box) (Payload-5,000 lbs., min.)

GMC: Payload: 4,753 lbs

MODEL-2008 CURRENT NEW

	CHEV/ GMC <u>K30903</u>	DODGE DR3500 <u>D13L62</u>	FORD <u>F-350</u>
G.V.W.R. 11,000 (lbs.), minimum	11,400	11,000	11,800
Wheelbase (inches)	133	140.5	137.0
Type & Size of Body	Fleetside	Sweptline	Styleside
Engine: Diesel	6.6L	5.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	330	300
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,200	9,350	9,000
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	TBD	1,900
Rear-lbs. each	4,100	TBD	4,500
Rear Wheels	Dual	Dual	Dual

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS</u> (8 Foot Box) (Payload-5,000 lbs., min.) Mich. Spec. #3958-0047D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra Dually <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$27,280.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0047D

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK30903	2008 GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work Truck	\$28,535.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QBD	TIRES, LT225/75R17E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C7W	GVWR, 11,400 LBS. (5171 KG)	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
OPTIONS TOTAL		\$9,555.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, Smoked Amber roof marker (Standard on (C7W) 11,400 lbs. (5171 kg) GVWR only. Not available with (YF5) California state emissions requirements.)
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

- Audio system feature, 4-speaker system (Requires Regular Cab models)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Transfer case, with floor-mounted shifter (Requires 4WD models)
- Rear axle, 3.73 ratio
- Four wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 11,400 lbs. (5171 kg) with dual rear wheels (Not available with TC30903 models)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Not available with TC30903 models. Requires (C7W) 11,400 lbs. GVWR Includes 7 tires with (E63) Wideside pickup box. Includes 6 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 6 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Requires and only available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel))
- Wheel, 16" (40.6 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels) (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel))
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Kolman Pontiac GMC ITEM NO(s). Spec # 3958-00V7 D
 MAKE OF TRUCK: GMC MODEL: Sierra Tk30403 Dually GVWR 11400 lbs.
 PAYLOAD: 4753 # W.B. 133" C.A. 55.90" C.E. N/A
 ENGINE: (GAS - DIESEL) Diesel MAKE: GM Duramax MODEL: LMM, 6.6 SAE H.P. 365
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7 6-speed
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4100 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY Dual 730 cca.
 TIRE SIZE: FRONT LT 225/75R17E PR REAR LT 225/75R17E SINGLE _____ DUAL M&S _____
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QBD
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR

(8 Foot Box) (Payload-3,800 lbs., min.)

GMC Payload: 3,771 lbs

MODEL-2008 CURRENT NEW

	CHEV/GMC	FORD
	<u>C30943</u>	<u>F-350</u>
G.V.W.R. (lbs.)	9,900	10,200
Wheelbase (inches)	167	172.0
Type & Size of Body	Fleetside/ Wideside	Styleside
Engine: Gasoline	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	353	300
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	6,500	7,280
Springs, Min. Cap. at Ground		
Front-lbs. each	2,400	2,050
Rear-lbs. each	3,250	3,500
Rear Wheel	Single	Single

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Bumper- Mfg. Std.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in.
- minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed
- Seats-Front Split Bench and rear bench, cloth.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR</u> (8 Foot Box) (Payload-3,800 lbs., min.) Mich. Spec. #3958-0049	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$20,465.00*

Final Point of Assembly: Flint, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec# 3958-0049

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC30943	2008 GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work Truck	\$29,630.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
SEAT TYPE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 12:28:45 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SEAT TYPE	AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM	_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT	ZY1	PAINT, SOLID	\$0.00
GVWR	C4M	GVWR, 9900 LBS. (4490 KG)	\$0.00
RADIO	UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS			
	UE0	ONSTAR, DELETE	-\$85.00
	U2J	XM SATELLITE RADIO, DELETE	-\$200.00
	K34	CRUISE CONTROL, ELECTRONIC	\$250.00
	VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL			-\$35.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 12:28:45 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 12:28:45 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear 60/40 folding bench (folds up), 3-passenger, folding (includes child seat top tether anchor) (Requires Crew Cab models)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire) (Not standard on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Door locks, power (Standard on Crew Cab models. Includes (AU0) Remote Keyless Entry unless SEO (5B5) power windows, locks and mirrors is ordered. Included with (PCM) Work Truck Preferred Package.)
- Remote Keyless Entry, with 2 transmitters, panic button and content theft alarm (Included and only available with (AU3) power door locks or (PCM) Work Truck Preferred Package. If SEO (5B5) power windows, locks and mirrors is ordered (AU0) becomes optional on ALL models.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 12:28:45 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 12:28:45 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Differential, heavy-duty automatic locking rear (Included with (PDL) Off-Road Package. Standard on TC30903 models. Standard with (GED) 9700 lb. GVWR (single rear wheel) and (C4M) 9900 lb. GVWR (single rear wheel))
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 9900 lbs. (4490 kg) with single rear wheels (Not available with TC30903 models. On TK30903 models and (LY6) Vortec 6.0L V8 SFI engine, requires (QER) LT265/75R16E on-/off-road, blackwall tires)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT265/75R16E on-/off-road, blackwall (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel). Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 12:28:45 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

- Wheels, 4 - 16" x 7.0" (40.6 cm x 17.8 cm) 8-lug steel (single rear wheel) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Center cap is Argent. Not available with (C7W) 11,400 lbs GVWR (dual rear wheels).)
- Wheel, 16" (40.6 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels) (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel)
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 12:28:45 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holmen Pontiac GMC ITEM NO(s). Spec # 3958-0049
 MAKE OF TRUCK: Gmc MODEL: Sierra TC 30943 GVWR 9900 lbs.
 PAYLOAD: 3771 # W.B. 167" C.A. 55.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 353
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-spd
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3250 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6500 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT T265/75R16E PR REAR T265/75R16E PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE N/A
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR
(8 Foot Box) (Payload-3,800 lbs., min.)
GMC Payload: 3,131 lbs

MODEL-2008 CURRENT NEW

	CHEV/ GMC	FORD
	<u>C30943</u>	<u>F-350</u>
G.V.W.R. (lbs.)	9,900	10,200
Wheelbase (inches)	167	172.0
Type & Size of Body	Fleetside/ Wideside	Styleside
Engine: Diesel	6.6L	6.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	365	300
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	6,500	7,280
Springs, Min. Cap. at Ground		
Front-lbs. each	2,400	2,050
Rear-lbs. each	3,250	3,500
Rear Wheel	Single	Single

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Bumper- Mfg. Std.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed
- Seats-Front Split Bench and rear bench, cloth.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR</u> (8 Foot Box) (Payload-3,800 lbs., min.) Mich. Spec. #3958-0049D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$26,788.00*

Final Point of Assembly: Flint, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0049 D

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC30943	2008 GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work Truck	\$29,630.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
SEAT TYPE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 1:10:35 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
SEAT TYPE AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM __V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT ZY1	PAINT, SOLID	\$0.00
GVWR C4M	GVWR, 9900 LBS. (4490 KG)	\$0.00
RADIO UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS	\$55.00
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$8,415.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 1:10:35 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work
STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 1:10:35 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acliix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear 60/40 folding bench (folds up), 3-passenger, folding (includes child seat top tether anchor) (Requires Crew Cab models)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire) (Not standard on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Door locks, power (Standard on Crew Cab models. Includes (AU0) Remote Keyless Entry unless SEO (5B5) power windows, locks and mirrors is ordered. Included with (PCM) Work Truck Preferred Package.)
- Remote Keyless Entry , with 2 transmitters, panic button and content theft alarm (Included and only available with (AU3) power door locks or (PCM) Work Truck Preferred Package. If SEO (5B5) power windows, locks and mirrors is ordered (AU0) becomes optional on ALL models.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 14, 2007 1:10:35 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work
STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 1:10:35 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Differential, heavy-duty automatic locking rear (Included with (PDL) Off-Road Package. Standard on TC30903 models. Standard with (GED) 9700 lb. GVWR (single rear wheel) and (C4M) 9900 lb. GVWR (single rear wheel))
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 9900 lbs. (4490 kg) with single rear wheels (Not available with TC30903 models. On TK30903 models and (LY6) Vortec 6.0L V8 SFI engine, requires (QER) LT265/75R16E on-/off-road, blackwall tires)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailing, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT265/75R16E on-/off-road, blackwall (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel). Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 1:10:35 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

- Wheels, 4 - 16" x 7.0" (40.6 cm x 17.8 cm) 8-lug steel (single rear wheel) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Center cap is Argent. Not available with (C7W) 11,400 lbs GVWR (dual rear wheels).)
- Wheel, 16" (40.6 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels) (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel)
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 1:10:35 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0049A
 MAKE OF TRUCK: Gmc MODEL: Sierra TC30943 GVWR 9900 lbs.
 PAYLOAD: 3131 # W.B. 167" ✓ C.A. 55.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Diesel MAKE: Gm Duramax MODEL: LMM, 6.6 SAE H.P. 365 ✓
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7 6-spd
 SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 3250 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6500 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY Dual 730 ✓ cca.
 TIRE SIZE: FRONT (126/75R16) PR REAR (126/75R16) PR SINGLE ✓ DUAL ✓ M&S ✓
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QGR
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR
DUAL REAR WHEEL

4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)

MODEL-2008 CURRENT NEW

	DODGE DR3500 <u>D13L42</u>	FORD <u>F-350</u>	CHEV/ <u>GMC</u> <u>C30953</u>
G.V.W.R. (lbs.)	11,000	12,000	11,400
Wheelbase (inches)	160.5	158.0	157.5
Type & Size of Body	Sweptline	Styleside	Fleetside
Engine: Gasoline	5.7L	5.4L	6.0L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	330	300	312
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,350	9,000	9,200
Springs, Min. Cap. at Ground			
Front-lbs. each	TBD	2,050	2,400
Rear-lbs. each	TBD	4,500	4,100
Cab-Full width rear window			
Rear Wheels:	Dual	Dual	Dual

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Stnd. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Stnd.
- Locks – Power Doors, Factory Installed
- Seats-Front split bench and rear bench, cloth
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u>	
<u>DUAL REAR WHEEL</u>	
4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)	
Mich. Spec. #3958-0050	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra Dually <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$20,580.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet

Spec # 3958-0050

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC30953	2008 GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work Truck	\$28,900.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 2:54:41 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QBD	TIRES, LT225/75R17E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C7W	GVWR, 11,400 LBS. (5171 KG)	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
OPTIONS TOTAL		\$290.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 2:54:41 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, Smoked Amber roof marker (Standard on (C7W) 11,400 lbs. (5171 kg) GVWR only. Not available with (YF5) California state emissions requirements.)
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 2:54:41 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 2:54:41 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 2:54:41 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbxx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 11,400 lbs. (5171 kg) with dual rear wheels (Not available with TC30903 models)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailering, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Not available with TC30903 models. Requires (C7W) 11,400 lbs. GVWR Includes 7 tires with (E63) Wideside pickup box. Includes 6 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 2:54:41 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work
STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 6 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Requires and only available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel))
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 2:54:41 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(S). Spec # 3958-0050
 MAKE OF TRUCK: GMC MODEL: Sierra TC30953 GVWR 11,400 lbs.
 PAYLOAD: 5268 # W.B. 157.50 " C.A. 55.50 " C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 312 *correct per manual*
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydraulic M40 6-spd
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4100 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT T225/75R17E PR REAR T225/75R17E PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QBD
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR

DUAL REAR WHEEL

4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)

MODEL-2008 CURRENT NEW

	DODGE DR3500 <u>D13L42</u>	FORD <u>F-350</u>	CHEV/ <u>GMC</u> <u>C30953</u>
G.V.W.R. (lbs.)	11,000	12,000	11,400
Wheelbase (inches)	160.5	158.0	157.5
Type & Size of Body	Sweptline	Styleside	Fleetside
Engine: Diesel	5.7L	6.4L	6.6L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	330	300	365
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,350	9,000	9,200
Springs, Min. Cap. at Ground			
Front-lbs. each	TBD	2,050	2,400
Rear-lbs. each	TBD	4,500	4,100
Cab-Full width rear window			
Rear Wheels:	Dual	Dual	Dual
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.			

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed
- Seats-Front split bench and rear bench, cloth
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u>	
<u>DUAL REAR WHEEL</u>	
4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)	
Mich. Spec. #3958-0050D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$26,903.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0050 D

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC30953	2008 GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work Truck	\$28,900.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:28:38 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QBD	TIRES, LT225/75R17E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C7W	GVWR, 11,400 LBS. (5171 KG)	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
K05	ENGINE BLOCK HEATER	INC
OPTIONS TOTAL		\$8,685.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

December 18, 2007 3:28:38 PM

Customer File:

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, Smoked Amber roof marker (Standard on (C7W) 11,400 lbs. (5171 kg) GVWR only. Not available with (YF5) California state emissions requirements.)
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:28:38 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:28:38 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work
STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 3:28:38 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 11,400 lbs. (5171 kg) with dual rear wheels (Not available with TC30903 models)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailering, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Not available with TC30903 models. Requires (C7W) 11,400 lbs. GVWR includes 7 tires with (E63) Wideside pickup box. Includes 6 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:28:38 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 6 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Requires and only available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel))
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:28:38 PM

Page 7

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3958-00500

MAKE OF TRUCK: Gmc MODEL: Sierra TC30953 GVWR 11,400 lbs.

PAYLOAD: 4621 # ✓ W.B. 157.5" ✓ C.A. 53.50 C.E. N/A

ENGINE: (GAS - DIESEL) Diesel MAKE: Gm-Duramax MODEL: LMM, 6.6 SAE H.P. 365 ✓

FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7 6 spd ✓

SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4100 lbs. AUX. N/A lbs.

AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3.73

ALTERNATOR: 125 ✓ amps. BATTERY Dual 730 ✓ cca.

TIRE SIZE: FRONT LT225/55R17E PR REAR LT225/55R17E PR SINGLE _____ DUAL ✓ M&S _____

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QBD

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR
SINGLE REAR WHEEL

4 X 2, (8 Foot Box), (Payload-3,800 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD	CHEV/ GMC
	<u>F-350</u>	<u>C30953</u>
G.V.W.R. (lbs.)	10,100	9,900
Wheelbase (inches)	158	157.5
Type & Size of Body	Styleside	Fleetside
Engine: Gasoline	5.4L	6.0L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	300	353
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	7,280	6,500
Springs, Min. Cap. at Ground		
Front-lbs. each	1,975	2,400
Rear-lbs. each	3,500	3,250
Cab-Full width rear window		
Rear Wheels:	Single	Single
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.		

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats-Front split bench and rear bench, cloth
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u> <u>SINGLE REAR WHEEL</u> 4 X 2, (8 Foot Box), (Payload-3,800 lbs., min.) Mich. Spec. #3958-0051	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$19,808.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958 - 0051

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC30953	2008 GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work Truck	\$28,290.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
SEAT TYPE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:43:25 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: acli@hotmai.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

CATEGORY		MSRP
Code	Description	
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C4M	GVWR, 9900 LBS. (4490 KG)	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
OPTIONS TOTAL		-\$35.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 18, 2007 3:43:25 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work
STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:43:25 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire) (Not standard on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 3:43:25 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:43:25 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Differential, heavy-duty automatic locking rear (Included with (PDL) Off-Road Package. Standard on TC30903 models. Standard with (GED) 9700 lb. GVWR (single rear wheel) and (C4M) 9900 lb. GVWR (single rear wheel))
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 9900 lbs. (4490 kg) with single rear wheels (Not available with TC30903 models. On TK30903 models and (LY6) Vortec 6.0L V8 SFI engine, requires (QER) LT265/75R16E on-/off-road, blackwall tires)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT265/75R16E on-/off-road, blackwall (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel). Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 3:43:25 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

- Wheels, 4 - 16" x 7.0" (40.6 cm x 17.8 cm) 8-lug steel (single rear wheel) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Center cap is Argent. Not available with (C7W) 11,400 lbs GVWR (dual rear wheels).)
- Wheel, 16" (40.6 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels) (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel)
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:43:25 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(S): Spec # 3958-0051 ✓
 MAKE OF TRUCK: GMC MODEL: Sierra TC30953 GVWR 9900 lbs.
 PAYLOAD: 3921 # ✓ W.B. 157.5" ✓ C.A. 55.50" C.E. N/A
 ENGINE: (GAS - DIESEL) GAS MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 353 ✓
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydramatic MVD 6-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 3250 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6500 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT LT265/75R16E PR REAR LT265/75R16E PR SINGLE ✓ DUAL _____ M&S _____
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QER
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR
SINGLE REAR WHEEL

4 X 2, (8 Foot Box), (Payload-3,800 lbs., min.)
 GMC Payload: 3,274 lbs

MODEL-2008 CURRENT NEW

	FORD	CHEV/ GMC
	<u>F-350</u>	<u>C30953</u>
G.V.W.R. (lbs.)	10,100	9,900
Wheelbase (inches)	158	157.5
Type & Size of Body	Styleside	Fleetside
Engine: Diesel	6.4L	6.6L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	300	365
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	7,280	6,500
Springs, Min. Cap. at Ground		
Front-lbs. each	1,975	2,400
Rear-lbs. each	3,500	3,250
Cab-Full width rear window		
Rear Wheels:	Single	Single
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.		

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats-Front split bench and rear bench, cloth
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u> <u>SINGLE REAR WHEEL</u> 4 X 2, (8 Foot Box), (Payload-3,800 lbs., min.) Mich. Spec. #3958-0051D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$26,130.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0051 D

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC30953	2008 GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work Truck	\$28,290.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
SEAT TYPE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:51:44 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C4M	GVWR, 9900 LBS. (4490 KG)	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
K05	ENGINE BLOCK HEATER	INC
OPTIONS TOTAL		\$8,360.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:51:44 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:51:44 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire) (Not standard on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 3:51:44 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:51:44 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Differential, heavy-duty automatic locking rear (Included with (PDL) Off-Road Package. Standard on TC30903 models. Standard with (GED) 9700 lb. GVWR (single rear wheel) and (C4M) 9900 lb. GVWR (single rear wheel))
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 9900 lbs. (4490 kg) with single rear wheels (Not available with TC30903 models. On TK30903 models and (LY6) Vortec 6.0L V8 SFI engine, requires (QER) LT265/75R16E on-/off-road, blackwall tires)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailering, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT265/75R16E on-/off-road, blackwall (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel). Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:51:44 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

- Wheels, 4 - 16" x 7.0" (40.6 cm x 17.8 cm) 8-lug steel (single rear wheel) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Center cap is Argent. Not available with (C7W) 11,400 lbs GVWR (dual rear wheels).)
- Wheel, 16" (40.6 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels) (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel)
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:51:44 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Postal GMC ITEM NO(S). Spec # 3958-0051 D
 MAKE OF TRUCK: GMC MODEL: Siera TC30953 GVWR 9900 lbs.
 PAYLOAD: 3274 # W.B. 157.5" C.A. 55.5" C.E. N/A
 ENGINE: (GAS - DIESEL) Diesel MAKE: GM Duramax MODEL: LMM, 6.6 SAE H.P. 365
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7 6-sp
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3250 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6500 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY Dual 730 cca.
 TIRE SIZE: FRONT (T265/75R16EPR REAR (T265/75R16EPR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QER
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CAB AND CHASSIS
G.V.W.R. 10,000 lbs. min., (Payload 4,900 lb. min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC	DODGE	FORD
	<u>C31003</u>	DC3L63 <u>3500</u>	<u>F-350</u>
Wheelbase (inches)	137	143.5	140.8
C.A. (inches)	59.9	56	60
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	312	330	300
Transmission: Automatic with Maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.			
Front-lbs	4,500	5,200	4,850
Rear-lbs.	9,200	8,000	9,750
Springs, Min. Cap. at Ground			
Front-1,607 lbs. each	2,400	2,600	1,975
Rear-3,650 lbs. each	4,300	4,000	4,875
Including Aux.			

*SEE Mich. 3958-0074, Mich. 3958-0075, or Mich. 3958-0076 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Auxiliary Dash Control Switch Package for additional lighting circuits.
- Trailer Brake Controller, Electric

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS</u> G.V.W.R. 10,000 lbs. min., (Payload 4,900 lb. min.) Mich. Spec. #3958-0072	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra F.O.B. - Dealership Delivery Cost Per Mile \$1.00	\$18,359.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0072

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclb@hotmai.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 137.0" WB,59.9"

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC31003 2WD Reg Cab 137.0" WB,59.9" CA WT

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC31003	2008 GMC Sierra 3500HD 2WD Reg Cab 137.0" WB,59.9" CA WT	\$25,125.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC31003 2WD Reg Cab 137.0" WB,59.9" CA WT

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC31003 2WD Reg Cab 137.0" WB,59.9" CA WT

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED WITH OVERDRIVE AND TOW/HAUL MODE	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP,	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 4:32:16 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: acli@hotmai.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 137.0" WB,59.9"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC31003 2WD Reg Cab 137.0" WB,59.9" CA WT

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
TIRES		
QCV	TIRES, LT225/75R17E ON-/OFF-ROAD, BLACKWALL	\$66.00
SPARE TIRE		
ZCV	TIRE, SPARE LT225/75R17E ON-/OFF-ROAD, BLACKWALL,	\$421.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
DF2	MIRRORS, OUTSIDE HIGH-VISIBILITY VERTICAL CAMPER-STYLE, BLACK	\$70.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$1,717.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 18, 2007 4:32:16 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31003 2WD Reg Cab 137.0" WB,59.9" CA WT

EXTERIOR

- Paint, solid
- Bumper, front chrome
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Daytime Running Lamps, with automatic exterior lamp control
- Lamps, Smoked Amber roof marker
- Mirrors, outside manual, Black, manual folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 4:32:16 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31003 2WD Reg Cab 137.0" WB,59.9" CA WT

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM Vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. If the order type is FDR, (UE0) OnStar delete will be forced on. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) Power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 4-speaker system (Requires Regular Cab models.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 4:32:16 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31003 2WD Reg Cab 137.0" WB,59.9" CA WT

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation. (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Cup holders, front (Also includes rear cupholders on Extended Cab models.)
- Mirror, inside rearview manual day/night
- Coat hooks, rear driver and passenger side
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended Cab Models.)
- Lighting, interior with dome and reading lights, backlit instrument panel switches and door handle-activated illuminated entry
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 4:32:16 PM

Page 5

Prepared By:

Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31003 2WD Reg Cab 137.0" WB,59.9" CA WT

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine.)
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power (Not standard with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- Alternator, 125 amps
- Recovery hooks, front, frame-mounted
- Body, Chassis Cab, includes (VF7) bumper delete
- Frame, hydroformed
- GVWR, 11,400 lbs. (5171 kg) (Standard with 2WD models only.)
- Rear axle, 66" (167.6 cm) wide
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailering, heavy-duty includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Includes 6 tires with (ZW9) pickup box delete.)
- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 4:32:16 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31003 2WD Reg Cab 137.0" WB,59.9" CA WT

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger with passenger-side deactivation switch (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 4:32:16 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3958-0072
 MAKE OF TRUCK: Gmc MODEL: Sierra TC31003 GVWR 11400 lbs.
 PAYLOAD: 5798 # ✓ W.B. 137" ✓ C.A. 59.90 correct per manual C.E. 111"
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 312 ✓
 FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: Hydramatic M70 6-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 4300 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 4500 4800 lbs. REAR 9200 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT LT225/75R17EPR REAR LT225/75R17EPR SINGLE _____ DUAL ✓ M&S ✓
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCV
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CAB AND CHASSIS
(Payload-5,500 lbs., min.)*

MODEL-2008 CURRENT NEW

	CHEV/ GMC <u>C31403</u>	DODGE <u>DC3L64</u>	FORD <u>F-350</u>
G.V.W.R. (11,000 lbs. min.)	11,400	12,500	13,000
Wheelbase (inches)	161.5	144.5	164.8
C.A. (inches)	84.4	84	84
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	312	330	300
Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed.	6 speed		
Axle, Min. Cap.			
Front-lbs.	4,800	5,200	4,850
Rear-lbs.	9,200	9,350	9,750
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400		1,900
Rear-lbs. each including aux.	4,300		4,875

*SEE Mich. 3958-0078 or Mich. 3958-0079 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., extended reach, swing away type, 51 sq. in. minimum. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS</u> (Payload-5,500 lbs., min.)* Mich. Spec. #3958-0077	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra F.O.B. - Dealership Delivery Cost Per Mile: \$1.00	\$18,511.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0077

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC31403	2008 GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4" CA WT	\$25,295.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED WITH OVERDRIVE AND TOW/HAUL MODE	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP,	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:08:40 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

CATEGORY		MSRP
Code	Description	
TIRES		
QCV	TIRES, LT225/75R17E ON-/OFF-ROAD, BLACKWALL	\$66.00
SPARE TIRE		
ZCV	TIRE, SPARE LT225/75R17E ON-/OFF-ROAD, BLACKWALL,	\$421.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
DF2	MIRRORS, OUTSIDE HIGH-VISIBILITY VERTICAL CAMPER-STYLE, BLACK	\$70.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$1,717.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:08:40 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acli@hotmai.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

EXTERIOR

- Paint, solid
- Bumper, front chrome
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Daytime Running Lamps, with automatic exterior lamp control
- Lamps, Smoked Amber roof marker
- Mirrors, outside manual, Black, manual folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:08:40 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM Vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. If the order type is FDR, (UE0) OnStar delete will be forced on. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) Power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 4-speaker system (Requires Regular Cab models.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:08:40 PM

Page 4

Prepared By:

Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation. (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Cup holders, front (Also includes rear cupholders on Extended Cab models.)
- Mirror, inside rearview manual day/night
- Coat hooks, rear driver and passenger side
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended Cab Models.)
- Lighting, interior with dome and reading lights, backlit instrument panel switches and door handle-activated illuminated entry
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:08:40 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine.)
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power (Not standard with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- Alternator, 125 amps
- Recovery hooks, front, frame-mounted
- Body, Chassis Cab, includes (VF7) bumper delete
- Frame, hydroformed
- GVWR, 11,400 lbs. (5171 kg) (Standard with 2WD models only.)
- Rear axle, 66" (167.6 cm) wide
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailer, heavy-duty includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Includes 6 tires with (ZW9) pickup box delete.)
- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:08:40 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger with passenger-side deactivation switch (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:08:40 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pastore Gmc ITEM NO(s). Spec # 3958-0077
MAKE OF TRUCK: GMC MODEL: Sierra TC31403 GVWR 11400 lbs.
PAYLOAD: 5721 # W.B. 161.50" C.A. 84.40" C.E. 135.50"
ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 312
FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: Hydraulic MVD 6-spdl
SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4300 lbs. AUX. N/A lbs.
AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3.73
ALTERNATOR: 125 amps. BATTERY 600 cca.
TIRE SIZE: FRONT LT225/75R17EPR REAR LT225/75R17EPR SINGLE DUAL M&S
TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCV
HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

Blank lines for other equipment and comments.

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CAB AND CHASSIS

(Payload-5,500 lbs., min.)*

GMC Payload: 5,087 lbs

MODEL-2008 CURRENT NEW

	CHEV/ GMC <u>C31403</u>	DODGE <u>DC3L64</u>	FORD <u>F-350</u>
G.V.W.R. (11,000 lbs. min.)	11,400	12,500	13,000
Wheelbase (inches)	161.5	144.5	164.8
C.A. (inches)	84.4	84	84
Engine: Diesel	6.6L	6.4L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	330	300
Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed.	6 speed		
Axle, Min. Cap.			
Front-lbs.	4,800	5,200	4,850
Rear-lbs.	9,200	9,350	9,750
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400		1,900
Rear-lbs. each including aux.	4,300		4,875

*SEE Mich. 3958-0078 or Mich. 3958-0079 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., extended reach, swing away type, 51 sq. in. minimum. Installed.
- Spare tire and wheel. Mfg. Stnd. mounting.
- Steering-Power
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS</u> (Payload-5,500 lbs., min.)* Mich. Spec. #3958-0077D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra F.O.B. - Dealership Delivery Cost Per Mile \$1.00	\$24,833.00*

Final Point of Assembly: Pontiac, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

de Order Confirmation Sheet
Spec # 3958 - 0077 D

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC31403	2008 GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4" CA WT	\$25,295.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B5-DIESEL COMPATIBLE	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, ELECTRONIC ENGINE GRADE BRAKING AND TOW/HAUL MODE.	\$1,200.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP,	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:14:58 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

<u>CATEGORY</u>			
<u>Code</u>	<u>Description</u>		<u>MSRP</u>
TIRES			
QCV	TIRES, LT225/75R17E ON-/OFF-ROAD, BLACKWALL		\$66.00
SPARE TIRE			
ZCV	TIRE, SPARE LT225/75R17E ON-/OFF-ROAD, BLACKWALL,		\$421.00
SEAT TYPE			
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING		\$0.00
SEAT TRIM			
__V	SEAT TRIM, DARK TITANIUM VINYL		\$0.00
PAINT			
ZY1	PAINT, SOLID		\$0.00
AIR CONDITIONING			
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL		\$870.00
RADIO			
UM7	AUDIO SYSTEM, AM/FM STEREO		\$0.00
ADDITIONAL OPTIONS			
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE		INC
PTO	POWER TAKE OFF, ENGINE CONTROL PROVISIONS		INC
UE0	ONSTAR, DELETE		-\$85.00
K05	ENGINE BLOCK HEATER		INC
V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS		\$55.00
DF2	MIRRORS, OUTSIDE HIGH-VISIBILITY VERTICAL CAMPER-STYLE, BLACK		\$70.00
K34	CRUISE CONTROL, ELECTRONIC		\$250.00
U2J	XM SATELLITE RADIO, DELETE		-\$200.00
VQ1	FLEET PROCESSING OPTION		\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:14:58 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	\$10,167.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:14:58 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

EXTERIOR

- Paint, solid
- Bumper, front chrome
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Daytime Running Lamps, with automatic exterior lamp control
- Lamps, Smoked Amber roof marker
- Mirrors, outside manual, Black, manual folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:14:58 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM Vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. If the order type is FDR, (UE0) OnStar delete will be forced on. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) Power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 4-speaker system (Requires Regular Cab models.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:14:58 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acliix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation. (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Cup holders, front (Also includes rear cupholders on Extended Cab models.)
- Mirror, inside rearview manual day/night
- Coat hooks, rear driver and passenger side
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended Cab Models.)
- Lighting, interior with dome and reading lights, backlit instrument panel switches and door handle-activated illuminated entry
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 6:14:58 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine.)
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power (Not standard with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- Alternator, 125 amps
- Recovery hooks, front, frame-mounted
- Body, Chassis Cab, includes (VF7) bumper delete
- Frame, hydroformed
- GVWR, 11,400 lbs. (5171 kg) (Standard with 2WD models only.)
- Rear axle, 66" (167.6 cm) wide
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailer, heavy-duty includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Includes 6 tires with (ZW9) pickup box delete.)
- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:14:58 PM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC31403 2WD Reg Cab 161.5" WB,84.4" CA WT

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger with passenger-side deactivation switch (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 6:14:58 PM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(S). Spec # 3958-0077D
 MAKE OF TRUCK: Gmc MODEL: Sierra TC31403 GVWR 11400 lbs.
 PAYLOAD: 5087 W.B. 161.5" C.A. 84.4" C.E. 135.5"
 ENGINE: (GAS - DIESEL) Diesel MAKE: Gm Duramax MODEL: LMM, 6.6SAE H.P. 365
 FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7 6-spd
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4300 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY Dual 730 cca.
 TIRE SIZE: FRONT (T225/75R17E) PR REAR (T225/75R17E) SINGLE _____ DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCV
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CAB AND CHASSIS
(Payload-6,675 lbs., min.)*

MODEL-2008 CURRENT NEW

	<u>FORD</u> <u>F-450</u>	<u>CHEV/GMC</u> <u>C4C042</u>	<u>DODGE</u> <u>DM4L64</u>
G.V.W.R. (12,500 lbs. min.)	16,000	16,500	16,500
Wheelbase (inches)	164.8	152	188.5
C.A. (inches)	84	84	84
Engine: Diesel	6.4L	6.6L	6.7L
Type & No. of Cylinders	V-8 Turbo	V-8 Turbo	L-6 Turbo
Net H.P.-S.A.E.	325	300	305
Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed	5 Speed w/ PTO	6 Speed w/ PTO	6 Speed 12,000
Axle, Min. Cap.			
Front-lbs.	7,000	7,000	7,000
Rear-lbs.	12,000	11,000	12,000
Springs, Min. Cap. at Ground			
Front-lbs. each	3,000	3,500	TBD
Rear-lbs. each including aux.	6,000	5,500	TBD

*SEE Mich. 3958-0079 or Mich. 3958-0080 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.

- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in. minimum. Installed.
- Spare tire and wheel. Mfg. Std. mounting. GMC- Spare wheel only – Tire Not Avail
- Steering-Power
- Wrench-wheel. – GMC – Not Available

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS</u> (Payload-6,675 lbs., min.)* Mich. Spec. #3958-0078	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: C4500 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.50	\$30,950.00*

Final Point of Assembly: Flint, MI

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0078

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC TC4500

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC4C042 Regular Cab 2WD

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC4C042	2008 GMC TC4500 Regular Cab 2WD	\$28,890.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC4C042 Regular Cab 2WD

<u>Code</u>	<u>Description</u>
69V	Interior: Very Dark Pewter
50U	Exterior 1: Summit White
50L	Exterior 2: Summit White

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC4C042 Regular Cab 2WD

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
PREFERRED EQUIPMENT GROUP		
C4C042	CUSTOM/BASE MODEL	\$0.00
DIESEL ENGINE		
LRX	DURAMAX DIESEL 6.6L, 300 HP (223 KW) @ 3000 RPM, 520 LB-FT (705 N-M) TORQUE @ 1600 RPM	\$9,259.00
GVWR		
C7R	16,500 LBS. (7484 KG) CAPACITY	\$0.00
EMISSION		
FE9	FEDERAL REQUIREMENTS	INC
ALTERNATOR		
KG4	AD244, DELCO-REMY 150-AMP MAXIMUM	\$0.00
BATTERY		
TNL	DUAL AC DELCO, 750 CCA, 12V	INC
ENGINE SHUTDOWN		
KPJ	AUTOMATIC ENGINE SHUTDOWN WITH ALARM	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:42:45 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC TC4500

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC4C042 Regular Cab 2WD

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EXHAUST SYSTEM		
NB5	SINGLE HORIZONTAL-PASSENGER SIDE MOUNTED INSIDE FRAME RAIL	INC
POWER TAKE OFF		
PTO	ELECTRONIC ACTIVATION SWITCH, (ELECTRIC HAND THROTTLE), IP MOUNTED	\$225.00
TRANSMISSION		
MBV	AUTOMATIC, ALLISON 1000 HS/RDS SERIES 6-SPEED	\$0.00
TRANSMISSION FLUID		
MBT	TRANSYND SYNTHETIC AUTOMATIC TRANSMISSION FLUID	INC
TRANSMISSION EQUIPMENT		
KNP	AUXILIARY TRANSMISSION OIL COOLER	\$95.00
FRONT AXLE		
FM7	7000 LBS. (3175 KG) CAPACITY	INC
FRONT SUSPENSION		
FK6	TAPERED LEAF, 7000 LBS. (3175 KG) CAPACITY	INC
FRONT WHEEL		
Q82	19.5" X 6.75" (49.5 CM X 17.1 CM), STEEL DISC	\$37.00
FRONT TIRE		
XTN	225/70R19.5F	\$0.00
FRONT TIRE BRAND		
R4A	GOODYEAR	\$0.00
FRONT TIRE TREAD		
R3C	PREMIUM, HIGHWAY	\$0.00
SINGLE SPEED REAR AXLE		
GL4	SINGLE SPEED, 11,000 LBS. (4990 KG) CAPACITY	INC
AXLE RATIO		
092	4.30:1	\$0.00
TRACTION CONTROL		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:42:45 PM

Page 2

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC TC4500

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC4C042 Regular Cab 2WD

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TRACTION CONTROL		
G80	REAR LIMITED SLIP DIFFERENTIAL	\$410.00
REAR SUSPENSION		
GR3	MULTI-LEAF, 11,000 LBS. (4990 KG) CAPACITY	INC
BOLTED OR RIVETED SUSPENSION		
EV8	REAR SUSPENSION BRACKETS ARE RIVETED TO FRAME IN LIEU OF BOLTS	\$0.00
REAR SHOCK ABSORBER		
SAN	REAR SHOCK ABSORBER NOT DESIRED	\$0.00
REAR WHEEL		
Q83	19.5" X 6.75" (49.5 CM X 17.1 CM), STEEL DISC	\$74.00
REAR TIRE		
YTN	225/70R19.5F	\$0.00
REAR TIRE BRAND		
S4A	GOODYEAR	\$0.00
REAR TIRE TREAD		
S3H	HIGHWAY TRACTION	\$0.00
SPARE WHEEL		
SNF	FRONT	\$128.00
WHEELBASE		
EG9	152" (386.1 CM)	\$163.00
FUEL TANK		
NH4	SINGLE, 40-GALLON (151L) FUEL CAPACITY	\$0.00
DRIVER CONVENIENCE PACKAGES		
ZQ3	DRIVER CONVENIENCE PACKAGE	\$155.00
MISCELLANEOUS CAB EQUIPMENT		
N33	TILT-WHEEL ADJUSTABLE STEERING	INC
K34	CRUISE CONTROL,	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:42:45 PM

Page 3

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC TC4500

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC4C042 Regular Cab 2WD

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
AIR CONDITIONING	C60	AIR CONDITIONING	\$852.00
INSIDE REARVIEW MIRRORS	D36	INSIDE DAY/NIGHT REARVIEW MIRROR	\$19.00
DRIVER SEAT	AS4	HIGH-BACK BUCKET, FIXED HEIGHT, MANUAL ADJUSTER	INC
PASSENGER SEAT	A59	TWO-PERSON, WITHOUT STORAGE	\$180.00
AIRBAGS	AL3	SUPPLEMENTAL INFLATABLE RESTRAINTS NOT INCLUDED	INC
RADIO	UM7	DELCO AM-FM STEREO RADIO	\$150.00
EXTERIOR MIRRORS	DB5	MANUAL, 102" (259 CM) WIDE LOAD, INTEGRAL ARM, INTEGRAL CONVEX MIRROR	INC
PAINT	ZY1	SOLID NON-METALLIC PAINT	INC
INTERIOR TRIM	69I	VERY DARK PEWTER	INC
SEAT TRIM	_V	VINYL SEAT TRIM	INC
ADDITIONAL OPTIONS	VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL			\$11,747.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:42:45 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC TC4500

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC4C042 Regular Cab 2WD

EXTERIOR

- Paint scheme, solid, upper color, Summit White
- Paint scheme, solid, lower color, Summit White
- Exterior roof drip moldings
- Bumper, front, steel, 96" (243.8 cm) wide - styled to minimized wall to wall turn diameter painted argent
- Steps under cab doors
- Front mud flaps
- Integral grille and fenders - The grille is the same color as hood with single halogen headlamps.
- Roof marker lamps
- Daytime running lamps
- Windows, Solar-Ray tinted. Light tinted windshield and side window glass with light transmissivity of 70%
- Mirrors, manual, 102" (259 cm) wide load, integral arm, integral convex mirror - black molded composite 12" x 7" (30.5 cm x 17.8 cm) with 6" x 7" (15.2 cm x 17.8 cm) convex section
- Windshield wipers, 2-speed and intermittent, with pulse washers
- Provisions for mounting front license plate
- Positive door stops

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 8:42:45 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC TC4500

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC4C042 Regular Cab 2WD

INTERIOR

- Seat, driver, high-back bucket, fixed height, manual adjuster - storage in the seat riser with a small lip at the front to stop contents from sliding out
- Seat, passenger, high-back bucket, fixed height, manual back angle adjuster - storage in the seat riser with a small lip at the front to stop contents from sliding out
- Seat trim, vinyl, Very Dark Pewter
- Interior trim, Very Dark Pewter (Requires 69V Very Dark Pewter vinyl or 69C Very Dark Pewter cloth)
- Trim console - located next to driver's seat and two cupholders
- Molded vinyl floor covering
- Steering wheel 16"
- Two sided single common key for doors and ignition
- Headlamp warning buzzer
- Warning tone, key-in-ignition
- Tachometer
- Electronic engine hour meter
- Engine "Check Gauges" telltale light and buzzer, oil pressure gauge
- Gauges, low oil pressure and coolant level, high coolant and engine oil temperature
- Vinyl door trim panels - with storage pocket on front doors, beverage holders, and reflector on all doors
- Stepwell storage areas at each door front and rear. Includes storage cover.
- Cloth headliner
- Sunshades, passenger side and driver side, vinyl-covered
- Coat hooks (2) located on cab back panel
- Provisions for stereo - Includes AM/FM antenna, lead wiring for speakers, and separate door chime module (N/A with ZQ2 power convenience option)
- Air conditioning not desired - this option should be ordered only when a customer does not require air conditioning
- Powerpoints - two in-cab power sources (in addition to optional cigarette lighter) for electrical plug-in accessories

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:42:45 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC TC4500

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC4C042 Regular Cab 2WD

- Underhood bodybuilder connections accessory power supply - Provides 12V power supply from the battery with two separate 30 amp fused circuits

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:42:45 PM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbxx@hotmail.com

2008 Fleet/Non-Retail GMC TC4500

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC4C042 Regular Cab 2WD

MECHANICAL

- GVWR, 16,500 lbs. (7484 kg) capacity - GCWR limited to 24,000 lb. (10,866 kg) (Requires FM7 7000 lbs. (3175 kg) front axle) NOTE: Trucks that are used primarily to tow a trailer may be liable to Federal Excise Tax (FET). A New Law (Highway Transportation Bill HR3) was passed on August 10, 2005 - Check with IRS for guidelines
- Engine, Vortec 8.1L MD gasoline V8, 325 hp (239 kw) @ 4000 rpm and 450 lb-ft torque (610 N-m) @ 2,800 rpm. - Maximum engine speed 5000 rpm. Oil Level Sensor: Warning sensor for low oil levels
- Air cleaner, dry type
- Cooling, anti-freeze protection temperature - -40 degrees F (-40 degrees C)
- Road speed governor, controlled by the speed rating of the tires ordered. - which will be less than or equal to 85 mph (137 kph); 80 mph (129 kph) with EC9 128" wheelbase/60" CA, ML6 manual transmission and 008 4.88 rear axle ratio; 75 mph (120 kph) with EC9 128" wheelbase/60" CA, M74 automatic transmission and HD2 rear axle
- Alternator, AD244 Delco-Remy 150-amp maximum (N/A with YW2 wrecker package)
- Battery, single AC Delco, 600 CCA, 12V - 115-minute reserve capacity @ 27 degrees C, 600 CCA @ -18 degrees C grounded directly to starter, (Requires gasoline engine; N/A with ANQ Snow Plow Prep package or YW2 Wrecker package)
- Exhaust, single horizontal - passenger side mounted inside frame rail, with gasoline engine stainless-steel exhaust with catalytic converter, with diesel engines, stainless-steel exhaust, oxidation catalyst, diesel particulate filter and exhaust gas cooler
- Option PTO not required - This option should only be ordered when a customer specifically does not require an electric hand throttle for use with power-take-off provisions. (Note: Will delete transmission PTO gear.)
- Transmission, automatic, Allison 1000 HS/RDS Series 6-speed - With parking pawl and column shift, includes 4th Generation Electronic Controls and 0.61 overdrive. Torque Rating: 660 lb-ft (895 N-m) with shift energy management. Available with a Gross Vehicle Weight up to 19,500 lbs. (8845 kg) and a Gross Combination Weight Rating up to 26,000 lbs. (11,790 kg). To include PTO gear, please order with RPO PTO for Allison 1000 RDS Rugged Duty Series transmission. Includes transmission-oil cooler located inside radiator. With Option PTX the truck will be equipped with the Allison 1000 HS Highway Series transmission. (N/A with ANM Fire and Rescue or YF2 Ambulance Package)
- TranSynd synthetic automatic transmission fluid
- Front axle, 7000 lbs. (3175 kg) capacity - I-beam Wide-trac. Up to 53 degree turn angle, includes 4-piston brake apply calipers. Steering Gear Series: ZF8014
- Front suspension, tapered leaf, 7000 lbs. (3175 kg) capacity (includes stabilizer)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:42:45 PM

Page 8

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC TC4500

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC4C042 Regular Cab 2WD

- Front shock absorber, diameter 1.375" (35mm)
- Front stabilizer bar, 2" x 2" square tube (5 cm x 5 cm)
- Front wheels, 19.5" x 6.0" (49.5 cm x 15.2 cm), steel disc - 8-hole. 7280 lbs. (3302 kg) capacity
- Front tire size, 225/70R19.5F - 7280 lbs. (3802 kg) capacity, (With R4A Goodyear or R4L Michelin requires R3C front premium highway tread)
- Front tire manufacturer code, Goodyear (Requires S4A Goodyear)
- Front tread, premium, highway (Requires R4A Goodyear or R4L Michelin)
- Rear axle, single speed, 11,000 lbs. (4990 kg) capacity - full floating, Includes 2-piston brake applied calipers
- Rear wheel drive
- Rear axle ratio, 5.13:1 (Requires gasoline engine)
- Rear suspension, multi-leaf, 11,000 lbs. (4990 kg) capacity (Requires GL4 single speed rear axle)
- Rear suspension brackets are riveted to frame in lieu of bolts
- Rear shock absorber not desired (N/A with tapered leaf springs)
- Rear wheels, 19.5" x 6.0" (49.5 cm x 15.2 cm), steel disc - 8-hole. 14,560 lbs (6604 kg) capacity
- Rear tire size, 225/70R19.5F - 13,660 lbs. (6196 kg) capacity, (With S4A Goodyear, requires S3C rear premium highway tread or S3H rear traction tread; with S4L Michelin, requires S3C rear premium highway tread or S3J rear highway traction tread)
- Rear tire manufacturer code, Goodyear (Requires R4A Goodyear)
- Rear tread, premium, highway (Requires S4A Goodyear or S4L Michelin)
- Wheelbase, 128" (325.1 cm) - with 60" (152.4 cm) CA and 100" (254 cm) CE. Includes a 6 mm 80,000 psi (551,600 kPa) yield strength, steel frame, RBM: 610,400 Section Modulus 7.63 (Requires KYW 75 mph (120 kph) road speed governor and HD2 13,500 lbs. (6123 kg) capacity rear axle)
- Frame, 6mm - 80,000 psi (551,600 kPa) yield strength, steel frame, RBM: 610,400 Section Modulus 7.63
- Fuel tank, single, 25-gallon (95L) fuel capacity - gas or diesel located midship between the frame rails, with fuel fill neck through the frame rail (this option uses the mid-frame tank included in the NG6 dual tank option) Tethered fuel cap is black with gasoline engines, and green un-tethered fuel cap with diesel engines. MINIMUM OVERHANG = 36" (3 FEET) (Required in YW2 Wrecker Package, standard on 60" (152.4 cm) CA, optional on all other CA's)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:42:45 PM

Page 9

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC TC4500

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC4C042 Regular Cab 2WD

- Fuel sender assembly. Robust fuel pump
- Tethered fuel cap
- Steering, power - ZF variable ratio power
- Brakes, front, power, 4-wheel disc, 4 channel ABS 2-piston - (See front axle options for more detail)
- Brakes, rear, power, 4-wheel disc, 4 channel ABS 2-piston - (See rear axle options for more detail)
- Parking brake, hand lever operated transmission mounted drum brake

SAFETY

- 4-wheel disc, 4-channel ABS
- Air bags, Supplemental Inflatable Restraints not included.
- This vehicle does not include any air bags
- Seat belt warning indicator
- Daytime running lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:42:45 PM

Page 10



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(S). Spec # 3958-0078
 MAKE OF TRUCK: GMC MODEL: C4500 GVWR 16500 lbs.
 PAYLOAD: 8836 # ✓ W.B. 152" ✓ C.A. 84" ✓ C.E. 146"
 ENGINE: (GAS - DIESEL) Diesel ✓ MAKE: Gm Duramax MODEL: LRY 6.6 SAE H.P. 300 ✓
 FUEL TANK(S) CAPACITY: 40 Single (GALS. TOTAL) TRANSMISSION: Allison 1000 MBV 6-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 3500 ✓ lbs. REAR 5500 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 7000 ✓ lbs. REAR 11000 ✓ lbs. REAR RATIO 4.30
 ALTERNATOR: 150 ✓ amps. BATTERY Dual 750 ✓ cca.
 TIRE SIZE: FRONT T225/70R19.5 SPR REAR 225/70R14.5 SINGLE _____ DUAL ✓ M&S ✓
 TIRE: MAKE Goodyear STYLE NO. TBD MFG. CODE XTN
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: UTILITY 4-WHEEL DRIVE, 4-DOOR
(Payload-900 lbs., min.)

MODEL-2008 CURRENT

	JEEP LIBERTY <u>KJH74</u>	CHEVROLET/GMC TRAILBLAZER/ENVOY <u>T15506</u>	CHEVROLET <u>EQUINOX</u>	FORD <u>EXPLORER</u>	DODGE <u>NITRO</u>
G.V.W.R. (lbs.)	5,600	5,750	5,070	6,180	5600
Wheelbase (inches)	106.1	113.0	112.5	113.7	108.8
Engine: Gasoline	3.7L	4.2L	3.4L	4.0L OHV	3.7
Type & No. of Cylinders	V-6	V-6	V-6	V-6	V-6
Net H.P.-S.A.E.	210	291	185	210	210

Transmission: Automatic

w/2 speed transfer case, and maximum capacity transmission oil cooler.

Factory installed.

Tires, tubeless radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

GMC- All season tread

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view

mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
GMC- Driver & Front Passenger Bucket Seats
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 500 CCA, minimum.
- Brakes-Power.
- Bumper-Rear, Mfg. Stnd.
- Defogger-rear window.
- Hubs-automatic locking type
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- swing away type, 24 square inch minimum, Installed.

- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power
- Top-Full, hard top.
- Wiper, Rear, w/Washer
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: UTILITY 4-WHEEL DRIVE, 4-DOOR</u> (Payload-900 lbs., min.) Mich. Spec. #3958-0083	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Envoy <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$20,762.00*

Final Point of Assembly: Moraine, OH

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0083

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Envoy 4WD 4dr SLE Fleet TT15506

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TT15506 4WD 4dr SLE Fleet

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TT15506	2008 GMC Envoy 4WD 4dr SLE Fleet	\$29,285.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TT15506 4WD 4dr SLE Fleet

<u>Code</u>	<u>Description</u>
48H	Interior: Ebony
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TT15506 4WD 4dr SLE Fleet

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LL8	ENGINE, 4.2L I6 SFI	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE	\$0.00
DIFFERENTIAL		
---	NO LOCKING REAR DIFFERENTIAL	\$0.00
AXLE		
GU6	REAR AXLE, 3.42 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	SLE PREFERRED EQUIPMENT GROUP,	-\$355.00
SEAT TYPE		
A50	SEATS, FRONT BUCKET	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:54:56 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Envoy 4WD 4dr SLE Fleet TT15506

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TT15506 4WD 4dr SLE Fleet

CATEGORY		MSRP
Code	Description	
SEAT TRIM		
__H	SEAT TRIM, DELUXE CLOTH	\$0.00
PAINT		
___	PAINT, SOLID	\$0.00
RADIO		
UB0	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER,	\$0.00
WHEEL TYPE		
N77	WHEELS, 4-17" X 7" (43.2 CM X 17.8 CM) CAST ALUMINUM,	\$0.00
REAR DEFOGGER		
C49	DEFOGGER, REAR-WINDOW, ELECTRIC	\$200.00
ADDITIONAL OPTIONS		
U2J	XM SATELLITE RADIO DELETE	-\$200.00
R7M	ONSTAR, DELETE	-\$85.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		-\$440.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:54:56 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Envoy 4WD 4dr SLE Fleet TT15506

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TT15506 4WD 4dr SLE Fleet

EPA FUEL ECONOMY RATINGS

- City 14/hwy 20 (4.2L engine/4-speed auto trans)

EXTERIOR

- Luggage rack side rails, roof-mounted, Black
- Fascias, front and rear color-keyed, rear step includes pad
- Moldings, chrome bodyside
- Grille, body-color with bright trim, molded plastic and additional chrome accents
- Fog lamps, front round halogen
- Daytime Running Lamps
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, cornering
- Mirrors, outside manual, Black (May be substituted with (DP2) outside power- adjustable, Black mirrors.)
- Glass, Solar-Ray deep tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wipers, front intermittent with washers
- Wipers, rear intermittent with washer
- Body, liftgate with liftglass, electric release and rear-window wiper/washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 8:54:56 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Envoy 4WD 4dr SLE Fleet TT15506

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TT15506 4WD 4dr SLE Fleet

INTERIOR

- Seats, front bucket with Cloth, manual adjusting, adjustable outboard head restraints, storage pocket and front passenger manual recline
- Seat, rear split-folding
- Seat trim, Deluxe Cloth
- Console, floor with CD storage
- Cup holders, 2 front on the floor console
- Cup holders, 2 in the second row
- Floor covering, color-keyed carpeting
- Floor mats, color-keyed carpeted front and rear
- Quiet Package with strategically placed elements of sound insulation
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, vinyl (Upgradeable to (NP5) leather-wrapped steering wheel.)
- Theft-deterrent system, vehicle PASSlock
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure, tachometer, liftgate ajar, warning light for safety belt, ABS/parking brake, directional hazard signals and high beam
- Windows, power with driver and front passenger Express-Down and driver lockout
- Door locks, power programmable with lockout protection
- Remote Keyless Entry, programmable with 2 transmitters and panic button
- Tire Pressure Monitoring System

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:54:56 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Envoy 4WD 4dr SLE Fleet TT15506

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TT15506 4WD 4dr SLE Fleet

- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands- Free Calling, Accident Assist, and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with certain FDR order types. Not available with a ship-to of Puerto Rico or the Virgin Islands.
- Cruise control, electronic with set and resume speed
- Audio system, AM/FM stereo with CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and 6 speakers
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 month trial. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com.)
- Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger
- Heater and defogger with front and side front door window defoggers and rear passenger heating ducts
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded with cloth trim, color-keyed
- Lighting, interior with theater dimming, cargo compartment, reading lights for front seats, second row lamps integrated into dome light, door-and tailgate-activated switches and illuminated entry and exit feature
- Cargo tie downs, 5 in-floor, located in the rear compartment

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:54:56 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Envoy 4WD 4dr SLE Fleet TT15506

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TT15506 4WD 4dr SLE Fleet

MECHANICAL

- Engine, 4.2L I6 SFI with transmission oil cooler (285 HP [212 kW] @ 6000 rpm, 276 lb-ft of torque [374 Nm] @ 4600 rpm)
- Transmission, 4-speed automatic, electronically controlled with overdrive
- Transfer case, electronic Autotrac, includes auto 4WD and panel-mounted electronic controls (Requires TT15506.)
- Rear axle, 3.42 ratio
- 4-wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Trailing equipment, heavy-duty, includes trailing hitch platform, 7-wire harness, CHMSL wire and heavy-duty flasher
- Trailing wire harness, connector
- GVWR, 5750 lbs. (2608 kg) (TT15506 Models only.)
- StabiliTrak, stability control system
- Suspension Package, Luxury Ride, includes 1.81" (46 mm) high pressure gas shocks, front and rear urethane jounce bumpers and front and rear stabilizer bars
- Tires, P245/65R17 all-season, blackwall
- Tire, full-size spare P235/75R16 all-season, blackwall
- Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) cast aluminum, includes center cap and steel spare (May be substituted with (N80) 4 - 17" x 7" (43.2 cm x 17.8 cm) 6-spoke high-polished aluminum wheels.)
- Wheel, 16" (40.6 cm) full-size spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:54:56 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Envoy 4WD 4dr SLE Fleet TT15506

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TT15506 4WD 4dr SLE Fleet

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, front and rear outboard seating positions (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the rear side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Door locks, rear child security
- StabiliTrak, stability control system
- Daytime Running Lamps
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Horn, dual-note high and low

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 8:54:56 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0083
 MAKE OF TRUCK: GMC MODEL: Envoy T710506 GVWR 5750 lbs.
 PAYLOAD: 1244 # ✓ W.B. 113" ✓ C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) GAS MAKE: Gm MODEL: LL8, 4.2 ✓ SAE H.P. 285
 FUEL TANK(S) CAPACITY: 22 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 1550 lbs. REAR 1600 lbs. AUX. N/A lbs.
 AXLES: FRONT 2950 lbs. REAR 3200 lbs. REAR RATIO 3.42
 ALTERNATOR: 150 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT P245/65R17 PR REAR P245/65R17 PR SINGLE ✓ DUAL ✓ M&S ✓
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QTM
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: UTILITY 2-WHEEL DRIVE, 4-DOOR
ALTERNATE FUEL VEHICLES
(Payload-900 lbs., min.)

MODEL-2008 CURRENT	(Hybrid)				
	CHEV/ GMC YUKON <u>TAHOE</u>	CHEV/ GMC YUKON <u>TAHOE</u>	DODGE <u>DURANGO</u>	JEEP <u>COMMANDER</u>	JEEP <u>GRAND CHEROKEE</u>
G.V.W.R. (lbs.)	7,100	7,100	6,750	TBD	TBD
Payload	1,901	1,907	1,750	TBD	TBD
Wheelbase (inches)	116.0	116.0	119.2	TBD	TBD
Engine:	5.3 L E-85	6.0L	4.7L E-85	TBD	TBD
Type & No. of Cylinders	V-8	V-8	V-8	TBD	TBD
Net H.P.-S.A.E.	320	332	235	TBD	TBD

Transmission: Automatic

Tires, tubeless radial to meet G.V.W.R. Tread design shall be All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view

mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Battery-12 Volt, 500 CCA, minimum.
- ☑ Brakes-Power.
- ☑ Bumper-Rear, Mfg. Std.
- ☑ Defogger-rear window.
- ☑ Hubs-automatic locking type
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- ☑ swing away type, 24 square inch minimum, Installed.
- ☑ Spare tire and wheel. Full Size. Mfg. Std. mounting.

- Steering-Power
- Top-Full, hard top.
- Wiper, Rear, w/Washer
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: UTILITY 2-WHEEL DRIVE, 4-DOOR</u> <u>ALTERNATE FUEL VEHICLES</u> (Payload-900 lbs., min.) Mich. Spec. #3958-0083A	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Yukon E-85 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$24,264.00*

Final Point of Assembly: Arlington, TX

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0083 A

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10706	2008 GMC Yukon 2WD 4dr 1500 Commercial	\$34,790.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT,	\$800.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
—	NO LOCKING REAR DIFFERENTIAL	\$0.00
AXLE		
GU6	REAR AXLE, 3.42 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	COMMERCIAL PREFERRED EQUIPMENT GROUP	-\$1,950.00
SEATING ARRANGEMENT		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 8:37:30 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
SEATING ARRANGEMENT		
___	NO THIRD ROW SEAT	\$0.00
SEAT TYPE		
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH	\$0.00
SEAT TRIM		
__V	VINYL SEAT TRIM	\$0.00
PAINT		
___	PAINT, SOLID	\$0.00
RADIO		
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER,	\$0.00
WHEEL TYPE		
NX7	WHEELS, 4-17" X 7" (43.2 CM X 17.8 CM) STEEL	\$0.00
ADDITIONAL OPTIONS		
ANJ	GLASS, NON-DEEP TINTED	-\$295.00
G63	LUGGAGE RACK, DELETE	-\$25.00
UE0	ONSTAR, DELETE	-\$85.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		-\$1,555.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 8:37:30 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

EPA FUEL ECONOMY RATINGS

- City 14/hwy 19 (4.8L engine/4-speed auto trans)
- City 14/hwy 20 (5.3L engine/4-speed auto trans)
- City 14/hwy 20 (5.3L flex-fuel engine/4-speed auto trans)
- City 11/hwy 15 (5.3L flex-fuel engine/4-speed auto trans with E85 gas/ethan. mix)

EXTERIOR

- Luggage rack side rails, roof-mounted, Black
- Fascia, front color-keyed
- Fascia, rear color-keyed
- Air dam, Gray
- Grille, chrome surround
- Assist steps, body-color, mounted between front and rear wheels
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Mirrors, outside heated power-adjustable, body-color, manual-folding
- Glass, Solar-Ray deep-finted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wipers, front intermittent wet-arm with flat blade and pulse washers
- Body, liftgate with liftglass, rear door system with rear-window wiper/washer
- Wiper, rear intermittent with washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 26, 2007 8:37:30 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

INTERIOR

- Seats, front 40/20/40 split-bench with Custom Cloth, 3-passenger, includes 6-way power driver seat adjuster, driver and front passenger manual reclining, center fold-down storage armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets
- Seat adjuster, driver power (Not available with vinyl seats.)
- Seats, second row 60/40 split-folding bench with Custom Cloth, 3-passenger with center armrest and storage tray
- Cup holders, in front seating area
- Cup holders, driver and passenger-side in third row side trim
- Floor covering, Black rubberized-vinyl (Required with (AZ3) front 40/20/40 split-bench seat with vinyl or SEO (9S1) vinyl bucket seats.)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, vinyl
- Tow/haul mode selector, button located at end of shift lever
- Tire Pressure Monitoring System (does not apply to spare tire)
- Driver Information Center, full-functionality included
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Remote vehicle starter prep package, includes Remote Keyless Entry (Remote vehicle starter fob available through GM Accessories.)
- Cruise control, electronic with set and resume speed
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 8-speaker system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 8:37:30 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

- XM Satellite Radio, delete
- Antenna, integral in rear quarter glass
- Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger
- Air conditioning, rear auxiliary
- Heater, rear auxiliary with rear passenger heating ducts
- Defogger, rear-window electric
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Theft-deterrent system, vehicle, PASS-Key III
- Power outlets, 3 auxiliary, 12-volt, includes 2 on the instrument panel and 1 in the cargo area
- Door trim, lights on the front doors and side reflectors on the rear doors
- Armrests, driver and passenger doors, padded
- Mirror, inside rearview auto-dimming with 8-point compass and outside temperature display
- Console, overhead mini with map lights
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod, includes corner storage pockets on back of visors, Shale-colored
- Assist handles, front passenger and second row outboard
- Coat hooks, driver- and passenger-side rear seat and cargo area
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Storage bin, behind driver-side rear quarter panel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 8:37:30 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

- Fleet Package

MECHANICAL

- Vortec 4.8L V8 SFI (295 hp [220.0 kW] @ 5600 rpm, 305 lb-ft torque [411.8 N-m] @ 4800 rpm), iron block (Standard on 2WD models only. Not available on 4WD models or with (NHT) Max Trailering Package.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.23 ratio (Requires 2WD models. Upgradeable to (GT4) 3.73 rear axle ratio. Not available with (NHT) Max Trailering Package.)
- Rear wheel drive
- Alternator, 160 amps
- Trailering equipment, heavy-duty, includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and (VR4) 2" trailering receiver
- GVWR, 7100 lbs. (3221 kg) (Standard on 2WD models.)
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Suspension Package, Premium Smooth Ride
- Suspension, front coil-over-shock with stabilizer bar
- Suspension, rear multi-link with coil springs
- Tires, P265/70R17 all-season, blackwall
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Tire, spare P265/70R17 (Upgradeable to (4JP) P265/70R17 on-/off-road, blackwall spare tire.)
- Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel (Upgradeable to (QF7) 4 - 17" x 7.5" (43.2 cm x 19.1 cm) bright aluminum wheels.)
- Wheel, 17" (43.2 cm) full-size, steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench, stored in rear quarter trim

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 8:37:30 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) 3-passenger third row 50/50 split-bench seat or (AW2) 2-passenger third row 50/50 split-bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.1, Data updated 12/18/2007 11:36:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 26, 2007 8:37:30 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(S): 3958-0083 A
 MAKE OF TRUCK: Gmc MODEL: Yukon TC10706 GVWR 7100 lbs.
 PAYLOAD: 1901 # W.B. 116" C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) Gas/E85 MAKE: Gm MODEL: L46 S3 SAE H.P. 320
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Gm Hydraulic M30 4-spd
 SPRING CAP. @ GROUND EACH: FRONT 1625 lbs. REAR 2050 lbs. AUX. N/A lbs.
 AXLES: FRONT 3200 lbs. REAR 4100 lbs. REAR RATIO 3.42
 ALTERNATOR: 160 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT P265/70R17 PR REAR P265/70R17 PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QAN
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY MIDSIZE, 4 x 4
(Approx. 7' Box) (Payload-1,000 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/COLORADO GMC/CANYON <u>T15403</u>	FORD <u>RANGER</u>	DODGE DAKOTA <u>ND5L33</u>
G.V.W.R. (lbs.)	5,150	4,840	4,800
Wheelbase (inches)	111.3	117.5	112.0
Engine: Gasoline	2.9L	3.0L	3.7L
Type & No. of Cylinders	I-4	V-6	V-6
Net H.P.-S.A.E.	185	148	210
Transmission: Automatic With 2 speed transfer case, and maximum capacity transmission oil cooler. Factory installed.			
Axle, min. Cap. Rear-lbs.	2,900	2,750	3,806
Springs, Cap. at Ground			
Front-lbs. each	1,377	1,355	1,800
Rear-lbs. each	1,450	1,300	1,375

Cab-Full width rear window.

Tires, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.
GMC- All season tread

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Battery-12 Volt, 500 CCA, minimum.
- Brakes-Power.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Hubs-automatic locking type or axle shaft disconnect system.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- swing away type, 35 square inch minimum, Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY MIDSIZE, 4 x 4</u> (Approx. 7' Box) (Payload-1,000 lbs., min.) Mich. Spec. #3958-0084	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Canyon F.O.B. - Dealership Delivery Cost Per Mile \$1.00	\$14,725.00*

Final Point of Assembly: Shreveport, LA

Dealer Information

Dealer Name: Red Holman Pontiac GMC

Street Address: 35300 Ford Road

City: Westland

State: MI

Zip: 48185

Contact Name: Albert Li

Telephone: (800) 482-3032

Cell: (734) 637-6643

E-mail: aclixx@hotmail.com

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0084

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 4WD Reg Cab 111.2" Work Truck TT15

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TT15403 4WD Reg Cab 111.2" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TT15403	2008 GMC Canyon 4WD Reg Cab 111.2" Work Truck	\$18,050.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TT15403 4WD Reg Cab 111.2" Work Truck

<u>Code</u>	<u>Description</u>
92W	Interior: Medium Pewter
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TT15403 4WD Reg Cab 111.2" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LLV	ENGINE, 2.9L DOHC 4-CYLINDER MFI	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE	\$1,095.00
DIFFERENTIAL		
—	NO LOCKING DIFFERENTIAL	\$0.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	YC1 PREFERRED EQUIPMENT GROUP	\$0.00
SPARE TIRE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:14:22 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclbxx@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 4WD Reg Cab 111.2" Work Truck TT15

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TT15403 4WD Reg Cab 111.2" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
SPARE TIRE ZFL	TIRE, SPARE P235/75R15 ALL-SEASON, BLACKWALL,	\$115.00
SEAT TYPE AM6	SEATS, FRONT 60/40 SPLIT-BENCH WITH VINYL,	\$0.00
SEAT TRIM __W	SEAT TRIM, VINYL	\$0.00
PAINT __	PAINT, SOLID	\$0.00
RADIO UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$1,210.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:14:22 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 4WD Reg Cab 111.2" Work Truck TT15
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TT15403 4WD Reg Cab 111.2" Work Truck

EPA FUEL ECONOMY RATINGS

- City 16/hwy 22 (2.9L engine/5-speed manual trans)
- City 17/hwy 22 (2.9L engine/4-speed auto trans)
- City 15/hwy 21 (3.7L engine/4-speed auto trans)

EXTERIOR

- Bumpers, front and rear chrome with a Dark Smoke Gray pad on the rear step-style bumper
- Air dam, Ebony
- Wheel flares, front and rear, small, body-color (Included on 4WD models with Z85) Heavy-Duty Suspension Package)
- Fascia, front Dark Smoke Gray
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, manual-folding
- Wipers, front intermittent with washers
- Tailgate, 2-position

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:14:22 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 4WD Reg Cab 111.2" Work Truck TT15

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TT15403 4WD Reg Cab 111.2" Work Truck

INTERIOR

- SL Decor
- Seats, front 60/40 split-bench with vinyl, integral outboard head restraints and dual cup holders (Upgradeable to (92D) Pewter SL Cloth trim)
- Floor covering, full-width rubberized-vinyl (Not available with (AJ2) driver- and passenger-side, forward-facing, flat-folding rear seat on T*15653. Upgradeable to (B30) color-keyed carpeted floor covering)
- Steering wheel, 4-spoke
- Steering column, Tilt-Wheel
- Theft-deterrent system, vehicle, PASSlock
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, engine temperature, tachometer and Driver Information Center
- Warning tones, headlamp on, key-in-ignition, driver safety belt unfasten, turn signal on and critical Driver Information Center active
- Tire Pressure Monitor
- Door locks, manual
- Windows, manual driver and front passenger
- Cruise control
- Audio system, AM/FM stereo with seek-and-scan and digital clock (does not include (UE1) OnStar) (Upgradeable to (US8) AM/FM stereo with CD/MP3 player for Fleet and Government order types only and (UE1) OnStar)
- Air conditioning, single-zone manual
- Power outlets, 2 auxiliary, covered, 12-volt
- Door trim, integral armrests and driver- and front passenger-side map pockets
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded with cloth, includes front passenger vanity mirror
- Coat hook, driver-side rear

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:14:22 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 4WD Reg Cab 111.2" Work Truck TT15

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TT15403 4WD Reg Cab 111.2" Work Truck

MECHANICAL

- Engine, 2.9L DOHC 4-cylinder MFI (185 hp [137.9 kW] @ 5600 rpm), 190 lb-ft [263.2 Nm] @ 2800 rpm (Upgradeable to (LLR) 3.7L DOHC 5-cylinder Engine. Not available or included with (YF5) California state emissions or (NE1) Connecticut, Maine, Massachusetts, New York, Pennsylvania, Rhode Island and Vermont state emissions on TS15403 2WD models. Refer to the Engine and Axle section for compatibility requirements. Must specify. Not available with (Z71) High Stance Off-Road Suspension Package)
- Transmission, 5-speed manual with overdrive (Not available with (LLR) 3.7L DOHC 5-cylinder MFI engine or (Z71) High Stance Off-Road Suspension on 4WD Models. Refer to the Engine and Axle section for compatibility requirements. Must specify. Upgradeable to (M30) 4-speed automatic transmission.)
- Transfer case, Insta-Trac, electronic shift with dash-mounted controls (Standard on 4WD models only)
- Four wheel drive
- Rear axle, 3.73 ratio (Refer to the Engine and Axle section for compatibility requirements. Must specify.)
- Battery, heavy-duty 590 cold-cranking amps, maintenance-free with rundown protection
- Alternator, 125 amps
- Pickup box, Fleetside, all-welded steel with double-wall construction and corrosion protection with 4 cargo tie-downs
- GVWR, 5150 lbs. (2336 kg) (Standard on TT15403 4WD Regular Cab models. Refer to the Engine and Axle section for compatibility requirements)
- Suspension Package, Heavy-Duty
- Suspension, front independent with torsion bar (Standard on 4WD models only)
- Suspension, rear semi-floating axle with 2-stage multi-leaf springs
- Front underbody shield (4WD models only)
- Tires, P235/75R15 all-season, blackwall (4WD models only)
- Tire, compact spare, located at rear underbody of vehicle (Upgradeable to (ZCE) spare P205/75R15 all-season, blackwall tire on 2WD models and (ZFL) P235/75R15 all-season, blackwall spare tire on 4WD models)
- Wheels, 4 - 15" x 6" (38.1 cm x 15.2 cm) steel
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 9:14:22 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Canyon 4WD Reg Cab 111.2" Work Truck TT15
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TT15403 4WD Reg Cab 111.2" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's manual and child safety seat instructions for more safety information.)
- Safety belts, 3-point, driver and right-front passenger, adjustable (center position lap belt with bench seat only)
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:14:22 PM

Page 6



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0084
 MAKE OF TRUCK: GMC MODEL: Canyon T715403 GVWR 5150 lbs.
 PAYLOAD: 1600 ✓ W.B. 111.2" ✓ C.A. 34.20 C.E. N/A
 ENGINE: (GAS - DIESEL) Gas ✓ MAKE: Gm MODEL: LLV, 2.9 SAE H.P. 185 ✓
 FUEL TANK(S) CAPACITY: 19 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 1377 ✓ lbs. REAR 1450 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 2753 lbs. REAR 2900 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY 590 ✓ cca.
 TIRE SIZE: FRONT P235/75R15 PR REAR P235/75R15 PR SINGLE ✓ DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QFL
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

