

TRUCK: UTILITY, 4-DOOR, 6-PASSENGER, FULL SIZE, 4 x 4  
 (Payload-1,480 lbs., min.)

MODEL-2008 CURRENT NEW

	JEEP		DODGE	CHEV/GMC
	GRAND CHERROKEE	DURANGO	FORD	TAHOE/YUKON
	<u>COMMANDER</u>	<u>HB5M74</u>	<u>EXPEDITION</u>	
G.V.W.R. (lbs.)	5,900	6,600	7,000	7,300
Wheelbase (inches)	109.0	119.2	119	116
Engine: Gasoline	4.7L	4.7L	5.4L	5.3L
Type & No. of Cylinders	V-8	V-8	V-8	V-8
Net H.P.-S.A.E.	305	300	300	320
Transmission: Automatic				
Axle, Min. Cap.-lbs.				
Front	TBD	3,600	3,700	3,600
Rear	TBD	3,900	4,250	4,100
Springs, Cap. at Ground				
Front-lbs., ea.	TBD	1,800	1,750	1,800
Rear-lbs., ea.	TBD	1,950	2,125	2,050

Tires, Tubeless-P235/75R15 minimum. All Season.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA min.
- Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Hubs-automatic locking type
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 54 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Stabilizer bar-front.
- Steering-Power.
- Wrench-wheel.

**PRICING SHEET**

<b><u>TRUCK: UTILITY, 4-DOOR, 6-PASSENGER, FULL SIZE, 4 x 4</u></b> (Payload-1,480 lbs., min.) Mich. Spec. #3958-0085		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
<b>Make: GMC    Model: Yukon</b> <b><i>F.O.B. - Dealership</i></b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$27,238.00*</b>	
<b>Final Point of Assembly: Arlington, TX</b>		
<b><u>Dealer Information</u></b>		
<b>Dealer Name: Red Holman Pontiac GMC</b>		
<b>Street Address: 35300 Ford Road</b>		
<b>City:        Westland</b>	<b>State: MI</b>	<b>Zip: 48185</b>
<b>Contact Name: Albert Li</b>		
<b>Telephone: (800) 482-3032</b>		
<b>Cell: (734) 637-6643</b>		
<b>E-mail: aclixx@hotmail.com</b>		

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
 Spec # 3905-0085

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 4WD 4dr 1500 Commercial TK10706

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK10706 4WD 4dr 1500 Commercial**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK10706	2008 GMC Yukon 4WD 4dr 1500 Commercial	\$38,590.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK10706 4WD 4dr 1500 Commercial**

<u>Code</u>	<u>Description</u>
19V	Interior: Ebony
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10706 4WD 4dr 1500 Commercial**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT,	\$0.00
<b>TRANSMISSION</b>		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
<b>DIFFERENTIAL</b>		
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR	\$295.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		
1SA	COMMERCIAL PREFERRED EQUIPMENT GROUP	-\$1,910.00
<b>TIRES</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:27:06 PM

Page 1

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 4WD 4dr 1500 Commercial TK10706

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10706 4WD 4dr 1500 Commercial**

<b>CATEGORY</b>		<b>MSRP</b>
<b>Code</b>	<b>Description</b>	
<b>TIRES</b>		
QAN	TIRES, P265/70R17 ALL-SEASON, BLACKWALL	\$0.00
<b>SEATING ARRANGEMENT</b>		
—	NO THIRD ROW SEAT	\$0.00
<b>SEAT TYPE</b>		
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH	\$0.00
<b>SEAT TRIM</b>		
—V	VINYL SEAT TRIM	\$0.00
<b>PAINT</b>		
—	PAINT, SOLID	\$0.00
<b>RADIO</b>		
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER,	\$0.00
<b>WHEEL TYPE</b>		
NX7	WHEELS, 4-17" X 7" (43.2 CM X 17.8 CM) STEEL	\$0.00
<b>ADDITIONAL OPTIONS</b>		
ANJ	GLASS, NON-DEEP TINTED	-\$295.00
G63	LUGGAGE RACK, DELETE	-\$25.00
UE0	ONSTAR, DELETE	-\$85.00
VQ1	FLEET PROCESSING OPTION	\$0.00
<b>OPTIONS TOTAL</b>		<b>-\$2,020.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
 Customer File:

December 18, 2007 9:27:06 PM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon 4WD 4dr 1500 Commercial TK10706

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10706 4WD 4dr 1500 Commercial**

---

##### *EPA FUEL ECONOMY RATINGS*

- City 14/hwy 19 (5.3L flex-fuel engine/4-speed auto trans)
- City 11/hwy 14 (5.3L flex-fuel engine/4-speed auto trans with E85 gas/ethan. mix)

##### *EXTERIOR*

- Luggage rack side rails, roof-mounted, Black
- Fascia, front color-keyed
- Fascia, rear color-keyed
- Air dam, Gray
- Grille, chrome surround
- Assist steps, body-color, mounted between front and rear wheels
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Mirrors, outside heated power-adjustable, body-color, manual-folding
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wipers, front intermittent wet-arm with flat blade and pulse washers
- Body, liftgate with liftglass, rear door system with rear-window wiper/washer
- Wiper, rear intermittent with washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:27:06 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon 4WD 4dr 1500 Commercial TK10706

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10706 4WD 4dr 1500 Commercial**

##### *INTERIOR*

- Seats, front 40/20/40 split-bench with Custom Cloth, 3-passenger, includes 6-way power driver seat adjuster, driver and front passenger manual reclining, center fold-down storage armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets
- Seat adjuster, driver power (Not available with vinyl seats.)
- Seats, second row 60/40 split-folding bench with Custom Cloth, 3-passenger with center armrest and storage tray
- Cup holders, in front seating area
- Cup holders, driver and passenger-side in third row side trim
- Floor covering, Black rubberized-vinyl (Required with (AZ3) front 40/20/40 split-bench seat with vinyl or SEO (9S1) vinyl bucket seats.)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, vinyl
- Tow/haul mode selector, button located at end of shift lever
- Tire Pressure Monitoring System (does not apply to spare tire)
- Driver Information Center, full-functionality included
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Remote vehicle starter prep package, includes Remote Keyless Entry (Remote vehicle starter fob available through GM Accessories.)
- Cruise control, electronic with set and resume speed
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 8-speaker system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 9:27:06 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon 4WD 4dr 1500 Commercial TK10706

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10706 4WD 4dr 1500 Commercial**

- XM Satellite Radio, delete
- Antenna, integral in rear quarter glass
- Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger
- Air conditioning, rear auxiliary
- Heater, rear auxiliary with rear passenger heating ducts
- Defogger, rear-window electric
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Theft-deterrent system, vehicle, PASS-Key III
- Power outlets, 3 auxiliary, 12-volt, includes 2 on the instrument panel and 1 in the cargo area
- Door trim, lights on the front doors and side reflectors on the rear doors
- Armrests, driver and passenger doors, padded
- Mirror, inside rearview auto-dimming with 8-point compass and outside temperature display
- Console, overhead mini with map lights
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod, includes corner storage pockets on back of visors, Shale-colored
- Assist handles, front passenger and second row outboard
- Coat hooks, driver- and passenger-side rear seat and cargo area
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Storage bin, behind driver-side rear quarter panel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:27:06 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 4WD 4dr 1500 Commercial TK10706

**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10706 4WD 4dr 1500 Commercial**

---

- Fleet Package

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:27:06 PM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon 4WD 4dr 1500 Commercial TK10706

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10706 4WD 4dr 1500 Commercial**

##### *MECHANICAL*

- Engine, Vortec 5.3L V8 SFI Flex-Fuel with Active Fuel Management, capable of running on unleaded or up to 85% ethanol (320 hp [238.6 kW] @ 5200 rpm, 340 lb-ft of torque [459.0 N-m] @ 4200 rpm), iron block (Standard on 4WD models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Transfer case, active, 2-speed with push-button controls (Requires 4WD models.)
- Rear axle, 3.73 ratio (Standard on 4WD models. Requires (NHT) Max Trailering Package on 2WD models.)
- 4-wheel drive
- Alternator, 160 amps
- Trailering equipment, heavy-duty, includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and (VR4) 2" trailering receiver
- Recovery hooks, 2 front, frame-mounted (Standard on 4WD models.)
- GVWR, 7300 lbs. (3311 kg) (Standard on 4WD models.)
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Suspension Package, Premium Smooth Ride
- Suspension, front coil-over-shock with stabilizer bar
- Suspension, rear multi-link with coil springs
- Tires, P265/70R17 all-season, blackwall
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Tire, spare P265/70R17 (Upgradeable to (4JP) P265/70R17 on/off-road, blackwall spare tire.)
- Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel (Upgradeable to (QF7) 4 - 17" x 7.5" (43.2 cm x 19.1 cm) bright aluminum wheels.)
- Wheel, 17" (43.2 cm) full-size, steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 9:27:06 PM

Page 7

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon 4WD 4dr 1500 Commercial TK10706

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10706 4WD 4dr 1500 Commercial**

- Tools, mechanical jack and wheel wrench, stored in rear quarter trim  
SAFETY
- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) 3-passenger third row 50/50 split-bench seat or (AW2) 2-passenger third row 50/50 split-bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 9:27:06 PM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s): Spec # 3905-0085  
 MAKE OF TRUCK: GMC MODEL: Yukon TK10706 GVWR 7300 lbs. ✓  
 PAYLOAD: 1865 # ✓ W.B. 116" ✓ C.A. N/A C.E. N/A  
 ENGINE: (GAS - DIESEL) Gas / E85 MAKE: GM MODEL: LM6, 5.3 SAE H.P. 320 ✓  
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4-spd ✓  
 SPRING CAP. @ GROUND EACH: FRONT 1800 ✓ lbs. REAR 2050 lbs. AUX. N/A lbs.  
 AXLES: FRONT 3600 ✓ lbs. REAR 4100 ✓ lbs. REAR RATIO 3.73  
 ALTERNATOR: 160 ✓ amps. BATTERY 600 ✓ cca.  
 TIRE SIZE: FRONT P265/70R17 PR REAR P265/70R17 PR SINGLE ✓ DUAL     M&S      
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QAN  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB  
4 x 4 (8 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ <b>GMC</b> <u>K10953</u>	DODGE <u>DH6L42</u>	FORD <u>F-150</u>
G.V.W.R. (lbs.)	7,000	6,800	8,200
Wheelbase (inches)	157.5	160.5	163.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	5.3L	4.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	315	235	300

Transmission: Automatic  
with 2 speed Transfer Case, and maximum capacity transmission oil cooler.  
Factory installed.

Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	3,950	3,900	5,300
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	1,925	2,025
Rear-lbs. each	1,975	1,950	2,400

Tires, Tubeless, Radial, to meet G.V.W.R. Tread Design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Hubs-automatic locking type or axle shaft disconnect system.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**PRICING SHEET**

<b><u>TRUCK: PICK-UP BODY, EXTENDED CAB</u></b>	
<b>4 x 4 (8 Foot Box) (Payload-1,300 lbs., min.)</b>	
<b>Mich. Spec. #3958-0086</b>	
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>
<b>Make: GMC      Model: Sierra</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$19,903.00*</b>
<b>Final Point of Assembly: Pontiac, MI</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City:      Westland</b>	<b>State: MI      Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
Spec # 3958-0086

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK10953	2008 GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck	\$27,490.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>SUSPENSION PKG</b>		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LY5	ENGINE, VORTEC 5.3L V8 SFI WITH ACTIVE FUEL MANAGEMENT (315 HP [234.9 KW] @ 5200 RPM, 338 LB-FT OF TORQUE [456.3 N-M] @ 4400 RPM), IRON BLOCK	\$0.00
<b>TRANSMISSION</b>		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
<b>DIFFERENTIAL</b>		
---	NO LOCKING DIFFERENTIAL	\$0.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:41:52 PM

Page 1

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL,	\$75.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER, HEAVY-DUTY AIR-TO-OIL	\$95.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
VQ1	FLEET PROCESSING OPTION	\$0.00
<b>OPTIONS TOTAL</b>		<b>\$135.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:41:52 PM

Page 2

**Prepared By:**

Albert Li

Red Holman Pontiac GMC

35300 Ford Rd

Westland, MI 48185

Phone: (734) 721-1144

Fax: (734) 721-1780

Email: aclbx@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK**

**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

*EPA FUEL ECONOMY RATINGS*

- City 14/hwy 19 (5.3L engine/4-speed auto trans)
- City 14/hwy 19 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 14 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

*EXTERIOR*

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:41:52 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK **STANDARD EQUIPMENT**

### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

#### *INTERIOR*

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only.)
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit [onstar.com](http://onstar.com) for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 9:41:52 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

- **XM Satellite Radio.** With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- **Audio system feature, speaker system** (Requires Extended or Crew Cab Models. Includes 6 speakers.)
- **Cup holders, front** (Also includes rear cupholders on Extended and Crew Cab models.)
- **Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt**
- **Mirror, inside rearview manual day/night**
- **Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches**
- **Headliner, Opal Gray-colored cloth with matching retainer moldings**
- **Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored**
- **Assist handle, front passenger** (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- **Coat hooks, rear driver and passenger side**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:41:52 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclibx@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK **STANDARD EQUIPMENT**

### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

#### *MECHANICAL*

- Engine, Vortec 5.3L V8 SFI with Active Fuel Management (315 hp [234.9 kW] @ 5200 rpm, 338 lb-ft of torque [456.3 N-m] @ 4400 rpm), iron block (Not available with TK10543 Models. Standard on T\*10953 Models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Rear axle, 3.73 ratio (Refer to Engine/Axle chart for availability.)
- Four wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- Recovery hooks, front, frame-mounted (Standard on 4WD Models. Included and only available with 2WD (PCX) SL Package on Retail orders. Available as a free flow option on Fleet or Government orders.)
- GVWR, 7000 lbs. (3175 kg) (Requires TK10753, TK10953 or TK10543 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P265/70R17 all-season, blackwall (Requires 4WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:41:52 PM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

- Tools, mechanical jack and wheel wrench located in back of cab  
*SAFETY*
- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 9:41:52 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0086  
 MAKE OF TRUCK: GMC MODEL: Sierra TK10953 GVWR 7000 lbs.  
 PAYLOAD: 1736 # W.B. 157.50" C.A. 55.50" C.E. N/A  
 ENGINE: (GAS - DIESEL) Gas MAKE: GM MODEL: LY5,5.3 SAE H.P. 315  
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydramatic M304-spdl  
 SPRING CAP. @ GROUND EACH: FRONT 1975 lbs. REAR 1975 lbs. AUX. N/A lbs.  
 AXLES: FRONT 3950 lbs. REAR 3950 lbs. REAR RATIO 3.73  
 ALTERNATOR: 145 amps. BATTERY 600 cca.  
 TIRE SIZE: FRONT P265/70R17 PR REAR P265/70R17 PR SINGLE  DUAL  M&S   
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QJP  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB  
4 x 4 (8 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ <b>GMC</b> <u>K10953</u>	DODGE <u>DR6L62</u>	FORD <u>F-150</u>
G.V.W.R. (lbs.)	7,000	6,800	8,200
Wheelbase (inches)	157.5	160.5	163.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Alternative Fuel/Flex Fuel	5.3L	4.7L	5.4L
Type & No. of Cylinders	V-8	V-8	
Net H.P.-S.A.E.	315	310	300

Transmission: Automatic  
with 2 speed Transfer Case, and maximum capacity transmission oil cooler.  
Factory installed.

Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	3,950	3,900	5,300
Springs, Min. Cap. at Ground			
Front-lbs. each	1,875	1,925	2,025
Rear-lbs. each	1,875	1,950	2,400

Tires, Tubeless, Radial, to meet G.V.W.R. Tread Design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT) or axle shaft disconnect system
- Keys -(1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seat, Rear-front facing bench.
- Skid Plate(s)
- Tow hooks-front, frame mounted.



Vehicle Order Confirmation Sheet  
Spec # 3958-0086A

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK10953	2008 GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck	\$27,490.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
<b>SUSPENSION PKG</b>		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT, CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHANOL, (315 HP [234.9 KW] @ 5200 RPM, 338 LB-FT OF TORQUE [456.3 N-M] @ 4400 RPM), IRON BLOCK	\$0.00
<b>TRANSMISSION</b>		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
<b>DIFFERENTIAL</b>		
—	NO LOCKING DIFFERENTIAL	\$0.00
<b>AXLE</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:47:23 PM

Page 1

**Prepared By:**  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

<b>CATEGORY</b>		<b>MSRP</b>
<b>Code</b>	<b>Description</b>	
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL,	\$75.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER,	\$95.00
	HEAVY-DUTY AIR-TO-OIL	
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
VQ1	FLEET PROCESSING OPTION	\$0.00
<b>OPTIONS TOTAL</b>		<b>\$135.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
 Customer File:

December 18, 2007 9:47:23 PM

Page 2

**Prepared By:**

Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK**

**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

*EPA FUEL ECONOMY RATINGS*

- City 14/hwy 19 (5.3L engine/4-speed auto trans)
- City 14/hwy 19 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 14 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

*EXTERIOR*

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:47:23 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK **STANDARD EQUIPMENT**

### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

#### *INTERIOR*

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only.)
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit [onstar.com](http://onstar.com) for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:47:23 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclibx@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:47:23 PM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

*MECHANICAL*

- Engine, Vortec 5.3L V8 SFI with Active Fuel Management (315 hp [234.9 kW] @ 5200 rpm, 338 lb-ft of torque [456.3 N-m] @ 4400 rpm), iron block (Not available with TK10543 Models. Standard on T\*10953 Models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Rear axle, 3.73 ratio (Refer to Engine/Axle chart for availability.)
- Four wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- Recovery hooks, front, frame-mounted (Standard on 4WD Models. Included and only available with 2WD (PCX) SL Package on Retail orders. Available as a free flow option on Fleet or Government orders.)
- GVWR, 7000 lbs. (3175 kg) (Requires TK10753, TK10953 or TK10543 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P265/70R17 all-season, blackwall (Requires 4WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 9:47:23 PM

Page 7

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 1500 4WD Ext Cab 157.5" Work Truck TK**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10953 4WD Ext Cab 157.5" Work Truck**

- Tools, mechanical jack and wheel wrench located in back of cab

**SAFETY**

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 9:47:23 PM

Page 8



**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(S). Spec # 3958-0086A  
 MAKE OF TRUCK: GMC MODEL: Sierra Tk10953 GVWR 7000 lbs.  
 PAYLOAD: 1736 # W.B. 157.50 C.A. 55-50 C.E. N/A  
 ENGINE: (GAS - DIESEL) Gas/E85 MAKE: Gm MODEL: LMG, S.3 SAE H.P. 315  
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4-spd  
 SPRING CAP. @ GROUND EACH: FRONT 1975 lbs. REAR 1975 lbs. AUX. N/A lbs.  
 AXLES: FRONT 3950 lbs. REAR 3950 lbs. REAR RATIO 3.73  
 ALTERNATOR: 145 amps. BATTERY 600 cca.  
 TIRE SIZE: FRONT P265/70R17 PR REAR P265/70R17 PR SINGLE  DUAL  M&S   
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QJP  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: \_\_\_\_\_

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB  
 4 x 4 (8 Foot Box) (Payload-2,500 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ <b>GMC</b> <u>K20953</u>	DODGE <u>DH7L42</u>	FORD <u>F-250</u>
G.V.W.R. 8,600 (lbs.), minimum	9,200	8,800	9,400
Wheelbase (inches)	157.5	160.5	158
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	345	300

Transmission: Automatic  
 with 2 speed Transfer Case and maximum capacity transmission oil cooler.  
 Factory installed.

Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,900	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,200
Rear-lbs. each	3,042	3,000	3,050

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Speed Control, Factory Installed
- Steering-Power
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats, Cloth
- Seat, Rear-front facing bench
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

## PRICING SHEET

<b>TRUCK: PICK-UP BODY, EXTENDED CAB</b> <b>4 x 4 (8 Foot Box) (Payload-2,500 lbs., min.)</b> <b>Mich. Spec. #3958-0088</b>	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
<b>Make: GMC Model: Sierra</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$21,167.00*</b>
<b>Final Point of Assembly: Pontiac, MI</b>	
<u>Dealer Information</u>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City: Westland</b>	<b>State: MI Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
 Spec # 3958-0088

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK20953	2008 GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck	\$30,375.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
<b>BODY CODE</b>		
E63	PICKUP BOX, WIDESIDE	\$0.00
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
<b>TRANSMISSION</b>		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
<b>DIFFERENTIAL</b>		
—	NO LOCKING DIFFERENTIAL	\$0.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:09:41 PM

Page 1

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck  
**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QIW	TIRES, LT245/75R16E ON-/OFF-ROAD, BLACKWALL	\$44.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
VQ1	FLEET PROCESSING OPTION	\$0.00
<b>OPTIONS TOTAL</b>		<b>\$9.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:09:41 PM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

##### *EXTERIOR*

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:09:41 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

##### *INTERIOR*

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 10:09:41 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 10:09:41 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

##### **MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Transfer case, with floor-mounted shifter (Requires 4WD models)
- Four wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 10:09:41 PM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)
  - Steering, power, recirculating ball
  - Brakes, 4-wheel antilock, 4-wheel disc
  - Exhaust, aluminized stainless-steel muffler and tailpipe
- SAFETY
- Brakes, 4-wheel antilock, 4-wheel disc
  - Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
  - Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 10:09:41 PM

Page 7



## APPENDIX B

## TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec# 3958-0088  
 MAKE OF TRUCK: GMC MODEL: Sierra TK20953 GVWR 9200 lbs.  
 PAYLOAD: 3358 # W.B. 157.50" C.A. 55.50" C.E. N/A  
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 353  
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydraulic MYD 6-spd  
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3042 lbs. AUX. N/A lbs.  
 AXLES: FRONT 4800 lbs. REAR 6900 lbs. REAR RATIO 3.73  
 ALTERNATOR: 125 amps. BATTERY 600 cca.  
 TIRE SIZE: FRONT T245/75R16 PR REAR T245/75R16 SINGLE  DUAL  M&S   
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QJW  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB  
4 x 4 (8 Foot Box) (Payload-2,500 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC K20953	DODGE DH7L42	FORD F-250
G.V.W.R. 8,600 (lbs.), minimum	9,200	8,800	9,400
Wheelbase (inches)	157.5	160.5	158
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Diesel	6.6L	5.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	345	300
Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,900	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,200
Rear-lbs. each	3,042	3,000	3,050

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Speed Control, Factory Installed
- Steering-Power
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats, Cloth
- Seat, Rear-front facing bench
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

## PRICING SHEET

<b>TRUCK: PICK-UP BODY, EXTENDED CAB</b> <b>4 x 4 (8 Foot Box) (Payload-2,500 lbs., min.)</b> <b>Mich. Spec. #3958-0088D</b>	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
<b>Make: GMC    Model: Sierra</b> <b><i>F.O.B. - Dealership</i></b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$27,490.00*</b>
<b>Final Point of Assembly: Pontiac, MI</b>	
<u>Dealer Information</u>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City:        Westland</b>	<b>State: MI        Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
Spec # 3958-0088D

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK20953	2008 GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck	\$30,375.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
<b>BODY CODE</b>		
E63	PICKUP BOX, WIDESIDE	\$0.00
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
<b>TRANSMISSION</b>		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
<b>DIFFERENTIAL</b>		
---	NO LOCKING DIFFERENTIAL	\$0.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:15:25 PM

Page 1

**Prepared By:**  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QIW	TIRES, LT245/75R16E ON-/OFF-ROAD, BLACKWALL	\$44.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS	\$55.00
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:15:25 PM

Page 2

**Prepared By:**

Albert Li

Red Holman Pontiac GMC

35300 Ford Rd

Westland, MI 48185

Phone: (734) 721-1144

Fax: (734) 721-1780

Email: acli@hotmai.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

**CATEGORY**

<b><u>Code</u></b>	<b><u>Description</u></b>	<b><u>MSRP</u></b>
	<b>OPTIONS TOTAL</b>	<b>\$8,459.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:15:25 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

##### *EXTERIOR*

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:15:25 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

##### *INTERIOR*

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:15:25 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

- **XM Satellite Radio.** With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- **Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)**
- **Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)**
- **Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt**
- **Mirror, inside rearview manual day/night**
- **Headliner, Opal Gray-colored cloth with matching retainer moldings**
- **Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored**
- **Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)**
- **Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches**
- **Coat hooks, rear driver and passenger side**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:15:25 PM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

*MECHANICAL*

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Transfer case, with floor-mounted shifter (Requires 4WD models)
- Four wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 10:15:25 PM

Page 7

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 157.5" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20953 4WD Ext Cab 157.5" Work Truck**

- **Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)**
- **Steering, power, recirculating ball**
- **Brakes, 4-wheel antilock, 4-wheel disc**
- **Exhaust, aluminized stainless-steel muffler and tailpipe**

#### *SAFETY*

- **Brakes, 4-wheel antilock, 4-wheel disc**
- **Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)**
- **Daytime Running Lamps, with automatic exterior lamp control**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:15:25 PM

Page 8



**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(S). Spec # 3958-0088 D  
 MAKE OF TRUCK: GMC MODEL: Sierra TK20953 GVWR 9200 lbs.  
 PAYLOAD: 2640# W.B. 157.50" C.A. 55.50" C.E. N/A  
 ENGINE: (GAS - DIESEL) Diesel MAKE: GM Duramax MODEL: LMM 6.6 SAE H.P. 365  
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW 6 spd  
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3042 lbs. AUX. N/A lbs.  
 AXLES: FRONT 4800 lbs. REAR 6900 lbs. REAR RATIO 3.73  
 ALTERNATOR: 125 amps. BATTERY Dual 730 cca.  
 TIRE SIZE: FRONT T245/75 R16EPR REAR T245/75R16EPR SINGLE  DUAL  M&S   
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QIW  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**TRUCK: PICK-UP BODY, EXTENDED CAB**  
4 x 4 (6 Foot Box) (Payload-2,500 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ <b>GMC</b> <u>K20753</u>	DODGE <u>DH7L41</u>	FORD <u>F250</u>
G.V.W.R. 8,600 (lbs.), minimum	9,200	8,800	9,200
Wheelbase (inches)	143.5	140.5	141.8
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	345	300
Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,900	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,200
Rear-lbs. each	3,042	3,000	3,050

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Speed Control, Factory Installed,
- Steering-Power
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats, Cloth
- Seat, Rear-front facing bench.
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

## PRICING SHEET

<b>TRUCK: PICK-UP BODY, EXTENDED CAB</b> <b>4 x 4 (6 Foot Box) (Payload-2,500 lbs., min.)</b> <b>Mich. Spec. #3958-0089</b>	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
<b>Make: GMC    Model: Sierra</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$20,902.00*</b>
<b>Final Point of Assembly: Pontiac, MI</b>	
<u>Dealer Information</u>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City:        Westland</b>	<b>State: MI        Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
 Spec # 3958-0089

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclfox@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK20753	2008 GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck	\$30,080.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
<b>TRANSMISSION</b>		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
<b>DIFFERENTIAL</b>		
—	NO LOCKING DIFFERENTIAL	\$0.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
<b>TIRES</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:34:22 PM

Page 1

**Prepared By:**  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
<b>TIRES</b>		
QIW	TIRES, LT245/75R16E ON-/OFF-ROAD, BLACKWALL	\$44.00
<b>SEAT TYPE</b>		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
<b>SEAT TRIM</b>		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
<b>PAINT</b>		
ZY1	PAINT, SOLID	\$0.00
<b>RADIO</b>		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
<b>WHEELS</b>		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
<b>ADDITIONAL OPTIONS</b>		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
VQ1	FLEET PROCESSING OPTION	\$0.00
<b>OPTIONS TOTAL</b>		<b>\$9.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
 Customer File:

December 18, 2007 10:34:22 PM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

##### *EXTERIOR*

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:34:22 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

**INTERIOR**

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:34:22 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

- **XM Satellite Radio.** With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- **Audio system feature, speaker system** (Requires Extended or Crew Cab Models. Includes 6 speakers)
- **Cup holders, front** (Also includes rear cupholders on Extended and Crew Cab models)
- **Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt**
- **Mirror, inside rearview manual day/night**
- **Headliner, Opal Gray-colored cloth with matching retainer moldings**
- **Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored**
- **Assist handle, front passenger** (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- **Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches**
- **Coat hooks, rear driver and passenger side**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:34:22 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

**MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Transfer case, with floor-mounted shifter (Requires 4WD models)
- Four wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:34:22 PM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

**SAFETY**

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:34:22 PM

Page 7

**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(S). Spec # 3958-0089

MAKE OF TRUCK: GMC MODEL: Sierra TK20753 GVWR 9200 lbs.

PAYLOAD: 3456 # W.B. 143.5" C.A. 41.5" C.E. N/A

ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 353

FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-sp

SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3042 lbs. AUX. N/A lbs.

AXLES: FRONT 4800 lbs. REAR 6900 lbs. REAR RATIO 3.73

ALTERNATOR: 125 amps. BATTERY 600 cca.

TIRE SIZE: FRONT T245/75R16 PR REAR T245/75R16 PR SINGLE  DUAL  M&S

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QIW

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB  
4 x 4 (6 Foot Box) (Payload-2,500 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ <b>GMC</b> <u>K20753</u>	DODGE <u>DH7L41</u>	FORD <u>F250</u>
G.V.W.R. 8,600 (lbs.), minimum	9,200	8,800	9,200
Wheelbase (inches)	143.5	140.5	141.8
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Diesel	6.6L	5.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	345	300

Transmission: Automatic  
with 2 speed Transfer Case and maximum capacity transmission oil cooler.  
Factory installed.

Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,084	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,200
Rear-lbs. each	3,042	3,000	3,050

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Speed Control, Factory Installed,
- Steering-Power
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats, Cloth
- Seat, Rear-front facing bench.
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

## PRICING SHEET

<b>TRUCK: PICK-UP BODY, EXTENDED CAB</b> <b>4 x 4 (6 Foot Box) (Payload-2,500 lbs., min.)</b> <b>Mich. Spec. #3958-0089D</b>	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
<b>Make: GMC Model: Sierra</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$27,225.00*</b>
<b>Final Point of Assembly: Pontiac, MI</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City: Westland</b>	<b>State: MI</b>
<b>Zip: 48185</b>	
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
 Spec # 3958-00890

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK20753	2008 GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck	\$30,080.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

<u>CATEGORY</u>		
<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
<b>TRANSMISSION</b>		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
<b>DIFFERENTIAL</b>		
—	NO LOCKING DIFFERENTIAL	\$0.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
<b>TIRES</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:42:46 PM

Page 1

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

<u>CATEGORY</u>		<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TIRES		QIW	TIRES, LT245/75R16E ON-/OFF-ROAD, BLACKWALL	\$44.00
SEAT TYPE		AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		ZY1	PAINT, SOLID	\$0.00
RADIO		UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		UE0	ONSTAR, DELETE	-\$85.00
		U2J	XM SATELLITE RADIO, DELETE	-\$200.00
		K34	CRUISE CONTROL, ELECTRONIC	\$250.00
		V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS	\$55.00
		TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
		K05	ENGINE BLOCK HEATER	INC
		VQ1	FLEET PROCESSING OPTION	\$0.00
<b>OPTIONS TOTAL</b>				<b>\$8,459.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:42:46 PM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

*EXTERIOR*

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:42:46 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck **STANDARD EQUIPMENT**

### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

#### *INTERIOR*

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 10:42:46 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

- **XM Satellite Radio.** With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:42:46 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

##### *MECHANICAL*

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Transfer case, with floor-mounted shifter (Requires 4WD models)
- Four wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailing, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 10:42:46 PM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 143.5" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20753 4WD Ext Cab 143.5" Work Truck**

- **Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)**
- **Steering, power, recirculating ball**
- **Brakes, 4-wheel antilock, 4-wheel disc**
- **Exhaust, aluminized stainless-steel muffler and tailpipe**

#### **SAFETY**

- **Brakes, 4-wheel antilock, 4-wheel disc**
- **Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)**
- **Daytime Running Lamps, with automatic exterior lamp control**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:42:46 PM

Page 7



**APPENDIX B**

**TRUCK QUESTIONNAIRE FORMS**

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s): Spec # 3958-0089D  
 MAKE OF TRUCK: Gmc MODEL: Sierra Tk20953 GVWR 9200 lbs.  
 PAYLOAD: 2728# W.B. 143.5" C.A. 41.50" C.E. N/A  
 ENGINE: (GAS - DIESEL) Diesel MAKE: Gm Duramax MODEL: Lmm, 6.6 SAE H.P. 365  
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7 6-spd  
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3042 lbs. AUX. N/A lbs.  
 AXLES: FRONT 4800 lbs. REAR 6900 lbs. REAR RATIO 3.73  
 ALTERNATOR: 125 amps. BATTERY Dual 730 cca.  
 TIRE SIZE: FRONT LT245/75R16E PR REAR LT245/75R16E PR SINGLE  DUAL  M&S   
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QIW  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**TRUCK: PICK-UP BODY**  
(6 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	<b>CHEV/GMC</b> <u>K10703</u>	<b>DODGE</b> <u>DR6L61</u>	<b>FORD</b> <u>F-150</u>
G.V.W.R. (lbs.)	6,400	6,350	6,800
Wheelbase (inches)	119.0	120.5	126.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	4300	4.7L	4.6L
Type & No. of Cylinders	V-6	V-8	V-8
Net H.P.-S.A.E.	195	235	248

Transmission: Automatic.  
with 2-speed transfer case and maximum capacity transmission oil cooler.  
Factory installed.

Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	3,750	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	1,930	1,700
Rear-lbs. each	1,875	1,950	1,750

Tires, tubeless, radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Hubs-Automatic locking type or axle shaft disconnect system.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, swing away type, 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**PRICING SHEET**

<b><u>TRUCK: PICK-UP BODY</u></b> (6 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0090	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
<b>Make: GMC    Model: Sierra</b> <b><i>F.O.B. - Dealership</i></b> <b>Delivery Cost Per Mile: \$1.00</b>	<b>\$16,637.00*</b>
<b>Final Point of Assembly: Fort Wayne, IN</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City:    Westland</b>	<b>State: MI                      Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
 Spec # 3958-0090

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK10703	2008 GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck	\$20,410.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>SUSPENSION PKG</b>		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LU3	ENGINE, VORTEC 4.3L V6 MFI (195 HP [145.4 KW] @ 4600 RPM, 260 LB-FT OF TORQUE [351.0 N-M] @ 2800 RPM)	\$0.00
<b>TRANSMISSION</b>		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
<b>DIFFERENTIAL</b>		
—	NO LOCKING DIFFERENTIAL	\$0.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

December 18, 2007 10:51:39 PM

Customer File:

Page 1

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
PREFERRED EQUIPMENT GROUP			\$0.00
	1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	
TIRES			\$75.00
	QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL,	
SEAT TYPE			\$0.00
	AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	
SEAT TRIM			\$0.00
	_V	SEAT TRIM, DARK TITANIUM VINYL	
PAINT			\$0.00
	ZY1	PAINT, SOLID	
AIR CONDITIONING			\$870.00
	C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	
RADIO			\$0.00
	UM7	AUDIO SYSTEM, AM/FM STEREO	
WHEELS			\$0.00
	NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	
ADDITIONAL OPTIONS			
	UE0	ONSTAR, DELETE	-\$85.00
	K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
	KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER,	\$95.00
		HEAVY-DUTY AIR-TO-OIL	
	U2J	XM SATELLITE RADIO, DELETE	-\$200.00
	VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
 Customer File:

December 18, 2007 10:51:39 PM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	\$1,005.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:51:39 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

##### *EPA FUEL ECONOMY RATINGS*

- City 14/hwy 18 (4.3L engine/4-speed auto trans)
- City 14/hwy 18 (4.8L engine/4-speed auto trans)
- City 14/hwy 19 (5.3L engine/4-speed auto trans)
- City 14/hwy 19 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 14 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

##### *EXTERIOR*

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:51:39 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

##### *INTERIOR*

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit [onstar.com](http://onstar.com) for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:51:39 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, 4-speaker system (Requires Regular Cab models.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:51:39 PM

Page 6

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: acli@hotmai.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

##### *MECHANICAL*

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Requires T\*10\*03, TC10553 or TC10753 models. Standard with T\*10\*03, TC10553 or TC10753 models. Not available with (VYU) Snow Plow Prep Package or (Z82) heavy-duty trailering equipment.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Rear axle, 3.73 ratio (Refer to Engine/Axle chart for availability.)
- Four wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- Recovery hooks, front, frame-mounted (Standard on 4WD Models. Included and only available with 2WD (PCX) SL Package on Retail orders. Available as a free flow option on Fleet or Government orders.)
- GVWR, 6400 lbs. (2903 kg) (Standard on T\*10703, T\*10903, TC10553, and TC10753 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P265/70R17 all-season, blackwall (Requires 4WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 10:51:39 PM

Page 7

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

**SAFETY**

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:51:39 PM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0090  
 MAKE OF TRUCK: GMC MODEL: Sierra Tk10703 GVWR 6400 lbs.  
 PAYLOAD: 1795 # W.B. 119.0" C.A. 41.90" C.E. N/A  
 ENGINE: (GAS - DIESEL) GAS MAKE: GM MODEL: LU3, 4.3 SAE H.P. 195  
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4-spd  
 SPRING CAP. @ GROUND EACH: FRONT 1975 lbs. REAR 1875 lbs. AUX. N/A lbs.  
 AXLES: FRONT 3950 lbs. REAR 3750 lbs. REAR RATIO 3.73  
 ALTERNATOR: 145 amps. BATTERY 600 cca.  
 TIRE SIZE: FRONT P265/70R17 PR REAR P265/70R17 PR SINGLE  DUAL  M&S   
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE Q3P  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY  
(6 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ <b>GMC</b> <u>K10703</u>	DODGE <u>DR6L61</u>	FORD <u>F-150</u>
G.V.W.R. (lbs.)	6,400	6,350	6,800
Wheelbase (inches)	119.0	120.5	126.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	5.3L	4.7L	4.6L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	315	310	248
Transmission: Automatic. with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	3,750	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	1,930	1,700
Rear-lbs. each	1,875	1,950	1,750

Tires, tubeless, radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- swing away type, 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-Automatic locking type on front (MDOT) or axle shaft disconnect system.
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s)
- Tow hooks-front, frame mounted.

## PRICING SHEET

<b>TRUCK: PICK-UP BODY</b> (6 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0090A	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
<b>Make: GMC      Model: Sierra</b> <i>F.O.B. - Dealership</i> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$17,360.00*</b>
<b>Final Point of Assembly: Ft. Wayne, IN</b>	
<u>Dealer Information</u>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City:      Westland</b>	<b>State: MI      Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
 Spec # 3958-0090A

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK10703	2008 GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck	\$20,410.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>SUSPENSION PKG</b>		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT, CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHANOL, (315 HP [234.9 KW] @ 5200 RPM, 338 LB-FT OF TORQUE [456.3 N-M] @ 4400 RPM), IRON BLOCK	\$1,545.00
<b>TRANSMISSION</b>		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
<b>DIFFERENTIAL</b>		
---	NO LOCKING DIFFERENTIAL	\$0.00
<b>AXLE</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:59:54 PM

Page 1

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

<u>CATEGORY</u>		<u>Code</u>	<u>Description</u>	<u>MSRP</u>
AXLE		GT4	REAR AXLE, 3.73 RATIO	\$100.00
PREFERRED EQUIPMENT GROUP		1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL,	\$75.00
SEAT TYPE		AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM		_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS		UE0	ONSTAR, DELETE	-\$85.00
		K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
		KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER, HEAVY-DUTY AIR-TO-OIL	\$95.00
		U2J	XM SATELLITE RADIO, DELETE	-\$200.00
		VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:59:54 PM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T

**SELECTED MODEL & OPTIONS**

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	\$2,650.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:59:54 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

*EPA FUEL ECONOMY RATINGS*

- City 14/hwy 18 (4.3L engine/4-speed auto trans)
- City 14/hwy 18 (4.8L engine/4-speed auto trans)
- City 14/hwy 19 (5.3L engine/4-speed auto trans)
- City 14/hwy 19 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 14 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

*EXTERIOR*

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:59:54 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

**INTERIOR**

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit [onstar.com](http://onstar.com) for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:59:54 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

- **XM Satellite Radio.** With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- **Audio system feature, 4-speaker system (Requires Regular Cab models.)**
- **Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)**
- **Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt**
- **Mirror, inside rearview manual day/night**
- **Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches**
- **Headliner, Opal Gray-colored cloth with matching retainer moldings**
- **Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored**
- **Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)**
- **Coat hooks, rear driver and passenger side**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:59:54 PM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

##### *MECHANICAL*

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Requires T\*10\*03, TC10553 or TC10753 models. Standard with T\*10\*03, TC10553 or TC10753 models. Not available with (VYU) Snow Plow Prep Package or (Z82) heavy-duty trailering equipment.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Rear axle, 3.73 ratio (Refer to Engine/Axle chart for availability.)
- Four wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- Recovery hooks, front, frame-mounted (Standard on 4WD Models. Included and only available with 2WD (PCX) SL Package on Retail orders. Available as a free flow option on Fleet or Government orders.)
- GVWR, 6400 lbs. (2903 kg) (Standard on T\*10703, T\*10903, TC10553, and TC10753 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P265/70R17 all-season, blackwall (Requires 4WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 10:59:54 PM

Page 7

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 119.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10703 4WD Reg Cab 119.0" Work Truck**

- Exhaust, aluminized stainless-steel muffler and tailpipe
  - Tools, mechanical jack and wheel wrench located in back of cab
- SAFETY*
- Brakes, 4-wheel antilock, front disc/rear drum
  - Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
  - Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 10:59:54 PM

Page 8

**APPENDIX B**

**TRUCK QUESTIONNAIRE FORMS**

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0090A  
 MAKE OF TRUCK: GMC MODEL: Sierra T1c10703 GVWR 6400 lbs.  
 PAYLOAD: 1662 #  W.B. 119"  C.A. 41.90" C.E. N/A  
 ENGINE: (GAS - DIESEL) Gas  E85  MAKE: GM MODEL: LMB, S.3 SAE H.P. 315   
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydraulic M3D 4-spd  
 SPRING CAP. @ GROUND EACH: FRONT 1975  lbs. REAR 1875  lbs. AUX. N/A lbs.  
 AXLES: FRONT 3950  lbs. REAR 3750  lbs. REAR RATIO 3.73  
 ALTERNATOR: 145  amps. BATTERY 600  cca.  
 TIRE SIZE: FRONT P265/70R17 PR REAR P265/70R17 PR SINGLE  DUAL  M&S   
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QJP  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**TRUCK: PICK-UP BODY**  
(8 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ <b>GMC</b> <u>K10903</u>	DODGE <u>DR6L62</u>	FORD <u>F-150</u>
G.V.W.R. (lbs.)	6,400	6,550	6,950
Wheelbase (inches)	133	140.5	144.5
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	4.3L	4.7L	4.6L
Type & No. of Cylinders	V-6	V-8	V-8
Net H.P.-S.A.E.	195	235	248

Transmission: Automatic.  
with 2-speed transfer case and maximum capacity transmission oil cooler.  
Factory installed.

Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	4,000	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	1,930	1,725
Rear-lbs. each	2,000	1,950	1,900

Tires, tubeless, radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

### **ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Hubs-Automatic locking type or axle shaft disconnect system.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, swing away type, 40 square inch minimum, Installed.
- Skid Plate(s)
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Tow hooks-front, frame mounted.
- Wrench-wheel.

## PRICING SHEET

<b>TRUCK: PICK-UP BODY</b> (8 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0091	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
<b>Make: GMC    Model: Sierra</b> <i>F.O.B. - Dealership</i> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$17,006.00*</b>
<b>Final Point of Assembly: Fort Wayne, IN</b>	
<u>Dealer Information</u>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City:        Westland</b>	<b>State: MI        Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
Spec # 3958-0091

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbxx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK10903	2008 GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck	\$20,705.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>SUSPENSION PKG</b>		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LU3	ENGINE, VORTEC 4.3L V6 MFI (195 HP [145.4 KW] @ 4600 RPM, 260 LB-FT OF TORQUE [351.0 N-M] @ 2800 RPM)	\$0.00
<b>TRANSMISSION</b>		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
<b>GVWR</b>		
C7H	GVWR, 6400 LBS. (2903 KG)	\$0.00
<b>DIFFERENTIAL</b>		
—	NO LOCKING DIFFERENTIAL	\$0.00
<b>AXLE</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:09:30 PM

Page 1

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
AXLE	GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP	1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES	QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL,	\$75.00
SEAT TYPE	AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM	_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT	ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING	C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO	UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS	NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS	UE0	ONSTAR, DELETE	-\$85.00
	K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
	KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER, HEAVY-DUTY AIR-TO-OIL	\$95.00
	U2J	XM SATELLITE RADIO, DELETE	-\$200.00
	NZZ	SKID PLATE PACKAGE,	\$150.00
	VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:09:30 PM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	\$1,155.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:09:30 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: acli@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

##### *EPA FUEL ECONOMY RATINGS*

- City 14/hwy 18 (4.3L engine/4-speed auto trans)
- City 14/hwy 18 (4.8L engine/4-speed auto trans)
- City 14/hwy 19 (5.3L engine/4-speed auto trans)
- City 14/hwy 19 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 14 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

##### *EXTERIOR*

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:09:31 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbox@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

##### *INTERIOR*

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit [onstar.com](http://onstar.com) for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:09:31 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: acli@hotmai.com

**2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, 4-speaker system (Requires Regular Cab models.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:09:31 PM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

##### **MECHANICAL**

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Requires T\*10\*03, TC10553 or TC10753 models. Standard with T\*10\*03, TC10553 or TC10753 models. Not available with (VYU) Snow Plow Prep Package or (Z82) heavy-duty trailering equipment.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Rear axle, 3.73 ratio (Refer to Engine/Axle chart for availability.)
- Four wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- Recovery hooks, front, frame-mounted (Standard on 4WD Models. Included and only available with 2WD (PCX) SL Package on Retail orders. Available as a free flow option on Fleet or Government orders.)
- GVWR, 6400 lbs. (2903 kg) (Standard on T\*10703, T\*10903, TC10553, and TC10753 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P265/70R17 all-season, blackwall (Requires 4WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:09:31 PM

Page 7

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

- Exhaust, aluminized stainless-steel muffler and tailpipe
  - Tools, mechanical jack and wheel wrench located in back of cab
- SAFETY*
- Brakes, 4-wheel antilock, front disc/rear drum
  - Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
  - Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:09:31 PM

Page 8

**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0091

MAKE OF TRUCK: GMC MODEL: Sierra TK10903 GVWR 6400 lbs.

PAYLOAD: 1676 # W.B. 133" C.A. 55.90" C.E. N/A

ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LU3.4.3 SAE H.P. 195

FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-spd

SPRING CAP. @ GROUND EACH: FRONT 1975 lbs. REAR 2000 lbs. AUX. N/A lbs.

AXLES: FRONT 3950 lbs. REAR 4000 lbs. REAR RATIO 3.73

ALTERNATOR: 145 amps. BATTERY 600 cca.

TIRE SIZE: FRONT P265/70 R17 PR REAR P265/70 R17 PR SINGLE  DUAL  M&S

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QJP

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**TRUCK: PICK-UP BODY**  
(8 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ <b>GMC</b> <u>K10903</u>	DODGE <u>DR6L62</u>	FORD <u>F-150</u>
G.V.W.R. (lbs.)	6,800	6,550	6,950
Wheelbase (inches)	133	140.5	144.5
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Alt Fuel/Flex Fuel	5.3L	4.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	315	310	300

Transmission: Automatic.  
with 2-speed transfer case and maximum capacity transmission oil cooler.  
Factory installed.

Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	4,000	3,900	4,200
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	1,930	1,725
Rear-lbs. each	2,000	1,950	1,925

Tires, tubeless, radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, swing away type, 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-Automatic locking type on front (MDOT) or axle shaft disconnect system.
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s)
- Tow hooks-front, frame mounted.

## PRICING SHEET

<b>TRUCK: PICK-UP BODY</b> (8 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0091A	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
<b>Make: GMC    Model: Sierra</b> <b><i>F.O.B. - Dealership</i></b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$17,608.00*</b>
<b>Final Point of Assembly: Pontiac, MI or Ft. Wayne, IN</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City:        Westland</b>	<b>State: MI                      Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
 Spec # 3958-0091A

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK10903	2008 GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck	\$20,705.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>SUSPENSION PKG</b>		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT, CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHANOL, (315 HP [234.9 KW] @ 5200 RPM, 338 LB-FT OF TORQUE [456.3 N-M] @ 4400 RPM), IRON BLOCK	\$1,545.00
<b>TRANSMISSION</b>		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
<b>GVWR</b>		
C5U	GVWR, 6800 LBS. (3084 KG)	\$0.00
<b>DIFFERENTIAL</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:17:21 PM

Page 1

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclibo@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

<u>CATEGORY</u>		<u>Code</u>	<u>Description</u>	<u>MSRP</u>
DIFFERENTIAL				
			NO LOCKING DIFFERENTIAL	\$0.00
AXLE				
		GT4	REAR AXLE, 3.73 RATIO	\$100.00
PREFERRED EQUIPMENT GROUP				
		1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES				
		QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL,	\$75.00
SEAT TYPE				
		AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM				
		_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT				
		ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING				
		C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO				
		UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS				
		NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS				
		UE0	ONSTAR, DELETE	-\$85.00
		K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
		KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER, HEAVY-DUTY AIR-TO-OIL	\$95.00
		U2J	XM SATELLITE RADIO, DELETE	-\$200.00
		VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
 Customer File:

December 18, 2007 11:17:21 PM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	\$2,650.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:17:21 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

##### *EPA FUEL ECONOMY RATINGS*

- City 14/hwy 18 (4.3L engine/4-speed auto trans)
- City 14/hwy 18 (4.8L engine/4-speed auto trans)
- City 14/hwy 19 (5.3L engine/4-speed auto trans)
- City 14/hwy 19 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 14 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

##### *EXTERIOR*

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:17:21 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

##### *INTERIOR*

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 18, 2007 11:17:21 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, 4-speaker system (Requires Regular Cab models.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:17:21 PM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T **STANDARD EQUIPMENT**

### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

#### **MECHANICAL**

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Requires T\*10\*03, TC10553 or TC10753 models. Standard with T\*10\*03, TC10553 or TC10753 models. Not available with (VYU) Snow Plow Prep Package or (Z82) heavy-duty trairling equipment.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Rear axle, 3.73 ratio (Refer to Engine/Axle chart for availability.)
- Four wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- Recovery hooks, front, frame-mounted (Standard on 4WD Models. Included and only available with 2WD (PCX) SL Package on Retail orders. Available as a free flow option on Fleet or Government orders.)
- GVWR, 6400 lbs. (2903 kg) (Standard on T\*10703, T\*10903, TC10553, and TC10753 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P265/70R17 all-season, blackwall (Requires 4WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:17:21 PM

Page 7

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 1500 4WD Reg Cab 133.0" Work Truck T**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10903 4WD Reg Cab 133.0" Work Truck**

- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

**SAFETY**

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:17:21 PM

Page 8



**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0091A  
 MAKE OF TRUCK: GMC MODEL: Sierra TK10903 GVWR 6800 lbs.  
 PAYLOAD: 1953 # W.B. 133" C.A. 55.9" C.E. N/A  
 ENGINE: (GAS - DIESEL) Gas / E85 MAKE: Gm MODEL: LM6, 5.3 SAE H.P. 315  
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4-spd  
 SPRING CAP. @ GROUND EACH: FRONT 1975 lbs. REAR 2000 lbs. AUX. N/A lbs.  
 AXLES: FRONT 3950 lbs. REAR 4000 lbs. REAR RATIO 3.73  
 ALTERNATOR: 145 amps. BATTERY 600 cca.  
 TIRE SIZE: FRONT P265/70R17 PR REAR P265/70R17 PR SINGLE  DUAL  M&S   
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QJP  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY  
 WITH 8 FT. Box (4 x 4) (Payload 2,800 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ <b>GMC</b> <u>K20903</u>	DODGE <u>BR2500</u> <u>DH7L62</u>	FORD <u>F-250SD</u>
G.V.W.R. 8,600 (lbs.), minimum	9,200	8,800	9,000
Wheelbase (inches)	133.0	134.7	137
Type & Size of Body:	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	6000	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	345	300

Transmission: Automatic  
 with 2-speed transfer case and maximum capacity transmission oil cooler.  
 Factory installed.

Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,900	6,084	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,000
Rear-lbs. each	3,042	3,100	2,946

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, min.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- swing away type, 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-Automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

## PRICING SHEET

<b>TRUCK: PICK-UP BODY</b> <b>WITH 8 FT. Box (4 x 4) (Payload 2,800 lbs., min.)</b> <b>Mich. Spec. #3958-0092</b>	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
<b>Make: GMC Model: Sierra</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$18,924.00*</b>
<b>Final Point of Assembly: Pontiac, MI</b>	
<u>Dealer Information</u>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City: Westland</b>	<b>State: MI Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
Spec # 3958-0092

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: acibox@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK20903	2008 GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck	\$27,080.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>BODY CODE</b>		
E63	PICKUP BOX, WIDESIDE	\$0.00
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
<b>TRANSMISSION</b>		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
<b>DIFFERENTIAL</b>		
—	NO LOCKING DIFFERENTIAL	\$0.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:25:04 PM

Page 1

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

<u>CATEGORY</u>		<u>Code</u>	<u>Description</u>	<u>MSRP</u>
PREFERRED EQUIPMENT GROUP				
	1SA		WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES				
	QIW		TIRES, LT245/75R16E ON-OFF-ROAD, BLACKWALL	\$44.00
SEAT TYPE				
	AE7		SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM				
	_V		SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT				
	ZY1		PAINT, SOLID	\$0.00
AIR CONDITIONING				
	C67		AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO				
	UM7		AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS				
	QB5		WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS				
	UE0		ONSTAR, DELETE	-\$85.00
	U2J		XM SATELLITE RADIO, DELETE	-\$200.00
	K34		CRUISE CONTROL, ELECTRONIC	\$250.00
	VQ1		FLEET PROCESSING OPTION	\$0.00
<b>OPTIONS TOTAL</b>				<b>\$879.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:25:04 PM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclibx@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

##### *EXTERIOR*

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:25:04 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

*INTERIOR*

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:25:04 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

---

- **XM Satellite Radio.** With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, 4-speaker system (Requires Regular Cab models)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:25:04 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

##### **MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Transfer case, with floor-mounted shifter (Requires 4WD models)
- Four wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:25:04 PM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

#### *SAFETY*

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:25:04 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s): Spec # 3958-0092  
 MAKE OF TRUCK: GMC MODEL: Sierra Tk20903 GVWR 9200 lbs.  
 PAYLOAD: 3758 # W.B. 133" C.A. 55.90" C.E. N/A  
 ENGINE: (GAS - DIESEL) Gas MAKE: GM MODEL: LY6, 6.0 SAE H.P. 353  
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydraulic MY0 6-spd  
 SPRING CAP. @ GROUND EACH FRONT 2400 lbs. REAR 3042 lbs. AUX. N/A lbs.  
 AXLES: FRONT 4800 lbs. REAR 6900 lbs. REAR RATIO 3.73  
 ALTERNATOR: 125 amps. BATTERY 600 cca.  
 TIRE SIZE: FRONT LT245/75R16E PR REAR LT245/75R16E PR SINGLE  DUAL  M&S   
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE Q2W  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY  
8 FT. Box (4 x 4) (Payload 2,800 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ <b>GMC</b> <u>K20903</u>	DODGE BR2500 <u>DH7L62</u>	FORD <u>F-250SD</u>
G.V.W.R. 8,600 (lbs.), minimum	9,200	8,800	9,000
Wheelbase (inches)	133.0	134.7	137
Type & Size of Body:	Fleetside/ Wideside	Sweptline	Styleside
Engine: Diesel	6.6L	5.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	345	300
Transmission: Automatic with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,900	6,084	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,000
Rear-lbs. each	3,042	3,100	2,946

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, min.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- swing away type, 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-Automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

## PRICING SHEET

<b>TRUCK: PICK-UP BODY</b> <b>8 FT. Box (4 x 4) (Payload 2,800 lbs., min.)</b> <b>Mich. Spec. #3958-0092D</b>	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
<b>Make: GMC Model: Sierra</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$25,246.00*</b>
<b>Final Point of Assembly: _____</b>	
<b>Dealer Information</b>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City: Westland</b>	<b>State: MI Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
 Spec # 3958-00920

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: acli@hotmai.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK20903	2008 GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck	\$27,080.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
<b>BODY CODE</b>		
E63	PICKUP BOX, WIDESIDE	\$0.00
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
<b>TRANSMISSION</b>		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
<b>DIFFERENTIAL</b>		
—	NO LOCKING DIFFERENTIAL	\$0.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:31:49 PM

Page 1

**Prepared By:**  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck  
**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

<b>CATEGORY</b>		<b>MSRP</b>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QIW	TIRES, LT245/75R16E ON/OFF-ROAD, BLACKWALL	\$44.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS	\$55.00
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:31:49 PM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	<b>\$9,329.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:31:49 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

*EXTERIOR*

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:31:49 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

##### *INTERIOR*

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit [onstar.com](http://onstar.com) for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:31:49 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, 4-speaker system (Requires Regular Cab models)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:31:49 PM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: acli@hotmai.com

## 2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

##### *MECHANICAL*

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Transfer case, with floor-mounted shifter (Requires 4WD models)
- Four wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:31:49 PM

Page 7

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 2500HD 4WD Reg Cab 133" Work Truck**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK20903 4WD Reg Cab 133" Work Truck**

- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

**SAFETY**

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 11:31:49 PM

Page 8

**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(S): Spec # 3958-0092D  
 MAKE OF TRUCK: GMC MODEL: Sierra TK20903 GVWR 9200 lbs.  
 PAYLOAD: 3022 # W.B. 133" C.A. 55.90" C.E. N/A  
 ENGINE: (GAS - DIESEL) Diesel MAKE: Gm Duramax MODEL: LMM, 6.6 SAE H.P. 365  
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7.6-spd  
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3042 lbs. AUX. N/A lbs.  
 AXLES: FRONT 4800 lbs. REAR 6900 lbs. REAR RATIO 3.73  
 ALTERNATOR: 125 amps. BATTERY Dual 730 cca.  
 TIRE SIZE: FRONT LT245/75R14 PR REAR LT245/75R16 PR SINGLE  DUAL  M&S   
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QIW  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)  
 (4 x 4)

MODEL-2008 CURRENT NEW

	DODGE BR3500 DC8L63	CHEV/GMC K31003	FORD F-350SD DRW
Wheelbase (inches)	140.5	137	140.8
Engine: Gasoline	5.7L	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	330	312	300

Transmission: Automatic:  
 with 2-speed transfer case and maximum capacity transmission oil cooler.  
 Factory installed.

Axle, Min. Cap.-lbs.			
Front	5,200	4,800	6,000
Rear	9,350	9,200	9,750

Springs, Min. Cap. at Ground			
Front-lbs., each	TBD	2,400	1,975
Rear-lbs., each	TBD	4,300	4,500

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals. Tread design for all tires shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery 12 Volt; 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Outside, R.H. and L.H., below eye level, extended reach, swing away type, 51 square inch minimum, Installed.
- Spare wheel with tire
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Hubs-Automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s).
- Seats-split bench front
- Tow Hooks-front, frame mounted.

## PRICING SHEET

<b><u>TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)</u></b>	
<b>(4 x 4)</b>	
<b>Mich. Spec. #3958-0093</b>	
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>
<b>Make: GMC    Model: Sierra</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$20,362.00*</b>
<b>Final Point of Assembly: Pontiac, MI</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City:        Westland</b>	<b>State: MI</b>
	<b>Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
 Spec # 3958-0093

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

**SELECTED MODEL & OPTIONS**

SELECTED MODEL - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK31003	2008 GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9" CA WT	\$28,225.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
<b>TRANSMISSION</b>		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED WITH OVERDRIVE AND TOW/HAUL MODE	\$0.00
<b>DIFFERENTIAL</b>		
—	NO LOCKING DIFFERENTIAL	\$0.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP,	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 10:28:40 AM

Page 1

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TIRES	QCV	TIRES, LT225/75R17E ON-/OFF-ROAD, BLACKWALL	\$66.00
SPARE TIRE	ZCV	TIRE, SPARE LT225/75R17E ON-/OFF-ROAD, BLACKWALL,	\$421.00
SEAT TYPE	AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM	_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT	ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING	C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO	UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS	UE0	ONSTAR, DELETE	-\$85.00
	DF2	MIRRORS, OUTSIDE HIGH-VISIBILITY VERTICAL CAMPER-STYLE, BLACK	\$70.00
	K34	CRUISE CONTROL, ELECTRONIC	\$250.00
	U2J	XM SATELLITE RADIO, DELETE	-\$200.00
	VQ1	FLEET PROCESSING OPTION	\$0.00
<b>OPTIONS TOTAL</b>			<b>\$1,392.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 10:28:40 AM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

#### *EXTERIOR*

- Paint, solid
- Bumper, front chrome
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Daytime Running Lamps, with automatic exterior lamp control
- Lamps, Smoked Amber roof marker
- Lamp delete, LED center high-mounted stop/brake (CHMSL) delete and cargo area, delete (Standard with 4WD models only.)
- Mirrors, outside manual, Black, manual folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 10:28:41 AM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

#### *INTERIOR*

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM Vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. If the order type is FDR, (UE0) OnStar delete will be forced on. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) Power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 4-speaker system (Requires Regular Cab models.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 19, 2007 10:28:41 AM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation. (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Cup holders, front (Also includes rear cupholders on Extended Cab models.)
- Mirror, inside rearview manual day/night
- Coat hooks, rear driver and passenger side
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended Cab Models.)
- Lighting, interior with dome and reading lights, backlit instrument panel switches and door handle-activated illuminated entry
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 19, 2007 10:28:41 AM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

#### **MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine.)
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Rear axle, 3.73 ratio
- Four wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power (Not standard with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- Alternator, 125 amps
- Recovery hooks, front, frame-mounted
- Body, Chassis Cab, includes (VF7) bumper delete
- Frame, hydroformed
- GVWR, 12,000 lbs. (5443 kg) (Standard with 4WD models only.)
- Rear axle, 66" (167.6 cm) wide
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailering, heavy-duty includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Includes 6 tires with (ZW9) pickup box delete.)
- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 19, 2007 10:28:41 AM

Page 6

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbox@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

- Exhaust, aluminized stainless-steel muffler and tailpipe
- SAFETY
- Brakes, 4-wheel antilock, 4-wheel disc
  - Air bags, frontal, driver and right-front passenger with passenger-side deactivation switch (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
  - Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 10:28:41 AM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(S). Spec # 3958-0093  
 MAKE OF TRUCK: Gmc MODEL: Sierra TK31003 GVWR 12000 lbs.  
 PAYLOAD: 6115 # W.B. 137" C.A. 59.90" C.E. 111"  
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 312  
 FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-spd  
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4300 lbs. AUX. N/A lbs.  
 AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3.73  
 ALTERNATOR: 125 amps. BATTERY 600 cca.  
 TIRE SIZE: FRONT L7.5HSR17E PR REAR L7.5HSR17E PR SINGLE      DUAL      M&S       
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCV  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)  
 (4 x 4)

MODEL-2008 CURRENT NEW

	DODGE BR3500 DC8L63	CHEV/GMC K31003	FORD F-350SD DRW
Wheelbase (inches)	140.5	137	140.8
Engine: Diesel	5.7L	6.6L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	330	365	300

Transmission: Automatic:  
 with 2-speed transfer case and maximum capacity transmission oil cooler.  
 Factory installed.

Axle, Min. Cap.-lbs.			
Front	5,200	4,800	6,000
Rear	9,350	9,200	9,750

Springs, Min. Cap. at Ground			
Front-lbs., each	TBD	2,400	1,975
Rear-lbs., each	TBD	4,300	4,500

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals. Tread design for all tires shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery 12 Volt; 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Outside, R.H. and L.H., below eye level, extended reach, swing away type, 51 square inch minimum, Installed.
- Spare wheel.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Hubs-Automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s).
- Seats-split bench front
- Tow Hooks-front, frame mounted.

## PRICING SHEET

<b>TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)</b> (4 x 4) Mich. Spec. #3958-0093D		
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>	
<b>Make: GMC Model: Sierra</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$26,685.00*</b>	
<b>Final Point of Assembly: Pontiac, MI</b>		
<b><u>Dealer Information</u></b>		
<b>Dealer Name: Red Holman Pontiac GMC</b>		
<b>Street Address: 35300 Ford Road</b>		
<b>City: Westland</b>	<b>State: MI</b>	<b>Zip: 48185</b>
<b>Contact Name: Albert Li</b>		
<b>Telephone: (800) 482-3032</b>		
<b>Cell: (734) 637-6643</b>		
<b>E-mail: aclixx@hotmail.com</b>		

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
Spec # 3958-00930

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK31003	2008 GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9" CA WT	\$28,225.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B5-DIESEL COMPATIBLE	\$7,195.00
<b>TRANSMISSION</b>		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, ELECTRONIC ENGINE GRADE BRAKING AND TOWHAUL MODE.	\$1,200.00
<b>DIFFERENTIAL</b>		
—	NO LOCKING DIFFERENTIAL	\$0.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP,	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 10:43:36 AM

Page 1

**Prepared By:**  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: acli@hotmai.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
TIRES		
QCV	TIRES, LT225/75R17E ON-/OFF-ROAD, BLACKWALL	\$66.00
SPARE TIRE		
ZCV	TIRE, SPARE LT225/75R17E ON-/OFF-ROAD, BLACKWALL,	\$421.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
PTO	POWER TAKE OFF, ENGINE CONTROL PROVISIONS	INC
UE0	ONSTAR, DELETE	-\$85.00
K05	ENGINE BLOCK HEATER	INC
DF2	MIRRORS, OUTSIDE HIGH-VISIBILITY VERTICAL CAMPER-STYLE, BLACK	\$70.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
 Customer File:

December 19, 2007 10:43:36 AM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

**SELECTED MODEL & OPTIONS**

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

**CATEGORY**

<b><u>Code</u></b>	<b><u>Description</u></b>	<b><u>MSRP</u></b>
	OPTIONS TOTAL	\$9,787.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 10:43:36 AM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

#### *EXTERIOR*

- Paint, solid
- Bumper, front chrome
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Daytime Running Lamps, with automatic exterior lamp control
- Lamps, Smoked Amber roof marker
- Lamp delete, LED center high-mounted stop/brake (CHMSL) delete and cargo area, delete (Standard with 4WD models only.)
- Mirrors, outside manual, Black, manual folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 10:43:36 AM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

#### *INTERIOR*

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM Vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. If the order type is FDR, (UE0) OnStar delete will be forced on. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) Power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 4-speaker system (Requires Regular Cab models.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 10:43:36 AM

Page 5

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation. (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Cup holders, front (Also includes rear cupholders on Extended Cab models.)
- Mirror, inside rearview manual day/night
- Coat hooks, rear driver and passenger side
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended Cab Models.)
- Lighting, interior with dome and reading lights, backlit instrument panel switches and door handle-activated illuminated entry
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 10:43:36 AM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

#### **MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine.)
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Rear axle, 3.73 ratio
- Four wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power (Not standard with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- Alternator, 125 amps
- Recovery hooks, front, frame-mounted
- Body, Chassis Cab, includes (VF7) bumper delete
- Frame, hydroformed
- GVWR, 12,000 lbs. (5443 kg) (Standard with 4WD models only.)
- Rear axle, 66" (167.6 cm) wide
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailer, heavy-duty includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Includes 6 tires with (ZW9) pickup box delete.)
- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 10:43:36 AM

Page 7

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

**2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"**

**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

- Exhaust, aluminized stainless-steel muffler and tailpipe  
SAFETY
- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger with passenger-side deactivation switch (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 10:43:36 AM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(S). Spec # 3958-00930  
 MAKE OF TRUCK: GMC MODEL: Sierra Tk31003 GVWR 12000 lbs.  
 PAYLOAD: 5495 # W.B. 137" C.A. 59.90" C.E. 111"  
 ENGINE: (GAS - DIESEL) Diesel MAKE: Gm Duramax MODEL: LMM, 6.6 SAE H.P. 365  
 FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: Allison 100 MW 6 spd  
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4300 lbs. AUX. N/A lbs.  
 AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3-73  
 ALTERNATOR: 125 amps. BATTERY Dual 730 cca.  
 TIRE SIZE: FRONT G225/75R17E PR REAR G225/75R17E PR SINGLE ✓ DUAL ✓ M&S ✓  
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCV  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: UTILITY VEHICLE, LARGE, 6-PASSENGER-4 x 4  
 (Payload-1,500 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ <b>GMC</b> K10906 <u>SUBURBAN/<b>YUKON XL</b></u>	FORD EXPEDITION <u>EL</u>
G.V.W.R. (lbs.)	7,400	7,900
Wheelbase (inches)	130	131
Engine: Gasoline	5.3L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	310	300
Transmission: Automatic: w/2-speed Transfer Case and Auxiliary Oil Cooler		
Axle, min. Cap.-lbs.		
Front	3,925	3,700
Rear	4,200	4,250
Springs, Min. Cap. at Ground		
Front-lbs. each	1,800	1,850
Rear-lbs. each	2,100	2,125

Tires, Tubeless, P235/75R15. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt; 600 CCA, min.
- Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Fuel tank-largest single tank available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, swing away
- type, 54 square in minimum, Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**PRICING SHEET**

<b><u>TRUCK: UTILITY VEHICLE, LARGE, 6-PASSENGER-4 x 4</u></b> <b>(Payload-1,500 lbs., min.)</b> <b>Mich. Spec. #3905-0094</b>	
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>
<b>Make: GMC Model: Yukon XL</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$28,895.00*</b>
<b>Final Point of Assembly: Arlington, TX or Jamesville, WI</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City: Westland</b>	<b>State: MI Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
 Spec # 3905-0094

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK10906	2008 GMC Yukon XL 4WD 4dr 1500 Commercial	\$41,080.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

<u>Code</u>	<u>Description</u>
19V	Interior: Ebony
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LC9	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT,	\$0.00
<b>TRANSMISSION</b>		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
<b>DIFFERENTIAL</b>		
—	NO LOCKING REAR DIFFERENTIAL	\$0.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		
1SA	COMMERCIAL PREFERRED EQUIPMENT GROUP	-\$2,480.00
<b>TIRES</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:45 AM

Page 1

**Prepared By:**  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

<b>CATEGORY</b>		<b>MSRP</b>
<u>Code</u>	<u>Description</u>	
<b>TIRES</b>		
QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL	\$55.00
<b>SEATING ARRANGEMENT</b>		
—	NO THIRD ROW SEAT	\$0.00
<b>SEAT TYPE</b>		
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH	\$0.00
<b>SEAT TRIM</b>		
—V	VINYL SEAT TRIM	\$0.00
<b>PAINT</b>		
—	PAINT, SOLID	\$0.00
<b>RADIO</b>		
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER,	\$0.00
<b>WHEEL TYPE</b>		
NX7	WHEELS, 4-17" X 7" (43.2 CM X 17.8 CM) STEEL	\$0.00
<b>ADDITIONAL OPTIONS</b>		
KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER,	\$95.00
ANJ	GLASS, NON-DEEP TINTED	-\$295.00
G63	LUGGAGE RACK, DELETE	-\$25.00
UE0	ONSTAR, DELETE	-\$85.00
VQ1	FLEET PROCESSING OPTION	\$0.00
<b>SPECIAL EQUIPMENT OPTIONS</b>		
4JP	TIRE, SPARE P265/70R17 ON-/OFF-ROAD, BLACKWALL	\$11.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:45 AM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	-\$2,724.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 19, 2007 11:22:45 AM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

##### *EPA FUEL ECONOMY RATINGS*

- City 14/hwy 19 (5.3L flex-fuel engine/4-speed auto trans)
- City 11/hwy 14 (5.3L flex-fuel engine/4-speed auto trans with E85 gas/ethan. mix)

##### *EXTERIOR*

- Luggage rack side rails, roof-mounted, Black
- Fascia, front color-keyed
- Fascia, rear color-keyed
- Air dam, Gray
- Grille, chrome surround
- Assist steps, body-color, mounted between front and rear wheels
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Mirrors, outside heated power-adjustable, body-color, manual-folding
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wipers, front intermittent wet-arm with flat blade and pulse washers
- Body, liftgate with liftglass, rear door system with rear-window wiper/washer
- Wiper, rear intermittent with washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:45 AM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

##### *INTERIOR*

- Seats, front 40/20/40 split-bench with Custom Cloth, 3-passenger, includes 6-way power driver seat adjuster, driver and front passenger manual reclining, center fold-down storage armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets
- Seat adjuster, driver power (Not available with vinyl seats.)
- Seats, second row 60/40 split-folding bench with Custom Cloth, 3-passenger with center armrest and storage tray
- Cup holders, in front seating area
- Cup holders, driver and passenger-side in third row side trim
- Floor covering, Black rubberized-vinyl (Required with (AZ3) front 40/20/40 split-bench seat with vinyl or SEO (9S1) vinyl bucket seats.)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, vinyl
- Tow/haul mode selector, button located at end of shift lever
- Tire Pressure Monitoring System (does not apply to spare tire)
- Driver Information Center, full-functionality included
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Remote vehicle starter prep package, includes Remote Keyless Entry (Remote vehicle starter fob available through GM Accessories.)
- Cruise control, electronic with set and resume speed
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 8-speaker system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:46 AM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

- XM Satellite Radio, delete
- Antenna, integral in rear quarter glass
- Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger
- Air conditioning, rear auxiliary
- Heater, rear auxiliary with rear passenger heating ducts
- Defogger, rear-window electric
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Theft-deterrent system, vehicle, PASS-Key III
- Power outlets, 3 auxiliary, 12-volt, includes 2 on the instrument panel and 1 in the cargo area
- Door trim, lights on the front doors and side reflectors on the rear doors
- Armrests, driver and passenger doors, padded
- Mirror, inside rearview auto-dimming with 8-point compass and outside temperature display
- Console, overhead mini with map lights
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod, includes corner storage pockets on back of visors, Shale-colored
- Assist handles, front passenger and second row outboard
- Coat hooks, driver- and passenger-side rear seat and cargo area
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Storage bin, behind driver-side rear quarter panel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:46 AM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

---

- Fleet Package

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:46 AM

Page 7

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

##### *MECHANICAL*

- Engine, Vortec 5.3L V8 SFI Flex-Fuel with Active Fuel Management, capable of running on unleaded or up to 85% ethanol (310 hp [231.1 kW] @ 5200 rpm, 335 lb-ft of torque [452.3 N-m] @ 4400 rpm), aluminum block (Requires 4WD 1/2 ton models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode (Requires 1/2 ton models.)
- Transfer case, active, 2-speed with push-button controls (Requires 4WD models.)
- Rear axle, 3.73 ratio
- 4-wheel drive
- Alternator, 160 amps (Requires (VYU) Snow Plow Prep Package on 3/4 ton models.)
- Trailing equipment, heavy-duty, includes trailing hitch platform, 7-wire harness with independent fused trailing circuits mated to a 7-way sealed connector and (VR4) 2" trailing receiver
- Recovery hooks, 2 front, frame-mounted (Standard on 4WD models. Standard on 3/4 ton models.)
- GVWR, 7400 lbs. (3357 kg) (Requires 4WD 1/2 ton models.)
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Suspension Package, Premium Smooth Ride (1/2 ton models only.)
- Suspension, front coil-over-shock with stabilizer bar (1/2 ton models only.)
- Suspension, rear multi-link with coil springs (1/2 ton models only.)
- Tires, P265/70R17 all-season, blackwall (Requires 1/2 ton models.)
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Tire, spare P265/70R17 (1/2 ton models only. Upgradeable to (4JP) P265/70R17 on-/off-road, blackwall spare tire.)
- Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel (1/2 ton models only. Upgradeable to (QF7) 4 - 17" x 7.5" (43.2 cm x 19.1 cm) bright aluminum wheels.)
- Wheel, 17" (43.2 cm) full-size, steel spare (1/2 ton models only)
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc (Requires 1/2 ton models.)
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GMC AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:46 AM

Page 8

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

- Tools, mechanical jack and wheel wrench, stored in rear quarter trim
- SAFETY*
- Brakes, 4-wheel antilock, 4-wheel disc
  - Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
  - Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) 3-passenger third row 50/50 split-bench seat or (AW2) 2-passenger third row 50/50 split-bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
  - LATCH system (Lower Anchors and Top tethers for Children), for child safety seats
  - StabiliTrak, stability control system with Proactive Roll Avoidance
  - Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:46 AM

Page 9



## APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(S). Spec # 3905-0094  
 MAKE OF TRUCK: GMC MODEL: Yukon XL TK10906 GVWR 7400 lbs.  
 PAYLOAD: 1776 # W.B. 130" C.A. N/A C.E. N/A  
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LC9, 5.3 SAE H.P. 310  
 FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: Gm Hydraulic M30 4-sp  
 SPRING CAP. @ GROUND EACH: FRONT 1800 lbs. REAR 2100 lbs. AUX. N/A lbs.  
 AXLES: FRONT 3925 lbs. REAR 4200 lbs. REAR RATIO 3.73  
 ALTERNATOR: 160 amps. BATTERY 600 cca.  
 TIRE SIZE: FRONT P265/70R17 PR REAR P265/70R17 PR SINGLE ✓ DUAL ✓ M&S ✓  
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QJP  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: UTILITY VEHICLE, LARGE, 6-PASSENGER-4 x 4  
(Payload-1,500 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ <b>GMC</b> K10906 <u>SUBURBAN/<b>YUKON XL</b></u>	FORD EXPEDITION <u>EL</u>
G.V.W.R. (lbs.)	7,400	7,900
Wheelbase (inches)	130	131
Engine: E-85	5.3L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	310	300
Transmission: Automatic: w/2-speed Transfer Case and Auxiliary Oil Cooler		
Axle, min. Cap.-lbs.		
Front	3,925	3,700
Rear	4,200	4,250
Springs, Min. Cap. at Ground		
Front-lbs. each	1,800	1,850
Rear-lbs. each	2,100	2,125

Tires, Tubeless, P235/75R15. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt; 600 CCA, min.
- Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Fuel tank-largest single tank available from mfg.
- Hubs-automatic locking type on front (MDOT)
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, swing away type, 54 square in minimum, Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats-Full bench front, with a full width forward facing rear seat. GMC-Front & Rear Split Bench
- Skid plates-Fuel tank and transfer case.
- Tow hooks-front, frame mounted.



Vehicle Order Confirmation Sheet  
Spec # 3905-0094A

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: acibx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK10906	2008 GMC Yukon XL 4WD 4dr 1500 Commercial	\$41,080.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

<u>Code</u>	<u>Description</u>
19V	Interior: Ebony
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LC9	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT,	\$0.00
<b>TRANSMISSION</b>		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
<b>DIFFERENTIAL</b>		
—	NO LOCKING REAR DIFFERENTIAL	\$0.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		
1SA	COMMERCIAL PREFERRED EQUIPMENT GROUP	-\$2,480.00
<b>TIRES</b>		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:54 AM

Page 1

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TIRES	QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL	\$55.00
SEATING ARRANGEMENT	___	NO THIRD ROW SEAT	\$0.00
SEAT TYPE	AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00
	AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH	\$0.00
SEAT TRIM	__V	VINYL SEAT TRIM	\$0.00
PAINT	___	PAINT, SOLID	\$0.00
RADIO	US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER,	\$0.00
WHEEL TYPE	NX7	WHEELS, 4-17" X 7" (43.2 CM X 17.8 CM) STEEL	\$0.00
ADDITIONAL OPTIONS	KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER,	\$95.00
	ANJ	GLASS, NON-DEEP TINTED	-\$295.00
	G63	LUGGAGE RACK, DELETE	-\$25.00
	UE0	ONSTAR, DELETE	-\$85.00
	VQ1	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQUIPMENT OPTIONS	4JP	TIRE, SPARE P265/70R17 ON-/OFF-ROAD, BLACKWALL	\$11.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
 Customer File:

December 19, 2007 11:22:54 AM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclio@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

**SELECTED MODEL & OPTIONS**

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	-\$2,724.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:54 AM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

##### *EPA FUEL ECONOMY RATINGS*

- City 14/hwy 19 (5.3L flex-fuel engine/4-speed auto trans)
- City 11/hwy 14 (5.3L flex-fuel engine/4-speed auto trans with E85 gas/ethan. mix)

##### *EXTERIOR*

- Luggage rack side rails, roof-mounted, Black
- Fascia, front color-keyed
- Fascia, rear color-keyed
- Air dam, Gray
- Grille, chrome surround
- Assist steps, body-color, mounted between front and rear wheels
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Mirrors, outside heated power-adjustable, body-color, manual-folding
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wipers, front intermittent wet-arm with flat blade and pulse washers
- Body, liftgate with liftglass, rear door system with rear-window wiper/washer
- Wiper, rear intermittent with washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:54 AM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

##### *INTERIOR*

- Seats, front 40/20/40 split-bench with Custom Cloth, 3-passenger, includes 6-way power driver seat adjuster, driver and front passenger manual reclining, center fold-down storage armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets
- Seat adjuster, driver power (Not available with vinyl seats.)
- Seats, second row 60/40 split-folding bench with Custom Cloth, 3-passenger with center armrest and storage tray
- Cup holders, in front seating area
- Cup holders, driver and passenger-side in third row side trim
- Floor covering, Black rubberized-vinyl (Required with (AZ3) front 40/20/40 split-bench seat with vinyl or SEO (9S1) vinyl bucket seats.)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, vinyl
- Tow/haul mode selector, button located at end of shift lever
- Tire Pressure Monitoring System (does not apply to spare tire)
- Driver Information Center, full-functionality included
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Remote vehicle starter prep package, includes Remote Keyless Entry (Remote vehicle starter fob available through GM Accessories.)
- Cruise control, electronic with set and resume speed
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 8-speaker system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:54 AM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

- XM Satellite Radio, delete
- Antenna, integral in rear quarter glass
- Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger
- Air conditioning, rear auxiliary
- Heater, rear auxiliary with rear passenger heating ducts
- Defogger, rear-window electric
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Theft-deterrent system, vehicle, PASS-Key III
- Power outlets, 3 auxiliary, 12-volt, includes 2 on the instrument panel and 1 in the cargo area
- Door trim, lights on the front doors and side reflectors on the rear doors
- Armrests, driver and passenger doors, padded
- Mirror, inside rearview auto-dimming with 8-point compass and outside temperature display
- Console, overhead mini with map lights
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod, includes corner storage pockets on back of visors, Shale-colored
- Assist handles, front passenger and second row outboard
- Coat hooks, driver- and passenger-side rear seat and cargo area
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Storage bin, behind driver-side rear quarter panel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:54 AM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

- Fleet Package

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:22:54 AM

Page 7

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

### STANDARD EQUIPMENT

#### STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

##### MECHANICAL

- Engine, Vortec 5.3L V8 SFI Flex-Fuel with Active Fuel Management, capable of running on unleaded or up to 85% ethanol (310 hp [231.1 kW] @ 5200 rpm, 335 lb-ft of torque [452.3 N-m] @ 4400 rpm), aluminum block (Requires 4WD 1/2 ton models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode (Requires 1/2 ton models.)
- Transfer case, active, 2-speed with push-button controls (Requires 4WD models.)
- Rear axle, 3.73 ratio
- 4-wheel drive
- Alternator, 160 amps (Requires (VYU) Snow Plow Prep Package on 3/4 ton models.)
- Trailing equipment, heavy-duty, includes trailing hitch platform, 7-wire harness with independent fused trailing circuits mated to a 7-way sealed connector and (VR4) 2" trailing receiver
- Recovery hooks, 2 front, frame-mounted (Standard on 4WD models. Standard on 3/4 ton models.)
- GVWR, 7400 lbs. (3357 kg) (Requires 4WD 1/2 ton models.)
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Suspension Package, Premium Smooth Ride (1/2 ton models only.)
- Suspension, front coil-over-shock with stabilizer bar (1/2 ton models only.)
- Suspension, rear multi-link with coil springs (1/2 ton models only.)
- Tires, P265/70R17 all-season, blackwall (Requires 1/2 ton models.)
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Tire, spare P265/70R17 (1/2 ton models only. Upgradeable to (4JP) P265/70R17 on-/off-road, blackwall spare tire.)
- Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel (1/2 ton models only. Upgradeable to (QF7) 4 - 17" x 7.5" (43.2 cm x 19.1 cm) bright aluminum wheels.)
- Wheel, 17" (43.2 cm) full-size, steel spare (1/2 ton models only)
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc (Requires 1/2 ton models.)
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 19, 2007 11:22:54 AM

Page 8

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

## 2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial**

- Tools, mechanical jack and wheel wrench, stored in rear quarter trim

#### *SAFETY*

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) 3-passenger third row 50/50 split-bench seat or (AW2) 2-passenger third row 50/50 split-bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 19, 2007 11:22:54 AM

Page 9



**APPENDIX B**

**TRUCK QUESTIONNAIRE FORMS**

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3905-0094A  
 MAKE OF TRUCK: GMC MODEL: Yukon XL TK10906 GVWR 7400 lbs.  
 PAYLOAD: 1776 #  WB. 130"  C.A. N/A C.E. N/A  
 ENGINE: (GAS - DIESEL) Gas/E85 MAKE: Gm MODEL: LC9, S3 SAE H.P. 310   
 FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: Gm Hydraulic M30 4-spd  
 SPRING CAP. @ GROUND EACH: FRONT 1800 lbs. REAR 2100 lbs. AUX. N/A lbs.  
 AXLES: FRONT 3925  lbs. REAR 4200  lbs. REAR RATIO 3.73  
 ALTERNATOR: 160  amps. BATTERY 600  cca.  
 TIRE SIZE: FRONT P265/70R17 PR REAR P265/70R17 PR SINGLE  DUAL  M&S   
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QJP  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

**OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS**

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**TRUCK: CAB AND CHASSIS**

G.V.W.R. 12,500 lbs. min., (Payload 5,800 lb. min.), (4 x 4)  
GMC G.V.W.R. 12,000 lbs Payload: 5,487 lbs

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>K31003</u>	<u>FORD</u> <u>F-350</u>	<u>DODGE</u> <u>DC8L63</u>
Wheelbase (inches)	137.0	140.8	143.5
C.A. (inches)	59.9	60	60
Engine: Diesel	6.6L	6.4L	6.7L
Type & No. of Cylinders	V-8 Turbo	V-8 Turbo	L-6 Turbo
Net H.P.-S.A.E.	365	350	305
Transmission: Automatic with Maximum capacity transmission oil cooler with P.T.O. Provision. Factory installed.			
Axle, Min. Cap.			
Front-lbs	4,800	6,000	5,200
Rear-lbs.	9,200	9,750	9,350
Springs, Min. Cap. at Ground			
Front-1,607 lbs. each	2,400	2,600	TBD
Rear-3,650 lbs. each	4,300	4,875	TBD
Including Aux.			

\*SEE Mich. 3958-0074, Mich. 3958-0075, or Mich. 3958-0076 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery
- Hubs autolocking on front (MDOT)

## PRICING SHEET

<b><u>TRUCK: CAB AND CHASSIS</u></b>	
<b>G.V.W.R. 12,500 lbs. min., (Payload 5,800 lb. min.), (4 x 4)</b>	
<b>Mich. Spec. #3958-0098</b>	
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>
<b>Make: GMC Model: Sierra</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$ 26,952.00*</b>
<b>Final Point of Assembly: Pontiac, MI</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City: Westland</b>	<b>State: MI</b>
	<b>Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet

Spec # 3958-0098

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK31003	2008 GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9" CA WT	\$28,225.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B5-DIESEL COMPATIBLE	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, ELECTRONIC ENGINE GRADE BRAKING AND TOW/HAUL MODE.	\$1,200.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP,	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:33:58 AM

Page 1

**Prepared By:**  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

<b>CATEGORY</b>		<b>MSRP</b>
<b>Code</b>	<b>Description</b>	
<b>TIRES</b>		
QCV	TIRES, LT225/75R17E ON-/OFF-ROAD, BLACKWALL	\$66.00
<b>SPARE TIRE</b>		
ZCV	TIRE, SPARE LT225/75R17E ON-/OFF-ROAD, BLACKWALL,	\$421.00
<b>SEAT TYPE</b>		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
<b>SEAT TRIM</b>		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
<b>PAINT</b>		
ZY1	PAINT, SOLID	\$0.00
<b>AIR CONDITIONING</b>		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
<b>RADIO</b>		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
<b>ADDITIONAL OPTIONS</b>		
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
PTO	POWER TAKE OFF, ENGINE CONTROL PROVISIONS	INC
UE0	ONSTAR, DELETE	-\$85.00
K05	ENGINE BLOCK HEATER	INC
V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS	\$55.00
DF2	MIRRORS, OUTSIDE HIGH-VISIBILITY VERTICAL CAMPER-STYLE, BLACK	\$70.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
 Customer File:

December 19, 2007 11:33:58 AM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

**SELECTED MODEL & OPTIONS**

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	\$10,167.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:33:58 AM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

#### *EXTERIOR*

- Paint, solid
- Bumper, front chrome
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Daytime Running Lamps, with automatic exterior lamp control
- Lamps, Smoked Amber roof marker
- Lamp delete, LED center high-mounted stop/brake (CHMSL) delete and cargo area, delete (Standard with 4WD models only.)
- Mirrors, outside manual, Black, manual folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:33:58 AM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

#### *INTERIOR*

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM Vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. If the order type is FDR, (UE0) OnStar delete will be forced on. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) Power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 4-speaker system (Requires Regular Cab models.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:33:58 AM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation. (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Cup holders, front (Also includes rear cupholders on Extended Cab models.)
- Mirror, inside rearview manual day/night
- Coat hooks, rear driver and passenger side
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended Cab Models.)
- Lighting, interior with dome and reading lights, backlit instrument panel switches and door handle-activated illuminated entry
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:33:58 AM

Page 6

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: acibx@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT**

##### *MECHANICAL*

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine.)
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Rear axle, 3.73 ratio
- Four wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power (Not standard with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- Alternator, 125 amps
- Recovery hooks, front, frame-mounted
- Body, Chassis Cab, includes (VF7) bumper delete
- Frame, hydroformed
- GVWR, 12,000 lbs. (5443 kg) (Standard with 4WD models only.)
- Rear axle, 66" (167.6 cm) wide
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailing, heavy-duty includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Includes 6 tires with (ZW9) pickup box delete.)
- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:33:58 AM

Page 7

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

### **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

- Exhaust, aluminized stainless-steel muffler and tailpipe
- SAFETY
- Brakes, 4-wheel antilock, 4-wheel disc
  - Air bags, frontal, driver and right-front passenger with passenger-side deactivation switch (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
  - Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:33:58 AM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s): Spec # 3958-0098
MAKE OF TRUCK: GMC MODEL: Sierra TK31003 GVWR: 12000 lbs.
PAYLOAD: 5487 # W.B. 137" C.A. 59.90 G.E. 111
ENGINE: (GAS - DIESEL) Diesel MAKE: GM Duramax MODEL: LMM, 6.6 SAE H.P. 365
FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7 6-spd
SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4300 lbs. AUX. N/A lbs.
AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3.73
ALTERNATOR: 125 amps. BATTERY Dual 730 cca.
TIRE SIZE: FRONT T225/75R17E PR REAR T225/75R17EPR SINGLE DUAL M&S
TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCV
HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

Blank lines for other equipment and comments.

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CAB AND CHASSIS  
 (Payload-5,930 lbs., min.)\* (4 x 4)  
 GMC Payload: 5,411

MODEL-2008 CURRENT NEW

	<u>FORD</u> <u>F-350</u>	<u>CHEV/GMC</u> <u>K31403</u>	<u>DODGE</u> <u>DC8L64</u>
G.V.W.R. (12,500 lbs. min.)	13,000	12,000	12,500
Wheelbase (inches)	164.8	161.5	167.5
C.A. (inches)	84	84.4	84.0
Engine: Diesel	6.4L	6.6L	6.7L
Type & No. of Cylinders	V-8 Turbo	V-8	L-6 Turbo
Net H.P.-S.A.E.	350	365	305
Transmission: Automatic with maximum capacity transmission oil cooler with P.T.O. Provision. Factory installed.			
Axle, Min. Cap.			
Front-lbs.	6,000	4,800	5,200
Rear-lbs.	9,750	9,200	9,350
Springs, Min. Cap. at Ground			
Front-lbs. each	2,200	2,400	TBD
Rear-lbs. each including aux.	4,875	4,300	TBD

\*SEE Mich. 3958-0078 or Mich. 3958-0079 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified

- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in. minimum. Installed.
- Spare tire and wheel. Mfg. Stnd. mounting.
- Steering-Power
- Wrench-wheel.

**ADDITIONAL MDOT OPTIONS:** (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Hubs autolocking (MDOT)

## PRICING SHEET

<b><u>TRUCK: CAB AND CHASSIS</u></b> (Payload-5,930 lbs., min.)* (4 x 4) Mich. Spec. #3958-0099	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC      Model: Sierra F.O.B. - Dealership Delivery Cost Per Mile \$ 1.00	<b>\$27,110.00*</b>
<b>Final Point of Assembly: Pontiac, MI</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City:          Westland</b>	<b>State: MI          Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
Spec # 3958-0099

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK31403	2008 GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4" CA WT	\$28,395.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT**

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B5-DIESEL COMPATIBLE	\$7,195.00
<b>TRANSMISSION</b>		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, ELECTRONIC ENGINE GRADE BRAKING AND TOW/HAUL MODE.	\$1,200.00
<b>DIFFERENTIAL</b>		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
<b>AXLE</b>		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP,	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:47:52 AM

Page 1

**Prepared By:**  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT**

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
<b>TIRES</b>		
QCV	TIRES, LT225/75R17E ON-/OFF-ROAD, BLACKWALL	\$66.00
<b>SPARE TIRE</b>		
ZCV	TIRE, SPARE LT225/75R17E ON-/OFF-ROAD, BLACKWALL,	\$421.00
<b>SEAT TYPE</b>		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
<b>SEAT TRIM</b>		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
<b>PAINT</b>		
ZY1	PAINT, SOLID	\$0.00
<b>AIR CONDITIONING</b>		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
<b>RADIO</b>		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
<b>ADDITIONAL OPTIONS</b>		
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
PTO	POWER TAKE OFF, ENGINE CONTROL PROVISIONS	INC
UE0	ONSTAR, DELETE	-\$85.00
K05	ENGINE BLOCK HEATER	INC
V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS	\$55.00
DF2	MIRRORS, OUTSIDE HIGH-VISIBILITY VERTICAL CAMPER-STYLE, BLACK	\$70.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:47:52 AM

Page 2

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

**SELECTED MODEL & OPTIONS**

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	\$10,167.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:47:52 AM

Page 3

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

### **STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT**

#### *EXTERIOR*

- Paint, solid
- Bumper, front chrome
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Daytime Running Lamps, with automatic exterior lamp control
- Lamps, Smoked Amber roof marker
- Lamp delete, LED center high-mounted stop/brake (CHMSL) delete and cargo area, delete (Standard with 4WD models only.)
- Mirrors, outside manual, Black, manual folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:47:52 AM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

### **STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT**

#### *INTERIOR*

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM Vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. If the order type is FDR, (UE0) OnStar delete will be forced on. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) Power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 4-speaker system (Requires Regular Cab models.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:47:52 AM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT**

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation. (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Cup holders, front (Also includes rear cupholders on Extended Cab models.)
- Mirror, inside rearview manual day/night
- Coat hooks, rear driver and passenger side
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended Cab Models.)
- Lighting, interior with dome and reading lights, backlit instrument panel switches and door handle-activated illuminated entry
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 19, 2007 11:47:52 AM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT**

##### *MECHANICAL*

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine.)
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Rear axle, 3.73 ratio
- Four wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power (Not standard with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- Alternator, 125 amps
- Recovery hooks, front, frame-mounted
- Body, Chassis Cab, includes (VF7) bumper delete
- Frame, hydroformed
- GVWR, 12,000 lbs. (5443 kg) (Standard with 4WD models only.)
- Rear axle, 66" (167.6 cm) wide
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailing, heavy-duty includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Includes 6 tires with (ZW9) pickup box delete.)
- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:47:52 AM

Page 7

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT**

- Exhaust, aluminized stainless-steel muffler and tailpipe
- SAFETY*
- Brakes, 4-wheel antilock, 4-wheel disc
  - Air bags, frontal, driver and right-front passenger with passenger-side deactivation switch (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
  - Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 11:47:52 AM

Page 8



**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(S). Spec # 3958-0099  
 MAKE OF TRUCK: Gmc MODEL: Sierra Tk31403 GVWR 12000 lbs.  
 PAYLOAD: 5411 # W.B. 161.5" ✓ C.A. 84.4" ✓ C.E. 135.5" ✓  
 ENGINE: (GAS - DIESEL) Diesel MAKE: Gm Duramax MODEL: LMM, 6.6SAE H.P. 365L  
 FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7 6spd  
 SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 4300 ✓ lbs. AUX. N/A lbs.  
 AXLES: FRONT 4800 ✓ lbs. REAR 9200 ✓ lbs. REAR RATIO 3.73  
 ALTERNATOR: 125 ✓ amps. BATTERY Dual 730 ✓ cca. ✓  
 TIRE SIZE: FRONT L225/75R17E PR REAR L225/75R17E PR SINGLE \_\_\_\_\_ DUAL ✓ M&S ✓  
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCV  
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A  
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.  
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CUT-AWAY VAN AND BODY SINGLE REAR WHEEL

(G.V.W.R. 8,900 lbs., min.)\*

MODEL-2008 CURRENT NEW

	CHEV/ <b>GMC</b> <u>G33503</u>	FORD <u>E-350</u>
Wheelbase (inches)	139 (10' & 12' Body)	138 (10' & 12' body)
Engine: Gasoline	4.8L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	279	255
Transmission: Automatic		
Axle, Min. Cap.-lbs.		
Front	4,100	5,000
Rear	6,084	8,500 DRW
Springs, Min. Cap. at Ground		
Front-lbs. each	2,050	2,300 DRW
Rear-lbs. each	3,042	4,300 DRW
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Mud and Snow or All Season.		

\*SEE Mich. #3958-0102 or 3958-0103 for body

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified GMC: Bucket Seats
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R. GMC: No Jack Available
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery 12 Volt; 600 CCA, minimum.
- Brakes-Power.
- Front fender splash guards. GMC: Dealer Installed
- Fuel capacity-largest available from mfg.
- Gauges-temperature, oil pressure, and amp meter or volt meter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. shall provide full Vision past body installation. Mirrors shall be duplex head; 1 convex, 1 standard glass, with stainless steel or powder coated steel heads, brackets, and hardware. GMC: Composite Mirrors
- Spare wheel and tire.
- Steering-Power.
- Wrench-wheel. GMC: No wrench available.

**PRICING SHEET**

<b><u>TRUCK: CUT-AWAY VAN AND BODY SINGLE REAR WHEEL</u></b> <b>(G.V.W.R. 8,900 lbs., min.)*</b> <b>Mich. Spec. #3958-0100</b>	
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>
<b>Make GMC Model: Sierra Spl</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$16,864.00*</b>
<b>Final Point of Assembly: Wentzville, MO</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City: Westland</b>	<b>State: MI Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet

Spec # 3958-0100

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TG33503	2008 GMC Savana Cutaway 139" WB C6Y SRW	\$24,068.36

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW**

<u>Code</u>	<u>Description</u>
93W	Interior: Medium Pewter
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
ZW9	BODY, STANDARD	\$0.00
GVWR		
C6Y	GVWR, 9600 LBS. (4354 KG)	\$0.00
REAR WHEEL CONFIGURATION		
R04	WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) GRAY-PAINTED STEEL (SINGLE REAR)	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY2	ENGINE, VORTEC 4.8L V8 SFI (279 HP [208 KW] @ 5200 RPM, 294 LB-FT OF TORQUE [396.9 N-M] @ 4500 RPM)	\$0.00
TRANSMISSION		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 12:10:19 PM

Page 1

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW**

<u>CATEGORY</u>		<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TRANSMISSION				
	MT1		TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, TOW/HAUL MODE AND INTERNAL TRANSMISSION OIL COOLER	\$0.00
DIFFERENTIAL				
	—		NO LOCKING REAR DIFFERENTIAL	\$0.00
AXLE				
	GT5		REAR AXLE, 4.10 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP				
	1WT		1WT PREFERRED EQUIPMENT GROUP	\$0.00
SPARE TIRE				
	ZHH		TIRE, SPARE LT245/75R16E ALL-SEASON, BLACKWALL, LOCATED AT REAR UNDERBODY OF VEHICLE	\$300.00
SEATING ARRANGEMENT				
	ZX2		SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGHBACK BUCKET, ADJUSTABLE,	\$0.00
SEAT TYPE				
	AR7		SEATS, FRONT BUCKET WITH VINYL TRIM AND OUTBOARD HEAD RESTRAINTS	\$0.00
SEAT TRIM				
	—W		VINYL SEAT TRIM	\$0.00
PAINT				
	ZY1		PAINT, SOLID	\$0.00
AIR CONDITIONING				
	C60		AIR CONDITIONING, SINGLE ZONE MANUAL	\$0.00
RADIO				
	UM7		AUDIO SYSTEM, AM/FM STEREO	\$150.00
ADDITIONAL OPTIONS				
	ZQ3		CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL	\$395.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 12:10:19 PM

Page 2

**Prepared By:**  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ADDITIONAL OPTIONS		
D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT	\$10.00
DAA	VISORS, DRIVER AND FRONT PASSENGER, VINYL in lieu of standard cloth	INC
DE2	MIRRORS, OUTSIDE MANUAL, BLACK	\$115.00
VQ1	FLEET PROCESSING OPTION	\$0.00
<b>OPTIONS TOTAL</b>		<b>\$970.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 12:10:19 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503

### **STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW**

#### *EXTERIOR*

- Paint, solid
- Body, standard
- Bumper, front painted Black with step-pad (Not available with (ZR7) Appearance Package or (YF1) RV Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- License plate kit, front
- Daytime Running Lamps
- Mirrors, outside delete
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 12:10:19 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclixx@hotmail.com

**2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503**  
**STANDARD EQUIPMENT**

**STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW**

*INTERIOR*

- Seats, front bucket with vinyl trim and outboard head restraints (Requires (\*\*W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)
- Seating arrangement, driver and front passenger highback bucket, adjustable, includes head restraints and vinyl or cloth trim
- Floor covering, Black rubberized-vinyl front
- Theft-deterrent system, vehicle, PASS-Key III
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center, includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Tow/haul mode selector, instrument panel-mounted
- Warning tones, headlamp on and key-in-ignition
- Oil life monitor
- Air conditioning, single-zone manual
- Heater and defogger with front and side window defoggers
- Defogger, side windows
- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Headliner, cloth, over driver and passenger
- Visors, driver and front passenger, padded
- Assist handle, front passenger
- Lighting, interior with dome light and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 12:10:19 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503

### STANDARD EQUIPMENT

#### STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW

##### MECHANICAL

- Engine, Vortec 4.8L V8 SFI (279 hp [208 kW] @ 5200 rpm, 294 lb-ft of torque [396.9 N-m] @ 4500 rpm) (Standard on the \*G33503 model. Requires (C6Y) 9600 lbs. (4354 kg) GVWR or (C7A) 10,000 lbs. (4536 kg) GVWR. Not available on the \*G33803 and \*G33903 models. Not available with (YF1) RV Package, (C7N) 12,300 lbs. (5579 kg) GVWR or (C7F) 14,050 lbs. (6373 kg) GVWR. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine or (C7F) 14,050 lbs. (6373 kg.) GVWR. Reference the Engine/Axle page for availability.)
- Brake/transmission shift interlock, for automatic transmissions
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, ladder-type
- Incomplete vehicle certification
- GVWR, 9600 lbs. (4354 kg) (Standard on the \*G33503 model. Not available on the \*G33803 or \*G33903 models or with (R05) dual rear, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels. Reference the Engine/Axle page for availability.)
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear hypoid drive axle with multi-leaf springs
- Rear axle, 4.10 ratio (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine. Reference the Engine/Axle page for availability.)
- Tires, front LT245/75R16E all-season, blackwall (Requires CG33503 model. Not available with (R05) dual rear, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels. Jack and spare tire equipment bracket are not included on G33\*03 models.
- Tires, rear LT245/75R16E all-season, blackwall (Requires CG33503 model. Not available with (R05) dual rear, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels. Jack and spare tire equipment bracket are not included on G33\*03 models.
- Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) Gray-painted steel (single rear), (Requires (C6Y) 9600 lbs. (4354 kg) GVWR or (C4M) 9900 lbs. (4491 kg) GVWR. Not available with (R05) dual rear, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels, (C7A) 10,000 lbs. (4536 kg) GVWR, (C7N) 12,300 lbs. (5579 kg) GVWR or (C7F) 14,050 lbs. (6373 kg) GVWR.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 12:10:19 PM

Page 6

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW**

- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

#### **SAFETY**

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Not available with (ZX1) driver only high-back bucket seat. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bag deactivation switch, frontal, passenger-side (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Brake/transmission shift interlock, for automatic transmissions
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 12:10:19 PM

Page 7

**APPENDIX B**

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3958-0100

MAKE OF TRUCK: Gmc MODEL: Savana T63503 GVWR 9600 lbs.

PAYLOAD: 5072 W.B. 139" C.A. 80" C.E. 148.50"

ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY2, 4.8 SAE H.P. 279

FUEL TANK(S) CAPACITY: 33 (GALS. TOTAL) TRANSMISSION: Gm Hydraulic MTI 4-spd

SPRING CAP. @ GROUND EACH: FRONT 2050 lbs. REAR 3042 lbs. AUX. N/A lbs.

AXLES: FRONT 4100 lbs. REAR 6084 lbs. REAR RATIO 4.10

ALTERNATOR: 145 amps. BATTERY 600 cca.

TIRE SIZE: FRONT T245/75R16 PR REAR T245/75R16 PR SINGLE  DUAL  M&S

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XHH

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

---



---



---

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CUT-AWAY VAN AND BODY DUAL REAR WHEEL  
(G.V.W.R. 10,000 lbs., min.)\*

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>G33803/C7A</u>	<u>FORD</u> <u>E-350</u>
Wheelbase (inches)	159 (14' & 15' body)	158 (14' & 15' body)
Engine: Gasoline	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E. J1349	323	255
Transmission: Automatic		
Axle, Min. Cap.-lbs.		
Front	4,100	5,000
Rear	7,500	8,500
Springs, Min. Cap. at Ground		
Front-lbs. each	2,050	2,300
Rear-lbs. each	3,750	4,300
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, Mud and Snow or All Season.		

\*SEE Mich. #3958-0102 or 3958-0103 for body

**TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:**

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified GMC: Bucket Seats
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R. GMC: Not available from factory
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**ADDITIONAL OPTIONS:**

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery 12 Volt; 600 CCA, minimum.
- Brakes-Power.
- Front fender splash guards. GMC: Dealer Installed
- Fuel capacity-largest available from mfg.
- Gauges-temperature, oil pressure, and amp meter or volt meter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. shall provide full Vision past body installation. Mirrors shall be duplex head; 1 convex, 1 standard glass, with stainless steel or powder coated steel heads, brackets, and hardware. GMC: Composite Mirrors
- Seat-Passenger.
- Spare wheel and tire.
- Steering-Power.
- Wrench-wheel. GMC: Not available from factory

**PRICING SHEET**

<b><u>TRUCK: CUT-AWAY VAN AND BODY DUAL REAR WHEEL</u></b> <b>(G.V.W.R. 10,000 lbs., min.)*</b> <b>Mich. Spec. #3958-0101</b>	
<b>Standard Equipped Per above Specification (Including options as specified above)</b>	<b>Standard Equipped Cost</b>
<b>Make: GMC Model: Savana Spl</b> <b>F.O.B. - Dealership</b> <b>Delivery Cost Per Mile \$1.00</b>	<b>\$17,861.00*</b>
<b>Final Point of Assembly: Wentzville, MO</b>	
<b><u>Dealer Information</u></b>	
<b>Dealer Name: Red Holman Pontiac GMC</b>	
<b>Street Address: 35300 Ford Road</b>	
<b>City: Westland</b>	<b>State: MI Zip: 48185</b>
<b>Contact Name: Albert Li</b>	
<b>Telephone: (800) 482-3032</b>	
<b>Cell: (734) 637-6643</b>	
<b>E-mail: aclixx@hotmail.com</b>	

\*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet  
Spec # 3958-0101

Prepared By:  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TG33803	2008 GMC Savana Cutaway 159" WB C7A DRW	\$24,970.00

**SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW**

<u>Code</u>	<u>Description</u>
93W	Interior: Medium Pewter
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>BODY CODE</b>		
ZW9	BODY, STANDARD	\$0.00
<b>GVWR</b>		
C7A	GVWR, 10,000 LBS. (4536 KG)	\$0.00
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LY6	ENGINE, VORTEC 6.0L V8 SFI (323 HP [240.8 KW] @ 4600 RPM, 373 LB-FT OF TORQUE [503.6 N-M] @ 4400 RPM)	\$0.00
<b>TRANSMISSION</b>		
MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, TOW/HAUL MODE AND INTERNAL TRANSMISSION OIL COOLER	\$0.00
<b>DIFFERENTIAL</b>		
—	NO LOCKING REAR DIFFERENTIAL	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 3:51:18 PM

Page 1

Prepared By:  
 Albert Li  
 Red Holman Pontiac GMC  
 35300 Ford Rd  
 Westland, MI 48185  
 Phone: (734) 721-1144  
 Fax: (734) 721-1780  
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
AXLE		
GT5	REAR AXLE, 4.10 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1WT	1WT PREFERRED EQUIPMENT GROUP	\$0.00
SEATING ARRANGEMENT		
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGHBACK BUCKET, ADJUSTABLE,	\$0.00
SEAT TYPE		
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM AND OUTBOARD HEAD RESTRAINTS	\$0.00
SEAT TRIM		
_W	VINYL SEAT TRIM	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C60	AIR CONDITIONING, SINGLE ZONE MANUAL	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$150.00
ADDITIONAL OPTIONS		
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL	\$395.00
V14	TRANSMISSION OIL COOLER, EXTERNAL	INC
D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT	\$10.00
DAA	VISORS, DRIVER AND FRONT PASSENGER, VINYL in lieu of standard cloth	INC
DHC	MIRRORS, OUTSIDE WIDE-STANCE SAIL PANEL MOUNTED (VELVAC).	\$250.00
NE7	FUEL TANK CAPACITY, APPROXIMATELY 57 GALLONS (215.7L)	\$165.00
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 3:51:18 PM

Page 2

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	<b>\$970.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 3:51:18 PM

Page 3

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

## 2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW**

##### *EXTERIOR*

- Paint, solid
- Body, standard
- Bumper, front painted Black with step-pad (Not available with (ZR7) Appearance Package or (YF1) RV Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- License plate kit, front
- Daytime Running Lamps
- Mirrors, outside delete
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 3:51:18 PM

Page 4

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW**

##### *INTERIOR*

- Seats, front bucket with vinyl trim and outboard head restraints (Requires (\*\*W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)
- Seating arrangement, driver and front passenger highback bucket, adjustable, includes head restraints and vinyl or cloth trim
- Floor covering, Black rubberized-vinyl front
- Theft-deterrent system, vehicle, PASS-Key III
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center, includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Tow/haul mode selector, instrument panel-mounted
- Warning tones, headlamp on and key-in-ignition
- Oil life monitor
- Air conditioning, single-zone manual
- Heater and defogger with front and side window defoggers
- Defogger, side windows
- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Headliner, cloth, over driver and passenger
- Visors, driver and front passenger, padded
- Assist handle, front passenger
- Lighting, interior with dome light and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 19, 2007 3:51:18 PM

Page 5

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclix@hotmail.com

## 2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW**

##### *MECHANICAL*

- Engine, Vortec 6.0L V8 SFI (323 hp [240.8 kW] @ 4600 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) (Standard on the \*G33803 and \*G33903 models. Available on \*G33503 model. Includes external oil cooler. Reference the Engine/Axle page for availability.)
- Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine or (C7F) 14,050 lbs. (6373 kg.) GVWR. Reference the Engine/Axle page for availability.)
- Transmission oil cooler, external (Included with (LMM) Duramax 6.6L Turbo Diesel V8 engine, (LY6) Vortec 6.0L V8 engine or (YF1) RV Package. On the \*G33503, when the (LY6) Vortec 6.0L V8 engine is ordered, (V14) transmission oil cooler is required.)
- Brake/transmission shift interlock, for automatic transmissions
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, ladder-type
- Incomplete vehicle certification
- GVWR, 10,000 lbs. (4536 kg) (Standard on the \*G33803 model. Available on the \*G33503 model. Not available on the \*G33903 model. Includes (R05) dual rear, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels on the \*G33503 model. Not available with (YF1) RV Package or (R04) single rear 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels. Reference the Engine/Axle page for availability.)
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear hypoid drive axle with multi-leaf springs
- Rear axle, 4.10 ratio (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine. Reference the Engine/Axle page for availability.)
- Tires, front LT225/75R16E all-season, blackwall (Included and only available with (C7F) 14,050 lbs. (6373 kg) GVWR or (R05) dual rear 6 - 16" x 6.5" Gray-painted steel wheels.)
- Tires, rear LT225/75R16E all-season, blackwall (Included and only available with (C7F) 14,050 lbs. (6373 kg) GVWR or (R05) dual rear 6 - 16" x 6.5" Gray-painted steel wheels.)
- Tire, spare LT225/75R16E all-season blackwall (Requires (C7F) 14,050 lbs. (6373 kg) GVWR or (R05) dual rear 6 - 16" x 6.5" Gray-painted steel wheels.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 19, 2007 3:51:18 PM

Page 6

**Prepared By:**  
Albert Li  
Red Holman Pontiac GMC  
35300 Ford Rd  
Westland, MI 48185  
Phone: (734) 721-1144  
Fax: (734) 721-1780  
Email: aclbx@hotmail.com

## 2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW**

- **Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) Gray-painted steel (dual rear) (Standard on the \*G33803 and \*G33903 models. On the \*G33503 model, included and only available with (C7A) 10,000 lbs. (4536 kg.) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR. Not available with (C6Y) 9600 lbs. (4354 kg) GVWR, (XHH) front LT245/75R16E all-season blackwall tires, (YHH) rear LT245/75R16E all-season blackwall tires, (ZHH) spare LT245/75R16E all-season blackwall tires or (R04) single rear, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels.)**
  - **Steering, power**
  - **Brakes, 4-wheel antilock, 4-wheel disc**
  - **Exhaust, aluminized stainless-steel muffler and tailpipe**
- SAFETY**
- **Brakes, 4-wheel antilock, 4-wheel disc**
  - **Air bags, frontal, driver and right-front passenger (Not available with (ZX1) driver only high-back bucket seat. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)**
  - **Air bag deactivation switch, frontal, passenger-side (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)**
  - **Brake/transmission shift interlock, for automatic transmissions**
  - **Daytime Running Lamps**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 19, 2007 3:51:18 PM

Page 7