



ADDENDUM
Office of Operations Administrative Services
Facilities Administration and Operations

Project No.	000290	Addendum No.: Two (2)
File No.	591/08053.AGY	Issue Date: February 21, 2008
Project Name:	Roof Restoration (Saginaw East Garage)	Sheet 1 of 1

This Addendum is issued to inform the bidders of a change to the specifications.

The Contractor to furnish all labor, materials, equipment, and related services needed to successfully complete all work according to manufacturer's recommendations.

All costs associated with the work in this Addendum shall be included in the bid price and are considered part of the contract. All other work shall be in accordance with the original bid documents.

I. Acceptable Manufacturers & Products (Section 07600 - Part 2 – Products)

- 1.) Manufacturer: Coatings International
Product: See Specifications (No Change)
- 2.) Manufacturer: Volatile Free, Inc. (VFI)
Product: VFI – 540R (Polyurea Hybrid Elastomer)
VFI – 277 (Aliphatic Polyurea Elastomer)
- 3.) Manufacturer: NeoGard
Product: Direct Bond Elasta-Gard SP
Acrylithane HS2
- 4.) Manufacturer: Tremco
Product: No Product Available to Meet Color Requirement
(per Manufacturer's Michigan Representative)

Note: The new Roof Restoration System (e.g. Roof Coating System) must remain water-tight for a minimum period of not less than ten (10) years (original warranty) with five (5) year min. renewable warranty options available to Owner. The Contractor shall furnish all labor, materials, equipment, and related services needed to repair or replace the new Roof Restoration System (e.g. Roof Coating System) to a water-tight condition at no additional cost to the Owner for the full duration of the original ten (10) year (min) warranty.

The exposed color of the new Roof Restoration System (e.g. Roof Coating System) shall be as determined by the MDOT Project Manager (or designate). The Roof Coating System selected must have the ability to match a (reasonable choice) color sample provided by the Owner at the time of the preconstruction meeting. Prior to submitting bid, the Contractor shall verify with Roof Coating Manufacturer that this requirement can be met.

END OF ADDENDUM #2

ACKNOWLEDGE RECEIPT OF ADDENDUM #2 ON PROPOSAL