

July 22, 2009

RE: Hart Public Schools
Request for Bids

Bidders:

Hart Public Schools is requesting bids for the replacement of approximately 25,000 square ft. of EDPM roofing located on the Hart High School located at 300 Johnson St., Hart, MI. The square footage is approximate and all bidders should verify the actual footage by their own measurements. This project is NOT PREVAILING WAGE.

Please supply us with your bid regarding this project per the attached specifications. Bids should be submitted to:

Contact Person: Peter Moss
Superintendent
301 Johnson St.
Hart, MI 49420

Work on this project must be coordinated so that it will not distract the children or interfere with classroom activities. All work should be completed by September 7, 2009. All bids must be submitted to the Contact Person in sealed envelopes with the name of the project, the bidder and the date of the bid opening plainly marked in the lower left-hand corner of the envelope. **All bids must be received by 12:00 p.m. on August 7, 2009**, and will be opened at 12:15 pm the same day.

Bids will not be opened if submitted after the deadline specified (local time) in this bid packet. The late submission of a bid makes the bid non-responsive and is a material defect which will not be waived. Delays in the mail will not be considered. All late bids in the mail will be returned to the bidder unopened.

Proposal for submission of alternatives by vendors will be accepted and reviewed. However, if any substitution or departure is not clearly noted and described, it will be understood that the bid intends to exactly meet the specifications.

The Board of Education shall be the sole judge as to whether the proposed goods are "equal" or "approved". Michigan State Sales and Use Taxes and Federal Excise Taxes do not apply unless otherwise indicated. Exemption certificates will be furnished when necessary. This request imposes no obligations on the buyer. The Board of education

reserves the right to accept or reject any or all bids or to split awards by items or to accept bids, which will best serve the Board of Education.

Specifications

Remove and dispose-of in a proper manner the existing Duro-Last roof, ½” wood fiber boards insulation and all metal edging.

Install one new layer of 2” Firestone ISO 95+ insulation fastened to the Teckum deck with 3” plates and Firestone Polymer Augers.

Raise all curbs to a minimum of 8 inches above new roof surface.

Install tapered drain set around all roof drains.

Install new Firestone Fully Adhered 60 mil LSFR-EDPM roofing system.

Install new flashing to all curbs, vent pipes, wall areas and heater stacks.

Install new 11 ½” two piece fascia and gravelstop to all edges.

Furnish a minimum 15 year manufacturers full systems warranty.