

**GEOLOGICAL SURVEY DIVISION
DEPARTMENT OF NATURAL RESOURCES**

**SEISMIC DISTURBANCES
IN
MICHIGAN**




CIRCULAR 14

1977

Circular 14

SEISMIC DISTURBANCES IN MICHIGAN

1977





Geological Survey Division

The Geology Division, formerly the State Geological Survey, collects, interprets and disseminates basic information on the geology and mineral resources of Michigan.

Its activities are guided by public service available to all who are interested in the use or development of our resources, the protection of our environment, and sound land use management.

Geologic information is basic to these practices, and geologic reports are an important aspect of public service.

Circular 14

SEISMIC DISTURBANCES IN MICHIGAN

by
D. MICHAEL BRICKER
Geologist

Lansing, Michigan
1977

STATE OF MICHIGAN
William G. Milliken, *Governor*

DEPARTMENT OF NATURAL RESOURCES
Howard A. Tanner, *Director*

GEOLOGY DIVISION
Arthur E. Slaughter, *Chief*

NATURAL RESOURCES COMMISSION
Joan L. Wolfe, *Chairman*, Belmont, 1973-1977
Harry H. Whiteley, Rogers City, 1961-1977
E. M. Laitala, Hancock, 1961-1978
Carl T. Johnson, Cadillac, 1963-1979
Hilary F. Snell, Grand Rapids, 1971-1980
Charles G. Younglove, Allen Park, 1972-1978
Dean Pridgeon, Montgomery, 1974-1979
John M. Robertson, *Executive Assistant*

Published by authority of State of Michigan CL '70 s. 321.6
Printed by Reproduction Services Section, Offices Services
Division, Department of Management and Budget

Available from the Michigan Department of Natural Resources,
Geology Division, Box 30028, Lansing, Michigan 48909.

*On deposit in public libraries, state libraries, and univer-
sity libraries in Michigan and other selected localities.*

CONTENTS

	Page
<i>Abstract</i>	1
INTRODUCTION	1
EARTHQUAKES RELATED TO FAULTING.	2
SEISMIC EVENTS ASSOCIATED WITH KARST REGIONS	10
SEISMIC DISTURBANCES RELATED TO MAN'S ACTIVITIES	10
REFERENCES.	13

ILLUSTRATIONS

Figures		Page
1	Approximate locations of Michigan earthquake epicenters	4
2	Seismic risk map	8
3	Fault related oil and gas fields	9
4	Location of karst features	11

Tables		Page
1	Recorded seismic disturbances with epicenters in Michigan	5-6
2	Modified Mercalli intensity scale	7

SEISMIC DISTURBANCES IN MICHIGAN

Abstract

Reports of earthquakes in what is now the state of Michigan were documented as early as 1638. Tremors from earthquakes centered in adjacent regions are many times felt in Michigan but only 34 with epicenters actually located in this state have been recorded from 1872 to 1967. Most are believed associated with slippage along deep-seated faults and a few are related to man's activities. According to a seismic probability map prepared by the U.S. Coast and Geodetic Survey, Michigan lies in a region of low risk for earthquake occurrence. Though there appears to be no indication of active faults in Michigan, at relatively shallow depths and that extend to the surface, information on the seismicity of a local or regional area is pertinent in the selection of building sites and the proper design and construction of such installations as nuclear power plants, nuclear waste disposal and storage facilities, dams and many other types of installations. Attention should also be given to areas of karst development, abandoned mines, and solution-mining sites, active or abandoned.

Introduction

Reports of earthquakes in what is now the state of Michigan were documented as early as 1638 by French Jesuit missionaries (Hobbs, 1911). The earliest, well-recorded history of earthquake tremors felt in the Michigan Territory resulted from the great earthquakes centered in the lower Mississippi Valley near New Madrid, Missouri in 1811 and 1812. As many as nine tremors from the New Madrid earthquake series were felt in the Detroit region (von Hake, 1973). At Orchard Lake, Michigan, it was reported that on December 17, 1811 "the Indians said the waters of the lake began to boil, bubble, foam and roll about as though they had been in a large kettle over a hot fire, and that in a few minutes up came great numbers of turtles and hurried to the shore, upon which they had a great turtle feast" (Hobbs, 1911). As late as February, 1976, several tremors of low intensity were again felt in the Detroit area, the epicenter or focal point of origin being unofficially located in northern Ohio.

Most people normally associate the term "earthquake" with seismic disturbances that arise from natural rather than artificial causes. Actually the term applies to any earth movement caused by a momentary disturbance of the elastic equilibrium of a portion of the earth, whatever the source of the disturbance may be. Used in this sense, some earth movements derived from man-related activities such as mining or excavating projects, geophysical exploration or research, may be considered to be earthquakes.

It is important that information on naturally occurring and man-made seismic events be made available for general public distribution and use. Information on the seismicity of a local or regional area is pertinent in the selection of building sites and the proper design and construction of such projects as nuclear power plants, nuclear waste disposal or storage facilities, dams and many other types of construction.

Because most earthquakes are related to movement of parts of the earth's crust along active fault zones, the location and extent of these fracture zones is important. Also of prime importance is the intensity of shock and probable resulting damage caused by an earthquake in a given locale. Not all seismic events are related to active faults; some are related to rock falls in underground mines, and others may be associated with man-made explosions.

This circular summarizes available information related to naturally occurring and man-related seismic events in Michigan. Tremors from earthquakes centered in adjacent regions are many times felt in Michigan, but only 34 earthquakes with epicenters actually located in this state have been recorded from 1872 to 1967. This includes 30 fault-slippage seismic events and 4 earthquakes due, in part, to mining operations.

Earthquakes Related to Faulting

Some fault zones in the Precambrian rock outcrop region of Michigan's western Upper Peninsula have been mapped where they are observed at the land surface or where they are intersected by mine shafts. Less is known about fault traces in the Paleozoic sedimentary rocks of the eastern Upper Peninsula and the Lower Peninsula of the state.

In these latter two regions, the bedrock is covered by a mantle of glacial deposits which obscures any surface evidence of faulting. In these areas fault zones are con-


TABLE 1. Recorded Seismic Disturbances with Epicenters in Michigan*

Map No.	Approximate Epicenter Location	Calculated Epicenter		Date of Seismic Disturbance	Intensity Modified Mercalli Scale
		Latitude North	Longitude West		
1.	Menona	43°40'	83°54'	February 6, 1872	IV
2.	Adrian	41°53'	84°03'	January 27, 1876	----
3.	Detroit	42°22'	83°10'	February 27, 1876	----
		42°22'	83°10'	August 17, 1877	IV
		42°22'	83°10'	March 13, 1938	IV
4.	Southern Michigan	42.3°	85.6°	February 4, 1883	VI
5.	Niles	41°50'	86°16'	October 31, 1897	----
6.	St. Joseph	42°05'	86°31'	October 10, 1899	IV
7.	Menominee	45°05'	87°40'	March 13, 1905	V
		45°08'	87°40'	January 10, 1907	----
8.	Sault Ste. Marie	46°19'	84°22'	April 4, 1905	----
		46°29'	84°24'	January 23, 1930	III
9.	Calumet	47°16'	88°25'	July 26, 1905	VII-VIII
		47°16'	88°25'	March 3, 1915	IV-V
		47°16'	88°25'	October 1, 1918	III
		47°16'	88°25'	January 5, 1955	IV
10.	Houghton	47°07'	88°33'	February 9, 1906	----
		47°07'	88°33'	January 22-23, 1909	V
11.	Hancock	47°08'	88°37'	April 20, 1906	----
		47°08'	88°37'	January 6, 1955	V
12.	Grand Rapids	42°57'	85°41'	May 19, 1906	----
13.	Keweenaw Peninsula	47.3°	88.4°	May 26, 1906	VIII
14.	Morrice	42°51'	84°11'	February 22, 1918	IV
15.	Port Huron	42°58'	82°28'	March 16, 1922	III
16.	Newberry	46°22'	85°31'	January 29, 1933	II
17.	Negaunee	46°30'	87°37'	October, 1935	II-III
18.	Escanaba	45°44'	87°05'	July 18, 1939	II-III
		45°44'	87°05'	August 1, 1939	II-III
		45°44'	87°05'	February 15, 1943	----
		45°44'	87°05'	November 16, 1944	II-IV
		45°44'	87°05'	December 10, 1944	II-IV
		45°44'	87°05'	May 18, 1945	II
19.	South Central Michigan	42°00'	85°00'	August 9, 1947	VI
20.	Lansing	42°45'	84°35'	February 2, 1967	IV

*Source: U.S. Dep't of Comm., N.O.A.A., Environmental Data Service and J. Docekal, 1970
(See references)

Table 2. Modified Mercalli Intensity Scale
(Condensed)

- I. Not felt except rarely under especially favorable circumstances.
- II. Felt indoors by some individuals, especially those on upper floors of buildings. Suspended objects may swing.
- III. Felt indoors by many. Duration of tremor may be estimated. Standing vehicles rock slightly.
- IV. Felt indoors by many, outdoors by some individuals. Some sleepers awakened at night. Dishes, windows, and doors rattled. Standing vehicles rock noticeably.
- V. Felt by almost everyone. Dishes and windows broken. Small objects moved or overturned. Trees shaken slightly.
- VI. Felt by everyone. Some cracked and fallen plaster noted. Heavy furniture moved.
- VII. Everyone frightened. Some people find it difficult to stand. Noticed by people in moving vehicles. Trees shaken strongly. Waves seen on bodies of water. Damage negligible in buildings of good design and construction; slight to moderate in well-built ordinary structures; considerable in poorly built structures.
- VIII. Damage slight in specially designed structures; considerable in ordinary buildings. Chimneys, factory smoke stacks, walls, and monuments fall. Heavy furniture overturned. Change noted in flow and temperature of water wells.
- IX. Considerable damage to all structures. Ground cracked. Pipes broken.
- X. Some wooden structures destroyed; most masonry buildings destroyed. Ground badly cracked. Rails bent.
- XI. Few buildings remain standing. Bridges destroyed. Broad cracks in ground. Earth slumping occurs.
- XII. Damage total. Waves seen on ground surfaces. Lines of sight distorted. Objects thrown into air.



- ZONE 0-No damage.
- ZONE 1-Minor damage; corresponds to intensities V and VI on the Modified Mercalli Scale.
- ZONE 2-Moderate damage; corresponds to intensity VII of the Modified Mercalli Scale.
- ZONE 3-Major damage; corresponds to intensity VIII and higher of the Modified Mercalli Scale.

Figure 2 Seismic risk map (Source: U.S. Coast and Geodetic Survey)

Several areas in Michigan show evidence of solution of the bedrock by groundwater activity. Sinkholes (Poindexter, 1935), disappearing streams, and intermittent lakes (Sherzer, 1900) have been noted in Schoolcraft, Mackinac, Presque Isle, Alpena, Montmorency, Otsego, Iosco, Cheboygan and Monroe counties. Regions of karst development where sinkholes, disappearing streams and other karst features are known are shown in Figure 4.

Sinkholes in the various counties range in size from conical holes that average 15 feet in diameter and 10 feet deep to much larger depressions. Sinkholes in Presque Isle and Alpena counties are the most spectacular, in some cases reaching depths of almost 150 feet (Poindexter, 1935). It has been theorized that coral reef development may have had an influence on the distribution and shape of the sinkholes in the areas underlain by the Traverse Group rocks (Cheboygan, Otsego, Montmorency, Presque Isle and Alpena counties). The purity of reef carbonates makes them more favorable to solution than the surrounding rocks, and the roughly dome-like shape of the reefs may account for the circular outline of the sinkholes (Poindexter, 1935).

Sinkholes form as a result of the dissolving of carbonate rocks by groundwater action. Overlying rock layers may subsequently collapse into the caves thus formed. If the collapse zone reaches the land surface, the result is a steep-walled sinkhole. Sudden collapse of the materials overlying subsurface caverns may cause slight, local earth tremors which may be reported as earthquakes.

Seismic Disturbances Related to Man's Activities

In the Upper Peninsula throughout 1905 and 1906, earthquakes were felt in the Keweenaw Peninsula copper mining district. During the evening of July 26, 1905, an earthquake occurred near Calumet which has an intensity of VIII on the Modified Mercalli Scale (Docekal, 1970). Chimneys were toppled and plate glass windows were broken in Calumet, and the shocks from the earthquake were sensed as far north as Copper Harbor (50 kilometers) and as far east as Marquette (105 kilometers) (Hobbs, 1911). It is thought that if the mining operations were not directly responsible for the earthquake, they at least facilitated rock slippage by creating avenues of weakness in the rocks of the subsurface. In May, 1906, similar shocks occurred just south of Houghton near the Atlantic Mine. Here, almost directly above the

- LEGEND**
OIL FIELDS
- 1) ALBION - SCIPIO
 - 2) HANOVER
 - 3) FREEDOM
 - 4) DEERFIELD
 - 5) NORTHVILLE
 - 6) HOWELL
 - 7) PINCONNING
 - 8) DEEP RIVER
 - 9) NORTH ADAMS
 - 10) SKEELS



Figure 3 Fault related oil and gas fields




Figure 4 Location of karst features

lode of the mine, railroad tracks were severely deformed and caving occurred at the ground surface. Two other earthquakes were also experienced during 1906 in this mining region. Lesser amounts of surface subsidence have also been noted in Michigan's western Upper Peninsula iron mining districts in areas overlying old mine shafts.

In the Lower Peninsula, subsidence has occurred in association with several types of mineral extraction activities. Settling over abandoned coal mine shafts was noted in the Saginaw-Bay City area (Lane, 1906). Subsidence has also been observed over shallow-depth gypsum mines near Grand Rapids. In more recent times, subsidence amounting to as much as 130 feet has occurred over salt caverns resulting from solution mining activities in the Detroit area (Personal communication, R. E. Ives). A similar phenomenon was reported for the Manistee area as early as 1906 by Lane. Broken water mains and land subsidence were noted and thought to be associated with salt-extraction activities. As in the case of sinkholes, unless subsidence of these types is rapid, shocks may not be detected.

Momentary, low intensity shocks may also be caused by geophysical exploration for hydrocarbon traps. Conventional seismic surveys employ the detonation of explosives to send sound waves into the subsurface rocks. Reflected signals give clues as to the subsurface structure in the area near the explosion. Shocks from such explosions may be felt as mild, local tremors. These blasts do not cause faults in the rocks underlying the shot-holes. Shocks from seismic surveys probably do not rate Scale I on the Mercalli Intensity Scale. Seismic surveys employing explosives are widely used throughout the Lower Peninsula and are a popular method for finding Silurian age oil-and-gas bearing reefs.

References

- Docekal, Jerry (PhD. of 1970). Earthquakes of the Stable Interior, with Emphasis on the Midcontinent: PhD. dissertation on file in Library, University of Nebraska.
- Dorr, John A., Jr. and Eschman, Donald F. (1970). Geology of Michigan: University of Michigan Press.
- Earthquakes, U.S. Department of Interior, Geological Survey, USGS: INF-69-4 (R.7)
- Fritz, W.G. and Nelson, W.K. (1973). Land of the One-eyed Frog: Michigan Natural Resources, vol. 42, no. 4.
- Gregory, W.M. (1904). The Alabaster Area: Geol. Surv. of Mich., vol. IX, Part II.
- Hazard Analysis (May, 1974). Michigan Department of State Police, Emergency Services Division.
- Hobbs, W.H. (1911). Earthquakes in Michigan: Michigan Geological and Biological Survey, Publication 5.
- Lane, A.C. (1906). Eighth Annual Report of the State Geologist: Michigan Geological Survey Annual Report for the Year 1906.
- Poindexter, O.F. (1935). Sinkholes in the Indian Lake Region, Schoolcraft County, and other Michigan Sinks: Mich. Acad. of Science, Arts, and Letters, vol. XXI.
- Sherzer, W.H. (1900). Geological Report on Monroe County Michigan: Geol. Surv. of Mich., vol. VII, Part I.
- Stanley, George M. (1945). Prehistoric Mackinac Island: Michigan Geol. Surv. Publication 43.
- von Hake, Carl A. (1973). Earthquake History of Michigan: Earthquake Information Bulletin, Nov.-Dec. 1973, vol. 5, no. 6, U.S. Dep't of the Interior.

Other reports available in this series:

CIRCULAR

- CR 10 MINERAL WELL ACT AND GENERAL RULES GOVERNING MINERAL WELL OPERATIONS IN MICHIGAN (1972). *Rules promulgated under Act 315, Public Acts of 1969, lists the rules pertinent to general provisions, permits, bonds, disposition, construction operation, records, plugging, and administration of mineral wells in Michigan, 15p ... first copy free, Additional copies \$.10*
- CR 11 MICHIGAN'S INDUSTRIAL SAND RESOURCES (1975), J. D. Lewis. *Information about Michigan's expanding sand industry with maps, tabulated data and bibliography, 33p, 7 figs, 5 tables ... \$.50*
- CR 12 ONE THOUSAND MILLION TONS (1975), R. C. Reed. *Review of Michigan's iron ore production and shipments through 1974, 12p, 5 tables ... \$.50*
- CR 13 MINES RECLAMATION ACT AND RULES (1977). *Rules promulgated under Act 92, Public Acts of 1970 as amended by Act 123, Public Acts of 1972. Lists rules pertinent to general provisions, reclamation of open pits, stockpiles, tailings basins and auxiliary lands, 14p ... first copy free, Additional copies \$.10*

For a complete list of available publications please write to:

DEPARTMENT OF NATURAL RESOURCES
GEOLOGY DIVISION
BOX 30028
LANSING, MICHIGAN 48909