

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: J Webb	
Source Address: 6 mile /Napier			Date:2-11-16	
Sky Conditions: Cloudy			Temperature:14 f	
Wind Speed: 0-5		Wind Direction: Northwest		Source of Meteorological Data: Weather underground
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	9:37	0		
2	9:40	0		
3	9:41	2	7	
4	9:43	2	7	
5	9:51	0		
6	9:52	0		
7	9:53	0		
8	9:55	0		
9	9:56	0		
10	9:57	0		
11	10:00	0		
12	10:06	1	7	
13	10:10	1	7	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Bell	
Source Address: 6 mile /Napier			Date: 02/19/16	
Sky Conditions: P. Coudy			Temperature: 55 F	
Wind Speed: Gusty 15 – 30		Wind Direction: SSW		Source of Meteorological Data: Visual / WeatherUnderground
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	2:30	Zero	N/A	
2	2:33	Zero	N/A	
3	2:36	Zero	N/A	
4	2:40	2	7	
5	2:50	Zero	N/A	
6	2:55	Zero	N/A	
7	3:00	Zero	N/A	
8	3:02	1	7	
9	3:05	2	7	
10	3:10	1	7	
11	3:12	Zero	N/A	
12	3:13	Zero	N/A	
13	3:15	Zero	N/A	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit


**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: webb	
Source Address: 6 mile /Napier			Date: 2-29-16	
Sky Conditions: p. cloudy			Temperature: 34f	
Wind Speed: 18-30mph		Wind Direction: west		Source of Meteorological Data: Accuweather.com
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	10:15	0		
2	10:17	0		
3	10:20	0		
4	10:22	2	7	
5	10:25	2	7	
6	10:27	0		
7	10:35	0		
8	10:37	0		
9	10:40	0		
10	10:45	0		
11	10:48	0		
12	10:51	0		
13	10:57	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit

Standard Odor Survey Locations Arbor Hills Landfill



Warren C. Evans
County Executive



- standard odor check location
- ▲ Flag/Wind Check location



ODOR SURVEY FORM

Source Name: Arbor Hills				Inspector: webb
Source Address: 6 mile /Napier				Date: 3-7-16
Sky Conditions: p. cloudy				Temperature: 45f
Wind Speed: 18-30mph		Wind Direction: west		Source of Meteorological Data: Accuweather.com
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	10:15	0		
2	10:17	0		
3	10:20	0		
4	10:22	0		
5	10:25	1	7	
6	10:27	1	7	
7	10:35	1	7	
8	10:37	1	7	
9	10:40	2	7	
10	10:45	1	7	
11	10:46	0		
12	10:48	0		
13	10:50	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: Bell	
Source Address: 6 mile /Napier			Date: 03/18/16	
Sky Conditions: Clear			Temperature: 40 F	
Wind Speed: 5-10 MPH		Wind Direction: N.W.		Source of Meteorological Data: Weatherunderground / visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	0945	0	-	
2	0948	0	-	
3	0951	1	7	
4	0955	0	-	
5	0957	0	-	
6	1000	0	-	
7	1003	0	-	
8	1006	0	-	
9	1010	0	-	
10	1013	0	-	
11	1020	0	-	
12	1025	0	-	
13	1028	0	-	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Bell		1 of 2
Source Address: 6 mile /Napier			Date: 4/01/16		
Sky Conditions: Cloudy			Temperature: 42 F.		
Wind Speed: 10-15 MPH		Wind Direction: NW		Source of Meteorological Data: Weatherunderground / Visual	
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)	
1	0945	0	-		
2	0948	0	-		
3	0951	1	7		
4	0955	0	-		
5	0958	0	-		
6	1000	0	-		
7	1005	0	-		
8	1008	0	-		
9	1010	0	-		
10	1012	0	-		
11	1015	0	-		
12	1018	0	-		
13	1020	1	7		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Bell		2 of 2
Source Address: 6 mile /Napier			Date: 04/01/16		
Sky Conditions: Cloudy			Temperature: 42 F.		
Wind Speed: 10-15 MPH		Wind Direction: NW		Source of Meteorological Data: Weatherunderground / Visual	
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)	
14	1022	0	-		
15	1025	0	-		
16	1030	0	-		
17	1035	0	-		
18	1038	0	-		
<u>Odor Scale</u>				<u>Odor characteristic examples:</u>	
0 - Non-Detect				1 Paint-like	
1 - Just barely detectable				7 Landfill Gas	
2 - Distinct and definite odor				2 Musty, moldy	
3 - Distinct and definite objectionable odor				3 Burnt, smoky	
4 - Odor strong enough to cause a person to attempt to avoid it completely				4 Tar-like, asphalt	
5 - Odor so strong as to be overpowering and intolerable for any length of time				5 Cut grass	
				6 Citrus fruit	
				8 Garbage/trash	
				9 compost	

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Jwebb	
Source Address: 6 mile /Napier			Date: 4-5-16	
Sky Conditions: clear			Temperature: 29f	
Wind Speed: calm		Wind Direction: VARIABLE		Source of Meteorological Data: accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	12:21	0	0	
15	12:25	0	0	
16	12:30	0	0	
17	12:31	0	0	
18	12:35	0	0	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: jwebb	
Source Address: 6 mile /Napier			Date: 4-5-16	
Sky Conditions: clear			Temperature: 29f	
Wind Speed: calm		Wind Direction: variable		Source of Meteorological Data: accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	11:15	0	0	
2	11:20	0	0	
3	11:22	0	0	
4	11:25	0	0	
5	11:30	0	0	
6	11:35	0	0	
7	11:40	0	0	
8	11:45	0	0	
9	11:55	0	0	
10	12:00	0	0	
11	12:10	0	0	
12	12:15	0	0	
13	12:20	0	0	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Bell		1 of 2
Source Address: 6 mile /Napier			Date: 4/11/16		
Sky Conditions: Overcast			Temperature: 50F.		
Wind Speed: 5-10		Wind Direction: S.W.		Source of Meteorological Data: Weatherunderground / Visual	
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)	
1	9:40	0	--		
2	9:50	0	--		
3	9:53	0	--		
4	9:57	1	7		
5	10:00	0	--		
6	10:05	0	--		
7	10:08	0	--		
8	10:12	0	--		
9	10:15	1	7		
10	10:17	0	--		
11	10:20	1	7		
12	10:22	1	7		
13	10:25	0	--		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Bell		2 of 2
Source Address: 6 mile /Napier			Date: 4/11/16		
Sky Conditions: Overcast			Temperature: 50F.		
Wind Speed: 5-10		Wind Direction: S.W.		Source of Meteorological Data: Weatherunderground	
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)	
14	10:27	0	--		
15	10:30	0	--		
16	10:35	0	--		
17	10:38	0	--		
18	10:40	0	--		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Bell		1 of 2
Source Address: 6 mile /Napier			Date: 04/26/16		
Sky Conditions: Cloudy			Temperature: 50F.		
Wind Speed: 5-10 MPH		Wind Direction: NNW		Source of Meteorological Data: Weatherunderground / Visual	
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)	
1	0935	0	--		
2	0938	0	--		
3	0941	0	--		
4	0945	0	--		
5	0948	0	--		
6	0952	0	--		
7	0955	0	--		
8	0958	0	--		
9	1000	1	--	Earthy	
10	1003	0	--		
11	1006	0	--		
12	1009	1	--	Earthy	
13	1012	0	--		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Jwebb	
Source Address: 6 mile /Napier			Date: 4-22-16	
Sky Conditions: cloudy			Temperature: 58F	
Wind Speed: 5-15		Wind Direction: nnw		Source of Meteorological Data: accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	2:35	0		TRACK OUT
2	2:40	0		
3	2:43	1	7/8	
4	2:46	0		
5	2:50	0		
6	2:54	0		
7	2:57	0		
8	3:00	0		
9	3:05	0		
10	3:07	0		
11	3:10	0		
12	3:13	0		
13	3:17	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Bell		2 of 2
Source Address: 6 mile /Napier			Date: 04/26/16		
Sky Conditions: Cloudy			Temperature: 50 F.		
Wind Speed: 5-10 MPH		Wind Direction: NNW		Source of Meteorological Data: Weatherunderground / Visual	
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)	
14	1015	0	--		
15	1018	0	--		
16	1020	0	--		
17	1025	0	--		
18	1030	0	--		
<u>Odor Scale</u>				<u>Odor characteristic examples:</u>	
0 - Non-Detect				1 Paint-like	
1 - Just barely detectable				7 Landfill Gas	
2 - Distinct and definite odor				2 Musty, moldy	
3 - Distinct and definite objectionable odor				3 Burnt, smoky	
4 - Odor strong enough to cause a person to attempt to avoid it completely				4 Tar-like, asphalt	
5 - Odor so strong as to be overpowering and intolerable for any length of time				5 Cut grass	
				6 Citrus fruit	
				8 Garbage/trash	
				9 compost	

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: jwebb	
Source Address: 6 mile /Napier			Date: 5-3-16	
Sky Conditions: sunny			Temperature: 55f	
Wind Speed: 0-5		Wind Direction: nw		Source of Meteorological Data: accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	9:45	0		
2	9:48	0		
3	9:50	0		
4	9:51	1	7	
5	9:56	0		
6	9:59	0		
7	10:02	0		
8	10:07	0		
9	10:09	0		
10	10:11	0		
11	10:15	0		
12	10:17	0		
13	10:20	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Jwebb	
Source Address: 6 mile /Napier			Date: 5-3-16	
Sky Conditions: Sunny			Temperature: 55f	
Wind Speed: 0-5		Wind Direction: NW		Source of Meteorological Data: Accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	10:25	0		
15	10:30	0		
16	10:35	0		
17	10:40	0		
18	10:41	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Bell		1 of 2
Source Address: 6 mile /Napier			Date: 05/13/16		
Sky Conditions: Sunny			Temperature: 55 F.		
Wind Speed: 10 – 15 mph		Wind Direction: NW		Source of Meteorological Data: Weatherunderground / visual	
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)	
1	9:45	0	--		
2	9:47	0	--		
3	9:50	1	7	Very localized near corner	
4	9:53	1	8		
5	9:57	1	5	Minor "Compost" odor	
6	10:00	0	--		
7	10:02	0	--		
8	10:05	0	--		
9	10:10	0	--		
10	10:12	0	--		
11	10:14	0	--		
12	10:18	0	--		
13	10:20	0	--		
<u>Odor Scale</u>				<u>Odor characteristic examples:</u>	
0 - Non-Detect				1 Paint-like	
1 - Just barely detectable				7 Landfill Gas	
2 - Distinct and definite odor				2 Musty, moldy	
3 - Distinct and definite objectionable odor				8 Garbage/trash	
4 - Odor strong enough to cause a person to attempt to avoid it completely				3 Burnt, smoky	
5 - Odor so strong as to be overpowering and intolerable for any length of time				9 Compost	
				4 Tar-like, asphalt	
				5 Cut grass	
				6 Citrus fruit	

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Bell		2 of 2
Source Address: 6 mile /Napier			Date: 05-13-16		
Sky Conditions: Sunny			Temperature: 55 F.		
Wind Speed: 10 – 15 mph		Wind Direction: NW		Source of Meteorological Data: Weatherunderground / Visual	
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)	
14	10:25	0	--		
15	10:28	0	--		
16	10:35	0	--		
17	10:37	0	--		
18	10:40	0	--		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: JWebb	
Source Address: 6 mile /Napier			Date: 5-18-16	
Sky Conditions: sunny			Temperature: 62f	
Wind Speed: 5-10		Wind Direction: N		Source of Meteorological Data: Accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	10:50	0		
2	10:53	0		
3	10:57	0		
4	11:00	0		
5	11:05	0		
6	11:10	0		
7	11:12	0		
8	11:16	0		
9	11:20	0		
10	11:25	0		
11	11:29	0		
12	11:35	00		
13	11:40	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Bell	
Source Address: 6 mile /Napier			Date: 05/25/16	
Sky Conditions: Sunny			Temperature: 68 F.	
Wind Speed: 0-5 MPH		Wind Direction: S		Source of Meteorological Data: Weatherunderground / visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	950	0	--	
2	953	0	--	
3	955	0	--	
4	957	0	--	
5	1000	0	--	
6	1005	0	--	
7	1007	0	--	
8	1010	0	--	
9	1014	0	--	
10	1017	0	--	
11	1020	0	--	
12	1025	0	--	
13	1028	0	--	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Jwebb	
Source Address: 6 mile /Napier			Date: 6-2-16	
Sky Conditions: p. sunny			Temperature: 70f	
Wind Speed: 5-15		Wind Direction: w		Source of Meteorological Data: accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	9:45			
2	9:48			
3	9:50	1	8	
4	9:55			
5	9:58			
6	10:03			
7	10:05			
8	10:10			
9	10:15			
10	10:17			
11	10:20			
12	10:24			
13	10:30	1	8	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: jwebb	
Source Address: 6 mile /Napier			Date: 6-16-16	
Sky Conditions: cloudy			Temperature: 70f	
Wind Speed: 0-5		Wind Direction: nw		Source of Meteorological Data: accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	10:00			
2	10:04			
3	10:09	2	7	
4	10:13	1	7	
5	10:16			
6	10:20			
7	10:25			
8	10:30			
9	10:34			
10	10:40			
11	10:46			
12	10:50			
13	10:53			
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Bell		1 of 2
Source Address: 6 mile /Napier			Date: 06/24/16		
Sky Conditions: Sunny			Temperature: 75 F.		
Wind Speed: 5-10 mph		Wind Direction: N.E.		Source of Meteorological Data: Weatherunderground / visual	
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)	
1	1000	0	--		
2	1002	0	--		
3	1004	0	--		
4	1007	0	--		
5	1010	0	--		
6	1012	0	--		
7	1015	0	--		
8	1017	0	--		
9	1020	0	--		
10	1022	0	--		
11	1024	0	--		
12	1026	0	--		
13	1030	0	--		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	

**ODOR SURVEY FORM**

Source Name: Arbor Hills			Inspector: Bell		2 of 2
Source Address: 6 mile /Napier			Date: 06/24/16		
Sky Conditions: Sunny			Temperature: 75 F.		
Wind Speed: 5 – 10 mph		Wind Direction: N.E.		Source of Meteorological Data: Weatherunderground - Visual	
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)	
14	1032	0	--		
15	1034	0	--		
16	1038	0	--		
17	1040	0	--		
18	1042	0	--		
<u>Odor Scale</u>				<u>Odor characteristic examples:</u>	
0 - Non-Detect				1 Paint-like	
1 - Just barely detectable				7 Landfill Gas	
2 - Distinct and definite odor				2 Musty, moldy	
3 - Distinct and definite objectionable odor				3 Burnt, smoky	
4 - Odor strong enough to cause a person to attempt to avoid it completely				4 Tar-like, asphalt	
5 - Odor so strong as to be overpowering and intolerable for any length of time				5 Cut grass	
				6 Citrus fruit	
				8 Garbage/trash	
				9 compost	



ODOR SURVEY FORM

Source Name: Arbor Hills				Inspector: Jwebb
Source Address: 6 mile /Napier				Date: 7-12
Sky Conditions: Sunny				Temperature: 82F
Wind Speed: 5-10		Wind Direction: sw		Source of Meteorological Data: Accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	10:15	0		
2	10:20	0		
3	10:23	0		
4	10:27	0		
5	10:31	0		
6	10:35	0		
7	10:39	0		
8	10:45	0		
9	10:51	0		
10	10:55	0		
11	11:01	0		
12	11:07	0		
13	11:10	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: JWebb	
Source Address: 6 mile /Napier			Date: 7-12-16	
Sky Conditions: Sunny			Temperature: 83F	
Wind Speed: 5-10		Wind Direction: SW		Source of Meteorological Data: Accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	11:15	0		
15	11:18	0		
16	11:23	0		
17	11:25	0		
18	11:29	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	



ODOR SURVEY FORM

Source Name: Arbor Hills				Inspector: Bell
Source Address: 6 mile /Napier				Date: 7/22/16
Sky Conditions: M. Sunny				Temperature: 88 F.
Wind Speed: 5-10 mph		Wind Direction: North		Source of Meteorological Data: Weatherunderground / visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	140	0	-	
2	142	0	-	
3	145	0	-	
4	150	1	7/9	Barely detectable Combo
5	153	0	-	
6	155	0	-	
7	158	0	-	
8	200	0	-	
9	205	0	-	
10	208	0	-	
11	210	0	-	
12	215	0	-	
13	218	0	-	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: Bell	
Source Address: 6 mile /Napier			Date: 7/22/16	
Sky Conditions: M. Sunny			Temperature: 88 F.	
Wind Speed: 5-10 mph		Wind Direction: North		Source of Meteorological Data: Weatherunderground / visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	220	0	-	
15	225	0	-	
16	230	0	-	
17	233	0	-	
18	240	0	-	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			<u>Odor characteristic examples:</u> 1 Paint-like 2 Musty, moldy 3 Burnt, smoky 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit 7 Landfill Gas 8 Garbage/trash 9 compost	



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: JWebb	
Source Address: 6 mile /Napier			Date: 7-25-16	
Sky Conditions: Sunny			Temperature: 80F	
Wind Speed: 5-10		Wind Direction: WNW		Source of Meteorological Data: Accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	10:30	0		
2	10:33	0		
3	10:36	0		
4	10:45	1	7/8	
5	10:47	0		
6	10:49	0		
7	10:55	0		
8	10:59	0		
9	11:07	0		
10	11:11	0		
11	11:16	0		
12	11:20	0		
13	11:23	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills				Inspector: JWebb
Source Address: 6 mile /Napier				Date: 7-25-16
Sky Conditions: Sunny				Temperature: 80F
Wind Speed: 5-10		Wind Direction: WNW		Source of Meteorological Data: Accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	11:25	0		
15	11:28	0		
16	11:30	0		
17	11:35	0		
18	11:40	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills				Inspector: Bell
Source Address: 6 mile /Napier				Date: 8/5/16
Sky Conditions: P. Cloudy				Temperature: 80 F
Wind Speed: 5-10 mph		Wind Direction: SW		Source of Meteorological Data: Weatherunderground / visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	1110	0	-	
2	1112	0	-	
3	1115	0	-	
4	1117	1	7	Minor gas odor - localized
5	1120	0	-	
6	1124	0	-	
7	1126	0	-	
8	1130	0	-	
9	1132	0	-	
10	1135	0	-	
11	1138	0	-	
12	1140	0	-	
13	1143	0	-	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: Bell	
Source Address: 6 mile /Napier			Date: 8-5-16	
Sky Conditions: P. Cloudy			Temperature: 80 F	
Wind Speed: 5-10 mph		Wind Direction: SW		Source of Meteorological Data: Weatherunderground / visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	1145	0	-	
15	1148	0	-	
16	1150	0	-	
17	1153	0	-	
18	1155	0	-	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	



Source Name: Arbor Hills			Inspector: JWebb	
Source Address: 6 mile /Napier			Date: 8-10-16	
Sky Conditions: sunny			Temperature:	
Wind Speed: 0-5		Wind Direction: wnw		Source of Meteorological Data:
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	9:40	0		
2	9:43	0		
3	9:46	0		
4	9:50	0		
5	9:55	0		
6	9:59	0		
7	10:02	0		
8	10:05	0		
9	10:11	0		
10	10:16	0		
11	10:20	0		
12	10:25	0		
13	10:28	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: JWebb	
Source Address: 6 mile /Napier			Date: 8-10-16	
Sky Conditions: clear			Temperature: 85f	
Wind Speed: 0-5		Wind Direction: wnw		Source of Meteorological Data: Accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	10:35	0		
15	10:38	0		
16	10:42	0		
17	10:45	0		
18	10:50	0		
Odor Scale			Odor characteristic examples:	
0 - Non-Detect			1 Paint-like	
1 - Just barely detectable			2 Musty, moldy	
2 - Distinct and definite odor			3 Burnt, smoky	
3 - Distinct and definite objectionable odor			4 Tar-like, asphalt	
4 - Odor strong enough to cause a person to attempt to avoid it completely			5 Cut grass	
5 - Odor so strong as to be overpowering and intolerable for any length of time			6 Citrus fruit	
			7 Landfill Gas	
			8 Garbage/trash	
			9 compost	



ODOR SURVEY FORM

Source Name: Arbor Hills				Inspector: Bell
Source Address: 6 mile /Napier				Date: 8/19/16
Sky Conditions: Sunny				Temperature: 82 F.
Wind Speed: 5-10 mph		Wind Direction: SSW		Source of Meteorological Data: Weatherunderground / visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	1120	0	-	
2	1122	0	-	
3	1125	1	7	
4	1128	2	7/8	More Garbage odor than gas
5	1130	0	-	
6	1134	0	-	
7	1136	0	-	
8	1140	0	-	
9	1142	0	-	
10	1145	0	-	
11	1148	0	-	
12	1150	0	-	
13	1153	0	-	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: Bell	
Source Address: 6 mile /Napier			Date: 8/19/16	
Sky Conditions: Sunny			Temperature: 82 F.	
Wind Speed: 5-10 mph		Wind Direction: SSW		Source of Meteorological Data: Weatherunderground / Visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	1155	0	-	
15	1200	0	-	
16	1202	0	-	
17	1205	0	-	
18	1208	0	-	
Odor Scale 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			Odor characteristic examples: 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	



ODOR SURVEY FORM

Source Name: Arbor Hills				Inspector: JWebb
Source Address: 6 mile /Napier				Date: 8-23-16
Sky Conditions: sunny				Temperature: 80f
Wind Speed: 5-10		Wind Direction: sw		Source of Meteorological Data: accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	9:45			
2	9:50			
3	9:51			
4	9:54	1	8	
5	9:58	1	7/8	
6	10:00			
7	10:10			
8	10:13			
9	10:16			
10	10:20			
11	10:25			
12	10:27			
13	10:30			
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit

**ODOR SURVEY FORM**

Source Name: Arbor Hills				Inspector: JWebb
Source Address: 6 mile /Napier				Date: 8-23-16
Sky Conditions: sunny				Temperature: 80F
Wind Speed: 5-10		Wind Direction: sw		Source of Meteorological Data: accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	10:35	0		
15	10:38	0		
16	10:42	0		
17	10:45	0		
18	10:50	0		
Odor Scale 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				Odor characteristic examples: 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills				Inspector: Bell
Source Address: 6 mile /Napier				Date: 9-1-16
Sky Conditions: M. Cloudy				Temperature: 72 F.
Wind Speed: 10-15 mph		Wind Direction: NE		Source of Meteorological Data: Weatherunderground / visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	1215	0	-	
2	1218	0	-	
3	1220	0	-	
4	1222	0	-	
5	1225	0	-	
6	1230	0	-	
7	1232	0	-	
8	1234	0	-	
9	1237	0	-	
10	1240	0	-	
11	1245	0	-	
12	1248	0	-	
13	1250	0	-	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: Bell	
Source Address: 6 mile /Napier			Date: 9-1-16	
Sky Conditions: M. Cloudy			Temperature: 72 F.	
Wind Speed: 10-15 mph		Wind Direction: NE		Source of Meteorological Data: Weatherunderground / visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	1253	0	-	
15	1256	0	-	
16	100	0	-	
17	102	0	-	
18	105	0	-	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: JWebb	
Source Address: 6 mile /Napier			Date: 9-7-16	
Sky Conditions: cloudy			Temperature: 90f	
Wind Speed: 5-10		Wind Direction: sw		Source of Meteorological Data: accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	2:45	0		
2	2:50	0		
3	2:53	0		
4	2:56	0		
5	3:00	0		
6	3:02	0		
7	3:07	0		
8	3:11	0		
9	3:15	0		
10	3:19	0		
11	3:24	0		
12	3:26	0		
13	3:30	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills				Inspector: Bell
Source Address: 6 mile /Napier				Date: 9/15/16
Sky Conditions: P. Sunny				Temperature: 70 F.
Wind Speed: 0-5 mph		Wind Direction: NE		Source of Meteorological Data: Weatherunderground / visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	1055	0	-	
2	1057	0	-	
3	1100	0	-	
4	1102	0	-	
5	1105	0	-	
6	1107	0	-	
7	1110	0	-	
8	1112	0	-	
9	1115	0	-	
10	1117	0	-	
11	1120	0	-	
12	1123	0	-	
13	1125	0	-	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: Bell	
Source Address: 6 mile /Napier			Date: 9/15/16	
Sky Conditions: P. Sunny			Temperature: 70 F.	
Wind Speed: 0-5 mph		Wind Direction: NE		Source of Meteorological Data: Weatherunderground / visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	1130	0	-	
15	1132	0	-	
16	1135	0	-	
17	1138	0	-	
18	1140	0	-	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			<u>Odor characteristic examples:</u> 1 Paint-like 2 Musty, moldy 3 Burnt, smoky 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit 7 Landfill Gas 8 Garbage/trash 9 compost	



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: Jwebb	
Source Address: 6 mile /Napier			Date: 9-22-16	
Sky Conditions: clear			Temperature: 78F	
Wind Speed: calm		Wind Direction:		Source of Meteorological Data: accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	10:40	0		
2	10:43	0		
3	10:46	0		
4	10:50	0		
5	10:53	0		
6	10:57	0		
7	11:00	0		
8	11:05	0		
9	11:09	0		
10	11:14	0		
11	11:17	0		
12	11:20	0		
13	11:23	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: JWebb	
Source Address: 6 mile /Napier			Date: 9-22-16	
Sky Conditions: Clear			Temperature: 78f	
Wind Speed: Calm		Wind Direction:		Source of Meteorological Data: Accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	11:25	0		
15	11:30	0		
16	11:35	0		
17	11:40	0		
18	11:45	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: Bell	
Source Address: 6 mile /Napier			Date: 09-29-16	
Sky Conditions: Rainy			Temperature: 60 F.	
Wind Speed: 10 – 15 mph		Wind Direction: NE		Source of Meteorological Data: Weatherunderground / visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	1155	0	-	
2	1200	0	-	
3	1202	0	-	
4	1205	0	-	
5	1208	0	-	
6	1210	0	-	
7	1212	0	-	
8	1215	0	-	
9	1220	0	-	
10	1223	0	-	
11	1225	0	-	
12	1228	0	-	
13	1230	0	-	
Odor Scale 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				Odor characteristic examples: 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: Bell	
Source Address: 6 mile /Napier			Date: 09-29-16	
Sky Conditions: Rainy			Temperature: 60 F.	
Wind Speed: 10 – 15 mph		Wind Direction: NE		Source of Meteorological Data: Weatherunderground / visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	1232	0	-	
15	1235	0	-	
16	1240	0	-	
17	1242	0	-	
18	1245	0	-	
Odor Scale				Odor characteristic examples:
0 - Non-Detect				1 Paint-like
1 - Just barely detectable				7 Landfill Gas
2 - Distinct and definite odor				2 Musty, moldy
3 - Distinct and definite objectionable odor				8 Garbage/trash
4 - Odor strong enough to cause a person to attempt to avoid it completely				3 Burnt, smoky
5 - Odor so strong as to be overpowering and intolerable for any length of time				9 compost
				4 Tar-like, asphalt
				5 Cut grass
				6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills				Inspector: Jwebb
Source Address: 6 mile /Napier				Date: 10-6-16
Sky Conditions: Sunny				Temperature: 76F
Wind Speed: 0-5		Wind Direction: South		Source of Meteorological Data: Accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	1:10	0		
2	1:14	0		
3	1:17	0		
4	1:22	0		
5	1:26	0		
6	1:30	0		
7	1:35	0		
8	1:40	0		
9	1:45	0		
10	1:50	0		
11	1:55	0		
12	2:00	0		
13	2:05	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: Jwebb	
Source Address: 6 mile /Napier			Date: 10-6-16	
Sky Conditions: Sunny			Temperature: 76f	
Wind Speed: 0-5		Wind Direction: South		Source of Meteorological Data: Accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	2:06	0		
15	2:10	0		
16	2:12	0		
17	2:15	0		
18	2:20	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	



ODOR SURVEY FORM

Source Name: Arbor Hills				Inspector: Bell
Source Address: 6 mile /Napier				Date: 10/12/16
Sky Conditions: Cloudy				Temperature: 65 F.
Wind Speed: 0-5 MPH		Wind Direction: SSW		Source of Meteorological Data: Weatherunderground / Visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	1200	0	-	
2	1206	0	-	
3	1208	0	-	
4	1210	0	-	
5	1212	0	-	
6	1215	0	-	
7	1217	0	-	
8	1220	0	-	
9	1223	0	-	
10	1226	0	-	
11	1230	0	-	
12	1232	0	-	
13	1235	0	-	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: Bell	
Source Address: 6 mile /Napier			Date: 10/12/16	
Sky Conditions: Cloudy			Temperature: 65 F.	
Wind Speed: 0-5 MPH		Wind Direction: SSW		Source of Meteorological Data: Weatherunderground / Visual
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	1240	0	-	
15	1243	0	-	
16	1245	0	-	
17	1248	0	-	
18	1250	0	-	
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: JWebb	
Source Address: 6 mile /Napier			Date: 10-18-16	
Sky Conditions: Cloudy			Temperature: 70f	
Wind Speed: 20-30		Wind Direction: SW		Source of Meteorological Data: Accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
1	2:20	0		
2	2:23	0		
3	2:27	0		
4	2:33	0		
5	2:35	0		
6	2:40	0		
7	2:42	0		
8	2:48	0		
9	2:55	0		
10	3:00	0		
11	3:03	0		
12	3:10	0		
13	3:15	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time				<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 Compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit



ODOR SURVEY FORM

Source Name: Arbor Hills			Inspector: JWebb	
Source Address: 6 mile /Napier			Date: 10-18-16	
Sky Conditions: Cloudy			Temperature: 70f	
Wind Speed: 20-30		Wind Direction: SW		Source of Meteorological Data: Accuweather
Location (attach map, if available)	Time	Odor Scale (See below)	Characteristic (See below)	Comments (Observations that will aid in the determination of the source & properties of the odor.)
14	3:19	0		
15	3:24	0		
16	3:27	0		
17	3:35	0		
18	3:40	0		
<u>Odor Scale</u> 0 - Non-Detect 1 - Just barely detectable 2 - Distinct and definite odor 3 - Distinct and definite objectionable odor 4 - Odor strong enough to cause a person to attempt to avoid it completely 5 - Odor so strong as to be overpowering and intolerable for any length of time			<u>Odor characteristic examples:</u> 1 Paint-like 7 Landfill Gas 2 Musty, moldy 8 Garbage/trash 3 Burnt, smoky 9 compost 4 Tar-like, asphalt 5 Cut grass 6 Citrus fruit	