

Certified Drinking Water Chemical Laboratories

Michigan Department of Environmental Quality

Remediation Division

Laboratory Services Section Ph: (517) 335-9800

Fax: (517) 335-9600

Laboratory Certification Officer: George L. Krisztian

Ph: (517) 335-8812

Laboratory Auditor: Gregg Lundy Ph: (517) 335-9219

Date of Report: 20-Jun-11

United States Environmental Protection Agency Region 5 Certified Laboratories

Lab ID: 0001

MDEQ-DWRPD - Water Analysis

Contact Person: Julia Pieper

3350 N MLK Blvd
Lansing, MI 48906-2933

Phone: (517) 335-8184 E-Mail: pieperj@michigan.gov

Fax: (517) 335-8562

Parameters Certified For:

Organics

2,4,5-TP (Silvex)
2,4-D
Alachlor
Atrazine
Benzo(a)pyrene
Carbofuran
Chlordane
Dalapon
Dibromochloropropane (DBCP)
Dieldrin
Dinoseb
Diquat
Endothall
Endrin
Ethylene dibromide (EDB)
Glyphosate
Halo Acetic Acids
Heptachlor
Heptachlor epoxide
Hexachlorobenzene
Hexachlorocyclopentadiene
Lindane
Methoxychlor
Oxamyl
Pentachlorophenol
Picloram
Regulated VOCs
Simazine
Total Trihalomethanes (TTHMs)
Toxaphene
Unregulated VOCs

Limited Wet Chemistry

Cyanide
Fluoride
Nitrate
Nitrite

Inorganic

Antimony
Arsenic
Barium
Beryllium
Bromate
Cadmium
Chlorite
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Thallium

Michigan Department of Environmental Quality Certified Laboratories

Lab ID: 9907

Alliance Analytical Labs, Inc.

Contact Person: Peter Nielsen

179 West Randall Street
Coopersville, MI 49404-

Phone: (616) 837-7670 **E-Mail:** peter@aatestlabs.com
Fax: (616) 837-7701

Parameters Certified For:

Limited Wet Chemistry

Fluoride
Nitrate
Nitrite
Sulfate

Lab ID: 0022

ALS Laboratory Group, Environmental Div - Holland

Contact Person: Dan Delinger

3352 128th Avenue
Holland, MI 49424-

Phone: (616) 738-7369 **E-Mail:** dan.delinger@alsglobal.com
Fax: (616) 399-6185

Parameters Certified For:

Organics

Regulated VOCs
Unregulated VOCs

Limited Wet Chemistry

Nitrate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Copper
Lead
Nickel
Selenium
Thallium

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 3 of 20

Lab ID: 9604

Ann Arbor Technical Services, Inc.

Contact Person: Cheryl Szyniszewski

290 South Wagner Road
Ann Arbor, MI 48103-

Phone: (734) 995-0995
Fax: (734) 995-3731

E-Mail: ATS290@annarbortechnicalservices.com

Parameters Certified For:

Organics

Regulated VOCs
Total Organic Carbon (TOC)
Total Trihalomethanes (TTHMs)
Unregulated VOCs

Limited Wet Chemistry

Cyanide
Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Bromide
Cadmium
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Sodium
Thallium

Lab ID: 0220

Ann Arbor Water Treatment Plant

Contact Person: Donna McNeff

919 Sunset Road
Ann Arbor, MI 48103-

Phone: (734) 994-2840
Fax: (734) 994-0151

E-Mail: dsherrit-mcneff@a2gov.org

Parameters Certified For:

Organics

Total Organic Carbon (TOC)

Limited Wet Chemistry

Fluoride
Nitrate
Nitrite

Inorganic

Copper
Lead

Lab ID: 8005

B&B Water/Wastewater Consultants Inc. Contact Person:

Ronda K. Baxter

4402 South Division
Moline, MI 49335-

Phone: (800) 968-4196
Fax: (616) 877-4196

E-Mail: rondabax@yahoo.com

Parameters Certified For:

Limited Wet Chemistry

Nitrate

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 4 of 20

Lab ID: 0750

Blissfield Water Treatment Plant

Contact Person: Kipp H. Scott

1330 Beamer Road
Blissfield, MI 49228-

Phone: (517) 486-3350 **E-Mail:** waterplant@blissfieldmichigan.gov
Fax: (517) 486-4069

Parameters Certified For:

Limited Wet Chemistry

Fluoride
Nitrate

Lab ID: 9404

Brighton Analytical, LLC

Contact Person: William Topolski

2105 Pless Drive
Brighton, MI 48114-

Phone: (810) 229-7575 **E-Mail:** bai-test@sbcglobal.net
Fax: (810) 229-8650

Parameters Certified For:

Organics

Regulated VOCs
Total Organic Carbon (TOC)
Total Trihalomethanes (TTHMs)
Unregulated VOCs

Limited Wet Chemistry

Cyanide
Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Thallium

Lab ID: 9004

Bureau Veritas North America

Contact Person: Robert Lieckfield Jr.

22345 Roethel Drive
Novi, MI 48375-

Phone: (248) 344-1770 **E-Mail:** bob.lieckfield@us.bureauveritas.com
Fax: (248) 344-2655

Parameters Certified For:

Inorganic

Copper
Lead

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 5 of 20

Lab ID: 1030

Cadillac Wastewater Treatment Plant **Contact Person:** Amy Vail

200 North Lake Street
Cadillac, MI 49601-

Phone: (231) 775-2368 **E-Mail:** lab@cadillac-mi.net
Fax: (231) 775-2876

Parameters Certified For:

Limited Wet Chemistry

Nitrate

Inorganic

Cadmium
Chromium
Copper
Lead
Nickel
Selenium

Lab ID: 1807

City of Detroit Water and Sewage Dept **Contact Person:** Avinash Joshi
Analytical Lab

2727 Second Avenue
Detroit, MI 48201-

Phone: (313) 964-9700 **E-Mail:** joshi@dwsd.org
Fax: (313) 964-9750

Parameters Certified For:

Organics

Regulated VOCs
Total trihalomethanes (TTHMs)

Lab ID: 1500

Coldwater Board of Public Utilities **Contact Person:** David Woodman

One Grand Street
Coldwater, MI 49036-

Phone: (517) 279-9531 **E-Mail:** dlwoodman@muni.cbpu.com
Fax: (517) 278-2947

Parameters Certified For:

Limited Wet Chemistry

Nitrate

Lab ID: 1803

Detroit Springwells Water Treatment Plant **Contact Person:** Richard Pernal

8300 West Warren Road
Dearborn, MI 48126-1616

Phone: (313) 935-7107 **E-Mail:** rpernal@dwsd.org
Fax: (313) 934-3157

Parameters Certified For:

Limited Wet Chemistry

Fluoride

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 6 of 20

Lab ID: 1805

Detroit Waterworks Park Water Plant

Contact Person: Balvinder Sehgal

10100 East Jefferson
Detroit, MI 48214-

Phone: (313) 926-8132 **E-Mail:** sehgal@dwsd.org

Fax: (313) 842-6418

Parameters Certified For:

Limited Wet Chemistry

Fluoride
Nitrate
Nitrite

Inorganic

Copper
Lead
Sodium

Lab ID: 9946

EMSL Analytical, Inc.

Contact Person: John Ireland

212 South Wagner Road
Ann Arbor, MI 48103-

Phone: (734) 668-6810 **E-Mail:**

Fax: (734) 688-8532

Parameters Certified For:

Inorganic

Asbestos

Lab ID: 2310

Flint Water Plant & Facilities

Contact Person: Michael Glasgow

4500 North Dort Highway
Flint, MI 48505-

Phone: (810) 787-6537 **E-Mail:** mglasgow@cityofflint.com

Fax: (810) 787-3710

Parameters Certified For:

Limited Wet Chemistry

Fluoride
Nitrate

Lab ID: 8003

Garrett Laboratories, Inc.

Contact Person: Robert Garrett

PO Box 645
Niles, MI 49120-

Phone: (269) 683-3200 **E-Mail:** services@garrettlabs.com

Fax: (269) 683-1617

Parameters Certified For:

Limited Wet Chemistry

Nitrate
Nitrite

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 7 of 20

Lab ID: 9968

Grand Traverse Analytical, LLC

Contact Person: Kirk Chase

830 Robinwood Court
Traverse City, MI 49686-

Phone: (231) 929-0905 **E-Mail:** kirk@gtanalytical.com
Fax: (231) 929-0894

Parameters Certified For:

Organics

Regulated VOCs
Unregulated VOCs

Limited Wet Chemistry

Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Copper
Lead
Nickel
Selenium
Sodium
Thallium

Lab ID: 8000

Great Lakes Scientific

Contact Person: Wayne E. Gleiber

2847 Lawrence Street
Stevensville, MI 49127-

Phone: (269) 429-1000 **E-Mail:** gls@glslab.com
Fax: (269) 429-1550

Parameters Certified For:

Limited Wet Chemistry

Nitrate

Lab ID: 0091

Great Lakes Water Quality Laboratory, Inc.

Contact Person: Rebecca S Gray

6461 Sunset Drive
Lake Ann, MI 49650-0131

Phone: (231) 275-7382 **E-Mail:** becky@greatlakeswaterlab.com
Fax: (231) 275-6510

Parameters Certified For:

Limited Wet Chemistry

Fluoride
Nitrate
Nitrite
Sulfate

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 8 of 20

Lab ID: 3250

Howell Water Treatment Plant

Contact Person: Jim Webster

150 Marion Street
Howell, MI 48843-

Phone: (517) 546-5309 **E-Mail:** jwebster@ci.howell.mi.us
Fax: (517) 546-6019

Parameters Certified For:

Limited Wet Chemistry
Fluoride

Lab ID: 9420

In-House Water Lab

Contact Person: Robert H. Stucker

8470 Driggs Road
Blissfield, MI 49228-

Phone: (517) 548-7363 **E-Mail:** inhousewaterlab@sbcglobal.net
Fax: (517) 548-7363

Parameters Certified For:

Limited Wet Chemistry
Nitrate

Lab ID: 3440

Ishpeming Area Wastewater Facility

Contact Person: Deborah Pellow

700 Sunset Drive
Ishpeming, MI 49849-

Phone: (906) 486-4391 **E-Mail:** IAWTS@up.net
Fax: (906) 486-6997

Parameters Certified For:

Limited Wet Chemistry
Nitrate
Nitrite

Lab ID: 0008

Kalamazoo County HSD Laboratory

Contact Person: Aaron Hoogenboom

3299 Gull Road
Kalamazoo, MI 49048-

Phone: (269) 373-5077 **E-Mail:** awhoog@kalcounty.com
Fax: (269) 373-5216

Parameters Certified For:

Limited Wet Chemistry
Fluoride
Nitrate
Nitrite
Sulfate

Lab ID: 3520

Kalamazoo Public Services Laboratory Contact Person: Sue Founé

1415 North Harrison
Kalamazoo, MI 49007-

Phone: (269) 337-8440 **E-Mail:** founes@kalamazoocity.org
Fax: (269) 337-8535

Parameters Certified For:

Limited Wet Chemistry
Fluoride

Lab ID: 0047

KAR Laboratories, Inc.

Contact Person: William G. Rauch

4425 Manchester
Kalamazoo, MI 49001-

Phone: (269) 381-9666 **E-Mail:** rauch@karlabs.com
Fax: (269) 381-9698

Parameters Certified For:

Organics

2,4,5-TP (Silvex)
2,4-D
Alachlor
Aldrin
Atrazine
Benzo(a)pyrene
Butachlor
Chlordane
Dalapon
Dibromochloropropane (DBCP)
Dicamba
Dieldrin
Dinoseb
Endrin
Ethylene dibromide (EDB)
Heptachlor
Heptachlor epoxide
Hexachlorobenzene
Hexachlorocyclopentadiene
Lindane
Methoxychlor
Metolachlor
Metribuzin
Pentachlorophenol
Picloram
Propachlor
Regulated VOCs
Simazine
Total Organic Carbon (TOC)
Total Trihalomethanes (TTHMs)
Toxaphene
Unregulated VOCs

Limited Wet Chemistry

Cyanide
Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Bromide
Cadmium
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Sodium
Thallium

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 10 of 20

Lab ID: 0016

Kent County Health Dept. Lab Section Contact Person: Cindy Overkamp

700 Fuller Avenue, N.E.
Grand Rapids, MI 49503-

Phone: (616) 632-7210 **E-Mail:** cindy.overkamp@kentcountymi.
Fax: (616) 632-6899 gov

Parameters Certified For:

Limited Wet Chemistry

Fluoride
Nitrate
Nitrite
Sulfate

Lab ID: 3760

Lansing Board of Water & Light Environmental Services Lab Contact Person: Lynn L. Adsit

830 East Hazel Street
Lansing, MI 48901-

Phone: (517) 702-6372 **E-Mail:** LLA@LBWL.com
Fax: (517) 702-6373

Parameters Certified For:

Organics

Regulated VOCs
Unregulated VOCs

Limited Wet Chemistry

Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Copper
Lead
Nickel
Selenium
Sodium
Thallium

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 11 of 20

Lab ID: 9956

Merit Laboratories, Inc.

2680 East Lansing Drive
East Lansing, MI 48823-

Contact Person: Maya Murshak

Phone: (517) 332-0167 **E-Mail:** mayamurshak@meritlabs.com

Fax: (517) 332-6333

Parameters Certified For:

Organics

Regulated VOCs
Unregulated VOCs

Limited Wet Chemistry

Cyanide
Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Bromide
Cadmium
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Thallium

Lab ID: 4370

Midland Water Treatment Plant

333 West Ellsworth
Midland, MI 48640-

Contact Person: Dave Love

Phone: (989) 837-3515

Fax: (989) 837-3524

E-Mail:

Parameters Certified For:

Limited Wet Chemistry

Fluoride

Lab ID: 0055

National Testing Laboratories, Ltd.

Contact Person: Amanda Williams

556 South Mansfield Street
Ypsilanti, MI 48197-

Phone: (800) 482-8333 **E-Mail:** awilliams@NTLLABS.com

Fax: (734) 483-0340

Parameters Certified For:

Organics

2,4,5-TP (Silvex)
2,4-D
3-Hydroxycarbofuran
Aalachlor
Aldicarb
Aldicarb sulfone
Aldicarb sulfoxide
Aldrin
Atrazine
Benzo(a)pyrene
Butachlor
Carbaryl
Carbofuran
Chlordane
Dalapon
Di(2-ethylhexyl)adipate
Di(2-ethylhexyl)phthalate
Dibromochloropropane (DBCP)
Dicamba
Dieldrin
Dinoseb
Diquat
Endothall
Endrin
Ethylene dibromide (EDB)
Glyphosate
Heptachlor
Heptachlor epoxide
Hexachlorobenzene
Hexachlorocyclopentadiene
Lindane
Methomyl
Methoxychlor
Metolachlor
Metribuzin
Oxamyl
Pentachlorophenol
Picloram
Propachlor
Regulated VOCs
Simazine
Total Trihalomethanes (TTHMs)
Toxaphene
Unregulated VOCs

Limited Wet Chemistry

Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Bromate
Bromide
Cadmium
Chlorate
Chlorite
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Sodium
Thallium

Lab ID: 0048

NSF International

Contact Person: Joseph Terrell

789 North Dixboro Road
Ann Arbor, MI 48105-

Phone: (734) 827-6837 **E-Mail:** terrell@nsf.org

Fax: (734) 827-6831

Parameters Certified For:

Organics

2,3,7,8-TCDD (Dioxin)
2,4,5-TP (Silvex)
2,4-D
3-Hydroxycarbofuran
Alachlor
Aldicarb
Aldicarb sulfone
Aldicarb sulfoxide
Aldrin
Atrazine
Benzo(a)pyrene
Butachlor
Carbaryl
Carbofuran
Chlordane
Dalapon
Di(2-ethylhexyl)adipate
Di(2-ethylhexyl)phthalate
Dibromochloropropane (DBCP)
Dicamba
Dieldrin
Dinoseb
Diquat
Endothall
Endrin
Ethylene dibromide (EDB)
Glyphosate
Halo Acetic Acids
Heptachlor
Heptachlor epoxide
Hexachlorobenzene
Hexachlorocyclopentadiene
Lindane
Methomyl
Methoxychlor
Metolachlor
Metribuzin
Oxamyl
Pentachlorophenol
Picloram
Propachlor
Regulated VOCs
Simazine
Total Trihalomethanes (TTHMs)
Toxaphene
Unregulated VOCs

Limited Wet Chemistry

Cyanide
Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Bromate
Bromide
Cadmium
Chlorate
Chlorite
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Sodium
Thallium

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 14 of 20

Lab ID: 9960

Northwest Michigan Community Health Agency

Contact Person: Jacob Harmon

95 Livingston Boulevard
Gaylord, MI 49735-

Phone: (989) 732-6878 **E-Mail:** j.harmon@nwhealth.org
Fax: (989) 732-3285

Parameters Certified For:

Limited Wet Chemistry

Fluoride
Nitrate
Nitrite
Sulfate

Lab ID: 0012

Oakland Co. Health Division Laboratory Contact Person: Barbara Weberman

1200 N Telegraph Rd
Pontiac, MI 48341-

Phone: (248) 858-1310 **E-Mail:**
Fax: (248) 975-9629

Parameters Certified For:

Limited Wet Chemistry

Fluoride
Nitrate
Nitrite
Sulfate

Lab ID: 9901

Paragon Laboratories, Inc.

Contact Person: John Spurr

12649 Richfield Ct.
Livonia, MI 48150-

Phone: (734) 462-3900 **E-Mail:** jspurr@paragonlaboratories.com
Fax: (734) 462-3911

Parameters Certified For:

Organics

Dalapon
Regulated VOCs
Total Organic Carbon (TOC)
Total Trihalomethanes (TTHMs)
Unregulated VOCs
Halo Acetic Acids (HAA5)
EDB and DBCP

Limited Wet Chemistry

Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Thallium

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 15 of 20

Lab ID: 5210

Paw Paw Laboratory

110 Harry L Bush Avenue
Paw Paw, MI 49079-

Contact Person: Robert M. Harvey

Phone: (269) 657-3169 **E-Mail:**

Fax: (269) 657-6023

Parameters Certified For:

Limited Wet Chemistry
Nitrate

Lab ID: 0020

Prein & Newhof

3260 Evergreen Drive, NE
Grand Rapids, MI 49525-

Contact Person: Robert Erickson

Phone: (616) 364-7600 **E-Mail:** Rerickson@Preinnewhof.com

Fax: (616) 364-4222

Parameters Certified For:

Organics

Benzo(a)pyrene
Regulated VOCs
Total Trihalomethanes (TTHMs)
Unregulated VOCs

Limited Wet Chemistry

Cyanide
Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Sodium
Thallium

Lab ID: 0056

Pure Water Works Inc.

1040 South Garfield
Traverse City, MI 49686-

Contact Person: William Siegmund

Phone: (231) 941-7873 **E-Mail:** ws@purewaterworks.biz

Fax: (231) 941-7874

Parameters Certified For:

Limited Wet Chemistry
Nitrate

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 16 of 20

Lab ID: 9954

Raven Analytical Laboratory

Contact Person: John Blizzard

104 1/2 First Street
Roscommon, MI 48653-

Phone: (989) 275-4790 **E-Mail:** ravenlabs@charterinternet.com
Fax: (989) 275-4899

Parameters Certified For:

Limited Wet Chemistry

Nitrate
Nitrite

Lab ID: 9962

RTI Laboratories, Inc.

Contact Person: Fred Hoitash

31628 Glendale
Livonia, MI 48150-

Phone: (734) 422-8000 **E-Mail:** fhoitash@artilab.com
Fax: (734) 422-5342

Parameters Certified For:

Organics

2,4-D
Aldrin
Atrazine
Butachlor
Chlordane
Dalapon
Di(2-ethylhexyl)adipate
Di(2-ethylhexyl)phthalate
Dicamba
Dinoseb
Endrin
Heptachlor
Heptachlor Epoxide
Lindane
Methoxychlor
Metolachlor
Metribuzin
Pentachlorophenol
Picloram
Propachlor
Regulated VOCs
Simazine
Total trihalomethanes (TTHMs)
Toxaphene
Unregulated VOCs
Haloacetic Acids (HAA5)
EDB and DBCP

Limited Wet Chemistry

Cyanide
Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Bromide
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Thallium

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 17 of 20

Lab ID: 0015

Saginaw County DPH Laboratory Services

Contact Person: Tamara Theisen

1600 N. Michigan
Saginaw, MI 48602-

Phone: (989) 758-3825 **E-Mail:** ttheisen@saginawcounty.com
Fax: (989) 758-3755

Parameters Certified For:

Limited Wet Chemistry

Fluoride
Nitrate
Nitrite
Sulfate

Lab ID: 9506

SOS Analytical, Inc.

Contact Person: Shanna Shea

4125 Cedar Run Road
Traverse City, MI 49684-

Phone: (231) 946-6767 **E-Mail:** shanna@sosanalytical.com
Fax: (231) 946-8741

Parameters Certified For:

Organics

Regulated VOCs
Total trihalomethanes (TTHMs)
Unregulated VOCs

Limited Wet Chemistry

Cyanide
Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Thallium

Lab ID: 0014

St. Clair County Health Department

Contact Person: Jan Ruggles

3415 28th Street
Port Huron, MI 48060-

Phone: (810) 987-5305 **E-Mail:** jruggles@stclaircounty.org
Fax: (810) 985-2150

Parameters Certified For:

Limited Wet Chemistry

Nitrate

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 18 of 20

Lab ID: 9939

Summit Laboratory

900 Godfrey Avenue SW
Grand Rapids, MI 49503-

Contact Person: Michael Snarski

Phone: (616) 245-3818 **E-Mail:** mail@summitlaboratory.com
Fax: (616) 245-3884

Parameters Certified For:

Limited Wet Chemistry
Nitrate

Lab ID: 0057

TestAmerica Inc - Brighton

10448 Citation Drive
Brighton, MI 48116-

Contact Person: Susan Schafer

Phone: (810) 229-2763 **E-Mail:** sue.schafer@testamericainc.co
Fax: m

Parameters Certified For:

Limited Wet Chemistry
Nitrite

Lab ID: 8001

Trace Analytical Laboratories, Inc.

2241 Black Creek Road
Muskegon, MI 49444-

Contact Person: Alyson Yagiela

Phone: (231) 773-5998 **E-Mail:**
Fax: (231) 773-6537

Parameters Certified For:

Limited Wet Chemistry
Cyanide
Fluoride
Nitrate
Nitrite
Sulfate

Inorganic
Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Sodium
Thallium

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 19 of 20

Lab ID: 0034

TriMatrix Laboratories, Inc.

Contact Person: Rick Wilburn

5560 Corporate Exchange Court
SE

Phone: (616) 975-4500 **E-Mail:** wilburnr@trimatrixlabs.com
Grand Rapids, MI 49512- **Fax:** (616) 942-7463

Parameters Certified For:

Organics

Regulated VOCs
Total Trihalomethanes (TTHMs)
Unregulated VOCs

Limited Wet Chemistry

Cyanide
Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Sodium
Thallium

Lab ID: 0023

Water Tech

Contact Person: Chris McCarthy

718 South Michigan Avenue
Howell, MI 48843-

Phone: (517) 548-2505 **E-Mail:** watertechinc@sbcglobal.net
Fax: (517) 548-3434

Parameters Certified For:

Organics

Regulated VOCs
Total trihalomethanes (TTHMs)
Unregulated VOCs

Limited Wet Chemistry

Fluoride
Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Copper
Lead
Nickel
Selenium
Sodium

Certified Drinking Water Chemical Laboratories

Date of Report: 20-Jun-11

Page 20 of 20

Lab ID: 9306

White Water Associates, Inc.

429 River Lane
Amasa, MI 49903-

Contact Person: Bette Premo

Phone: (906) 822-7889 **E-Mail:** bette.primo@white-water-associates.com
Fax: (906) 822-7977

Parameters Certified For:

Limited Wet Chemistry

Nitrate
Nitrite
Sulfate

Inorganic

Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Copper
Lead
Nickel
Selenium
Sodium

Lab ID: 7220

Wyoming DKSWTP

16700 New Holland Street
Holland, MI 49424-

Contact Person: Myron Erickson

Phone:(616) 399-6511 **E-Mail:**
Fax: (616) 399-2555

Parameters Certified For:

Organics

Halo Acetic Acids
Regulated VOCs
Total trihalomethanes (TTHMs)
Unregulated VOCs

Limited Wet Chemistry

Fluoride