

# **FACT SHEET**

**Proposed Relicensing and Expansion of**

**US Ecology Michigan, Inc.  
Detroit, Michigan**

**MID 074 259 565**

**July 2015**



**Michigan Department of Environmental Quality  
Office of Waste Management and Radiological Protection**

## TABLE OF CONTENTS

	Page
I. EXECUTIVE SUMMARY .....	1
II. INTRODUCTION.....	2
III. FACILITY DESCRIPTION .....	3
A. Site Description .....	3
B. Prior Licensing, Existing Facility Design and Proposed Expansion .....	3
C. Facility-Specific License Conditions .....	7
D. Corrective Action.....	8
IV. ENVIRONMENTAL IMPACT .....	9
A. Wastes Stored .....	9
B. Groundwater Monitoring Program Waiver .....	9
C. Soil Monitoring Program Waiver.....	9
D. Ambient Air Monitoring .....	9
E. Effluent Monitoring .....	9
V. PUBLIC PARTICIPATION .....	10
A. Public Comment Procedures.....	10
B. Locations of Available Information .....	10
C. Contact Person .....	11

## LIST OF ATTACHMENTS

Attachment 1	Hazardous Waste Compliance History
Attachment 2	Facility Maps
Attachment 3	List of Acceptable Hazardous Waste Types

## I. EXECUTIVE SUMMARY

The Michigan Department of Environmental Quality (DEQ), Office of Waste Management and Radiological Protection (OWMRP), proposes to issue a hazardous waste management facility operating license (License) to US Ecology Michigan, Inc. (USE), formerly Dynecol, Inc. (Dynecol), to continue existing operations and to construct new units for storage and treatment at its facility located at 6520 Georgia Street in Detroit, Michigan (Facility). The DEQ proposes this action pursuant to Part 111, Hazardous Waste Management, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended, and its administrative rules, Michigan Administrative Code R 299.9101 *et seq* of the Michigan Administrative Code.

On September 14, 2007, Dynecol submitted a renewal license application. On May 9, 2012, Dynecol and the DEQ met to discuss the stock sale of Dynecol to USE and the potential expansion of the Facility. On May 30, 2012, the DEQ determined the renewal license application (Application) was technically deficient. On June 1, 2012, the stock sale to USE was completed. On October 9, 2012, USE submitted responses to the technical notice of deficiency. On October 26, 2012, USE conducted a pre-application public meeting regarding the expansion of the existing License. On March 4, 2013, USE submitted a revised Application which proposed to expand and enlarge the Facility by construction, to manage a greater amount of hazardous waste than the original License authorized.

The issuance of the new License shall constitute a final determination by the DEQ on the September 14, 2007, Application and the March 4, 2013, revised Application. The duration of the License would be 10 years.

The provisions of R 299.9518 require the DEQ to issue a License to operate a facility unless: (1) the facility has not been constructed in accordance with approved plans and applicable rules; (2) the construction or operation of the facility presents a hazard to public health or the environment; or (3) the applicant has not submitted sufficiently detailed or accurate information to enable the DEQ to make a reasonable judgment on whether to issue the License.

Based on the review of the USE Application, site inspections and audits, staff members of the DEQ propose that the draft License be issued because:

- A. The Application appears sufficiently detailed for the DEQ to evaluate the Facility and its impact on human health and the environment.
- B. The Facility satisfies all of the technical design, construction, and operating standards under Part 111 and its administrative rules, Michigan Administrative Code R 299.9101 *et seq*. Section III of this Fact Sheet describes the site, the Facility design, and the proposed construction.
- C. The Facility does not at this time present a hazard to human health or the environment. This conclusion is based on a review of the Application, environmental air monitoring, and effluent discharges conducted by USE and audited by the DEQ and on compliance inspections conducted by the DEQ staff.

The compliance history of the Facility since the issuance of the last License until present is summarized in Attachment 1, Hazardous Waste Compliance History, to this Fact Sheet. USE has corrected the violations for which the Facility has been cited.

- D. In addition to the standard and general facility operating conditions contained in all operating licenses, the draft License contains conditions specific to USE's existing hazardous waste storage and treatment operations. Furthermore, the draft License contains conditions specific to the construction, post-construction documentation, operation and notification requirements for the proposed hazardous waste storage and treatment operations. An explanation of these conditions is included in Section III of this Fact Sheet. Section IV of this Fact Sheet addresses the environmental impact of the facility. The portions of the Application that describe how the Facility will comply with certain regulations have been attached to the draft License as enforceable documents, including, in part: Waste Analysis Plan, Inspection Schedules, Personnel Training, Contingency Plan, Closure Plan and Cost Estimate, Treatment Procedures, Ambient Air Monitoring Program and Effluent Monitoring Program.
- E. USE has obtained, or will be required to obtain, all other federal and state environmental permits required for the Facility prior to conducting operations in any newly-constructed hazardous waste management units in accordance with site-specific conditions proposed in the draft License.
- F. The USE disclosure statement does not contain any listings that could be a reason to deny the License.
- G. USE proposes to construct new units for storage and treatment in accordance with the plans and specifications incorporated into the draft License and is required to provide the necessary certifications of capability and construction, including as-built drawings, in accordance with site-specific conditions proposed in the draft License.

Although the DEQ believes it has done a thorough job of reviewing USE's Application, the DEQ is seeking public input on the proposed issuance of the License. Section V of this Fact Sheet describes the public participation process.

## II. INTRODUCTION

Part 111 regulates the management of hazardous waste from generation to disposal. Likewise, the federal Resource Conservation and Recovery Act of 1976 (RCRA), as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), regulates hazardous waste management nationwide.

Both Part 111 and the RCRA establish a permit system governing the treatment, storage, and disposal of hazardous wastes. The RCRA allows states to obtain authorization to issue a state hazardous waste operating license in lieu of a federal permit. Effective November 5, 2013, the State of Michigan amended the administrative rules promulgated pursuant to Part 111 to be equivalent to those under the RCRA and applied to the U.S. Environmental Protection Agency for authorization to administer all portions of the RCRA Program except for some of those under HSWA.

### III. FACILITY DESCRIPTION

#### A. Site Description

USE currently operates a commercial hazardous waste storage and treatment facility located at 6520 Georgia Street in Detroit, Michigan. The USE Facility is located on about 6.2 acres of land in an area zoned intensive industrial. Nearby there are other industrial, commercial, and residential properties in the city of Detroit, Wayne County, Michigan. The Facility is approximately one mile east of Hamtramck, Michigan with industrial, commercial, and residential properties nearby. The Facility is entirely fenced and is bordered on four sides by either streets, vacant lots, or other industries. The site is flat and there are no lakes or streams in the immediate area, but the drainage basin drains into the Detroit River. Major roads in the area are I-94 (the Edsel Ford Freeway), which is a half mile to the south, and M53 (Van Dyke), which is a half mile to the east. Facility location and layout maps are provided in Attachment 2 to this Fact Sheet.

#### B. Prior Licensing, Existing Facility Design and Proposed Expansion

The current USE License was issued on March 16, 1998. That license expired on March 16, 2008. USE submitted a timely Application on September 14, 2007, and therefore, has been allowed to continue operating under the conditions of the March 16, 1998, License until a final determination is made on the Application pursuant to the Michigan Administrative Procedures Act, 1969 P.A. 306, as amended. In addition, a major modification to the License was issued on July 30, 2004. The major modification allowed the Facility to: (1) accept additional waste codes in its container management facility; (2) discontinue groundwater monitoring since the Facility met the groundwater monitoring exemption under R 299.9611(3)(a)(i) of the Part 111 administrative rules by enclosing all treatment, storage, and waste handling activities inside a structure that provides protection from precipitation and runoff; and (3) add additional wastewater treatment equipment to allow better wastewater treatment and meet more stringent sewer discharge limitations. The major modification did not increase the volume of wastes that could be stored or treated at the Facility or extend the expiration date of the License. There have also been several minor modifications to the License since issuance.

#### Container Management Facility

The Container Management Facility (CMF) receives hazardous wastes in containers of various sizes and in bulk for transfer and storage and is not proposed to be expanded. The CMF consists of two loading docks, eight isolation bays, a waste bulking and transfer area, and a drum washing bay. Incoming wastes are sorted in compatible waste groups and stored in designated storage bays. Compatible wastes are bulked in the bulking and transfer area, which is adequately ventilated and equipped with fume hoods

and an air emission control system. RCRA-empty containers are generally rinsed and crushed for recycling/disposal. Rinsates from the container washing process are containerized for appropriate disposal.

The CMF has eight separate storage bays with a storage capacity of up to 120 drums or 6,600 gallons each, assuming drums are stacked two high, for a total volume of 52,800 gallons. Some wastes are temporarily stored until they are shipped off-site to an appropriate disposal, recovery, or recycling facility. Other hazardous wastes may be treated at USE's Treatment Facility or transferred on-site for storage and/or bulking/consolidation.

#### Treatment Facility – Tank Storage and Treatment

The Treatment Facility is designed to store up to 177,200 gallons of acceptable hazardous wastes and treat up to 144,000 gallons per day of acceptable hazardous wastes. The hazardous wastes received for treatment are characteristic wastes (i.e., corrosives, TCLP metals, TCLP organics) and listed hazardous wastes. All of these wastes are delivered to the treatment facility in bulk tankers and/or containers. Other materials that are handled at this facility include non-hazardous industrial wastes and recycled materials which are used as effective substitutes for commercial chemical products.

Hazardous wastes are stored and processed in above-ground, corrosion-resistant vessels. Tanks 7, 10 and 36, with a total capacity of 23,000 gallons, are currently available for storage of hazardous wastes prior to processing. USE proposes to increase hazardous waste storage capacity in the existing Treatment Facility by 154,200 gallons. These proposed tanks have the following capacities:

- Tank 11 - 20,000 gallons
- Tank 27 - 20,000 gallons
- Tanks 32 and 33 - 5,500 gallons each
- Tanks 12, 13, 16 and 17 - 25,800 gallons each

Tanks will be decontaminated if changed from storage of listed wastes to characteristic wastes. Decontamination consists of water washing and/or dry decontamination. The rinse water and/or dry decontamination material is directed to a listed batch tank, containing a compatible waste. Treated effluent is discharged to the city of Detroit sanitary sewer system in accordance with the requirements of USE's Wastewater Discharge Permit.

The waste treatment processes include primary treatment, secondary treatment, solids de-watering, carbon adsorption, and effluent polishing. These treatment processes result in the detoxification of the water contained in the initial solutions, stabilization of toxic constituents, and the fixation of the constituents into a solid mass that is reduced in volume and is safer to handle and properly dispose of.

Primary treatment is performed in any of four 20,000-gallon aboveground tanks (Tanks 1 through 4) by means of chemical oxidation, chemical reduction, neutralization, adsorption, and other possible treatments, as described in the application. Secondary treatment is performed in any of four 20,000-gallon aboveground tanks (Tanks 18 through 21) by means of chemical precipitation, flocculation, and lime stabilization.

Tanks 30, 31, 34, 35, 37, and 38 are used for effluent polishing and Tanks CV1 and CV2 are used for carbon absorption. Solids generated from primary and secondary processes are dewatered by pressure filtration. Solids, which may result in hazardous waste sludge, are segregated from those resulting in non-hazardous waste sludge. Dewatered solids are discharged from the filter presses directly into a solids transport vehicle located beneath each press. These sludges are recycled or disposed of in either a hazardous or a solid waste landfill in compliance with the land disposal restriction provisions defined in Title 40 Code of Federal Regulations (40 CFR) 268. Treated effluent is discharged to the city of Detroit sanitary sewer system in accordance with the requirements of USE's Wastewater Discharge Permit.

#### Proposed Stabilization Facility (Building 4), Including Container Storage

Building 4 is located on the west side of USE's Treatment Facility. The proposed hazardous waste storage and treatment will be conducted in an enclosed 20,250 square foot building within three in-ground concrete stabilization/processing pits (PP1 through PP3) totaling approximately 90,000 gallons. Treatment in Building 4 is subject to the overall 144,000 gallons per day of hazardous waste treatment capacity for the entire USE Facility. The hazardous wastes to be received for treatment are characteristic wastes and listed hazardous wastes and will be delivered in containers and bulk shipment. Other materials to be handled at this facility include non-hazardous industrial wastes and recycled materials which are used as effective substitutes for commercial chemical products.

Building 4 will utilize a treatment technique commonly referred to as pozzolanic stabilization. This technique relies on materials rich in stabilization and fixation agents to provide a solid stabilized mass when mixed with wastes. The most commonly utilized materials are soluble silicates, lime, cement kiln dust, fly ash and Portland cement, in addition to chemistry used to assist in the de-characterization of certain waste. Stabilization materials will be stored outside the stabilization building in 100 ton storage silo(s) with screw auger conveyor systems for delivering reagent to the stabilization/processing pits. Reagent will be fed from the bottom of each silo through a variable speed vane feeder. Feed rates will be varied to obtain proper treatment ratios for different type of wastes. Reagent may be fed from one or more silos simultaneously.

The pits will receive liquid and solid wastes from bulk tankers and containers. Mixing within the pits, if required, will be accomplished by mechanical means and treated waste will be placed into dump trailers/roll-off boxes for storage and/or transport to the final disposal facility.

Building 4 will also have a container staging area that will receive, transfer, and store hazardous and non-hazardous wastes in containers of various sizes up to 500 gallons in capacity. In addition, there is a bulk container staging area that will store hazardous wastes. Incompatible waste will be segregated as per U.S. Department of Transportation (DOT) and 40 CFR 264 Appendix 5 segregation criteria. The container storage area of the building will have an impervious epoxy coating that is compatible with the types of waste handled by USE. Incoming wastes will be sorted in compatible waste groups and stored in accordance with the DOT hazard classifications. RCRA-empty containers will generally be rinsed and crushed for recycling/disposal. Rinsates from the container washing process will be treated on-site. The maximum number of

drums containing waste material that may be stored in this building is 1,120, for a total volume of 61,600 gallons of acceptable hazardous waste. This capacity was calculated assuming that the drums will be staged on pallets, 4 feet by 4 feet (16 square feet area). Eight total drums are stored on each pallet (4 drums stacked 2 drums high) in the container storage area which is approximately 70 feet by 32 feet (2,240 square feet area) on the northwest side of the building. Some wastes will be temporarily stored until they are shipped off-site to an appropriate disposal, recovery, or recycling facility. Other hazardous wastes may be treated at USE's Treatment Facility or transferred on-site for storage and/or bulking/consolidation. In addition, there will be 120 yards of bulk storage against the south wall indoors to store residuals during characterization/verification.

#### Proposed Bulking & Consolidation Building (Building 5A)

The proposed Building 5A will be located adjoining east of Building 4. The proposed Building 5A will be used for the storage, bulking and consolidation of wastes. The storing, bulking and consolidation of wastes will be conducted in an enclosed approximately 20,000 square foot building within four recessed containment areas approximately 30 yards each. USE will receive waste in a variety of container sizes (e.g., small glass or plastic bottles, pails, drums, totes, boxes and cubic yard sacks). USE may elect to consolidate these containers as a means to more efficiently manage these wastes for further processing or preparation for shipment to the treatment facility or permitted disposal facility. Bulking or consolidation may include the transfer of the smaller containers (e.g., 55-gallon drums) into larger containers such as roll-off boxes for shipment to an off-site disposal facility and/or storage. Containerized wastes to be bulked and consolidated will be subject to the same compatibility and waste code evaluation as wastes that are handled in other parts of the Treatment Facility. Consolidation of waste will occur once the compatibility is determined prior to bulking operations.

The maximum number of drums containing waste material that will be allowed to be stored in this building is 4,160, for a total volume of no more than 228,800 gallons of acceptable hazardous wastes. This capacity was calculated assuming that the drums will be staged on pallets, 4 feet by 4 feet (16 square feet area). Eight total drums are stored on each pallet (4 drums stacked 2 drums high) in the container storage area which is approximately 8,350 square feet in area. Some wastes will be temporarily stored until they are shipped off-site to an appropriate disposal, recovery, or recycling facility. Other hazardous wastes may be treated at USE's Treatment Facility or transferred on-site for storage and/or bulking/consolidation.

#### Proposed Storage Area - Building 5B

Containerized hazardous waste in roll-off boxes or trailers, if needed, will be stored in the Proposed Building 5B, approximately 6,000 square feet in area. Proposed Building 5B will be enclosed on three sides with a curb on the fourth side. The maximum volume of acceptable hazardous wastes allowed to be stored in containers in this area will be 121,184 gallons. The maximum number of 30-cubic yard containers, roll-off or trailer, of hazardous waste that may be stored in the Building 5B area will be 20 containers. This capacity was calculated assuming that the roll-off boxes will be staged on the concrete floor in ten rows of two each. No bulking, mixing or processing of wastes will be performed in the area. The area will be utilized only for temporary storage in closed containers until they are shipped off site to an appropriate disposal, recovery, or recycling facility or transferred to and treated in USE's Treatment Facility.

C. Facility-Specific License Conditions

In addition to the standard or “boilerplate” conditions typical of all Licenses, the draft License contains several facility-specific conditions related to the construction of the expansion of the Facility.

1. Conditions for Construction. Condition III.A. authorizes the construction of the new units for the expansion of the Facility, requires submittal of quarterly progress reports on construction activities, requires approval of any construction changes, requires the professional engineer or competent subordinate be on-site during construction activities, and defines the time frames for construction.
2. Conditions for Post Construction Documentation. Condition III.B. requires the submittal of any changes to disclosure information, certification of construction, as-built drawings, certification of capability, information on any deviations from the License, and proof of financial assurance for the new units.
3. Conditions for Operation. Condition III.C. requires the licensee to obtain written authorization from the Office Chief prior to managing waste in the expanded Facility.
4. Conditions for Notice Requirements. Condition III.D. requires the licensee to modify the notice on the property deed to identify the legal description of the land upon which the expanded facility is located and submit verification of the execution, filing, and recording of the modified notice to the DEQ.
5. Condition for Compliance Schedule. Condition VIII.A. requires the licensee to complete the facility upgrades, modifications, and conversions in accordance with a schedule with deadlines of one to three years from the effective date of the License for specified tasks. If the licensee does not complete a requirement by the specified deadline, then any replacement units or individual unit expansions associated with the requirement are no longer authorized and an expansion modification application and operating license are required to regain the authorized process capacity for the replacement units and individual unit expansions unless construction begins before the deadline, proceeds in a continuous manner, and is completed prior to submittal of the Application.
6. Condition for Reporting. Condition VIII.B. requires the licensee to notify the Office Chief of compliance or noncompliance with each requirement no later than 14 days following each Compliance Schedule deadline in Condition VIII.A of the License.

D. Corrective Action

USE is subject to corrective action under Part 111. The draft License includes 11 waste management units (WMUs) from the current License and four Areas of Concern (AOCs). The WMUs were regrouped and additional units were added to better reflect the current facility operations as compared to the previous License.

<b>WMU Number</b>	<b>WMU Name</b>	<b>Description</b>
1	Primary Treatment Area	Tanks 1, 2, 3 and 4
2	Secondary Treatment Building	Tanks 18,19, 20 and 21
3	Filter Press Control Room	Press A, B and C, Tank CV1 and CV2
4	Chemical Storage Area (Tank Farm Building)	Tanks 7, 10, 11, 12, 13, 16, 17, 27, 32 and 33
5	Dissolved Air Flootation Building	Tanks 34, 35, 36, 37 and 38
6	Effluent Storage Tanks	Tanks 30 and 31
7	CMF	Container and Bulk storage
8	Activated Carbon	Spent carbon from Treatment Plant and Container Facility
9	Building 4	Process pits 1, 2 and 3, Container and Bulk storage
10	Proposed Building 5A	Container storage
11	Proposed Building 5B	Container/roll-off storage
<b>AOC Number</b>	<b>AOC Name</b>	<b>Description</b>
1	Maintenance Garage	Facility equipment repairs perform in this area.
2	Truck Unloading Containment Area	Location for trucks to unload to tanks in chemical storage area.
3	Fuel Storage Area	Fuel storage tanks
4	Former Underground Tank Farm	Located under the Tank Farm building and east to the Container Management Facility.

The WMUs are currently operating pursuant to the Part 111 and its rules with no evidence of a release of any contaminants. Corrective action may be required when any of the units undergoes final closure. The AOCs may also require corrective action when the facility undergoes final closure.

#### IV. ENVIRONMENTAL IMPACT

##### A. Wastes Stored

USE stores and treats both characteristic and listed hazardous wastes as well as non-hazardous wastes. A list of the hazardous wastes that can be stored and treated by USE is included as Attachment 3 of this Fact Sheet. To ensure proper treatment and safe storage, limitations have been placed on the storage procedures for various wastes. Incompatible wastes are required to be segregated in the various storage units.

##### B. Groundwater Monitoring Program Waiver

Pursuant to the July 30, 2004, major License modification, the Facility was allowed to discontinue groundwater monitoring since the Facility met the groundwater monitoring exemption under R 299.9611(3)(a)(i) of the Part 111 administrative rules by enclosing all treatment, storage, and waste handling activities inside a structure that provides protection from precipitation and runoff.

##### C. Soil Monitoring Program Waiver

The Facility received a waiver from soil monitoring requirements of R 299.9611(2)(d) before issuance of the May 2, 1990, License that preceded the License that is currently in effect. All areas of the Facility where hazardous wastes are managed are paved with either concrete or blacktop and some specific areas (e.g., the storage bays in the CMF and the unloading pad in the treatment area) are coated with chemical-resistant materials, thus protecting the surface soils from possible contamination in the event of a release.

##### D. Ambient Air Monitoring

USE continues to conduct ambient air monitoring at the Facility for total suspended particulates, arsenic, lead, and chromium in accordance with the ambient air monitoring program contained in Attachment 11 of the draft License.

##### E. Effluent Monitoring

USE continues to conduct effluent monitoring to ensure that it meets the standards contained in its effluent discharge permit from the city of Detroit. The discharge permit allows USE to discharge storm water and treated process wastewaters to the city of Detroit's publicly-owned treatment works for treatment prior to discharge to the Detroit River.

## V. PUBLIC PARTICIPATION

### A. Public Comment Procedures

The purpose of public participation is to insure that the interested public has knowledge of the DEQ proposed actions and that it has the opportunity to comment on those actions. In addition, the process insures that the DEQ has the opportunity to benefit from any information the public may have relevant to the proposed actions. A public hearing is scheduled for Tuesday, August 18, 2015, from 7 p.m. to 9 p.m. at the Hamtramck Public Library, 2360 Caniff Street, Hamtramck, Michigan. The purpose of the hearing is to allow interested persons to submit oral or written comments regarding the draft License. All persons attending the public hearing who intend to speak are requested to register by 7:30 p.m.

The public comment period begins July 15, 2015, and ends August 28, 2015.

Comments may be submitted in writing to the addressee listed in Subsection C during the above dates. The public comment and hearing procedures followed will be those stated in R 299.9514 and R 299.9515 and in 40 CFR 124.11 and 124.12.

After the close of the public comment period, the DEQ will decide whether or not to issue the final License. Written comments submitted during the public comment period will be considered by the Chief of the OWMRP in the formulation of the final decision. Responses to written comments and oral statements will be included in the record supporting the final decision. The final decision will be communicated to the applicant, each person who submitted a written comment during the public comment period, persons providing oral statements at the public hearing, and all persons on the Facility mailing list.

### B. Locations of Available Information

The administrative record for the draft License is on file at the DEQ, OWMRP, Constitution Hall, 525 West Allegan Street, Lansing, Michigan (contact Mr. Richard A. Conforti at 517-284-6558). In addition, copies of the draft License, Fact Sheet, and the Application are available for review at the DEQ, Detroit Field Office, Cadillac Place, 3058 West Grand Boulevard, Suite 2300, Detroit, Michigan (contact Ms. Wilhemina McLemore at 313-456-4685); and at the DEQ, Southeast Michigan District Office, 27700 Donald Court, Warren, Michigan (contact Ms. Jeanette Noechel at 586-494-5091). This information is also available for review online at <http://www.michigan.gov/deq> (click on Waste, Hazardous and Liquid Industrial Waste, Hazardous and Liquid Industrial Waste Management, and scroll under Information).

C. Contact Person

Written comments on the draft License, requests to be placed on the Facility mailing list, and all other requests for information, including requests for copies of the draft License, Fact Sheet, and Application or assistance with receiving this information in a language other than English, should be directed to Mr. Conforti via e-mail at [confortir@michigan.gov](mailto:confortir@michigan.gov) or mailed to the address below:

Mr. Richard Conforti  
Office of Waste Management and Radiological Protection  
Michigan Department of Environmental Quality  
P.O. Box 30241  
Lansing, Michigan 48909-7741

Written comments concerning the draft License should include the name and address of the writer, a concise statement of the basis for the comments, and the supporting relevant facts upon which the comments are based. Written comments must be postmarked no later than August 28, 2015.

## ATTACHMENT 1

# HAZARDOUS WASTE COMPLIANCE HISTORY

SE - S.E. Michigan District Office	Day, James	CEI	IC	(2 Eval Reasons): 91 - FACILITY INSPECTED AS HAZARDOUS WASTE SQG... 94 - FACILITY INSPECTED UNDER LIW PROGRAM	111/121	3/2/2007
------------------------------------	------------	-----	----	---	---------	----------

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Day, James	CEI	IC	(2 Eval Reasons): 91 - FACILITY INSPECTED AS HAZARDOUS WASTE SQG... 94 - FACILITY INSPECTED UNDER LIW PROGRAM	111/121	7/25/2012

*Evaluation Comment:* CEI performed in partial support of District Work Plan.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

WDS ID: 397151 / Site ID: MID074259565      Site Name: US ECOLOGY MICHIGAN INC

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Loselle, Virginia (Ginny)	NRR	IC	-	111/121	5/13/2002

*Evaluation Comment:* Review of Quarterly GW data and Stiff diagrams; one well noted to be grout contaminated - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	6/6/2002

Number of Violations attached to Evaluation: 4      Violation Date      Coverage Area

6/6/2002	270.C
6/6/2002	264.I
6/6/2002	279.C
6/6/2002	LWG

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
---------------	------------------	------------------	--------------------	-----------------------	---------------------	------------------

SE - S.E. Michigan District Office	Noechel, Jeanette	NRR	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	7/10/2002
	Number of Violations attached to Evaluation: 1			Violation Date	Coverage Area	
				7/10/2002	270.C	

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	9/13/2002
	Number of Violations attached to Evaluation: 0			Violation Date	Coverage Area	

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	3/6/2003
	Number of Violations attached to Evaluation: 2			Violation Date	Coverage Area	
				3/6/2003	270.C	
				3/6/2003	264.I	

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	NRR	RTC	(1 Eval Reason): 48 - SITE VISIT/SURVEY (USED FOR 111/121, 115, 169, 31/41)	111/121	12/9/2002
	Number of Violations attached to Evaluation: 1			Violation Date	Coverage Area	
				12/9/2002	270.C	

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	NRR	RTC	(1 Eval Reason): 48 - SITE VISIT/SURVEY (USED FOR 111/121, 115, 169, 31/41)	111/121	11/25/2002
	Number of Violations attached to Evaluation: 1			Violation Date	Coverage Area	
				11/25/2002	270.C	

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Loselle, Virginia (Ginny)	NRR	IC	-	111/121	10/11/2002

*Evaluation Comment:* Review of 10/7/02 quarterly groundwater data. Wells are grout contaminated; the facility has applied for a waiver to their groundwater monitoring program; the facility has been modified so that all hazardous waste handling operations are conducted indoors - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	12/13/2002

Number of Violations attached to Evaluation: 2      Violation Date      Coverage Area

12/13/2002      270.C  
12/13/2002      264.E

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Loselle, Virginia (Ginny)	NRR	IC	-	111/121	7/18/2002

*Evaluation Comment:* Quarterly groundwater report under Part 111 Operating License; Wells are grout contaminated - facility has submitted a request to waive GW monitoring. The request is currently under review - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	2/19/2002

Number of Violations attached to Evaluation: 2      Violation Date      Coverage Area

2/19/2002      270.C  
2/19/2002      264.I

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 82 - UNLICENSED SITE REQUIRING PERMIT/LICENSE (USED FOR 115, 169, 31/41)	115	2/19/2002

Number of Violations attached to Evaluation: 1      Violation Date      Coverage Area

2/19/2002      TSP

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	NRR	RTC	-	111/121	1/16/2002

Number of Violations attached to Evaluation: 1	Violation Date	Coverage Area
	1/16/2002	270.C

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	NRR	RTC	-	111/121	1/11/2002

Number of Violations attached to Evaluation: 1	Violation Date	Coverage Area
	1/11/2002	270.C

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	FCI	RTC	(1 Eval Reason): 48 - SITE VISIT/SURVEY (USED FOR 111/121, 115, 169, 31/41)	115	3/1/2002

Number of Violations attached to Evaluation: 1	Violation Date	Coverage Area
	3/1/2002	TSP

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Loselle, Virginia (Ginny)	NRR	IC	-	111/121	1/24/2002

*Evaluation Comment:* Well B-3 continues to be contaminated with bentonite grout. The facility has submitted plans to build an enclosure around their hazardous waste storage tanks. As part of this process, the company has applied for a waiver to eliminate groundwater monitoring. These items are under review - IC

Number of Violations attached to Evaluation: 0	Violation Date	Coverage Area
--	----------------	---------------

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Stone, Ron	NRR	IC	-	111/121	2/11/2002

*Evaluation Comment:* 2001 Annual Groundwater Monitoring Report; Report met all the requirements in the Operating License. - IC

Number of Violations attached to Evaluation: 0	Violation Date	Coverage Area
--	----------------	---------------

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Stone, Ron	NRR	IC	-	111/121	4/16/2004

*Evaluation Comment:* Reviewed Annual Groundwater Monitoring Report. IC.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	8/4/2004

Number of Violations attached to Evaluation: 2      Violation Date      Coverage Area

8/4/2004	270.C
8/4/2004	264.I

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	6/22/2004

Number of Violations attached to Evaluation: 1      Violation Date      Coverage Area

6/22/2004	270.C
-----------	-------

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	3/16/2004

Number of Violations attached to Evaluation: 1      Violation Date      Coverage Area

3/16/2004	270.C
-----------	-------

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	5/30/2003

Number of Violations attached to Evaluation: 1      Violation Date      Coverage Area

5/30/2003	264.BB
-----------	--------

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
PU - Hazardous Waste Permit Unit	Sliver, Steve	FRR	IC	-	111/121	6/25/2003

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Stone, Ron	NRR	IC	-	111/121	3/18/2003

*Evaluation Comment:*    Review of 2002 Annual Groundwater Report - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	9/11/2003

Number of Violations attached to Evaluation: 1      Violation Date      Coverage Area

9/11/2003      268.A

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
PU - Hazardous Waste Permit Unit	Sliver, Steve	FRR	IC	-	111/121	9/30/2003

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	McDonald, Sue	CEI	IC	-	115	11/26/2003

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	11/26/2003

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	12/13/2001

*Evaluation Comment:* SCBA, replacement and update contingency plan

Number of Violations attached to Evaluation: 1	Violation Date	Coverage Area
	12/21/2001	264.I

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	2/28/2001

*Evaluation Comment:* 22

Number of Violations attached to Evaluation: 0	Violation Date	Coverage Area
--	----------------	---------------

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	-	111/121	6/1/2001

Number of Violations attached to Evaluation: 1	Violation Date	Coverage Area
	6/13/2001	270.C

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 04 - COMPLAINT (USED FOR 111/121, 115, 169, 31/41)	111/121	4/29/1998

*Evaluation Comment:* 22

Number of Violations attached to Evaluation: 2	Violation Date	Coverage Area
	5/12/1998	264.B
	5/12/1998	270.C

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	-	111/121	11/3/1998

Number of Violations attached to Evaluation: 1      Violation Date      Coverage Area  
11/6/1998      264.B

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	-	111/121	5/17/1999

Number of Violations attached to Evaluation: 3      Violation Date      Coverage Area  
5/25/1999      270.C  
5/25/1999      264.B  
5/25/1999      264.G

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	NRR	CEA	-	111/121	9/28/1999

*Evaluation Comment:* 9/22/99 RELEASE INCIDENT

Number of Violations attached to Evaluation: 2      Violation Date      Coverage Area  
10/27/1999      264.B  
10/27/1999      270.C

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	-	111/121	11/12/1999

Number of Violations attached to Evaluation: 4      Violation Date      Coverage Area  
11/24/1999      264.B  
11/24/1999      264.E  
11/24/1999      270.C  
11/24/1999      262.C

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit -	Loselle, Virginia (Ginny)	NRR	IC	(1 Eval Reason): 03 - SAMPLING (USED FOR	111/121	1/31/2000

Evaluation Comment: 22 - 1/10/2000 4TH Q GW MONITORING REPORT - IC - LETTER SENT TO COMPANY

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Loselle, Virginia (Ginny)	NRR	IC	-	111/121	2/22/2000

Evaluation Comment: 2/11/2000 REVISION TO 4TH Q GW REPORT - IC - LETTER SENT TO COMPANY REQUESTING ADDITIONAL INFORMATION.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	3/23/2000

Evaluation Comment: 22

Number of Violations attached to Evaluation: 2 Violation Date Coverage Area

3/30/2000 264.B  
3/30/2000 270.C

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	CEA	(1 Eval Reason): 04 - COMPLAINT (USED FOR 111/121, 115, 169, 31/41)	111/121	6/20/2000

Evaluation Comment: 22

Number of Violations attached to Evaluation: 2 Violation Date Coverage Area

7/5/2000 270.C  
7/5/2000 264.G

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	-	111/121	9/17/2001

Number of Violations attached to Evaluation: 3 Violation Date Coverage Area

9/21/2001 270.C  
 9/21/2001 264.E  
 9/21/2001 279.C

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	-	111/121	11/17/2000

Number of Violations attached to Evaluation: 3

Violation Date	Coverage Area
12/1/2000	264.E
12/1/2000	264.B
12/1/2000	270.C

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	9/20/2000

Evaluation Comment: 22

Number of Violations attached to Evaluation: 2

Violation Date	Coverage Area
9/29/2000	264.I
9/29/2000	270.C

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Stone, Ron	NRR	IC	-	111/121	2/23/2001

Evaluation Comment: 2000 Annual Groundwater Report met all reporting requirements - IC

Number of Violations attached to Evaluation: 0

Violation Date	Coverage Area
----------------	---------------

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
PU - Hazardous Waste Permit Unit	Sliver, Steve	FRR	IC	-	111/121	8/21/2001

Number of Violations attached to Evaluation: 0

Violation Date	Coverage Area
----------------	---------------

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
PU - Hazardous Waste Permit Unit	Sliver, Steve	FRR	IC	-	111/121	7/9/1998
Number of Violations attached to Evaluation: 0				Violation Date	Coverage Area	
<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
PU - Hazardous Waste Permit Unit	Sliver, Steve	FRR	IC	-	111/121	8/23/1999
Number of Violations attached to Evaluation: 0				Violation Date	Coverage Area	
<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
PU - Hazardous Waste Permit Unit	Sliver, Steve	FRR	IC	-	111/121	8/15/2000
Number of Violations attached to Evaluation: 0				Violation Date	Coverage Area	
<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	1/24/2007
Number of Violations attached to Evaluation: 1				Violation Date	Coverage Area	
				1/24/2007	264.E	
<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	1/22/2007
<i>Evaluation Comment:</i> Monthly Env. Monitoring Report-December 2006 (effluent discharges and filter cake generation)						
Number of Violations attached to Evaluation: 0				Violation Date	Coverage Area	
<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	1/26/2007

Evaluation Comment: Monthly Env. Monitoring Report-November 2006 (Effluent discharge & Filter Cake)-submitted 12/18/2006

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	1/26/2007

Evaluation Comment: Monthly Env. Monitoring Report-September 2007 (Effluent Discharges & Filter Cake) Report submitted 10/18/2006

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	2/16/2007

Evaluation Comment: Monthly Env. Monitoring Report (Effluent & Filter Cake)-January 2007. Report submitted 2/13/2007.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	11/29/2006

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	8/2/2006

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	6/30/2006

Evaluation Comment: May 2006 Monthly Environmental Monitoring Report (submitted 6/6/2006)-filter cake and effluent analyses

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	6/28/2007

*Evaluation Comment:* May 2007 Monthly Environmental Monitoring Report (effluent discharges and filter cake generation) Report submitted 6/18/2007

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	4/25/2007

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	5/22/2007

*Evaluation Comment:* April 2007 Monthly Env. Monitoring Report (effluent discharges and filter cake)

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	4/10/2007

*Evaluation Comment:* Feb. 207 Monthly Environmental Monitoring Report (submitted 3/16/2007)-effluent discharges and filter cake generation.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
PU - Hazardous Waste Permit Unit	Dailey, Daniel (Dan)	FRR	IC	-	111/121	2/23/2007

*Evaluation Comment:* Reminder updated Financial Test Information due to Support Corporate Guarantee.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	4/18/2007

*Evaluation Comment:* March 2007 monthly Env. Monitoring Report (submitted 4/12/2007)

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	10/29/2007

*Evaluation Comment:* September 2007 Monthly Env. Monitoring Report (Effluent Discharges and filter cake generation)-submitted 10/17/2007

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	11/7/2007

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	11/7/2007

*Evaluation Comment:* Emergency Operating License inspection (EOL issued September 6, 2007)

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	9/26/2007

*Evaluation Comment:* August 2007 Monthly Env. Monitoring Report (filter cake and effluent discharges)

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
---------------	------------------	------------------	--------------------	-----------------------	---------------------	------------------

HG - Technical Support Unit - Himich, Virginia (Ginny hydrog) NRR IC - 111/121 8/29/2007  
*Evaluation Comment:* July 2007 Monthly Environmental Monitoring Report (dated 8/13/2007)-effluent discharges and filter cake generation

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	7/25/2007

*Evaluation Comment:* June 2007 Monthly Env. Monitoring Report-Effluent discharges and filter cake (July 16, 2007 Report)

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	8/7/2007

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	7/18/2005

*Evaluation Comment:* June 2005 Monthly Monitoring Report for effluent and filter cake. Report dated 7/8/2005.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	7/1/2005

*Evaluation Comment:* June 17, 2005 Effluent Monitoring Report (May 1, 2005 through May 31, 2005 sampling period-effluent discharges and filter cake generation)

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
--------	-----------	-----------	-------------	----------------	--------------	-----------

SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	6/24/2005
Number of Violations attached to Evaluation: 1				Violation Date	Coverage Area	
				6/24/2005	270.C	

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	3/17/2005
Number of Violations attached to Evaluation: 2				Violation Date	Coverage Area	
				3/17/2005	270.C	
				3/17/2005	279.C	

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
PU - Hazardous Waste Permit Unit	Sliver, Steve	FRR	IC	-	111/121	6/30/2004
Number of Violations attached to Evaluation: 0				Violation Date	Coverage Area	

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(2 Eval Reasons): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF... 90 - FACILITY INSPECTED AS HAZARDOUS WASTE LQG	111/121	12/3/2004
Number of Violations attached to Evaluation: 3				Violation Date	Coverage Area	
				12/3/2004	270.C	
				12/3/2004	264.B	
				12/3/2004	LWG	

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	11/7/2005
<i>Evaluation Comment:</i>	Monthly Env. Monitoring Report (9/1/2005-9/30/2005)-filter cake confirmation analyses and effluent discharge data. Report dated 10/14/2005.					
Number of Violations attached to Evaluation: 0				Violation Date	Coverage Area	

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	11/30/2005
Number of Violations attached to Evaluation: 3				Violation Date	Coverage Area	
				11/30/2005	LWG	
				11/30/2005	270.C	
				11/30/2005	264.J	
<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	FCI	RTC	(1 Eval Reason): 48 - SITE VISIT/SURVEY (USED FOR 111/121, 115, 169, 31/41)	115	11/30/2005
Number of Violations attached to Evaluation: 1				Violation Date	Coverage Area	
				11/30/2005	GSW	
<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	NRR	RTC	(1 Eval Reason): 48 - SITE VISIT/SURVEY (USED FOR 111/121, 115, 169, 31/41)	111/121	4/14/2005
Number of Violations attached to Evaluation: 1				Violation Date	Coverage Area	
				4/14/2005	270.C	
<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	11/15/2005
<i>Evaluation Comment:</i> October 2005-Monthly Monitoring Report-Effluent discharges & filter cake generation (Report dated 11/11/2005)						
Number of Violations attached to Evaluation: 0				Violation Date	Coverage Area	
<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	8/24/2005
Number of Violations attached to Evaluation: 2				Violation Date	Coverage Area	

8/24/2005 270.C  
8/24/2005 279.C

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Stone, Ron	NRR	IC	-	111/121	9/23/2005
<i>Evaluation Comment:</i> Review of 2004 Annual Groundwater Report						

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	9/22/2005
<i>Evaluation Comment:</i> August 2005 Monthly Env. Monitoring Report (dated 9/15/2005)						

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	1/17/2006
<i>Evaluation Comment:</i> December 2005 monthly environmental monitoring report (effluent discharges and filter cake generation). Report dated 1/13/2006						

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	12/27/2005
<i>Evaluation Comment:</i> Monthly Environmental Monitoring Report (effluent discharges and filter cake)-November 2005 (Report dated 12/18/2005).						

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	3/1/2006

*Evaluation Comment:* January 2006 monthly monitoring report-effluent discharges and filter cake generation-I.C. (Report submitted 2/15/2006)

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	3/10/2006

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	5/19/2006

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	5/8/2006

*Evaluation Comment:* Monthly environmental monitoring report (effluent & filter cake)-sampling period March 1-March 31, 2006 (Report submitted 4/10/2006)

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	5/8/2006

*Evaluation Comment:* Monthly Environmental Monitoring Report (effluent & filter cake)-February 2006 (Report submitted March 16, 2006)

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	9/16/2009

*Evaluation Comment:* July 2009 Monthly Environmental Monitoring Report-submitted 8/14/2009

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	9/22/2009
<i>Evaluation Comment:</i> August 2009 Monthly Env. Monitoring Report (effluent and filter cake)-submitted 9/16/2009						
		Number of Violations attached to Evaluation: 0		Violation Date	Coverage Area	
Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	McDonald, Sue	CEI	IC	-	115	9/23/2009
<i>Evaluation Comment:</i> Strong ammonia-type odor in bldg behind pits - check next insp.						
		Number of Violations attached to Evaluation: 0		Violation Date	Coverage Area	
Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	9/2/2009
		Number of Violations attached to Evaluation: 0		Violation Date	Coverage Area	
Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	11/30/2009
<i>Evaluation Comment:</i> October 2009 Monthly Env. Monitoring Report (filter cake and effluent) - submitted 11/13/2009						
		Number of Violations attached to Evaluation: 0		Violation Date	Coverage Area	
Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	NRR	RTC	(1 Eval Reason): 48 - SITE VISIT/SURVEY (USED FOR 111/121, 115, 169, 31/41)	111/121	8/20/2009
		Number of Violations attached to Evaluation: 1		Violation Date	Coverage Area	
				8/20/2009	270.C	

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	11/12/2009

*Evaluation Comment:* September 2009 Monthly Environmental Monitoring Report-submitted 10/15/2009

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	5/29/2009

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	7/23/2009

*Evaluation Comment:* June 2009 Monthly Env. Monitoring Report (submitted 7/15/2009)

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	6/23/2009

*Evaluation Comment:* May 2009 Monthly Environmental Monitoring Report (for effluent discharge and filter cake generation)-submitted June 16, 2009

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	McDonald, Sue	CEI	IC	-	115	5/29/2009

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	5/26/2009

Evaluation Comment: April 2009 Monthly Environmental Monitoring Report (filter cake and effluent discharge) - submitted 5/12/2009

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
PU - Hazardous Waste Permit Unit	Dailey, Daniel (Dan)	FRR	IC	-	111/121	4/27/2010

Evaluation Comment: Liability CG in compliance.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	5/18/2010

Evaluation Comment: March 2010 Monthly Env. Monitoring Report-Effluent discharges and filter cake generation

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	McDonald, Sue	CEI	IC	-	115	6/9/2010

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	6/9/2010

Evaluation Comment: April 2010 Monthly Env. Monitoring Report (filter cake and effluent discharges) I.C. Report submitted 5/24/2010

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(2 Eval Reasons): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF... 94 - FACILITY INSPECTED UNDER LIW PROGRAM	111/121	6/9/2010

Number of Violations attached to Evaluation: 4	Violation Date	Coverage Area
	6/9/2010	270.C
	6/9/2010	264.E
	6/9/2010	264.I
	6/9/2010	LWD

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	7/6/2010

*Evaluation Comment:* May Monthly Environmental Monitoring Report (filter cake and effluent discharges) - report submitted 6/24/2010 - I.C.

Number of Violations attached to Evaluation: 0	Violation Date	Coverage Area
--	----------------	---------------

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
PU - Hazardous Waste Permit Unit	Dailey, Daniel (Dan)	FRR	IC	-	111/121	7/1/2010

*Evaluation Comment:* Inflationary Adj. to closure cost estimate.

Number of Violations attached to Evaluation: 0	Violation Date	Coverage Area
--	----------------	---------------

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	8/5/2010

*Evaluation Comment:* June 2010 Monthly Env. Monitoring Report (filter cake generation and effluent discharges) - submitted 6/24/2010 - I.C.

Number of Violations attached to Evaluation: 0	Violation Date	Coverage Area
--	----------------	---------------

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(3 Eval Reasons): 90 - FACILITY INSPECTED AS HAZARDOUS WASTE LQG... 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	8/26/2010

Number of Violations attached to Evaluation: 0	Violation Date	Coverage Area
--	----------------	---------------

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	8/31/2010
<i>Evaluation Comment:</i> July 2010 Monthly Env. Monitoring Report-submitted 8/19/2010; I.C. Filter cake analysis and effluent discharges						
Number of Violations attached to Evaluation: 0		Violation Date		Coverage Area		
<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	2/9/2010
<i>Evaluation Comment:</i> December 2009 Monthly Environmental Monitoring Report (filter cake generation and effluent discharge)- submitted 1/18/2010						
Number of Violations attached to Evaluation: 0		Violation Date		Coverage Area		
<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	12/23/2009
<i>Evaluation Comment:</i> November 2009 Monthly Env. Monitoring Report-submitted 12/15/2009						
Number of Violations attached to Evaluation: 0		Violation Date		Coverage Area		
<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	12/3/2009
Number of Violations attached to Evaluation: 1		Violation Date		Coverage Area		
		12/3/2009		264.B		
<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	McDonald, Sue	CEI	IC	-	115	12/16/2009
Number of Violations attached to Evaluation: 0		Violation Date		Coverage Area		

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	3/2/2010

*Evaluation Comment:* January 2010 Monthly Env. Monitoring Report-filter cake and effluent discharges (report submitted 2/19/2010)

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Morrow, Greg	CEI	IC	-	115	3/25/2010

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(2 Eval Reasons): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF... 94 - FACILITY INSPECTED UNDER LIW PROGRAM	111/121	3/19/2010

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	4/8/2010

*Evaluation Comment:* February 2010 Monthly Env. Monitoring Report-filter cake and effluent discharges (report submitted 3/19/2010) I.C.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	11/29/2007

*Evaluation Comment:* October 2007 Monthly Environmental Monitoring Report (filter cake and effluent discharges). Report submitted 11/12/2007

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
--------	-----------	-----------	-------------	----------------	--------------	-----------

HG - Technical Support Unit - Himich, Virginia (Ginny hydrog) NRR IC - 111/121 1/24/2008

*Evaluation Comment:* December 2007 Monthly Environmental Monitoring Report-submitted 1/15/2008 (filter cake and effluent monitoring)

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	1/14/2008

*Evaluation Comment:* November 2007 Monthly Environmental Monitoring Report (effluent and filter cake)-Resubmitted on 1/3/2008 to correct errors noted when the DEQ reviewed the originally submitted report. In compliance.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	2/26/2008

*Evaluation Comment:* January 2008 Monthly Environmental Monitoring Report (filter cake and effluent monitoring)-submitted 2/18/2008

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	3/24/2008

*Evaluation Comment:* February 2008 Monthly Env. Monitoring Report (Filter Cake and effluent discharge to DWSD)-Report submitted 3/17/2008

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	2/20/2008

Number of Violations attached to Evaluation: 1 Violation Date Coverage Area  
2/20/2008 270.C

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
--------	-----------	-----------	-------------	----------------	--------------	-----------

HG - Technical Support Unit - Himich, Virginia (Ginny hydrog) NRR IC - 111/121 4/28/2008

Evaluation Comment: February 2008 Monthly Env. Monitoring Report (submitted 4/16/2008)-for filter cake and effluent discharges

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch Inspector Eval Type Eval Status Eval Reason(s) Eval Program Eval Date  
HG - Technical Support Unit - Himich, Virginia (Ginny hydrog) NRR IC - 111/121 6/2/2008

Evaluation Comment: April 2008 Monthly Env. Monitoring Report-filter cake and effluent monitoring-submitted 5/16/2008

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch Inspector Eval Type Eval Status Eval Reason(s) Eval Program Eval Date  
SE - S.E. Michigan District Office Noechel, Jeanette CEI RTC (1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF 111/121 5/30/2008

Number of Violations attached to Evaluation: 1 Violation Date Coverage Area  
5/30/2008 273.C

Branch Inspector Eval Type Eval Status Eval Reason(s) Eval Program Eval Date  
HG - Technical Support Unit - Himich, Virginia (Ginny hydrog) NRR IC - 111/121 6/24/2008

Evaluation Comment: May 2008 Monthly Environmental Monitoring Report (effluent discharges and filter cake generation) - submitted June 17, 2008

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch Inspector Eval Type Eval Status Eval Reason(s) Eval Program Eval Date  
HG - Technical Support Unit - Himich, Virginia (Ginny hydrog) NRR IC - 111/121 8/27/2008

Evaluation Comment: July 2008 Monthly Env. Monitoring Report (submitted 8/15/2008) for effluent discharges and filter cake analysis

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch Inspector Eval Type Eval Status Eval Reason(s) Eval Program Eval Date

SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	3/20/2009
Number of Violations attached to Evaluation: 0				Violation Date	Coverage Area	

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	4/13/2009
<i>Evaluation Comment:</i> February 2009 effluent monitoring Report-effluent discharges and filter cake generation						

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	5/4/2009
<i>Evaluation Comment:</i> March 2009 Monthly Environmental Monitoring Report (effluent monitoring and filter cake generation)-submitted April 15, 2009						

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	1/22/2009
<i>Evaluation Comment:</i> December 2008 Monthly Env. Monitoring Report-submitted 1/13/2009						

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Morrow, Greg	CEI	IC	(1 Eval Reason): 101 - PENDING LICENSE INSPECTION (USED FOR 115, 169, 31/41)	115	3/6/2009
<i>Evaluation Comment:</i> Facility has not received Part 115 operating license as of date of this inspection. Operatins in the solid waste processing building are currently limited to exempt transfer operations and solidification of LIW with products (not waste).						

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
--------	-----------	-----------	-------------	----------------	--------------	-----------

HG - Technical Support Unit - Himich, Virginia (Ginny hydrog NRR IC - 111/121 2/26/2009  
*Evaluation Comment:* January 2009 Monthly Env. Monitoring Report-submitted 2/13/2009

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	1/7/2009

*Evaluation Comment:* November 2008 Monthly Environmental Monitoring Report-submitted 12/15/2008

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	11/5/2008

*Evaluation Comment:* September 2008 Monthly Env. Monitoring Report-effluent discharges and filter cake generation

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	11/12/2008

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	11/20/2008

*Evaluation Comment:* October 2008 Monthly Environmental Monitoring Report (filter cake generation and effluent discharges) - submitted 11/14/2008

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
--------	-----------	-----------	-------------	----------------	--------------	-----------

HG - Technical Support Unit - Himich, Virginia (Ginny hydrog) NRR IC - 111/121 9/23/2008

Evaluation Comment: August 2008 Monthly Env. Monitoring Report (effluent discharges and filter cake generation) - submitted 9/16/2008

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	9/5/2008

Number of Violations attached to Evaluation: 2  
Violation Date Coverage Area  
9/5/2008 273.C  
9/5/2008 264.I

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	9/28/2010

Evaluation Comment: August 2010 Monthly Environmental Monitoring Report-submitted 9/17/2010; effluent discharges and filter cake generation. I.C.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	11/8/2010

Evaluation Comment: September 2010 Monthly Env. Monitoring Report (filter cake and effluent discharges) - i.c. (Report submitted 10/22/2010)

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	McDonald, Sue	CEI	IC	-	115	9/30/2010

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
--------	-----------	-----------	-------------	----------------	--------------	-----------

HG - Technical Support Unit - Himich, Virginia (Ginny hydrog) NRR IC - 111/121 11/30/2010

*Evaluation Comment:* October 2010 Monthly Env. Monitoring Report for effluent discharge and filter cake analysis. Report submitted 11/23/2010. I.C.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	McDonald, Sue	CEI	IC	-	115	12/21/2010

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(2 Eval Reasons): 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	12/17/2010

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
PU - Hazardous Waste Permit Unit	Dailey, Daniel (Dan)	FRR	IC	-	111/121	12/29/2010

*Evaluation Comment:* Returned LOC for Termination.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	1/3/2011

*Evaluation Comment:* November 2010 Monthly Env. Monitoring Report-submitted 12/21/2010; I.C.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
PU - Hazardous Waste Permit Unit	Dailey, Daniel (Dan)	FRR	IC	-	111/121	7/13/2012

Evaluation Comment: LOC returned for termination.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(2 Eval Reasons): 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDf	111/121	6/7/2012

Number of Violations attached to Evaluation: 1 Violation Date Coverage Area

6/7/2012 264.I

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
PU - Hazardous Waste Permit Unit	Dailey, Daniel (Dan)	FRR	IC	-	111/121	6/27/2012

Evaluation Comment: Insurance rejected.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	McDonald, Sue	CEI	IC	-	115	6/27/2012

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	5/30/2012

Evaluation Comment: April 2012 Monthly Environmental Monitoring Report; I.C. No effluent exceedances and filter cake sampling showed material was non-hazardous.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	10/2/2012

Evaluation Comment: August 2012 Monthly Environmental Monitoring Report (9/22/12) - IC

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(4 Eval Reasons): 90 - FACILITY INSPECTED AS HAZARDOUS WASTE LQG... 93 - FACILITY INSPECTED AS HW-TRANSPORTER... 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	8/15/2012

Number of Violations attached to Evaluation: 1 Violation Date Coverage Area

8/15/2012 273.C

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	9/7/2012

Evaluation Comment: July 2012 Monthly Environmental Monitoring Report (8/24/12) - IC

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	4/27/2012

Evaluation Comment: March 2012 Monthly Environmental Monitoring Report-filter cake and effluent discharge analysis. Report submitted 4/27/2012. I.C. Facility has an agreement with DWSD to address effluent exceedances and they are complying with that agreement.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	McCabe, John	NRR	IC	-	111/121	4/11/2012

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
--------	-----------	-----------	-------------	----------------	--------------	-----------

HG - Technical Support Unit - Himich, Virginia (Ginny hydrog)      NRR      IC      -      111/121      2/17/2012

*Evaluation Comment:* January 2012 Monthly Environmental Monitoring Report - Effluent discharge and filter cake generation. Report submitted 2/17/2012. I.C. Facility is continuing to work cooperatively with the DWSD to address effluent exceedances.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(2 Eval Reasons): 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	3/14/2012

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(2 Eval Reasons): 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	12/22/2011

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	10/31/2011

*Evaluation Comment:* September 2011 Monthly Environmental Monitoring Report (effluent discharges and filter cake generation). I.C. Dynecol identified several arsenic exceedances in the effluent discharge. They isolated the problem to one improperly characterized waste stream and they no longer accept that waste stream for treatment.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	1/13/2012

*Evaluation Comment:* October 2011 Monthly Environmental Monitoring Report (submitted 1/13/2012) - Effluent discharge and filter cake generation; IC. Dynecol has an agreement with DWSD on how to address exceedances to the discharge limits and they are continuing to work together in a satisfactory manner.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
---------------	------------------	------------------	--------------------	-----------------------	---------------------	------------------

HG - Technical Support Unit - Himich, Virginia (Ginny hydrog)      NRR      IC      -      111/121      1/20/2012

*Evaluation Comment:* November 2011 Monthly Environmental Monitoring Report (submitted 1/20/2012) - Effluent discharge and filter cake generation; IC. Dynecol has an agreement with DWSD on how to address exceedances to the discharge limits and they are continuing to work together in a satisfactory manner.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

*Branch*      *Inspector*      *Eval Type*      *Eval Status*      *Eval Reason(s)*      *Eval Program*      *Eval Date*  
 HG - Technical Support Unit - Himich, Virginia (Ginny hydrog)      NRR      IC      -      111/121      1/27/2012

*Evaluation Comment:* December 2011 Monthly Environmental Monitoring Report (submitted 1/27/2012) - Effluent discharge and filter cake generation; IC. Dynecol has an agreement with DWSD on how to address exceedances to the discharge limits and they are continuing to work together in a satisfactory manner.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

*Branch*      *Inspector*      *Eval Type*      *Eval Status*      *Eval Reason(s)*      *Eval Program*      *Eval Date*  
 PU - Hazardous Waste Permit Unit      Dailey, Daniel (Dan)      FRR      IC      -      111/121      2/6/2012

*Evaluation Comment:* Update FT Info for CG.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

*Branch*      *Inspector*      *Eval Type*      *Eval Status*      *Eval Reason(s)*      *Eval Program*      *Eval Date*  
 SE - S.E. Michigan District Office      Noechel, Jeanette      CEI      IC      (2 Eval Reasons): 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF      111/121      6/8/2011

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

*Branch*      *Inspector*      *Eval Type*      *Eval Status*      *Eval Reason(s)*      *Eval Program*      *Eval Date*  
 SE - S.E. Michigan District Office      Noechel, Jeanette      CEI      RTC      (3 Eval Reasons): 90 - FACILITY INSPECTED AS HAZARDOUS WASTE LQG... 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF      111/121      8/4/2011

Number of Violations attached to Evaluation: 2      Violation Date      Coverage Area

8/4/2011 264.I  
8/4/2011 270.C

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	7/6/2011

*Evaluation Comment:* May 2011 Monthly Env. Monitoring Report; submitted 6/24/2011; I.C.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	8/8/2011

*Evaluation Comment:* June 2011 Monthly Env. Monitoring Report (filter cake generation and effluent discharges)-report submitted 7/22/2011. I.C.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	9/15/2011

*Evaluation Comment:* July 2011 Monthly Environmental Monitoring Report-filter cake generation and effluent discharge to POTW; I.C. effluent exceedances addressed through the POTW

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	10/5/2011

*Evaluation Comment:* August 2011 Monthly Environmental Monitoring Report-filter cake generation & effluent discharge. I. C. Report submitted 9/26/2011. Facility working w/DWSD to address effluent exceedances. Arsenic exceedances traced to one waste stream and that waste stream is now excluded from further acceptance subject to additional testing.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
---------------	------------------	------------------	--------------------	-----------------------	---------------------	------------------

PU - Hazardous Waste Permit Dailey, Daniel (Dan) FRR IC - 111/121 9/20/2011  
 Unit  
*Evaluation Comment:* Update FAM.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
PU - Hazardous Waste Permit Unit	Dailey, Daniel (Dan)	FRR	IC	-	111/121	10/4/2011

*Evaluation Comment:* Financial assurance for closure in compliance.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	McDonald, Sue	CEI	IC	-	115	11/15/2011

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	3/10/2011

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	4/4/2011

*Evaluation Comment:* February 2011 Monthly Environmental Monitoring Report-effluent discharges and filter cake analysis. Report submitted 3/23/2011; I.C.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	3/14/2011

*Evaluation Comment:* January 2011 Monthly Environmental Monitoring Report. I.C. Facility Working with DWSD to eliminate effluent exceedances. Facility also implemented additional QA/QC to eliminate future arsenic exceedances.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	1/31/2011

*Evaluation Comment:* December 2010 Monthly Env. Monitoring Report-filter cake and effluent discharges; I.C.-working with POTW to address Arsenic exceedance in discharge.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	6/8/2011

*Evaluation Comment:* April 2011 Monthly Env. Monitoring Report-submitted 5/23/2011. Effluent discharges and filter cake analysis. I.C. Working with DWSD to address isolated exceedance for tin monthly average.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Himich, Virginia (Ginny)	NRR	IC	-	111/121	5/13/2011

*Evaluation Comment:* March Monthly Env. Report (effluent discharges and filter cake generation)-report submitted 4/21/2011; I.C. Facility still working with the POTW to eliminate effluent discharge exceedances.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	McDonald, Sue	CEI	IC	-	115	5/16/2011

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	8/8/2013

Evaluation Comment: June 2013 Monthly Environmental Monitoring Report (7/26/13) - IC

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(4 Eval Reasons): 90 - FACILITY INSPECTED AS HAZARDOUS WASTE LQG... 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 93 - FACILITY INSPECTED AS HW-TRANSPORTER... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	9/6/2013

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	McDonald, Sue	CEI	IC	-	115	9/6/2013

Evaluation Comment: License expires 3/11/2014.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	8/30/2013

Evaluation Comment: July 2013 Monthly Environmental Monitoring Report (8/22/13) - IC

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	10/9/2013

Evaluation Comment: August 2013 Monthly Environmental Monitoring Report (9/23/13) - IC

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
--------	-----------	-----------	-------------	----------------	--------------	-----------

SE - S.E. Michigan District Office      Morrow, Greg      CEI      IC      -      115      10/31/2013

*Evaluation Comment:* Site receiving approved Radium-226 waste slurry in Pit 1. Personal, area and hand-held radiation monitors being used. Special personal safety procedures implemented when offloading waste in pit 1. Special container/truck decon and survey procedures implemented. All baghouse dust being disposed in Pit 1.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	1/7/2014

*Evaluation Comment:* November 2013 Monthly Environmental Monitoring Report (12/20/13) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	12/4/2013

*Evaluation Comment:* October 2013 Monthly Environmental Monitoring Report (11/25/13) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	11/21/2013

*Evaluation Comment:* September 2013 Monthly Environmental Monitoring Report (10/25/13) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
PU - Hazardous Waste Permit Unit	Dailey, Daniel (Dan)	FRR	IC	-	111/121	2/3/2014

*Evaluation Comment:* Email: Closure Insurance Policy in Compliance.

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	1/29/2014

*Evaluation Comment:* December 2013 Monthly Environmental Monitoring Report (1/20/14) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	4/2/2014

*Evaluation Comment:* February 2014 Monthly Environmental Monitoring Report (3/25/14) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	FCI	RTC	(2 Eval Reasons): 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDf	111/121	3/24/2014

Number of Violations attached to Evaluation: 1      Violation Date      Coverage Area

3/24/2014      270.C

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	3/18/2014

*Evaluation Comment:* January 2014 Monthly Environmental Monitoring Report (2/28/14) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(2 Eval Reasons): 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDf	111/121	12/20/2013

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Morrow, Greg	CEI	IC	-	115	3/20/2013

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	CEA	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDf	111/121	12/28/2012

Number of Violations attached to Evaluation: 1      Violation Date      Coverage Area

12/28/2012      270.C

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(2 Eval Reasons): 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDf	111/121	3/27/2013

Number of Violations attached to Evaluation: 1      Violation Date      Coverage Area

3/27/2013      273.C

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	4/4/2013

Evaluation Comment: February 2013 Monthly Environmental Monitoring Report (3/22/13) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	3/27/2013

Evaluation Comment: January 2013 Monthly Environmental Monitoring Report (2/28/13) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

Branch	Inspector	Eval Type	Eval Status	Eval Reason(s)	Eval Program	Eval Date
--------	-----------	-----------	-------------	----------------	--------------	-----------

PU - Hazardous Waste Permit Dailey, Daniel (Dan) FRR IC - 111/121 4/23/2013  
Unit

*Evaluation Comment:* Update closure cost estimate.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	5/28/2013

*Evaluation Comment:* March 2013 Monthly Environmental Monitoring Report (5/2/13) - IC

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(2 Eval Reasons): 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	6/21/2013

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	McDonald, Sue	CEI	IC	-	115	6/21/2013

*Evaluation Comment:* Some dust on outside by air system; will clean up immediately. Dust suppressant material issues; referred to WRD.

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	6/27/2013

*Evaluation Comment:* April 2013 Monthly Environmental Monitoring Report (5/28/13) - IC

Number of Violations attached to Evaluation: 0 Violation Date Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
---------------	------------------	------------------	--------------------	-----------------------	---------------------	------------------



SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	12/14/2012
Number of Violations attached to Evaluation: 0				Violation Date	Coverage Area	

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	1/9/2013
<i>Evaluation Comment:</i> November 2012 Monthly Environmental Monitoring Report (1/4/12) - IC						

Number of Violations attached to Evaluation: 0				Violation Date	Coverage Area	
--	--	--	--	----------------	---------------	--

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	2/8/2013
<i>Evaluation Comment:</i> December 2012 Monthly Environmental Monitoring Report (1/28/13) - IC						

Number of Violations attached to Evaluation: 0				Violation Date	Coverage Area	
--	--	--	--	----------------	---------------	--

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	9/10/2014
<i>Evaluation Comment:</i> July 2014 Monthly Environmental Monitoring Report (8/29/14) - IC						

Number of Violations attached to Evaluation: 0				Violation Date	Coverage Area	
--	--	--	--	----------------	---------------	--

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	FCI	IC	(4 Eval Reasons): 93 - FACILITY INSPECTED AS HW-TRANSPORTER... 94 - FACILITY INSPECTED UNDER LIW PROGRAM... 90 - FACILITY INSPECTED AS HAZARDOUS WASTE LQG... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	8/26/2014

Number of Violations attached to Evaluation: 0				Violation Date	Coverage Area	
--	--	--	--	----------------	---------------	--

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
---------------	------------------	------------------	--------------------	-----------------------	---------------------	------------------

HG - Technical Support Unit - Carnagie, Mary                      NRR              IC              -                      111/121              10/20/2014  
hydrog

*Evaluation Comment:*    August 2014 Monthly Environmental Monitoring Report (9/29/14) - IC

Number of Violations attached to Evaluation: 0              Violation Date              Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
PU - Hazardous Waste Permit Unit	Dailey, Daniel (Dan)	FRR	IC	-	111/121	10/23/2014

*Evaluation Comment:*    Update closure cost estimate.

Number of Violations attached to Evaluation: 0              Violation Date              Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	RTC	(2 Eval Reasons): 93 - FACILITY INSPECTED AS HW-TRANSPORTER... 94 - FACILITY INSPECTED UNDER LIW PROGRAM	111/121	12/22/2014

Number of Violations attached to Evaluation: 1              Violation Date              Coverage Area  
12/22/2014              279.C

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnagie, Mary	NRR	IC	-	111/121	2/4/2015

*Evaluation Comment:*    December 2014 Monthly Environmental Monitoring Report (1/23/15) - IC

Number of Violations attached to Evaluation: 0              Violation Date              Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnagie, Mary	NRR	IC	-	111/121	1/7/2015

*Evaluation Comment:*    November 2014 Monthly Environmental Monitoring Report (12/23/14) - IC

Number of Violations attached to Evaluation: 0              Violation Date              Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Morrow, Greg	CEI	IC	-	115	12/16/2014

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	11/18/2014

*Evaluation Comment:* September 2014 Monthly Environmental Monitoring Report (10/30/14) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	11/18/2014

*Evaluation Comment:* October 2014 Monthly Environmental Monitoring Report (11/6/14) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	5/5/2014

*Evaluation Comment:* March 2014 Monthly Environmental Monitoring Report (4/16/14) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	8/18/2014

*Evaluation Comment:* June 2014 Monthly Environmental Monitoring Report (7/31/14) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
---------------	------------------	------------------	--------------------	-----------------------	---------------------	------------------

HG - Technical Support Unit - Carnagie, Mary                      NRR                      IC                      -                      111/121                      8/18/2014  
hydrog

*Evaluation Comment:*    May 2014 Monthly Environmental Monitoring Report (6/27/14) - IC

Number of Violations attached to Evaluation: 0                      Violation Date                      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnagie, Mary	NRR	IC	-	111/121	6/17/2014

*Evaluation Comment:*    April 2014 Monthly Environmental Monitoring Report (5/16/14) - IC

Number of Violations attached to Evaluation: 0                      Violation Date                      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	FCI	RTC	(2 Eval Reasons): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF... 94 - FACILITY INSPECTED UNDER LIW PROGRAM	111/121	6/27/2014

Number of Violations attached to Evaluation: 1                      Violation Date                      Coverage Area  
6/27/2014                      270.C

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	McDonald, Sue	CEI	IC	-	115	6/27/2014

Number of Violations attached to Evaluation: 0                      Violation Date                      Coverage Area

---

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Noechel, Jeanette	CEI	IC	(4 Eval Reasons): 93 - FACILITY INSPECTED AS HW-TRANSPORTER... 90 - FACILITY INSPECTED AS HAZARDOUS WASTE LQG... 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF... 94 - FACILITY INSPECTED UNDER LIW PROGRAM	111/121	3/26/2015

Number of Violations attached to Evaluation: 0                      Violation Date                      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	3/17/2015

*Evaluation Comment:* January 2015 Monthly Environmental Monitoring Report (2/25/15) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	4/14/2015

*Evaluation Comment:* February 2015 Monthly Environmental Monitoring Report (3/30/15) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	4/17/2015

*Evaluation Comment:* March 2015 Monthly Environmental Monitoring Report (4/9/15) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
HG - Technical Support Unit - hydrog	Carnegie, Mary	NRR	IC	-	111/121	6/12/2015


*Evaluation Comment:* April 2015 Monthly Environmental Monitoring Report (5/29/15) - IC

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

<i>Branch</i>	<i>Inspector</i>	<i>Eval Type</i>	<i>Eval Status</i>	<i>Eval Reason(s)</i>	<i>Eval Program</i>	<i>Eval Date</i>
SE - S.E. Michigan District Office	Busse, Michael (Mike)	FCI	IC	(1 Eval Reason): 95 - FACILITY INSPECTED AS A HAZARDOUS WASTE TSDF	111/121	5/28/2015

Number of Violations attached to Evaluation: 0      Violation Date      Coverage Area

ATTACHMENT 2  
FACILITY MAPS



BASE TAKEN FROM USGS HIGHLAND PARK, MICHIGAN 7.5'-SERIES TOPOGRAPHIC QUADRANGLE. DATE 1968. PHOTOREVISED 1983. SCALE 1:24,000.



A **tyco** International Ltd. Company

36133 Schoolcraft Road • Livonia, MI 48150 • (734) 779-2800

DRAWN BY: SC	DATE: JULY 2007
CHECKED BY: AZ	EDITED BY: NLW06042012
FILE NAME: Figure A1-2.dwg	


FIGURE A1-2

## REGIONAL TOPOGRAPHIC MAP

DYNECOL, INC.  
DETROIT, MICHIGAN

PROJECT NUMBER	101130.01	SCALE: 1"=2000'
----------------	-----------	-----------------

L:\work\60250241\deliverables\7.6\_Reports\CADD\Figure A1-4.dwg; 2/25/2013 12:15:30 PM; YANCHULA, JOHN; monochr



List of Tanks		
Tank No.	Tank Type	Tank Description
1	R	Primary Treatment
2	R	Primary Treatment
3	R	Primary Treatment
4	R	Primary Treatment
7	R	Storage
9	NR	Alkaline Reagent Storage
10	R	Storage
11	R	Storage
12	R	Storage
13	R	Storage
14	NR	Lime Slurry
15	NR	Alkaline Reagent Storage
16	R	Storage
17	R	Storage
18	R	Secondary Treatment
19	R	Secondary Treatment
20	R	Secondary Treatment
21	R	Secondary Treatment
22	NR	Mild Acid Cleaning Solution
23	NR	Lime Slurry
24	NR	Sodium Hydroxide for Scrubber
25	NR	Dry Lime
26	NR	Dry Lime
27	R	Storage
28	NR	Non-Haz Recycled/Reused Products
30	R	Effluent
31	R	Effluent
32	R	Storage
33	R	Storage
34	R	Effluent
35	R	Effluent
36	R	Storage
37	R	Effluent
38	R	Effluent
CV1	R	Treatment
CV2	R	Treatment

Legend:  
 R Regulated Tanks  
 NR Non-Regulated Tanks

**LEGEND:**

- APPROXIMATE PROPERTY BOUNDARY
- x-x- FENCE LINE
- FORMER SOIL BORING LOCATION
- ⊕ EXISTING WELL LOCATION
- ⊖ ABANDONED WELL LOCATION
- TRAFFIC FLOW PATTERN

**EarthTech**  
 A tyco International Ltd. Company  
39133 Schockcroft Road • Livonia, MI 48150 • (734) 779-2000

DRAWN BY: D. TANIS	DATE: AUGUST, 2007
CHECKED BY: A.Z.	EDITED BY: ARB022513
FILE NAME: SITE PLAN	
FIGURE A1-4	
SITE PLAN	
DYNECOL, INC. DETROIT, MICHIGAN	
PROJECT NUMBER	60250241
SCALE:	NOT TO SCALE

## ATTACHMENT 3

### LIST OF ACCEPTABLE HAZARDOUS WASTE TYPES

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
D001	Solutions and sludges	Ignitable	Container Management Facility
D002	Solutions and sludges	Corrosive	Container Management Facility
D003	Solutions and sludges	Reactive	Container Management Facility
D004	Solutions and sludges	TCLP toxic for arsenic	Container Management Facility
D005	Solutions and sludges	TCLP toxic for barium	Container Management Facility
D006	Solutions and sludges	TCLP toxic for cadmium	Container Management Facility
D007	Solutions and sludges	TCLP toxic for chromium	Container Management Facility
D008	Solutions and sludges	TCLP toxic for lead	Container Management Facility
D009	Solutions and sludges	TCLP toxic for mercury	Container Management Facility
D010	Solutions and sludges	TCLP toxic for selenium	Container Management Facility
D011	Solutions and sludges	TCLP toxic for silver	Container Management Facility
D012	Solutions and sludges	TCLP toxic for endrin	Container Management Facility
D013	Solutions and sludges	TCLP toxic for lindane	Container Management Facility
D014	Solutions and sludges	TCLP toxic for methoxychlor	Container Management Facility
D015	Solutions and sludges	TCLP toxic for toxaphene	Container Management Facility
D016	Solutions and sludges	TCLP toxic for 2,4-D	Container Management Facility
D017	Solutions and sludges	TCLP toxic for 2,4,5-TP (silvex)	Container Management Facility
D018	Solutions and sludges	TCLP toxic for benzene	Container Management Facility
D019	Solutions and sludges	TCLP toxic for carbon tetrachloride	Container Management Facility
D020	Solutions and sludges	TCLP toxic for chlordane	Container Management Facility
D021	Solutions and sludges	TCLP toxic for chlorobenzene	Container Management Facility
D022	Solutions and sludges	TCLP toxic for chloroform	Container Management Facility
D023	Solutions and sludges	TCLP toxic for o-cresol	Container Management Facility
D024	Solutions and sludges	TCLP toxic for m-cresol	Container Management Facility
D025	Solutions and sludges	TCLP toxic for p-cresol	Container Management Facility
D026	Solutions and sludges	TCLP toxic for cresol	Container Management Facility
D027	Solutions and sludges	TCLP toxic for 1,4-dichlorobenzene	Container Management Facility
D028	Solutions and sludges	TCLP toxic for 1,2-dichloroethane	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
D029	Solutions and sludges	TCLP toxic for 1,1-dichloroethylene	Container Management Facility
D030	Solutions and sludges	TCLP toxic for 2,4-dinitrotoluene	Container Management Facility
D031	Solutions and sludges	TCLP toxic for heptachlor	Container Management Facility
D032	Solutions and sludges	TCLP toxic for hexachlorobenzene	Container Management Facility
D033	Solutions and sludges	TCLP toxic for hexachlorobutadiene	Container Management Facility
D034	Solutions and sludges	TCLP toxic for hexachloroethane	Container Management Facility
D035	Solutions and sludges	TCLP toxic for methyl ethyl ketone	Container Management Facility
D036	Solutions and sludges	TCLP toxic for nitrobenzene	Container Management Facility
D037	Solutions and sludges	TCLP toxic for pentachlorophenol	Container Management Facility
D038	Solutions and sludges	TCLP toxic for pyridine	Container Management Facility
D039	Solutions and sludges	TCLP toxic for tetrachloroethylene	Container Management Facility
D040	Solutions and sludges	TCLP toxic for trichloroethylene	Container Management Facility
D041	Solutions and sludges	TCLP toxic for 2,4,5-trichlorophenol	Container Management Facility
D042	Solutions and sludges	TCLP toxic for 2,4,6-trichlorophenol	Container Management Facility
D043	Solutions and sludges	TCLP toxic for vinyl chloride	Container Management Facility
F001	Spent halogenated solvents used in degreasing	Toxic Waste	Container Management Facility
F002	Spent halogenated solvents	Toxic Waste	Container Management Facility
F003	Spent non-halogenated solvents	Ignitable Waste	Container Management Facility
F004	Spent non-halogenated solvents	Toxic Waste	Container Management Facility
F005	Spent non-halogenated solvents	Toxic Waste	Container Management Facility
F006	Wastewater treatment sludges from electroplating operations	Toxic Waste	Container Management Facility
F007	Spent cyanide plating bath solutions from electroplating operations	Toxic Waste	Container Management Facility
F008	Plating bath residues from electroplating where cyanides are used	Toxic Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
F009	Spent stripping/cleaning bath solutions from electroplating where cyanides are used	Toxic Waste	Container Management Facility
F010	Quenching bath residues from oil baths from metal heat treating where cyanides are used	Toxic Waste	Container Management Facility
F011	Spent cyanide solutions from salt bath pot cleaning from metal heat treating operations	Toxic Waste	Container Management Facility
F012	Quenching wastewater treatment sludges from metal heat treating where cyanides are used	Toxic Waste	Container Management Facility
F019	Wastewater treatment sludges from the chemical conversion coating of aluminum	Toxic Waste	Container Management Facility
F020	Wastes from the production or manufacturing use of tri- or tetrachlorophenol	Acute Hazardous Waste	Container Management Facility
F021	Wastes from the production or manufacturing use of pentachlorophenol	Acute Hazardous Waste	Container Management Facility
F022	Wastes from the production or manufacturing use of tetra-, penta-, or hexachlorobenzenes under alkaline conditions	Acute Hazardous Waste	Container Management Facility
F023	Wastes from the production of materials on equipment previously used for the production or manufacturing use of tri- or tetrachlorophenols	Acute Hazardous Waste	Container Management Facility
F024	Process wastes	Toxic Waste	Container Management Facility
F025	Condensed light ends, spent filters and filter aids, and spent dessicant wastes from the production of certain chlorinated aliphatic hydrocarbons	Toxic Waste	Container Management Facility
F026	Wastes from the production of materials on equipment previously used for the manufacturing use of tetra-, penta-, or hexachlorobenzene under alkaline conditions	Acute Hazardous Waste	Container Management Facility
F027	Discarded unused formulations containing tri-, tetra-, or penta chlorophenol; derivatives	Acute Hazardous Waste	Container Management Facility
F028	Residues resulting from the incineration or thermal treatment of soil contaminated with EPA hazardous waste	Toxic Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
F032	Wastewaters, process residuals, preservative drippage, and spent formulations from wood preserving processes that use or have used chlorophenolic formulations	Toxic Waste	Container Management Facility
F034	Wastewaters, process residuals, preservative drippage, and spent formulations from wood preserving processes that use or have used creosote formulations	Toxic Waste	Container Management Facility
F035	Wastewaters, process residuals, preservative drippage, and spent formulations from wood preserving processes that use or have used inorganic preservatives containing As or Cr	Toxic Waste	Container Management Facility
F037	Petroleum refinery primary oil/water/solids separation sludge	Toxic Waste	Container Management Facility
F038	Petroleum refinery secondary (emulsified) oil/water/solids separation sludge	Toxic Waste	Container Management Facility
F039	Leachate resulting from the disposal of more than one restricted waste classified as hazardous.	Toxic Waste	Container Management Facility
K001	Bottom sediment sludge from the treatment of wastewaters from wood preserving processes that use creosote and/or pentachlorophenol	Toxic Waste	Container Management Facility
K002	Wastewater treatment sludge from the production of chrome yellow and orange pigments	Toxic Waste	Container Management Facility
K003	Wastewater treatment sludge from the production of molybdate orange pigments	Toxic Waste	Container Management Facility
K004	Wastewater treatment sludge from the production of zinc yellow pigments	Toxic Waste	Container Management Facility
K005	Wastewater treatment sludge from the production of chrome green pigments	Toxic Waste	Container Management Facility
K006	Wastewater treatment sludge from the production of chrome oxide green pigments	Toxic Waste	Container Management Facility
K007	Wastewater treatment sludge from the production of iron blue pigments	Toxic Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K008	Oven residue from the production of chrome oxide green pigments	Toxic Waste	Container Management Facility
K009	Distillation bottoms from the production of acetaldehyde from ethylene	Toxic Waste	Container Management Facility
K010	Distillation side cuts from the production of acetaldehyde from ethylene	Toxic Waste	Container Management Facility
K011	Bottom stream from the wastewater stripper in the production of acrylonitrile	Toxic, Reactive Waste	Container Management Facility
K013	Bottom stream from the acetonitrile column in the production of acrylonitrile	Toxic, Reactive Waste	Container Management Facility
K014	Bottoms from the acetonitrile purification column in the production of acrylonitrile	Toxic Waste	Container Management Facility
K015	Still bottoms from the distillation of benzyl chloride	Toxic Waste	Container Management Facility
K016	Heavy ends or distillation residues from the production of carbon tetrachloride	Toxic Waste	Container Management Facility
K017	Heavy ends (still bottoms) from the purification column in the production of epichlorohydrin	Toxic Waste	Container Management Facility
K018	Heavy ends from the fractionation column in ethyl chloride production	Toxic Waste	Container Management Facility
K019	Heavy ends from the distillation of ethylene dichloride in ethylene dichloride production	Toxic Waste	Container Management Facility
K020	Heavy ends from the distillation of vinyl chloride in vinyl chloride monomer production	Toxic Waste	Container Management Facility
K021	Aqueous spent antimony catalyst waste from fluoromethanes production	Toxic Waste	Container Management Facility
K022	Distillation bottom tars from the production of phenol/acetone from cumene	Toxic Waste	Container Management Facility
K023	Distillation light ends from the production of phthalic anhydride from naphthalene	Toxic Waste	Container Management Facility
K024	Distillation bottoms from the production of phthalic anhydride from naphthalene	Toxic Waste	Container Management Facility
K025	Distillation bottoms from the production of nitrobenzene by the nitration of benzene	Toxic Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K026	Stripping still tails from the production of methyl ethyl pyridines	Toxic, Reactive Waste	Container Management Facility
K027	Centrifuge and distillation residues from toluene diisocyanate production	Toxic Waste	Container Management Facility
K028	Spent catalyst from the hydrochlorinator reactor in the production of 1,1,1-trichloroethane	Toxic Waste	Container Management Facility
K029	Waste from the product steam stripper in the production of 1,1,1-trichloroethane	Toxic Waste	Container Management Facility
K030	Column bottoms or heavy ends from the combined production of trichloroethylene and perchloroethylene	Toxic Waste	Container Management Facility
K031	By-product salts generated in the production of MSMA and cacodylic acid	Toxic Waste	Container Management Facility
K032	Wastewater treatment sludge form the production of chlordane	Toxic Waste	Container Management Facility
K033	Wastewater and scrub water from the clorination of cyclopentadiene in the production of chlordane	Toxic Waste	Container Management Facility
K034	Filter solids from the filtration of hexachlorocyclopentadiene in the production of chlordane	Toxic Waste	Container Management Facility
K035	Wastewater treatment sludges generated in the production of creosote	Toxic Waste	Container Management Facility
K036	Still bottoms from toluene reclamation distillation in the production of disulfoton	Toxic Waste	Container Management Facility
K037	Wastewater treatment sludges from the production of disulfoton	Toxic Waste	Container Management Facility
K038	Wastewater from the washing and stripping of phorate production	Toxic Waste	Container Management Facility
K039	Filter cake form the filtration of diethylphosphorodithioic acid in the production of phorate	Toxic Waste	Container Management Facility
K040	Wastewater treatment sludge form the production of phorate	Toxic Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K041	Wastewater treatment sludge from the production of toxaphene	Toxic Waste	Container Management Facility
K042	Heavy ends or distillation residues from the distillation of tetrachlorobenzene in the production of 2,4,5-T	Toxic Waste	Container Management Facility
K043	2,6-Dichlorophenol waste form the production of 2,4-D	Toxic Waste	Container Management Facility
K044	Wastewater treatment sludges from the manufacturing and processing of explosives	Reactive Waste	Container Management Facility
K045	Spent carbon from the treatment of wastewater containing explosives	Reactive Waste	Container Management Facility
K046	Wastewater treatment sludges from the manufacturing, formulation and loading of lead-based initiating compounds	Toxic Waste	Container Management Facility
K047	Pink/red water from TNT operations	Reactive Waste	Container Management Facility
K048	Dissolved air flotation (DAF) float from the petroleum refining industry	Toxic Waste	Container Management Facility
K049	Slop oil emulsion solids form the petroleum refining industry	Toxic Waste	Container Management Facility
K050	Heat exchanger bundle cleaning sludge from the petroleum refining industry	Toxic Waste	Container Management Facility
K051	API separator sludge from the petroleum refining industry	Toxic Waste	Container Management Facility
K052	Tank bottoms (leaded) from the petroleum refining industry	Toxic Waste	Container Management Facility
K060	Ammonia still lime sludge from coking operations	Toxic Waste	Container Management Facility
K061	Emission control dust/sludge from the primary production of steel in electric furnaces	Toxic Waste	Container Management Facility
K062	Spent pickle liquor generated by steel finishing operations of facilities within the iron and steel industry	Toxic, Corrosive Waste	Container Management Facility
K069	Emission control dust/sludge from secondary lead smelting	Toxic Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K071	Bring purification muds from the mercury cell process in chlorine production, where separately prepurified brine is not use	Toxic Waste	Container Management Facility
K073	Chlorinated hydrocarbon waste from the purification step of the diaphragm cell process using graphite anodes in chlorine production	Toxic Waste	Container Management Facility
K083	Distillation bottoms from aniline production	Toxic Waste	Container Management Facility
K084	Wastewater treatment sludges generated during the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds	Toxic Waste	Container Management Facility
K085	Distillation or fractionation column bottoms from the production of chlorobenzenes	Toxic Waste	Container Management Facility
K086	Solvent washes and sludges, caustic washes and sludges, or water washes and sludges from cleaning tubs and equipment used in the formulation of ink from pigments, driers, soaps, and stabilizers containing chromium and lead	Toxic Waste	Container Management Facility
K087	Decanter tank tar sludge from coking operations	Toxic Waste	Container Management Facility
K088	Spent potliners from primary aluminum reduction	Toxic Waste	Container Management Facility
K090	Emission control dust or sludge from ferrochromiumsilicon production	Toxic Waste	Container Management Facility
K091	Emission control dust or sludge from ferrochromium production	Toxic Waste	Container Management Facility
K093	Distillation light ends from the production of phthalic anhydride from ortho-xylene	Toxic Waste	Container Management Facility
K094	Distillation bottoms from the production of phthalic anhydride from ortho-xylene	Toxic Waste	Container Management Facility
K095	Distillation bottoms from the production of 1,1,1-trichloroethane	Toxic Waste	Container Management Facility
K096	Heavy ends from the heavy ends column from the production of 1,1,1-trichloroethane	Toxic Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K097	Vacuum stripper discharge from the chlordane chlorinator in the production of chlordane	Toxic Waste	Container Management Facility
K098	Untreated process wastewater from the production of toxaphene	Toxic Waste	Container Management Facility
K099	Untreated process wastewater from the production of 2,4-D	Toxic Waste	Container Management Facility
K100	Waste leaching solution from acid leaching of emission control dust/sludge from secondary lead smelting	Toxic Waste	Container Management Facility
K101	Distillation tar residues from the distillation of aniline based compounds in the production of veterinary pharmaceuticals	Toxic Waste	Container Management Facility
K102	Residue from the use of activated carbon for decolorization in the production of veterinary pharmaceuticals	Toxic Waste	Container Management Facility
K103	Process residues from aniline extraction from the production of aniline	Toxic Waste	Container Management Facility
K104	Combined wastewater streams generated from nitrobenzene/aniline production	Toxic Waste	Container Management Facility
K105	Separated aqueous stream from the reactor product washing step in the production of chlorobenzenes	Toxic Waste	Container Management Facility
K106	Wastewater treatment sludge from the mercury cell process in chlorine production	Toxic Waste	Container Management Facility
K107	Column bottoms from product separation from the production of 1,1-dimethyl-hydrazine (UDMH) from carboxylic acid hydrazines	Toxic, Corrosive Waste	Container Management Facility
K108	Condensed column overheads from product separation and condensed reactor vent gases from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazines	Toxic, Ignitable Waste	Container Management Facility
K109	Spent filter cartridges from product purification from the production of 1,1-dimethylhydrazine	Toxic Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K110	Condensed column overheads from intermediate separation from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazines	Toxic Waste	Container Management Facility
K111	Product washwaters from the production of dinitrotoluene via nitration of toluene	Toxic, Corrosive Waste	Container Management Facility
K112	Reaction by-product water from the drying column in the production of tiluenedimine via hydrogenation of dinitrotoluene	Toxic Waste	Container Management Facility
K113	Condensed liquid light ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene	Toxic Waste	Container Management Facility
K114	Vicinals from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene	Toxic Waste	Container Management Facility
K115	Heavy ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene	Toxic Waste	Container Management Facility
K116	Organic condensate from the solvent recovery column in the production of toluene diisocyanite via phosgenation of toluenediamine	Toxic Waste	Container Management Facility
K117	Wastewater from the reactor vent gas scrubber in the production of ethylene dibromide via bromination of ethane	Toxic Waste	Container Management Facility
K118	Spent adsorbent solids from purification of ethylene dibromide in the production of ethylene dibromide via bromination of cetat	Toxic Waste	Container Management Facility
K123	Process wastewater from the production of ethylenebisdithiocarbamic acid and its salt	Toxic Waste	Container Management Facility
K124	Reactor vent scrubber water from the production of ethylenebisdithiocarbamic acid and its salt	Toxic Waste	Container Management Facility
K125	Filtration, evaporation and centrifugation solids from the production of ethylenebisdithiocarbamic acid and salt	Toxic, Corrosive Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K126	Baghouse dust and floor sweepings in milling and packaging operations from the production of formulation of ethylenebisdithiocarbamic acid and its salt	Toxic Waste	Container Management Facility
K131	Wastewater from the reactor and spent sulfuric acid from the acid dryer from the production of methyl bromide	Toxic, Corrosive Waste	Container Management Facility
K132	Spent absorbent and wastewater separator solids from the production of methyl bromide	Toxic Waste	Container Management Facility
K136	Still bottoms from the purification of ethylene dibromide in the production of ethylene dibromide via bromination of ethane	Toxic Waste	Container Management Facility
K140	Floor sweepings, off-specification product and spent filter media from the production of 2,4,6-tribromophenol; discarded commercial chemical product	Toxic Waste	Container Management Facility
K141	Process residues from the recovery of coal tar	Toxic Waste	Container Management Facility
K142	Tar storage tank residues from the production of coke from coal or from the recovery of coke byproducts produced from coal	Toxic Waste	Container Management Facility
K143	Process residues from the recover of light oil	Toxic Waste	Container Management Facility
K144	Wastewater sump residues from light oil refining	Toxic Waste	Container Management Facility
K145	Residues from naphthalene collection and recovery operations from the recovery of coke by-products produced from coal	Toxic Waste	Container Management Facility
K147	Tar storage tank residues from coal tar refining	Toxic Waste	Container Management Facility
K148	Residues from coal tar distillation	Toxic Waste	Container Management Facility
K149	Distillation bottoms from the production of alpha- (or methyl-) chlorinated toluenes, ring chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups	Toxic Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K150	Organic residuals, excluding spent carbon adsorbent, from the spent chlorine gas and hydrochloric acid recovery processes associated with the production of alpha- (or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these groups	Toxic Waste	Container Management Facility
K151	Wastewater treatment sludges, excluding neutralization and biological sludges, generated during the treatment of wastewaters from the production of alpha- (or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups	Toxic Waste	Container Management Facility
K156	Organic waste from the production of carbamates and carbamoyl oximes	Toxic Waste	Container Management Facility
K157	Wastewaters from the production of carbamates and carbamoyl oximes	Toxic Waste	Container Management Facility
K158	Bag house dusts and filter/separation solids from the production of carbamates and carbamoyl oximes	Toxic Waste	Container Management Facility
K159	Organics from the treatment of thiocarbamate wastes	Toxic Waste	Container Management Facility
K160	Solids (including filter wastes, separation solids, and spent catalysts) from the production of thiocarbamates from the treatment of thiocarbamate wastes	Toxic Waste	Container Management Facility
K161	Purification solids, bag house dust and floor sweepings from the production of dithiocarbamate acids and their salts	Toxic Waste	Container Management Facility
K169	Crude oil storage tank sediment from petroleum refining operations	Toxic Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K170	Clarified slurry oil tank sediment and/or in-line filter/separation solids from petroleum refining operations	Toxic Waste	Container Management Facility
K171	Spent Hydrotreating catalyst from petroleum refining operations, including guard beds used to desulfurize feeds to other catalytic reactors	Toxic, Ignitable Waste	Container Management Facility
K172	Spent Hydrorefining catalyst from petroleum refining operations, including guard beds used to desulfurize feeds to other catalytic reactors	Toxic, Ignitable Waste	Container Management Facility
K174	Wastewater treatment sludges from the production of ethylene dichloride or vinyl chloride monomer	Toxic Waste	Container Management Facility
K175	Wastewater treatment sludges from the production of vinyl chloride monomer using mercuric chloride catalyst in an acetylene based process	Toxic Waste	Container Management Facility
K176	Baghouse filters from the production on antimony oxide, including filters from the production of intermediates	Toxicity Characteristic Waste	Container Management Facility
K177	Slag from the production of antimony oxide that is speculatively accumulated or disposed, including slag from the production of intermediates	Toxic Waste	Container Management Facility
K178	Residues from manufacturing and manufacturing-site storage of ferric chloride from acids formed during the production of titanium dioxide using the chloride-ilmenite process	Toxic Waste	Container Management Facility
P001	2H-1-Benzopyran-2-one, 4-hydroxy-3-(3-oxo- 1-phenylbutyl)-, and salts	NA	Container Management Facility
P002	Acetamide, N-(aminothioxomethyl)-	NA	Container Management Facility
P003	Acrolein	NA	Container Management Facility
P004	Aldrin	NA	Container Management Facility
P005	Allyl alcohol	NA	Container Management Facility
P006	Aluminum phosphide	Reactive and Toxic Waste	Container Management Facility
P007	5-(Aminomethyl)-3-isoxazolol	NA	Container Management Facility
P008	4-Aminopyridine	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
P009	Ammonium picrate	Reactive Waste	Container Management Facility
P010	Arsenic acid	NA	Container Management Facility
P011	Arsenic pentoxide	NA	Container Management Facility
P012	Arsenic trioxide	NA	Container Management Facility
P013	Barium cyanide	NA	Container Management Facility
P014	Benzenethiol	NA	Container Management Facility
P015	Beryllium powder	NA	Container Management Facility
P016	Dichloromethyl ether	NA	Container Management Facility
P017	Bromoacetone	NA	Container Management Facility
P018	Brucine	NA	Container Management Facility
P020	Dinoseb	NA	Container Management Facility
P021	Calcium cyanide	NA	Container Management Facility
P022	Carbon disulfide	NA	Container Management Facility
P023	Chloroacetaldehyde	NA	Container Management Facility
P024	p-Chloroaniline	NA	Container Management Facility
P026	1-(o-Chlorophenyl)thiourea	NA	Container Management Facility
P027	3-Chloropropionitrile	NA	Container Management Facility
P028	Benzyl chloride	NA	Container Management Facility
P029	Copper cyanide	NA	Container Management Facility
P030	Cyanides (soluble cyanide salts), not elsewhere	NA	Container Management Facility
P031	Cyanogen	NA	Container Management Facility
P033	Cyanogen chloride	NA	Container Management Facility
P034	2-Cyclohexyl-4,6-dinitrophenol	NA	Container Management Facility
P036	Dichlorophenylarsine	NA	Container Management Facility
P037	Dieldrin	NA	Container Management Facility
P038	Diethylarsine	NA	Container Management Facility
P039	Disulfoton	NA	Container Management Facility
P040	0,0-Diethyl 0-pyrazinyl phosphorothioate	NA	Container Management Facility
P041	Diethyl-p-nitrophenyl phosphate	NA	Container Management Facility
P042	Epinephrine	Reactive Waste	Container Management Facility
P043	Diisopropyl fluorophosphate	NA	Container Management Facility
P044	Dimethoate	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
P045	2-Butanone, 3,3-dimethyl-1-(methylthio)-, O-[(methylamino) carbonyl] oxime	NA	Container Management Facility
P046	alpha,alpha-Dimethylphenethylamine	NA	Container Management Facility
P047	4,6-Dinitro-o-cresol and salts	NA	Container Management Facility
P048	2,4-Dinitrophenol	NA	Container Management Facility
P049	2,4-Dithiobiuret	NA	Container Management Facility
P050	Endosulfan	NA	Container Management Facility
P051	Endrin, and metabolites	NA	Container Management Facility
P054	Aziridine	NA	Container Management Facility
P056	Fluorine	NA	Container Management Facility
P057	Fluoroacetamide	NA	Container Management Facility
P058	Fluoroacetic acid, sodium salt	NA	Container Management Facility
P059	Heptachlor	NA	Container Management Facility
P060	Isodrin	NA	Container Management Facility
P062	Hexaethyl tetraphosphate	NA	Container Management Facility
P063	Hydrocyanic acid	NA	Container Management Facility
P064	Methyl isocyanate	NA	Container Management Facility
P065	Mercury fulminate	Reactive and Toxic Waste	Container Management Facility
P066	Methomyl	NA	Container Management Facility
P067	Aziridine, 2-methyl-	NA	Container Management Facility
P068	Methyl hydrazine	NA	Container Management Facility
P069	2-Methylactonitrile	NA	Container Management Facility
P070	Propanal, 2-methyl-2-(Acetate)-, O-[(methylamino)carbonyl] oxime	NA	Container Management Facility
P071	Methyl parathion	NA	Container Management Facility
P072	alpha-Naphthylthiourea	NA	Container Management Facility
P073	Nickel carbonyl	NA	Container Management Facility
P074	Nickel cyanide	NA	Container Management Facility
P075	Nicotine and salts	NA	Container Management Facility
P076	Nitric oxide	NA	Container Management Facility
P077	p-Nitroaniline	NA	Container Management Facility
P078	Nitrogen dioxide	NA	Container Management Facility
P081	Nitroglycerine	Reactive Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
P082	N-Nitrosodimethylamine	NA	Container Management Facility
P084	N-Nitrosomethylvinylamine	NA	Container Management Facility
P085	Octamethylpyrophosphor-amide	NA	Container Management Facility
P087	Osmium oxide	NA	Container Management Facility
P088	Endothall	NA	Container Management Facility
P089	Parathion	NA	Container Management Facility
P092	Mercury, ( cetate-O)phenyl-	NA	Container Management Facility
P093	N-Phenylthiourea	NA	Container Management Facility
P094	Phorate	NA	Container Management Facility
P095	Carbonyl chloride	NA	Container Management Facility
P096	Hydrogen phosphide	NA	Container Management Facility
P097	Famphur	NA	Container Management Facility
P098	Potassium cyanide	NA	Container Management Facility
P099	Argentate (1-), bis(cyano-C)-, potassium	NA	Container Management Facility
P101	Ethyl cyanide	NA	Container Management Facility
P102	Propargyl alcohol	NA	Container Management Facility
P103	Selenourea	NA	Container Management Facility
P104	Silver cyanide	NA	Container Management Facility
P105	Sodium azide	NA	Container Management Facility
P106	Sodium cyanide	NA	Container Management Facility
P108	Strychnidin-10-one, and salts	NA	Container Management Facility
P109	Tetraethyldithiopyrophosphate	NA	Container Management Facility
P110	Tetraethyl lead	NA	Container Management Facility
P111	Diphosphoric acid, tetraethyl ester	NA	Container Management Facility
P112	Methane, tetranitro-	Reactive Waste	Container Management Facility
P113	Thallium (III) oxide	NA	Container Management Facility
P114	Thallium (I) selenide	NA	Container Management Facility
P115	Thallium (I) sulfate	NA	Container Management Facility
P116	Hydrazinecarbothioamide	NA	Container Management Facility
P118	Methanethiol, trichloro-	NA	Container Management Facility
P119	Ammonium vanadate	NA	Container Management Facility
P120	Vanadium pentoxide	NA	Container Management Facility
P121	Zinc cyanide	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
P122	Zinc phosphide, when present at	Reactive and Toxic Waste	Container Management Facility
P123	Toxaphene	NA	Container Management Facility
P127	Carbofuran	NA	Container Management Facility
P128	Mexacarbate	NA	Container Management Facility
P185	1,3-Dithiolane-2-carboxaldehyde, 2-4- dimethyl-, O-[(methylamino)- carbonyl]oxime	NA	Container Management Facility
P188	Benzoic acid, 2-hydroxy-, compd. With (3aS- cis) – 1,2,3,3a,8,8a-hexahydro-1,3a,8- trimethylpyrrolob indol-5-yl methylcarbamate ester	NA	Container Management Facility
P189	Carbosulfan	NA	Container Management Facility
P190	Metolcarb	NA	Container Management Facility
P191	Dimetilan	NA	Container Management Facility
P192	Isolan	NA	Container Management Facility
P194	Oxamyl	NA	Container Management Facility
P196	Manganese, dimethyldithiocarbamate	NA	Container Management Facility
P197	Formparanate	NA	Container Management Facility
P198	Formetanate hydrochloride	NA	Container Management Facility
P199	Methiocarb	NA	Container Management Facility
P201	Phenol, 3-methyl-5-(1-methylethyl)-, methyl carbamate	NA	Container Management Facility
P202	m-Cumenyl methylcarbamate	NA	Container Management Facility
P203	Aldicarb sulfone	NA	Container Management Facility
P204	Physostigmine	NA	Container Management Facility
P205	Zinc, bis(dismethylcarbamo dithioato-S,S')-	NA	Container Management Facility
U001	Acetaldehyde	Ignitable Waste	Container Management Facility
U002	Acetone	Ignitable Waste	Container Management Facility
U003	Acetonitrile	Ignitable and Toxic Waste	Container Management Facility
U004	Acetophenone	NA	Container Management Facility
U005	2-Acetylaminofluorene	NA	Container Management Facility
U006	Acetyl chloride	Combustible, Reactive and Toxic Waste	Container Management Facility
U007	Acrylamide	NA	Container Management Facility
U008	Acrylic acid	Ignitable Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U009	Acrylonitrile	NA	Container Management Facility
U010	Mitomycin	Combustible Waste	Container Management Facility
U011	Amitrole	NA	Container Management Facility
U012	Aniline	Ignitable and Toxic Waste	Container Management Facility
U014	Auramine	NA	Container Management Facility
U015	Azaserine	NA	Container Management Facility
U016	Benz[c]acridine	NA	Container Management Facility
U017	Benzal chloride	NA	Container Management Facility
U018	Benz[a]anthracene	NA	Container Management Facility
U019	Benzene	Ignitable and Toxic Waste	Container Management Facility
U020	Benzenesulfonyl chloride	Combustible and Reactive Waste	Container Management Facility
U021	Benzidine	NA	Container Management Facility
U022	Benzo[a]pyrene	NA	Container Management Facility
U023	Benzotrichloride	Combustible, Reactive and Toxic Waste	Container Management Facility
U024	Dichloromethoxy ethane	NA	Container Management Facility
U025	Dichloroethyl ether	NA	Container Management Facility
U026	Chlornaphazine	NA	Container Management Facility
U027	Dichloroisopropyl ether	NA	Container Management Facility
U028	Diethylhexyl phthalate	NA	Container Management Facility
U029	Methyl bromide	NA	Container Management Facility
U030	Benzene, 1-bromo-4-phenoxy-	NA	Container Management Facility
U031	1-Butanol	(Ignitable Waste	Container Management Facility
U032	Calcium chromate	NA	Container Management Facility
U033	Carbon oxyfluoride	Reactive and Toxic Waste	Container Management Facility
U034	Chloral	NA	Container Management Facility
U035	Chlorambucil	NA	Container Management Facility
U036	Chlordane, technical	NA	Container Management Facility
U037	Chlorobenzene	NA	Container Management Facility
U038	Chlorobenzilate	NA	Container Management Facility
U039	4-Chloro-m-cresol	NA	Container Management Facility
U041	Epichlorhydrin	NA	Container Management Facility
U042	2-Chloroethyl vinyl ether	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U043	Vinyl chloride	NA	Container Management Facility
U044	Chloroform	NA	Container Management Facility
U045	Methyl chloride	Ignitable and Toxic Waste	Container Management Facility
U046	Chloromethyl methyl ether	NA	Container Management Facility
U047	beta-Chloronaphthalene	NA	Container Management Facility
U048	o-Chlorophenol	NA	Container Management Facility
U049	Benzenamine, 4-chloro-2-methyl-	NA	Container Management Facility
U050	Chrysene	NA	Container Management Facility
U051	Creosote	NA	Container Management Facility
U052	Cresylic acid	NA	Container Management Facility
U053	Crotonaldehyde	NA	Container Management Facility
U055	Cumene	Ignitable Waste	Container Management Facility
U056	Cyclohexane	Ignitable Waste	Container Management Facility
U057	Cyclohexanone	Ignitable Waste	Container Management Facility
U058	Cyclophosphamide	NA	Container Management Facility
U059	Daunomycin	NA	Container Management Facility
U060	DDD	NA	Container Management Facility
U061	DDT	NA	Container Management Facility
U062	Diallate	NA	Container Management Facility
U063	Dibenz[a,h]anthracene	NA	Container Management Facility
U064	Dibenz[a,i]pyrene	NA	Container Management Facility
U066	Propane, 1,2-dibromo-3-chloro-	NA	Container Management Facility
U067	Ethylene dibromide	NA	Container Management Facility
U068	Methylene bromide	NA	Container Management Facility
U069	Dibutyl phthalate	NA	Container Management Facility
U070	o-Dichlorobenzene	NA	Container Management Facility
U071	m-Dichlorobenzene	NA	Container Management Facility
U072	p-Dichlorobenzene	NA	Container Management Facility
U073	3,3'-Dichlorobenzidine	NA	Container Management Facility
U074	1,4-Dichloro-2-butene	Ignitable and Toxic Waste	Container Management Facility
U075	Dichlorodifluoromethane	NA	Container Management Facility
U076	Ethylidene dichloride	NA	Container Management Facility
U077	Ethylene dichloride	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U078	1,1-Dichloroethylene	NA	Container Management Facility
U079	1,2-Dichloroethylene	NA	Container Management Facility
U080	Methylene chloride	NA	Container Management Facility
U081	2,4-Dichlorophenol	NA	Container Management Facility
U082	2,6-Dichlorophenol	NA	Container Management Facility
U083	Propylene dichloride	NA	Container Management Facility
U084	1,3-Dichloropropene	NA	Container Management Facility
U085	2,2'-Bioxirane	Ignitable and Toxic Waste	Container Management Facility
U086	Hydrazine, 1,2-diethyl-	NA	Container Management Facility
U087	Phosphorodithioic acid, 0,0-diethyl-S-methyl ester	NA	Container Management Facility
U088	Diethyl phthalate	NA	Container Management Facility
U089	Diethylstilbestrol	NA	Container Management Facility
U090	Dihydrosafrole	NA	Container Management Facility
U091	3,3'-dimethoxybenzidine	NA	Container Management Facility
U092	Dimethylamine	Ignitable Waste	Container Management Facility
U093	Dimethylaminoazobenzene	NA	Container Management Facility
U094	7,12-Dimethylbenz[a]anthracene	NA	Container Management Facility
U095	3,3'-Dimethylbenzidine	NA	Container Management Facility
U096	Hydroperoxide, 1-methyl-1-phenylethyl-	Reactive Waste	Container Management Facility
U097	Dimethylcarbamoyl chloride	NA	Container Management Facility
U098	1,1-Dimethylhydrazine	NA	Container Management Facility
U099	1,2-Dimethylhydrazine	NA	Container Management Facility
U101	2,4-Dimethylphenol	NA	Container Management Facility
U102	Dimethyl phthalate	NA	Container Management Facility
U103	Dimethyl sulfate	NA	Container Management Facility
U105	2,4-Dinitrotoluene	NA	Container Management Facility
U106	2,6-Dinitrotoluene	NA	Container Management Facility
U107	Di-n-octyl phthalate	NA	Container Management Facility
U108	1,4-Dioxane	NA	Container Management Facility
U109	Hydrazine, 1,2-diphenyl-	NA	Container Management Facility
U110	Dipropylamine	Ignitable Waste	Container Management Facility
U111	Di-n-propylnitrosamine	NA	Container Management Facility
U112	Acetic acid, ethyl ester	Ignitable Waste	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U113	Ethyl acrylate	Ignitable Waste	Container Management Facility
U114	Carbamodithioic acid, 1,2-ethanediylobis-, salts	NA	Container Management Facility
U115	Oxirane	Ignitable and Toxic Waste	Container Management Facility
U116	Ethylene thiourea	NA	Container Management Facility
U117	Ethyl ether	Ignitable Waste	Container Management Facility
U118	2-Propenoic acid, 2-methyl-, ethyl ester	NA	Container Management Facility
U119	Ethyl methanesulfonate	NA	Container Management Facility
U120	Fluoranthene	NA	Container Management Facility
U121	Trichloromonofluoromethane	NA	Container Management Facility
U122	Formaldehyde	NA	Container Management Facility
U123	Formic Acid	NA	Container Management Facility
U124	Furan	Ignitable Waste	Container Management Facility
U125	Furfural	Ignitable Waste	Container Management Facility
U126	Glycidylaldehyde	NA	Container Management Facility
U127	Hexachlorobenzene	NA	Container Management Facility
U128	Hexachlorobutadiene	NA	Container Management Facility
U129	Lindane	NA	Container Management Facility
U130	Hexachlorocyclopentadiene	NA	Container Management Facility
U131	Hexachloroethane	NA	Container Management Facility
U132	Hexachlorophene	NA	Container Management Facility
U133	Hydrazine	Reactive and Toxic Waste	Container Management Facility
U134	Hydrogen fluoride	Combustible and Toxic Waste	Container Management Facility
U135	Hydrogen sulfide	NA	Container Management Facility
U136	Cacodylic acid	NA	Container Management Facility
U137	Indeno[1,2,3cd]pyrene	NA	Container Management Facility
U138	Methyl iodide	NA	Container Management Facility
U140	Isobutyl alcohol	Ignitable and Toxic Waste	Container Management Facility
U141	Isosafrole	NA	Container Management Facility
U142	Kepone	NA	Container Management Facility
U143	Lasiocarpine	NA	Container Management Facility
U144	Lead acetate	NA	Container Management Facility
U145	Lead phosphate	NA	Container Management Facility
U146	Lead subacetate	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U147	Maleic anhydride	NA	Container Management Facility
U148	Maleic hydrazide	NA	Container Management Facility
U149	Malononitrile	NA	Container Management Facility
U150	Melphalan	NA	Container Management Facility
U151	Mercury	NA	Container Management Facility
U152	Methacrylonitrile	Ignitable and Toxic Waste	Container Management Facility
U153	Thiomethanol	Ignitable and Toxic Waste	Container Management Facility
U154	Methanol	Ignitable Waste	Container Management Facility
U155	Methapyrilene	NA	Container Management Facility
U156	Methyl chlorocarbonate	Ignitable and Toxic Waste	Container Management Facility
U157	3-Methylcholanthrene	NA	Container Management Facility
U158	4,4'-Methylenebis(2-chloroaniline)	NA	Container Management Facility
U159	Methyl ethyl ketone	Ignitable and Toxic Waste	Container Management Facility
U160	Methyl ethyl ketone peroxide	Reactive and Toxic Waste	Container Management Facility
U161	Methyl isobutyl ketone	Ignitable Waste	Container Management Facility
U162	Methyl methacrylate	Ignitable and Toxic Waste	Container Management Facility
U163	MNNG	NA	Container Management Facility
U164	Methylthiouracil	NA	Container Management Facility
U165	Naphthalene	NA	Container Management Facility
U166	1,4-Naphthalenedione	NA	Container Management Facility
U167	1-Naphthalenamine	NA	Container Management Facility
U168	2-Naphthalenamine	NA	Container Management Facility
U169	Nitrobenzene	Ignitable and Toxic Waste	Container Management Facility
U170	p-Nitrophenol	NA	Container Management Facility
U171	2-Nitropropane	Ignitable and Toxic Waste	Container Management Facility
U172	N-Nitrosodi-n-butylamine	NA	Container Management Facility
U173	N-Nitrosodiethanolamine	NA	Container Management Facility
U174	N-Nitrosodiethylamine	NA	Container Management Facility
U176	N-Nitroso-N-ethylurea	NA	Container Management Facility
U177	N-Nitroso-N-methylurea	NA	Container Management Facility
U178	N-Nitroso-N-methylurethane	NA	Container Management Facility
U179	N-Nitrosopiperidine	NA	Container Management Facility
U180	N-Nitrosopyrrolidine	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U181	5-Nitro-o-toluidine	NA	Container Management Facility
U182	Paraldehyde	NA	Container Management Facility
U183	Pentachlorobenzene	NA	Container Management Facility
U184	Pentachloroethane	NA	Container Management Facility
U185	Pentachloronitrobenzene	NA	Container Management Facility
U186	1-Methylbutadiene	Ignitable Waste	Container Management Facility
U187	Phenacetin	NA	Container Management Facility
U188	Phenol	NA	Container Management Facility
U189	Phosphorus sulfide	Reactive Waste	Container Management Facility
U190	Phthalic anhydride	NA	Container Management Facility
U191	2-Picoline	NA	Container Management Facility
U192	Pronamide	NA	Container Management Facility
U193	1,3-Propane sultone	NA	Container Management Facility
U194	1-Propanamine	Ignitable and Toxic Waste	Container Management Facility
U196	Pyridine	NA	Container Management Facility
U197	p-Benzoquinone	NA	Container Management Facility
U200	Reserpine	NA	Container Management Facility
U201	Resorcinol	NA	Container Management Facility
U203	Safrole	NA	Container Management Facility
U204	Selenium dioxide	NA	Container Management Facility
U205	Selenium sulfide	NA	Container Management Facility
U206	Streptozotocin	NA	Container Management Facility
U207	1,2,4,5-Tetrachlorobenzene	NA	Container Management Facility
U208	Ethane, 1,1,1,2-tetrachloro-	NA	Container Management Facility
U209	Ethane, 1,1,2,2-tetrachloro-	NA	Container Management Facility
U210	Tetrachloroethylene	NA	Container Management Facility
U211	Carbon tetrachloride	NA	Container Management Facility
U213	Tetrahydrofuran	Ignitable Waste	Container Management Facility
U214	Thallium (I) acetate	NA	Container Management Facility
U215	Thallium (I) carbonate	NA	Container Management Facility
U216	Thallium (I) chloride	NA	Container Management Facility
U217	Thallium (I) nitrate	NA	Container Management Facility
U218	Thioacetamide	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U219	Thiourea	NA	Container Management Facility
U220	Toluene	NA	Container Management Facility
U221	Toluenediamine	NA	Container Management Facility
U222	Benzenamine, 2-methyl-, hydrochloride	NA	Container Management Facility
U223	Toluene diisocyanate	Reactive and Toxic Waste	Container Management Facility
U225	Bromoform	NA	Container Management Facility
U226	Methylchloroform	NA	Container Management Facility
U227	1,1,2-Trichloroethane	NA	Container Management Facility
U228	Trichloroethylene	NA	Container Management Facility
U234	1,3,5-Trinitrobenzene	Reactive and Toxic Waste	Container Management Facility
U235	Tris(2,3-Dibromopropyl) phosphate	NA	Container Management Facility
U236	Trypan blue	NA	Container Management Facility
U237	Uracil mustard	NA	Container Management Facility
U238	Carbamic acid, ethyl ester	NA	Container Management Facility
U239	Xylene	Ignitable Waste	Container Management Facility
U240	2,4-D, salts and esters	NA	Container Management Facility
U243	Hexachloropropene	NA	Container Management Facility
U244	Thiram	NA	Container Management Facility
U246	Cyanogen bromide	NA	Container Management Facility
U247	Methoxychlor	NA	Container Management Facility
U248	Warfarin, and salts, when present at a	NA	Container Management Facility
U249	Zinc phosphide, when present at concentration	NA	Container Management Facility
U271	Benomyl	NA	Container Management Facility
U277	Carbamodithioic acid, diethyl-, 2-chloro-2-propenyl ester	NA	Container Management Facility
U278	Bendiocarb	NA	Container Management Facility
U279	Carbaryl	NA	Container Management Facility
U280	Barban	NA	Container Management Facility
U328	o-Toluidine	NA	Container Management Facility
U353	p-Toluidine	NA	Container Management Facility
U359	Ethylene glycol monoethyl ether	NA	Container Management Facility
U364	Bendiocarb phenol	NA	Container Management Facility
U365	Azepine-1-carbothioic acid, hexahydro-, S-ethyl 1	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
	ester		
U366	Dazomet	NA	Container Management Facility
U367	Carbofuran phenol	NA	Container Management Facility
U372	Carbendazim	NA	Container Management Facility
U373	Propham	NA	Container Management Facility
U375	3-Iodo-2-propynyl n-butylcarbamate	NA	Container Management Facility
U376	Carbamodithioic acid, dimethyl-, tetraanhydrosulfide with orthothioselenious acid	NA	Container Management Facility
U377	Carbamodithioic acid, methyl-, monopotassium salt	NA	Container Management Facility
U378	Carbamodithioic acid, (hydroxymethyl) methyl-, monopotassium salt	NA	Container Management Facility
U379	Sodium dibutyldithiocarbamate	NA	Container Management Facility
U381	Sodium diethyldithiocarbamate	NA	Container Management Facility
U382	Sodium dimethyldithiocarbamate	NA	Container Management Facility
U383	Carbamodithioic acid, dimethyl, potassium salt	NA	Container Management Facility
U384	Carbamodithioic acid, methyl-, monosodium salt	NA	Container Management Facility
U385	Carbamothioic acid, dipropyl-, S-propyl ester	NA	Container Management Facility
U386	Carbamothioic acid, cyclohexylethyl-, S-ethyl ester	NA	Container Management Facility
U387	Prosulfocarb	NA	Container Management Facility
U389	Triallate	NA	Container Management Facility
U390	Carbamothioic acid, dipropyl-, S-ethyl ester	NA	Container Management Facility
U391	Carbamothioic acid, butylethyl-, S-propyl ester	NA	Container Management Facility
U392	Carbamothioic acid, bis(2-methylpropyl)-, S-ethyl ester	NA	Container Management Facility
U393	Copper dimethyldithiocarbamate	NA	Container Management Facility
U394	A2213	NA	Container Management Facility
U395	Diethylene glycol, dicarbamate	NA	Container Management Facility
U396	Ferbam	NA	Container Management Facility
U400	Bis(pentamethylene)thiuram tetrasulfide	NA	Container Management Facility
U401	Bis(dimethylthiocarbamoyl) sulfide	NA	Container Management Facility
U402	Tetrabutylthiuram disulfide	NA	Container Management Facility
U403	Disulfiram	NA	Container Management Facility
U404	Triethylamine	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U407	Ethyl Ziram	NA	Container Management Facility
U409	Thiophanate-methyl	NA	Container Management Facility
U410	Thiodicarb	NA	Container Management Facility
U411	Propoxur	NA	Container Management Facility
001S	Aflatoxin	NA	Container Management Facility
002S	Tetrachlorodibenzo-p-dioxin	NA	Container Management Facility
003S	Pentachlorodibenzo-p-dioxin	NA	Container Management Facility
004S	Hexachlorodibenzo-p-dioxin	NA	Container Management Facility
005S	Hexachlorodibenzo-p-dioxin	NA	Container Management Facility
006S	Hexachlorodibenzo-p-dioxin	NA	Container Management Facility
007S	Tetrachloridibenzo furan	NA	Container Management Facility
001U	Actinomycin D	NA	Container Management Facility
002U	Allyl Chloride	NA	Container Management Facility
003U	2-aminoanthraquinone	NA	Container Management Facility
004U	Aminoazobenzene	NA	Container Management Facility
005U	0-aminoazotoluene	NA	Container Management Facility
006U	4-aminobephenyl	NA	Container Management Facility
007U	3-amino-9-ethyl carbazole	NA	Container Management Facility
008U	1-amino-2-methyl anthraquinone	NA	Container Management Facility
009U	Anilazine	NA	Container Management Facility
011U	o-Anisidine	NA	Container Management Facility
012U	o-Anisidine hydrochloride	NA	Container Management Facility
014U	Antimycin A	NA	Container Management Facility
020U	Bromoxynil	NA	Container Management Facility
021U	2(p-tert-Butylphenoxy)-isopropyl-2-chloroethyl	NA	Container Management Facility
022U	Captafol	NA	Container Management Facility
023U	Captan	NA	Container Management Facility
027U	Carbophenothion	NA	Container Management Facility
029U	Chloropyrifos	NA	Container Management Facility
032U	Chlorine gas	NA	Container Management Facility
033U	2-Chloroethanol	NA	Container Management Facility
034U	3-(Chloromethyl) pyridine	NA	Container Management Facility
036U	4-Chloro-m-phenylenediamine	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
037U	4-Chloro-o- phenylenediamine	NA	Container Management Facility
038U	Chloroprene	NA	Container Management Facility
040U	Clonitralid	NA	Container Management Facility
042U	Coumasphos	NA	Container Management Facility
043U	p-Cresidine	NA	Container Management Facility
044U	Crotoxyphos	NA	Container Management Facility
046U	Cycloheximide	NA	Container Management Facility
047U	Demeton	NA	Container Management Facility
048U	2,4 Diaminoanisole Sulfate	NA	Container Management Facility
049U	4,4'-Diaminodiphenyl ether	NA	Container Management Facility
050U	2,4-diamino toluene	NA	Container Management Facility
051U	Diazinon	NA	Container Management Facility
052U	Dichlone	NA	Container Management Facility
054U	Dichlorvos	NA	Container Management Facility
055U	Dichrotophos	NA	Container Management Facility
056U	Diethyl sulfate	NA	Container Management Facility
057U	Dinocap	NA	Container Management Facility
058U	Dioxathion	NA	Container Management Facility
059U	EPN	NA	Container Management Facility
061U	Ethion	NA	Container Management Facility
063U	Fensulfothion	NA	Container Management Facility
064U	Fenthion	NA	Container Management Facility
065U	Fluchloralin	NA	Container Management Facility
068U	Hexamethyl phosphoramidate	NA	Container Management Facility
070U	Hydroquinone	NA	Container Management Facility
071U	N-(2-Hydroxyethyl) ethyleneimine	NA	Container Management Facility
073U	Isonicotinic acid hydrazine	NA	Container Management Facility
074U	Ketene	NA	Container Management Facility
075U	Lactonitril	NA	Container Management Facility
076U	Leptophos	NA	Container Management Facility
078U	Malachite green	NA	Container Management Facility
079U	Malathion	NA	Container Management Facility
080U	Mestranol	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
082U	4,4'-Methylenebis(2-methylaniline)	NA	Container Management Facility
083U	4,4'-Methylenebis(N,N-dimethylaniline)	NA	Container Management Facility
086U	1-Methylnaphthalene	NA	Container Management Facility
088U	Mevinphos	NA	Container Management Facility
089U	Mexacarbate	NA	Container Management Facility
090U	Mirex	NA	Container Management Facility
092U	Monocrotophos	NA	Container Management Facility
093U	Mustard gas	NA	Container Management Facility
094U	Naled	NA	Container Management Facility
095U	1,5-Naphthalenediamine	NA	Container Management Facility
097U	Niridazole	NA	Container Management Facility
098U	Nithiazide	NA	Container Management Facility
099U	5-Nitroacenaphthene	NA	Container Management Facility
100U	Nitro-o-anisidine	NA	Container Management Facility
101U	4-Nitrobiphenyl	NA	Container Management Facility
102U	Nitrofen	NA	Container Management Facility
103U	N-(4-(5-nitro-2-furanyl)-2-thiazolyl)-acetamide	NA	Container Management Facility
104U	Nitrogen mustard	NA	Container Management Facility
106U	p-Nitrosodiphenylamine	NA	Container Management Facility
108U	N-Nitroso-N-phenylhydroxylamine	NA	Container Management Facility
110U	Oxydemeton-methyl	NA	Container Management Facility
111U	Paraquate dichloride	NA	Container Management Facility
112U	Peroxyacetic acid	NA	Container Management Facility
113U	Phenazopyridine hydrochloride	NA	Container Management Facility
114U	Phenesterin	NA	Container Management Facility
115U	Phenobarbitol	NA	Container Management Facility
116U	Phenytoin	NA	Container Management Facility
117U	Phenytoin sodium	NA	Container Management Facility
118U	Phosazetim	NA	Container Management Facility
119U	Phosmet	NA	Container Management Facility
120U	Phosphamidon	NA	Container Management Facility
121U	Piperonyl sulfoxide	NA	Container Management Facility
124U	Propiolactone	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
127U	Prpoylthiouracil	NA	Container Management Facility
128U	Rotenone	NA	Container Management Facility
129U	Semicarbazide	NA	Container Management Facility
131U	Styrene	NA	Container Management Facility
132U	Sulfallate	NA	Container Management Facility
134U	TDE	NA	Container Management Facility
136U	Terbufos	NA	Container Management Facility
137U	Tetrachlorvinphos	NA	Container Management Facility
138U	4,4'-Thiodianiline	NA	Container Management Facility
139U	o-Toluidine	NA	Container Management Facility
141U	Trichlorfon	NA	Container Management Facility
142U	Trifluralin	NA	Container Management Facility
143U	2,4,5-Trimethylaniline	NA	Container Management Facility
144U	Triamethylphosphate	NA	Container Management Facility
146U	Ziram	NA	Container Management Facility
147U	Azinphos-ethyl	NA	Container Management Facility
148U	Azinphos-methyl	NA	Container Management Facility
150U	p-chlorophenol	NA	Container Management Facility
151U	5-chloro-o-toluidene	NA	Container Management Facility
152U	Chlorfenuinphos	NA	Container Management Facility
153U	Sodium fluoroacetate	NA	Container Management Facility
154U	Bis(tri-n-butyl tin) oxide	NA	Container Management Facility
155U	Vinylidene chloride	NA	Container Management Facility
157U	3-amino-9-ethyl carbazole	NA	Container Management Facility
158U	Aniline hydrochloride	NA	Container Management Facility
159U	Azobenzene	NA	Container Management Facility
160U	1,3-Butadiene	NA	Container Management Facility
161U	Butyl benzl phthalate	NA	Container Management Facility
162U	1-chloro-4-phenoxybenzene	NA	Container Management Facility
163U	1-chloropropene	NA	Container Management Facility
164U	P,P' DDE	NA	Container Management Facility
165U	N,N'-Diethylthiourea	NA	Container Management Facility
166U	1,2-Epoxybutane	NA	Container Management Facility

**TABLE A2-2  
HAZARDOUS WASTES ACCEPTED (CONTAINER MANAGEMENT FACILITY)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
167U	Kanechlor C	NA	Container Management Facility
169U	Octachlorostyrene	NA	Container Management Facility
170U	Semicarbazide hydrochloride	NA	Container Management Facility
171U	Tributyltin (and other salts and esters)	NA	Container Management Facility
172U	1,2,3-Trichlorobenzene	NA	Container Management Facility
173U	1,2,4-Trichlorobenzene	NA	Container Management Facility
174U	Urethane	NA	Container Management Facility
175U	Vinyl bromide	NA	Container Management Facility

NA – Not Available and/or Not Applicable

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
D001	Solutions and sludges excluding flammable liquids and solids	Ignitable	Proposed Building 4, Building 5A & Building 5B
D002	Solutions and sludges	Corrosive	Proposed Building 4, Building 5A & Building 5B
D003	Solutions and sludges	Reactive	Proposed Building 4, Building 5A & Building 5B
D004	Solutions and sludges	TCLP toxic for arsenic	Proposed Building 4, Building 5A & Building 5B
D005	Solutions and sludges	TCLP toxic for barium	Proposed Building 4, Building 5A & Building 5B
D006	Solutions and sludges	TCLP toxic for cadmium	Proposed Building 4, Building 5A & Building 5B
D007	Solutions and sludges	TCLP toxic for chromium	Proposed Building 4, Building 5A & Building 5B
D008	Solutions and sludges	TCLP toxic for lead	Proposed Building 4, Building 5A & Building 5B
D009	Solutions and sludges	TCLP toxic for mercury	Proposed Building 4, Building 5A & Building 5B
D010	Solutions and sludges	TCLP toxic for selenium	Proposed Building 4, Building 5A & Building 5B
D011	Solutions and sludges	TCLP toxic for silver	Proposed Building 4, Building 5A & Building 5B
D012	Solutions and sludges	TCLP toxic for endrin	Proposed Building 4, Building 5A & Building 5B
D013	Solutions and sludges	TCLP toxic for lindane	Proposed Building 4, Building 5A & Building 5B
D014	Solutions and sludges	TCLP toxic for methoxychlor	Proposed Building 4, Building 5A & Building 5B
D015	Solutions and sludges	TCLP toxic for toxaphene	Proposed Building 4, Building 5A & Building 5B
D016	Solutions and sludges	TCLP toxic for 2,4-D	Proposed Building 4, Building 5A & Building 5B
D017	Solutions and sludges	TCLP toxic for 2,4,5-TP (silvex)	Proposed Building 4, Building 5A & Building 5B

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
D018	Solutions and sludges	TCLP toxic for benzene	Proposed Building 4, Building 5A & Building 5B
D019	Solutions and sludges	TCLP toxic for carbon tetrachloride	Proposed Building 4, Building 5A & Building 5B
D020	Solutions and sludges	TCLP toxic for chlordane	Proposed Building 4, Building 5A & Building 5B
D021	Solutions and sludges	TCLP toxic for chlorobenzene	Proposed Building 4, Building 5A & Building 5B
D022	Solutions and sludges	TCLP toxic for chloroform	Proposed Building 4, Building 5A & Building 5B
D023	Solutions and sludges	TCLP toxic for o-cresol	Proposed Building 4, Building 5A & Building 5B
D024	Solutions and sludges	TCLP toxic for m-cresol	Proposed Building 4, Building 5A & Building 5B
D025	Solutions and sludges	TCLP toxic for p-cresol	Proposed Building 4, Building 5A & Building 5B
D026	Solutions and sludges	TCLP toxic for cresol	Proposed Building 4, Building 5A & Building 5B
D027	Solutions and sludges	TCLP toxic for 1,4-dichlorobenzene	Proposed Building 4, Building 5A & Building 5B
D028	Solutions and sludges	TCLP toxic for 1,2-dichloroethane	Proposed Building 4, Building 5A & Building 5B
D029	Solutions and sludges	TCLP toxic for 1,1-dichloroethylene	Proposed Building 4, Building 5A & Building 5B
D030	Solutions and sludges	TCLP toxic for 2,4-dinitrotoluene	Proposed Building 4, Building 5A & Building 5B
D031	Solutions and sludges	TCLP toxic for heptachlor	Proposed Building 4, Building 5A & Building 5B
D032	Solutions and sludges	TCLP toxic for hexachlorobenzene	Proposed Building 4, Building 5A & Building 5B
D033	Solutions and sludges	TCLP toxic for hexachlorobutadiene	Proposed Building 4, Building 5A & Building 5B

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
D034	Solutions and sludges	TCLP toxic for hexachloroethane	Proposed Building 4, Building 5A & Building 5B
D035	Solutions and sludges	TCLP toxic for methyl ethyl ketone	Proposed Building 4, Building 5A & Building 5B
D036	Solutions and sludges	TCLP toxic for nitrobenzene	Proposed Building 4, Building 5A & Building 5B
D037	Solutions and sludges	TCLP toxic for pentachlorophenol	Proposed Building 4, Building 5A & Building 5B
D038	Solutions and sludges	TCLP toxic for pyridine	Proposed Building 4, Building 5A & Building 5B
D039	Solutions and sludges	TCLP toxic for tetrachloroethylene	Proposed Building 4, Building 5A & Building 5B
D040	Solutions and sludges	TCLP toxic for trichloroethylene	Proposed Building 4, Building 5A & Building 5B
D041	Solutions and sludges	TCLP toxic for 2,4,5-trichlorophenol	Proposed Building 4, Building 5A & Building 5B
D042	Solutions and sludges	TCLP toxic for 2,4,6-trichlorophenol	Proposed Building 4, Building 5A & Building 5B
D043	Solutions and sludges	TCLP toxic for vinyl chloride	Proposed Building 4, Building 5A & Building 5B
F001	Spent halogenated solvents used in degreasing	Toxic Waste	Proposed Building 4, Building 5A & Building 5B
F002	Spent halogenated solvents	Toxic Waste	Proposed Building 4, Building 5A & Building 5B
F003	Spent non-halogenated solvents	Ignitable Waste	Proposed Building 4, Building 5A & Building 5B
F004	Spent non-halogenated solvents	Toxic Waste	Proposed Building 4, Building 5A & Building 5B
F005	Spent non-halogenated solvents	Toxic Waste	Proposed Building 4, Building 5A & Building 5B
F006	Wastewater treatment sludges from electroplating operations	Toxic Waste	Proposed Building 4, Building 5A & Building 5B
F007	Spent cyanide plating bath solutions from electroplating operations	Toxic Waste	Proposed Building 4, Building 5A & Building 5B

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
F008	Plating bath residues from electroplating where cyanides are used	Toxic Waste	Proposed Building 4, Building 5A & Building 5B
F009	Spent stripping/cleaning bath solutions from electroplating where cyanides are used	Toxic Waste	Proposed Building 4, Building 5A & Building 5B
F010	Quenching bath residues from oil baths from metal heat treating where cyanides are used	Toxic Waste	Proposed Building 4, Building 5A & Building 5B
F011	Spent cyanide solutions from salt bath pot cleaning from metal heat treating operations	Toxic Waste	Proposed Building 4, Building 5A & Building 5B
F012	Quenching wastewater treatment sludges from metal heat treating where cyanides are used	Toxic Waste	Proposed Building 4, Building 5A & Building 5B
F019	Wastewater treatment sludges from the chemical conversion coating of aluminum	Toxic Waste	Proposed Building 4, Building 5A & Building 5B
F020	Wastes from the production or manufacturing use of tri- or tetrachlorophenol	Acute Hazardous Waste	Proposed Building 4, Building 5A & Building 5B
F021	Wastes from the production or manufacturing use of pentachlorophenol	Acute Hazardous Waste	Proposed Building 4, Building 5A & Building 5B
F022	Wastes from the production or manufacturing use of tetra-, penta-, or hexachlorobenzenes under alkaline conditions	Acute Hazardous Waste	Proposed Building 4, Building 5A & Building 5B
F023	Wastes from the production of materials on equipment previously used for the production or manufacturing use of tri- or tetrachlorophenols	Acute Hazardous Waste	Proposed Building 4, Building 5A & Building 5B
F024	Process wastes	Toxic Waste	Proposed Building 4, Building 5A & Building 5B
F025	Condensed light ends, spent filters and filter aids, and spent dessicant wastes from the production of certain chlorinated aliphatic hydrocarbons	Toxic Waste	Proposed Building 4, Building 5A & Building 5B
F026	Wastes from the production of materials on equipment previously used for the manufacturing use of tetra-, penta-, or hexachlorobenzene under alkaline conditions	Acute Hazardous Waste	Proposed Building 4, Building 5A & Building 5B
F027	Discarded unused formulations containing tri-, tetra-, or penta chlorophenol; derivatives	Acute Hazardous Waste	Proposed Building 4, Building 5A & Building 5B

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
F028	Residues resulting from the incineration or thermal treatment of soil contaminated with EPA hazardous waste	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
F032	Wastewaters, process residuals, preservative drippage, and spent formulations from wood preserving processes that use or have used chlorophenolic formulations	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
F034	Wastewaters, process residuals, preservative drippage, and spent formulations from wood preserving processes that use or have used creosote formulations	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
F035	Wastewaters, process residuals, preservative drippage, and spent formulations from wood preserving processes that use or have used inorganic preservatives containing As or Cr	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
F037	Petroleum refinery primary oil/water/solids separation sludge	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
F038	Petroleum refinery secondary (emulsified) oil/water/solids separation sludge	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
F039	Leachate resulting from the disposal of more than one restricted waste classified as hazardous.	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K001	Bottom sediment sludge from the treatment of wastewaters from wood preserving processes that use creosote and/or pentachlorophenol	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K002	Wastewater treatment sludge from the production of chrome yellow and orange pigments	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K003	Wastewater treatment sludge from the production of molybdate orange pigments	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K004	Wastewater treatment sludge from the production of zinc yellow pigments	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K005	Wastewater treatment sludge from the production of chrome green pigments	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K006	Wastewater treatment sludge from the production of chrome oxide green pigments	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K007	Wastewater treatment sludge from the production of iron blue pigments	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K008	Oven residue from the production of chrome oxide green pigments	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K009	Distillation bottoms from the production of acetaldehyde from ethylene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K010	Distillation side cuts from the production of acetaldehyde from ethylene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K011	Bottom stream from the wastewater stripper in the production of acrylonitrile	Toxic, Reactive Waste	Proposed Building 4, Building 5 & Additional Storage Area
K013	Bottom stream from the acetonitrile column in the production of acrylonitrile	Toxic, Reactive Waste	Proposed Building 4, Building 5 & Additional Storage Area
K014	Bottoms from the acetonitrile purification column in the production of acrylonitrile	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K015	Still bottoms from the distillation of benzyl chloride	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K016	Heavy ends or distillation residues from the production of carbon tetrachloride	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K017	Heavy ends (still bottoms) from the purification column in the production of epichlorohydrin	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K018	Heavy ends from the fractionation column in ethyl chloride production	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K019	Heavy ends from the distillation of ethylene dichloride in ethylene dichloride production	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K020	Heavy ends from the distillation of vinyl chloride in vinyl chloride monomer production	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K021	Aqueous spent antimony catalyst waste from fluoromethanes production	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K022	Distillation bottom tars from the production of phenol/acetone from cumene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K023	Distillation light ends from the production of phthalic anhydride from naphthalene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K024	Distillation bottoms from the production of phthalic anhydride from naphthalene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K025	Distillation bottoms from the production of nitrobenzene by the nitration of benzene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K026	Stripping still tails from the production of methyl ethyl pyridines	Toxic, Reactive Waste	Proposed Building 4, Building 5 & Additional Storage Area
K027	Centrifuge and distillation residues from toluene diisocyanate production	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K028	Spent catalyst from the hydrochlorinator reactor in the production of 1,1,1-trichloroethane	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K029	Waste from the product steam stripper in the production of 1,1,1-trichloroethane	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K030	Column bottoms or heavy ends from the combined production of trichloroethylene and perchloroethylene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K031	By-product salts generated in the production of MSMA and cacodylic acid	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K032	Wastewater treatment sludge form the production of chlordane	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K033	Wastewater and scrub water from the clorination of cyclopentadiene in the production of chlordane	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K034	Filter solids from the filtration of hexachlorocyclopentadiene in the production of chlordane	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K035	Wastewater treatment sludges generated in the production of creosote	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K036	Still bottoms from toluene reclamation distillation in the production of disulfoton	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K037	Wastewater treatment sludges from the production of disulfoton	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K038	Wastewater from the washing and stripping of phorate production	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K039	Filter cake form the filtration of diethylphosphorodithioic acid in the production of phorate	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K040	Wastewater treatment sludge form the production of phorate	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K041	Wastewater treatment sludge from the production of toxaphene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K042	Heavy ends or distillation residues from the distillation of tetrachlorobenzene in the production of 2,4,5-T	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K043	2,6-Dichlorophenol waste form the production of 2,4-D	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K044	Wastewater treatment sludges from the manufacturing and processing of explosives	Reactive Waste	Proposed Building 4, Building 5 & Additional Storage Area
K045	Spent carbon from the treatment of wastewater containing explosives	Reactive Waste	Proposed Building 4, Building 5 & Additional Storage Area
K046	Wastewater treatment sludges from the manufacturing, formulation and loading of lead-based initiating compounds	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K047	Pink/red water from TNT operations	Reactive Waste	Proposed Building 4, Building 5 & Additional Storage Area
K048	Dissolved air flotation (DAF) float from the petroleum refining industry	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K049	Slop oil emulsion solids form the petroleum refining industry	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K050	Heat exchanger bundle cleaning sludge from the petroleum refining industry	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K051	API separator sludge from the petroleum refining industry	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K052	Tank bottoms (leaded) from the petroleum refining industry	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K060	Ammonia still lime sludge from coking operations	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K061	Emission control dust/sludge from the primary production of steel in electric furnaces	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K062	Spent pickle liquor generated by steel finishing operations of facilities within the iron and steel industry	Toxic, Corrosive Waste	Proposed Building 4, Building 5 & Additional Storage Area
K069	Emission control dust/sludge from secondary lead smelting	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K071	Bring purification muds from the mercury cell process in chlorine production, where separately prepurified brine is not use	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K073	Chlorinated hydrocarbon waste from the purification step of the diaphragm cell process using graphite anodes in chlorine production	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K083	Distillation bottoms from aniline production	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K084	Wastewater treatment sludges generated during the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K085	Distillation or fractionation column bottoms from the production of chlorobenzenes	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K086	Solvent washes and sludges, caustic washes and sludges, or water washes and sludges from cleaning tubs and equipment used in the formulation of ink from pigments, driers, soaps, and stabilizers containing chromium and lead	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K087	Decanter tank tar sludge from coking operations	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K088	Spent potliners from primary aluminum reduction	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K090	Emission control dust or sludge from ferrochromiumsilicon production	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K091	Emission control dust or sludge from ferrochromium production	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K093	Distillation light ends from the production of phthalic anhydride from ortho-xylene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K094	Distillation bottoms from the production of phthalic anhydride from ortho-xylene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K095	Distillation bottoms from the production of 1,1,1-trichloroethane	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K096	Heavy ends from the heavy ends column from the production of 1,1,1-trichloroethane	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K097	Vacuum stripper discharge from the chlordane chlorinator in the production of chlordane	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K098	Untreated process wastewater from the production of toxaphene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K099	Untreated process wastewater from the production of 2,4-D	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K100	Waste leaching solution from acid leaching of emission control dust/sludge from secondary lead smelting	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K101	Distillation tar residues from the distillation of aniline based compounds in the production of veterinary pharmaceuticals	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K102	Residue from the use of activated carbon for decolorization in the production of veterinary pharmaceuticals	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K103	Process residues from aniline extraction from the production of aniline	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K104	Combined wastewater streams generated from nitrobenzene/aniline production	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K105	Separated aqueous stream from the reactor product washing step in the production of chlorobenzenes	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K106	Wastewater treatment sludge from the mercury cell process in chlorine production	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K107	Column bottoms from product separation from the production of 1,1-dimethyl-hydrazine (UDMH) from carboxylic acid hydrazines	Toxic, Corrosive Waste	Proposed Building 4, Building 5 & Additional Storage Area
K108	Condensed column overheads from product separation and condensed reactor vent gases from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazines	Toxic, Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
K109	Spent filter cartridges from product purification from the production of 1,1-dimethylhydrazine	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K110	Condensed column overheads from intermediate separation from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazines	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K111	Product washwaters from the production of dinitrotoluene via nitration of toluene	Toxic, Corrosive Waste	Proposed Building 4, Building 5 & Additional Storage Area
K112	Reaction by-product water from the drying column in the production of toluenediamine via hydrogenation of dinitrotoluene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K113	Condensed liquid light ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K114	Vicinals from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K115	Heavy ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K116	Organic condensate from the solvent recovery column in the production of toluene diisocyanite via phosgenation of toluenediamine	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K117	Wastewater from the reactor vent gas scrubber in the production of ethylene dibromide via bromination of ethane	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K118	Spent adsorbent solids from purification of ethylene dibromide in the production of ethylene dibromide via bromination of cetat	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K123	Process wastewater from the production of ethylenebisdithiocarbamic acid and its salt	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K124	Reactor vent scrubber water from the production of ethylenebisdithiocarbamic acid and its salt	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K125	Filtration, evaporation and centrifugation solids from the production of ethylenebisdithiocarbamic acid and salt	Toxic, Corrosive Waste	Proposed Building 4, Building 5 & Additional Storage Area
K126	Baghouse dust and floor sweepings in milling and packaging operations from the production of formulation of ethylenebisdithiocarbamic acid and its salt	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K131	Wastewater from the reactor and spent sulfuric acid from the acid dryer from the production of methyl bromide	Toxic, Corrosive Waste	Proposed Building 4, Building 5 & Additional Storage Area
K132	Spent absorbent and wastewater separator solids from the production of methyl bromide	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K136	Still bottoms form the purification of ethylene dibromide in the production of ethylene dibromide via bromination of ethane	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K140	Floor sweepings, off-specification product and spent filter media from the production of 2,4,6-tribromophenol; discarded commercial chemical product	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K141	Process residues from the recovery of coal tar	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K142	Tar storage tank residues from the production of coke from coal or from the recovery of coke byproducts produced from coal	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K143	Process residues from the recover of light oil	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K144	Wastewater sump residues from light oil refining	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K145	Residues from naphthalene collection and recovery operations from the recovery of coke by-products produced from coal	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K147	Tar storage tank residues from coal tar refining	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K148	Residues from coal tar distillation	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K149	Distillation bottoms from the production of alpha- (or methyl-) chlorinated toluenes, ring chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K150	Organic residuals, excluding spent carbon adsorbent, from the spent chlorine gas and hydrochloric acid recovery processes associated with the production of alpha- (or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these groups	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K151	Wastewater treatment sludges, excluding neutralization and biological sludges, generated during the treatment of wastewaters from the production of alpha- (or methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K156	Organic waste from the production of carbamates and carbamoyl oximes	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K157	Wastewaters from the production of carbamates and carbamoyl oximes	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K158	Bag house dusts and filter/separation solids from the production of carbamates and carbamoyl oximes	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K159	Organics from the treatment of thiocarbamate wastes	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K160	Solids (including filter wastes, separation solids, and spent catalysts) from the production of thiocarbamates from the treatment of thiocarbamate wastes	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K161	Purification solids, bag house dust and floor sweepings from the production of dithiocarbamate acids and their salts	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K169	Crude oil storage tank sediment from petroleum refining operations	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K170	Clarified slurry oil tank sediment and/or in-line filter/separation solids from petroleum refining operations	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K171	Spent Hydrotreating catalyst from petroleum refining operations, including guard beds used to desulfurize feeds to other catalytic reactors	Toxic, Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
K172	Spent Hydrorefining catalyst from petroleum refining operations, including guard beds used to desulfurize feeds to other catalytic reactors	Toxic, Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
K174	Wastewater treatment sludges from the production of ethylene dichloride or vinyl chloride monomer	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K175	Wastewater treatment sludges from the production of vinyl chloride monomer using mercuric chloride catalyst in an acetylene based process	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
K176	Baghouse filters from the production on antimony oxide, including filters from the production of intermediates	Toxicity Characteristic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K177	Slag from the production of antimony oxide that is speculatively accumulated or disposed, including slag form the production of intermediates	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
K178	Residues from manufacturing and manufacturing-site storage of ferric chloride from acids formed during the production of titanium dioxide using the chloride-ilmenite process	Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
P001	2H-1-Benzopyran-2-one, 4-hydroxy-3-(3-oxo- 1-phenylbutyl)-, and salts	NA	Proposed Building 4, Building 5 & Additional Storage Area
P002	Acetamide, N-(aminothioxomethyl)-	NA	Proposed Building 4, Building 5 & Additional Storage Area
P003	Acrolein	NA	Proposed Building 4, Building 5 & Additional Storage Area
P004	Aldrin	NA	Proposed Building 4, Building 5 & Additional Storage Area
P005	Allyl alcohol	NA	Proposed Building 4, Building 5 & Additional Storage Area
P006	Aluminum phosphide	Reactive and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
P007	5-(Aminomethyl)-3-isoxazolol	NA	Proposed Building 4, Building 5 & Additional Storage Area
P008	4-Aminopyridine	NA	Proposed Building 4, Building 5 & Additional Storage Area
P009	Ammonium picrate	Reactive Waste	Proposed Building 4, Building 5 & Additional Storage Area
P010	Arsenic acid	NA	Proposed Building 4, Building 5 & Additional Storage Area
P011	Arsenic pentoxide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P012	Arsenic trioxide	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
P013	Barium cyanide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P014	Benzenethiol	NA	Proposed Building 4, Building 5 & Additional Storage Area
P015	Beryllium powder	NA	Proposed Building 4, Building 5 & Additional Storage Area
P016	Dichloromethyl ether	NA	Proposed Building 4, Building 5 & Additional Storage Area
P017	Bromoacetone	NA	Proposed Building 4, Building 5 & Additional Storage Area
P018	Brucine	NA	Proposed Building 4, Building 5 & Additional Storage Area
P020	Dinoseb	NA	Proposed Building 4, Building 5 & Additional Storage Area
P021	Calcium cyanide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P022	Carbon disulfide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P023	Chloroacetaldehyde	NA	Proposed Building 4, Building 5 & Additional Storage Area
P024	p-Chloroaniline	NA	Proposed Building 4, Building 5 & Additional Storage Area
P026	1-(o-Chlorophenyl)thiourea	NA	Proposed Building 4, Building 5 & Additional Storage Area
P027	3-Chloropropionitrile	NA	Proposed Building 4, Building 5 & Additional Storage Area
P028	Benzyl chloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
P029	Copper cyanide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P030	Cyanides (soluble cyanide salts), not elsewhere	NA	Proposed Building 4, Building 5 & Additional Storage Area
P031	Cyanogen	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
P033	Cyanogen chloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
P034	2-Cyclohexyl-4,6-dinitrophenol	NA	Proposed Building 4, Building 5 & Additional Storage Area
P036	Dichlorophenylarsine	NA	Proposed Building 4, Building 5 & Additional Storage Area
P037	Dieldrin	NA	Proposed Building 4, Building 5 & Additional Storage Area
P038	Diethylarsine	NA	Proposed Building 4, Building 5 & Additional Storage Area
P039	Disulfoton	NA	Proposed Building 4, Building 5 & Additional Storage Area
P040	0,0-Diethyl 0-pyrazinyl phosphorothioate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P041	Diethyl-p-nitrophenyl phosphate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P042	Epinephrine	Reactive Waste	Proposed Building 4, Building 5 & Additional Storage Area
P043	Diisopropyl fluorophosphate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P044	Dimethoate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P045	2-Butanone, 3,3-dimethyl-1-(methylthio)-, O-[(methylamino) carbonyl] oxime	NA	Proposed Building 4, Building 5 & Additional Storage Area
P046	alpha,alpha-Dimethylphenethylamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
P047	4,6-Dinitro-o-cresol and salts	NA	Proposed Building 4, Building 5 & Additional Storage Area
P048	2,4-Dinitrophenol	NA	Proposed Building 4, Building 5 & Additional Storage Area
P049	2,4-Dithiobiuret	NA	Proposed Building 4, Building 5 & Additional Storage Area
P050	Endosulfan	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
P051	Endrin, and metabolites	NA	Proposed Building 4, Building 5 & Additional Storage Area
P054	Aziridine	NA	Proposed Building 4, Building 5 & Additional Storage Area
P056	Fluorine	NA	Proposed Building 4, Building 5 & Additional Storage Area
P057	Fluoroacetamide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P058	Fluoroacetic acid, sodium salt	NA	Proposed Building 4, Building 5 & Additional Storage Area
P059	Heptahlor	NA	Proposed Building 4, Building 5 & Additional Storage Area
P060	Isodrin	NA	Proposed Building 4, Building 5 & Additional Storage Area
P062	Hexaethyl tetraphosphate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P063	Hydrocyanic acid	NA	Proposed Building 4, Building 5 & Additional Storage Area
P064	Methyl isocyanate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P065	Mercury fulminate	Reactive and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
P066	Methomyl	NA	Proposed Building 4, Building 5 & Additional Storage Area
P067	Aziridine, 2-methyl-	NA	Proposed Building 4, Building 5 & Additional Storage Area
P068	Methyl hydrazine	NA	Proposed Building 4, Building 5 & Additional Storage Area
P069	2-Methylactonitrile	NA	Proposed Building 4, Building 5 & Additional Storage Area
P070	Propanal, 2-methyl-2-(Acetate)-, O-[(methylamino)carbonyl] oxime	NA	Proposed Building 4, Building 5 & Additional Storage Area
P071	Methyl parathion	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
P072	alpha-Naphthylthiourea	NA	Proposed Building 4, Building 5 & Additional Storage Area
P073	Nickel carbonyl	NA	Proposed Building 4, Building 5 & Additional Storage Area
P074	Nickel cyanide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P075	Nicotine and salts	NA	Proposed Building 4, Building 5 & Additional Storage Area
P076	Nitric oxide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P077	p-Nitroaniline	NA	Proposed Building 4, Building 5 & Additional Storage Area
P078	Nitrogen dioxide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P081	Nitroglycerine	Reactive Waste	Proposed Building 4, Building 5 & Additional Storage Area
P082	N-Nitrosodimethylamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
P084	N-Nitrosomethylvinylamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
P085	Octamethylpyrophosphor-amide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P087	Osmium oxide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P088	Endothall	NA	Proposed Building 4, Building 5 & Additional Storage Area
P089	Parathion	NA	Proposed Building 4, Building 5 & Additional Storage Area
P092	Mercury, ( acetate-O)phenyl-	NA	Proposed Building 4, Building 5 & Additional Storage Area
P093	N-Phenylthiourea	NA	Proposed Building 4, Building 5 & Additional Storage Area
P094	Phorate	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
P095	Carbonyl chloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
P096	Hydrogen phosphide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P097	Famphur	NA	Proposed Building 4, Building 5 & Additional Storage Area
P098	Potassium cyanide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P099	Argentate (1-), bis(cyano-C)-, potassium	NA	Proposed Building 4, Building 5 & Additional Storage Area
P101	Ethyl cyanide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P102	Propargyl alcohol	NA	Proposed Building 4, Building 5 & Additional Storage Area
P103	Selenourea	NA	Proposed Building 4, Building 5 & Additional Storage Area
P104	Silver cyanide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P105	Sodium azide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P106	Sodium cyanide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P108	Strychnidin-10-one, and salts	NA	Proposed Building 4, Building 5 & Additional Storage Area
P109	Tetraethyldithiopyrophosphate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P110	Tetraethyl lead	NA	Proposed Building 4, Building 5 & Additional Storage Area
P111	Diphosphoric acid, tetraethyl ester	NA	Proposed Building 4, Building 5 & Additional Storage Area
P112	Methane, tetranitro-	Reactive Waste	Proposed Building 4, Building 5 & Additional Storage Area
P113	Thallium (III) oxide	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
P114	Thallium (I) selenide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P115	Thallium (I) sulfate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P116	Hydrazinecarbothioamide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P118	Methanethiol, trichloro-	NA	Proposed Building 4, Building 5 & Additional Storage Area
P119	Ammonium vanadate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P120	Vanadium pentoxide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P121	Zinc cyanide	NA	Proposed Building 4, Building 5 & Additional Storage Area
P122	Zinc phosphide, when present at	Reactive and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
P123	Toxaphene	NA	Proposed Building 4, Building 5 & Additional Storage Area
P127	Carbofuran	NA	Proposed Building 4, Building 5 & Additional Storage Area
P128	Mexacarbate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P185	1,3-Dithiolane-2-carboxaldehyde, 2-4- dimethyl-, O-[(methylamino)- carbonyl]oxime	NA	Proposed Building 4, Building 5 & Additional Storage Area
P188	Benzoic acid, 2-hydroxy-, compd. With (3aS- cis) – 1,2,3,3a,8,8a-hexahydro-1,3a,8- trimethylpyrrolob indol-5-yl methylcarbamate ester	NA	Proposed Building 4, Building 5 & Additional Storage Area
P189	Carbosulfan	NA	Proposed Building 4, Building 5 & Additional Storage Area
P190	Metolcarb	NA	Proposed Building 4, Building 5 & Additional Storage Area
P191	Dimetilan	NA	Proposed Building 4, Building 5 & Additional Storage Area
P192	Isolan	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
P194	Oxamyl	NA	Proposed Building 4, Building 5 & Additional Storage Area
P196	Manganese, dimethyldithiocarbamate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P197	Formparanate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P198	Formetanate hydrochloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
P199	Methiocarb	NA	Proposed Building 4, Building 5 & Additional Storage Area
P201	Phenol, 3-methyl-5-(1-methylethyl)-, methyl carbamate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P202	m-Cumenyl methylcarbamate	NA	Proposed Building 4, Building 5 & Additional Storage Area
P203	Aldicarb sulfone	NA	Proposed Building 4, Building 5 & Additional Storage Area
P204	Physostigmine	NA	Proposed Building 4, Building 5 & Additional Storage Area
P205	Zinc, bis(dismethylcarbamodithioato-S,S')-	NA	Proposed Building 4, Building 5 & Additional Storage Area
U001	Acetaldehyde	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U002	Acetone	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U003	Acetonitrile	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U004	Acetophenone	NA	Proposed Building 4, Building 5 & Additional Storage Area
U005	2-Acetylaminofluorene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U006	Acetyl chloride	Combustible, Reactive and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U007	Acrylamide	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
U008	Acrylic acid	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U009	Acrylonitrile	NA	Proposed Building 4, Building 5 & Additional Storage Area
U010	Mitomycin	Combustible Waste	Proposed Building 4, Building 5 & Additional Storage Area
U011	Amitrole	NA	Proposed Building 4, Building 5 & Additional Storage Area
U012	Aniline	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U014	Auramine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U015	Azaserine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U016	Benz[c]acridine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U017	Benzal chloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
U018	Benz[a]anthracene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U019	Benzene	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U020	Benzenesulfonyl chloride	Combustible and Reactive Waste	Proposed Building 4, Building 5 & Additional Storage Area
U021	Benzidine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U022	Benzo[a]pyrene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U023	Benzotrichloride	Combustible, Reactive and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U024	Dichloromethoxy ethane	NA	Proposed Building 4, Building 5 & Additional Storage Area
U025	Dichloroethyl ether	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
U026	Chlornaphazine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U027	Dichloroisopropyl ether	NA	Proposed Building 4, Building 5 & Additional Storage Area
U028	Diethylhexyl phthalate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U029	Methyl bromide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U030	Benzene, 1-bromo-4-phenoxy-	NA	Proposed Building 4, Building 5 & Additional Storage Area
U031	1-Butanol	(Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U032	Calcium chromate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U033	Carbon oxyfluoride	Reactive and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U034	Chloral	NA	Proposed Building 4, Building 5 & Additional Storage Area
U035	Chlorambucil	NA	Proposed Building 4, Building 5 & Additional Storage Area
U036	Chlordane, technical	NA	Proposed Building 4, Building 5 & Additional Storage Area
U037	Chlorobenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U038	Chlorobenzilate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U039	4-Chloro-m-cresol	NA	Proposed Building 4, Building 5 & Additional Storage Area
U041	Epichlorhydrin	NA	Proposed Building 4, Building 5 & Additional Storage Area
U042	2-Chloroethyl vinyl ether	NA	Proposed Building 4, Building 5 & Additional Storage Area
U043	Vinyl chloride	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
U044	Chloroform	NA	Proposed Building 4, Building 5 & Additional Storage Area
U045	Methyl chloride	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U046	Chloromethyl methyl ether	NA	Proposed Building 4, Building 5 & Additional Storage Area
U047	beta-Chloronaphthalene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U048	o-Chlorophenol	NA	Proposed Building 4, Building 5 & Additional Storage Area
U049	Benzenamine, 4-chloro-2-methyl-	NA	Proposed Building 4, Building 5 & Additional Storage Area
U050	Chrysene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U051	Creosote	NA	Proposed Building 4, Building 5 & Additional Storage Area
U052	Cresylic acid	NA	Proposed Building 4, Building 5 & Additional Storage Area
U053	Crotonaldehyde	NA	Proposed Building 4, Building 5 & Additional Storage Area
U055	Cumene	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U056	Cyclohexane	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U057	Cyclohexanone	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U058	Cyclophosphamide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U059	Daunomycin	NA	Proposed Building 4, Building 5 & Additional Storage Area
U060	DDD	NA	Proposed Building 4, Building 5 & Additional Storage Area
U061	DDT	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
U062	Diallate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U063	Dibenz[a,h]anthracene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U064	Dibenz[a,i]pyrene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U066	Propane, 1,2-dibromo-3-chloro-	NA	Proposed Building 4, Building 5 & Additional Storage Area
U067	Ethylene dibromide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U068	Methylene bromide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U069	Dibutyl phthalate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U070	o-Dichlorobenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U071	m-Dichlorobenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U072	p-Dichlorobenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U073	3,3'-Dichlorobenzidine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U074	1,4-Dichloro-2-butene	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U075	Dichlorodifluoromethane	NA	Proposed Building 4, Building 5 & Additional Storage Area
U076	Ethylidene dichloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
U077	Ethylene dichloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
U078	1,1-Dichloroethylene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U079	1,2-Dichloroethylene	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
U080	Methylene chloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
U081	2,4-Dichlorophenol	NA	Proposed Building 4, Building 5 & Additional Storage Area
U082	2,6-Dichlorophenol	NA	Proposed Building 4, Building 5 & Additional Storage Area
U083	Propylene dichloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
U084	1,3-Dichloropropene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U085	2,2'-Bioxirane	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U086	Hydrazine, 1,2-diethyl-	NA	Proposed Building 4, Building 5 & Additional Storage Area
U087	Phosphorodithioic acid, 0,0-diethyl-S-methyl ester	NA	Proposed Building 4, Building 5 & Additional Storage Area
U088	Diethyl phthalate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U089	Diethylstilbestrol	NA	Proposed Building 4, Building 5 & Additional Storage Area
U090	Dihydrosafrole	NA	Proposed Building 4, Building 5 & Additional Storage Area
U091	3,3'-dimethoxybenzidine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U092	Dimethylamine	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U093	Dimethylaminoazobenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U094	7,12-Dimethylbenz[a]anthracene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U095	3,3'-Dimethylbenzidine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U096	Hydroperoxide, 1-methyl-1-phenylethyl-	Reactive Waste	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
U097	Dimethylcarbamoyl chloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
U098	1,1-Dimethylhydrazine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U099	1,2-Dimethylhydrazine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U101	2,4-Dimethylphenol	NA	Proposed Building 4, Building 5 & Additional Storage Area
U102	Dimethyl phthalate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U103	Dimethyl sulfate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U105	2,4-Dinitrotoluene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U106	2,6-Dinitrotoluene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U107	Di-n-octyl phthalate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U108	1,4-Dioxane	NA	Proposed Building 4, Building 5 & Additional Storage Area
U109	Hydrazine, 1,2-diphenyl-	NA	Proposed Building 4, Building 5 & Additional Storage Area
U110	Dipropylamine	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U111	Di-n-propylnitrosamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U112	Acetic acid, ethyl ester	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U113	Ethyl acrylate	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U114	Carbamodithioic acid, 1,2-ethanediybis-, salts	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U115	Oxirane	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U116	Ethylene thiourea	NA	Proposed Building 4, Building 5 & Additional Storage Area
U117	Ethyl ether	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U118	2-Propenoic acid, 2-methyl-, ethyl ester	NA	Proposed Building 4, Building 5 & Additional Storage Area
U119	Ethyl methanesulfonate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U120	Fluoranthene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U121	Trichloromonofluoromethane	NA	Proposed Building 4, Building 5 & Additional Storage Area
U122	Formaldehyde	NA	Proposed Building 4, Building 5 & Additional Storage Area
U123	Formic Acid	NA	Proposed Building 4, Building 5 & Additional Storage Area
U124	Furan	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U125	Furfural	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U126	Glycidylaldehyde	NA	Proposed Building 4, Building 5 & Additional Storage Area
U127	Hexachlorobenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U128	Hexachlorobutadiene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U129	Lindane	NA	Proposed Building 4, Building 5 & Additional Storage Area
U130	Hexachlorocyclopentadiene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U131	Hexachloroethane	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U132	Hexachlorophene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U133	Hydrazine	Reactive and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U134	Hydrogen fluoride	Combustible and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U135	Hydrogen sulfide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U136	Cacodylic acid	NA	Proposed Building 4, Building 5 & Additional Storage Area
U137	Indeno[1,2,3cd]pyrene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U138	Methyl iodide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U140	Isobutyl alcohol	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U141	Isosafrole	NA	Proposed Building 4, Building 5 & Additional Storage Area
U142	Kepone	NA	Proposed Building 4, Building 5 & Additional Storage Area
U143	Lasiocarpine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U144	Lead acetate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U145	Lead phosphate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U146	Lead subacetate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U147	Maleic anhydride	NA	Proposed Building 4, Building 5 & Additional Storage Area
U148	Maleic hydrazide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U149	Malononitrile	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U150	Melphalan	NA	Proposed Building 4, Building 5 & Additional Storage Area
U151	Mercury	NA	Proposed Building 4, Building 5 & Additional Storage Area
U152	Methacrylonitrile	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U153	Thiomethanol	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U154	Methanol	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U155	Methapyrilene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U156	Methyl chlorocarbonate	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U157	3-Methylcholanthrene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U158	4,4'-Methylenebis(2-chloroaniline)	NA	Proposed Building 4, Building 5 & Additional Storage Area
U159	Methyl ethyl ketone	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U160	Methyl ethyl ketone peroxide	Reactive and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U161	Methyl isobutyl ketone	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U162	Methyl methacrylate	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U163	MNNG	NA	Proposed Building 4, Building 5 & Additional Storage Area
U164	Methylthiouracil	NA	Proposed Building 4, Building 5 & Additional Storage Area
U165	Naphthalene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U166	1,4-Naphthalenedione	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U167	1-Naphthalenamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U168	2-Naphthalenamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U169	Nitrobenzene	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U170	p-Nitrophenol	NA	Proposed Building 4, Building 5 & Additional Storage Area
U171	2-Nitropropane	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U172	N-Nitrosodi-n-butylamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U173	N-Nitrosodiethanolamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U174	N-Nitrosodiethylamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U176	N-Nitroso-N-ethylurea	NA	Proposed Building 4, Building 5 & Additional Storage Area
U177	N-Nitroso-N-methylurea	NA	Proposed Building 4, Building 5 & Additional Storage Area
U178	N-Nitroso-N-methylurethane	NA	Proposed Building 4, Building 5 & Additional Storage Area
U179	N-Nitrosopiperidine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U180	N-Nitrosopyrrolidine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U181	5-Nitro-o-toluidine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U182	Paraldehyde	NA	Proposed Building 4, Building 5 & Additional Storage Area
U183	Pentachlorobenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U184	Pentachloroethane	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U185	Pentachloronitrobenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U186	1-Methylbutadiene	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U187	Phenacetin	NA	Proposed Building 4, Building 5 & Additional Storage Area
U188	Phenol	NA	Proposed Building 4, Building 5 & Additional Storage Area
U189	Phosphorus sulfide	Reactive Waste	Proposed Building 4, Building 5 & Additional Storage Area
U190	Phthalic anhydride	NA	Proposed Building 4, Building 5 & Additional Storage Area
U191	2-Picoline	NA	Proposed Building 4, Building 5 & Additional Storage Area
U192	Pronamide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U193	1,3-Propane sultone	NA	Proposed Building 4, Building 5 & Additional Storage Area
U194	1-Propanamine	Ignitable and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U196	Pyridine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U197	p-Benzoquinone	NA	Proposed Building 4, Building 5 & Additional Storage Area
U200	Reserpine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U201	Resorcinol	NA	Proposed Building 4, Building 5 & Additional Storage Area
U203	Safrole	NA	Proposed Building 4, Building 5 & Additional Storage Area
U204	Selenium dioxide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U205	Selenium sulfide	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U206	Streptozotocin	NA	Proposed Building 4, Building 5 & Additional Storage Area
U207	1,2,4,5-Tetrachlorobenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U208	Ethane, 1,1,1,2-tetrachloro-	NA	Proposed Building 4, Building 5 & Additional Storage Area
U209	Ethane, 1,1,2,2-tetrachloro-	NA	Proposed Building 4, Building 5 & Additional Storage Area
U210	Tetrachloroethylene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U211	Carbon tetrachloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
U213	Tetrahydrofuran	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U214	Thallium (I) acetate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U215	Thallium (I) carbonate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U216	Thallium (I) chloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
U217	Thallium (I) nitrate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U218	Thioacetamide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U219	Thiourea	NA	Proposed Building 4, Building 5 & Additional Storage Area
U220	Toluene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U221	Toluenediamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U222	Benzenamine, 2-methyl-, hydrochloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
U223	Toluene diisocyanate	Reactive and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U225	Bromoform	NA	Proposed Building 4, Building 5 & Additional Storage Area
U226	Methylchloroform	NA	Proposed Building 4, Building 5 & Additional Storage Area
U227	1,1,2-Trichloroethane	NA	Proposed Building 4, Building 5 & Additional Storage Area
U228	Trichloroethylene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U234	1,3,5-Trinitrobenzene	Reactive and Toxic Waste	Proposed Building 4, Building 5 & Additional Storage Area
U235	Tris(2,3-Dibromopropyl) phosphate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U236	Trypan blue	NA	Proposed Building 4, Building 5 & Additional Storage Area
U237	Uracil mustard	NA	Proposed Building 4, Building 5 & Additional Storage Area
U238	Carbamic acid, ethyl ester	NA	Proposed Building 4, Building 5 & Additional Storage Area
U239	Xylene	Ignitable Waste	Proposed Building 4, Building 5 & Additional Storage Area
U240	2,4-D, salts and esters	NA	Proposed Building 4, Building 5 & Additional Storage Area
U243	Hexachloropropene	NA	Proposed Building 4, Building 5 & Additional Storage Area
U244	Thiram	NA	Proposed Building 4, Building 5 & Additional Storage Area
U246	Cyanogen bromide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U247	Methoxychlor	NA	Proposed Building 4, Building 5 & Additional Storage Area
U248	Warfarin, and salts, when present at a	NA	Proposed Building 4, Building 5 & Additional Storage Area
U249	Zinc phosphide, when present at concentration	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U271	Benomyl	NA	Proposed Building 4, Building 5 & Additional Storage Area
U277	Carbamodithioic acid, diethyl-, 2-chloro-2-propenyl ester	NA	Proposed Building 4, Building 5 & Additional Storage Area
U278	Bendiocarb	NA	Proposed Building 4, Building 5 & Additional Storage Area
U279	Carbaryl	NA	Proposed Building 4, Building 5 & Additional Storage Area
U280	Barban	NA	Proposed Building 4, Building 5 & Additional Storage Area
U328	o-Toluidine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U353	p-Toluidine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U359	Ethylene glycol monoethyl ether	NA	Proposed Building 4, Building 5 & Additional Storage Area
U364	Bendiocarb phenol	NA	Proposed Building 4, Building 5 & Additional Storage Area
U365	Azepine-1-carbothioic acid, hexahydro-, S-ethyl 1 ester	NA	Proposed Building 4, Building 5 & Additional Storage Area
U366	Dazomet	NA	Proposed Building 4, Building 5 & Additional Storage Area
U367	Carbofuran phenol	NA	Proposed Building 4, Building 5 & Additional Storage Area
U372	Carbendazim	NA	Proposed Building 4, Building 5 & Additional Storage Area
U373	Propham	NA	Proposed Building 4, Building 5 & Additional Storage Area
U375	3-Iodo-2-propynyl n-butylcarbamate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U376	Carbamodithioic acid, dimethyl-, tetraanhydrosulfide with orthothioselenious acid	NA	Proposed Building 4, Building 5 & Additional Storage Area
U377	Carbamodithioic acid, methyl-, monopotassium salt	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U378	Carbamodithioic acid, (hydroxymethyl) methyl-, monopotassium salt	NA	Proposed Building 4, Building 5 & Additional Storage Area
U379	Sodium dibutyldithiocarbamate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U381	Sodium diethyldithiocarbamate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U382	Sodium dimethyldithiocarbamate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U383	Carbamodithioic acid, dimethyl, potassium salt	NA	Proposed Building 4, Building 5 & Additional Storage Area
U384	Carbamodithioic acid, methyl-, monosodium salt	NA	Proposed Building 4, Building 5 & Additional Storage Area
U385	Carbamothioic acid, dipropyl-, S-propyl ester	NA	Proposed Building 4, Building 5 & Additional Storage Area
U386	Carbamothioic acid, cyclohexylethyl-, S-ethyl ester	NA	Proposed Building 4, Building 5 & Additional Storage Area
U387	Prosulfocarb	NA	Proposed Building 4, Building 5 & Additional Storage Area
U389	Triallate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U390	Carbamothioic acid, dipropyl-, S-ethyl ester	NA	Proposed Building 4, Building 5 & Additional Storage Area
U391	Carbamothioic acid, butylethyl-, S-propyl ester	NA	Proposed Building 4, Building 5 & Additional Storage Area
U392	Carbamothioic acid, bis(2-methylpropyl)-, S-ethyl ester	NA	Proposed Building 4, Building 5 & Additional Storage Area
U393	Copper dimethyldithiocarbamate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U394	A2213	NA	Proposed Building 4, Building 5 & Additional Storage Area
U395	Diethylene glycol, dicarbamate	NA	Proposed Building 4, Building 5 & Additional Storage Area
U396	Ferbam	NA	Proposed Building 4, Building 5 & Additional Storage Area

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
U400	Bis(pentamethylene)thiuram tetrasulfide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U401	Bis(dimethylthiocarbamoyl) sulfide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U402	Tetrabutylthiuram disulfide	NA	Proposed Building 4, Building 5 & Additional Storage Area
U403	Disulfiram	NA	Proposed Building 4, Building 5 & Additional Storage Area
U404	Triethylamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
U407	Ethyl Ziram	NA	Proposed Building 4, Building 5 & Additional Storage Area
U409	Thiophanate-methyl	NA	Proposed Building 4, Building 5 & Additional Storage Area
U410	Thiodicarb	NA	Proposed Building 4, Building 5 & Additional Storage Area
U411	Propoxur	NA	Proposed Building 4, Building 5 & Additional Storage Area
001S	Aflatoxin	NA	Proposed Building 4, Building 5 & Additional Storage Area
002S	Tetrachlorodibenzo-p-dioxin	NA	Proposed Building 4, Building 5 & Additional Storage Area
003S	Pentachloribenzo-p-dioxin	NA	Proposed Building 4, Building 5 & Additional Storage Area
004S	Hexachlorodibenzo-p-dioxin	NA	Proposed Building 4, Building 5 & Additional Storage Area
005S	Hexachlorodibenzo-p-dioxin	NA	Proposed Building 4, Building 5 & Additional Storage Area
006S	Hexachlorodibenzo-p-dioxin	NA	Proposed Building 4, Building 5 & Additional Storage Area
007S	Tetrachloridibenzo furan	NA	Proposed Building 4, Building 5 & Additional Storage Area
001U	Actinomycin D	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
002U	Allyl Chloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
003U	2-aminoanthrquinone	NA	Proposed Building 4, Building 5 & Additional Storage Area
004U	Aminoazobenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
005U	0-aminoazotoluene	NA	Proposed Building 4, Building 5 & Additional Storage Area
006U	4-aminobephenyl	NA	Proposed Building 4, Building 5 & Additional Storage Area
007U	3-amino-9-ethyl carbazole	NA	Proposed Building 4, Building 5 & Additional Storage Area
008U	1-amino-2-methyl anthraquinone	NA	Proposed Building 4, Building 5 & Additional Storage Area
009U	Anilazine	NA	Proposed Building 4, Building 5 & Additional Storage Area
011U	o-Anisidine	NA	Proposed Building 4, Building 5 & Additional Storage Area
012U	o-Anisidine hydrochloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
014U	Antimycin A	NA	Proposed Building 4, Building 5 & Additional Storage Area
020U	Bromoxynil	NA	Proposed Building 4, Building 5 & Additional Storage Area
021U	2(p-tert-Butylphenoxy)-isopropyl-2-chloroethyl	NA	Proposed Building 4, Building 5 & Additional Storage Area
022U	Captafol	NA	Proposed Building 4, Building 5 & Additional Storage Area
023U	Captan	NA	Proposed Building 4, Building 5 & Additional Storage Area
027U	Carbophenothion	NA	Proposed Building 4, Building 5 & Additional Storage Area
029U	Chloropyrifos	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
032U	Chlorine gas	NA	Proposed Building 4, Building 5 & Additional Storage Area
033U	2-Chloroethanol	NA	Proposed Building 4, Building 5 & Additional Storage Area
034U	3-(Chloromethyl) pyridine	NA	Proposed Building 4, Building 5 & Additional Storage Area
036U	4-Chloro-m-phenylenediamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
037U	4-Chloro-o- phenylenediamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
038U	Chloroprene	NA	Proposed Building 4, Building 5 & Additional Storage Area
040U	Clonitralid	NA	Proposed Building 4, Building 5 & Additional Storage Area
042U	Coumasphos	NA	Proposed Building 4, Building 5 & Additional Storage Area
043U	p-Cresidine	NA	Proposed Building 4, Building 5 & Additional Storage Area
044U	Crotoxyphos	NA	Proposed Building 4, Building 5 & Additional Storage Area
046U	Cycloheximide	NA	Proposed Building 4, Building 5 & Additional Storage Area
047U	Demeton	NA	Proposed Building 4, Building 5 & Additional Storage Area
048U	2,4 Diaminoanisole Sulfate	NA	Proposed Building 4, Building 5 & Additional Storage Area
049U	4,4'-Diaminodiphenyl ether	NA	Proposed Building 4, Building 5 & Additional Storage Area
050U	2,4-diamino toluene	NA	Proposed Building 4, Building 5 & Additional Storage Area
051U	Diazinon	NA	Proposed Building 4, Building 5 & Additional Storage Area
052U	Dichlone	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
054U	Dichlorvos	NA	Proposed Building 4, Building 5 & Additional Storage Area
055U	Dichrotophos	NA	Proposed Building 4, Building 5 & Additional Storage Area
056U	Diethyl sulfat	NA	Proposed Building 4, Building 5 & Additional Storage Area
057U	Dinocap	NA	Proposed Building 4, Building 5 & Additional Storage Area
058U	Dioxathion	NA	Proposed Building 4, Building 5 & Additional Storage Area
059U	EPN	NA	Proposed Building 4, Building 5 & Additional Storage Area
061U	Ethion	NA	Proposed Building 4, Building 5 & Additional Storage Area
063U	Fensulfothion	NA	Proposed Building 4, Building 5 & Additional Storage Area
064U	Fenthion	NA	Proposed Building 4, Building 5 & Additional Storage Area
065U	Fluchloralin	NA	Proposed Building 4, Building 5 & Additional Storage Area
068U	Hexamethyl phosphoramid	NA	Proposed Building 4, Building 5 & Additional Storage Area
070U	Hydroquinone	NA	Proposed Building 4, Building 5 & Additional Storage Area
071U	N-(2-Hydroxyethyl) ethyleneimine	NA	Proposed Building 4, Building 5 & Additional Storage Area
073U	Isonicotinic acid hydrazine	NA	Proposed Building 4, Building 5 & Additional Storage Area
074U	Ketene	NA	Proposed Building 4, Building 5 & Additional Storage Area
075U	Lactonitril	NA	Proposed Building 4, Building 5 & Additional Storage Area
076U	Leptophos	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
078U	Malachite green	NA	Proposed Building 4, Building 5 & Additional Storage Area
079U	Malathion	NA	Proposed Building 4, Building 5 & Additional Storage Area
080U	Mestranol	NA	Proposed Building 4, Building 5 & Additional Storage Area
082U	4,4'-Methylenebis(2-methylaniline)	NA	Proposed Building 4, Building 5 & Additional Storage Area
083U	4,4'-Methylenebis(N,N-dimethylaniline)	NA	Proposed Building 4, Building 5 & Additional Storage Area
086U	1-Methylnaphthalene	NA	Proposed Building 4, Building 5 & Additional Storage Area
088U	Mevinphos	NA	Proposed Building 4, Building 5 & Additional Storage Area
089U	Mexacarbate	NA	Proposed Building 4, Building 5 & Additional Storage Area
090U	Mirex	NA	Proposed Building 4, Building 5 & Additional Storage Area
092U	Monocrotophos	NA	Proposed Building 4, Building 5 & Additional Storage Area
093U	Mustard gas	NA	Proposed Building 4, Building 5 & Additional Storage Area
094U	Naled	NA	Proposed Building 4, Building 5 & Additional Storage Area
095U	1,5-Napthalenediamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
097U	Niridazole	NA	Proposed Building 4, Building 5 & Additional Storage Area
098U	Nithiazide	NA	Proposed Building 4, Building 5 & Additional Storage Area
099U	5-Nitroacenaphthene	NA	Proposed Building 4, Building 5 & Additional Storage Area
100U	Nitro-o-anisidine	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
101U	4-Nitrobiphenyl	NA	Proposed Building 4, Building 5 & Additional Storage Area
102U	Nitrofen	NA	Proposed Building 4, Building 5 & Additional Storage Area
103U	N-(4-(5-nitro-2-furanyl)-2-thiazolyl)-acetamide	NA	Proposed Building 4, Building 5 & Additional Storage Area
104U	Nitrogen mustard	NA	Proposed Building 4, Building 5 & Additional Storage Area
106U	p-Nitrosodiphenylamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
108U	N-Nitroso-N-phenylhydroxylamine	NA	Proposed Building 4, Building 5 & Additional Storage Area
110U	Oxydemeton-methyl	NA	Proposed Building 4, Building 5 & Additional Storage Area
111U	Paraquate dichloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
112U	Peroxyacetic acid	NA	Proposed Building 4, Building 5 & Additional Storage Area
113U	Phenazopyridine hydrochloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
114U	Phenesterin	NA	Proposed Building 4, Building 5 & Additional Storage Area
115U	Phenobarbitol	NA	Proposed Building 4, Building 5 & Additional Storage Area
116U	Phenytoin	NA	Proposed Building 4, Building 5 & Additional Storage Area
117U	Phenytoin sodium	NA	Proposed Building 4, Building 5 & Additional Storage Area
118U	Phosazetim	NA	Proposed Building 4, Building 5 & Additional Storage Area
119U	Phosmet	NA	Proposed Building 4, Building 5 & Additional Storage Area
120U	Phosphamidon	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
121U	Piperonyl sulfoxide	NA	Proposed Building 4, Building 5 & Additional Storage Area
124U	Propiolactone	NA	Proposed Building 4, Building 5 & Additional Storage Area
127U	Prpoylthiouracil	NA	Proposed Building 4, Building 5 & Additional Storage Area
128U	Rotenone	NA	Proposed Building 4, Building 5 & Additional Storage Area
129U	Semicarbazide	NA	Proposed Building 4, Building 5 & Additional Storage Area
131U	Styrene	NA	Proposed Building 4, Building 5 & Additional Storage Area
132U	Sulfallate	NA	Proposed Building 4, Building 5 & Additional Storage Area
134U	TDE	NA	Proposed Building 4, Building 5 & Additional Storage Area
136U	Terbufos	NA	Proposed Building 4, Building 5 & Additional Storage Area
137U	Tetrachlorvinphos	NA	Proposed Building 4, Building 5 & Additional Storage Area
138U	4,4'-Thiodianiline	NA	Proposed Building 4, Building 5 & Additional Storage Area
139U	o-Toluidine	NA	Proposed Building 4, Building 5 & Additional Storage Area
141U	Trichlorfon	NA	Proposed Building 4, Building 5 & Additional Storage Area
142U	Trifluralin	NA	Proposed Building 4, Building 5 & Additional Storage Area
143U	2,4,5-Trimethylaniline	NA	Proposed Building 4, Building 5 & Additional Storage Area
144U	Triamethylphosphate	NA	Proposed Building 4, Building 5 & Additional Storage Area
146U	Ziram	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
147U	Azinphos-ethyl	NA	Proposed Building 4, Building 5 & Additional Storage Area
148U	Azinphos-methyl	NA	Proposed Building 4, Building 5 & Additional Storage Area
150U	p-chlorophenol	NA	Proposed Building 4, Building 5 & Additional Storage Area
151U	5-chloro-o-toluidene	NA	Proposed Building 4, Building 5 & Additional Storage Area
152U	Chlorfenuinphos	NA	Proposed Building 4, Building 5 & Additional Storage Area
153U	Sodium fluoroacetate	NA	Proposed Building 4, Building 5 & Additional Storage Area
154U	Bis(tri-n-butyl tin) oxide	NA	Proposed Building 4, Building 5 & Additional Storage Area
155U	Vinylidene chloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
157U	3-amino-9-ethyl carbazole	NA	Proposed Building 4, Building 5 & Additional Storage Area
158U	Aniline hydrochloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
159U	Azobenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
160U	1,3-Butadiene	NA	Proposed Building 4, Building 5 & Additional Storage Area
161U	Butyl benzl phthalate	NA	Proposed Building 4, Building 5 & Additional Storage Area
162U	1-chloro-4-phenoxybenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
163U	1-chloropropene	NA	Proposed Building 4, Building 5 & Additional Storage Area
164U	P,P' DDE	NA	Proposed Building 4, Building 5 & Additional Storage Area
165U	N,N'-Diethylthiourea	NA	Proposed Building 4, Building 5

**TABLE A2-3  
HAZARDOUS WASTES ACCEPTED (PROPOSED BUILDING 4, BUILDING 5A & BUILDING 5B)**

<b>Hazardous Waste Code</b>	<b>Waste Description/Name</b>	<b>Basis for Hazard Designation</b>	<b>Hazardous Waste Management Unit</b>
			& Additional Storage Area
166U	1,2-Epoxybutane	NA	Proposed Building 4, Building 5 & Additional Storage Area
167U	Kanechlor C	NA	Proposed Building 4, Building 5 & Additional Storage Area
169U	Octachlorostyrene	NA	Proposed Building 4, Building 5 & Additional Storage Area
170U	Semicarbazide hydrochloride	NA	Proposed Building 4, Building 5 & Additional Storage Area
171U	Tributyltin (and other salts and esters)	NA	Proposed Building 4, Building 5 & Additional Storage Area
172U	1,2,3-Trichlorobenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
173U	1,2,4-Trichlorobenzene	NA	Proposed Building 4, Building 5 & Additional Storage Area
174U	Urethane	NA	Proposed Building 4, Building 5 & Additional Storage Area
175U	Vinyl bromide	NA	Proposed Building 4, Building 5 & Additional Storage Area

NA – Not Available and/or Not Applicable