above ground storage tank
air quality
asbestos/lead-based paint
baseline environmental assessment
brownfield redevelopment
building/infrastructure restoration
caisson/piles
coatings
concrete
construction materials services
corrosion
dewatering
drilling
due care analysis
earth retention system
environmental site assessment
facility asset management
failure analyses
forensic engineering
foundation engineering
geodynamic/vibration
geophysical survey
geosynthetic
greyfield redevelopment
ground modification
hydrogeologic evaluation
industrial hygiene
indoor air quality/mold
instrumentation
ISO14001 EMS
masonry/stone
metals
nondestructive testing
pavement evaluation/design
property condition assessment
regulatory compliance
remediation
risk assessment
roof system management
sealants/waterproofing
settlement analysis
slope stability
storm water management
structural steel/welding
underground storage tank

RECEIVED
JUN 4 2007
RRD-MDEQ
GRAND RAPIDS DISTRICT

Kept

2007 ANNUAL GROUNDWATER MONITORING REPORT

FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE BELDING, MICHIGAN

SME Project No. LE52510
May 30, 2007

SITE/CO
FILE NAME P/C Monitoring
TITLE RIW
DOCUMENT SME / 2007
Annual GW

Soil and Materials Engineers, Inc.

Soil and Materials Engineers, Inc.
2663 Eaton Rapids Road
Lansing, MI 48911-6310

tel (517) 887-9181
fax (517) 887-2666
www.sme-usa.com

Kenneth W. Kramer, PE
Chairman Emeritus

Mark K. Kramer, PE
Frank A. Henderson, PG
Timothy H. Bedenis, PE
Gerald M. Belian, PE
Chuck A. Gemayel, PE
Larry P. Jedele, PE
Starr D. Kohn, PhD, PE
Edward S. Lindow, PE
Gerard P. Madej, PE
Timothy J. Mitchell, PE
Robert C. Rabeler, PE
Daniel O. Roeser, PG

J. William Coberly, CET
Andrew J. Emmert, CPA
Sheryl K. Fountain
Davie J. Hurlburt, PE
J. Art Johnson, CET
Cheryl Kehres-Dietrich, CGWP
Jeffery M. Krusinga, PE, GE
James M. Less, CIH
Michael S. Meddock, PE
Larry W. Shook, PE
Michael J. Thelen, PE
John C. Zarzecki, CWI, CDT

May 30, 2007

Mr. Gerard Heyt, Jr., District Supervisor
Michigan Department of Environmental Quality
4560 44th Street SE, Suite E
Kentwood, Michigan 49512-4096

RE: 2007 Annual Groundwater Monitoring Report
Former White Consolidated Industries - Belding Site
Belding, Michigan
SME Project No. LE52510

Dear Mr. Heyt:

On February 27 and 28, 2007, Soil and Materials Engineers Inc. (SME) conducted the annual groundwater sampling at the Former White Consolidated Industries (WCI) Belding Site. The Former WCI Belding Site is located at 100 East Main Street in Belding, Michigan (see Figure 1).

This sampling event was conducted in general accordance with the Michigan Department of Environmental Quality (MDEQ) Environmental Response Division (ERD)-approved monitoring plan dated December 13, 1996. This groundwater monitoring plan prepared by the Dragun Corporation is contained in the "Limited Industrial Remedial Action Plan, Former White Consolidated Industries Belding Site," (RAP) dated October 27, 1998. This sampling event was also conducted in general accordance with the SME submittal titled, "Response to March 24, 1999, MDEQ Correspondence", dated March 19, 2001, which addressed varying the season in which the annual groundwater and surface water sampling is performed.

The findings of the February 2007 annual groundwater sampling event are presented in this report.

Direction of Groundwater Flow

To estimate the direction of groundwater flow in the vicinity of the Former WCI Belding Site, SME evaluated static groundwater elevation data collected on February 27, 2007 (Table 1). Based on this data, a groundwater contour map was constructed (Figure 2). As shown on Figure 2, groundwater flows to the northeast toward the Flat River, which is consistent with previous groundwater flow conditions.

Plymouth
Bay City
Grand Rapids
Kalamazoo
Lansing
Shelby Township
Toledo
Traverse City

© 2007 soil and materials engineers, inc.

Sample Collection Methods

On February 27 and 28, 2007, groundwater samples were collected from nine monitoring wells, and surface water samples were collected from the Flat River at two locations (Figure 2). Monitoring wells MW8 and MW9 could not be located beneath plowed snow piles. Monitoring well MW5 was purged dry during collection of field chemistry data and did not recharge so it could not be sampled.

Prior to sampling, temperature, conductivity, dissolved oxygen (DO), Eh and pH measurements were collected following the removal of each well volume at each accessible well location. These measurements were made using an ISI Troll 9000 meter. Groundwater samples were collected following stabilization of field chemistry. On February 27, 2007, the dissolved oxygen meter could not be calibrated while sampling MW5 and MW6. Calibration of the dissolved oxygen meter was achieved during sampling at the remaining well locations. The Monitoring Well Sampling Event Field Report documenting field chemistry stabilization is presented in Appendix A.

Each monitoring well was sampled with a peristaltic sampling pump using disposable high-density polyethylene (HDPE) tubing. The surface water of the Flat River was sampled at two locations, designated SW-1 and SW-2, using HDPE disposable bailers. Groundwater and surface water samples were collected in Series 200, ICHEM laboratory containers (or equivalent) using environmental sampling and preservation protocols, which includes chain-of-custody documentation and sample shipment procedures.

Laboratory Testing of Surface Water and Groundwater Samples

Monitoring wells MW4S, MW6, MW7, MW10, MW11, and surface water sample SW2 were sampled and analyzed for volatile organic compounds (VOCs) and selected cations and anions. Monitoring wells MW1, MW2, MW3, MW4D, and surface water sample SW1 were sampled and analyzed for VOCs. Laboratory test methods and results are discussed below.

Distribution of Chlorinated Hydrocarbons

Thirteen water samples were submitted to Fibertec Environmental Services (Fibertec) of Holt, Michigan and tested for the presence of VOCs using USEPA Method 8260. In addition to the nine groundwater and two surface water samples, two trip blanks were submitted to Fibertec for analysis. A summary of selected laboratory data from the 2007 annual sampling event is presented in Table 2. Laboratory data reports are presented in Appendix B.

Table 2 shows that vinyl chloride was detected at concentrations that exceed MDEQ Part 201 industrial clean-up criteria protective of drinking water in two groundwater samples from MW-1 and MW-4S. The highest vinyl chloride concentration was detected in the groundwater sample collected from monitoring well MW-4S at a concentration of 780 micrograms per liter (ug/L). Cis-1,2-dichloroethene at MW-4S and tetrachloroethene and TCE at MW-6 were each detected at concentrations that exceeded MDEQ Part 201 industrial clean-up criteria protective of drinking water.

© 2007 soil and materials engineers, inc.

The highest concentration of chlorinated hydrocarbons present in groundwater was detected in monitoring well MW-6, which is located adjacent to the source area. The total concentration of chlorinated hydrocarbons present in monitoring well MW-6 was 2,539 ug/L. The chlorinated hydrocarbons detected in the groundwater sample collected from MW-6 consisted mostly of TCE at a concentration of 2,500 ug/L, which is below the 4,200 ug/L mixing zone-based GSI value presented in the October 27, 1998 RAP. TCE concentrations related to the identified source area are indicated to degrade to low or nondetectable concentrations along the bank of the Flat River. Laboratory analysis indicates that the concentrations of TCE at the bank of the Flat River would meet Part 201 generic residential and GSI criteria.

Distribution of Cations and Anions

Groundwater samples collected from monitoring wells MW-4S, MW-6, MW-7, MW-10, MW-11 and surface water location SW-2 were tested for dissolved oxygen and alkalinity and the following list of cations and anions to evaluate natural intrinsic biodegradation:

sulfate	manganese, dissolved
nitrogen, ammonia	iron, dissolved
nitrogen, kjeldahl	nitrogen, nitrate+nitrite
total organic carbon	chloride

A summary of laboratory data is presented in Table 2. Laboratory data reports are presented in Appendix B. The strongest indicator of natural intrinsic biodegradation is chloride. Table 2 reveals a general trend of increasing chloride concentrations hydraulically downgradient of the source area (MW-6 area). This finding is consistent with degradation of chlorinated hydrocarbons. Previous assessments suggest the substantial reduction of chlorinated hydrocarbons observed at the site is due to natural anaerobic bacteria that are present near the source of the release.

Conclusions

On February 27 and 28, 2007, SME collected groundwater and surface water samples from the Former WCI Belding Site. This sampling event was conducted in conformance with the MDEQ-approved monitoring plan dated December 13, 1996. Based on the analysis of the laboratory data collected during the February 2007 sampling event and from previous groundwater sampling events, SME reached the following conclusions.

- The highest concentration of chlorinated hydrocarbons present in groundwater was detected in monitoring well MW-6, located adjacent to the source area. During the 2007 sampling event, TCE was detected at monitoring well MW-6 at a concentration of 2,500 ug/L, which is the same as the April 2005 sampling event and slightly less than the October 2006 sampling event.

© 2007 soil and materials engineers, inc.

- Concentrations of chlorinated hydrocarbons decrease in concentration in groundwater hydraulically downgradient of monitoring well MW-6, located in the source area. The presence of cis-1,2-dichloroethene, 1,1-dichloroethene, 1,1-dichloroethane, chloroethane, and vinyl chloride indicate that degradation of TCE is occurring at the site.

- The increase in chloride downgradient of the source area compared to upgradient of the source area indicates anaerobic biodegradation of TCE and related chemicals.

Analysis of the laboratory data from this sampling event and previous sampling events confirms that natural biodegradation of TCE and related compounds is occurring at the site. For this reason, SME recommends continued annual monitoring of surface water and groundwater quality in accordance with the MDEQ-approved monitoring plan dated December 13, 1996. The next sampling event is scheduled for the summer of 2008.

If you have any questions or comments regarding this letter report, please contact us at (517) 887-9181.

Sincerely,

SOIL AND MATERIALS ENGINEERS INC.

Amy E. Sutherland, PE
Senior Engineer

Brian F. Burke, CPG
Senior Project Geologist

Attachments: Figures
Tables
Appendix A - Field Data Sheets
Appendix B - Laboratory Data Sheets and Chain-of-Custody Documentation

Distribution: Mr. Douglas E. Mix, Vice President - Regulatory Affairs, Electrolux North America (one original)
Mr. Doug Ucci - Quantum Management Group, Inc. (one original, one electronic)

t:\proj\le52510\070530aes-rpt.doc

© 2007 soil and materials engineers, inc.

FIGURES

© 2007 soil and materials engineers, inc.



NOTE:
DRAWING INFORMATION BASED ON PROPERTY LOCATION MAP PREPARED BY THE DRAGON CORP. DATED 9/30/00.

43820 PLYMOUTH OAKS BOULEVARD PLYMOUTH, MICHIGAN 48170 (313) 464-9900	BAY CITY GRAND RAPIDS KALAMAZOO LANSING PLYMOUTH TOLEDO	DATE 3/17/00 DRAWN BY AJW SCALE NTS JOB LB 35508	**PROPERTY LOCATION MAP** **FORMER WCI BELDING FACILITY** **BELDING, MICHIGAN**

DWG. NO. 35508.03

Figure No. 1



LEGEND

△	MONITORING WELL LOCATION
⊕	SURFACE WATER SAMPLE LOCATION
□CB	CATCH BASIN OR DRAIN
○MH	MANHOLE
———	SUBSURFACE DRAIN
90	GROUNDWATER ELEVATION ABOVE MEAN SEA LEVEL
⌒	GROUNDWATER CONTOUR

* MW4D WAS NOT CONSIDERED FOR CONTOURING BECAUSE ITS SCREENED INTERVAL IS DEEPER THAN THE SCREENED INTERVALS OF THE REMAINING MONITORING WELLS.

** MONITORING WELLS WERE NOT GAUGED DUE TO ACCESS.

FEBRUARY 27, 2007
GROUNDWATER ELEVATION
CONTOUR AND FLOW DIRECTION DIAGRAM
FORMER WCI BELDING FACILITY
BELDING, MICHIGAN

DATE: 04-02-07
SCALE: 1" = 50'
DRAFTER: JAB/MBA
JOB: LE52510

PLYMOUTH - BAY CITY - GRAND RAPIDS
KALAMAZOO - LANSING - SHELBY TWP.
TOLEDO - TRAVERSE CITY

Apr 03, 2007 - 10:14AM - jblake

R:\52000\52510-03.dwg

Figure No. 2

TABLES

© 2007 soil and materials engineers, inc.

TABLE 1

February 27, 2007 GROUNDWATER ELEVATION DATA
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
BELDING, MICHIGAN
SME PROJECT NO. LE35508

Monitoring Well Identification	Top of Casing Elevation (Feet Above MSL)	Depth to Groundwater (feet)	Groundwater Elevation (Feet Above MSL)
MW1	91.85	4.52	87.33
MW2	94.47	6.94	87.53
MW3	94.38	6.87	87.51
MW4S	95.70	8.20	87.50
MW4D	95.30	5.87	89.43
MW5	94.32	5.74	88.58
MW6	96.68	6.95	89.73
MW7	99.94	6.13	93.81
MW8	93.29	Could not access	
MW9	96.60	Could not access	
MW10	97.82	10.26	87.56
MW11	97.88	10.21	87.67

MSL = Mean sea level.

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

	Part 201, January 23, 2006 Generic Cleanup Criteria		Sample Location, Screen Depth (ft), and Date Collected						
Constituent	Groundwater Surface Water Interface Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	MW1 7-12 4/30/01	MW1 7-12 10/10/02	MW1 7-12 2/25/03	MW1 7-12 7/14/04	MW1 7-12 4/28/05	MW1 7-12 10/26/06	MW1 7-12 2/28/07
Volatile Organic Compounds									
Benzene	200	5	ND	ND	ND	ND	ND	ND	ND
Toluene	140	790	ND	ND	ND	ND	ND	ND	ND
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ID	1,700	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ID	1,100	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	740	2,500	ND	ND	ND	ND	2.3	ND	ND
1,1-Dichloroethene	65	7	ND	ND	ND	1.6	ND	1.1	ND
Cis-1,2-dichloroethene	620	70	3.4	5.0	2.1	4.2	4.5	4.3	6.0
trans-1,2-Dichloroethene	1,500	100	ND	ND	ND	ND	ND	ND	ND
tetrachloroethene	45	5	ND	ND	ND	ND	ND	ND	ND
1,1,1-trichloroethane	200	200	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	330	5	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	4,200*	5	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	8,000*	2	22	40	28	34	49	71	110
Metals - Natural Attenuation Parameters									
Iron	NA	NA	NS	NS	NS	NS	NS	NS	NS
Manganese	NA	NA	NS	NS	NS	NS	NS	NS	NS
General Chemistry - Natural Attenuation Parameters									
Alkalinity (total)***	NA	NA	NS	NS	NS	NS	NS	NS	NS
Chloride	NA	NA	NS	NS	NS	NS	NS	NS	NS
Nitrogen, Ammonia	NA	NA	NS	NS	NS	NS	NS	NS	NS
Nitrate plus Nitrite	NA	NA	NS	NS	NS	NS	NS	NS	NS
Nitrogen, Kjeldahl	NA	NA	NS	NS	NS	NS	NS	NS	NS
Sulfate	NA	NA	NS	NS	NS	NS	NS	NS	NS
Total Organic Carbon	NA	NA	NS	NS	NS	NS	NS	NS	NS
Dissolved Oxygen (mg/l)	NA	NA	1.04	0.88	15.20	2.35	1.70	2.24	1.53
Eh (mV)	NA	NA	-85.0	-98.0	-86.9	-130.3	-98.1	-96.0	-107.6
Conductivity (uS/cm)	NA	NA	802	908	1,065	600	619	935	896
pH	NA	NA	7.09	6.86	6.99	7.00	7.16	9.11	8.94
Temperature (C)	NA	NA	10.70	19.80	5.75	18.82	7.94	15.83	6.40

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

	Part 201, January 23, 2006 Generic Cleanup Criteria		Sample Location, Screen Depth (ft), and Date Collected						
Constituent	Groundwater Surface Water Interface Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	MW2 8-13 4/30/01	MW2 8-13 10/10/02	MW2 8-13 2/24/03	MW2 8-13 7/14/04	MW2 8-13 4/28/05	MW2 8-13 10/26/06	MW2 8-13 2/27/07
Volatile Organic Compounds									
Benzene	200	5	ND	ND	ND	ND	ND	ND	ND
Toluene	140	790	ND	ND	ND	ND	ND	ND	ND
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ID	1,700	8.9	ND	1.3	7	6.1	ND	ND
Chloromethane	ID	1,100	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	740	2,500	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	65	7	ND	ND	ND	ND	ND	ND	ND
Cis-1,2-dichloroethene	620	70	1.9	ND	ND	1.1	1.8	ND	ND
trans-1,2-Dichloroethene	1,500	100	ND	ND	ND	ND	ND	ND	ND
tetrachloroethene	45	5	ND	ND	ND	ND	ND	ND	ND
1,1,1-trichloroethane	200	200	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	330	5	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	4,200*	5	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	8,000*	2	10	ND	ND	3.3	8.1	ND	ND
Metals - Natural Attenuation Parameters									
Iron	NA	NA	NS	NS	NS	NS	NS	NS	NS
Manganese	NA	NA	NS	NS	NS	NS	NS	NS	NS
General Chemistry - Natural Attenuation Parameters									
Alkalinity (total)***	NA	NA	NS	NS	NS	NS	NS	NS	NS
Chloride	NA	NA	NS	NS	NS	NS	NS	NS	NS
Nitrogen, Ammonia	NA	NA	NS	NS	NS	NS	NS	NS	NS
Nitrate plus Nitrite	NA	NA	NS	NS	NS	NS	NS	NS	NS
Nitrogen, Kjeldahl	NA	NA	NS	NS	NS	NS	NS	NS	NS
Sulfate	NA	NA	NS	NS	NS	NS	NS	NS	NS
Total Organic Carbon	NA	NA	NS	NS	NS	NS	NS	NS	NS
Dissolved Oxygen (mg/l)	NA	NA	1.18	1.48	6.20	3.21	1.46	2.73	8.58
Eh (mV)	NA	NA	-96.0	-118.0	-100.3	-132.5	-110.1	-104.1	-109.3
Conductivity (uS/cm)	NA	NA	809	635	738	463	959	803	782
pH	NA	NA	6.98	6.96	6.92	7.11	6.86	9.27	9.96
Temperature (C)	NA	NA	10.70	17.70	4.15	16.10	7.77	13.86	5.69

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

Constituent	Part 201, January 23, 2006 Generic Cleanup Criteria		Sample Location, Screen Depth (ft), and Date Collected						
	Groundwater Surface Water Interface Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	MW3 7-12 4/30/01	MW3 7-12 10/10/02	MW3 7-12 2/24/03	MW3 7-12 7/14/04	MW3 7-12 4/28/05	MW3 7-12 10/26/06	MW3 7-12 2/27/07
Volatile Organic Compounds									
Benzene	200	5	ND	ND	ND	ND	ND	ND	ND
Toluene	140	790	ND	ND	ND	ND	ND	ND	ND
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ID	1,700	110	ND	110	110	240	130	150
Chloromethane	ID	1,100	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	740	2,500	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	65	7	ND	ND	ND	ND	ND	ND	ND
Cis-1,2-dichloroethene	620	70	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	1,500	100	ND	ND	ND	ND	ND	ND	ND
tetrachloroethene	45	5	ND	ND	ND	ND	ND	ND	ND
1,1,1-trichloroethane	200	200	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	330	5	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	4,200*	5	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	8,000*	2	ND	ND	ND	ND	ND	ND	ND
Metals - Natural Attenuation Parameters									
Iron	NA	NA	NS	NS	NS	NS	NS	NS	NS
Manganese	NA	NA	NS	NS	NS	NS	NS	NS	NS
General Chemistry - Natural Attenuation Parameters									
Alkalinity (total)***	NA	NA	NS	NS	NS	NS	NS	NS	NS
Chloride	NA	NA	NS	NS	NS	NS	NS	NS	NS
Nitrogen, Ammonia	NA	NA	NS	NS	NS	NS	NS	NS	NS
Nitrate plus Nitrite	NA	NA	NS	NS	NS	NS	NS	NS	NS
Nitrogen, Kjeldahl	NA	NA	NS	NS	NS	NS	NS	NS	NS
Sulfate	NA	NA	NS	NS	NS	NS	NS	NS	NS
Total Organic Carbon	NA	NA	NS	NS	NS	NS	NS	NS	NS
Dissolved Oxygen (mg/l)	NA	NA	2.29	0.92	8.84	2.22	1.29	1.35	5.48
Eh (mV)	NA	NA	-98.0	-112.0	-96.0	-133	-110.1	-168.1	-108.8
Conductivity (uS/cm)	NA	NA	702	560	670	382	654	641	616
pH	NA	NA	6.90	6.85	6.88	7.07	6.95	10.15	9.73
Temperature (C)	NA	NA	12.60	17.30	5.43	15.33	8.28	14.98	6.45

150

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

	Part 201, January 23, 2006 Generic Cleanup Criteria		Sample Location, Screen Depth (ft), and Date Collected							
Constituent	Groundwater Surface Water Interface Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	MW4S 9-14 4/30/01	MW4S 9-14 10/10/02	MW4S 9-14 2/25/03	MW4S 9-14 7/14/04	MW4S 9-14 4/28/05	MW-X** 9-14 4/28/05	MW4S 9-14 10/26/06	MW4S 9-14 2/27/07
Volatile Organic Compounds										
Benzene	200	5	1.8	1.9	1.3	ND	ND	ND	1.5	1.3
Toluene	140	790	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ID	1,700	4.5	ND	ND	ND	ND	ND	ND	5.7
Chloromethane	ID	1,100	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	740	2,500	5.7	1.5	3.2	7.9	3.8	3.9	2.0	1.6
1,1-Dichloroethene	65	**7**	**23**	5.2	**11**	**11**	**11**	**11**	3.7	5.1
Cis-1,2-dichloroethene	**620**	**70**	**780**	**560**	**380**	**360**	**420**	**400**	**280**	**230**
trans-1,2-Dichloroethene	1,500	100	2.0	1.4	1.5	1.4	19	14	1.8	ND
tetrachloroethene	45	5	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-trichloroethane	200	200	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	330	5	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	4,200*	5	1.2	ND	ND	ND	1.1	1.0	ND	ND
Vinyl Chloride	8,000*	**2**	**1,000**	**1,400**	**680**	**580**	**340**	**370**	**99**	**780**
Metals - Natural Attenuation Parameters										
Iron	NA	NA	9,100	9,800	8,500	7,700	6,700	NS	8,700	8,300
Manganese	NA	NA	930	1,000	1,300	890	700	NS	970	920
General Chemistry - Natural Attenuation Parameters										
Alkalinity (total)***	NA	NA	290	360	330	330	250	NS	380	380
Chloride	NA	NA	170,000	130,000	120,000	98,000	98,000	NS	100,000	72,000
Nitrogen, Ammonia	NA	NA	1,200	1,200	860	1,100	850	NS	940	740
Nitrate plus Nitrite	NA	NA	ND	ND	ND	ND	ND	NS	27	ND
Nitrogen, Kjeldahl	NA	NA	1,500	700	1,200	1,200	670	NS	1,300	1,100
Sulfate	NA	NA	22,000	15,000	18,000	20,000	20,000	NS	16,000	10,000
Total Organic Carbon	NA	NA	8,600	100,000	11,000	9,300	5,700	NS	6,700	9,800
Dissolved Oxygen (mg/l)	NA	NA	2.29	0.95	9.54	2.48	2.69	NS	7.02	3.58
Eh (mV)	NA	NA	-57.0	-86.0	-77.5	-97.5	-68.6	NS	-71.39	-73.2
Conductivity (uS/cm)	NA	NA	1,047	902	1,051	545	771	NS	1059.03	985
pH	NA	NA	6.96	6.78	6.83	6.97	7.16	NS	8.1	9.39
Temperature (C)	NA	NA	11.40	17.10	7.19	14.24	8.12	NS	15.6	6.94

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

	Part 201, January 23, 2006 Generic Cleanup Criteria		Sample Location, Screen Depth (ft), and Date Collected							
Constituent	Groundwater Surface Water Interface Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	MW4D 17-22 4/30/01	MW4D 17-22 10/10/02	MW4D 17-22 2/24/03	MW4D 17-22 7/14/04	MW4D 17-22 4/28/05	MW4D 17-22 10/26/06	DUPLICATE 17-22 10/26/06	MW4D 17-22 2/27/07
VOCs										
Benzene	200	5	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	140	790	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ID	1,700	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ID	1,100	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	740	2,500	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	65	7	ND	ND	ND	ND	ND	ND	ND	ND
Cis-1,2-dichloroethene	620	70	ND	ND	ND	ND	ND	15	ND	ND
trans-1,2-Dichloroethene	1,500	100	ND	ND	ND	ND	ND	ND	ND	ND
tetrachloroethene	45	5	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-trichloroethane	200	200	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	330	5	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	4,200*	5	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	8,000*	2	ND	ND	ND	ND	ND	34	ND	ND
Metals - Natural Attenuation Parameters										
Iron	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS
Manganese	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS
General Chemistry - Natural Attenuation Parameters										
Alkalinity (total)***	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS
Chloride	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS
Nitrogen, Ammonia	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS
Nitrate plus Nitrite	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS
Nitrogen, Kjeldahl	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS
Sulfate	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS
Total Organic Carbon	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS
Dissolved Oxygen (mg/l)	NA	NA	2.27	1.68	6.87	2.17	1.52	4.90	4.90	6.51
Eh (mV)	NA	NA	-71.0	-122.0	-25.0	-129.9	-93.5	-80.1	-80.1	47.8
Conductivity (uS/cm)	NA	NA	389	355	386	250	396	407	407	404
pH	NA	NA	7.47	7.48	7.50	7.73	7.49	9.69	9.69	9.27
Temperature (C)	NA	NA	11.70	16.10	6.42	13.32	8.96	13.99	13.99	9.12

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

	Part 201, January 23, 2006 Generic Cleanup Criteria		Sample Location, Screen Depth (ft), and Date Collected						
Constituent	Groundwater Surface Water Interface Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	MW5 9-14 4/30/01	MW5 9-14 10/10/02	MW5 9-14 2/25/03	MW5 9-14 7/14/04	MW5 9-14 4/28/05	MW5 9-14 10/25/06	MW5 9-14 2/2007
VOCs									
Benzene	200	5	ND	ND	ND	ND	ND	ND	
Toluene	140	790	ND	ND	ND	18	ND	ND	
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	Well
Chloroethane	ID	1,700	ND	ND	ND	ND	ND	ND	Purged
Chloromethane	ID	1,100	6.0	ND	ND	ND	ND	ND	Dry
1,1-Dichloroethane	740	2,500	ND	ND	ND	ND	ND	ND	Could
1,1-Dichloroethene	65	7	1.3	ND	ND	ND	ND	ND	Not
Cis-1,2-dichloroethene	620	70	52	4.9	ND	ND	ND	ND	Sample
trans-1,2-Dichloroethene	1,500	100	ND	ND	ND	ND	ND	ND	
tetrachloroethene	45	5	ND	ND	ND	ND	ND	ND	
1,1,1-trichloroethane	200	200	ND	ND	ND	ND	ND	ND	
1,1,2-Trichloroethane	330	5	ND	ND	ND	ND	ND	ND	
Trichloroethene	4,200*	5	76	5.9	ND	ND	ND	12	
Vinyl Chloride	8,000*	2	ND	ND	ND	ND	ND	ND	
Metals - Natural Attenuation Parameters									
Iron	NA	NA	3,100	17,000	540	7,200	2,000	ND	
Manganese	NA	NA	76	47	69	180	120	50	
General Chemistry - Natural Attenuation Parameters									
Alkalinity (total)***	NA	NA	320	300	300	86	180	48	
Chloride	NA	NA	1,500,000	68,000	710,000	160,000	410,000	ND	
Nitrogen, Ammonia	NA	NA	680	240	120	1,500	470	130	
Nitrate plus Nitrite	NA	NA	ND	120	330	480	ND	128	
Nitrogen, Kjeldahl	NA	NA	420	410	150	2,000	500	400	
Sulfate	NA	NA	57,000	51,000	53,000	11,000	33,000	4,300	
Total Organic Carbon	NA	NA	1,600	69,000	5,600	11,000	3,000	1,600	
Dissolved Oxygen (mg/l)	NA	NA	1.40	1.29	7.01	1.59	2.83	4.76	13.29
Eh (mV)	NA	NA	-43.0	-61.0	16.2	-102.7	-16.7	18.8	-9.5
Conductivity (uS/cm)	NA	NA	3	2,302	2,797	363	1,424	103	649
pH	NA	NA	7.10	6.91	6.01	7.00	6.96	8.96	9.81
Temperature (C)	NA	NA	12.70	19.00	5.68	18.68	9.33	14.17	5.31

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

	Part 201, January 23, 2006 Generic Cleanup Criteria		Sample Location, Screen Depth (ft), and Date Collected						
Constituent	Groundwater Surface Water Interface Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	MW6 6-11 4/30/01	MW6 6-11 10/10/02	MW6 6-11 2/25/03	MW6 6-11 7/14/04	MW6 6-11 4/28/05	MW6 6-11 10/25/06	MW6 6-11 2/27/07
VOCs									
Benzene	200	5	ND	ND	ND	ND	ND	ND	ND
Toluene	140	790	ND	ND	ND	ND	ND	ND	ND
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ID	1,700	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ID	1,100	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	740	2,500	ND	ND	1.3	ND	ND	ND	ND
1,1-Dichloroethene	65	7	ND	ND	2.6	1.2	ND	1.9	ND
Cis-1,2-dichloroethene	620	**70**	ND	16	**85**	41	9.7	26	25
trans-1,2-Dichloroethene	1,500	100	ND	ND	5.2	2.6	ND	ND	1.1
tetrachloroethene	45	**5**	ND	**15**	**22**	**18**	**8.3**	**7.2**	**7.6**
1,1,1-trichloroethane	200	200	ND	24	49	ND	7.6	5.8	5.6
1,1,2-Trichloroethane	330	**5**	ND	ND	ND	**25**	ND	ND	ND
Trichloroethene	**4,200***	**5**	**11,000**	**6,800**	**8,900**	**2,000**	**2,500**	**2,900**	**2,500**
Vinyl Chloride	8,000*	2	ND	ND	ND	ND	ND	ND	ND
Metals - Natural Attenuation Parameters									
Iron	NA	NA	ND	ND	ND	ND	ND	ND	ND
Manganese	NA	NA	ND	46	ND	ND	ND	ND	ND
General Chemistry - Natural Attenuation Parameters									
Alkalinity (total)***	NA	NA	150	120	140	130	120	130	110
Chloride	NA	NA	37,000	17,000	12,000	14,000	19,000	15,000	35,000
Nitrogen, Ammonia	NA	NA	130	73	ND	75	67	ND	ND
Nitrate plus Nitrite	NA	NA	4,300	2,600	2,600	4,400	6,800	3,800	4,800
Nitrogen, Kjeldahl	NA	NA	ND	ND	ND	200	ND	300	200
Sulfate	NA	NA	20,000	18,000	16,000	29,000	33,000	20,000	23,000
Total Organic Carbon	NA	NA	1,400	34,000	4,600	2,600	3,100	2,200	1,800
Dissolved Oxygen (mg/l)	NA	NA	3.61	1.27	9.31	2.74	6.30	1.75	21.68
Eh (mV)	NA	NA	-27.0	-17.3	40.6	30.8	-16.7	132.7	215.0
Conductivity (uS/cm)	NA	NA	445	418	400	314	471	374	437
pH	NA	NA	7.45	7.02	6.15	7.35	7.35	8.95	9.94
Temperature (C)	NA	NA	13.20	17.00	4.63	15.33	8.55	11.05	5.51

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

	Part 201, January 23, 2006 Generic Cleanup Criteria		Sample Location, Screen Depth (ft), and Date Collected						
Constituent	Groundwater Surface Water Interface Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	MW7 7-12 4/30/01	MW7 7-12 10/10/02	MW7 7-12 2/25/03	MW7 7-12 7/14/04	MW7 7-12 4/28/05	MW7 7-12 10/25/06	MW7 7-12 2/28/07
VOCs									
Benzene	200	5	ND	ND	ND	ND	ND	ND	ND
Toluene	140	790	ND	ND	ND	ND	ND	ND	ND
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ID	1,700	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ID	1,100	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	740	2,500	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	65	7	ND	ND	ND	ND	ND	ND	ND
Cis-1,2-dichloroethene	620	70	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	1,500	100	ND	ND	ND	ND	ND	ND	ND
tetrachloroethene	45	5	ND	ND	ND	ND	ND	ND	ND
1,1,1-trichloroethane	200	200	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	330	5	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	4,200*	5	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	8,000*	2	ND	ND	ND	ND	ND	ND	ND
Metals - Natural Attenuation Parameters									
Iron	NA	NA	ND	ND	ND	ND	ND	ND	ND
Manganese	NA	NA	ND	ND	ND	ND	ND	ND	ND
General Chemistry - Natural Attenuation Parameters									
Alkalinity (total)***	NA	NA	170	150	190	170	130	180	190
Chloride	NA	NA	15,000	ND	ND	12,000	21,000	ND	ND
Nitrogen, Ammonia	NA	NA	ND	ND	ND	610	680	28	26
Nitrate plus Nitrite	NA	NA	2,900	1,300	2,700	900	4,200	971	690
Nitrogen, Kjeldahl	NA	NA	ND	ND	ND	ND	ND	300	200
Sulfate	NA	NA	18,000	8,800	16,000	9,600	9,200	8,400	7,100
Total Organic Carbon	NA	NA	ND	27,000	5,700	2,000	2,200	1,700	1,500
Dissolved Oxygen (mg/l)	NA	NA	5.46	4.16	12.51	5.31	9.13	9.09	5.92
Eh (mV)	NA	NA	209.0	38.2	-16.8	21.5	24.2	48.3	32.9
Conductivity (uS/cm)	NA	NA	368	266	428	273	362	365	371
pH	NA	NA	8.33	7.75	7.60	7.83	7.96	9.88	9.14
Temperature (C)	NA	NA	9.10	17.50	5.05	15.84	8.09	12.92	6.19

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

	Part 201, January 23, 2006 Generic Cleanup Criteria		Sample Location, Screen Depth (ft), and Date Collected						
Constituent	Groundwater Surface Water Interface Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	MW8 9-14 4/30/01	MW8 9-14 10/10/02	MW8 9-14 2/24/03	MW8 9-14 7/14/04	MW8 9-14 4/28/05	MW8 9-14 10/26/06	MW8 9-14 2/2007
VOCs									
Benzene	200	5	ND	ND	ND	ND	ND	ND	
Toluene	140	790	ND	ND	ND	ND	ND	ND	
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	
Chloroethane	ID	1,700	ND	ND	ND	ND	ND	ND	Was not
Chloromethane	ID	1,100	ND	ND	ND	ND	ND	ND	Sampled
1,1-Dichloroethane	740	2,500	ND	ND	ND	ND	4.0	ND	Due to
1,1-Dichloroethene	65	7	ND	ND	ND	ND	ND	ND	Access
Cis-1,2-dichloroethene	620	70	3.1	3.3	3.3	3.1	5.7	3.6	
trans-1,2-Dichloroethene	1,500	100	ND	ND	ND	ND	ND	ND	
tetrachloroethene	45	5	ND	ND	ND	ND	ND	ND	
1,1,1-trichloroethane	200	200	ND	ND	ND	ND	ND	ND	
1,1,2-Trichloroethane	330	5	ND	ND	ND	ND	ND	ND	
Trichloroethene	4,200*	5	ND	ND	ND	ND	ND	ND	
Vinyl Chloride	8,000*	2	33	42	44	35	16	30	
Metals - Natural Attenuation Parameters									
Iron	NA	NA	NS	NS	NS	NS	NS	NS	
Manganese	NA	NA	NS	NS	NS	NS	NS	NS	
General Chemistry - Natural Attenuation Parameters									
Alkalinity (total)***	NA	NA	NS	NS	NS	NS	NS	NS	
Chloride	NA	NA	NS	NS	NS	NS	NS	NS	
Nitrogen, Ammonia	NA	NA	NS	NS	NS	NS	NS	NS	
Nitrate plus Nitrite	NA	NA	NS	NS	NS	NS	NS	NS	
Nitrogen, Kjeldahl	NA	NA	NS	NS	NS	NS	NS	NS	
Sulfate	NA	NA	NS	NS	NS	NS	NS	NS	
Total Organic Carbon	NA	NA	NS	NS	NS	NS	NS	NS	
Dissolved Oxygen (mg/l)	NA	NA	1.36	0.87	6.18	2.63	3.05	2.02	
Eh (mV)	NA	NA	-82.0	-79.0	-52.4	-100.1	-55.8	-44.0	
Conductivity (uS/cm)	NA	NA	775	697	787	514	713	885	
pH	NA	NA	7.12	6.99	6.90	7.11	7.03	10.02	
Temperature (C)	NA	NA	11.70	16.00	6.18	15.00	7.56	13.49	

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

	Part 201, January 23, 2006 Generic Cleanup Criteria		Sample Location, Screen Depth (ft), and Date Collected						
Constituent	Groundwater Surface Water Interface Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	MW9 14-19 4/30/01	MW9 14-19 10/10/02	MW9 14-19 2/24/03	MW9 14-19 7/14/04	MW9 14-19 4/28/05	MW9 14-19 10/25/06	MW9 14-19 2/2007
VOCs									
Benzene	200	5	ND	ND	ND	ND	ND	ND	
Toluene	140	790	ND	ND	ND	ND	ND	ND	
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	
Chloroethane	ID	1,700	ND	ND	ND	ND	ND	ND	Was not
Chloromethane	ID	1,100	ND	ND	ND	ND	ND	ND	Sampled
1,1-Dichloroethane	740	2,500	ND	ND	ND	ND	ND	ND	Due to
1,1-Dichloroethene	65	7	ND	ND	ND	ND	ND	ND	Access
Cis-1,2-dichloroethene	620	70	ND	1.2	ND	ND	ND	ND	
trans-1,2-Dichloroethene	1,500	100	ND	ND	ND	ND	ND	ND	
tetrachloroethene	45	5	ND	ND	ND	ND	ND	ND	
1,1,1-trichloroethane	200	200	ND	ND	ND	ND	ND	ND	
1,1,2-Trichloroethane	330	5	ND	ND	ND	ND	ND	ND	
Trichloroethene	4,200*	5	ND	ND	ND	ND	ND	ND	
Vinyl Chloride	8,000*	2	ND	1.5	ND	ND	ND	ND	
Metals - Natural Attenuation Parameters									
Iron	NA	NA	ND	NS	NS	NS	NS	NS	
Manganese	NA	NA	ND	NS	NS	NS	NS	NS	
General Chemistry - Natural Attenuation Parameters									
Alkalinity (total)***	NA	NA	NS	NS	NS	NS	NS	NS	
Chloride	NA	NA	NS	NS	NS	NS	NS	NS	
Nitrogen, Ammonia	NA	NA	NS	NS	NS	NS	NS	NS	
Nitrate plus Nitrite	NA	NA	NS	NS	NS	NS	NS	NS	
Nitrogen, Kjeldahl	NA	NA	NS	NS	NS	NS	NS	NS	
Sulfate	NA	NA	NS	NS	NS	NS	NS	NS	
Total Organic Carbon	NA	NA	NS	NS	NS	NS	NS	NS	
Dissolved Oxygen (mg/l)	NA	NA	2.87	1.45	5.52	1.92	1.89	0.75	
Eh (mV)	NA	NA	-112.0	-90.0	21.6	-113.5	-74.7	-88.2	
Conductivity (uS/cm)	NA	NA	623	516	655	413	599	375	
pH	NA	NA	7.23	7.07	7.11	7.12	7.12	10.23	
Temperature (C)	NA	NA	14.70	16.50	8.35	14.57	8.23	14.80	

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

	Part 201, January 23, 2006 Generic Cleanup Criteria		Sample Location, Screen Depth (ft), and Date Collected						
Constituent	Groundwater Surface Water Interface Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	MW10 11-16 4/30/01	MW10 11-16 10/10/02	MW10 11-16 2/25/03	MW10 11-16 7/14/04	MW10 11-16 4/28/05	MW10 11-16 10/26/06	MW10 11-16 2/28/07
VOCs									
Benzene	200	5	ND	ND	ND	ND	ND	ND	ND
Toluene	140	790	ND	ND	ND	ND	ND	ND	ND
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ID	1,700	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ID	1,100	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	740	2,500	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	65	7	ND	ND	ND	ND	ND	ND	ND
Cis-1,2-dichloroethene	620	70	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	1,500	100	ND	ND	ND	ND	ND	ND	ND
tetrachloroethene	45	5	ND	ND	ND	ND	ND	ND	ND
1,1,1-trichloroethane	200	200	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	330	5	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	4,200*	5	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	8,000*	2	ND	ND	ND	1.7	ND	ND	ND
Metals - Natural Attenuation Parameters									
Iron	NA	NA	1,700	1,900	1,600	1,900	2,200	1,600	3,200
Manganese	NA	NA	410	500	610	560	430	410	440
General Chemistry - Natural Attenuation Parameters									
Alkalinity (total)***	NA	NA	410	470	510	430	420	1,000	480
Chloride	NA	NA	99,000	200,000	150,000	300,000	150,000	210,000	300,000
Nitrogen, Ammonia	NA	NA	980	760	980	1,100	890	670	790
Nitrate plus Nitrite	NA	NA	ND	ND	24	ND	ND	200	ND
Nitrogen, Kjeldahl	NA	NA	980	870	1,200	1,100	560	900	900
Sulfate	NA	NA	3,000	1,000	ND	17,000	1,900	1,300	4,500
Total Organic Carbon	NA	NA	3,900	86,000	8,200	5,800	3,800	3,300	3,500
Dissolved Oxygen (mg/l)	NA	NA	0.86	1.73	10.04	2.07	2.10	0.32	1.26
Eh (mV)	NA	NA	-76.0	-81.0	-48.3	-95.5	-89.4	-79.8	-82.9
Conductivity (uS/cm)	NA	NA	998	1,212	1,350	886	1,281	1,566	1,442
pH	NA	NA	7.07	6.97	6.83	7.02	7.05	8.11	8.33
Temperature (C)	NA	NA	11.90	15.50	9.04	14.15	9.43	13.23	9.08

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

Constituent	Part 201, January 23, 2006 Generic Cleanup Criteria		Sample Location, Screen Depth (ft), and Date Collected						
	Groundwater Surface Water Interface Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	MW11 10-15 4/30/01	MW11 10-15 10/10/02	MW11 10-15 2/25/03	MW11 10-15 7/14/04	MW11 10-15 4/28/05	MW11 10-15 10/26/06	MW11 10-15 2/28/07
VOCs									
Benzene	200	5	ND	ND	ND	ND	ND	ND	ND
Toluene	140	790	ND	ND	ND	ND	ND	ND	ND
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ID	1,700	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ID	1,100	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	740	2,500	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	65	7	ND	ND	ND	ND	ND	ND	ND
Cis-1,2-dichloroethene	620	70	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	1,500	100	ND	ND	ND	ND	ND	ND	ND
tetrachloroethene	45	5	ND	ND	ND	ND	ND	ND	ND
1,1,1-trichloroethane	200	200	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	330	5	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	4,200*	5	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	8,000*	2	ND	ND	ND	ND	ND	ND	ND
Metals - Natural Attenuation Parameters									
Iron	NA	NA	20,000	17,000	1,900	23,000	26,000	26,000	22,000
Manganese	NA	NA	2,300	2,500	3,500	3,100	2,800	3,200	2,800
General Chemistry - Natural Attenuation Parameters									
Alkalinity (total)***	NA	NA	680	770	620	780	650	3,600	670
Chloride	NA	NA	310,000	250,000	260,000	260,000	260,000	330,000	470,000
Nitrogen, Ammonia	NA	NA	10,000	8,200	9,700	26,000	22,000	18,000	11,000
Nitrate plus Nitrite	NA	NA	ND	ND	ND	ND	ND	ND	ND
Nitrogen, Kjeldahl	NA	NA	12,000	9,500	8,900	22,000	21,000	18,000	13,000
Sulfate	NA	NA	4,000	ND	ND	1,000	ND	ND	ND
Total Organic Carbon	NA	NA	10,000	140,000	20,000	13,000	11,000	11,000	9,500
Dissolved Oxygen (mg/l)	NA	NA	1.54	1.00	8.03	2.10	1.39	0.45	1.41
Eh (mV)	NA	NA	-88.0	-86.0	-72.0	-120.7	-98.0	-112.6	-90.3
Conductivity (uS/cm)	NA	NA	2,030	1,646	1,907	1152	2,067	2,295	2,112
pH	NA	NA	6.33	6.68	6.63	6.81	6.59	7.73	8.68
Temperature (C)	NA	NA	11.20	18.70	9.52	16.78	9.42	13.32	6.25

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

	Part 201, December 10, 2004 Generic Cleanup Criteria		Sample Location, Depth (ft), and Date Collected						
Constituent	Groundwater Surface Water Interface Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	SW1 0.5 4/30/01	SW1 0.5 10/10/02	SW1 0.5 2/24/03	SW1 0.5 7/14/04	SW1 0.5 4/28/05	SW1 0.5 10/25/06	SW1 0.5 2/27/07
VOCs									
Benzene	200	5	ND	ND	ND	ND	ND	ND	ND
Toluene	140	790	ND	ND	ND	ND	ND	ND	ND
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ID	1,700	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ID	1,100	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	740	2,500	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	65	7	ND	ND	ND	ND	ND	ND	ND
Cis-1,2-dichloroethene	620	70	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	1,500	100	ND	ND	ND	ND	ND	ND	ND
tetrachloroethene	45	5	ND	ND	ND	ND	ND	ND	ND
1,1,1-trichloroethane	200	200	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	330	5	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	4,200*	5	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	8,000*	2	ND	ND	1.6	ND	ND	ND	ND
Metals - Natural Attenuation Parameters									
Iron	NA	NA	NS	NS	NS	NS	NS	NS	NS
Manganese	NA	NA	NS	NS	NS	NS	NS	NS	NS
General Chemistry - Natural Attenuation Parameters									
Alkalinity (total)***	NA	NA	NS	NS	NS	NS	NS	NS	NS
Chloride	NA	NA	NS	NS	NS	NS	NS	NS	NS
Nitrogen, Ammonia	NA	NA	NS	NS	NS	NS	NS	NS	NS
Nitrate plus Nitrite	NA	NA	NS	NS	NS	NS	NS	NS	NS
Nitrogen, Kjeldahl	NA	NA	NS	NS	NS	NS	NS	NS	NS
Sulfate	NA	NA	NS	NS	NS	NS	NS	NS	NS
Total Organic Carbon	NA	NA	NS	NS	NS	NS	NS	NS	NS
Dissolved Oxygen (mg/l)	NA	NA	NS	NS	NS	NS	NS	NS	NS
Eh (mV)	NA	NA	NS	NS	NS	NS	NS	NS	NS
Conductivity (uS/cm)	NA	NA	NS	NS	NS	NS	NS	NS	NS
pH	NA	NA	NS	NS	NS	NS	NS	NS	NS
Temperature (C)	NA	NA	NS	NS	NS	NS	NS	NS	NS

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

	Part 201, December 10, 2004 Generic Cleanup Criteria		Sample Location, Depth (ft), and Date Collected											
Constituent	Groundwater Surface Water Interface Criteria	Industrial & Commercial II III & IV Drinking Water Criteria	SW2 0.5 4/30/01	SW2 0.5 10/10/02	SW2 0.5 2/25/03	SW2 0.5 7/14/04	SW2 0.5 4/28/05	Field Blank - 4/28/05	Equipment Blank 4/28/05	SW2 0.5 10/25/06	TRIP BLANK 10/25/06	SW2 0.5 2/27/07	TRIP BLANK 2/27/07	TRIP BLANK 2/28/07
VOCs														
Benzene	200	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	140	790	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	2,200	38,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ID	1,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ID	1,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	740	2,500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	65	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cis-1,2-dichloroethene	620	70	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	1,500	100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tetrachloroethene	45	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-trichloroethane	200	200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	330	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	4,200*	5	ND	ND	ND	ND	5	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	8,000*	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Metals - Natural Attenuation Parameters														
Iron	NA	NA	ND	ND	190	ND	ND	NS	NS	ND	NS	ND	NS	NS
Manganese	NA	NA	26	26	40	25	ND	NS	NS	24	NS	23	NS	NS
General Chemistry - Natural Attenuation Parameters														
Alkalinity (total)***	NA	NA	200	200	220	180	190	NS	NS	190	NS	210	NS	NS
Chloride	NA	NA	19,000	21,000	22,000	18,000	18,000	NS	NS	20,000	NS	24,000	NS	NS
Nitrogen, Ammonia	NA	NA	53	ND	150	880	1,300	NS	NS	29	NS	73	NS	NS
Nitrate plus Nitrite	NA	NA	ND	840	1,731	790	1,100	NS	NS	766	NS	1,500	NS	NS
Nitrogen, Kjeldahl	NA	NA	680	760	570	900	470	NS	NS	1,000	NS	700	NS	NS
Sulfate	NA	NA	24,000	28,000	33,000	24,000	23,000	NS	NS	23,000	NS	24,000	NS	NS
Total Organic Carbon	NA	NA	6,600	34,000	6,900	9,100	7,300	NS	NS	8,800	NS	5,000	NS	NS
Dissolved Oxygen (mg/l)	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Eh (mV)	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Conductivity (uS/cm)	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
pH	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Temperature (C)	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

See Notes on Page 15 of 15

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS FOR DETECTED CONSTITUENTS
VOLATILE ORGANIC COMPOUNDS, METALS, AND GENERAL CHEMISTRY
FORMER WHITE CONSOLIDATED INDUSTRIES BELDING SITE
SME Project No. LE35508

NOTES:

1. Analytical results compared to applicable Part 201 January 23, 2006 Generic Cleanup Criteria.
2. Concentrations reported in parts per billion (ppb) or micrograms per liter (ug/L).
3. Shading indicates which cleanup criteria are exceeded and the corresponding analytical result.
4. *Criteria from the mixing zone-based GSI value presented in the October 27, 1998, RAP
6. MWX** = Duplicate sample collected from MW4S.
5. Alkalinity (total)*** = Units are expressed in mg $CaCO_3$/L.
7. ND = Analytical result was less than the laboratory method detection limit.
8. NA = Criterion or value not available.
9. ID = Inadequate data to develop criterion.
10. NS = Not sampled for analysis.

APPENDIX A

FIELD DATA SHEETS

© 2007 soil and materials engineers, inc.

Troll 9000 **Low-Flow System**
02/28/07 **ISI Low-Flow Log**

Project Information:		**Pump Information:**	
Operator Name	Jeff Tait	Pump Model/Type	Peristaltic
Company Name	SME	Tubing Type	HDPE
Project Name	LE52510	Tubing Diameter	0.25 [in]
Site Name	Former WCI Belding Facility	Tubing Length	13 [ft]
		Pump placement from TOC	10 [ft]

Well Information:		**Pumping information:**	
Well Id	MW-1	Final pumping rate	150 [mL/min]
Well diameter	2 [in]	Flowcell volume	242.49 [mL]
Well total depth	12 [ft]	Calculated Sample Rate	97 [sec]
Depth to top of screen	7 [ft]	Sample rate	97 [sec]
Screen length	60 [in]	Stabilized drawdown	0 [in]
Depth to Water	4.52 [ft]		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [uS/cm @25C]	Turb [NTU]	DO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.1	+/-0.3	+/-10	+/-10	+/-10
Last 5 Readings	10:12:38	6.36	8.99	894.52	20.75	1.48	-110.06
	10:14:16	6.32	8.97	894.09	21.39	1.47	-109.68
	10:15:54	6.24	8.98	896.33	16.90	1.49	-108.92
	10:17:33	6.30	8.96	897.54	19.44	1.51	-107.77
	10:19:11	6.40	8.94	895.82	17.33	1.53	-107.60
Variance in last 3 reading	10:15:54	-0.08	0.02	2.24	-4.48	0.01	0.76
	10:17:33	0.07	-0.02	1.22	2.53	0.03	1.15
	10:19:11	0.10	-0.03	-1.72	-2.10	0.02	0.17

Notes: Overcast, 32 Degrees
No odors
No sheen
Sampled at 10:20

Troll 9000 **Low-Flow System**
02/27/07 **ISI Low-Flow Log**

Project Information:

Operator Name	Jeff Tait
Company Name	SME
Project Name	LE52510
Site Name	Former WCI Belding Facility

Pump Information:

Pump Model/Type	Peristaltic
Tubing Type	HDPE
Tubing Diameter	0.25 [in]
Tubing Length	13 [ft]
Pump placement from TOC	10 [ft]

Well Information:

Well Id	MW-2
Well diameter	2 [in]
Well total depth	12 [ft]
Depth to top of screen	7 [ft]
Screen length	60 [in]
Depth to Water	6.94 [ft]

Pumping information:

Final pumping rate	150 [mL/min]
Flowcell volume	242.49 [mL]
Calculated Sample Rate	97 [sec]
Sample rate	97 [sec]
Stabilized drawdown	0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [uS/cm @25C]	Turb [NTU]	DO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.1	+/-0.3	+/-10	+/-10	+/-10
Last 5 Readings	13:17:29	5.72	9.96	780.80	96.95	8.58	-107.79
	13:19:08	5.70	10.01	781.19	98.72	8.56	-108.13
	13:20:49	5.72	9.98	781.04	88.45	8.57	-108.27
	13:22:26	5.72	9.99	781.13	93.26	8.57	-109.04
	13:24:05	5.69	9.96	781.81	83.31	8.58	-109.30
Variance in last 3 reading	13:20:49	0.02	-0.03	-0.15	-10.27	0.00	-0.13
	13:22:26	0.00	0.00	0.10	4.81	0.00	-0.77
	13:24:05	-0.04	-0.02	0.68	-9.95	0.01	-0.26

Notes: Overcast, 32 Degrees
No odors
No sheen
Sampled at 1:00

		Troll 9000	**Low-Flow System**
		02/27/07	**ISI Low-Flow Log**

Project Information:

Operator Name	Jeff Tait
Company Name	SME
Project Name	LE52510
Site Name	Former WCI Belding Facility

Pump Information:

Pump Model/Type	Peristaltic
Tubing Type	HDPE
Tubing Diameter	0.25 [in]
Tubing Length	13 [ft]
Pump placement from TOC	10 [ft]

Well Information:

Well Id	MW-3
Well diameter	2 [in]
Well total depth	12 [ft]
Depth to top of screen	7 [ft]
Screen length	60 [in]
Depth to Water	6.87 [ft]

Pumping information:

Final pumping rate	150 [mL/min]
Flowcell volume	242.49 [mL]
Calculated Sample Rate	97 [sec]
Sample rate	97 [sec]
Stabilized drawdown	0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [uS/cm @25C]	Turb [NTU]	DO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.1	+/-0.3	+/-10	+/-10	+/-10
Last 5 Readings	14:20:53	6.40	9.60	616.15	42.95	6.06	-108.28
	14:22:32	6.34	9.71	615.93	53.79	5.90	-108.45
	14:24:09	6.38	9.72	615.77	36.44	5.71	-108.46
	14:25:47	6.38	9.74	616.24	31.23	5.59	-108.68
	14:27:26	6.45	9.73	616.27	27.57	5.48	-108.81
Variance in last 3 reading	14:24:09	0.04	0.01	-0.16	-17.34	-0.19	0.00
	14:25:47	0.00	0.02	0.47	-5.21	-0.12	-0.22
	14:27:26	0.07	-0.01	0.03	-3.66	-0.11	-0.13

Notes: Overcast, 32 Degrees
No odors
No sheen
Sampled at 2:20

Troll 9000 **Low-Flow System**
02/27/07 **ISI Low-Flow Log**

Project Information:

Operator Name	Jeff Tait
Company Name	SME
Project Name	LE52510
Site Name	Former WCI Belding Facility

Pump Information:

Pump Model/Type	Peristaltic
Tubing Type	HDPE
Tubing Diameter	0.25 [in]
Tubing Length	20 [ft]
Pump placement from TOC	16 [ft]

Well Information:

Well Id	MW-4S
Well diameter	2 [in]
Well total depth	18 [ft]
Depth to top of screen	13 [ft]
Screen length	60 [in]
Depth to Water	8.2 [ft]

Pumping information:

Final pumping rate	150 [mL/min]
Flowcell volume	310.06 [mL]
Calculated Sample Rate	125 [sec]
Sample rate	125 [sec]
Stabilized drawdown	0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [uS/cm @25C]	Turb [NTU]	DO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.1	+/-0.3	+/-10	+/-10	+/-10
Last 5 Readings	15:45:12	7.12	9.34	984.43	127.78	4.48	-70.48
	15:47:20	6.92	9.35	985.29	177.48	3.99	-71.55
	15:49:26	7.12	9.31	984.44	94.39	3.73	-71.98
	15:51:33	7.09	9.34	983.84	93.88	3.81	-73.26
	15:53:41	6.94	9.39	984.78	91.97	3.58	-73.18
Variance in last 3 reading	15:49:26	0.20	-0.04	-0.85	-83.08	-0.26	-0.43
	15:51:33	-0.03	0.03	-0.60	-0.51	0.08	-1.29
	15:53:41	-0.15	0.05	0.94	-1.91	-0.23	0.08

Notes: Overcast, 32 Degrees
No odors
No sheen
Sampled at 4:00

Troll 9000 **Low-Flow System**
02/27/07 **ISI Low-Flow Log**

Project Information:		**Pump Information:**	
Operator Name	Jeff Tait	Pump Model/Type	Peristaltic
Company Name	SME	Tubing Type	HDPE
Project Name	LE52510	Tubing Diameter	0.25 [in]
Site Name	Former WCI Belding Facility	Tubing Length	27 [ft]
		Pump placement from TOC	23 [ft]

Well Information:		**Pumping information:**	
Well Id	MW-4D	Final pumping rate	150 [mL/min]
Well diameter	2 [in]	Flowcell volume	377.62 [mL]
Well total depth	25 [ft]	Calculated Sample Rate	152 [sec]
Depth to top of screen	20 [ft]	Sample rate	152 [sec]
Screen length	60 [in]	Stabilized drawdown	0 [in]
Depth to Water	5.87 [ft]		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm @25C]	Turb [NTU]	DO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.1	+/-0.3	+/-10	+/-10	+/-10
Last 5 Readings	14:48:49	9.20	9.26	403.59	18.19	6.85	25.86
	14:51:23	9.16	9.28	403.75	15.20	6.78	36.84
	14:53:58	9.16	9.28	404.06	13.22	6.71	44.31
	14:56:33	9.02	9.29	403.80	14.13	6.62	46.87
	14:59:08	9.12	9.27	403.84	11.33	6.51	47.75
Variance in last 3 reading	14:53:58	0.00	0.00	0.31	-1.98	-0.07	7.47
	14:56:33	-0.14	0.01	-0.26	0.91	-0.09	2.55
	14:59:08	0.10	-0.02	0.05	-2.80	-0.11	0.88

Notes: Overcast, 32 Degrees
No odors
No sheen
Sampled at 3:00

Troll 9000 **Low-Flow System**
02/27/07 **ISI Low-Flow Log**

Project Information:		**Pump Information:**	
Operator Name	Jeff Tait	Pump Model/Type	Peristaltic
Company Name	SME	Tubing Type	HDPE
Project Name	LE52510	Tubing Diameter	0.25 [in]
Site Name	Former WCI Belding Facility	Tubing Length	13 [ft]
		Pump placement from TOC	5 [ft]

Well Information:		**Pumping information:**	
Well Id	MW-5	Final pumping rate	150 [mL/min]
Well diameter	2 [in]	Flowcell volume	242.49 [mL]
Well total depth	6 [ft]	Calculated Sample Rate	97 [sec]
Depth to top of screen	5 [ft]	Sample rate	97 [sec]
Screen length	60 [in]	Stabilized drawdown	0 [in]
Depth to Water	5.74 [ft]		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [uS/cm @25C]	Turb [NTU]	DO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.1	+/-0.3	+/-10	+/-10	+/-10
Last 5 Readings	12:10:31	5.24	9.86	377.55	225.63	13.99	56.91
	12:12:11	5.26	9.80	414.55	94.54	12.71	40.87
	12:13:50	5.27	9.80	470.25	83.22	15.06	25.39
	12:15:29	5.33	9.82	549.33	77.03	14.60	8.88
	12:17:09	5.31	9.81	648.53	70.30	13.29	-9.47
Variance in last 3 reading	12:13:50	0.01	0.01	55.70	-11.32	2.35	-15.48
	12:15:29	0.07	0.01	79.08	-6.19	-0.46	-16.51
	12:17:09	-0.02	-0.01	99.20	-6.73	-1.32	-18.35

Notes: Overcast, 32 Degrees
No odors
No sheen
Sampled at 12:30
*Could not calibrate DO
purged well dry not enogh waterto sample

	Troll 9000	**Low-Flow System**
	02/27/07	**ISI Low-Flow Log**

Project Information:

Operator Name	Jeff Tait
Company Name	SME
Project Name	LE52510
Site Name	Former WCI Belding Facility

Pump Information:

Pump Model/Type	Peristaltic
Tubing Type	HDPE
Tubing Diameter	0.25 [in]
Tubing Length	13 [ft]
Pump placement from TOC	10 [ft]

Well Information:

Well Id	MW-6
Well diameter	2 [in]
Well total depth	12 [ft]
Depth to top of screen	7 [ft]
Screen length	60 [in]
Depth to Water	6.95 [ft]

Pumping information:

Final pumping rate	150 [mL/min]
Flowcell volume	242.49 [mL]
Calculated Sample Rate	97 [sec]
Sample rate	97 [sec]
Stabilized drawdown	0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [uS/cm @25C]	Turb [NTU]	DO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.1	+/-0.3	+/-10	+/-10	+/-10
Last 5 Readings	11:18:24	5.50	10.02	438.10	0.94	26.29	218.30
	11:20:03	5.51	10.02	436.69	1.42	24.67	217.65
	11:21:42	5.55	10.01	435.92	0.33	23.51	216.88
	11:23:22	5.49	9.92	435.51	0.77	22.40	215.80
	11:25:00	5.51	9.94	437.44	0.33	21.68	214.98
Variance in last 3 reading	11:21:42	0.03	-0.01	-0.76	-1.10	-1.16	-0.78
	11:23:22	-0.06	-0.09	-0.42	0.45	-1.12	-1.07
	11:25:00	0.02	0.02	1.93	-0.44	-0.72	-0.82

Notes: Overcast, 32 Degrees
No odors
No sheen
Sampled at 11:30
*Could not calibrate DO

Troll 9000 **Low-Flow System**
02/28/07 **ISI Low-Flow Log**

Project Information:		**Pump Information:**	
Operator Name	Jeff Tait	Pump Model/Type	Peristaltic
Company Name	SME	Tubing Type	HDPE
Project Name	LE52510	Tubing Diameter	0.25 [in]
Site Name	Former WCI Belding Facility	Tubing Length	14 [ft]
		Pump placement from TOC	10 [ft]

Well Information:		**Pumping information:**	
Well Id	MW-7	Final pumping rate	150 [mL/min]
Well diameter	2 [in]	Flowcell volume	252.14 [mL]
Well total depth	12 [ft]	Calculated Sample Rate	101 [sec]
Depth to top of screen	7 [ft]	Sample rate	101 [sec]
Screen length	60 [in]	Stabilized drawdown	0 [in]
Depth to Water	6.13 [ft]		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [uS/cm @25C]	Turb [NTU]	DO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.1	+/-0.3	+/-10	+/-10	+/-10
Last 5 Readings	13:12:07	6.34	9.21	370.00	1.62	6.45	14.82
	13:13:50	6.25	9.21	370.75	2.08	6.27	21.26
	13:15:34	6.22	9.19	370.34	0.69	6.13	25.78
	13:17:17	6.25	9.20	371.17	2.18	5.41	29.75
	13:19:00	6.19	9.14	371.21	-0.23	5.92	32.90
Variance in last 3 reading	13:15:34	-0.03	-0.02	-0.41	-1.39	-0.14	4.52
	13:17:17	0.03	0.01	0.83	1.49	-0.72	3.96
	13:19:00	-0.06	-0.06	0.04	-2.41	0.51	3.15

Notes: Overcast, 32 Degrees
No odors
No sheen
Sampled at 1:45

Troll 9000	**Low-Flow System**
02/28/07	**ISI Low-Flow Log**

Project Information:

Operator Name	Jeff Tait
Company Name	SME
Project Name	LE52510
Site Name	Former WCI Belding Facility

Pump Information:

Pump Model/Type	Peristaltic
Tubing Type	HDPE
Tubing Diameter	0.25 [in]
Tubing Length	22 [ft]
Pump placement from TOC	18 [ft]

Well Information:

Well Id	MW-10
Well diameter	2 [in]
Well total depth	20 [ft]
Depth to top of screen	15 [ft]
Screen length	60 [in]
Depth to Water	10.26 [ft]

Pumping information:

Final pumping rate	150 [mL/min]
Flowcell volume	329.36 [mL]
Calculated Sample Rate	132 [sec]
Sample rate	132 [sec]
Stabilized drawdown	0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [uS/cm @25C]	Turb [NTU]	DO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.1	+/-0.3	+/-10	+/-10	+/-10
Last 5 Readings	11:15:32	9.33	8.31	1436.56	20.91	1.29	-81.07
	11:17:48	9.12	8.33	1427.02	21.57	1.34	-81.67
	11:20:03	9.27	8.29	1441.02	19.38	1.28	-82.32
	11:22:18	9.09	8.31	1434.69	17.05	1.27	-82.97
	11:24:32	9.08	8.33	1442.37	18.45	1.26	-82.93
Variance in last 3 reading	11:20:03	0.14	-0.04	14.01	-2.20	-0.06	-0.65
	11:22:18	-0.18	0.02	-6.33	-2.33	-0.01	-0.65
	11:24:32	-0.01	0.02	7.68	1.40	0.00	0.03

Notes: Overcast, 32 Degrees
No odors
No sheen
Sampled at 11:30

Troll 9000	**Low-Flow System**
02/28/07	**ISI Low-Flow Log**

Project Information:

Operator Name	Jeff Tait
Company Name	SME
Project Name	LE52510
Site Name	Former WCI Belding Facility

Pump Information:

Pump Model/Type	Peristaltic
Tubing Type	HDPE
Tubing Diameter	0.25 [in]
Tubing Length	20 [ft]
Pump placement from TOC	16 [ft]

Well Information:

Well Id	MW-11
Well diameter	2 [in]
Well total depth	18 [ft]
Depth to top of screen	13 [ft]
Screen length	60 [in]
Depth to Water	10.72 [ft]

Pumping information:

Final pumping rate	150 [mL/min]
Flowcell volume	310.06 [mL]
Calculated Sample Rate	125 [sec]
Sample rate	125 [sec]
Stabilized drawdown	0 [in]

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [uS/cm @25C]	Turb [NTU]	DO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.1	+/-0.3	+/-10	+/-10	+/-10
Last 5 Readings	12:31:07	6.12	8.69	2097.71	9.42	1.51	-89.74
	12:33:14	6.23	8.66	2079.51	8.69	1.54	-89.05
	12:35:21	6.35	8.64	2116.15	9.07	1.08	-89.86
	12:37:28	6.67	8.57	2106.22	6.80	1.35	-89.56
	12:39:35	6.25	8.68	2112.23	6.38	1.41	-90.32
Variance in last 3 reading	12:35:21	0.11	-0.02	36.63	0.39	-0.45	-0.81
	12:37:28	0.32	-0.07	-9.93	-2.27	0.26	0.31
	12:39:35	-0.43	0.11	6.02	-0.42	0.06	-0.76

Notes: Overcast, 32 Degrees
No odors
No sheen
Sampled at 12:45

APPENDIX B

LABORATORY DATA SHEETS AND CHAIN-OF-CUSTODY DOCUMENTATION

© 2007 soil and materials engineers, inc.

Fibertec
environmental
services

RECEIVED
APR 24 2007
SME LANSING

March 8, 2007

Case Narrative

Customer: SME
Project Identification: Former Belding Co./LE52510
Fibertec Project Number: 22005

Sample Collection/ Receipt
The following samples were collected and received by Fibertec on February 28, 2007.
5 Waters (including a trip blank)
All Samples were received on ice and in good condition.

Analysis
Analyses were conducted in accordance with chain of custody and within hold times.

All applicable quality assurance/ quality control parameters were within acceptance limits unless otherwise noted.

Volatiles
Sample 22005.001 (MW-1) has an estimated result for vinyl chloride, compound failed high on CCV.

The following results were reported with elevated reporting limits:

Laboratory Number	Client ID	Analysis	Reason for elevated RL
22005.002	MW-10	Chloride, Nitrite	Sample Matrix
22005.003	MW-11	Nitrate, Nitrite, Ammonia	Sample Matrix

Kyleen Crandall
Authorized Signature

3/8/07
Date

1914 Holloway Drive Holt, Michigan 48842 Telephone: (517) 699-0345 Facsimile: (517) 699-0388
11776 Grand River Ave Brighton, Michigan 48116 Telephone: (810) 220-3300 Facsimile: (810) 220-3311

Fibertec
environmental
services

Thursday, March 08, 2007

Fibertec Project Number: 22005
Project Identification: Belding Products Co./LE52510
Submittal Date: 2/28/2007

Mr. Brian Burke
Soil and Materials Engineers, Inc. - Lansing
2663 Eaton Rapids Road
Lansing, MI 48911

Dear Mr. Burke,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed as requested and the results compiled in the enclosed report.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345. Please note samples will be disposed of 30 days after reporting date.

Sincerely,

Kyleen Crandall for

Daryl P. Strandbergh
Laboratory Director

DPS/kc

Enclosures

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-001**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-1**
Project Number:	**LE52510**	Client Sample Number:	**1**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B) (Estimated result for vinyl chloride, compound failed high on CCV)								
Acetone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	BAG
Acrylonitrile	ND	µg/L	2.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Benzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromochloromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromodichloromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromoform	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromomethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
2-Butanone	ND	µg/L	25	1	VB07C01A	3/1/2007	3/1/2007	BAG
n-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
sec-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
tert-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Carbon Disulfide	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Carbon Tetrachloride	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chloroethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chloroform	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chloromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
hlorotoluene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Dibromochloromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-001**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-1**
Project Number:	**LE52510**	Client Sample Number:	**1**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B) (Estimated result for vinyl chloride, compound failed high on CCV)								
1,2-Dibromo-3-chloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Dibromomethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,3-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,4-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Dichlorodifluoromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1-Dichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2-Dichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
cis-1,2-Dichloroethene	**6.0**	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
trans-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2-Dichloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
cis-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
trans-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Ethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Ethylene Dibromide	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
2-Hexanone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	BAG
Methyl Iodide	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
[illegible]ropylbenzene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
4-Methyl-2-pentanone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-001**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-1**
Project Number:	**LE52510**	Client Sample Number:	**1**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B) (Estimated result for vinyl chloride, compound failed high on CCV)								
Methylene Chloride	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
2-Methylnaphthalene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
MTBE	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Naphthalene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
n-Propylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Styrene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,2,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Tetrachloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Toluene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,1-Trichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,2-Trichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Trichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Trichlorofluoromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2,3-Trichloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2,4-Trimethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,3,5-Trimethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
[illegible]yl Chloride	**110 J**	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Xylenes	ND	µg/L	3.0	1	VB07C01A	3/1/2007	3/1/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-002**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-10**
Project Number:	**LE52510**	Client Sample Number:	**2**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Acetone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Acrylonitrile	ND	µg/L	2.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Benzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Bromobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Bromochloromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Bromodichloromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Bromoform	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Bromomethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
2-Butanone	ND	µg/L	25	1	VB07C01A	3/1/2007	3/1/2007	JLCr
n-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
sec-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
tert-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Carbon Disulfide	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Carbon Tetrachloride	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Chlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Chloroethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Chloroform	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Chloromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
hlorotoluene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Dibromochloromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-002**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-10**
Project Number:	**LE52510**	Client Sample Number:	**2**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
1,2-Dibromo-3-chloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Dibromomethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,2-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,3-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,4-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Dichlorodifluoromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,1-Dichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,2-Dichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,1-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
cis-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
trans-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,2-Dichloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
cis-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
trans-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Ethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Ethylene Dibromide	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
2-Hexanone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Methyl Iodide	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
[illegible]ropylbenzene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
4-Methyl-2-pentanone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	JLCr

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-002**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-10**
Project Number:	**LE52510**	Client Sample Number:	**2**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Methylene Chloride	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
2-Methylnaphthalene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
MTBE	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Naphthalene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
n-Propylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Styrene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,1,2,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Tetrachloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Toluene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,1,1-Trichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,1,2-Trichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Trichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
Trichlorofluoromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,2,3-Trichloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,2,4-Trimethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
1,3,5-Trimethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr
[illegible]yl Chloride	ND	µg/L	1.0	1	VE07C02A	3/2/2007	3/2/2007	JLCr
Xylenes	ND	µg/L	3.0	1	VB07C01A	3/1/2007	3/1/2007	JLCr

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-002A**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-10**
Project Number:	**LE52510**	Client Sample Number:	**2**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Inorganic Anions by IC (EPA 9056)								
Chloride	**300000**	µg/L	50000	5	WA07C01A	3/1/2007	3/1/2007	HAW
Nitrate-N	ND	µg/L	23	1	WA07B28A	2/28/2007	2/28/2007	HAW
Nitrite-N	ND	µg/L	150	5	WA07C01A	3/1/2007	3/1/2007	HAW
Sulfate	**4500**	µg/L	1000	1	WA07B28A	2/28/2007	2/28/2007	HAW
Alkalinity by Titrimetry (SM 2320 B.)								
Bicarbonate Alkalinity	**480000**	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW
Carbonate Alkalinity	ND	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW
Hydroxide Alkalinity	ND	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-002B**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-10**
Project Number:	**LE52510**	Client Sample Number:	**2**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Iron by ICP/AES, Dissolved (CODE FF/EPA 6010B)								
Iron	**3200**	µg/L	200	1	42916	2/28/2007	3/6/2007	PAM
Manganese by ICP/MS, Dissolved (CODE FF/EPA 6020)								
Manganese	**440**	µg/L	20	1	42907	2/28/2007	3/5/2007	JLH

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-002C**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-10**
Project Number:	**LE52510**	Client Sample Number:	**2**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Nitrogen, Ammonia (ISE) (EPA 0350.3)								
Ammonia-N	**790**	µg/L	20	1	WJ07C02A	NA	3/2/2007	CML

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-002D**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-10**
Project Number:	**LE52510**	Client Sample Number:	**2**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Nitrogen, Kjeldahl (ISE) (EPA 0351.4) (Analyzed by subcontract laboratory)								
Total Kjeldahl Nitrogen	**900**	µg/L	100	1	NA	NA	3/7/2007	ML

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-002E**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-10**
Project Number:	**LE52510**	Client Sample Number:	**2**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Carbon, Total Organic (TOC) (EPA 9060)								
Total Organic Carbon	**3500**	µg/L	1000	1	WB07C03A	3/2/2007	3/2/2007	HAW

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-003**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-11**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Acetone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	BAG
Acrylonitrile	ND	µg/L	2.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Benzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromochloromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromodichloromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromoform	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromomethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
2-Butanone	ND	µg/L	25	1	VB07C01A	3/1/2007	3/1/2007	BAG
n-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
sec-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
tert-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Carbon Disulfide	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Carbon Tetrachloride	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chloroethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chloroform	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chloromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chlorotoluene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Dibromochloromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-003**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-11**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
1,2-Dibromo-3-chloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Dibromomethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,3-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,4-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Dichlorodifluoromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1-Dichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2-Dichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
cis-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
trans-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2-Dichloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
cis-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
trans-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Ethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Ethylene Dibromide	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
2-Hexanone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	BAG
Methyl Iodide	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
[illegible]propylbenzene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
4-Methyl-2-pentanone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-003**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-11**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Methylene Chloride	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
2-Methylnaphthalene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
MTBE	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Naphthalene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
n-Propylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Styrene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,2,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Tetrachloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Toluene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,1-Trichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,2-Trichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Trichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Trichlorofluoromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2,3-Trichloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2,4-Trimethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,3,5-Trimethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
[illegible]yl Chloride	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Xylenes	ND	µg/L	3.0	1	VB07C01A	3/1/2007	3/1/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-003A**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-11**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Inorganic Anions by IC (EPA 9056)								
Chloride	**470000**	µg/L	50000	5	WA07C01A	3/1/2007	3/1/2007	HAW
Nitrate-N	ND	µg/L	23	1	WA07B28A	2/28/2007	2/28/2007	HAW
Nitrite-N	ND	µg/L	150	5	WA07C01A	3/1/2007	3/1/2007	HAW
Sulfate	ND	µg/L	1000	1	WA07B28A	2/28/2007	2/28/2007	HAW
Alkalinity by Titrimetry (SM 2320 B.)								
Bicarbonate Alkalinity	**670000**	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW
Carbonate Alkalinity	ND	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW
Hydroxide Alkalinity	ND	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-003B**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-11**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Iron by ICP/AES, Dissolved (CODE FF/EPA 6010B)								
Iron	**22000**	µg/L	200	1	42916	2/28/2007	3/6/2007	PAM
Manganese by ICP/MS, Dissolved (CODE FF/EPA 6020)								
Manganese	**2800**	µg/L	20	1	42907	2/28/2007	3/5/2007	JLH

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-003C**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-11**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Nitrogen, Ammonia (ISE) (EPA 0350.3)								
Ammonia-N	**11000**	µg/L	200	10	WJ07C02A	NA	3/2/2007	CML

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-003D**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-11**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Nitrogen, Kjeldahl (ISE) (EPA 0351.4) (Analyzed by subcontract laboratory)								
Total Kjeldahl Nitrogen	**13000**	µg/L	100	1	NA	NA	3/7/2007	ML

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-003E**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-11**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Carbon, Total Organic (TOC) (EPA 9060)								
Total Organic Carbon	**9500**	µg/L	1000	1	WB07C03A	3/2/2007	3/2/2007	HAW

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-004**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-7**
Project Number:	**LE52510**	Client Sample Number:	**4**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Acetone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	BAG
Acrylonitrile	ND	µg/L	2.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Benzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromochloromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromodichloromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromoform	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromomethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
2-Butanone	ND	µg/L	25	1	VB07C01A	3/1/2007	3/1/2007	BAG
n-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
sec-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
tert-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Carbon Disulfide	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Carbon Tetrachloride	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chloroethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chloroform	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chloromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chlorotoluene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Dibromochloromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-004**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-7**
Project Number:	**LE52510**	Client Sample Number:	**4**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
1,2-Dibromo-3-chloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Dibromomethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,3-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,4-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Dichlorodifluoromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1-Dichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2-Dichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
cis-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
trans-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2-Dichloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
cis-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
trans-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Ethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Ethylene Dibromide	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
2-Hexanone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	BAG
Methyl Iodide	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
[illegible]propylbenzene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
4-Methyl-2-pentanone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-004**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-7**
Project Number:	**LE52510**	Client Sample Number:	**4**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Methylene Chloride	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
2-Methylnaphthalene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
MTBE	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Naphthalene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
n-Propylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Styrene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,2,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Tetrachloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Toluene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,1-Trichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,2-Trichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Trichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Trichlorofluoromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2,3-Trichloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2,4-Trimethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,3,5-Trimethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
[illegible]nyl Chloride	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Xylenes	ND	µg/L	3.0	1	VB07C01A	3/1/2007	3/1/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-004A**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-7**
Project Number:	**LE52510**	Client Sample Number:	**4**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Inorganic Anions by IC (EPA 9056)								
Chloride	ND	µg/L	10000	1	WA07B28A	2/28/2007	2/28/2007	HAW
Nitrate-N	**690**	µg/L	23	1	WA07B28A	2/28/2007	2/28/2007	HAW
Nitrite-N	ND	µg/L	30	1	WA07B28A	2/28/2007	2/28/2007	HAW
Sulfate	**7100**	µg/L	1000	1	WA07B28A	2/28/2007	2/28/2007	HAW
Alkalinity by Titrimetry (SM 2320 B.)								
Bicarbonate Alkalinity	**190000**	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW
Carbonate Alkalinity	ND	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW
Hydroxide Alkalinity	ND	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-004B**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-7**
Project Number:	**LE52510**	Client Sample Number:	**4**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Iron by ICP/AES, Dissolved (CODE FF/EPA 6010B)								
Iron	ND	µg/L	200	1	42916	2/28/2007	3/6/2007	PAM
Manganese by ICP/MS, Dissolved (CODE FF/EPA 6020)								
Manganese	ND	µg/L	20	1	42907	2/28/2007	3/5/2007	JLH

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-004C**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-7**
Project Number:	**LE52510**	Client Sample Number:	**4**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Nitrogen, Ammonia (ISE) (EPA 0350.3)								
Ammonia-N	**26**	µg/L	20	1	WJ07C02A	NA	3/2/2007	CML

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-004D**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-7**
Project Number:	**LE52510**	Client Sample Number:	**4**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Nitrogen, Kjeldahl (ISE) (EPA 0351.4) (Analyzed by subcontract laboratory)								
Total Kjeldahl Nitrogen	**200**	µg/L	100	1	NA	NA	3/7/2007	ML

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-004E**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**MW-7**
Project Number:	**LE52510**	Client Sample Number:	**4**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Carbon, Total Organic (TOC) (EPA 9060)								
Total Organic Carbon	**1500**	µg/L	1000	1	WB07C03A	3/2/2007	3/2/2007	HAW

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-005**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**Trip Blank**
Project Number:	**LE52510**	Client Sample Number:	**5**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Acetone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	BAG
Acrylonitrile	ND	µg/L	2.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Benzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromochloromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromodichloromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromoform	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Bromomethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
2-Butanone	ND	µg/L	25	1	VB07C01A	3/1/2007	3/1/2007	BAG
n-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
sec-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
tert-Butylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Carbon Disulfide	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Carbon Tetrachloride	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chloroethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chloroform	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chloromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chlorotoluene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Dibromochloromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-005**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**Trip Blank**
Project Number:	**LE52510**	Client Sample Number:	**5**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
1,2-Dibromo-3-chloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Dibromomethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,3-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,4-Dichlorobenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Dichlorodifluoromethane	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1-Dichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2-Dichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
cis-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
trans-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2-Dichloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
cis-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
trans-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Ethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Ethylene Dibromide	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
2-Hexanone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	BAG
Methyl Iodide	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
[illegible]propylbenzene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
4-Methyl-2-pentanone	ND	µg/L	50	1	VB07C01A	3/1/2007	3/1/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22005**	Sample Number:	**22005-005**

Client Sample Information

Project Identification:	**Belding Products Co.**	Client Sample Description:	**Trip Blank**
Project Number:	**LE52510**	Client Sample Number:	**5**
Sample Date:	**2/28/2007**	Chain of Custody Number:	**47670**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Methylene Chloride	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
2-Methylnaphthalene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
MTBE	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Naphthalene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
n-Propylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Styrene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,2,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Tetrachloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Toluene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,1-Trichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,1,2-Trichloroethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Trichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Trichlorofluoromethane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2,3-Trichloropropane	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,2,4-Trimethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
1,3,5-Trimethylbenzene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
[illegible]nyl Chloride	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Xylenes	ND	µg/L	3.0	1	VB07C01A	3/1/2007	3/1/2007	BAG

Fibertec
Environmental
Services

QUALITY ASSURANCE REPORT
for
LABORATORY BATCH NUMBER

VB07C01A

VOLATILES

Sample Matrix :	WATER, TOTAL	Preparation Method :	SW-846 5030	Analytical Method :	SW-846 8260 UST
Inclusive Projects :	VARIOUS	Preparation Date :	3/1/2007	Analysis Date :	3/1/2007
		Preparer(s) Initials:	BG	Analyst(s) Initials :	BG

Analyte	RL	Units	Matrix Blank Conc. (ug/L) (%**)	Matrix Blank Flag	Laboratory Fortified Blank (LFB) Conc. Spiked (ug/L)	LFB Conc. (ug/L)	LFB Percent Recovery	LCL (%)	UCL (%)	Flag
Vinyl chloride	1.00	ug/L	U		50.0	47.2	94.4	58	168	
1,1-Dichloroethene	1.00	ug/L	U		50.0	55.4	110.9	76	145	
Methylene chloride	1.00	ug/L	U		50.0	52.7	105.4	68	138	
trans-1,2-Dichloroethene	1.00	ug/L	U		50.0	51.9	103.8	80	132	
1,1-Dichloroethane	1.00	ug/L	U		50.0	48.5	97.0	76	134	
cis-1,2-Dichloroethene	1.00	ug/L	U		50.0	52.1	104.2	78	140	
1,1,1-Trichloroethane	1.00	ug/L	U		50.0	49.7	99.4	82	140	
Carbontetrachloride	1.00	ug/L	U		50.0	59.1	118.2	53	195	
Benzene	1.00	ug/L	U		50.0	48.7	97.4	80	140	
1,2-Dichloropropane	1.00	ug/L	U		50.0	52.8	105.6	80	135	
Trichloroethene	1.00	ug/L	U		50.0	46.7	93.4	80	135	
Bromodichloromethane	1.00	ug/L	U		50.0	52.4	104.8	78	142	
1,1,2-Trichloroethane	1.00	ug/L	U		50.0	44.5	88.9	78	138	
Toluene	1.00	ug/L	U		50.0	48.8	97.6	80	132	
Dibromochloromethane	1.00	ug/L	U		50.0	48.5	97.0	80	135	
Tetrachloroethene	1.00	ug/L	U		50.0	42.3	84.6	60	123	
2-Hexanone	1.00	ug/L	U		50.0	68.0	136.1	39	143	
Ethylbenzene	1.00	ug/L	U		50.0	49.0	98.1	84	132	
total-Xylene	3.00	ug/L	U		150	145.1	96.7	50	124	
Styrene	1.00	ug/L	U		50.0	47.4	94.9	84	134	
Dibromofluoromethane (S)**		ug/L	116		100	111.5	111.5	80	120	
Toluene-d8 (S)**		ug/L	105		100	105.6	105.6	80	120	
4-Bromofluorobenzene (S)**		ug/L	104		100	109.4	109.4	80	120	

MATRIX SPIKE / MATRIX SPIKE DUPLICATE (MS / MSD) Laboratory Sample ID	Sample Conc. (ug/L)	Conc. Spiked (ug/L)	MS Conc. (ug/L)	MSD Conc. (ug/L)	MS Percent Recovery	MSD Percent Recovery	LCL (%)	UCL (%)	Flag	RPD MS/MSD (%)	UCL (%)	Flag
Water Sample	U	50.0	0.0	0.0	0	0	68	138	*	#DIV/0!	60	####
Water Sample	U	50.0	0.0	0.0	0	0	78	122	*	#DIV/0!	35	####
Water Sample	U	50.0	0.0	0.0	0	0	78	122	*	#DIV/0!	21	####
Water Sample	U	50.0	0.0	0.0	0	0	80	120	*	#DIV/0!	28	####
Water Sample	U	50.0	0.0	0.0	0	0	76	116	*	#DIV/0!	24	####
Water Sample	U	50.0	0.0	0.0	0	0	84	130	*	#DIV/0!	29	####
Water Sample	U	50.0	0.0	0.0	0	0	86	126	*	#DIV/0!	30	####
Water Sample	U	50.0	0.0	0.0	0	0	82	130	*	#DIV/0!	27	####
Water Sample	U	50.0	0.0	0.0	0	0	86	124	*	#DIV/0!	18	####
Water Sample	U	50.0	0.0	0.0	0	0	80	124	*	#DIV/0!	22	####
Water Sample	U	50.0	0.0	0.0	0	0	86	126	*	#DIV/0!	18	####
Water Sample	U	50.0	0.0	0.0	0	0	86	128	*	#DIV/0!	19	####
Water Sample	U	50.0	0.0	0.0	0	0	90	128	*	#DIV/0!	23	####
Water Sample	U	50.0	0.0	0.0	0	0	86	124	*	#DIV/0!	18	####
Water Sample	U	50.0	0.0	0.0	0	0	88	122	*	#DIV/0!	19	####
Water Sample	U	50.0	0.0	0.0	0	0	70	110	*	#DIV/0!	23	####
Water Sample	U	50.0	0.0	0.0	0	0	50	117	*	#DIV/0!	44	####
Water Sample	U	50.0	0.0	0.0	0	0	86	126	*	#DIV/0!	13	####
Water Sample	U	150	0.0	0.0	0	0	83	121	*	#DIV/0!	29	####
Water Sample	U	50.0	0.0	0.0	0	0	86	126	*	#DIV/0!	14	####
Water Sample	0.0	100	0.0	0.0	0	0	80	120	*	#DIV/0!	30	####
Water Sample	0.0	100	0.0	0.0	0	0	80	120	*	#DIV/0!	30	####
Water Sample	0.0	100	0.0	0.0	0	0	80	120	*	#DIV/0!	30	####

Codes,Flags :

U	The analyte was not detected at or above the quantitation limit.
E	The analyte was detected at a concentration greater than the calibration range; therefore the result is estimated.
DL	The sample was diluted due to sample matrix, therefore QC was not recoverable
*	The value is outside quality control limits
K	Reported concentration is proportional to dilution factor and may be exaggerated.
P	When one or both sample results are <5 times the quantitation limit, the RPD cannot be properly evaluated.
LOQ	Analytical limit of quantitation.
W	Result is always reported as "wet weight".
J	The analyte was detected at a conc. below the quant. limit but above the method detection limit.
B	The analyte was detected in the associated method blank.
M	Matrix interference has resulted in an elevated quantitation limit or distorted QC result.
NC	Not calculable.
NA	Not applicable.
A	If the sample result is >4 times the amount spiked, the MS recovery cannot be properly evaluated.

Comments :
**Surrogates (S) are added to all samples at 100 ug/L, and are presented as a percent recovery in the reagent blank.
No MS/MSD was used.

BJB 3-7-07
Chemist/Date

RAR 3/7/07
Quality Assurance Officer/Date

1914 Holloway Drive Holt, Michigan 48842
7794 Boardwalk Road Brighton, Michigan 48116
Telephone: (517) 699-0345 Facsimile: (517) 699-0388
Telephone: (248) 446-5700 Facsimile: (248) 446-5701

Fibertec
Environmental
Services

QUALITY ASSURANCE REPORT
for
LABORATORY BATCH NUMBER

VE07C02A

VOLATILES

Sample Matrix :	WATER, TOTAL	Preparation Method :	SW-846 5030	Analytical Method :	SW-846 8260 UST
Inclusive Projects :	VARIOUS	Preparation Date :	3/2/2007	Analysis Date :	3/2/2007
		Preparer(s) Initials:	DH	Analyst(s) Initials :	BG

Analyte	RL	Units	Matrix Blank Conc. (ug/L) (%**)	Matrix Blank Flag	Laboratory Fortified Blank (LFB) Conc. Spiked (ug/L)	LFB Conc. (ug/L)	LFB Percent Recovery	LCL (%)	UCL (%)	Flag
Vinyl chloride	1.00	ug/L	U		50.0	0.0	0.0	58	168	*
1,1-Dichloroethene	1.00	ug/L	U		50.0	0.0	0.0	76	145	*
Methylene chloride	1.00	ug/L	U		50.0	0.0	0.0	68	138	*
trans-1,2-Dichloroethene	1.00	ug/L	U		50.0	0.0	0.0	80	132	*
1,1-Dichloroethane	1.00	ug/L	U		50.0	0.0	0.0	76	134	*
cis-1,2-Dichloroethene	1.00	ug/L	U		50.0	0.0	0.0	78	140	*
1,1,1-Trichloroethane	1.00	ug/L	U		50.0	0.0	0.0	82	140	*
Carbontetrachloride	1.00	ug/L	U		50.0	0.0	0.0	53	195	*
Benzene	1.00	ug/L	U		50.0	0.0	0.0	80	140	*
1,2-Dichloropropane	1.00	ug/L	U		50.0	0.0	0.0	80	135	*
Trichloroethene	1.00	ug/L	U		50.0	0.0	0.0	80	135	*
Bromodichloromethane	1.00	ug/L	U		50.0	0.0	0.0	78	142	*
1,1,2-Trichloroethane	1.00	ug/L	U		50.0	0.0	0.0	78	138	*
Toluene	1.00	ug/L	U		50.0	0.0	0.0	80	132	*
Dibromochloromethane	1.00	ug/L	U		50.0	0.0	0.0	80	135	*
Tetrachloroethene	1.00	ug/L	U		50.0	0.0	0.0	60	123	*
2-Hexanone	1.00	ug/L	U		50.0	0.0	0.0	39	143	*
Ethylbenzene	1.00	ug/L	U		50.0	0.0	0.0	84	132	*
total-Xylene	3.00	ug/L	U		150	0.0	0.0	50	124	*
Styrene	1.00	ug/L	U		50.0	0.0	0.0	84	134	*
Dibromofluoromethane (S)**		ug/L	99		100	0.0	0.0	80	120	*
Toluene-d8 (S)**		ug/L	98		100	0.0	0.0	80	120	*
4-Bromofluorobenzene (S)**		ug/L	99		100	0.0	0.0	80	120	*

Analyte	Laboratory Sample ID	Sample Conc. (ug/L)	MS/MSD Conc. Spiked (ug/L)	MS Conc. (ug/L)	MSD Conc. (ug/L)	MS Percent Recovery	MSD Percent Recovery	LCL (%)	UCL (%)	Flag	RPD MS/MSD (%)	UCL (%)	Flag
Vinyl chloride	Water Sample	U	50.0	33.5	38.0	67	76	68	138	*	12.6	60	
1,1-Dichloroethene	Water Sample	U	50.0	41.3	42.9	83	86	78	122		3.8	35	
Methylene chloride	Water Sample	U	50.0	40.2	44.7	80	89	78	122		10.6	21	
trans-1,2-Dichloroethene	Water Sample	U	50.0	43.5	45.8	87	92	80	120		5.3	28	
1,1-Dichloroethane	Water Sample	U	50.0	42.4	45.4	85	91	76	116		6.8	24	
cis-1,2-Dichloroethene	Water Sample	U	50.0	42.9	43.7	86	87	84	130		1.9	29	
1,1,1-Trichloroethane	Water Sample	U	50.0	44.6	47.1	89	94	86	126		5.5	30	
Carbontetrachloride	Water Sample	U	50.0	48.3	50.1	97	100	82	130		3.5	27	
Benzene	Water Sample	U	50.0	47.3	50.2	95	100	86	124		6.0	18	
1,2-Dichloropropane	Water Sample	U	50.0	44.5	48.0	89	96	80	124		7.5	22	
Trichloroethene	Water Sample	U	50.0	44.7	51.3	89	103	86	126		13.8	18	
Bromodichloromethane	Water Sample	U	50.0	46.8	49.6	94	99	86	128		5.9	19	
1,1,2-Trichloroethane	Water Sample	U	50.0	46.3	49.3	93	99	90	128		6.3	23	
Toluene	Water Sample	U	50.0	48.9	51.4	98	103	86	124		5.0	18	
Dibromochloromethane	Water Sample	U	50.0	47.7	49.6	95	99	88	122		4.1	19	
Tetrachloroethene	Water Sample	U	50.0	37.5	71.0	75	142	70	110	*	61.7	23	*
2-Hexanone	Water Sample	U	50.0	48.5	45.0	97	90	50	117		7.5	44	
Ethylbenzene	Water Sample	U	50.0	49.9	51.6	100	103	86	126		3.4	13	
total-Xylene	Water Sample	U	150	147.5	154.1	98	103	83	121		4.4	29	
Styrene	Water Sample	U	50.0	53.6	56.2	107	112	86	126		4.9	14	
Dibromofluoromethane (S)**	Water Sample	0.0	100	99.0	100.3	99	100	80	120		1	30	
Toluene-d8 (S)**	Water Sample	0.0	100	98.7	101.7	99	102	80	120		3	30	
4-Bromofluorobenzene (S)**	Water Sample	0.0	100	98.5	101.7	99	102	80	120		3	30	

Codes,Flags :

U	The analyte was not detected at or above the quantitation limit.
E	The analyte was detected at a concentration greater than the calibration range; therefore the result is estimated.
DL	The sample was diluted due to sample matrix, therefore QC was not recoverable
*	The value is outside quality control limits
K	Reported concentration is proportional to dilution factor and may be exaggerated.
P	When one or both sample results are <5 times the quantitation limit, the RPD cannot be properly evaluated.
LOQ	Analytical limit of quantitation.
W	Result is always reported as "wet weight".
J	The analyte was detected at a conc. below the quant. limit but above the method detection limit.
B	The analyte was detected in the associated method blank.
M	Matrix interference has resulted in an elevated quantitation limit or distorted QC result.
NC	Not calculable.
NA	Not applicable.
A	If the sample result is >4 times the amount spiked, the MS recovery cannot be properly evaluated.

Comments :
**Surrogates (S) are added to all samples at 100 ug/L, and are presented as a percent recovery in the reagent blank.
Insufficient sample was available for MS/MSD. Precision and accuracy were determined by LCS/LCSD.

3-7-07
Chemist/Date

3/7/07
Quality Assurance Officer/Date

1914 Holloway Drive Holt, Michigan 48842 Telephone: (517) 699-0345 Facsimile: (517) 699-0388
11776 Grand River Ave Brighton, Michigan 48116 Telephone: (810) 220-3300 Facsimile: (810) 220-3311

Fibertec
Environmental
Services

QUALITY ASSURANCE REPORT
for
LABORATORY BATCH NUMBER

42916

METALS

Sample Matrix :	WATER, DISSOLVED	Preparation Method :	EPA 200.2/SW-846 6020	Analytical Method :	EPA 200.7/SW-846 6010
Inclusive Projects :	21998, 22005, 22019, 21898	Preparation Date :	3/6/2007	Analysis Date :	3/6/2007
		Preparer(s) Initials:	PAM	Analyst(s) Initials :	PAM

				Reagent Blank		Laboratory Fortified Blank (LFB)						MATRIX DUPLICATE / MATRIX SPIKE / MATRIX SPIKE DUPLICATE (MD / MS / MSD)														
Analyte	Laboratory Control Number	LOQ	Units	Conc. (mg/L)	Flag	Conc. Spiked (mg/L)	LFB Conc. (mg/L)	LFB Percent Recovery	LCL (%)	UCL (%)	Flag	Laboratory Sample ID	Sample Conc. (mg/L)	MD Conc. (mg/L)	Conc. Spiked (mg/L)	MS Conc. (mg/L)	MSD Conc. (mg/L)	MS Percent Recovery	MSD Percent Recovery	LCL (%)	UCL (%)	Flag	RPD Sample/MD (%)	RPD MS/MSD (%)	UCL (%)	Flag
Calcium	M011001008	1.00	mg/L	U		150	151	101	85	115		21998001	112	NA	150	258	257	97	97	70	130		NA	0.7	20	*
Iron	M011001012	0.10	mg/L	U		25.0	24.4	98	85	115		21998001	0.07	NA	25.0	24.5	24.5	98	98	70	130		NA	0.0	20	*
Magnesium	M011001015	0.30	mg/L	U		50.0	49.0	98	85	115		21998001	32.4	NA	50.0	79.9	80.4	95	96	70	130		NA	1.0	20	*
Potassium	M011001021	0.10	mg/L	U		50.0	49.0	98	85	115		21998001	14.3	NA	50.0	62.6	61.9	97	95	70	130		NA	1.5	20	*
Sodium	M011001024	1.00	mg/L	U		150	150	100	85	115		21998001	373	NA	150	517	517	96	96	70	130		NA	0.0	20	*

Codes/Flags :

U	The analyte was not detected at or above the quantitation limit.
E	The analyte was detected at a concentration greater than the calibration range; therefore the result is estimated.
DL	The sample was diluted due to sample matrix, therefore QC was not recoverable
*	The value is outside quality control limits
K	Reported concentration is proportional to dilution factor and may be exaggerated.
P	When one or both sample results are <5 times the quantitation limit, the RPD cannot be properly evaluated.
LOQ	Analytical limit of quantitation.
W	Result is always reported as "wet weight"
J	The analyte was detected at a conc. below the quant. limit but above the method detection limit.
B	The analyte was detected in the associated method blank.
M	Matrix interference has resulted in an elevated quantitation limit or distorted QC result.
NC	Not calculable.
NA	Not applicable.
A	If the sample result is >4 times the amount spiked, the MS recovery cannot be properly evaluated

Comments :

Jeri Haney 3-14-07
Chemist/Date

ZM 3/14/07
Quality Assurance Officer/Date

1914 Holloway Drive Holt, Michigan 48842 Telephone: (517) 699-0345 Facsimile: (517) 699-0388
7794 Boardwalk Road Brighton, Michigan 48116 Telephone: (248) 446-5700 Facsimile: (248) 446-5701

Fibertec
Environmental
Services

QUALITY ASSURANCE REPORT
for
LABORATORY BATCH NUMBER

42907

METALS

Sample Matrix :	WATER, DISSOLVED	Preparation Method :	EPA 200.2/SW-846 6020	Analytical Method :	EPA 200.8/SW-846 6020
Inclusive Projects :	22001, 22005, 22014	Preparation Date :	3/5/2007	Analysis Date :	3/5/2007
		Preparer(s) Initials:	JLH	Analyst(s) Initials :	JLH

				Reagent Blank		Laboratory Fortified Blank (LFB)						MATRIX DUPLICATE / MATRIX SPIKE / MATRIX SPIKE DUPLICATE (MD / MS / MSD)														
Analyte	Laboratory Control Number	LOQ	Units	Conc. (µg/L)	Flag	Conc. Spiked (µg/L)	LFB Conc. (µg/L)	LFB Percent Recovery	LCL (%)	UCL (%)	Flag	Laboratory Sample ID	Sample Conc. (µg/L)	MD Conc. (µg/L)	Conc. Spiked (µg/L)	MS Conc. (µg/L)	MSD Conc. (µg/L)	MS Percent Recovery	MSD Percent Recovery	LCL (%)	UCL (%)	Flag	RPD Sample/MD (%)	RPD MS/MSD (%)	UCL (%)	Flag
Arsenic	M011002003	5.00	µg/L	U		50.0	49.6	99	85	115		22001 001	0.20	0.16	50.0	52	53	103	105	70	130		22	2.1	20	*
Barium	M011002004	100	µg/L	U		250	264	106	85	115		22001 001	28.5	26.6	250	291	288	105	104	70	130		6.9	1.1	20	
Cadmium	M011002007	0.20	µg/L	U		50.0	50.6	101	85	115		22001 001	0.03	0.04	50.0	51	50	101	100	70	130		29	1.0	20	*
Chromium	M011002009	5.00	µg/L	U		100	108	108	85	115		22001 001	4.56	4.15	100	111	110	106	105	70	130		9.4	0.9	20	
Copper	M011002011	4.00	µg/L	U		100	105	105	85	115		22001 001	1.11	0.89	100	102	103	101	102	70	130		22	1.0	20	*
Lead	M011002013	3.00	µg/L	U		100	112	112	85	115		22001 001	0.23	0.20	100	111	111	111	111	70	130		14	0.0	20	
Manganese	M011001016	20.0	µg/L	U		250	264	106	85	115		22001 001	2.29	2.54	250	264	263	105	104	70	130		10.4	0.4	20	
Selenium	M011002022	5.00	µg/L	U		50.0	48.9	98	85	115		22001 001	1.10	1.02	50.0	52	53	102	104	70	130		7.5	1.6	20	
Silver	M011002023	0.20	µg/L	U		50.0	47.2	94	85	115		22001 001	0.14	0.28	50.0	52	51	104	102	70	130		67	2.1	20	*
Zinc	M011002030	50.0	µg/L	7.0	*	250	258	103	85	115		22001 001	10.5	12.0	250	274	272	105	105	70	130		13	0.8	20	

Codes/Flags :

U	The analyte was not detected at or above the quantitation limit.	W	Result is always reported as "wet weight".
E	The analyte was detected at a concentration greater than the calibration range; therefore the result is estimated.	J	The analyte was detected at a conc. below the quant. limit but above the method detection limit.
DL	The sample was diluted due to sample matrix, therefore QC was not recoverable	B	The analyte was detected in the associated method blank.
*	The value is outside quality control limits	M	Matrix interference has resulted in an elevated quantitation limit or distorted QC result.
K	Reported concentration is proportional to dilution factor and may be exaggerated	NC	Not calculable.
P	When one or both sample results are <5 times the quantitation limit, the RPD cannot be properly evaluated.	NA	Not applicable.
LOQ	Analytical limit of quantitation.	A	If the sample result is >4 times the amount spiked, the MS recovery cannot be properly evaluated.

Comments :

3-16-07
Chemist/Date

ZM 3/19/07
Quality Assurance Officer/Date

1914 Holloway Dr Holt, Michigan 48842 Telephone: (517) 699-0345 Facsimile: (517) 699-0388
7794 Boardwalk Rd Brighton, MI 48116 Telephone: (248) 446-5700 Facsimile: (248) 446-5701

Fibertec Environmental Services

QUALITY ASSURANCE REPORT
for
LABORATORY BATCH NUMBER

WJ07C02A-NH3

WET CHEMISTRY

Sample Matrix :	WATER, TOTAL	Preparation Method :	EPA 350.3	Analytical Method :	EPA 350.3
Inclusive Projects :	21996, 22001, 22005	Preparation Date :	3/2/2007	Analysis Date :	3/2/2007
		Preparer(s) Initials:	CML	Analyst(s) Initials :	CML

				Reagent Blank		Laboratory Fortified Blank (LFB)						Matrix Duplicate / Matrix Spike (MD / MS)													Cal Curve
Analyte	Laboratory Control Number	LOQ	Units	Conc. (mg/L)	Flag	Conc. Spiked (mg/L)	LFB Conc. (mg/L)	LFB Percent Recovery	LCL (%)	UCL (%)	Flag	Laboratory Sample ID	Sample Conc. (mg/L)	Conc. Spiked (mg/L)	MS Conc. (mg/L)	MSD Conc. (mg/L)	MS Percent Recovery	MSD Percent Recovery	LCL (%)	UCL (%)	Flag	RPD MS/MSD (%)	UCL (%)	Flag	CC[illegible] / %RSD
Ammonia-N, Total	N/A	0.020	mg/L	U		0.900	0.905	101	90	110		21996-001a	0.020	0.3	0.320	0.348	100	109	75	125		6	20		-0.9996

Codes/Flags :

U	The analyte was not detected at or above the quantitation limit.	W	Result is always reported as "wet weight".
E	The analyte was detected at a concentration greater than the calibration range; therefore the result is estimated.	J	The analyte was detected at a conc. below the quant. limit but above the method detection limit.
DL	The sample was diluted due to sample matrix, therefore QC was not recoverable	B	The analyte was detected in the associated method blank.
*	The value is outside quality control limits	M	Matrix interference has resulted in an elevated quantitation limit or distorted QC result.
K	Reported concentration is proportional to dilution factor and may be exaggerated.	NC	Not calculable.
P	When one or both sample results are <5 times the quantitation limit, the RPD cannot be properly evaluated.	NA	Not applicable.
LOQ	Analytical limit of quantitation.	A	If the sample result is >4 times the amount spiked, the MS recovery cannot be properly evaluated.

Comments :
0

Chemist/Date 4/6/07

ZM 4/9/07
Quality Assurance Officer/Date

1914 Holloway Drive Holt, Michigan 48842 Telephone: (517) 699-0345 Facsimile: (517) 699-0388
7794 Boardwalk Rd. Brighton, Michigan 48393 Telephone: (248) 446-5700 Facsimile: (248) 348-4896

Fibertec Environmental Services

QUALITY ASSURANCE REPORT
for
LABORATORY BATCH NUMBER

WC07D03A

WET CHEMISTRY

Sample Matrix :	WATER, TOTAL	Preparation Method :	SW846 9056A/EPA 300.0	Analytical Method :	SW846 9056A/EPA 300.0
Inclusive Projects :	22424, 22444, 22447	Preparation Date :	4/3/2007	Analysis Date :	4/3/2007
		Preparer(s) Initials:	CML	Analyst(s) Initials :	CML

				Reagent Blank		Laboratory Fortified Blank (LFB)						MATRIX DUPLICATE/MATRIX SPIKE/MATRIX SPIKE DUPLICATE (MD/MS/MSD)														
Analyte	Laboratory Control Number	LOQ	Units	Conc (mg/L)	Flag	Conc Spiked (mg/L)	LFB Conc (mg/L)	LFB Percent Recovery	LCL (%)	UCL (%)	Flag	Laboratory Sample ID	Sample Conc (mg/L)	MD Conc (mg/L)	Conc Spiked (mg/L)	MS Conc (mg/L)	MSD Conc (mg/L)	MS Percent Recovery	MSD Percent Recovery	LCL (%)	UCL (%)	Flag	RPD Sample/MD (%)	RPD MS/MSD (%)	UCL (%)	Flag
Chloride	204019026242	10.0	mg/L	U		50.0	52.5	105	90	110		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	

Codes/Flags :

U	The analyte was not detected at or above the quantitation limit.
E	The analyte was detected at a concentration greater than the calibration range; therefore the result is estimated.
DL	The sample was diluted due to sample matrix, therefore QC was not recoverable
*	The value is outside quality control limits
K	Reported concentration is proportional to dilution factor and may be exaggerated.
P	When one or both sample results are <5 times the quantitation limit, the RPD cannot be properly evaluated.
LOQ	Analytical limit of quantitation.
W	Result is always reported as "wet weight".
J	The analyte was detected at a conc. below the quant. limit but above the method detection limit.
B	The analyte was detected in the associated method blank.
M	Matrix interference has resulted in an elevated quantitation limit or distorted QC result.
NC	Not calculable.
NA	Not applicable.
A	If the sample result is >4 times the amount spiked, the MS recovery cannot be properly evaluated.

Comments :
MS/MSD not run with this analytical batch

Chemist/Date 4/18/07

Quality Assurance Officer/Date 4/19/07

1914 Holloway Drive Holt, Michigan 48842 Telephone: (517) 699-0345 Facsimile: (517) 699-0388
7794 Boardwalk Road Brighton, Michigan 48116 Telephone: (248) 446-5700 Facsimile: (248) 446-5701

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec-usa.com

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Industrial Hygiene Services, Inc.
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0382
email: asbestos@fibertec-usa.com

Geoprobe
7794 Boardwalk Road
Brighton, MI 48116
Phone: 248 446 5700
Fax: 248 446 5701

Chain of Custody #
47670
PAGE 1 of 1

Client Name: SME
Contact Person: Brian Burke
Project Name/ Number: LE 52510 Balding Products Co.
Purchase Order#

Lab Sample #	Date	Time	Client Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PRESERVED (Y/N)	VOCs	Fe, Mn, Alkalinity	Ammonia	Nitrate / Nitrite	Total Kjeldahl Nitrogen	Chloride	Sulfate	Total organic carbon		
	10/28	10:26		MW-1	GW	2	Y	X									
		11:20		MW-10	GW	8	Y	X	X	X	X	X	X	X	X		
		12:45		MW-11	GW	8	Y	X	X	X	X	X	X	X	X		
		1:45		MW-7	GW	8	Y	X	X	X	X	X	X	X	X		
		—		Trip Blank	—	1	Y	X									

Turnaround:
- [ ] 24 hour RUSH (surcharge applies)
- [ ] 48 hour RUSH (surcharge applies)
- [ ] 72 hour RUSH (surcharge applies)
- [x] Standard (5-7 bus. days)
- [ ] Other: Specify

Matrix Code:
- S Soil
- W Water
- A Air
- O Oil
- P Wipe
- X Other: Specify

Remarks:

Comments:
HNO_3 Bottles were field filtered

Relinquished By:	Date/ Time	Received By:
Jeffrey R. Tait	2/28/07	
	2/28/07 1555	Rachel Berry

LAB USE ONLY:
Fibertec project number:
Laboratory Tracking:
Temperature at Receipt: 6° 22005

COC Revision: October, 2003

TERMS & CONDITIONS ON BACK

Fibertec
Environmental
services

RECEIVED
APR 24 2007
SME LANSING

March 8, 2007

Case Narrative

Customer: SME
Project Identification: Former Belding Co./LE52510
Fibertec Project Number: 22001

Sample Collection/ Receipt
The following samples were collected on February 27, 2007 and received by Fibertec on February 28, 2007.
8 Waters (including a trip blank)
All Samples were received on ice and in good condition.

Analysis
Analyses were conducted in accordance with chain of custody and within hold times.

All applicable quality assurance/ quality control parameters were within acceptance limits unless otherwise noted.

Volatiles
Sample 22001.005 (MW-3) and 22001.007 (MW-4S) have high surrogate recoveries.

The following results were reported with elevated reporting limits:

Laboratory Number	Client ID	Analysis	Reason for elevated RL
22001.001	MW-6	Volatiles, Nitrate	Sample Matrix
22001.003	SW-2	Nitrate, Nitrite	Sample Matrix

Kyleen Crandell
Authorized Signature

3/8/07
Date

1914 Holloway Drive Holt, Michigan 48842 Telephone: (517) 699-0345 Facsimile: (517) 699-0388
11776 Grand River Ave Brighton, Michigan 48116 Telephone: (810) 220-3300 Facsimile: (810) 220-3311

Fibertec
environmental
services

Thursday, March 08, 2007

Fibertec Project Number: 22001
Project Identification: Former Belding Products Co./LE52510
Submittal Date: 2/28/2007

Mr. J.P. Buckingham
Soil and Materials Engineers, Inc. - Lansing
2663 Eaton Rapids Road
Lansing, MI 48911

Dear Mr. Buckingham,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed as requested and the results compiled in the enclosed report.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345. Please note samples will be disposed of 30 days after reporting date.

Sincerely,

Kyleen Crandall for

Daryl P. Strandbergh
Laboratory Director

DPS/kc

Enclosures

1914 Holloway Drive | Holt, MI 48842 | T: (517) 699-0345 | F: (517) 699-0388
11766 E. Grand River | Brighton, MI 48116 | T: (810) 220-3300 | F: (810) 220-3311
8660 S. Mackinaw Trail | Cadillac, MI 49601 | T: (231) 775-8368 | F: (231) 775-8584

lab@fibertec.us

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-001**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-6**
Project Number:	**LE52510**	Client Sample Number:	**1**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Acetone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Acrylonitrile	ND	µg/L	2.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Benzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromochloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromodichloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromoform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Butanone	ND	µg/L	25	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
sec-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
tert-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Disulfide	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Tetrachloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorotoluene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromochloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-001**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-6**
Project Number:	**LE52510**	Client Sample Number:	**1**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
1,2-Dibromo-3-chloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,4-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dichlorodifluoromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,2-Dichloroethene	**25**	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,2-Dichloroethene	**1.1**	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylene Dibromide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Hexanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Methyl Iodide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]ropylbenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
4-Methyl-2-pentanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-001**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-6**
Project Number:	**LE52510**	Client Sample Number:	**1**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Methylene Chloride	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Methylnaphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
MTBE	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Naphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Propylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Styrene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Tetrachloroethene	**7.6**	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Toluene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1-Trichloroethane	**5.6**	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Trichloroethene	**2500**	µg/L	100	100	VB07C01A	3/1/2007	3/1/2007	BAG
Trichlorofluoromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,3-Trichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3,5-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]yl Chloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Xylenes	ND	µg/L	3.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-001A**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-6**
Project Number:	**LE52510**	Client Sample Number:	**1**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Inorganic Anions by IC (EPA 9056)								
Chloride	**35000**	µg/L	10000	1	WA07B28A	2/28/2007	2/28/2007	HAW
Nitrate-N	**4800**	µg/L	230	10	WA07B28A	2/28/2007	2/28/2007	HAW
Nitrite-N	ND	µg/L	30	1	WA07B28A	2/28/2007	2/28/2007	HAW
Sulfate	**23000**	µg/L	1000	1	WA07B28A	2/28/2007	2/28/2007	HAW
Alkalinity by Titrimetry (SM 2320 B.)								
Bicarbonate Alkalinity	**110000**	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW
Carbonate Alkalinity	ND	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW
Hydroxide Alkalinity	ND	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-001B**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-6**
Project Number:	**LE52510**	Client Sample Number:	**1**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Iron by ICP/AES, Dissolved (CODE FF/EPA 6010B)								
Iron	ND	µg/L	200	1	42909	2/27/2007	3/5/2007	PAM
Manganese by ICP/MS, Dissolved (CODE FF/EPA 6020)								
Manganese	ND	µg/L	20	1	42907	2/27/2007	3/5/2007	JLH

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-001C**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-6**
Project Number:	**LE52510**	Client Sample Number:	**1**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Nitrogen, Kjeldahl (ISE) (EPA 0351.4) (Analyzed by subcontract laboratory)								
Total Kjeldahl Nitrogen	**200**	µg/L	100	1	NA	NA	3/7/2007	ML

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-001D**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-6**
Project Number:	**LE52510**	Client Sample Number:	**1**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Nitrogen, Ammonia (ISE) (EPA 0350.3)								
Ammonia-N	ND	µg/L	20	1	WJ07C02A	NA	3/2/2007	CML

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-001E**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-6**
Project Number:	**LE52510**	Client Sample Number:	**1**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Carbon, Total Organic (TOC) (EPA 9060)								
Total Organic Carbon	**1800**	µg/L	1000	1	WB07C03A	3/2/2007	3/2/2007	HAW

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-002**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**SW-1**
Project Number:	**LE52510**	Client Sample Number:	**2**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Acetone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Acrylonitrile	ND	µg/L	2.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Benzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromochloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromodichloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromoform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Butanone	ND	µg/L	25	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
sec-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
tert-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Disulfide	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Tetrachloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorotoluene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromochloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-002**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**SW-1**
Project Number:	**LE52510**	Client Sample Number:	**2**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
1,2-Dibromo-3-chloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,4-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dichlorodifluoromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylene Dibromide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Hexanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Methyl Iodide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]propylbenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
4-Methyl-2-pentanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-002**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**SW-1**
Project Number:	**LE52510**	Client Sample Number:	**2**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Methylene Chloride	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Methylnaphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
MTBE	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Naphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Propylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Styrene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Tetrachloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Toluene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Trichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Trichlorofluoromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,3-Trichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3,5-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]hyl Chloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Xylenes	ND	µg/L	3.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-003**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**SW-2**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Acetone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Acrylonitrile	ND	µg/L	2.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Benzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromochloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromodichloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromoform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Butanone	ND	µg/L	25	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
sec-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
tert-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Disulfide	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Tetrachloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorotoluene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromochloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-003**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**SW-2**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
1,2-Dibromo-3-chloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,4-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dichlorodifluoromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylene Dibromide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Hexanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Methyl Iodide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]propylbenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
4-Methyl-2-pentanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-003**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**SW-2**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Methylene Chloride	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Methylnaphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
MTBE	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Naphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Propylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Styrene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Tetrachloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Toluene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Trichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Trichlorofluoromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,3-Trichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3,5-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]yl Chloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Xylenes	ND	µg/L	3.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-003A**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**SW-2**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Inorganic Anions by IC (EPA 9056)								
Chloride	**24000**	µg/L	10000	1	WA07B28A	2/28/2007	2/28/2007	HAW
Nitrate-N	**1500**	µg/L	46	2	WA07B28A	2/28/2007	2/28/2007	HAW
Nitrite-N	ND	µg/L	60	2	WA07B28A	2/28/2007	2/28/2007	HAW
Sulfate	**24000**	µg/L	1000	1	WA07B28A	2/28/2007	2/28/2007	HAW
Alkalinity by Titrimetry (SM 2320 B.)								
Bicarbonate Alkalinity	**210000**	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW
Carbonate Alkalinity	ND	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW
Hydroxide Alkalinity	ND	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-003B**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**SW-2**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Iron by ICP/AES, Dissolved (CODE FF/EPA 6010B)								
Iron	ND	µg/L	200	1	42909	2/27/2007	3/5/2007	PAM
Manganese by ICP/MS, Dissolved (CODE FF/EPA 6020)								
Manganese	**23**	µg/L	20	1	42907	2/27/2007	3/5/2007	JLH

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-003C**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**SW-2**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Nitrogen, Kjeldahl (ISE) (EPA 0351.4) (Analyzed by subcontract laboratory)								
Total Kjeldahl Nitrogen	**700**	µg/L	100	1	NA	NA	3/7/2007	ML

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-003D**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**SW-2**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Nitrogen, Ammonia (ISE) (EPA 0350.3)								
Ammonia-N	**73**	µg/L	20	1	WJ07C02A	NA	3/2/2007	CML

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-003E**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**SW-2**
Project Number:	**LE52510**	Client Sample Number:	**3**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Carbon, Total Organic (TOC) (EPA 9060)								
Total Organic Carbon	**5000**	µg/L	1000	1	WB07C03A	3/2/2007	3/2/2007	HAW

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-004**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-2**
Project Number:	**LE52510**	Client Sample Number:	**4**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery *distorted due to elevated* sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Acetone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Acrylonitrile	ND	µg/L	2.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Benzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromochloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromodichloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromoform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Butanone	ND	µg/L	25	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
sec-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
tert-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Disulfide	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Tetrachloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorotoluene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromochloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-004**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-2**
Project Number:	**LE52510**	Client Sample Number:	**4**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
1,2-Dibromo-3-chloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,4-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dichlorodifluoromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylene Dibromide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Hexanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Methyl Iodide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]propylbenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
4-Methyl-2-pentanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-004**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-2**
Project Number:	**LE52510**	Client Sample Number:	**4**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Methylene Chloride	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Methylnaphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
MTBE	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Naphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Propylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Styrene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Tetrachloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Toluene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Trichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Trichlorofluoromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,3-Trichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3,5-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]yl Chloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Xylenes	ND	µg/L	3.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-005**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-3**
Project Number:	**LE52510**	Client Sample Number:	**5**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B) (High surrogate recoveries)								
Acetone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Acrylonitrile	ND	µg/L	2.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Benzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromochloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromodichloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromoform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Butanone	ND	µg/L	25	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
sec-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
tert-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Disulfide	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Tetrachloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroethane	**150 J**	µg/L	5.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Chloroform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorotoluene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromochloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-005**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-3**
Project Number:	**LE52510**	Client Sample Number:	**5**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B) (High surrogate recoveries)								
1,2-Dibromo-3-chloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,4-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dichlorodifluoromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylene Dibromide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Hexanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Methyl Iodide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]propylbenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
4-Methyl-2-pentanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-005**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-3**
Project Number:	**LE52510**	Client Sample Number:	**5**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B) (High surrogate recoveries)								
Methylene Chloride	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Methylnaphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
MTBE	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Naphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Propylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Styrene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Tetrachloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Toluene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Trichloroethene	ND	µg/L	1.0	1	VB07C01A	3/1/2007	3/1/2007	BAG
Trichlorofluoromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,3-Trichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3,5-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]yl Chloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Xylenes	ND	µg/L	3.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-006**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-4D**
Project Number:	**LE52510**	Client Sample Number:	**6**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Acetone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Acrylonitrile	ND	µg/L	2.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Benzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromochloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromodichloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromoform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Butanone	ND	µg/L	25	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
sec-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
tert-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Disulfide	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Tetrachloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorotoluene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromochloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-006**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-4D**
Project Number:	**LE52510**	Client Sample Number:	**6**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
1,2-Dibromo-3-chloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,4-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dichlorodifluoromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylene Dibromide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Hexanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Methyl Iodide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Isopropylbenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
4-Methyl-2-pentanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-006**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-4D**
Project Number:	**LE52510**	Client Sample Number:	**6**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Methylene Chloride	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Methylnaphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
MTBE	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Naphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Propylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Styrene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Tetrachloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Toluene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Trichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Trichlorofluoromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,3-Trichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3,5-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]nyl Chloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Xylenes	ND	µg/L	3.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-007**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-4S**
Project Number:	**LE52510**	Client Sample Number:	**7**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B) (High surrogate recoveries)								
Acetone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Acrylonitrile	ND	µg/L	2.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Benzene	**1.3**	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromochloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromodichloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromoform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Butanone	ND	µg/L	25	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
sec-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
tert-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Disulfide	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Tetrachloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroethane	**5.7 J**	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorotoluene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromochloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-007**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-4S**
Project Number:	**LE52510**	Client Sample Number:	**7**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B) (High surrogate recoveries)								
1,2-Dibromo-3-chloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,4-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dichlorodifluoromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethane	**1.6** J	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethene	**5.1** J	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,2-Dichloroethene	**230** J	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylene Dibromide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Hexanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Methyl Iodide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
propylbenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
4-Methyl-2-pentanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-007**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-4S**
Project Number:	**LE52510**	Client Sample Number:	**7**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B) (High surrogate recoveries)								
Methylene Chloride	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Methylnaphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
MTBE	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Naphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Propylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Styrene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Tetrachloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Toluene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Trichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Trichlorofluoromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,3-Trichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3,5-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]nyl Chloride	**780 J**	µg/L	10	10	VB07C01A	3/1/2007	3/1/2007	BAG
Xylenes	ND	µg/L	3.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-007A**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-4S**
Project Number:	**LE52510**	Client Sample Number:	**7**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Inorganic Anions by IC (EPA 9056)								
Chloride	**72000**	µg/L	10000	1	WA07B28A	2/28/2007	2/28/2007	HAW
Nitrate-N	ND	µg/L	23	1	WA07B28A	2/28/2007	2/28/2007	HAW
Nitrite-N	ND	µg/L	30	1	WA07B28A	2/28/2007	2/28/2007	HAW
Sulfate	**10000**	µg/L	1000	1	WA07B28A	2/28/2007	2/28/2007	HAW
Alkalinity by Titrimetry (SM 2320 B.)								
Bicarbonate Alkalinity	**380000**	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW
Carbonate Alkalinity	ND	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW
Hydroxide Alkalinity	ND	µg CaCO3/L	20000	1	WD07C06A	NA	3/6/2007	HAW

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-007B**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-4S**
Project Number:	**LE52510**	Client Sample Number:	**7**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Iron by ICP/AES, Dissolved (CODE FF/EPA 6010B)								
Iron	**8300**	µg/L	200	1	42909	2/27/2007	3/5/2007	PAM
Manganese by ICP/MS, Dissolved (CODE FF/EPA 6020)								
Manganese	**920**	µg/L	20	1	42907	2/27/2007	3/5/2007	JLH

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-007C**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-4S**
Project Number:	**LE52510**	Client Sample Number:	**7**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Nitrogen, Kjeldahl (ISE) (EPA 0351.4) (Analyzed by subcontract laboratory)								
Total Kjeldahl Nitrogen	**1100**	µg/L	100	1	NA	NA	3/7/2007	ML

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-007D**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-4S**
Project Number:	**LE52510**	Client Sample Number:	**7**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Nitrogen, Ammonia (ISE) (EPA 0350.3)								
Ammonia-N	**740**	µg/L	20	1	WJ07C02A	NA	3/2/2007	CML

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-007E**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**MW-4S**
Project Number:	**LE52510**	Client Sample Number:	**7**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Carbon, Total Organic (TOC) (EPA 9060)								
Total Organic Carbon	**9800**	µg/L	1000	1	WB07C03A	3/2/2007	3/2/2007	HAW

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-008**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**Trip Blank**
Project Number:	**LE52510**	Client Sample Number:	**Trip Blank**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Acetone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Acrylonitrile	ND	µg/L	2.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Benzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromochloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromodichloromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromoform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Bromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Butanone	ND	µg/L	25	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
sec-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
tert-Butylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Disulfide	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Carbon Tetrachloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloroform	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Chlorotoluene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromochloromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-008**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**Trip Blank**
Project Number:	**LE52510**	Client Sample Number:	**Trip Blank**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
1,2-Dibromo-3-chloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dibromomethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,4-Dichlorobenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Dichlorodifluoromethane	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,2-Dichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2-Dichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
cis-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
trans-1,3-Dichloropropene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Ethylene Dibromide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Hexanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG
Methyl Iodide	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]propylbenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
4-Methyl-2-pentanone	ND	µg/L	50	1	VB07B28A	2/28/2007	2/28/2007	BAG

Fibertec environmental services

Analytical Laboratory Report

Client Identification:	**Soil and Materials Engineers, Inc. - Lansing**	Sample Matrix:	**Ground Water**
Fibertec Project Number:	**22001**	Sample Number:	**22001-008**

Client Sample Information

Project Identification:	**Former Belding Products Co.**	Client Sample Description:	**Trip Blank**
Project Number:	**LE52510**	Client Sample Number:	**Trip Blank**
Sample Date:	**2/27/2007**	Chain of Custody Number:	**68329**

Comments:

Definitions: **ND = Not Detected at or above the reporting limit; RL = Reporting Limit; NA = Not Applicable/Not Available**
FF = Field Filtered; B = Analyte detected in blank; TIC = Tentatively Identified Compound;
E = Estimated value; J = Analyte positively identified - estimated value
X - Spike recovery distorted due to elevated sample target analyte concentration (>=4X the amount spiked)
Y - Spike unrecoverable due to sample dilution.

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
Volatile Organic Compounds (VOCs) by GC/MS (EPA 5030B/EPA 8260B)								
Methylene Chloride	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
2-Methylnaphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
MTBE	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Naphthalene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
n-Propylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Styrene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2,2-Tetrachloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Tetrachloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Toluene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,1-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,1,2-Trichloroethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Trichloroethene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Trichlorofluoromethane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,3-Trichloropropane	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,2,4-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
1,3,5-Trimethylbenzene	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
[illegible]yl Chloride	ND	µg/L	1.0	1	VB07B28A	2/28/2007	2/28/2007	BAG
Xylenes	ND	µg/L	3.0	1	VB07B28A	2/28/2007	2/28/2007	BAG

Fibertec
Environmental
Services

QUALITY ASSURANCE REPORT
for
LABORATORY BATCH NUMBER

VB07C01A

VOLATILES

Sample Matrix :	WATER, TOTAL	Preparation Method :	SW-846 5030	Analytical Method :	SW-846 8260 UST
Inclusive Projects :	VARIOUS	Preparation Date :	3/1/2007	Analysis Date :	3/1/2007
		Preparer(s) Initials:	BG	Analyst(s) Initials :	BG

			Matrix Blank		Laboratory Fortified Blank (LFB)						MATRIX SPIKE / MATRIX SPIKE DUPLICATE (MS / MSD)													
Analyte	RL	Units	Conc. (ug/L) (%)	Flag	Conc. Spiked (ug/L)	LFB Conc. (ug/L)	LFB Percent Recovery	LCL (%)	UCL (%)	Flag	Laboratory Sample ID	Sample Conc. (ug/L)	Conc. Spiked (ug/L)	MS Conc. (ug/L)	MSD Conc. (ug/L)	MS Percent Recovery	MSD Percent Recovery	LCL (%)	UCL (%)	Flag	RPD MS/MSD (%)	UCL (%)	Flag
Vinyl chloride	1.00	ug/L	U		50.0	47.2	94.4	58	168		Water Sample	U	50.0	0.0	0.0	0	0	68	138	*	#DIV/0!	60	####
1,1-Dichloroethene	1.00	ug/L	U		50.0	55.4	110.9	76	145		Water Sample	U	50.0	0.0	0.0	0	0	78	122	*	#DIV/0!	35	####
Methylene chloride	1.00	ug/L	U		50.0	52.7	105.4	68	138		Water Sample	U	50.0	0.0	0.0	0	0	78	122	*	#DIV/0!	21	####
trans-1,2-Dichloroethene	1.00	ug/L	U		50.0	51.9	103.8	80	132		Water Sample	U	50.0	0.0	0.0	0	0	80	120	*	#DIV/0!	28	####
1,1-Dichloroethane	1.00	ug/L	U		50.0	48.5	97.0	76	134		Water Sample	U	50.0	0.0	0.0	0	0	76	116	*	#DIV/0!	24	####
cis-1,2-Dichloroethene	1.00	ug/L	U		50.0	52.1	104.2	78	140		Water Sample	U	50.0	0.0	0.0	0	0	84	130	*	#DIV/0!	29	####
1,1,1-Trichloroethane	1.00	ug/L	U		50.0	49.7	99.4	82	140		Water Sample	U	50.0	0.0	0.0	0	0	86	126	*	#DIV/0!	30	####
Carbontetrachloride	1.00	ug/L	U		50.0	59.1	118.2	53	195		Water Sample	U	50.0	0.0	0.0	0	0	82	130	*	#DIV/0!	27	####
Benzene	1.00	ug/L	U		50.0	48.7	97.4	80	140		Water Sample	U	50.0	0.0	0.0	0	0	86	124	*	#DIV/0!	18	####
1,2-Dichloropropane	1.00	ug/L	U		50.0	52.8	105.6	80	135		Water Sample	U	50.0	0.0	0.0	0	0	80	124	*	#DIV/0!	22	####
Trichloroethene	1.00	ug/L	U		50.0	46.7	93.4	80	135		Water Sample	U	50.0	0.0	0.0	0	0	86	126	*	#DIV/0!	18	####
Bromodichloromethane	1.00	ug/L	U		50.0	52.4	104.8	78	142		Water Sample	U	50.0	0.0	0.0	0	0	86	128	*	#DIV/0!	19	####
1,1,2-Trichloroethane	1.00	ug/L	U		50.0	44.5	88.9	78	138		Water Sample	U	50.0	0.0	0.0	0	0	90	128	*	#DIV/0!	23	####
Toluene	1.00	ug/L	U		50.0	48.8	97.6	80	132		Water Sample	U	50.0	0.0	0.0	0	0	86	124	*	#DIV/0!	18	####
Dibromochloromethane	1.00	ug/L	U		50.0	48.5	97.0	80	135		Water Sample	U	50.0	0.0	0.0	0	0	88	122	*	#DIV/0!	19	####
Tetrachloroethene	1.00	ug/L	U		50.0	42.3	84.6	60	123		Water Sample	U	50.0	0.0	0.0	0	0	70	110	*	#DIV/0!	23	####
2-Hexanone	1.00	ug/L	U		50.0	68.0	136.1	39	143		Water Sample	U	50.0	0.0	0.0	0	0	50	117	*	#DIV/0!	44	####
Ethylbenzene	1.00	ug/L	U		50.0	49.0	98.1	84	132		Water Sample	U	50.0	0.0	0.0	0	0	86	126	*	#DIV/0!	13	####
total-Xylene	3.00	ug/L	U		150	145.1	96.7	50	124		Water Sample	U	150	0.0	0.0	0	0	83	121	*	#DIV/0!	29	####
Styrene	1.00	ug/L	U		50.0	47.4	94.9	84	134		Water Sample	U	50.0	0.0	0.0	0	0	86	126	*	#DIV/0!	14	####
Dibromofluoromethane (S)**		ug/L	116		100	111.5	111.5	80	120		Water Sample	0.0	100	0.0	0.0	0	0	80	120	*	#DIV/0!	30	####
Toluene-d8 (S)**		ug/L	105		100	105.6	105.6	80	120		Water Sample	0.0	100	0.0	0.0	0	0	80	120	*	#DIV/0!	30	####
4-Bromofluorobenzene (S)**		ug/L	104		100	109.4	109.4	80	120		Water Sample	0.0	100	0.0	0.0	0	0	80	120	*	#DIV/0!	30	####

Codes,Flags :

U	The analyte was not detected at or above the quantitation limit.
E	The analyte was detected at a concentration greater than the calibration range; therefore the result is estimated.
DL	The sample was diluted due to sample matrix, therefore QC was not recoverable
*	The value is outside quality control limits
K	Reported concentration is proportional to dilution factor and may be exaggerated.
P	When one or both sample results are <5 times the quantitation limit, the RPD cannot be properly evaluated.
LOQ	Analytical limit of quantitation.
W	Result is always reported as "wet weight".
J	The analyte was detected at a conc. below the quant. limit but above the method detection limit.
B	The analyte was detected in the associated method blank.
M	Matrix interference has resulted in an elevated quantitation limit or distorted QC result.
NC	Not calculable.
NA	Not applicable.
A	If the sample result is >4 times the amount spiked, the MS recovery cannot be properly evaluated.

Comments :
**Surrogates (S) are added to all samples at 100 ug/L, and are presented as a percent recovery in the reagent blank.
No MS/MSD was used.

BJ 3-7-07
Chemist/Date

PAP 3/7/07
Quality Assurance Officer/Date

1914 Holloway Drive Holt, Michigan 48842 Telephone: (517) 699-0345 Facsimile: (517) 699-0388
7794 Boardwalk Road Brighton, Michigan 48116 Telephone: (248) 446-5700 Facsimile: (248) 446-5701

Fibertec
Environmental
Services

QUALITY ASSURANCE REPORT
for
LABORATORY BATCH NUMBER

VB07B28A

VOLATILES

Sample Matrix :	WATER, TOTAL	Preparation Method :	SW-846 5030	Analytical Method :	SW-846 8260 UST
Inclusive Projects :	VARIOUS	Preparation Date :	2/28/2007	Analysis Date :	2/28/2007
		Preparer(s) Initials:	BG	Analyst(s) Initials :	BG

			Matrix Blank		Laboratory Fortified Blank (LFB)						MATRIX SPIKE / MATRIX SPIKE DUPLICATE (MS / MSD)													
Analyte	RL	Units	Conc. (ug/L) (%**)	Flag	Conc. Spiked (ug/L)	LFB Conc. (ug/L)	LFB Percent Recovery	LCL (%)	UCL (%)	Flag	Laboratory Sample ID	Sample Conc. (ug/L)	Conc. Spiked (ug/L)	MS Conc. (ug/L)	MSD Conc. (ug/L)	MS Percent Recovery	MSD Percent Recovery	LCL (%)	UCL (%)	Flag	RPD MS/MSD (%)	UCL (%)	Flag
Vinyl chloride	1.00	ug/L	U		50.0	46.3	92.6	58	168		21990001	U	50.0	58.2	51.4	116	103	68	138		12.4	60	
1,1-Dichloroethene	1.00	ug/L	U		50.0	61.8	123.5	76	145		21990001	U	50.0	77.0	70.4	154	141	78	122	*	8.9	35	
Methylene chloride	1.00	ug/L	U		50.0	52.9	105.7	68	138		21990001	U	50.0	73.3	69.4	147	139	78	122	*	5.4	21	
trans-1,2-Dichloroethene	1.00	ug/L	U		50.0	53.8	107.7	80	132		21990001	U	50.0	69.4	63.9	139	128	80	120	*	8.3	28	
1,1-Dichloroethane	1.00	ug/L	U		50.0	50.5	100.9	76	134		21990001	U	50.0	67.0	62.4	134	125	76	116	*	7.1	24	
cis-1,2-Dichloroethene	1.00	ug/L	U		50.0	51.1	102.1	78	140		21990001	U	50.0	68.5	64.5	137	129	84	130	*	6.1	29	
1,1,1-Trichloroethane	1.00	ug/L	U		50.0	49.2	98.5	82	140		21990001	U	50.0	62.5	57.8	125	116	86	126		7.8	30	
Carbontetrachloride	1.00	ug/L	U		50.0	57.8	115.5	53	195		21990001	U	50.0	71.8	66.2	144	132	82	130	*	8.0	27	
Benzene	1.00	ug/L	U		50.0	51.6	103.3	80	140		21990001	U	50.0	66.9	61.9	134	124	86	124	*	7.8	18	
1,2-Dichloropropane	1.00	ug/L	U		50.0	52.2	104.5	80	135		21990001	U	50.0	71.7	66.8	143	134	80	124	*	7.2	22	
Trichloroethene	1.00	ug/L	U		50.0	48.2	96.4	80	135		21990001	U	50.0	60.0	54.8	120	110	86	126		9.1	18	
Bromodichloromethane	1.00	ug/L	U		50.0	49.8	99.5	78	142		21990001	U	50.0	67.2	63.5	134	127	86	128	*	5.6	19	
1,1,2-Trichloroethane	1.00	ug/L	U		50.0	45.9	91.7	78	138		21990001	U	50.0	61.3	59.4	123	119	90	128		3.2	23	
Toluene	1.00	ug/L	U		50.0	50.9	101.7	80	132		21990001	U	50.0	64.5	59.6	129	119	86	124	*	7.9	18	
Dibromochloromethane	1.00	ug/L	U		50.0	48.7	97.4	80	135		21990001	U	50.0	65.2	62.2	130	124	88	122	*	4.7	19	
Tetrachloroethene	1.00	ug/L	U		50.0	44.9	89.8	60	123		21990001	U	50.0	51.9	47.7	104	95	70	110		8.4	23	
2-Hexanone	1.00	ug/L	U		50.0	64.5	129.0	39	143		21990001	U	50.0	77.1	75.6	154	151	50	117	*	2.0	44	
Ethylbenzene	1.00	ug/L	U		50.0	51.1	102.3	84	132		21990001	U	50.0	63.1	58.4	126	117	86	126	*	7.7	13	
total-Xylene	3.00	ug/L	U		150	148.1	98.7	50	124		21990001	U	150	186.2	172.1	124	115	83	121	*	7.8	29	
Styrene	1.00	ug/L	U		50.0	51.3	102.7	84	134		21990001	U	50.0	64.7	59.9	129	120	86	126	*	7.6	14	
Dibromofluoromethane (S)**		ug/L	109		100	108.8	108.8	80	120		21990001	108.9	100	111.8	109.9	112	110	80	120		2	30	
Toluene-d8 (S)**		ug/L	101		100	102.2	102.2	80	120		21990001	101.4	100	103.6	102.8	104	103	80	120		1	30	
4-Bromofluorobenzene (S)**		ug/L	101		100	103.6	103.6	80	120		21990001	100.5	100	103.6	104.5	104	104	80	120		1	30	

Codes,Flags :

U	The analyte was not detected at or above the quantitation limit.	W	Result is always reported as "wet weight".
E	The analyte was detected at a concentration greater than the calibration range; therefore the result is estimated.	J	The analyte was detected at a conc. below the quant. limit but above the method detection limit.
DL	The sample was diluted due to sample matrix, therefore QC was not recoverable	B	The analyte was detected in the associated method blank.
*	The value is outside quality control limits	M	Matrix interference has resulted in an elevated quantitation limit or distorted QC result.
K	Reported concentration is proportional to dilution factor and may be exaggerated.	NC	Not calculable.
P	When one or both sample results are <5 times the quantitation limit, the RPD cannot be properly evaluated.	NA	Not applicable.
LOQ	Analytical limit of quantitation.	A	If the sample result is >4 times the amount spiked, the MS recovery cannot be properly evaluated.

Comments :
**Surrogates (S) are added to all samples at 100 ug/L, and are presented as a percent recovery in the reagent blank.

3-9-07
Chemist/Date

ZH 3/12/07
Quality Assurance Officer/Date

1914 Holloway Drive Holt, Michigan 48842 Telephone: (517) 699-0345 Facsimile: (517) 699-0388
7794 Boardwalk Road Brighton, Michigan 48116 Telephone: (248) 446-5700 Facsimile: (248) 446-5701

Fibertec
Environmental
Services

QUALITY ASSURANCE REPORT
for
LABORATORY BATCH NUMBER

42909

METALS

Sample Matrix :	WATER, DISSOLVED	Preparation Method :	EPA 200.2/SW-846 6020	Analytical Method :	EPA 200.7/SW-846 6010
Inclusive Projects :	21966, 21997, 22001	Preparation Date :	3/5/2007	Analysis Date :	3/5/2007
		Preparer(s) Initials:	PAM	Analyst(s) Initials :	PAM

				Reagent Blank		Laboratory Fortified Blank (LFB)						MATRIX DUPLICATE / MATRIX SPIKE / MATRIX SPIKE DUPLICATE (MD / MS / MSD)														
Analyte	Laboratory Control Number	LOQ	Units	Conc. (mg/L)	Flag	Conc. Spiked (mg/L)	LFB Conc. (mg/L)	LFB Percent Recovery	LCL (%)	UCL (%)	Flag	Laboratory Sample ID	Sample Conc. (mg/L)	MD Conc. (mg/L)	Conc. Spiked (mg/L)	MS Conc. (mg/L)	MSD Conc. (mg/L)	MS Percent Recovery	MSD Percent Recovery	LCL (%)	UCL (%)	Flag	RPD Sample/MD (%)	RPD MS/MSD (%)	UCL (%)	Flag
Calcium	M011001008	1.00	mg/L	U		150.0	143	95	85	115		21966001	79.0	76.6	150	214	213	90	89	70	130		3.1	0.7	20	
Iron	M011001012	0.10	mg/L	U		25.00	26.0	104	85	115		21966001	3.53	2.85	25.0	25.9	25.9	89	89	70	130		21	0.0	20	*
Magnesium	M011001015	0.30	mg/L	U		50.00	50.5	101	85	115		21966001	23.2	23.1	50.0	71.7	70.3	97	94	70	130		0.4	2.9	20	
Potassium	M011001021	0.10	mg/L	U		50.00	46.2	92	85	115		21966001	6.36	6.24	50.0	54.6	54.1	96	95	70	130		1.9	1.0	20	
Sodium	M011001024	1.00	mg/L	U		150.0	143	95	85	115		21966001	283	278	150	390.0	382	71	66	70	130	M	1.8	NA	20	*

Codes/Flags :

U	The analyte was not detected at or above the quantitation limit.	W	Result is always reported as "wet weight".
E	The analyte was detected at a concentration greater than the calibration range; therefore the result is estimated.	J	The analyte was detected at a conc. below the quant. limit but above the method detection limit.
DL	The sample was diluted due to sample matrix, therefore QC was not recoverable	B	The analyte was detected in the associated method blank.
*	The value is outside quality control limits	M	Matrix interference has resulted in an elevated quantitation limit or distorted QC result.
K	Reported concentration is proportional to dilution factor and may be exaggerated.	NC	Not calculable.
P	When one or both sample results are <5 times the quantitation limit, the RPD cannot be properly evaluated.	NA	Not applicable.
LOQ	Analytical limit of quantitation.	A	If the sample result is >4 times the amount spiked, the MS recovery cannot be properly evaluated.

Comments :

3-14-2007
Chemist/Date

3/14/07
Quality Assurance Officer/Date

1914 Holloway Drive Holt, Michigan 48842 Telephone: (517) 699-0345 Facsimile: (517) 699-0388
7794 Boardwalk Road Brighton, Michigan 48116 Telephone: (248) 446-5700 Facsimile: (248) 446-5701

Fibertec
Environmental
Services

QUALITY ASSURANCE REPORT
for
LABORATORY BATCH NUMBER

42907

METALS

Sample Matrix :	WATER, DISSOLVED	Preparation Method :	EPA 200.2/SW-846 6020	Analytical Method :	EPA 200.8/SW-846 6020
Inclusive Projects :	22001, 22005, 22014	Preparation Date :	3/5/2007	Analysis Date :	3/5/2007
		Preparer(s) Initials:	JLH	Analyst(s) Initials :	JLH

				Reagent Blank		Laboratory Fortified Blank (LFB)						MATRIX DUPLICATE / MATRIX SPIKE / MATRIX SPIKE DUPLICATE (MD / MS / MSD)															
Analyte	Laboratory Control Number	LOQ	Units	Conc. (µg/L)	Flag	Conc. Spiked (µg/L)	LFB Conc. (µg/L)	LFB Percent Recovery	LCL (%)	UCL (%)	Flag	Laboratory Sample ID	Sample Conc. (µg/L)	MD Conc. (µg/L)	Conc. Spiked (µg/L)	MS Conc. (µg/L)	MSD Conc. (µg/L)	MS Percent Recovery	MSD Percent Recovery	LCL (%)	UCL (%)	Flag	RPD sample/MD (%)	RPD MS/MSD (%)	UCL (%)	Flag
Arsenic	M011002003	5.00	µg/L	U		50.0	49.6	99	85	115		22001 001	0.20	0.16	50.0	52	53	103	105	70	130		22	2.1	20	*
Barium	M011002004	100	µg/L	U		250	264	106	85	115		22001 001	28.5	26.6	250	291	288	105	104	70	130		6.9	1.1	20	
Cadmium	M011002007	0.20	µg/L	U		50.0	50.6	101	85	115		22001 001	0.03	0.04	50.0	51	50	101	100	70	130		29	1.0	20	*
Chromium	M011002009	5.00	µg/L	U		100	108	108	85	115		22001 001	4.56	4.15	100	111	110	106	105	70	130		9.4	0.9	20	
Copper	M011002011	4.00	µg/L	U		100	105	105	85	115		22001 001	1.11	0.89	100	102	103	101	102	70	130		22	1.0	20	*
Lead	M011002013	3.00	µg/L	U		100	112	112	85	115		22001 001	0.23	0.20	100	111	111	111	111	70	130		14	0.0	20	
Manganese	M011001016	20.0	µg/L	U		250	264	106	85	115		22001 001	2.29	2.54	250	264	263	105	104	70	130		10.4	0.4	20	
Selenium	M011002022	5.00	µg/L	U		50.0	48.9	98	85	115		22001 001	1.10	1.02	50.0	52	53	102	104	70	130		7.5	1.6	20	
Silver	M011002023	0.20	µg/L	U		50.0	47.2	94	85	115		22001 001	0.14	0.28	50.0	52	51	104	102	70	130		67	2.1	20	*
Zinc	M011002030	50.0	µg/L	7.0	*	250	258	103	85	115		22001 001	10.5	12.0	250	274	272	105	105	70	130		13	0.8	20	

Codes/Flags :

U	The analyte was not detected at or above the quantitation limit.	W	Result is always reported as "wet weight".
E	The analyte was detected at a concentration greater than the calibration range; therefore the result is estimated.	J	The analyte was detected at a conc. below the quant. limit but above the method detection limit.
DL	The sample was diluted due to sample matrix, therefore QC was not recoverable	B	The analyte was detected in the associated method blank.
*	The value is outside quality control limits	M	Matrix interference has resulted in an elevated quantitation limit or distorted QC result.
K	Reported concentration is proportional to dilution factor and may be exaggerated.	NC	Not calculable.
P	When one or both sample results are <5 times the quantitation limit, the RPD cannot be properly evaluated.	NA	Not applicable.
LOQ	Analytical limit of quantitation.	A	If the sample result is >4 times the amount spiked, the MS recovery cannot be properly evaluated.

Comments :

3-16-07
Chemist/Date

ZH 3/19/07
Quality Assurance Officer/Date

1914 Holloway Dr Holt, Michigan 48842 Telephone: (517) 699-0345 Facsimile: (517) 699-0388
7794 Boardwalk Rd Brighton, MI 48116 Telephone: (248) 446-5700 Facsimile: (248) 446-5701

Fibertec
Environmental
Services

QUALITY ASSURANCE REPORT
for
LABORATORY BATCH NUMBER

WJ07C02A-NH3

WET CHEMISTRY

Sample Matrix :	WATER, TOTAL	Preparation Method :	EPA 350.3	Analytical Method :	EPA 350.3
Inclusive Projects :	21996, 22001, 22005	Preparation Date :	3/2/2007	Analysis Date :	3/2/2007
		Preparer(s) Initials:	CML	Analyst(s) Initials :	CML

				Reagent Blank		Laboratory Fortified Blank (LFB)						Matrix Duplicate / Matrix Spike (MD / MS)													Cal. Curve
Analyte	Laboratory Control Number	LOQ	Units	Conc. (mg/L)	Flag	Conc. Spiked (mg/L)	LFB Conc. (mg/L)	LFB Percent Recovery	LCL (%)	UCL (%)	Flag	Laboratory Sample ID	Sample Conc. (mg/L)	Conc. Spiked (mg/L)	MS Conc. (mg/L)	MSD Conc. (mg/L)	MS Percent Recovery	MSD Percent Recovery	LCL (%)	UCL (%)	Flag	RPD MS/MSD (%)	UCL (%)	Flag	CC** / %RSD
Ammonia-N, Total	N/A	0.020	mg/L	U		0.900	0.905	101	90	110		21996-001a	0.020	0.3	0.320	0.348	100	109	75	125		6	20		-0.9996

Codes/Flags :

U	The analyte was not detected at or above the quantitation limit.	W	Result is always reported as "wet weight".
E	The analyte was detected at a concentration greater than the calibration range; therefore the result is estimated.	J	The analyte was detected at a conc. below the quant. limit but above the method detection limit.
DL	The sample was diluted due to sample matrix, therefore QC was not recoverable	B	The analyte was detected in the associated method blank.
*	The value is outside quality control limits	M	Matrix interference has resulted in an elevated quantitation limit or distorted QC result.
K	Reported concentration is proportional to dilution factor and may be exaggerated.	NC	Not calculable.
P	When one or both sample results are <5 times the quantitation limit, the RPD cannot be properly evaluated.	NA	Not applicable.
LOQ	Analytical limit of quantitation.	A	If the sample result is >4 times the amount spiked, the MS recovery cannot be properly evaluated.

Comments :
0

Chemist/Date 4/6/07

ZM 4/9/07
Quality Assurance Officer/Date

1914 Holloway Drive Holt, Michigan 48842 Telephone: (517) 699-0345 Facsimile: (517) 699-0388
7794 Boardwalk Rd. Brighton, Michigan 48393 Telephone: (248) 446-5700 Facsimile: (248) 348-4896

Fibertec Environmental Services

QUALITY ASSURANCE REPORT
for
LABORATORY BATCH NUMBER

WB07A03A-TOC

WET CHEMISTRY

Sample Matrix :	WATER	Preparation Method :	EPA 415.1/SW-846 9060	Analytical Method :	EPA 415.1/SW-846 9060
Inclusive Projects :	22001, 22005	Preparation Date :	1/3/2007	Analysis Date :	1/3/2007
		Preparer(s) Initials:	CML	Analyst(s) Initials :	CML

				Reagent Blank		Laboratory Fortified Blank (LFB)						MATRIX DUPLICATE / MATRIX SPIKE / MATRIX SPIKE DUPLICATE (MD / MS / MSD)															
Analyte	Laboratory Control Number	LOQs	Units	Conc. (mg/L)	Qual Flag	Conc. Spiked (mg/L)	LFB Conc. (mg/L)	LFB Percent Recovery	LCL (%)	UCL (%)	Flag	Laboratory Sample ID	Sample Conc. (mg/L)	MD Conc. (mg/L)	Conc. Spiked (mg/L)	MS Conc. (mg/L)	MSD Conc. (mg/L)	MS Percent Recovery	MSD Percent Recovery	LCL (%)	UCL (%)	Flag	RPD Sample/MD (%)	RPD MS/MSD (%)	UCL (%)	Flag
Organic Carbon	NA	1.00	mg/L	U		50.0	49.2	98	80	120		22001-001	1.85	NA		0.0	0.35	NA	NA				NA	NA		

Codes/Flags :

U	The analyte was not detected at or above the quantitation limit.	W	Result is always reported as "wet weight".
E	The analyte was detected at a concentration greater than the calibration range; therefore the result is estimated.	J	The analyte was detected at a conc. below the quant. limit but above the method detection limit.
DL	The sample was diluted due to sample matrix, therefore QC was not recoverable	B	The analyte was detected in the associated method blank.
*	The value is outside quality control limits	M	Matrix interference has resulted in an elevated quantitation limit or distorted QC result.
K	Reported concentration is proportional to dilution factor and may be exaggerated.	NC	Not calculable.
P	When one or both sample results are <5 times the quantitation limit, the RPD cannot be properly evaluated.	NA	Not applicable.
LOQ	Analytical limit of quantitation.	A	If the sample result is >4 times the amount spiked, the MS recovery cannot be properly evaluated.

Comments :
0

Harriet Williams 4-17-07
Chemist/Date

TH 4/17/07
Quality Assurance Officer/Date

1914 Holloway Drive Holt, Michigan 48842 Telephone: (517) 699-0345 Facsimile: (517) 699-0388
7794 Boardwalk Road Brighton, Michigan 48116 Telephone: (248) 446-5700 Facsimile: (248) 446-5701

Fibertec Environmental Services

QUALITY ASSURANCE REPORT
for
LABORATORY BATCH NUMBER

WA07B28A-CNNS

WET CHEMISTRY

Sample Matrix :	WATER, TOTAL	Preparation Method :	SW846 9056A/EPA	Analytical Method :	SW846 9056A/EPA
Inclusive Projects :	21996, 22001, 22005	Preparation Date :	########################	Analysis Date :	2/28/2007
		Preparer(s) Initials:	HW	Analyst(s) Initials :	HW

				Reagent/ Blank		Laboratory Control Sample (LCS)						MATRIX DUPLICATE/MATRIX SPIKE/MATRIX SPIKE DUPLICATE (MD/MS/MSD)												
Analyte	Laboratory Control Number	MLOQ	Units	Conc. (mg/L)	Flag	Conc. Spiked (mg/L)	LCS Conc. (mg/L)	LCS Percent Recovery	LCL (%)	UCL (%)	Flag	Laboratory Sample ID	Sample Conc. (mg/L)	Conc. Spiked (mg/L)	MS Conc. (mg/L)	MSD Conc. (mg/L)	MS Percent Recovery	MSD Percent Recovery	LCL (%)	UCL (%)	Flag	RPD (MS/MSD) (%)	UCL (%)	Flag
Chloride	204019026242	10.0	mg/L	U		50.0	47.8	96	90	110		N/A	N/A	NA	N/A	N/A	NA	NA	NA	NA		NA	NA	
Nitrite-N	204019026253	0.030	mg/L	U		0.500	0.54	108	90	110		N/A	N/A	NA	N/A	N/A	NA	NA	NA	NA		NA	NA	
Nitrate-N	204019026252	0.023	mg/L	U		0.500	0.49	98	90	110		N/A	N/A	NA	N/A	N/A	NA	NA	NA	NA		NA	NA	
Sulfate	204019026267	1.00	mg/L	U		25.0	23.72	95	90	110		N/A	N/A	NA	N/A	N/A	NA	NA	NA	NA		NA	NA	

Codes/Flags :

U	The analyte was not detected at or above the quantitation limit.	W
E	The analyte was detected at a concentration greater than the calibration range; therefore the result is estimated.	J
DL	The sample was diluted due to sample matrix, therefore QC was not recoverable	B
*	The value is outside quality control limits	M
K	Reported concentration is proportional to dilution factor and may be exaggerated.	NC
P	When one or both sample results are <5 times the quantitation limit, the RPD cannot be properly evaluated.	NA
LOQ	Analytical limit of quantitation.	A

Comments :
MS/MSD not run on this analytical batch.

Harriet Williams 4-19-07

ZM 4/20/07
Quality Assurance Officer/Date

1914 Holloway Drive Holt, Michigan 48842 Telephone: (517) 699-0 Facsimile: (517) 699-0388
7794 Boardwalk Road Brighton, Michigan 48116 Telephone: (248) 446-5 Facsimile: (248) 446-5701

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Industrial Hygiene Services, Inc.
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0382
email: asbetos@fibertec.us

Geoprobe
7794 Boardwalk Road
Brighton, MI 48116
Phone: 248 446 5700
Fax: 248 446 5701

Chain of Custody # **68329**

PAGE ___ of ___

Client Name: SME

Contact Person: JP. Buckingham / Brian Burke

Project Name/ Number: Former Belding Co. 22.52.510

Purchase Order#

Lab Sample #	Date	Time	Client Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PRESERVED (Y/N)	VOCs	Fe, Mn, Alkalinity	Ammonia	Nitrate/Nitrite	Total Kjeldahl N.	Chloride	Sulfate	Total Organic Carbon			Remarks:
	2/27/07	11:30		MW-6	GW	8	Y	X	X	X	X	X	X	X	X			
		12:00		SW-1	GW	2	Y	X										
		12:15		SW-2	GW	7	Y	X	X	X	X	X	X	X	X			
				~~[illegible]~~														
		1:00		MW-2	GW	2	Y	X										
		2:20		MW-3	GW	2	Y	X										
		3:00		MW-4D	GW	2	Y	X										
Broken		4:00		MW-4S	GW	8	Y	X	X	X	X	X	X	X	X			
	✓	--		Trip Blank	-	1	Y	X										

PARAMETERS

Turnaround
- [ ] 24 hour RUSH (surcharge applies)
- [ ] 48 hour RUSH (surcharge applies)
- [ ] 72 hour RUSH (surcharge applies)
- [x] Standard (5-7 bus. days)
- [ ] Other: Specify

Matrix Code
- S Soil
- A Air
- O Oil
- P Wipe
- GW Ground Water
- SW Surface Water
- WW Waste Water
- X Other: Specify

Comments: * HNO_3 Bottles were field filtered

Relinquished By:	Date/ Time	Received By:
[signature]	2-27-07 5:15	SME cold storage
[signature]	2/28 9:17 AM	[signature] 12:19 pm
Relinquished By:	Date/ Time 2/28 12:19	Received By Laboratory: [signature]

LAB USE ONLY:
Fibertec project number: H1
Laboratory Tracking:
Temperature at Receipt: 22001

RCV'D ON

COC Revision: April, 2006