



Site Code : GELSC Site Name: Gelman Sciences Inc

Location: 545 ALLISON 48103 Occupant: STEVEN SKELLEY County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002644</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.001	0.001	mg/L	IN-HOUSE
<u>LC2004046419</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004033223</u> Collect Date: 06/23/2004 Arrival Date: 07/08/2004						
The EPA sample holding time for this analysis, CXPD, was exceeded prior to receiving the sample.						
CNONE	NO TESTING		NO TEST			
<u>LC2004019357</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 584 ALLISON 48103 Occupant: LOUIS ZUCK County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002642</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.033	0.001	mg/L	IN-HOUSE
<u>LC2004046420</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.052	0.001	mg/L	IN-HOUSE
<u>LC2004033233</u> Collect Date: 06/23/2004 Arrival Date: 07/08/2004						
The EPA sample holding time for this analysis, CXPD, was exceeded prior to receiving the sample.						
CNONE	NO TESTING		NO TEST			

Location: 427 BARBER 48103 Occupant: MORRIS County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002651</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.007	0.001	mg/L	IN-HOUSE
<u>LC2004046403</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.006	0.001	mg/L	IN-HOUSE
<u>LC2004030362</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.006	0.001	mg/L	IN-HOUSE
<u>LC2004019350</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.005	0.001	mg/L	IN-HOUSE

Location: 435 BARBER 48103 Occupant: CAROL & R. HODGE - Owners County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046402</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.047	0.001	mg/L	IN-HOUSE
<u>LC2004030365</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.037	0.001	mg/L	IN-HOUSE
<u>LC2004019356</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.038	0.001	mg/L	IN-HOUSE



Site Code : GELSC Site Name: Gelman Sciences Inc (cont.)

Location: 475 BARBER 48103 Occupant: Ms Kenworth & Ms Morreion County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002652</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.001	0.001	mg/L	IN-HOUSE
<u>LC2004046404</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.001	0.001	mg/L	IN-HOUSE
<u>LC2004030376</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.001	0.001	mg/L	IN-HOUSE
<u>LC2004019351</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 3161 DEXTER 48103 Occupant: JIM LILLIEFORS County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002646</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004046410</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030371</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004019362</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 3225 DEXTER 48103 Occupant: RICHARD FRENCH County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002639</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004046407</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004033230</u> Collect Date: 06/23/2004 Arrival Date: 07/08/2004						
The EPA sample holding time for this analysis, CXPD, was exceeded prior to receiving the sample.						
CNONE		NO TESTING	NO TEST			
<u>LC2004019352</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 3249 DEXTER 48103 Occupant: ZUMMER County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002653</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004033222</u> Collect Date: 06/23/2004 Arrival Date: 07/08/2004						
The EPA sample holding time for this analysis, CXPD, was exceeded prior to receiving the sample.						
CNONE		NO TESTING	NO TEST			
<u>LC2004019354</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					



Site Code : GELSC Site Name: Gelman Sciences Inc (cont.)

Location: 3500 ELIZABETH 48103 Occupant: RESIDENT County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046414</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD			++ All Analytes for this Test Code are Non Detect (ND) ++			
<u>LC2004030377</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD			++ All Analytes for this Test Code are Non Detect (ND) ++			

Location: 3530 ELIZABETH 48103 Occupant: RESIDENT County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046411</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD			++ All Analytes for this Test Code are Non Detect (ND) ++			
<u>LC2004030379</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD			++ All Analytes for this Test Code are Non Detect (ND) ++			

Location: 3537 ELIZABETH 48103 Occupant: RESIDENT County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002643</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.001	0.001	mg/L	IN-HOUSE
<u>LC2004046412</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.001	0.001	mg/L	IN-HOUSE
<u>LC2004030360</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.001	0.001	mg/L	IN-HOUSE
<u>LC2004019355</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.001	0.001	mg/L	IN-HOUSE

Location: 3563 ELIZABETH 48103 Occupant: FIGG - rental home County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002638</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.002	0.001	mg/L	IN-HOUSE
<u>LC2004046413</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.002	0.001	mg/L	IN-HOUSE
<u>LC2004030382</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.002	0.001	mg/L	IN-HOUSE
<u>LC2004019349</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.002	0.001	mg/L	IN-HOUSE

Location: 3573 ELIZABETH 48103 Occupant: HINDS County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002637</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.002	0.001	mg/L	IN-HOUSE
<u>LC2004046422</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.002	0.001	mg/L	IN-HOUSE
<u>LC2004030372</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.002	0.001	mg/L	IN-HOUSE
<u>LC2004019363</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.002	0.001	mg/L	IN-HOUSE



Site Code : GELSC Site Name: Gelman Sciences Inc (cont.)

Location: 3574 ELIZABETH 48103 Occupant: PIEHUTKOSKI County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046406</u>	Collect Date: 09/13/2004	Arrival Date: 09/14/2004				
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030373</u>	Collect Date: 06/21/2004	Arrival Date: 06/22/2004				
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 3601 ELIZABETH 48103 Occupant: RESIDENT County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046409</u>	Collect Date: 09/13/2004	Arrival Date: 09/14/2004				
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030375</u>	Collect Date: 06/21/2004	Arrival Date: 06/22/2004				
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 3615 ELIZABETH 48103 Occupant: CADY County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046408</u>	Collect Date: 09/13/2004	Arrival Date: 09/14/2004				
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030370</u>	Collect Date: 06/21/2004	Arrival Date: 06/22/2004				
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 3627 ELIZABETH 48103 Occupant: RESIDENT County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046405</u>	Collect Date: 09/13/2004	Arrival Date: 09/14/2004				
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030378</u>	Collect Date: 06/21/2004	Arrival Date: 06/22/2004				
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 3639 ELIZABETH 48103 Occupant: RESIDENT County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046401</u>	Collect Date: 09/13/2004	Arrival Date: 09/14/2004				
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030369</u>	Collect Date: 06/21/2004	Arrival Date: 06/22/2004				
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 3669 ELIZABETH 48103 Occupant: MOSELEY County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046400</u>	Collect Date: 09/13/2004	Arrival Date: 09/14/2004				
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030363</u>	Collect Date: 06/21/2004	Arrival Date: 06/22/2004				
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					



Site Code : GELSC Site Name: Gelman Sciences Inc (cont.)

Location: 3550 ELIZABETH - new 165 ft well 48103 Occupant: RESIDENT County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046398</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030374</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 4061 JACKSON 48103 Occupant: RESIDENT County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046758</u> Collect Date: 09/14/2004 Arrival Date: 09/15/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030366</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 4101 JACKSON 48103 Occupant: MICHIGAN SIGNS County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046756</u> Collect Date: 09/14/2004 Arrival Date: 09/15/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030364</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 4105 JACKSON 48103 Occupant: PLYMOUTH WAYNE GAS County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046761</u> Collect Date: 09/14/2004 Arrival Date: 09/15/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030380</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 4470 JACKSON 48103 Occupant: DON LOWELL County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046418</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004033224</u> Collect Date: 06/23/2004 Arrival Date: 07/08/2004						
The EPA sample holding time for this analysis, CXPD, was exceeded prior to receiving the sample.						
CNONE		NO TESTING				NO TEST

Location: 4560 JACKSON 48103 Occupant: RESIDENT County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046399</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004033228</u> Collect Date: 06/23/2004 Arrival Date: 07/08/2004						
The EPA sample holding time for this analysis, CXPD, was exceeded prior to receiving the sample.						
CNONE		NO TESTING				NO TEST



Site Code : GELSC Site Name: Gelman Sciences Inc (cont.)

Location: 4568/72 JACKSON 48103 Occupant: Cook - rental units County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004033232</u> Collect Date: 06/23/2004 Arrival Date: 07/08/2004						
The EPA sample holding time for this analysis, CXPDP, was exceeded prior to receiving the sample.						
CNONE		NO TESTING	NO TEST			

Location: 5005 JACKSON 48103 Occupant: RAYER - rental 5005/07/09 County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002654</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
Collection date changed per Lois Graham - 10/28/04 KB						
CXPD	123-91-1	DIOXANE,1,4-	0.055	0.001	mg/L	IN-HOUSE
<u>LC2004046753</u> Collect Date: 09/14/2004 Arrival Date: 09/15/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.044	0.001	mg/L	IN-HOUSE
<u>LC2004030367</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.043	0.001	mg/L	IN-HOUSE
<u>LC2004019359</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.032	0.001	mg/L	IN-HOUSE

Location: 5015 JACKSON 48103 Occupant: RAYER - rental County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046751</u> Collect Date: 09/14/2004 Arrival Date: 09/15/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030368</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 287 JACKSON PLAZA 48103 Occupant: SPEARS FIRE SAFETY County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002649</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004046417</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030383</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004019358</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 105 MYRTLE 48103 Occupant: Craig Sutinen County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046423</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004033231</u> Collect Date: 06/23/2004 Arrival Date: 07/08/2004						
The EPA sample holding time for this analysis, CXPDP, was exceeded prior to receiving the sample.						
CNONE		NO TESTING	NO TEST			



Site Code : GELSC Site Name: Gelman Sciences Inc (cont.)

Location: 131 MYRTLE 48103 Occupant: HOLLICE County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046416</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPB ++ All Analytes for this Test Code are Non Detect (ND) ++						
<u>LC2004033229</u> Collect Date: 06/23/2004 Arrival Date: 07/08/2004						
The EPA sample holding time for this analysis, CXPB, was exceeded prior to receiving the sample.						
CNONE		NO TESTING	NO TEST			

Location: 101 PARKLAND PLAZA 48103 Occupant: Business building/UofM Credit Union County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2004046763</u> Collect Date: 09/14/2004 Arrival Date: 09/15/2004						
CXPB	123-91-1	DIOXANE,1,4-	0.002	0.001	mg/L	IN-HOUSE
<u>LC2004033227</u> Collect Date: 06/23/2004 Arrival Date: 07/08/2004						
The EPA sample holding time for this analysis, CXPB, was exceeded prior to receiving the sample.						
CNONE		NO TESTING	NO TEST			

Location: 371 PARKLAND PLAZA #1 48103 Occupant: KAISER OPTICAL #1 (DRINKING WATER WELL) County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005006593</u> Collect Date: 11/29/2004 Arrival Date: 11/30/2004						
CXPT ++ All Analytes for this Test Code are Non Detect (ND) ++						
<u>LC2005002648</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPB ++ All Analytes for this Test Code are Non Detect (ND) ++						
<u>LC2004046577</u> Collect Date: 09/14/2004 Arrival Date: 09/15/2004						
CRA	16984-48-8	FLUORIDE (AUTOMATED)	0.3	0.1	mg/L	SM4500NO3H,SM3
CRA	HARD-00-C	HARDNESS AS CaCO3	36	10	mg/L	SM4500NO3H,SM3
CRA	7440-23-5	SODIUM (AUTOMATED)	200	5	mg/L	SM4500NO3H,SM3
CRA	7647-14-5	CHLORIDE (AUTOMATED)	10	4	mg/L	SM4500NO3H,SM3
CRA	14808-79-8	SULFATE (AUTOMATED)	82	5	mg/L	SM4500NO3H,SM3
<u>LC2004046580</u> Collect Date: 09/14/2004 Arrival Date: 09/15/2004						
CXLP ++ All Analytes for this Test Code are Non Detect (ND) ++						
<u>LC2004046581</u> Collect Date: 09/14/2004 Arrival Date: 09/15/2004						
CXHB ++ All Analytes for this Test Code are Non Detect (ND) ++						
<u>LC2004046762</u> Collect Date: 09/14/2004 Arrival Date: 09/15/2004						
CXPB ++ All Analytes for this Test Code are Non Detect (ND) ++						
<u>LC2004046578</u> Collect Date: 09/14/2004 Arrival Date: 09/15/2004						
CAS	7440-38-2	ARSENIC (TOTAL)	0.007	0.002	mg/L	EPA200.8
CCU	7440-50-8	COPPER (RECOVERABLE)	0.005	0.05	mg/L	EPA200.8
CFE	7439-89-6	IRON	0.008	0.01	mg/L	EPA200.8
CMN	++ All Analytes for this Test Code are Non Detect (ND) ++					
CZN	7440-66-6	ZINC	0.004	0.01	mg/L	EPA200.8
<u>LC2004030361</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPB ++ All Analytes for this Test Code are Non Detect (ND) ++						
<u>LC2004019347</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPB ++ All Analytes for this Test Code are Non Detect (ND) ++						



Site Code : GELSC Site Name: Gelman Sciences Inc (cont.)

Location: 305 PINEWOOD 48103 Occupant: CAROLYN ANDRES County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002650</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004046424</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004033225</u> Collect Date: 06/23/2004 Arrival Date: 07/08/2004						
The EPA sample holding time for this analysis, CXPD, was exceeded prior to receiving the sample.						
CNONE	NO TESTING		NO TEST			
<u>LC2004019203</u> Collect Date: 03/30/2004 Arrival Date: 03/31/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 354 PINEWOOD 48103 Occupant: CLARENCE HENNIGAN County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002645</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.003	0.001	mg/L	IN-HOUSE
<u>LC2004046421</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
THIS SAMPLE FOLLOWED A HIGH-LEVEL POSITIVE RESULT. DUE TO INSTRUMENTAL PROBLEMS WITH THE FIRST VIAL, A SECOND VIAL WAS UNAVAILABLE TO CONFIRM THAT THIS RESULT IS NOT CARRY-OVER FROM THE HIGH LEVEL SAMPLE.						
CXPD	123-91-1	DIOXANE,1,4-	0.003	0.001	mg/L	IN-HOUSE
<u>LC2004033226</u> Collect Date: 06/23/2004 Arrival Date: 07/08/2004						
The EPA sample holding time for this analysis, CXPD, was exceeded prior to receiving the sample.						
CNONE	NO TESTING		NO TEST			
<u>LC2004019348</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.003	0.001	mg/L	IN-HOUSE

Location: 460 ROSE 48103 Occupant: JAMES KENNEDY County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002640</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004046415</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030381</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004019360</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					

Location: 597 S WAGNER 48103 Occupant: RAYER - rental home County: Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002647</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004046397</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004030384</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					
<u>LC2004019353</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	++ All Analytes for this Test Code are Non Detect (ND) ++					



Site Code : GELSC **Site Name:** Gelman Sciences Inc (cont.)

Location: 609 S WAGNER 48103 **Occupant:** Estate of WILMA CHRISTO STAGGS **County:** Washtenaw

<u>Test</u>	<u>CasNo</u>	<u>Analyte</u>	<u>Result</u>	<u>Detect</u>	<u>Units</u>	<u>Method</u>
<u>LC2005002641</u> Collect Date: 10/25/2004 Arrival Date: 10/26/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.002	0.001	mg/L	IN-HOUSE
<u>LC2004046425</u> Collect Date: 09/13/2004 Arrival Date: 09/14/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.002	0.001	mg/L	IN-HOUSE
<u>LC2004030385</u> Collect Date: 06/21/2004 Arrival Date: 06/22/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.002	0.001	mg/L	IN-HOUSE
<u>LC2004019361</u> Collect Date: 03/29/2004 Arrival Date: 04/01/2004						
CXPD	123-91-1	DIOXANE,1,4-	0.002	0.001	mg/L	IN-HOUSE