

## **CASE NARRATIVE**

### **Monthly Data Pall Life Sciences**

### **Project: 1,4-Dioxane Remediation**

**Date: October 2015**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Gelman Sciences, Inc. d/b/a Pall Life Sciences (PLS) attests to the validity of the laboratory data generated by PLS's Ann Arbor, Michigan Environmental Laboratory facilities reported herein. All analyses performed by PLS's Environmental Laboratory facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. PLS's Environmental group has reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

Two drinking water samples were analyzed at Brighton: 697 South Wagner Road, and 5005 Jackson Road. In addition two Red Pond samples were analyzed at Brighton Analytical as analyst was on vacation: Red Pond 10/19/15 and Red Pond 10/13/15. All other samples were analyzed by PLS's Environmental Laboratory. The test results in this report meet all NELAP requirements for parameters for which accreditation are required or available. Any exceptions to NELAP requirements are noted in this report. All exceptions are noted per laboratory standard operating procedure based on EPA Method 1624c. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results. The odd even rule is used for rounding.

Holding times were met for all samples analyzed in September. Proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

## **RECEIPT/ STORAGE**

The samples were received on the days noted in the report for the Month; the samples arrived in good condition, properly preserved and on ice.

Samples that require 1,4-dioxane analysis are collected in hydrochloric HCl acid-preserved vials to a pH of  $\leq 2$ , with the exception of the Pall ozone treatment samples. These samples have chemicals that, when mixed with the HCl acid, cause interferences and trap damage. Every attempt is made to analyze these samples within 24 hours of receipt.

Samples that require Bromate analysis are collected and preserved in the laboratory with ethylene di-amine and refrigerated.

Samples that are delivered to the laboratory the same day as they are collected are likely not to have reached a fully chilled temperature. This is acceptable as long as there is evidence that chilling has begun. All samples are iced or refrigerated at 4°C ( $\pm 2^\circ\text{C}$ ) from the time of collection until sample preparation or analysis.

## 1,4-Dioxane (GC-MS)

Ground water and treated water samples that were analyzed at PLS for 1,4-Dioxane were done so in accordance with EPA 1624C, which has been modified to minimize detection limits. Samples that were diluted to bring them within the calibrated range of the instrument are noted with a "D" under the Qualifier Code section of the data report. Reporting limits were adjusted based on each dilution.

One batch of samples was not reported due to a leak in the sample introduction system that developed during the last run before the analyst's vacation. Where possible these samples were reanalyzed or resampled and reanalyzed. One sample could not be resampled: Red Pond 10/05/2015, this sample was reanalyzed and reported with a Qualifier (H) and an explanation of the issue in the comment section. No other difficulties were encountered during the 1,4-dioxane analyses. Reporting limit for undiluted samples is 1ppb (part per billion, micrograms per liter, µg/L). All quality control parameters were within the acceptance limits.

## Bromate (Ion Chromatography)

All surface water and treated samples were analyzed for Bromate (Ion Chromatography) in accordance with EPA 300.1. Surrogates are added to all samples and standards and analyzed by Ion Chromatography utilizing background ion suppression and a conductivity detector. No difficulties were encountered during the Bromate analyses. All quality control parameters were within the acceptance limits.

The reporting limit for treated samples is 5.0ppb and for surface samples is 2.0ppb.

---

## Qualifiers

### 1,4-Dioxane Qualifier Codes:

| <u>Qualifier Code</u> | <u>Description</u>  |
|-----------------------|---|
| nd:                   | The compound was analyzed for, but was not detected at or above the detection limit indicated.                              |
| D:                    | Analyte value quantified from a dilution, reporting limit is raised to reflect dilution.                                    |
| E:                    | The compound result is greater than the upper quantitation limit in the associated calibration curve, reported as estimate. |
| B:                    | The sample vials contained air bubbles larger than 5mm, which may affect compound results.                                  |
| J:                    | The compound was positively identified; the associated numerical value is the approximate concentration.                    |
| M:                    | Matrix effects, sample required dilution.   |
| R:                    | The reported value is unusable and rejected due to variance from quality control criteria.                                  |
| V:                    | The reported value is considered estimated due to variance from quality control criteria.                                   |
| H:                    | Sample was analyzed past 14 day hold time, but within 28 days.  |
| O:                    | Samples analyzed in outside laboratory.   |
| S:                    | Samples split with DEQ.   |

### Bromate Qualifier Codes:


| <u>Qualifier Code</u> | <u>Description</u>   |
|-----------------------|--|
| nd:                   | The compound was analyzed for, but was not detected at or above the detection limit indicated.           |
| E:                    | The compound result is greater than the upper quantitation limit in the associated calibration curve.    |
| J:                    | The compound was positively identified; the associated numerical value is the approximate concentration. |
| R:                    | The reported value is unusable and rejected due to variance from quality control criteria.               |
| V:                    | The reported value is considered estimated due to variance from quality control criteria.                |
| H:                    | Sample was analyzed past 28 day hold time  |

Analyst: Susan E.O. Peters



Date: 11-12-15

Report Checked by: Cristian Dumas



Date: 11-12-15



# Sample Analysis Report

October, 2015

642 South Wagner Road  
Ann Arbor, MI 48103-9019 US  
734.436.4025 phone

Analyst Initials: SEOP  
Date: 11-12-15

| Sample Name - Date/Time Sampled         | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments            | Qualifier(s) |
|---|---------------------------|------------|-----------------------|------------|-----------------------|------------|---------------------|--------------|
| <b>Residential Wells</b>                |                           |            |                       |            |                       |            |                     |              |
| <b>D0</b>                               |                           |            |                       |            |                       |            |                     |              |
| 4601 Park 4<br>inch-10-07-15-11:13-1    | 2                         | 1.0        |                       |            |                       |            |                     |              |
| 4601 Park 6<br>inch-10-07-15-11:51-1    | 1                         | 1.0        |                       |            |                       |            |                     |              |
| 5005 Jackson<br>Rd-10-02-15-13:31-1     | 17                        | 1.0        |                       |            |                       |            | Brighton Analytical | O            |
| <b>Not Determined</b>                   |                           |            |                       |            |                       |            |                     |              |
| 697 South Wagner<br>Rd-10-07-15-08:27-1 | nd                        | 1.0        |                       |            |                       |            | Brighton Analytical | O            |
| <b>Miscellaneous Wells</b>              |                           |            |                       |            |                       |            |                     |              |
| Bethlehem<br>Cemetery-10-02-15-13:10-1  | nd                        | 1.0        |                       |            |                       |            |                     |              |
| <b>Extraction Wells</b>                 |                           |            |                       |            |                       |            |                     |              |
| <b>C3</b>                               |                           |            |                       |            |                       |            |                     |              |
| DOLPH-10-01-15-08:14-1                  | 110                       | 5.0        |                       |            |                       |            |                     | D            |
| TW-1-10-01-15-13:26-1                   | 98                        | 1.0        |                       |            |                       |            |                     |              |
| TW-10-10-01-15-13:56-1                  | 250                       | 5.0        |                       |            |                       |            |                     | D            |
| TW-14-10-01-15-13:52-1                  | 19                        | 1.0        |                       |            |                       |            |                     |              |
| TW-20-10-01-15-08:55-1                  | 850                       | 50.0       |                       |            |                       |            |                     | D            |
| TW-3-10-01-15-13:28-1                   | nd                        | 1.0        |                       |            |                       |            |                     |              |
| <b>D2</b>                               |                           |            |                       |            |                       |            |                     |              |

| Sample Name - Date/Time Sampled   | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifier(s) |
|-----------------------------------|---------------------------|------------|-----------------------|------------|-----------------------|------------|----------|--------------|
| LB-4-10-28-15-14:35-1             | 510                       | 10.0       |                       |            |                       |            |          | D            |
| TW-21-10-01-15-08:49-1            | 160                       | 5.0        |                       |            |                       |            |          | D            |
| TW-5-10-01-15-14:05-1             | 750                       | 25.0       |                       |            |                       |            |          | D            |
| TW-9-10-01-15-13:49-1             | 730                       | 10.0       |                       |            |                       |            |          | D            |
| <b>E</b>                          |                           |            |                       |            |                       |            |          |              |
| TW-11-10-01-15-14:07-1            | 240                       | 5.0        |                       |            |                       |            |          | D            |
| TW-12-10-01-15-14:16-1            | 23                        | 1.0        |                       |            |                       |            |          |              |
| TW-16-10-01-15-08:35-1            | 930                       | 50.0       |                       |            |                       |            |          | D            |
| TW-17-10-01-15-13:50-1            | 510                       | 10.0       |                       |            |                       |            |          | D            |
| TW-18-10-01-15-08:10-1            | 300                       | 5.0        |                       |            |                       |            |          | D            |
| TW-19-10-01-15-08:34-1            | 700                       | 10.0       |                       |            |                       |            |          | D            |
| <b>Marshy</b>                     |                           |            |                       |            |                       |            |          |              |
| PW-1-10-01-15-08:12-1             | 830                       | 10.0       |                       |            |                       |            |          | D            |
| <b>SW</b>                         |                           |            |                       |            |                       |            |          |              |
| TW-22-10-01-15-09:13-1            | 620                       | 10.0       |                       |            |                       |            |          | D            |
| TW-8-10-01-15-09:14-1             | 650                       | 10.0       |                       |            |                       |            |          | D            |
| <b>Monitoring Wells</b>           |                           |            |                       |            |                       |            |          |              |
| <b>C3</b>                         |                           |            |                       |            |                       |            |          |              |
| MW-1 Replacement-10-30-15-14:31-1 | 3500                      | 50.0       |                       |            |                       |            |          | D            |
| MW-128s-10-22-15-14:13-1          | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-20-10-26-15-14:27-1            | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-37-10-22-15-14:37-1            | 280                       | 10.0       |                       |            |                       |            |          | D            |
| MW-39s-10-26-15-13:31-1           | 2                         | 1.0        |                       |            |                       |            |          |              |
| <b>D0</b>                         |                           |            |                       |            |                       |            |          |              |

| Sample Name - Date/Time Sampled     | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifier(s) |
|-------------------------------------|---------------------------|------------|-----------------------|------------|-----------------------|------------|----------|--------------|
| A2 Cleaning Supply-10-05-15-10:04-1 | 60                        | 1.0        |                       |            |                       |            |          |              |
| MW-136i-10-19-15-14:16-1            | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-136s-10-19-15-14:31-1            | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-137s-10-21-15-09:45-1            | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-138i-10-20-15-14:26-1            | 7                         | 1.0        |                       |            |                       |            |          |              |
| MW-138s-10-20-15-13:51-1            | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-139i-10-07-15-09:51-1            | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-139s-10-07-15-10:01-1            | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-140s-10-21-15-13:53-1            | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-141s-10-21-15-11:12-1            | 3                         | 1.0        |                       |            |                       |            | Artesian |              |
| MW-51-10-19-15-11:12-1              | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-53d-10-05-15-13:34-1             | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-53i-10-05-15-14:36-1             | 41                        | 1.0        |                       |            |                       |            |          |              |
| MW-53s-10-05-15-13:47-1             | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-61d-10-19-15-10:12-1             | 2                         | 1.0        |                       |            |                       |            |          |              |
| MW-61s-10-19-15-10:29-1             | 14                        | 1.0        |                       |            |                       |            |          |              |
| MW-93-10-19-15-09:33-1              | 6                         | 1.0        |                       |            |                       |            |          |              |
| <b>D2</b>                           |                           |            |                       |            |                       |            |          |              |
| 2819 Dexter Rd-10-30-15-11:54-1     | 360                       | 10.0       |                       |            |                       |            |          | D            |
| HZ-S-10-01-15-14:38-1               | 830                       | 25.0       |                       |            |                       |            |          | D            |
| MW-121s-10-22-15-11:23-1            | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-126s-10-26-15-12:26-1            | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-131s-10-26-15-11:10-1            | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-133i-10-07-15-13:32-1            | 2                         | 1.0        |                       |            |                       |            |          |              |
| MW-133s-10-07-15-13:42-1            | 2                         | 1.0        |                       |            |                       |            |          |              |

| Sample Name - Date/Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifier(s) |
|---------------------------------|---------------------------|------------|-----------------------|------------|-----------------------|------------|----------|--------------|
| MW-134i-10-22-15-10:41-1        | 9                         | 1.0        |                       |            |                       |            |          |              |
| MW-134s-10-22-15-10:05-1        | 9                         | 1.0        |                       |            |                       |            |          |              |
| MW-17-10-29-15-14:37-1          | 360                       | 10.0       |                       |            |                       |            |          | D            |
| MW-39d-10-26-15-13:56-1         | 57                        | 1.0        |                       |            |                       |            |          |              |
| <b>E</b>                        |                           |            |                       |            |                       |            |          |              |
| MW-103d-10-29-15-09:47-1        | 11                        | 1.0        |                       |            |                       |            |          |              |
| MW-103s-10-29-15-10:01-1        | 78                        | 1.0        |                       |            |                       |            |          |              |
| MW-112d-10-06-15-13:31-1        | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-112i-10-06-15-14:30-1        | 9                         | 1.0        |                       |            |                       |            |          |              |
| MW-112s-10-06-15-13:44-1        | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-115-10-29-15-14:10-1         | 460                       | 10.0       |                       |            |                       |            |          | D            |
| MW-116-10-29-15-13:30-1         | 450                       | 10.0       |                       |            |                       |            |          | D            |
| MW-121d-10-22-15-11:59-1        | 1                         | 1.0        |                       |            |                       |            |          |              |
| MW-126d-10-26-15-12:03-1        | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-128d-10-22-15-13:53-1        | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-131d-10-26-15-10:45-1        | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-133d-10-07-15-14:44-1        | 3                         | 1.0        |                       |            |                       |            |          |              |
| MW-134d-10-22-15-09:44-1        | 5                         | 1.0        |                       |            |                       |            |          |              |
| MW-136d-10-19-15-13:49-1        | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-137d-10-21-15-09:26-1        | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-138d-10-20-15-13:35-1        | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-139d-10-07-15-09:26-1        | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-140d-10-21-15-13:37-1        | nd                        | 1.0        |                       |            |                       |            |          |              |
| MW-141d-10-21-15-10:47-1        | 4                         | 1.0        |                       |            |                       |            |          |              |
| MW-30d-10-30-15-10:51-1         | 410                       | 10.0       |                       |            |                       |            |          | D            |
| MW-72d-10-30-15-09:38-1         | 1500                      | 25.0       |                       |            |                       |            |          | D            |

| Sample Name - Date/Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifiers |
|---------------------------------|---------------------------|------------|-----------------------|------------|-----------------------|------------|----------|------------|
| MW-72s-10-08-15-08:50-1         | 3                         | 1.0        |                       |            |                       |            |          |            |
| MW-76i-10-29-15-10:49-1         | 110                       | 1.0        |                       |            |                       |            |          |            |
| MW-76s-10-29-15-11:06-1         | 280                       | 10.0       |                       |            |                       |            |          | D          |
| MW-79d-10-28-15-14:26-1         | 3                         | 1.0        |                       |            |                       |            |          |            |
| MW-79s-10-28-15-13:39-1         | 220                       | 5.0        |                       |            |                       |            |          | D          |
| MW-83s-10-27-15-13:22-1         | 250                       | 5.0        |                       |            |                       |            |          | D          |
| MW-84s-10-29-15-11:42-1         | 190                       | 10.0       |                       |            |                       |            |          | D          |
| MW-87d-10-28-15-11:26-1         | 440                       | 10.0       |                       |            |                       |            |          | D          |
| MW-87s-10-28-15-11:41-1         | 940                       | 10.0       |                       |            |                       |            |          | D          |
| <b>Marshy</b>                   |                           |            |                       |            |                       |            |          |            |
| NMW-1s-10-01-15-11:10-1         | 2200                      | 50.0       |                       |            |                       |            |          | D          |
| NMW-2s-10-01-15-11:21-1         | 2200                      | 50.0       |                       |            |                       |            |          | D          |
| <b>SW</b>                       |                           |            |                       |            |                       |            |          |            |
| MW-10d-10-27-15-14:44-1         | 1200                      | 25.0       |                       |            |                       |            |          | D          |
| MW-45d-10-27-15-14:05-1         | 37                        | 5.0        |                       |            |                       |            |          | D          |
| MW-45s-10-27-15-13:51-1         | 15                        | 1.0        |                       |            |                       |            |          |            |
| MW-46-10-27-15-11:27-1          | 230                       | 5.0        |                       |            |                       |            |          | D          |
| MW-49-10-27-15-11:01-1          | nd                        | 1.0        |                       |            |                       |            |          |            |
| MW-50-10-27-15-11:51-1          | 730                       | 10.0       |                       |            |                       |            |          | D          |
| MW-52d-10-30-15-13:52-1         | nd                        | 1.0        |                       |            |                       |            |          |            |
| MW-52i-10-30-15-13:27-1         | 21                        | 1.0        |                       |            |                       |            |          |            |
| MW-52s-10-27-15-14:21-1         | 410                       | 10.0       |                       |            |                       |            |          | D          |
| MW-58d-10-27-15-09:23-1         | 20                        | 1.0        |                       |            |                       |            |          |            |
| MW-58s-10-27-15-09:44-1         | 150                       | 5.0        |                       |            |                       |            |          | D          |
| TW-4-10-27-15-10:41-1           | 56                        | 1.0        |                       |            |                       |            |          |            |
| <b>Surface Water</b>            |                           |            |                       |            |                       |            |          |            |

| Sample Name - Date/Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifiers(s) |
|---------------------------------|---------------------------|------------|-----------------------|------------|-----------------------|------------|----------|---------------|
| <b>Not Applicable</b>           |                           |            |                       |            |                       |            |          |               |
| HC/HR-10-01-15-07:43-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-02-15-08:17-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-05-15-08:11-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-06-15-08:09-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-07-15-07:50-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-08-15-07:57-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-09-15-07:50-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-13-15-08:12-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-14-15-08:19-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-15-15-08:50-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-16-15-09:15-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-19-15-08:27-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-20-15-08:12-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-21-15-08:21-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-22-15-08:36-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-23-15-08:26-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-26-15-08:48-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-27-15-08:19-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-28-15-07:49-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-29-15-08:18-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| HC/HR-10-30-15-08:23-1          |                           |            | nd                    | 2.0        |                       |            |          |               |
| <b>Treatment System</b>         |                           |            |                       |            |                       |            |          |               |
| OUTFALL-10-01-15-1              | 4                         | 1.0        |                       |            |                       |            |          |               |
| OUTFALL-10-01-15-2              |                           |            | 7                     | 5.0        |                       |            |          |               |
| OUTFALL-10-04-15-1              | 4                         | 1.0        |                       |            |                       |            |          |               |

| Sample Name - Date/Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments | Qualifier(s) |
|---------------------------------|---------------------------|------------|-----------------------|------------|-----------------------|------------|----------|--------------|
| OUTFALL-10-04-15-2              |                           |            | 7                     | 5.0        |                       |            |          |              |
| OUTFALL-10-05-15-1              | 4                         | 1.0        |                       |            |                       |            |          |              |
| OUTFALL-10-05-15-2              |                           |            | 6                     | 5.0        |                       |            |          |              |
| OUTFALL-10-06-15-1              | 4                         | 1.0        |                       |            |                       |            |          |              |
| OUTFALL-10-06-15-2              |                           |            | 7                     | 5.0        |                       |            |          |              |
| OUTFALL-10-07-15-1              | 4                         | 1.0        |                       |            |                       |            |          |              |
| OUTFALL-10-07-15-2              |                           |            | 7                     | 5.0        |                       |            |          |              |
| OUTFALL-10-08-15-1              | 4                         | 1.0        |                       |            |                       |            |          |              |
| OUTFALL-10-08-15-2              |                           |            | 7                     | 5.0        |                       |            |          |              |
| OUTFALL-10-11-15-1              | 4                         | 1.0        |                       |            |                       |            |          |              |
| OUTFALL-10-11-15-2              |                           |            | 7                     | 5.0        |                       |            |          |              |
| OUTFALL-10-12-15-1              | 4                         | 1.0        |                       |            |                       |            |          |              |
| OUTFALL-10-12-15-2              |                           |            | 7                     | 5.0        |                       |            |          |              |
| OUTFALL-10-13-15-1              | 4                         | 1.0        |                       |            |                       |            |          |              |
| OUTFALL-10-13-15-2              |                           |            | 7                     | 5.0        |                       |            |          |              |
| OUTFALL-10-14-15-1              | 4                         | 1.0        |                       |            |                       |            |          |              |
| OUTFALL-10-14-15-2              |                           |            | 7                     | 5.0        |                       |            |          |              |
| OUTFALL-10-15-15-1              | 4                         | 1.0        |                       |            |                       |            |          |              |
| OUTFALL-10-15-15-2              |                           |            | 8                     | 5.0        |                       |            |          |              |
| OUTFALL-10-18-15-1              | 3                         | 1.0        |                       |            |                       |            |          |              |
| OUTFALL-10-18-15-2              |                           |            | 7                     | 5.0        |                       |            |          |              |
| OUTFALL-10-19-15-1              | 4                         | 1.0        |                       |            |                       |            |          |              |
| OUTFALL-10-19-15-2              |                           |            | 7                     | 5.0        |                       |            |          |              |
| OUTFALL-10-20-15-1              | 3                         | 1.0        |                       |            |                       |            |          |              |
| OUTFALL-10-20-15-2              |                           |            | 7                     | 5.0        |                       |            |          |              |
| OUTFALL-10-21-15-1              | 4                         | 1.0        |                       |            |                       |            |          |              |
| OUTFALL-10-21-15-2              |                           |            | 8                     | 5.0        |                       |            |          |              |

| Sample Name - Date/Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments  | Qualifiers |
|---------------------------------|---------------------------|------------|-----------------------|------------|-----------------------|------------|---|------------|
| OUTFALL-10-22-15-1              | 4                         | 1.0        |                       |            |                       |            |   |            |
| OUTFALL-10-22-15-2              |                           |            | 8                     | 5.0        |                       |            |   |            |
| OUTFALL-10-25-15-1              | 4                         | 1.0        |                       |            |                       |            |   |            |
| OUTFALL-10-25-15-2              |                           |            | 8                     | 5.0        |                       |            |   |            |
| OUTFALL-10-26-15-1              | 4                         | 1.0        |                       |            |                       |            |   |            |
| OUTFALL-10-26-15-2              |                           |            | 7                     | 5.0        |                       |            |   |            |
| OUTFALL-10-27-15-1              | 3                         | 1.0        |                       |            |                       |            |   |            |
| OUTFALL-10-27-15-2              |                           |            | 8                     | 5.0        |                       |            |   |            |
| OUTFALL-10-28-15-1              | 4                         | 1.0        |                       |            |                       |            |   |            |
| OUTFALL-10-28-15-2              |                           |            | 8                     | 5.0        |                       |            |   |            |
| OUTFALL-10-29-15-1              | 5                         | 1.0        |                       |            |                       |            |   |            |
| OUTFALL-10-29-15-2              |                           |            | 8                     | 5.0        |                       |            |   |            |
| Red Pond-10-05-15-08:20-1       | 480                       | 10.0       |                       |            |                       |            | leak developed in purge system while analyst on vacation, sample expired prior to analysts return | D, H       |
| Red Pond-10-13-15-08:30-1       | 450                       | 25.0       |                       |            |                       |            | Brighton Analytical   | O, D       |
| Red Pond-10-19-15-08:10-1       | 450                       | 25.0       |                       |            |                       |            | Brighton Analytical   | O, D       |
| Red Pond-10-26-15-09:26-1       | 470                       | 10.0       |                       |            |                       |            |   | D          |

**Qualifier Codes:**

- nd: The compound was analyzed for, but was not detected at or above the detection limit indicated.
- D: Analyte value quantified from a dilution, reporting limit is raised to reflect dilution
- O: Sample analyzed by and outside laboratory specified in the comment section
- H: The sample vials contained air bubbles larger than 5mm, which may affect compound results.



**Brighton Analytical, L.L.C.**  
 2105 Pless Drive  
 Brighton, Michigan 48116  
**Phone: (810) 229-7575 FAX: (810) 229-8650**  
 e-mail: bai-brighton@sbcglobal.net

Sample Date: 10/13/2015  
 Submit Date: 10/13/2015  
 Report Date: 10/16/2015

To: Pall Corp.  
 600 S. Wagner  
 Bldg. 4  
 Ann Arbor, MI 48103

BA Report Number: **36314**  
 BA Sample ID: **CC00784**

Project Name:  
 Project Number: **1,4 d**  
 Sample ID: **RP-10-13-15-830**

| Parameters              | Results    | Units | DL | Method Reference | Analyst | Analysis Date |
|-------------------------|------------|-------|----|------------------|---------|---------------|
| <b>1,4-Dioxane(SIM)</b> |            |       |    |                  |         |               |
| 1,4-Dioxane (SIM)       | <b>450</b> | ug/L  | 25 | EPA 1624(SIM)    | CW      | 10/15/2015    |

DL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

Elevated dl due to sample matrix.

Released by:

Date:

*W. Hosol*  
 10/16/15



**Brighton Analytical, L.L.C.**  
**2105 Pless Drive**  
**Brighton, Michigan 48116**  
**Phone: (810) 229-7575 FAX: (810) 229-8650**  
 e-mail: bai-brighton@sbcglobal.net

Sample Date: 10/19/2015  
 Submit Date: 10/19/2015  
 Report Date: 10/19/2015

To: Pall Corp.  
 600 S. Wagner  
 Bldg. 4  
 Ann Arbor, MI 48103

BA Report Number: **36404**  
 BA Sample ID: **CC01105**

Project Name:  
 Project Number: **1,4 d**  
 Sample ID: **RP-10-19-15-0810**

| Parameters              | Results    | Units | DL | Method Reference | Analyst | Analysis Date |
|-------------------------|------------|-------|----|------------------|---------|---------------|
| <b>1,4-Dioxane(SIM)</b> |            |       |    |                  |         |               |
| 1,4-Dioxane (SIM)       | <b>450</b> | ug/L  | 25 | EPA 1624(SIM)    | CW      | 10/19/2015    |

DL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

Released by:  
 Date:

*Wood*  
 10/19/15

Elevated dl due to sample matrix.