



Attachment 1  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
Acenaphthene	83329	NA	3.0E+5	8,700	9.7E+5	1.9E+8	8.1E+7	8.1E+7	8.1E+7	1.4E+10	4.1E+7	NA
Acenaphthylene	208968	NA	5,900	ID	4.4E+5	1.6E+6	2.2E+6	2.2E+6	2.2E+6	2.3E+9	1.6E+6	NA
Acetaldehyde (I)	75070	NA	19,000	2,600	1.1E+8 (C)	2.2E+5	1.7E+5	1.7E+5	2.8E+5	6.0E+8	2.9E+7	1.1E+8
Acetate	71501	NA	ID	(G)	ID	ID	ID	ID	ID	ID	ID	ID
Acetic acid	64197	NA	84,000	(G)	6.5E+8 (C)	NLV	NLV	NLV	NLV	1.7E+10	1.3E+8	6.5E+8
Acetone (I)	67641	NA	15,000	34,000	1.1E+8 (C)	1.1E+8 (C)	1.3E+8	1.3E+8	1.9E+8	3.9E+11	2.3E+7	1.1E+8
Acetonitrile	75058	NA	2,800	NA	2.2E+7 (C)	4.8E+6	1.6E+6	1.6E+6	2.1E+6	4.0E+9	4.3E+6	2.2E+7
Acetophenone	98862	NA	30,000	ID	1.1E+6 (C)	1.1E+6 (C)	4.4E+7	4.4E+7	4.4E+7	3.3E+10	1.1E+6 (C)	1.1E+6
Acrolein (I)	107028	NA	2,400	NA	2.3E+7 (C)	410	310	310	610	1.3E+6	3.6E+6	2.3E+7
Acrylamide	79061	NA	10	200 (X)	2.6E+5	NLV	NLV	NLV	NLV	2.4E+6	1,900	NA
Acrylic acid	79107	NA	78,000	NA	1.1E+8 (C)	2.4E+6	1.9E+5	2.3E+5	2.3E+5	6.7E+7	3.5E+7 (DD)	1.1E+8
Acrylonitrile (I)	107131	NA	100 (M); 52	100 (M); 40	2.8E+5	6,600	5,000	5,100	10,000	4.6E+7	16,000	8.3E+6
Alachlor	15972608	NA	52	290 (X)	44,000	NLV	NLV	NLV	NLV	ID	93,000	NA
Aldicarb	116063	NA	60	NA	2.4E+6	NLV	NLV	NLV	NLV	ID	2.3E+5	NA
Aldicarb sulfone	1646884	NA	200 (M); 40	NA	4.2E+7	NLV	NLV	NLV	NLV	ID	2.5E+5	NA
Aldicarb sulfoxide	1646873	NA	200(M); 80	NA	5.4E+7	NLV	NLV	NLV	NLV	ID	2.9E+5	NA
Aldrin	309002	NA	NLL	NLL	NLL	1.3E+6	58,000	58,000	58,000	6.4E+5	1,000	NA
Aluminum (B)	7429905	6.9E+6	1,000	NA	1.0E+9 (D)	NLV	NLV	NLV	NLV	ID	5.0E+7 (DD)	NA
Ammonia	7664417	NA	ID	(CC)	ID	ID	ID	ID	ID	6.7E+9	ID	1.0E+7
t-Amyl methyl ether (TAME)	994058	NA	3,900	NA	4.4E+5 (C)	58,000	3.4E+5	7.6E+5	1.8E+6	4.1E+9	4.4E+5 (C)	4.4E+5
Aniline	62533	NA	1,100	330 (M); 80	2.8E+6	NLV	NLV	NLV	NLV	6.7E+7	3.3E+5	4.5E+6



**Attachment 1**  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
Anthracene	120127	NA	41,000	ID	41,000	1.0E+9 (D)	1.4E+9	1.4E+9	1.4E+9	6.7E+10	2.3E+8	NA
Antimony	7440360	NA	4,300	94,000 (X)	4.9E+7	NLV	NLV	NLV	NLV	1.3E+7	1.8E+5	NA
Arsenic	7440382	5,800	4,600	4,600	2.0E+6	NLV	NLV	NLV	NLV	7.2E+5	7,600	NA
Asbestos (BB)	1332214	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	1.0E+7 (M); 68,000	ID	NA
Atrazine	1912249	NA	60	150	1.1E+5	NLV	NLV	NLV	NLV	ID	71,000 (DD)	NA
Azobenzene	103333	NA	4,200	ID	3.0E+5	6.1E+6	6.3E+5	6.3E+5	6.3E+5	1.0E+8	1.4E+5	NA
Barium (B)	7440393	75,000	1.3E+6	(G)	1.0E+9 (D)	NLV	NLV	NLV	NLV	3.3E+8	3.7E+7	NA
Benzene (I)	71432	NA	100	4,000 (X)	2.2E+5	1,600	13,000	34,000	79,000	3.8E+8	1.8E+5	4.0E+5
Benzidine	92875	NA	1,000 (M); 6.0	1,000 (M); 6.0	1,000 (M); 140	NLV	NLV	NLV	NLV	46,000	1,000 (M); 23	NA
Benzo(a)anthracene (Q)	56553	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	ID	20,000	NA
Benzo(b)fluoranthene (Q)	205992	NA	NLL	NLL	NLL	ID	ID	ID	ID	ID	20,000	NA
Benzo(k)fluoranthene (Q)	207089	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	ID	2.0E+5	NA
Benzo(g,h,i)perylene	191242	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	8.0E+8	2.5E+6	NA
Benzo(a)pyrene (Q)	50328	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	1.5E+6	2,000	NA
Benzoic acid	65850	NA	6.4E+5	NA	7.0E+7	NLV	NLV	NLV	NLV	ID	9.9E+8	NA
Benzyl alcohol	100516	NA	2.0E+5	NA	5.8E+6 (C)	NLV	NLV	NLV	NLV	3.3E+11	5.8E+6 (C)	5.8E+6
Benzyl chloride	100447	NA	150	NA	72,000	6,300	14,000	14,000	17,000	6.2E+7	48,000	2.3E+5
Beryllium	7440417	NA	51,000	(G)	1.0E+9 (D)	NLV	NLV	NLV	NLV	1.3E+6	4.1E+5	NA
bis(2-Chloroethoxy)ethane	112265	NA	ID	ID	ID	NLV	NLV	NLV	NLV	ID	ID	2.7E+6
bis(2-Chloroethyl)ether (I)	111444	NA	100	100 (M); 20	1.1E+5	8,300	3,800	3,800	3,800	9.4E+6	13,000	2.2E+6
bis(2-Ethylhexyl)phthalate	117817	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	7.0E+8	2.8E+6	1.0E+7



Attachment 1  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
Boron (B)	7440428	NA	10,000	1.0E+5 (X)	1.0E+9 (D)	NLV	NLV	NLV	NLV	ID	4.8E+7 (DD)	NA
Bromate	15541454	NA	200	800 (X)	96,000	NLV	NLV	NLV	NLV	ID	17,000	NA
Bromobenzene (I)	108861	NA	550	NA	3.6E+5	3.1E+5	4.5E+5	4.5E+5	4.5E+5	5.3E+8	5.4E+5	7.6E+5
Bromodichloromethane	75274	NA	1,600 (W)	ID	2.8E+5	1,200	9,100	9,700	19,000	8.4E+7	1.1E+5	1.5E+6
Bromoform	75252	NA	1,600 (W)	ID	8.7E+5 (C)	1.5E+5	9.0E+5	9.0E+5	9.0E+5	2.8E+9	8.2E+5	8.7E+5
Bromomethane	74839	NA	200	700	1.4E+6	860	11,000	57,000	1.4E+5	3.3E+8	3.2E+5	2.2E+6
n-Butanol (I)	71363	NA	19,000	NA	8.7E+6 (C)	NLV	NLV	NLV	NLV	2.3E+10	8.7E+6 (C)	8.7E+6
2-Butanone (MEK) (I)	78933	NA	2.6E+5	44,000	2.7E+7 (C)	2.7E+7 (C)	2.9E+7	2.9E+7	3.5E+7	6.7E+10	2.7E+7 (C,DD)	2.7E+7
n-Butyl acetate	123864	NA	11,000	NA	1.1E+6 (C)	1.1E+6 (C)	1.1E+8	2.6E+8	3.2E+8	4.7E+11	1.1E+6 (C)	1.1E+6
t-Butyl alcohol	75650	NA	78,000	NA	1.1E+8 (C)	1.1E+8 (C)	9.7E+7	2.0E+8	2.0E+8	1.3E+11	1.1E+8 (C)	1.1E+8
Butyl benzyl phthalate	85687	NA	3.1E+5 (C)	1.2E+5 (X)	3.1E+5 (C)	NLV	NLV	NLV	NLV	4.7E+10	3.1E+5 (C)	3.1E+5
n-Butylbenzene	104518	NA	1,600	ID	1.2E+5	ID	ID	ID	ID	2.0E+9	2.5E+6	1.0E+7
sec-Butylbenzene	135988	NA	1,600	ID	88,000	ID	ID	ID	ID	4.0E+8	2.5E+6	1.0E+7
t-Butylbenzene (I)	98066	NA	1,600	ID	1.8E+5	ID	ID	ID	ID	6.7E+8	2.5E+6	1.0E+7
Cadmium (B)	7440439	1,200	6,000	(G,X)	2.3E+8	NLV	NLV	NLV	NLV	1.7E+6	5.5E+5	NA
Camphene (I)	79925	NA	ID	NA	ID	3,700	1.5E+5	9.1E+5	2.2E+6	5.3E+9	ID	NA
Caprolactam	105602	NA	1.2E+5	NA	1.0E+9 (D)	NLV	NLV	NLV	NLV	6.7E+8	5.3E+7 (DD)	NA
Carbaryl	63252	NA	14,000	NA	2.6E+6	ID	ID	ID	ID	ID	2.2E+7	NA
Carbazole	86748	NA	9,400	1,100	8.2E+5	NLV	NLV	NLV	NLV	6.2E+7	5.3E+5	NA
Carbofuran	1563662	NA	800	NA	6.8E+6	NLV	NLV	NLV	NLV	ID	1.1E+6	NA
Carbon disulfide (I,R)	75150	NA	16,000	ID	2.8E+5 (C)	76,000	1.3E+6	7.9E+6	1.9E+7	4.7E+10	2.8E+5 (C,DD)	2.8E+5



Attachment 1  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
Carbon tetrachloride	56235	NA	100	900 (X)	92,000	190	3,500	12,000	28,000	1.3E+8	96,000	3.9E+5
Chlordane (J)	57749	NA	NLL	NLL	NLL	1.1E+7	1.2E+6	1.2E+6	1.2E+6	3.1E+7	31,000	NA
Chloride	16887006	NA	5.0E+6	(X)	ID	NLV	NLV	NLV	NLV	ID	5.0E+5 (F)	NA
Chlorobenzene (I)	108907	NA	2,000	500	2.6E+5 (C)	1.2E+5	7.7E+5	9.9E+5	2.1E+6	4.7E+9	2.6E+5 (C)	2.6E+5
p-Chlorobenzene sulfonic acid	98668	NA	1.5E+5	ID	NA	ID	ID	ID	ID	ID	2.3E+8	ID
1-Chloro-1,1-difluoroethane	75683	NA	3.0E+5	NA	9.6E+5 (C)	9.6E+5 (C)	7.9E+7	5.6E+8	1.4E+9	3.3E+12	9.6E+5 (C)	9.6E+5
Chloroethane	75003	NA	8,600	22,000 (X)	9.5E+5 (C)	9.5E+5 (C)	3.0E+7	1.2E+8	2.8E+8	6.7E+11	9.5E+5 (C)	9.5E+5
2-Chloroethyl vinyl ether	110758	NA	ID	NA	ID	ID	ID	ID	ID	ID	ID	1.9E+6
Chloroform	67663	NA	1,600 (W)	7,000	1.5E+6 (C)	7,200	45,000	1.2E+5	2.7E+5	1.3E+9	1.2E+6	1.5E+6
Chloromethane (I)	74873	NA	5,200	ID	1.1E+6 (C)	2,300	40,000	4.1E+5	1.0E+6	4.9E+9	1.1E+6 (C)	1.1E+6
4-Chloro-3-methylphenol	59507	NA	5,800	280	3.0E+6	NLV	NLV	NLV	NLV	ID	4.5E+6	NA
beta-Chloronaphthalene	91587	NA	6.2E+5	NA	2.3E+6	ID	ID	ID	ID	ID	5.6E+7	NA
2-Chlorophenol	95578	NA	900	360	1.9E+6	4.3E+5	9.6E+5	9.6E+5	9.6E+5	1.2E+9	1.4E+6	1.9E+7
o-Chlorotoluene (I)	95498	NA	3,300	ID	5.0E+5 (C)	2.7E+5	1.2E+6	2.9E+6	6.3E+6	4.7E+9	5.0E+5 (C)	5.0E+5
Chlorpyrifos	2921882	NA	17,000	1,500	8.4E+5	130	4,600	23,000	55,000	1.3E+8	1.1E+7	NA
Chromium (III) (B,H)	16065831	18,000 (total)	1.0E+9 (D)	(G,X)	1.0E+9 (D)	NLV	NLV	NLV	NLV	3.3E+8	7.9E+8	NA
Chromium (VI)	18540299	NA	30,000	3,300	1.4E+8	NLV	NLV	NLV	NLV	2.6E+5	2.5E+6	NA
Chrysene (Q)	218019	NA	NLL	NLL	NLL	ID	ID	ID	ID	ID	2.0E+6	NA
Cobalt	7440484	6,800	800	2,000	4.8E+7	NLV	NLV	NLV	NLV	1.3E+7	2.6E+6	NA
Copper (B)	7440508	32,000	5.8E+6	(G)	1.0E+9 (D)	NLV	NLV	NLV	NLV	1.3E+8	2.0E+7	NA
Cyanazine	21725462	NA	200	1,100 (X)	56,000	NLV	NLV	NLV	NLV	ID	14,000	NA



Attachment 1  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
Cyanide (P,R)	57125	390 (total)	4,000	100	2.5E+5	NLV	NLV	NLV	NLV	2.5E+5	12,000	NA
Cyclohexanone	108941	NA	5.2E+6	NA	2.2E+8 (C)	17,000	1.0E+6	1.1E+7	2.7E+7	6.7E+10	2.2E+8 (C)	2.2E+8
Dacthal	1861321	NA	50,000	NA	3.4E+5	NLV	NLV	NLV	NLV	ID	2.3E+6	NA
Dalapon	75990	NA	4,000	NA	5.9E+7 (C)	NLV	NLV	NLV	NLV	ID	1.9E+7	5.9E+7
4-4'-DDD	72548	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	4.4E+7	95,000	NA
4-4'-DDE	72559	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	3.2E+7	45,000	NA
4-4'-DDT	50293	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	3.2E+7	57,000	NA
Decabromodiphenyl ether	1163195	NA	1.4E+5	NA	1.4E+5	1.0E+9 (D)	8.6E+7	8.6E+7	8.6E+7	2.3E+9	3.8E+6	NA
Di-n-butyl phthalate	84742	NA	7.6E+5 (C)	11,000	7.6E+5 (C)	NLV	NLV	NLV	NLV	3.3E+9	7.6E+5 (C)	7.6E+5
Di(2-ethylhexyl) adipate	103231	NA	9.6E+5 (C)	ID	9.6E+5 (C)	NLV	NLV	NLV	NLV	9.2E+9	9.6E+5 (C,DD)	9.6E+5
Di-n-octyl phthalate	117840	NA	1.0E+8	ID	1.4E+8 (C)	NLV	NLV	NLV	NLV	3.1E+10	6.9E+6	1.4E+8
Diacetone alcohol (I)	123422	NA	ID	NA	ID	NLV	NLV	NLV	NLV	1.6E+11	ID	1.1E+8
Diazinon	333415	NA	95	72	95,000	NLV	NLV	NLV	NLV	ID	12,000 (DD)	3.1E+5
Dibenzo(a,h)anthracene (Q)	53703	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	ID	2,000	NA
Dibenzofuran	132649	NA	ID	1,700	ID	2.0E+6	1.3E+5	1.3E+5	1.3E+5	6.7E+6	ID	NA
Dibromochloromethane	124481	NA	1,600 (W)	ID	3.6E+5	3,900	24,000	24,000	33,000	1.3E+8	1.1E+5	6.1E+5
Dibromochloropropane	96128	NA	10 (M); 4.0	ID	1,200 (C)	1,200 (C)	13,000	13,000	13,000	1.3E+7	1,200 (C)	1,200
Dibromomethane	74953	NA	1,600	NA	2.0E+6 (C)	ID	ID	ID	ID	ID	2.0E+6 (C)	2.0E+6
Dicamba	1918009	NA	4,400	NA	1.2E+7	NA	NLV	NLV	NLV	ID	3.4E+6	NA
1,2-Dichlorobenzene	95501	NA	14,000	280	2.1E+5 (C)	2.1E+5 (C)	3.9E+7	3.9E+7	5.2E+7	1.0E+11	2.1E+5 (C)	2.1E+5
1,3-Dichlorobenzene	541731	NA	170	680	51,000	26,000	79,000	79,000	1.1E+5	2.0E+8	1.7E+5 (C)	1.7E+5



Attachment 1  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
1,4-Dichlorobenzene	106467	NA	1,700	360	1.4E+5	19,000	77,000	77,000	1.1E+5	4.5E+8	4.0E+5	NA
3,3'-Dichlorobenzidine	91941	NA	2,000 (M); 28	2,000 (M); 7.4	4,600	NLV	NLV	NLV	NLV	6.5E+6	6,600	NA
Dichlorodifluoromethane	75718	NA	95,000	ID	1.0E+6 (C)	9.0E+5	5.3E+7	5.5E+8	1.4E+9	3.3E+12	1.0E+6 (C)	1.0E+6
1,1-Dichloroethane	75343	NA	18,000	15,000	8.9E+5 (C)	2.3E+5	2.1E+6	5.9E+6	1.4E+7	3.3E+10	8.9E+5 (C)	8.9E+5
1,2-Dichloroethane (I)	107062	NA	100	7,200 (X)	3.8E+5	2,100	6,200	11,000	26,000	1.2E+8	91,000	1.2E+6
1,1-Dichloroethylene (I)	75354	NA	140	2,600	2.2E+5	62	1,100	5,300	13,000	6.2E+7	2.0E+5	5.7E+5
cis-1,2-Dichloroethylene	156592	NA	1,400	12,000	6.4E+5 (C)	22,000	1.8E+5	4.2E+5	9.9E+5	2.3E+9	6.4E+5 (C)	6.4E+5
trans-1,2-Dichloroethylene	156605	NA	2,000	30,000 (X)	1.4E+6 (C)	23,000	2.8E+5	8.3E+5	2.0E+6	4.7E+9	1.4E+6 (C)	1.4E+6
2,6-Dichloro-4-nitroaniline	99309	NA	44,000	NA	1.4E+5	NLV	NLV	NLV	NLV	ID	6.8E+7	NA
2,4-Dichlorophenol	120832	NA	1,500	330 (M); 220	9.6E+5	NLV	NLV	NLV	NLV	5.1E+9	6.6E+5 (DD)	1.8E+6
2,4-Dichlorophenoxyacetic acid	94757	NA	1,400	4,400	2.4E+6	NLV	NLV	NLV	NLV	6.7E+9	2.5E+6	NA
1,2-Dichloropropane (I)	78875	NA	100	4,600 (X)	3.2E+5	4,000	25,000	50,000	1.1E+5	2.7E+8	1.4E+5	5.5E+5
1,3-Dichloropropene	542756	NA	170	180 (X)	1.1E+5	1,000	18,000	68,000	1.6E+5	7.8E+8	10,000	6.2E+5
Dichlorovos	62737	NA	50 (M); 32	NA	1.2E+5	NLV	NLV	NLV	NLV	3.3E+7	10,000	2.2E+6
Dicyclohexyl phthalate	84617	NA	ID	NA	ID	ID	ID	ID	ID	ID	ID	NA
Dieldrin	60571	NA	NLL	NLL	NLL	1.4E+5	19,000	19,000	19,000	6.8E+5	1,100	NA
Diethyl ether	60297	NA	200	ID	7.4E+6 (C)	7.4E+6 (C)	8.5E+7	1.5E+8	3.4E+8	8.0E+11	7.4E+6 (C)	7.4E+6
Diethyl phthalate	84662	NA	1.1E+5	2,200	7.4E+5 (C)	NLV	NLV	NLV	NLV	3.3E+9	7.4E+5 (C)	7.4E+5
Diethylene glycol monobutyl ether	112345	NA	1,800	NA	8.0E+7	NLV	NLV	NLV	NLV	1.3E+9	2.7E+6	1.1E+8
Diisopropyl ether	108203	NA	600	ID	1,300 (C)	1,300 (C)	3.4E+5	7.6E+5	1.8E+6	4.1E+9	1,300 (C)	1,300
Diisopropylamine (I)	108189	NA	110	NA	4.2E+5	5.5E+6	6.2E+6	6.2E+6	7.3E+6	1.3E+10	1.7E+5	6.7E+6



Attachment 1  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
Dimethyl phthalate	131113	NA	7.9E+5 (C)	NA	7.9E+5 (C)	NLV	NLV	NLV	NLV	3.3E+9	7.9E+5 (C)	7.9E+5
N,N-Dimethylacetamide	127195	NA	<b>3,600</b>	82,000 (X)	1.1E+8 (C)	NLV	NLV	NLV	NLV	ID	5.6E+6	1.1E+8
N,N-Dimethylaniline	121697	NA	320	NA	4.0E+5	1.7E+5	1.5E+5	1.5E+5	1.5E+5	2.6E+8	5.0E+5	8.0E+5
Dimethylformamide (I)	68122	NA	14,000	NA	1.1E+8 (C)	NLV	NLV	NLV	NLV	2.0E+9	2.2E+7	1.1E+8
2,4-Dimethylphenol	105679	NA	<b>7,400</b>	7,600	1.0E+7	NLV	NLV	NLV	NLV	4.7E+9	1.1E+7	NA
2,6-Dimethylphenol	576261	NA	330 (M); 88	NA	1.3E+5	NLV	NLV	NLV	NLV	1.3E+8	1.4E+5	NA
3,4-Dimethylphenol	95658	NA	330 (M); 200	NA	3.6E+5	NLV	NLV	NLV	NLV	2.3E+8	3.2E+5	NA
Dimethylsulfoxide	67685	NA	4.4E+6	<b>3.8E+6</b>	1.8E+7 (C)	NLV	NLV	NLV	NLV	1.3E+9	1.8E+7 (C)	1.8E+7
2,4-Dinitrotoluene	121142	NA	430	NA	1.7E+5	NLV	NLV	NLV	NLV	1.6E+7	48,000	NA
Dinoseb	88857	NA	300	<b>200 (M); 43</b>	1.4E+5 (C)	NLV	NLV	NLV	NLV	2.7E+8	66,000 (DD)	1.4E+5
1,4-Dioxane (I)	123911	NA	<b>1,700</b>	56,000 (X)	3.4E+7	NLV	NLV	NLV	NLV	5.7E+8	5.3E+5	9.7E+7
Diquat	85007	NA	400	NA	1.4E+7	NLV	NLV	NLV	NLV	ID	5.0E+5	NA
Diuron	330541	NA	620	NA	7.4E+5	NLV	NLV	NLV	NLV	4.7E+8	9.7E+5	NA
Endosulfan (J)	115297	NA	NLL	NLL	NLL	ID	ID	ID	ID	ID	1.4E+6	NA
Endothall	145733	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	2.3E+9	<b>3.8E+6</b>	NA
Endrin	72208	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	ID	<b>65,000</b>	NA
Epichlorohydrin (I)	106898	NA	100	NA	2.2E+5	64,000	31,000	31,000	35,000	6.7E+7	8,900	7.3E+6
Ethanol (I)	64175	NA	3.8E+7	ID	1.1E+8 (C)	NLV	NLV	NLV	NLV	1.3E+12	1.1E+8 (C,DD)	1.1E+8
Ethyl acetate (I)	141786	NA	1.3E+5	NA	7.5E+6 (C)	7.5E+6 (C)	4.9E+7	4.9E+7	9.8E+7	2.1E+11	7.5E+6 (C)	7.5E+6
Ethyl-tert-butyl ether (ETBE)	637923	NA	980	ID	ID	5.4E+5	1.9E+6	4.5E+6	1.1E+7	2.5E+10	ID	6.5E+5
Ethylbenzene (I)	100414	NA	1,500	<b>360</b>	1.4E+5 (C)	87,000	7.2E+5	1.0E+6	2.2E+6	1.0E+10	1.4E+5 (C)	1.4E+5



Attachment 1  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
Ethylene dibromide	106934	NA	20 (M); 1.0	110 (X)	500	670	1,700	1,700	3,300	1.4E+7	92	8.9E+5
Ethylene glycol	107211	NA	3.0E+5	3.8E+6 (X)	1.1E+8 (C)	NLV	NLV	NLV	NLV	6.7E+10	1.1E+8 (C)	1.1E+8
Ethylene glycol monobutyl ether	111762	NA	74,000	NA	4.1E+7 (C)	7.4E+5	1.8E+7	1.5E+8	3.6E+8	8.7E+11	4.1E+7 (C)	4.1E+7
Fluoranthene	206440	NA	7.3E+5	5,500	7.3E+5	1.0E+9 (D)	7.4E+8	7.4E+8	7.4E+8	9.3E+9	4.6E+7	NA
Fluorene	86737	NA	3.9E+5	5,300	8.9E+5	5.8E+8	1.3E+8	1.3E+8	1.3E+8	9.3E+9	2.7E+7	NA
Fluorine (soluble fluoride) (B)	7782414	NA	40,000	ID	2.4E+8	NLV	NLV	NLV	NLV	ID	9.0E+6 (DD)	NA
Formaldehyde	50000	NA	26,000	2,400	6.0E+7 (C)	12,000	13,000	23,000	52,000	2.4E+8	4.1E+7	6.0E+7
Formic acid (I,U)	64186	NA	2.0E+5	ID	1.1E+8 (C)	1.5E+6	2.1E+5	1.4E+5	1.4E+5	1.3E+8	1.1E+8 (C)	1.1E+8
1-Formylpiperidine	2591868	NA	1,600	NA	ID	ID	ID	ID	ID	ID	2.5E+6	1.0E+7
Gentian violet	548629	NA	300	NA	2.0E+7	NLV	NLV	NLV	NLV	ID	96,000	NA
Glyphosate	1071836	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	ID	1.1E+7 (DD)	NA
Heptachlor	76448	NA	NLL	NLL	NLL	3.5E+5	62,000	62,000	62,000	2.4E+6	5,600	NA
Heptachlor epoxide	1024573	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	1.2E+6	3,100	NA
n-Heptane	142825	NA	2.4E+5 (C)	NA	2.4E+5 (C)	2.4E+5 (C)	2.1E+7	4.4E+7	1.0E+8	2.3E+11	2.4E+5 (C)	2.4E+5
Hexabromobenzene	87821	NA	5,400	ID	5,400	ID	ID	ID	ID	ID	1.1E+6	NA
Hexachlorobenzene (C-66)	118741	NA	1,800	350	8,200	41,000	17,000	17,000	17,000	6.8E+6	8,900	NA
Hexachlorobutadiene (C-46)	87683	NA	26,000	91	3.5E+5 (C)	1.3E+5	1.3E+5	1.3E+5	1.3E+5	1.4E+8	1.0E+5	3.5E+5
alpha-Hexachlorocyclohexane	319846	NA	18	ID	2,500	30,000	12,000	22,000	25,000	1.7E+6	2,600	NA
beta-Hexachlorocyclohexane	319857	NA	37	ID	5,100	NLV	NLV	NLV	NLV	5.9E+6	5,400	NA
Hexachlorocyclopentadiene (C-56)	77474	NA	3.2E+5	ID	7.2E+5 (C)	30,000	50,000	50,000	50,000	1.3E+7	7.2E+5 (C)	7.2E+5
Hexachloroethane	67721	NA	430	1,800 (X)	1.1E+5	40,000	5.5E+5	9.3E+5	9.3E+5	2.3E+8	2.3E+5	NA



Attachment 1  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
n-Hexane	110543	NA	44,000 (C)	NA	44,000 (C)	44,000 (C)	3.0E+6	3.2E+6	6.2E+6	1.3E+10	44,000 (C)	44,000
2-Hexanone	591786	NA	20,000	ID	2.5E+6 (C)	9.9E+5	1.1E+6	1.1E+6	1.4E+6	2.7E+9	2.5E+6 (C)	2.5E+6
Indeno(1,2,3-cd)pyrene (Q)	193395	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	ID	20,000	NA
Iron (B)	7439896	1.2E+7	6,000	NA	1.0E+9 (D)	NLV	NLV	NLV	NLV	ID	1.6E+8	NA
Isobutyl alcohol (I)	78831	NA	46,000	NA	8.9E+6 (C)	8.9E+6 (C)	7.9E+7	7.9E+7	7.9E+7	1.0E+11	8.9E+6 (C)	8.9E+6
Isophorone	78591	NA	15,000	26,000 (X)	2.4E+6 (C)	NLV	NLV	NLV	NLV	1.2E+10	2.4E+6 (C)	2.4E+6
Isopropyl alcohol (I)	67630	NA	9,400	1.1E+6 (X)	1.1E+8 (C)	NLV	NLV	NLV	NLV	1.5E+10	1.4E+7	1.1E+8
Isopropyl benzene	98828	NA	91,000	3,200	3.9E+5 (C)	3.9E+5 (C)	1.7E+6	1.7E+6	2.8E+6	5.8E+9	3.9E+5 (C)	3.9E+5
Lead (B)	7439921	21,000	7.0E+5	(G,X)	ID	NLV	NLV	NLV	NLV	1.0E+8	4.0E+5	NA
Lindane	58899	NA	20 (M); 7.0	20 (M); 1.1	7,100	ID	ID	ID	ID	ID	8,300	NA
Lithium (B)	7439932	9,800	3,400	8,800	1.1E+8	NLV	NLV	NLV	NLV	ID	4.2E+6 (DD)	NA
Magnesium (B)	7439954	NA	8.0E+6	NA	1.0E+9 (D)	NLV	NLV	NLV	NLV	6.7E+9	1.0E+9 (D)	NA
Manganese (B)	7439965	4.4E+5	1,000	(G,X)	1.8E+8	NLV	NLV	NLV	NLV	3.3E+6	2.5E+7	NA
Mercury (Total) (B,Z)	Varies	130	1,700	50 (M); 1.2	47,000	48,000	52,000	52,000	52,000	2.0E+7	1.6E+5	NA
Methane	74828	NA	ID	NA	ID	8.4E+6 ug/m3 (GG)	ID	ID	ID	ID	ID	ID
Methanol	67561	NA	74,000	3.1E+6 (C)	3.1E+6 (C)	3.1E+6 (C)	3.1E+7	4.4E+7	9.6E+7	2.2E+11	3.1E+6 (C)	3.1E+6
Methoxychlor	72435	NA	16,000	NA	18,000	ID	ID	ID	ID	ID	1.9E+6	NA
2-Methoxyethanol (I)	109864	NA	150	NA	1.7E+7	NLV	NLV	NLV	NLV	1.3E+9	2.3E+5	1.1E+8
2-Methyl-4-chlorophenoxyacetic acid	94746	NA	390	NA	4.9E+5	NLV	NLV	NLV	NLV	ID	2.3E+5	NA
2-Methyl-4,6-dinitrophenol	534521	NA	830 (M); 400	NA	1.9E+5	NLV	NLV	NLV	NLV	ID	79,000	NA
N-Methyl-morpholine (I)	109024	NA	400	NA	3.0E+7	NLV	NLV	NLV	NLV	ID	6.1E+5	1.1E+8



Attachment 1  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
Methyl parathion	298000	NA	46	NA	76,000	NLV	NLV	NLV	NLV	ID	56,000	NA
4-Methyl-2-pentanone (MIBK) (I)	108101	NA	<b>36,000</b>	ID	2.7E+6 (C)	2.7E+6 (C)	4.5E+7	4.5E+7	6.7E+7	1.4E+11	2.7E+6 (C)	2.7E+6
Methyl-tert-butyl ether (MTBE)	1634044	NA	<b>800</b>	1.4E+5 (X)	5.9E+6 (C)	5.9E+6 (C)	2.5E+7	3.9E+7	8.7E+7	2.0E+11	1.5E+6	5.9E+6
Methylcyclopentane (I)	96377	NA	ID	NA	ID	92,000	2.3E+6	8.2E+6	2.0E+7	4.7E+10	ID	3.5E+5
4,4'-Methylene-bis-2-chloroaniline (MBOCA)	101144	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	8.4E+7	<b>6,800</b>	NA
Methylene chloride	75092	NA	<b>100</b>	30,000 (X)	2.3E+6 (C)	45,000	2.1E+5	5.9E+5	1.4E+6	6.6E+9	1.3E+6	2.3E+6
2-Methylnaphthalene	91576	NA	57,000	4,200	5.5E+6	2.7E+6	1.5E+6	1.5E+6	1.5E+6	6.7E+8	8.1E+6	NA
Methylphenols (J)	1319773	NA	7,400	<b>1,000 (M); 600</b>	1.6E+7	NLV	NLV	NLV	NLV	6.7E+9	1.1E+7	NA
Metolachlor	51218452	NA	4,800	300	4.4E+5 (C)	NLV	NLV	NLV	NLV	ID	4.4E+5 (C,DD)	4.4E+5
Metribuzin	21087649	NA	3,600	NA	2.4E+7	ID	ID	ID	ID	ID	9.6E+6	NA
Mirex	2385855	NA	NLL	NLL	NLL	ID	ID	ID	ID	ID	9,600	NA
Molybdenum (B)	7439987	NA	<b>1,500</b>	64,000 (X)	1.9E+7	NLV	NLV	NLV	NLV	ID	2.6E+6	NA
Naphthalene	91203	NA	35,000	<b>730</b>	2.1E+6	2.5E+5	3.0E+5	3.0E+5	3.0E+5	2.0E+8	1.6E+7	NA
Nickel (B)	7440020	20,000	1.0E+5	(G)	1.0E+9 (D)	NLV	NLV	NLV	NLV	1.3E+7	4.0E+7	NA
Nitrate (B,N)	14797558	NA	2.0E+5 (N)	ID	1.0E+9 (D)	NLV	NLV	NLV	NLV	ID	ID	NA
Nitrite (B,N)	14797650	NA	20,000 (N)	NA	3.8E+8	NLV	NLV	NLV	NLV	ID	ID	NA
Nitrobenzene (I)	98953	NA	<b>330 (M); 68</b>	3,600 (X)	2.2E+5	91,000	54,000	54,000	54,000	4.7E+7	1.0E+5	4.9E+5
2-Nitrophenol	88755	NA	400	ID	1.6E+6	NLV	NLV	NLV	NLV	ID	6.3E+5	NA
n-Nitroso-di-n-propylamine	621647	NA	330 (M); 100	NA	7,200	NLV	NLV	NLV	NLV	1.6E+6	1,200	1.5E+6
N-Nitrosodiphenylamine	86306	NA	5,400	NA	7.0E+5	NLV	NLV	NLV	NLV	2.2E+9	1.7E+6	NA



**Attachment 1**  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
Oxamyl	23135220	NA	4,000	NA	1.0E+9 (D)	NLV	NLV	NLV	NLV	ID	8.6E+6	NA
Oxo-hexyl acetate	88230357	NA	1,500	NA	ID	ID	ID	ID	ID	5.4E+9	2.3E+6	1.0E+7
Pendimethalin	40487421	NA	1.1E+6	NA	1.1E+6	NLV	NLV	NLV	NLV	ID	4.6E+7	NA
Pentachlorobenzene	608935	NA	29,000	9,500	1.9E+5 (C)	ID	ID	ID	ID	ID	1.9E+5 (C)	1.9E+5
Pentachloronitrobenzene	82688	NA	37,000	NA	37,000	1.2E+5	2.3E+5	2.3E+5	2.3E+5	3.3E+8	1.7E+6	NA
Pentachlorophenol	87865	NA	22	(G,X)	4,300	NLV	NLV	NLV	NLV	1.0E+8	90,000	NA
Pentane	109660	NA	ID	NA	ID	2.4E+5 (C)	3.7E+7	3.1E+8	5.8E+8	1.2E+12	ID	2.4E+5
2-Pentene (I)	109682	NA	ID	NA	ID	ID	ID	ID	ID	ID	ID	2.2E+5
Phenanthrene	85018	NA	56,000	2,100	1.1E+6	2.8E+6	1.6E+5	1.6E+5	1.6E+5	6.7E+6	1.6E+6	NA
Phenol	108952	NA	88,000	9,000	1.2E+7 (C)	NLV	NLV	NLV	NLV	4.0E+10	1.2E+7 (C,DD)	1.2E+7
Phosphorus (Total)	7723140	NA	1.3E+6	(EE)	ID	NLV	NLV	NLV	NLV	6.7E+7	1.0E+9 (D)	NA
Phthalic acid	88993	NA	2.8E+5	NA	1.7E+6 (C)	NLV	NLV	NLV	NLV	ID	1.7E+6 (C)	1.7E+6
Phthalic anhydride	85449	NA	3.0E+5	NA	1.1E+6 (C)	NLV	NLV	NLV	NLV	ID	1.1E+6 (C)	1.1E+6
Picloram	1918021	NA	10,000	920	8.6E+6	NLV	NLV	NLV	NLV	ID	1.6E+7	NA
Piperidine	110894	NA	64	NA	6.8E+5	NLV	NLV	NLV	NLV	9.3E+9	99,000	1.2E+8
Polybrominated biphenyls (J)	67774327	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	ID	1,200	NA
Polychlorinated biphenyls (PCBs) (J,T)	1336363	NA	NLL	NLL	NLL	3.0E+6	2.4E+5	7.9E+6	7.9E+6	5.2E+6	(T)	NA
Prometon	1610180	NA	4,900	NA	5.5E+6	NLV	NLV	NLV	NLV	ID	5.0E+6	NA
Propachlor	1918167	NA	1,900	NA	8.8E+6	NLV	NLV	NLV	NLV	ID	2.9E+6	NA
Propazine	139402	NA	4,000	NA	1.7E+5	NLV	NLV	NLV	NLV	ID	6.1E+6	NA
Propionic acid	79094	NA	2.4E+5	ID	1.1E+8 (C)	NLV	NLV	NLV	NLV	2.0E+10	1.1E+8 (C)	1.1E+8



**Attachment 1**  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
Propyl alcohol (I)	71238	NA	28,000	NA	1.1E+8 (C)	NLV	NLV	NLV	NLV	4.9E+10	1.3E+7 (DD)	1.1E+8
n-Propylbenzene (I)	103651	NA	1,600	ID	3.0E+5	ID	ID	ID	ID	1.3E+9	2.5E+6	1.0E+7
Propylene glycol	57556	NA	3.0E+6	5.8E+6	1.1E+8 (C)	NLV	NLV	NLV	NLV	4.0E+11	1.1E+8 (C)	1.1E+8
Pyrene	129000	NA	4.8E+5	ID	4.8E+5	1.0E+9 (D)	6.5E+8	6.5E+8	6.5E+8	6.7E+9	2.9E+7	NA
Pyridine (I)	110861	NA	400	NA	37,000 (C)	1,100	8,200	40,000	97,000	2.3E+8	37,000 (C)	37,000
Selenium (B)	7782492	410	4,000	400	7.8E+7	NLV	NLV	NLV	NLV	1.3E+8	2.6E+6	NA
Silver (B)	7440224	1,000	4,500	100 (M); 27	2.0E+8	NLV	NLV	NLV	NLV	6.7E+6	2.5E+6	NA
Silvex (2,4,5-TP)	93721	NA	3,600	2,200	3.1E+6	NLV	NLV	NLV	NLV	ID	1.7E+6	NA
Simazine	122349	NA	80	340	90,000	NLV	NLV	NLV	NLV	ID	1.2E+6	NA
Sodium	17341252	NA	2.5E+6	NA	1.0E+9 (D)	NLV	NLV	NLV	NLV	ID	1.0E+9 (D)	NA
Sodium azide	26628228	NA	1,800	1,000	ID	ID	ID	ID	ID	ID	2.7E+6	NA
Strontium (B)	7440246	NA	92,000	4.2E+5	1.0E+9 (D)	NLV	NLV	NLV	NLV	ID	3.3E+8	NA
Styrene	100425	NA	2,700	2,100 (X)	2.7E+5	2.5E+5	9.7E+5	9.7E+5	1.4E+6	5.5E+9	4.0E+5	5.2E+5
Sulfate	14808798	NA	5.0E+6	NA	ID	NLV	NLV	NLV	NLV	ID	ID	NA
Tebuthiuron	34014181	NA	10,000	NA	5.0E+7	NLV	NLV	NLV	NLV	ID	4.6E+6 (DD)	NA
2,3,7,8-Tetrabromodibenzo-p-dic (O)	50585416	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	(O)	(O)	NA
1,2,4,5-Tetrachlorobenzene	95943	NA	1.5E+6	3,400 (X)	1.5E+6	5.8E+5	2.3E+5	2.3E+5	2.3E+5	6.7E+7	7.7E+7	NA
2,3,7,8-Tetrachlorodibenzo-p-dic (O)	1746016	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	71 (O)	0.09 (O)	NA
1,1,1,2-Tetrachloroethane	630206	NA	1,500	ID	4.4E+5 (C)	6,200	36,000	54,000	1.0E+5	4.2E+8	4.4E+5 (C)	4.4E+5
1,1,2,2-Tetrachloroethane	79345	NA	170	1,600 (X)	94,000	4,300	10,000	10,000	14,000	5.4E+7	53,000	8.7E+5
Tetrachloroethylene	127184	NA	100	1,200 (X)	88,000 (C)	11,000	1.8E+5	4.8E+5	1.1E+6	5.4E+9	88,000 (C)	88,000



**Attachment 1**  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
Tetrahydrofuran	109999	NA	1,900	2.2E+5 (X)	3.2E+7	1.3E+6	1.3E+7	6.7E+7	1.6E+8	3.9E+11	2.9E+6	1.2E+8
Tetranitromethane	509148	NA	ID	NA	ID	500(M); 110	500 (M); 51	ID	ID	2.1E+5	ID	ID
Thallium (B)	7440280	NA	2,300	4,200 (X)	1.5E+7	NLV	NLV	NLV	NLV	1.3E+7	35,000	NA
Toluene (I)	108883	NA	16,000	5,400	2.5E+5 (C)	2.5E+5 (C)	2.8E+6	5.1E+6	1.2E+7	2.7E+10	2.5E+5 (C)	2.5E+5
p-Toluidine	106490	NA	660 (M); 300	NA	4.8E+5	NLV	NLV	NLV	NLV	1.0E+8	94,000	1.2E+6
Toxaphene	8001352	NA	24,000	8,200	3.6E+5	NLV	NLV	NLV	NLV	9.7E+6	20,000	NA
Triallate	2303175	NA	95,000	NA	2.5E+5 (C)	ID	ID	ID	ID	ID	2.5E+5 (C)	2.5E+5
Tributylamine	102829	NA	7,800	ID	1.8E+6	5.8E+5	6.0E+5	6.0E+5	6.0E+5	4.7E+8	7.9E+5	3.7E+6
1,2,4-Trichlorobenzene	120821	NA	4,200	5,900 (X)	1.1E+6 (C)	1.1E+6 (C)	2.8E+7	2.8E+7	2.8E+7	2.5E+10	9.9E+5 (DD)	1.1E+6
1,1,1-Trichloroethane	71556	NA	4,000	1,800	4.6E+5 (C)	2.5E+5	3.8E+6	1.2E+7	2.8E+7	6.7E+10	4.6E+5 (C)	4.6E+5
1,1,2-Trichloroethane	79005	NA	100	6,600 (X)	4.2E+5	4,600	17,000	21,000	44,000	1.9E+8	1.8E+5	9.2E+5
Trichloroethylene	79016	NA	100	4,000 (X)	4.4E+5	7,100	78,000	1.7E+5	3.9E+5	1.8E+9	5.0E+5 (C,DD)	5.0E+5
Trichlorofluoromethane	75694	NA	52,000	NA	5.6E+5 (C)	5.6E+5 (C)	9.2E+7	6.3E+8	1.5E+9	3.8E+12	5.6E+5 (C)	5.6E+5
2,4,5-Trichlorophenol	95954	NA	39,000	NA	9.1E+6	NLV	NLV	NLV	NLV	2.3E+10	2.3E+7	NA
2,4,6-Trichlorophenol	88062	NA	2,400	330 (M); 100	2.0E+5	NLV	NLV	NLV	NLV	1.0E+9	7.1E+5	NA
1,2,3-Trichloropropane	96184	NA	840	NA	8.3E+5 (C)	4,000	9,200	9,200	11,000	2.0E+7	8.3E+5 (C)	8.3E+5
1,1,2-Trichloro-1,2,2-trifluoroethane	76131	NA	5.5E+5 (C)	1,700	5.5E+5 (C)	5.5E+5 (C)	1.8E+8	8.8E+8	2.1E+9	5.1E+12	5.5E+5 (C)	5.5E+5
Triethanolamine	102716	NA	74,000	NA	1.1E+8 (C)	NLV	NLV	NLV	NLV	3.3E+9	1.1E+8	1.1E+8
Triethylene glycol	112276	NA	1.1E+5 (C)	NA	1.1E+5 (C)	NLV	NLV	NLV	NLV	ID	1.1E+5 (C,DD)	1.1E+5
3-Trifluoromethyl-4-nitrophenol	88302	NA	1.1E+5	NA	1.2E+8	NLV	NLV	NLV	NLV	ID	4.1E+7 (DD)	NA
Trifluralin	1582098	NA	1.9E+5	NA	1.2E+7	ID	ID	ID	ID	ID	2.0E+6	NA



Attachment 1  
**TABLE 2. SOIL: RESIDENTIAL**  
**PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS;**  
**PART 213 TIER 1 RISK-BASED SCREENING LEVELS (RBSLs)**  
**DOCUMENT RELEASE DATE: MARCH 25, 2011**

All criteria, unless otherwise noted, are expressed in units of parts per billion (ppb). One ppb is equivalent to one microgram per kilogram (ug/kg). Criteria with six or more digits are expressed in scientific notation. For example, 200,000 is presented as 2.0E+5. The lowest generic soil criterion for a given hazardous substance is presented in a bold box. A footnote is designated by a letter in parentheses and is explained in the footnote pages that follow the criteria tables. When the risk-based criterion is less than the target detection limit (TDL), the TDL is listed as the criterion (R 299.5707). In these cases, two numbers are present in the cell. The first number is the criterion (i.e., TDL), and the second number is the risk-based value. Criteria were originally promulgated December 21, 2002 within the Administrative Rules for Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended. This table reflects revisions to the criteria pursuant to the December 2010 Part 201 amendments and new criteria consistent with the provisions of R299.5706a. The effective dates of the criteria and screening levels in this table vary. Please contact the Remediation Division Toxicology Unit for additional information.

		Groundwater Protection				Indoor Air	Ambient Air (Y)				Direct Contact	
Guidesheet Number →		#10	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Hazardous Substance	Chemical Abstract Service Number	Statewide Default Background Levels	Drinking Water Protection Criteria & RBSLs	Groundwater Surface Water Interface Protection Criteria & RBSLs	Groundwater Contact Protection Criteria & RBSLs	Soil Volatilization to Indoor Air Inhalation Criteria & RBSLs	Infinite Source Volatile Soil Inhalation Criteria (VSIC) & RBSLs	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria & RBSLs	Direct Contact Criteria & RBSLs	Soil Saturation Concentration Screening Levels
2,2,4-Trimethyl pentane	540841	NA	ID	NA	ID	19,000 (C)	5.2E+6	3.9E+7	9.6E+7	2.3E+11	ID	19,000
2,4,4-Trimethyl-2-pentene (I)	107404	NA	ID	NA	ID	ID	ID	ID	ID	ID	ID	56,000
1,2,4-Trimethylbenzene (I)	95636	NA	2,100	570	1.1E+5 (C)	1.1E+5 (C)	2.1E+7	5.0E+8	5.0E+8	8.2E+10	1.1E+5 (C)	1.1E+5
1,3,5-Trimethylbenzene (I)	108678	NA	1,800	1,100	94,000 (C)	94,000 (C)	1.6E+7	3.8E+8	3.8E+8	8.2E+10	94,000 (C)	94,000
Triphenyl phosphate	115866	NA	1.1E+5 (C)	NA	1.1E+5 (C)	NLV	NLV	NLV	NLV	ID	1.1E+5 (C)	1.1E+5
tris(2,3-Dibromopropyl)phosphat	126727	NA	930	ID	27,000 (C)	27,000 (C)	18,000	18,000	18,000	5.9E+6	4,400	27,000
Urea	57136	NA	ID	NA	ID	NLV	NLV	NLV	NLV	ID	ID	NA
Vanadium	7440622	NA	72,000	1.9E+5	1.0E+9 (D)	NLV	NLV	NLV	NLV	ID	7.5E+5 (DD)	NA
Vinyl acetate (I)	108054	NA	13,000	NA	2.4E+6 (C)	7.9E+5	1.7E+6	2.6E+6	5.8E+6	1.3E+10	2.4E+6 (C,DD)	2.4E+6
Vinyl chloride	75014	NA	40	260 (X)	20,000	270	4,200	30,000	73,000	3.5E+8	3,800	4.9E+5
White phosphorus (R)	12185103	NA	2.2	NA	58,000	NLV	NLV	NLV	NLV	ID	2,300 (DD)	NA
Xylenes (I)	1330207	NA	5,600	820	1.5E+5 (C)	1.5E+5 (C)	4.6E+7	6.1E+7	1.3E+8	2.9E+11	1.5E+5 (C)	1.5E+5
Zinc (B)	7440666	47,000	2.4E+6	(G)	1.0E+9 (D)	NLV	NLV	NLV	NLV	ID	1.7E+8	NA