



Department of Environmental Quality
Water Bureau
Drinking Water & Environmental Health Section
Noncommunity Drinking Water Unit

NONCOMMUNITY DRINKING WATER UNIT

Lansing Office

Richard Overmyer, R.S., Chief - 517-241-1368 / overmyerR@michigan.gov
Starr Wirth, Secretary - 517-241-1370 / wirths@michigan.gov
Dan Dettweiler, M.S., EQA - 517-241-1373 / dettweilerD@michigan.gov
Kevin Holdwick, P.E., Treatment Engineer - 517-241-1395 / holdwickK@michigan.gov
FAX: 517-241-1328

Upper Peninsula

Steven Casey, Supervisor - 906-346-8535
Deana North, Secretary - 906-346-8530

APPENDIX A-1

MAILING ADDRESSES:

Lansing Office
Department of Environmental Quality
Water Bureau

Drinking Water & Environmental Health Section
Noncommunity Drinking Water Unit
525 West Allegan, CH, 2nd Floor
P.O. Box 30273
Lansing, Michigan 48909-7773
(Street ZIP: 48933)

Upper Peninsula

Department of Environmental Quality
Water Bureau
Noncommunity Program
U.P. District Office
420 Fifth Street
Gwinn, Michigan 49841

CYNTHIA WEAVER
ENV. QUALITY ANALYST
GRAND RAPIDS DIST. OFFICE
PHONE: 616-356-0280
CELL PHONE: 616-299-9068
E-mail: weaverc@michigan.gov
FAX: 616-356-0298

- 03 – Allegan
- 11 – Berrien
- 12 – Branch (BHSJDHD)
- 13 – Calhoun
- 14 – Cass (VBCDHD)
- 30 – Hillsdale (BHSJDHD)
- 39 – Kalamazoo
- 41 – Kent
- 61 – Muskegon
- 70 – Ottawa
- 75 – St. Joseph (BHSJDHD)
- 80 – Van Buren (VBCDHD)

HOLLY GOHLKE
ENV. QUALITY ANALYST
GAYLORD OFFICE
PHONE: 989-705-3422
E-mail: gohlkeh@michigan.gov
FAX: 989-731-6181

- 1 – Alcona (#2)
- 04 – Alpena (#4)
- 05 – Antrim (NWMCHA)
- 15 – Charlevoix (NWMCHA)
- 16 – Cheboygan (#4)
- 24 – Emmet (NWMCHA)
- 35 – Iosco (#2)
- 60 – Montmorency (#4)
- 65 – Ogemaw (#2)
- 68 – Oscoda (#2)
- 69 – Otsego (NWMCHA)
- 71 – Presque Isle (#4)

SUE GRINWIS
ENV. QUALITY ANALYST
LANSING OFFICE
PHONE: 517-241-1339
E-mail: grinwiss@michigan.gov
FAX: 517-241-1328

- 06 – Arenac (CMDHD)
- 09 – Bay
- 18 – Clare (CMDHD)
- 19 – Clinton (MMDHD)
- 26 – Gladwin (CMDHD)
- 29 – Gratiot (MMDHD)
- 32 – Huron
- 37 – Isabella (CMDHD)
- 56 – Midland
- 59 – Montcalm (MMDHD)
- 67 – Osceola (CMDHD)
- 72 – Roscommon (CMDHD)
- 73 – Saginaw
- 76 – Sanilac
- 79 – Tuscola

MARK DOYLE
ENV. QUALITY ANALYST
JACKSON DIST. OFFICE
PHONE: 517-780-7923
CELL PHONE: 734-231-4648
E-mail: doylem1@michigan.gov
FAX: 517-780-7855

- 38 – Jackson
- 46 – Lenawee
- 50 – Macomb
- 58 – Monroe
- 63 – Oakland
- 74 – St. Clair
- 81 – Washtenaw
- 82 – Wayne

JOHN CHICKERING, R.S.
ENV. QUALITY ANALYST
LANSING OFFICE
PHONE: 517-241-1371
E-mail: chickeringJ@michigan.gov
FAX: 517-241-1328

- 08 – Barry (BEDHD)
- 10 – Benzie (BLDHD)
- 20 – Crawford (#10)
- 23 – Eaton (BEDHD)
- 25 – Genesee
- 28 – Grand Traverse
- 33 – Ingham
- 34 – Ionia (BEDHD)
- 40 – Kalkaska (#10)
- 43 – Lake (#10)
- 44 – Lapeer
- 45 – Leelanau (BLDHD)
- 47 – Livingston
- 51 – Manistee (#10)
- 53 – Mason (#10)
- 54 – Mecosta (#10)
- 57 – Missaukee (#10)
- 62 – Newaygo (#10)
- 64 – Oceana (#10)
- 78 – Shiawassee
- 83 – Wexford (#10)

ROB WOLFE
ENV. QUALITY ANALYST
U.P. DISTRICT OFFICE
PHONE: 906-346-8538
E-mail: wolfer@michigan.gov
FAX: 906-346-4480

- 02 – Alger (LMAS)
- 17 – Chippewa
- 48 – Luce (LMAS)
- 49 – Mackinac (LMAS)
- 52 – Marquette
- 77 – Schoolcraft (LMAS)

KAREN BEAUCHAMP
DISTRICT ENV. ENGINEER
U.P. DISTRICT OFFICE
PHONE: 906-346-8537
E-mail:
beauchampk1@michigan.gov
FAX: 906-346-4480

- 07 – Baraga (WUPD)
- 21 – Delta (DMDHD)
- 22 – Dickinson (DIDHD)
- 27 – Gogebic (WUPD)
- 31 – Houghton (WUPD)
- 36 – Iron (DIDHD)
- 42 – Keewenaw (WUPD)
- 55 – Menominee (DMDHD)
- 66 – Ontonagon (WUPD)