

Features

ITRAC #PR16 - HP LaserJet M1522NF Printer with HP 3 year Next business day Exchange for LaserJet 30xx All-in-One and M1522 MFP Service (U9810E) Networkable Small Office or Home



Purchase Price	\$ 462.07
Lease Price (12 Months - no toner)*	\$ 42.05
Lease Price (24 Months - no toner)*	\$ 22.83
Lease Price (36 Months - no toner)*	\$ 16.17
Recommended monthly volume	250 -2,000
All-in-one functions	Print, copy, scan, fax
Multitasking capability	Yes
Specifications	
Print speed, black (normal quality mode)	Up to 24 ppm
Page yield footnote	For information on cartridge page and photo yields, see http://www.hp.com/go/pageyield
First page out (black)	As fast as 9.5 sec
Monthly duty cycle	Up to 8,000 pages
*Footnote for duty cycle	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Recommended monthly print volume	250 to 2,000 pages
*Footnote for recommended monthly print volume	HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Print technology	Laser
Print resolution, black	Up to 600 x 600 x 2 dpi



ITRAC #PR07 - HP LaserJet M1212NF with 3-year HP Next Business Day Exchange Extended Service (UG609E) not networkable Home Office



Does not include USB Cable - plz order Hi-Spped USB Cable (6 ft./1.8 m) Q6264A

Purchase Price	\$ 369.42
Lease Price (12 Months - no toner)*	\$ 33.62
Lease Price (24 Months - no toner)*	\$ 18.25
Lease Price (36 Months - no toner)*	\$ 12.93
Recommended monthly volume	250 - 2,000
All-in-one functions	Print, copy, scan, fax
Multitasking capability	Yes
Operating system	
Microsoft Windows Vista (32-bit and 64-bit), Microsoft Windows XP (32-bit and 64-bit), Microsoft Windows 7 (32-bit and 64-bit)	Processor
	RAM
	Free disk space
	Browser
Macintosh	
Operating system	
Mac OS X v 10.4, v 10.5, v 10.6, Power PC G3, G4, G5, or intel processors	Minimum system requirements
	Processor: PPC and Intel Core Processor Macs
	RAM: 1 GB
	Memory: 200 MB avial hard drive space, CD-ROM drive, USB or netowrk port flash fax-storage memory

Features	<p>ITRAC #PR16 - HP LaserJet M1522NF Printer with HP 3 year Next business day Exchange for LaserJet 30xx All-in -One and M1522 MFP Service (U9810E) Networkable Small Office or Home</p> 
-----------------	--

	<p>ITRAC #PR07 - HP LaserJet M1212NF with 3-year HP Next Business Day Exchange Extended Service (UG609E) not networkable Home Office</p> <p>Does not include USB Cable - plz order Hi-Spped USB Cable (6 ft./1.8 m) Q6264A</p>
---	---

Print Speed Footnote	Exact speed varies depending on the system configuration, software program and document complexity.
----------------------	---

Connectivity	
High Speed USB 2.0 port, 10/100 Base-T Ethernet netowrk prot, RF-11 Telephone port	

Paper Handling	
Paper handling standard,input	250-sheet media input tray, 10-sheet priority slot, 50-sheet automatic document feeder

Physical dimensions	
Dimension	Measure
Height	306 mm (12 inches)
Depth	265 mm (10.4 inches)
Width	435 mm (17.1 inches)
Weight	8.3 kg (18.3 lb)

Paper handling standard,output	125-sheet face-down output bin
Envelope capacity	Up to 10 envelopes
Envelope feeder	No
Duplex printing (printing on both sides of paper)	Manual (driver support provided)
Document finishing	Sheetfed

Print Cartridges	
Color	Print cartridge number
Black	CE285A


Media sizes, standard	Priority input tray and Tray 1: letter, legal, envelopes (No. 5 (1/2
Media sizes, custom	Priority input tray and Tray 1: 3 x 5 to 8.5 x 14 in; automatic
Media types	Paper (bond, color, heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), envelopes, transparencies, labels, cardstock
Media weight	Tray 1, Priority input tray, Output bin: 16 to 43 lb; automatic document feeder (ADF): 16 to 24 lb
Product weight	24.2 lb

Paper-handling specifications			
Paper type	Paper specifications	Priority input tray	Tray 1
Plain	75 g/m ² (20 lb) to 104 g/m ² (27 lb)	Up to 10 sheets	Up to 250 sheets
Light	60 g/m ² (16 lb) to 75 g/m ² (20 lb)	Up to 10 sheets	Up to 260 sheets
Envelopes	Less than 90 g/m ² (24 lb)	1 envelope	Up to 10 envelopes
Labels	Standard	1 sheet	Not supported
Bond	75 g/m ² (20 lb) to 104 g/m ² (27 lb)	1 sheet	Up to 250 sheets
Rough	75 g/m ² (20 lb) to 104 g/m ² (27 lb)	1 sheet	Up to 200 sheets
Transparencies	4 mm (0.1 inches) Monochrome Overhead	1 sheet	Up to 200 sheets
Heavy	110 g/m ² (29 lb) to 125 g/m ² (33 lb)	Up to 10 sheets	Not supported
Letterhead	75 g/m ² (20 lb) to 104 g/m ² (27 lb)	Up to 10 sheets	Up to 250 sheets

Additional Specifications	
Processor speed	450 MHz
Memory, standard	64 MB
Memory, maximum	64 MB
Print languages, standard	HP PCL 6, HP PCL 5, HP postscript level 3 emulation

Scanner specifications	
Scanner type	Flatbed, ADF
Scan resolution, optical	Up to 1,200 dpi
Bit depth	24-bit
Scan size, maximum (flatbed)	8.5 x 11.7 in

NOTE:	The maximum stack height for tray 1 is 25
--------------	---



Features

ITRAC #PR16 - HP LaserJet M1522NF Printer with HP 3 year Next business day Exchange for LaserJet 30xx All-in -One and M1522 MFP Service (U9810E) Networkable Small Office or Home



Scan size, maximum (ADF)	8.5 x 14 in
Scan speed (default)	Up to 3 ppm
Automatic paper sensor	No
Copier specifications	
Copy resolution, black	Up to 600 x 600 dpi
Copy reduce/enlarge settings	25 to 400%
Maximum number of copies	Up to 99 copies
Fax specifications	
Fax transmission speed (seconds per page)	3 sec per page
Fax memory	Up to 300 pages (black and white)
Fax note	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will increase the transmission time.
Fax resolution, black (dots per inch)	Up to 300 x 300 dpi (halftone enabled)
Speed dials, maximum number	Up to 120 numbers (119 group dials)
Auto Redial	Yes
Fax delayed sending	Yes
Fax broadcast	119
Junk fax barrier	Yes, using CSI field
Polling	Yes (poll to receive only)
Remote retrieval	No
Fax forwarding	Yes
Faxing	Yes
Connectivity	
Connectivity, standard	10/100Base-T Ethernet network port, Hi-Speed USB 2.0 compatible port.



ITRAC #PR07 - HP LaserJet M1212NF with 3-year HP Next Business Day Exchange Extended Service (UG609E) not networkable Home Office



Does not include USB Cable - plz order Hi-Spped USB Cable (6 ft./1.8 m) Q6264A

Paper sizes	
Type	Size
Letter, legal, transparencies, envelopes, labels, cardstock, postcards	150-sheet input tray, 100-sheet face-down bin
	Input Capacity: Up to 150 sheets, Up to 10
	Output Capacity: Up to 100 sheets, Up to
	transparencies
Printing specifications	
Print speed: Up to 19 ppm for Letter, and up to 18 ppm for A4	
Resolution: 600 dots per inch (dpi) and FastRes 1200 dpi	
Duty cycle: up to 8,000 pages per month	
Copying specifications	
Copies at 600 x 400 dots per inch (dpi)	
Supports manual two-sided (duplex) copying	
Scanning specifications	
Automatic Document Feeder (ADF) and Flat Bed	
The product supports a 35-page automatic document feeder.	
Other specifications	
Resolution: Up to 1,200 by 1,200 dpi, 24 bit (up to 19,200 dpi enhanced)	
Supported file types: JPEG, TIF, BMP, GIF, PDF, and PNG	
JPEG, TIF (compressed and uncompressed), PDF, GIF, BMP	
256/24 bit color	
Methods: Scanning from HP Laser application or TWAIN-compliant or WIA	
Faxing specifications	

<p style="text-align: center;">Features</p>	<p>ITRAC #PR16 - HP LaserJet M1522NF Printer with HP 3 year Next business day Exchange for LaserJet 30xx All-in -One and M1522 MFP Service (U9810E) Networkable Small Office or Home</p>		<p>ITRAC #PR07 - HP LaserJet M1212NF with 3-year HP Next Business Day Exchange Extended Service (UG609E) not networkable Home Office</p>
			<p>Does not include USB Cable - plz order Hi-Spped USB Cable (6 ft./1.8 m) Q6264A</p>
<p>Connectivity, optional</p>	<p>None</p>	<p>V34 fax modem: 3 seconds per page</p>	
<p>Minimum system requirements</p>	<p>PC: Microsoft® Windows® 7 ready. For more information go to http://www.hp.com/go/windows7. Some features may not be available. Windows Vista® (32-bit and 64-bit): 1 GHz processor, 512 MB RAM, check User's Guide for minimum hard disk space; Windows XP-32 Home, XP-32 Professional, XP-x64: any Pentium II processor (Pentium III or higher recommended), 128 MB RAM; Windows Server 2003, 2000 (print driver, scan driver only): any Pentium II processor or higher, 64 MB RAM, for all systems: 250 MB available hard disk space, SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port</p>	<p>Fax speed: Up to 33.6 kbps</p>	
	<p>Macintosh: Mac OS X v10.3, 10.4, 10.5, 10.6; PowerPC G3, G4, G5, or Intel processors; 512 MB RAM; 100 MB available hard disk space; CD-ROM drive; USB or network port</p>	<p>Resolution (Best mode): 300 by 300 dpi</p>	
<p>Compatible operating systems</p>	<p>Microsoft® Windows® 7 ready. For more information go to http://www.hp.com/go/windows7. Some features may not be available. Windows XP Home, Windows XP Professional, Windows XP Professional x64, Windows XP Media Center, Windows XP Tablet PC, Windows Server 2003, Windows 2000, Mac OS X v10.3, 10.4, 10.5, 10.6, Novell NetWare 3.2, 4.2, 5.x, 6, HP-UX 10.20, 11.x, Red Hat Linux 6.x or higher, SuSE Linux 6.x or higher, Solaris 2.5x, 2.6, 7, 8, 9, 10 (SPARC), AIX 3.2.5 or higher, MPE-iX, Citrix MetaFrame, Terminal Services, Linux (see http://www.hplip.net)</p>	<p>Fax Memory (Letter): Up to 500 pages; Auto Fax Reduction Supported: Yes; Auto-R dialing: Yes; Fax Delayed Sending: Yes; Distinctive Ring Detection supported: Yes; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: Yes; Fax Polling Supported: Yes; Fax Telephone Mode Supported: Yes; Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 100 numbers; PC Interface Supported: Yes; Remote Retrieval Capability Supported: Yes; Telephone Handset Supported: No</p>	
<p>Operating temperature</p>	<p>59 to 90.5° F</p>	<p>Power specifications</p>	
<p>Photo printing</p>		<p>Required input voltage:</p>	
<p>Display</p>	<p>2.5-in LCD (text)</p>	<p>110 to 127 V (±10 percent), 60 Hz (±2 Hz)</p>	
<p>Dimensions and weight</p>		<p>220 to 240 V (±10 percent), 50 Hz (±2 Hz)</p>	

Features	ITRAC #PR16 - HP LaserJet M1522NF Printer with HP 3 year Next business day Exchange for LaserJet 30xx All-in -One and M1522 MFP Service (U9810E) Networkable Small Office or Home
	
Product dimensions (W x D x H)	19.5 x 16.0 x 15.8 in
Product weight	24.2 lb
Package weight	34.3 lb
Power and operating requirements	
Power supply	Input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), 4.5 A; 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), 2.6 A
Power consumption, active	410 watts
Power Consumption, Standby	10.5 watts
Power Consumption, Powersave	10.5 watts
Power Consumption, Off	0 watts
Power consumption note	Values subject to change. See http://www.hp.com/support for current information. Power reported is the highest value measured for all models using all standard voltages.
Acoustic power emissions	6.5 B(A) (continuous print at 23 ppm)
Operating temperature range	59 to 90.5° F
ENERGY STAR® Qualified	Yes
What's included	
What's in the box	HP LaserJet M1522nf MFP, power cord(s), HP LaserJet Starter Black Print Cartridge, Getting Started Guide, support flyer, CDs containing device software and electronic User's Guide, control panel faceplate(s), Readiris PRO text recognition software, ADF input support, phone cord(s), 250-sheet input tray
Cable included?	No

Features	ITRAC #PR07 - HP LaserJet M1212NF with 3-year HP Next Business Day Exchange Extended Service (UG609E) not networkable Home Office
	
Does not include USB Cable - plz order Hi-Spped USB Cable (6 ft./1.8 m) Q6264A	
Power consumption:	
Active: 375 watts	
Powersave: 2 watts	
Standby: 4.7 watts	
Off: 0.3 watts	
Environmental specifications	
conditions	
Temperature: 10 to 32.5 degrees C (50 to 90.5 degrees F)	
Relative humidity: 10 to 80 percent RH	
Relative humidity: 0 to 95 percent	
Energy Star	
ENERGY STAR® qualified models; see http://www.hp.com/go/energystar	

Features

ITRAC #PR16 - HP LaserJet M1522NF Printer with HP 3 year Next business day Exchange for LaserJet 30xx All-in -One and M1522 MFP Service (U9810E)
Networkable Small Office or Home



Software included

HP Toolbox FX, HP LaserJet Scan, TWAIN 1.9 or WIA scanner drivers, HP LaserJet Fax, HP Fax Setup Wizard, HP Fax software, Readiris PRO text recognition software (not installed with other software, separate installation required), printer drivers (HP PCL 6, HP PCL 5e, HP PostScript Level 3 emulation), installer/uninstaller, HP Director (Macintosh)



ITRAC #PR07 - HP LaserJet M1212NF with 3-year HP Next Business Day Exchange Extended Service (UG609E)
not networkable Home Office

Does not include USB Cable - plz order Hi-Spped USB Cable (6 ft./1.8 m) Q6264A

Features

ITRAC #PR16 - HP LaserJet M1522NF Printer with
HP 3 year Next business day Exchange for LaserJet
30xx All-in -One and M1522 MFP Service (U9810E)
Networkable Small Office or Home



ITRAC #PR07 - HP LaserJet M1212NF with 3-year HP
Next Business Day Exchange Extended Service (UG609E)
not networkable Home Office



Does not include USB Cable - plz order Hi-Spped USB
Cable (6 ft./1.8 m) Q6264A

