

Canon & Fujitsu Desktop Scanners		Canon & Fujitsu Desktop Scanners		Canon & Fujitsu Desktop Scanners	
<p>(ITRAC #SC07) Canon Scan 5600F - 3 Year exchange service - Film Scanner (Not Networked)</p> <p>High-Quality 4800 dpi1 Scanner for Documents and Films. This is high-performance scanning at its best. The high-luminance white LED lamps use less power and enable scanning immediately after you press the power button. Seven EZ Buttons automate the scanning process—so it's You're going to love the results, with outstanding color dpi resolution up to 4800 x 9600. For convenience, you can batch-scan up to six 35mm frames or four 35mm slides at once.simple to scan, copy and create emails and multi-page PDFs. To make it even easier, the new Auto Scan Mode detects your type of original, then scans and saves it with the optimal settings. How fast? A letter-sized color scan takes only about 11 seconds².</p> 		<p>(ITRAC #SC10) CANON DR2050C SCANNER WITH 3 YEAR EXCHANGE WARRANTY 7982A006 (Network)</p> <p>imageFORMULA DR-2050C Compact Color Scanner When it comes to cost-effective, reliable document scanning, look no further than the DR-2050C. The DR-2050C incorporates Canon's renowned, high-precision roller system that delivers smooth, jam-free feeding. Productivity enhancement features truly set the DR-2050C apart from other workgroup scanners. BizCard Reader SE, PaperPort Standard, and OmniPage SE, you get more than a scanner when you purchase the DR-2050C. The DR-2050C has been tested for compatibility with many of the industry's leading electronic document management solution providers.</p> 	<p>(ITRAC #SC08) CANON DR 4010C SCANNER WITH 3 YEAR EXCHANGE WARRANTY 1921B002 (Network)</p> <p>imageFORMULA DR-4010C Color Departmental Scanner With its ability to handle a range of document types and sizes, the DR-4010C scanner provides the utmost document scanning flexibility. The DR-4010C features a versatile dual paper path designed to accommodate diverse document types. The DR-4010C desktop scanner is packed with advanced image processing features to boost your scanning efficiency. The DR-4010C scanner is equipped with Automatic Color Detection for easy, low-maintenance scanning. The DR-4010C has been tested for compatibility with many of the industry's leading electronic document management solution providers.</p> 	<p>(ITRAC #SC09) CANON DR 7090C SCANNER WITH 3 YEAR ONSITE WARRANTY 3504B002 , 3504B003</p> <p>The Canon imageFORMULA DR-7090C universal production scanner delivers incredible flexibility, image quality and reliability, all at high scanning speeds by leveraging the technologies from its award winning imageFORMULA and imageRUNNER product lines. The well engineered imageFORMULA DR-7090C scanner can help businesses reduce overhead costs and improve scanning efficiencies.</p> 	
FEATURES		FEATURES			
Purchase Price	\$ 150.00	Purchase Price	\$ 740.00	\$ 3,222.00	\$ 7,973.00
Lease Price (12 Months - no toner)*	\$ 13.65	Lease Price (12 Months - no toner)*	\$ 67.34	\$ 293.20	\$ 725.54
Lease Price (24 Months - no toner)*	\$ 7.41	Lease Price (24 Months - no toner)*	\$ 36.56	\$ 159.17	\$ 393.87
Lease Price (36 Months - no toner)*	\$ 5.25	Lease Price (36 Months - no toner)*	\$ 25.90	\$ 112.77	\$ 279.06
Recommended Monthly Volume	Low vol - Designed for Film & Negative Scans	Recommended Monthly Volume	700 Scan per day	5,000 Scans per day	8,000 Scans per day
Scanner Type	Flatbed Color Image Scanner	Type:	Compact Color Document Scanner	Color Departmental Scanner	Universal Production Scanner
Scanner Element	Charge-Coupled Device (CCD)	Document-feeding:	Automatic or Manual	Automatic or Manual	Automatic or Flatbed
Light Source	White LED (reflectives), CCFL Lamp (film)	Document size - width:	2.1" - 8.5"	2.1" - 8.6"	5.5" x 12"

Canon & Fujitsu Desktop Scanners

	(ITRAC #SC07) Canon Scan 5600F - 3 Year exchange service - Film Scanner (Not Networked)		(ITRAC #SC10) CANON DR2050C SCANNER WITH 3 YEAR EXCHANGE WARRANTY 7982A006 (Network)	(ITRAC #SC08) CANON DR 4010C SCANNER WITH 3 YEAR EXCHANGE WARRANTY 1921B002 (Network)	(ITRAC #SC09) CANON DR 7090C SCANNER WITH 3 YEAR ONSITE WARRANTY 3504B002 , 3504B003
Features	White LED, Zero warm-up time, Automatic Document Recognition, 7 EZ Buttons, Auto Dust & Scratch Reduction, Backlit Film Scan, Fading/Grain/Backlight Correction, Auto Scan Mode, Convenient Filing Function (PDF Function), PDF Password, Gutter Shadow Correction, High-Speed Scanning	Document size - length:	2.8"- 14"	2.8" - 14" Long Document	5" x 17"*
Scanner Buttons	PDF x 4, Copy, Scan, E-mail	Flatbed Scan Size			Flatbed: Maximum 12" x 17"
Max. Resolutions	Optical: 4800 x 9600 dpi ²	Thickness - Automatic Feeding:	14 to 32 lb bond	14 to 32 lb. Bond	11 - 32 lb. Bond
	Interpolated: 19,200 x 19,200 dpi	Thickness - Manual Feeding:	11 to 40 lb bond	11 to 144 lb. Bond	11 to 40 lb bond
Scanning Mode	Color: 48-bit internal / 48 or 24-bit external	Document Thickness:		Mode up to 39"	
	Grayscale: 16-bit internal / 8-bit external	Feeder Capacity:	50 Sheets	100 Sheets	100 Sheets
Max. Document Size	8.5" x 11.7"	Grayscale:	8-bit	8-Bit	8-bit
Interface	USB 2.0 Hi-Speed	Color:	24-bit	24-Bit	24-bit
Dimensions (W x D x H)	10.7" (W) x 19.4" (D) x 3.8" (H)	Scanning Element:	Contact Image Sensor (CMOS)	3-Line Contact Image Sensor (CMOS)	Front: CCD / Back: Contact Image
Weight	9.5 lbs.	Light Source:	RGB LED	RGB LED	Xenon Lamp
OS Compatibility	Windows Vista™, Windows XP/2000 and Mac OS® X v.10.2.8 - 10.5.x ⁵	Operating Modes:	Simplex, Duplex, Color, Grayscale, Black and White, Error Diffusion, Text Enhancements	Simplex, Duplex, Color, Grayscale, Black and White, High-Speed Text Enhancement (Two Types), Advanced Text Enhancement, Error Diffusion, Auto Color Detection	Simplex, Duplex, Flatbed, Auto, Color, Grayscale, Black and White, Error Diffusion
Software	Setup Software and User's Guide CD-ROM, MP Navigator EX, Solution Menu, ArcSoft® PhotoStudio®	Drop-out Color:	RGB, user-selectable	RGB and Custom	RGB
Power Source	AC Adapter	Optical Resolution:	600 dpi	600 dpi	600 dpi
Max. Power Consumption	19W (3.2W standby)	Output Resolution:	100, 150, 200, 240, 300, 400, 600 dpi	100, 150, 200, 240, 300, 400, 600 dpi	100/150/200/240/300/400/600 dpi
Environmental Conditions (without condensation)	Operating Temperature: 50° - 95° F	Black-and-white:	20ppm 40ipm*	42 ppm, 84 ipm	70 ppm (Simplex)
	Operating Humidity: 10% - 90% RH	Color			88 ipm (Duplex)
Warranty	Toll-free technical phone support plus 1-year limited warranty with InstantExchange program. ⁶	*Examples based on typical settings, rated with letter-sized documents @ 200 dpi. Actual processing speeds may vary based on PC performance and application settings.			
1. Optical resolution is a measure of maximum hardware sampling, based on ISO 14473 standard.		Grayscale:	20ppm 40ipm	42 ppm, 84 ipm	Grayscale: 70 ppm (Simplex)
measured with ISO/IEC 24712					88 ipm (Duplex)
to reach sufficient operating		Color	7ppm 12ipm	42 ppm, 84 ipm	Color: 70 ppm (Simplex)
4. Specifications are subject to change without notice.					88 ipm (Duplex)

Canon & Fujitsu Desktop Scanners

Canon & Fujitsu Desktop Scanners

	(ITRAC #SC07) Canon Scan 5600F - 3 Year exchange service - Film Scanner (Not Networked)		(ITRAC #SC10) CANON DR2050C SCANNER WITH 3 YEAR EXCHANGE WARRANTY 7982A006 (Network)	(ITRAC #SC08) CANON DR 4010C SCANNER WITH 3 YEAR EXCHANGE WARRANTY 1921B002 (Network)	(ITRAC #SC09) CANON DR 7090C SCANNER WITH 3 YEAR ONSITE WARRANTY 3504B002 , 3504B003
5. System requirements vary by application.		Color High-Speed:	10ppm 20ipm (150 dpi)		
6. Warranty programs are subject to certain conditions and restrictions. See www.canontechsupport.com for details.		Interface:	USB 2.0	Hi-Speed USB 2.0 and SCSI-III	Hi-Speed USB 2.0/SCSI-III
		Scanner Drivers:	For Windows 98/2000/Me/XP: isis/TWAIN	isis/TWAIN, Windows 2000/XP	ISIS/TWAIN for Windows® 2000/XP/Vista®
		Dimensions (H x W x D):	7.8" x 11.7" x 3.9"	Options: Barcode Module, Exchange Roller Kit, One Year CarePAK, Two Year CarePAK	12.4" x 24.3" x 23.7"
		Weight:	5 lbs	7.3" x 12.5" x 10.9"	90.2 lb.
		Power Consumption:	Max. 13W	14.1 lb.	218W or Less (Energy Saving Mode: 6.3W or Less)
				25W or Less (Energy Saving Mode: 3W or Less)	
		Bundled Software:	Capture Perfect	ISIS/TWAIN Driver	ISIS/TWAIN Driver
			Adobe® Acrobat® Standard	Capture Perfect	Canon CapturePerfect 3.0
			ScanSoft PaperPort Standard	Adobe® Acrobat® Standard	
			OmniPage SE		
			Presto! BizCard SE		
			Options: Exchange Roller Kit, Carrying		
		OPTIONS			Exchange Roller Kit
					Cleaning Cloth A1
					9-Month Extended Service Package
					12-Month Extended Service Package
		OTHER FEATURES			Automatic Page Size Detection
					Count Only
					Deskew
					Punch Hole Removal
					User Registration
					Types)
					Skip Blank Page
					Pre-scan
					Scan Area Setting
					Batch Separation
					Text Orientation Recognition
					MultiStream™
					Edge Emphasis
					Border Removal

Canon & Fujitsu Desktop Scanners

Canon & Fujitsu Desktop Scanners

(ITRAC #SC07) Canon Scan 5600F - 3 Year exchange service - Film Scanner (Not Networked)

(ITRAC #SC10) CANON DR2050C SCANNER WITH 3 YEAR EXCHANGE WARRANTY 7982A006 (Network)

(ITRAC #SC08) CANON DR 4010C SCANNER WITH 3 YEAR EXCHANGE WARRANTY 1921B002 (Network)

(ITRAC #SC09) CANON DR 7090C SCANNER WITH 3 YEAR ONSITE WARRANTY 3504B002 , 3504B003

Preset Gamma Curve

(RED)

* 24.8" in Long Document Mode

rated in pages/images per minute

*** Calculation based on scanning speed and assumed daily time of use

Control Panel

Energy Star Compliant

RoHS Compliant

Domestic Intro Date

Engine Manufacturer

Comment

Canon & Fujitsu Desktop Scanners

Canon & Fujitsu Desktop Scanners		
Canon & Fujitsu Desktop Scanners		
<p>(ITRAC #SC11) Canon DR 9050C SCANNER / 3 YEAR WARRANTY 4009B006</p> <p>imageFORMULA DR-9050C production scanner delivers true high speed scanning, capable of providing enterprises with reliable, high quality images, and flexible scanning solutions to enhance their document management systems.</p>	<p>(ITRAC #SC06) FUJITSU FI 6770 SCANNER WITH 3 YEAR WARRANTY</p> <p>Fujitsu FI 6770 High Speed Scanner</p> <p>Intelligent scanning for the intelligent office</p> <p>Fast scanning — up to 90 ppm/180 ipm in color or monochrome, landscape</p> <p>Ultrasonic double-feed detection with advanced control</p> <p>Loaded with "intelligent" functions for more efficient scanning</p> <p>Advanced image processing in hardware with color graphics adapter (CGA)</p> <p>Valuable bundled software tools and applications including Kofax® VRS 4.2 Professional</p> <p>Service options to fit specific requirements and budget including Next Business Day, 4-hour or 24/7 contracts available</p>	
		
FEATURES		
Purchase Price	\$ 9,743.00	\$ 8,196.00
Lease Price (12 Months - no toner)*	\$ 886.61	\$ 745.84
Lease Price (24 Months - no toner)*	\$ 481.30	\$ 404.88
Lease Price (36 Months - no toner)*	\$ 341.01	\$ 286.86
Recommended Monthly Volume	18,000 Scans per day	15,000 Scans per day
Scanner Type	Production Scanner	Production
Scanner Element	Automatic or Manual	Standard
Light Source	2" - 12"	2" - 11"

Canon & Fujitsu Desktop Scanners

	(ITRAC #SC11) Canon DR 9050C SCANNER / 3 YEAR WARRANTY 4009B006	(ITRAC #SC06) FUJITSU FI 6770 SCANNER WITH 3 YEAR WARRANTY
Features	2.8" - 17"	3" x 120"
Scanner Buttons	Long Doc. Mode: Up to 118.1"	11" x 17"
Max. Resolutions	14 - 56 lb. Bond	8.3
	11 - 68 lb. Bond	55.6 lbs
Scanning Mode		
	500 Sheets	200
Max. Document Size	8-Bit	8 bit
Interface	24-Bit	24 bit
Dimensions (W x D x H)	3-Line Contact Image Sensor (CMOS)	CCD
Weight	RGB LED	Cold cathode discharge lamp
OS Compatibility	Simplex, Duplex, Color, Grayscale, Black and White, Error Folio Diffusion, Advanced Text Enhancement (Two Types), Auto Color Detection	Simplex, Duplex, Automatic color detection, content-based rotation, intelligent blank page deletion, background saturation, advanced clarity, selectable background, onboard JPEG compression, swivel ADF
Software	RGB and Custom	
Power Source	600 dpi	
Max. Power Consumption	100/150/200/240/300/400/600 dpi	
Environmental Conditions (without condensation)	Simplex: 112 ppm	70 ppm/90 ppm (Simplex) - 140 ipm/180 ipm (Duplex)
	Duplex: 225 ipm	70 ppm/90 ppm (Simplex) - 140 ipm/180 ipm (Duplex)
Warranty	ce and ap	
1. Optical resolution is a measure of maximum hardware sampling, based on ISO 14473 standard.	Simplex: 112 ppm	50 to 600 dpi
measured with ISO/IEC 24712	Duplex: 225 ipm	
to reach sufficient operating	Simplex: 112 ppm	50 to 600 dpi
4. Specifications are subject to change without notice.	Duplex: 225 ipm	

Canon & Fujitsu Desktop Scanners

	(ITRAC #SC11) Canon DR 9050C SCANNER / 3 YEAR WARRANTY 4009B006	(ITRAC #SC06) FUJITSU FI 6770 SCANNER WITH 3 YEAR WARRANTY
5. System requirements vary by application.		
6. Warranty programs are subject to certain conditions and restrictions. See www.canontechsupport.com for details.	Hi-Speed USB 2.0, SCSI-III	Ultra SCSI, USB 2.0, third party slot
	ISIS/TWAIN for Windows® 2000/XP/Vista®	ISIS, TWAIN
	18.9" x 20.9" x 12.4"	27.2" x 19.7" x 13.5"
	50 lb.	77.2 lbs
	83W or Less (Energy Saving Mode: 2.7W or Less)	216W
		100 - 240/50 - 60
		Adobe Acrobat Standard, Image
		Windows 98SE/2000/NT 4.0/XP
	ISIS/TWAIN Drivers	
	Canon CapturePerfect 3.0	
	Exchange Roller Kit	
	Barcode Module III	
	Patchcode Decoder	
	Package	
	9 Month CarePAK Extended Service Package	
	Ultrasonic Double-Feed Detection	
	Automatic Color Detection	
	Automatic Page Size Detection	
	Types)	
	Skip Blank Page	
	Staple Detection	
	Background	
	Punch Hole Removal	
	Folio Mode	
	Count Only Mode	
	Verify Scan	
	Rapid Recovery System	
	Deskew	
	Custom Color Dropout/Enhance Color	

Canon & Fujitsu Desktop Scanners	
(ITRAC #SC11) Canon DR 9050C SCANNER / 3 YEAR WARRANTY 4009B006	(ITRAC #SC06) FUJITSU FI 6770 SCANNER WITH 3 YEAR WARRANTY
MultiStream™	
Batch Separation	
Pre-Scan Function	
* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, landscape feeding direction, up to 200 dpi. Actual processing speeds may vary based on PC performance and application software.	
	Keys
	Yes
	Yes
	Jul-08
	Fujitsu
	Available in two configurations--fi-6770 and fi-6770A (includes VRS board), long paper scan mode up to 120"/3048 mm