



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
LANSING

ANDREW S. LEVIN
ACTING DIRECTOR

STATE PLUMBING BOARD
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
BUREAU OF CONSTRUCTION CODES
Conference Room No. 3
2501 Woodlake Circle
Okemos, Michigan 48864

AGENDA
March 1, 2011
Revised
10:00 a.m.

1. Call to Order and Determination of Quorum D. Branch
2. Approval of Minutes - December 14, 2010 (Pages 3 - 9)
Approval of Examination Minutes - December 15, 2010 and December 8, 2010
(Pages 10 - 11)
3. Approval of Examination Results (Pages 12 - 17)
Approval of Journey Plumber Examination Results - December 15, 2010
Approval of Master Plumber Examination Results - December 15, 2010
Approval of Plumbing Contractor Examination Results - December 8, 2010
4. Election of Officers for Chairperson, Vice Chairperson and Secretary
5. Applicants Appearing Before the Board (Pages 18 - 30)

A.	Ayoub, Ali A.	Journey Plumber Applicant	10:15
B.	Drouillard, Richard J.	Journey Plumber Applicant	10:30
C.	Jacob, John F.	Master Plumber Applicant	10:45
6. Good Moral Character Appeals (Page 31)

A.	Brendel, Scott P.	Master Plumber Applicant	11:00
----	-------------------	--------------------------	-------

The meeting site and parking is accessible. Individuals attending the meeting are requested to refrain from using heavily scented personal care products, in order to enhance accessibility for everyone. People with disabilities requiring additional services in order to participate in the meeting should call Michele Ramsey at (517) 241-9330 at least 10 work days before the event. DELEG is an equal opportunity employer/program.

Providing for Michigan's Safety in the Built Environment

BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254 • LANSING, MICHIGAN 48909
Telephone (517) 241-9330 • Fax (517) 373-8547
www.michigan.gov/dleg

DELEG is an equal opportunity employer/program.
Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.

State Plumbing Board Agenda

Page 2

March 1, 2011

7. Applicants Appearing Before the Board (Page 32)
 - A. Robert Gabrish Journey Plumber Applicant 11:15
8. Construction Code Appeals Request (Pages 33 - 52)
 - A. St. Johns High School, Football Field - Kingscott Assoc. Inc. 11:30
CCC-PLBG-11-002
 - B. Grand River Preparatory Academy, High School Addition of
New Gymnasium & Supporting Rooms - Integrated Architecture 11:45
CCC-PLBG-11-003
9. New Products R. Konyndyk
10. Chief's Report R. Konyndyk
11. Legislative Update R. Konyndyk
12. Plumbing Inspector Registration (3) (Page 53) R. Konyndyk
 - A. Daboul, Fred M.
 - B. Dixon, Walter M. IV
 - C. Clark, Kenneth E.
13. Old Business
14. New Business
 1. Sean Cleary - IAMPO Green Building Codes, Overview
15. Public Comment
16. Next Meeting - June 7, 2011
17. Adjournment



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
LANSING

ANDREW S. LEVIN
ACTING DIRECTOR

STATE PLUMBING BOARD
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
BUREAU OF CONSTRUCTION CODES
Conference Room No. 3
2501 Woodlake Circle
Okemos, Michigan 48864

MINUTES

December 14, 2010

10:00 a.m.

MEMBERS PRESENT

Mr. Duane Branch, Chairperson
Mr. Brock Howard
Mr. David Jones
Mr. Ronald Krochmalny
Mr. Daniel Nixon

MEMBERS ABSENT

Mr. Mike Buday
Mr. Steve Busch

MICHIGAN DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH

PERSONNEL ATTENDING

Mr. Robert Konyndyk, Chief, Plumbing Division
Mr. Irvin Poke, Executive Director
Ms. Beth Aben, Deputy Director
Mr. Andy Neuman Jr., Assistant Chief, Plumbing Division
Mr. Joe Madziar, Senior Plumbing Inspector
Ms. Michele Ramsey, Plumbing Division

OTHERS IN ATTENDANCE

Ms. Cindy Maher, MPMCA
Mr. Sean Cleary, IAPMO
Mr. Michael Melaragni, Plumbing Industry Training Center #98
Mr. Lee Sandy, Superintendent of Kalkaska Public Schools
Mr. Travis Hongisto, Integrated Designs, Inc.

Providing for Michigan's Safety in the Built Environment

BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254 • LANSING, MICHIGAN 48909
Telephone (517) 241-9330 • Fax (517) 373-8547
www.michigan.gov/dleg

DELEG is an equal opportunity employer/program.
Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.

Mr. Jay Stenklyft, Wade Drains – Tyler Pipe
Mr. James Moss, Henderson Engineers Inc.
Mr. Aaron Lewis, Wallace Engineering
Mr. Brad Hughes, Scott & Goble Architects

1. **CALL TO ORDER AND DETERMINATION OF QUORUM**

Chairperson Branch called the meeting to order at 10:00 a.m. A quorum was present at that time.

2. **APPROVAL OF MINUTES**

A **MOTION** was made by Board Member Jones and supported by Board Member Nixon to approve the board minutes from the September 7, 2010 meeting. **MOTION CARRIED.**

3. **APPROVAL OF EXAMINATION RESULTS**

A **MOTION** was made by Board Member Jones and supported by Board Member Nixon to approve the results of the Journey and Master Plumber Examination held on September 8, 2010 and to approve the results of the Plumbing Contractor Examination held on September 22, 2010. **MOTION CARRIED.**

4. **APPLICANTS APPEARING BEFORE THE BOARD**

Mr. Ali A. Avoub, Journey Applicant, did not appear before the board as scheduled.

Mr. Robert C. Rieth, Master Applicant, appeared before the board requesting permission to take the Master Plumber Examination. Mr. Rieth provided documentation verifying his out-of-state license was obtained through substantially the same requirements as the State of Michigan.

After a discussion with Mr. Rieth regarding his qualifications to take the Master Plumber Examination, a **MOTION** was made by Board Member Jones and supported by Board Member Nixon to allow Mr. Rieth to take the Master Plumber Examination. **MOTION CARRIED.**

Mr. Luke J. Lefever, Master Applicant, appeared before the board requesting permission to take the Master Plumber Examination. Mr. Lefever provided documentation verifying his out-of-state license was obtained through substantially the same requirements as the State of Michigan.

After a discussion with Mr. Lefever regarding his qualifications to take the Master Plumber Examination, a **MOTION** was made by Board Member Jones and supported by

Board Member Nixon to allow Mr. Lefever to take the Master Plumber Examination. **MOTION CARRIED.**

Mr. Jacob A. Fisk, Master Applicant, appeared before the board requesting permission to take the Master Plumber Examination. Mr. Fisk provided documentation verifying his out-of-state license was obtained through substantially the same requirements as the State of Michigan.

After a discussion with Mr. Fisk regarding his qualifications to take the Master Plumber Examination, a **MOTION** was made by Board Member Jones and supported by Board Member Howard to allow Mr. Fisk to take the Master Plumber Examination. **MOTION CARRIED.**

Mr. Arlen J. Eicher, Master Applicant, appeared before the board requesting permission to take the Master Plumber Examination. Mr. Eicher provided documentation verifying his out-of-state license was obtained through substantially the same requirements as the State of Michigan.

After a discussion with Mr. Eicher regarding his qualifications to take the Master Plumber Examination, a **MOTION** was made by Board Member Jones and supported by Board Member Howard to allow Mr. Eicher to take the Master Plumber Examination. **MOTION CARRIED.**

5. GOOD MORAL CHARACTER APPEALS

Mr. Richard R. Gutierrez, Apprentice Applicant, did not appear before the board as scheduled.

Mr. Shadeed L. Abdullah, Apprentice Applicant, requested to appear before the board following a Notice of Denial for Apprentice Registration.

Following a review and discussion with Mr. Abdullah, a **MOTION** was made by Board Member Howard and supported by Board Member Jones to approve Mr. Abdullah to register as an apprentice. **MOTION CARRIED.**

Mr. Scott P. Brendel, Master Applicant, did not appear before the board as scheduled.

Mr. Jahmal W. Leonard, Apprentice Applicant, requested to appear before the board following a Notice of Denial for Apprentice Registration.

Following a review and discussion with Mr. Leonard, a **MOTION** was made by Board Member Howard and supported by Board Member Nixon to deny Mr. Leonard to register as an apprentice. The board suggested that Mr. Leonard continue his employment as a laborer and reapply to register as a plumbing apprentice in the future, no time frame was suggested. The board communicated with Mr. Leonard the importance of him giving

back to his community; sign up for a former offender program, belong to a local church or become involved in a community group. **MOTION CARRIED.**

Mr. Brian A. Kennedy, Master Applicant, requested to appear before the board following a Notice of Denial for Master Plumber Examination.

Following a review and discussion with Mr. Kennedy, a **MOTION** was made by Board Member Jones and supported by Board Member Howard to approve Mr. Kennedy to re-apply and take the Master Plumber Examination. **MOTION CARRIED.**

6. **CONSTRUCTION CODE APPEALS REQUEST**

Integrated Design Inc. – Kalkaska High School new gymnasium and auditorium (phase one and two of construction) restrooms - CCC-PLBG-11-001

Mr. Travis Hongisto and Mr. Lee Sandy, superintendent of Kalkaska Schools, presented the board an appeal request to allow the use of reduced number of required plumbing fixtures for non simultaneous use in various parts of the school which will be connected during phase two of the project.

Following a review and discussion, a **MOTION** was made by Board Member Jones and supported by Board Member Howard to approve the appeal request for Kalkaska High School, new gymnasium and auditorium (phase one and two of construction) restrooms with the following conditions: A letter signed by the school authorities stating the alternate restrooms will be available for all events shall be provided, doors to remain open at all times, no simultaneous use for the gymnasium and auditorium and signs shall be posted to direct attendees to the additional available restrooms which will be verified to the chief by photographs. Further, a letter following a year of operation shall be provided providing an operational update. **MOTION CARRIED.**

7. **NEW PRODUCTS**

Highland Tank & Manufacturing Co., HT-M7 Filter Unity with Pump and Control System - BCCP-11-001

Mr. Konyndyk presented the board a product approval request from Highland Tank & Manufacturing Co., for HT-M7 Filter Unity with Pump and Control System. The applicant has requested to amend their product approval submission. He informed the board that review may take place at the March 1, 2011 board meeting.

Henderson Engineers, Inc., Siphonic Primary Roof Drainage System - BCCP-11-002

Mr. James Moss, Mr. Jay Stenklyft, Mr. Aaron Lewis, and Mr. Brad Hughes presented the board a product approval request from Henderson Engineers, Inc. for Siphonic Primary Roof Drainage System.

The board reviewed manufacturing detail and requested additional information from the manufacturer. The division will request additional information needed to complete the review. That information will be evaluated by Mr. Konyndyk and may then be forwarded to the Construction Code Commission for approval.

A **MOTION** was made by Board Member Jones and supported by Board Member Howard to forward the product to the Commission for approval following Mr. Konyndyk's evaluation. **MOTION CARRIED.**

8. CHIEF'S REPORT

Mr. Konyndyk provided information on the following issues:

1. The joint plumbing and mechanical meeting for residential sprinklers product approval took place. An earlier BCC Code Works article identified that the plumbing contractor and mechanical contractor pull the permit and licensed plumbers complete the installation for multi purpose systems.
2. There are currently 18 code update instructors for the 2009 Michigan Plumbing Code update class. There is also one online training class which has been approved.
3. With the completion of the 2009 Michigan Plumbing Code the next step is moving towards the 2012 Plumbing Code. We will begin our work with the committee for any technical amendments to the code. The 2009 residential and building code will go into effect on March 9, 2011.
4. The journey and master plumber examination will be set up differently tomorrow due to a conflict in both areas of the judging pavilion. The journey examination will be conducted away from the arena area. The master plumber examination will be conducted in a separate room under the stands.
5. Mr. Konyndyk and Ms. Aben discussed our complaint process. The bureau is researching issues and there have been several licensing complaints that have been resolved into settlement agreements. We will continue to move that process along in a prompt manner.
6. Ms. Beth Aben announced that Mr. Tom Martin, Legislative Director for DELEG is retiring. One of his staff members, Ms. Jeannine Benedict, who handles the rules process, is also retiring so in the future the bureau will be working with new employees in the rules process.
7. Ms. Beth Aben announced there will be a transitioning period while the bureau is working on replacing the 14 positions for employees who are retiring the end of this year. The current workload and budget issues will be the main operation consideration factors. The bureau is determining what positions should be filled and continue to move the requests along. Ms. Aben originally planned to retire effective January 1, 2011, but the

bureau has been granted an extension of her retirement date. Her new retirement effective date is April 1, 2011. This extension will provide the bureau with a smoother transition.

8. Mr. Irvin Poke is not sure how many positions will be approved to replace but the bureau is requesting as many as they can to get filled. The decision is department wide and not just the bureau. Mr. Poke stated that Ms. Aben has been a great advocate for the people in Michigan and has been an extremely great Deputy and will be missed.

9. **LEGISLATIVE UPDATE**

None

10. **PLUMBING INSPECTOR REGISTRATION**

Mr. Konyndyk informed the Board there were no applicants to be presented to the Construction Code Commission for acceptance as plumbing inspectors.

11. **OLD BUSINESS**

None

12. **NEW BUSINESS**

Product number 1561-PA for Elkhart Products Corporation for push connect plumbing fittings was rescinded on December 9, 2010 at the request of the manufacturer.

13. **LICENSE ACTION**

- A. The State Plumbing Board met to review the Downey Settlement Agreement. A **MOTION** was made by Board Member Jones and supported by Board Member Howard for the Robert P. Downey, d/b/a Downey's Plbg. Co. Inc., a/k/a Bob Downey Plbg. & Sewer Service, BCC Complaint No. 10-0052-P to approve the settlement agreement as written. **MOTION CARRIED.**
- B. The State Plumbing Board met to review the Supal Settlement Agreement. A **MOTION** was made by Board Member Nixon and supported by Board Member Jones for Cathy N. Supal and Ronald D. Supal, Plumb Master Inc., BCC Complaint No. 10-0024-P to approve the settlement agreement as written. **MOTION CARRIED.**

Both of the above actions will be posted on the bureau web site.

14. PUBLIC COMMENT

Ms. Cindy Maher discussed a recent mechanical inspector's opinion stated in Ann Arbor concerning the State Plumbing Act conflict of interest requirement.

The online 2009 classes are going well and applicants are still continuing to take the 2006 online update class.

15. NEXT MEETING

March 1, 2011

16. ADJOURNMENT

Chairperson Branch adjourned the meeting at 2:45 p.m. Standard Eastern Time

Approved: _____ Date: _____



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
LANSING

ANDREW S. LEVIN
ACTING DIRECTOR

STATE PLUMBING BOARD
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
BUREAU OF CONSTRUCTION CODES
Michigan State University
Agriculture and Livestock Education Pavilion
East Lansing, Michigan 48823

EXAMINATION MINUTES
December 15, 2010 and December 8, 2010
8:00 a.m. and 9:00 a.m.

MEMBERS PRESENT

Mr. Duane Branch, Chairperson
Mr. David Jones
Mr. Daniel Nixon

MEMBERS ABSENT

Mr. Mike Buday
Mr. Steve Busch
Mr. Brock Howard
Mr. Ronald Krochmalny

MICHIGAN DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH

PERSONNEL ATTENDING

Mr. Robert G. Konyndyk, Chief, Plumbing Division
Mr. Andy B. Neuman Jr., Plumbing Division
Mr. Joe Madziar, State Plumbing Inspector
Ms. Phyllis Center, State Plumbing Inspector
Mr. Mike Jastrzembowski, State Plumbing Inspector
Mr. Clarence Parks, State Plumbing Inspector

Chairperson Branch introduced the Plumbing Board members. Mr. Robert Konyndyk provided instructions to the candidates.

Fifty master applicants had been approved for the examination; 46 applicants took the examination.

Providing for Michigan's Safety in the Built Environment

BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254 • LANSING, MICHIGAN 48909
Telephone (517) 241-9330 • Fax (517) 373-8547
www.michigan.gov/dleg

DELEG is an equal opportunity employer/program.
Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.

State Plumbing Board Examination Minutes
Page 2
December 15, 2010 and December 8, 2010

One hundred and thirty four journey applicants had been approved for the examination; 125 applicants took the examination.

The Chief of the Plumbing Division, Assistant Chief of the Plumbing Division and four State Plumbing Inspectors assisted the State Plumbing Board with the examination.

Thirty eight plumbing contractor applicants had been approved for the examination; 35 applicants took the examination.

The Chief of the Plumbing Division and two proctors assisted with the examination.

Approved: _____ Date: _____

Duane Branch, Chairperson

Journey Plumber's Passed List
December 15, 2010

<u>Journey Plumber</u>	<u>Address</u>
BERRY, SAMUEL J	FLINT MI
BIANCO, ELVIS L	SAGINAW MI
BOEVE, JERAMIE L	HAMILTON MI
BOSWELL, DANIEL W	MANCHESTER MI
CAZAN, AARON J	WHITMORE LAKE MI
DIMARCO, MATTHEW J	STERLING HEIGHTS MI
EASH, STEVEN C	FREELAND MI
ESTEVA, GABRIEL J	ANN ARBOR MI
FLETCHER, JEFFREY R	MUNITH MI
GOWARD, STEPHEN E	LIVONIA MI
GROSS, TIMOTHY D	WHITMORE LAKE MI
JOHNSON, SCOTT M	SOUTHGATE MI
JONES, DOUGLAS T	MIDDLEVILLE MI
LANEHART, DUSTIN W	MANCHESTER MI
LEONARD, RANDALL A	WHITTAKER MI
MILLER, MATTHEW S	KALAMAZOO MI
PASTOOR, ERIC J	GRAND RAPIDS MI
POWELL, REX D	DEARBORN MI
RORICK, EDWARD D	TROY MI
SHEPHERD, NICHOLAS J	MILFORD MI

Journey Plumber's Passed List
December 15, 2010

Journey Plumber

Address

SLATTON, ANTHONY J

MT MORRIS MI

TERBORG, TIMOTHY L

HOPKINS MI

VARNER, MATTHEW E

ROSEVILLE MI

WALLEN, THOMAS A

WYANDOTTE MI

WAMBOLD, MATTHEW S

LINDEN MI

WENDLING, ROGER A

MONTROSE MI

WHITE, LUCUS L

BURT MI

Master Plumber's Passed List
December 15, 2010

Master Plumber

Address

CASILLAS, JEFFREY A	IONIA MI
COLLINGS, MATTHEW C	WAYNE MI
CUNNINGHAM, PETER C	PLYMOUTH MI
DEMAREST, MICHAEL W	GARDEN CITY MI
DRYKE, MICHAEL J	DULUTH MN
EICHER, ARLEN J	GOSHEN IN
GUILD, CHAD L	GRAND LEDGE MI
HART, SCOTT R	WESTLAND MI
HUDSON, JAMES H	DORR MI
KOSKELA, MARC R	CALUMET MI
LINDE, CHRISTOPHER J	HOLLAND MI
MCNAMEE, RUSSELL A	ALLEN PARK MI
MONSON, LANCE A	ORCHARD LAKE MI
MORRIS, JOSHUA M	DAVISON MI
MOTYCKA, THOMAS T	LAWTON MI
RAUPAGH, DANIEL N	ANN ARBOR MI
REYES, BRAIDEN A	HOWELL MI
STEENWYK, PAUL W	GRAND RAPIDS MI
THIER, GENE R	CENTRAL LAKE MI
WILLSON, DEAN T JR	BELLAIRE MI

Master Plumber's Passed List
December 15, 2010

Master Plumber

WILSON, SCOTT A

Address

PERRINGTON MI

Plumbing Contractor's Passed List
December 8, 2010

<u>Plumbing Contractor</u>	<u>Address</u>
BARRY, TENNISON	LANSING MI
BOLDT, JASON R	SODUS MI
BRECKEN, CRAIG K	ROCKFORD MI
CHIZEK, MATTHEW S	GRASS LAKE MI
EICHER, ARLEN J	GOSHEN IN
ELDRED, MILLARD D	BIG RAPIDS MI
FIGGINS, MICHAEL L	FOUNTAIN MI
GUTIERREZ, RICHARD D	ADRIAN MI
HOLMES, JOHN L	YPSILANTI MI
HOLUBOWICZ, DAVE	JACKSON MI
HOULE, JEFFREY M	WARREN MI
LEFEVER, LUKE J	ELKHART IN
LINDE, CHRISTOPHER J	HOLLAND MI
MILLER, HAROLD I	BAY CITY MI
MOSKOVITZ, TODD S	NOVI MI
MOTYCKA, JOHN T	MATTAWAN MI
PAULEY, PAUL A	FRASER MI
RUHL, MICHAEL G	NOVI MI
STAFFORD, BURDETTE D JR	PETOSKEY MI
SUGAR, KENNETH R	RIVERDALE MI
VANOOSTEN, MARVIN H III	WYOMING MI

Plumbing Contractor's Passed List
December 8, 2010

Plumbing Contractor

Address

WEBBER, DUKE J

WHITE LAKE MI

WEEKS, JOHN S

EATON RAPIDS MI

WILLIAMS, CLARENCE V

DETROIT MI

WOJCIK, DAVID

SHELBY TWP MI

ZIGA, BRIAN S JR

DEARBORN MI



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
LANSING

ANDREW S. LEVIN
ACTING DIRECTOR

February 8, 2011

Mr. Ali A. Ayoub
5940 Steadman
Dearborn, MI 48126

Dear Mr. Ayoub:

The Plumbing Division has received your Application for the **Journey Plumber Examination**.

The Plumbing Division is scheduling you to appear before the State Plumbing Board for consideration of your out-of-state licensing experience. The next meeting will be held on **March 1, 2011**, located at 2501 Woodlake Circle, Okemos, Michigan. Your appointment is at **10:15 a.m.**, Eastern Standard Time. A map is enclosed for your convenience.

You will be required to provide your original license issued from the **Country of Lebanon** and their licensing rules and regulations.

Pending the decision of the board, it would be advisable to be prepared for the examination to be held on **March 2, 2011**, located in East Lansing, Michigan.

If you have any further questions or are unable to attend, contact this office at (517)241-9330.

Sincerely,

A handwritten signature in black ink that reads "Robert G. Konyndyk".

Robert G. Konyndyk, Chief
Plumbing Division

RGK/mkr

Enclosure

Providing for Michigan's Safety in the Built Environment

BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254 • LANSING, MICHIGAN 48909
Telephone (517) 241-9330 • Fax (517) 373-8547
www.michigan.gov/dleg

DELEG is an equal opportunity employer/program.
Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.

Application for Journey Plumber Examination
 Michigan Department of Energy, Labor & Economic Growth
 Bureau of Construction Codes / Plumbing Division
 P.O. Box 30255, Lansing, MI 48909
 517-241-9330
 www.michigan.gov/bcc

OK 9/15/10

Examination Fee: \$100.00 (Nonrefundable)

Authority: 2002 PA 733 Completion: Necessary for examination consideration Penalty: Application cancelled and fee forfeited	DELEG is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.
---	---

Instructions: Applicant shall be at least 18 years of age and have 6,000 hours experience over a 13 years. The experience shall be under the supervision of a master plumber. **Applicant shall be a current registered Michigan.** 302 PA 733.

- Complete and sign original application. Type or print in ink.
- Master plumbers who supervised you as an apprentice must certify your dates of employment and have the are notarized.
- Enclose a check made payable to the State of Michigan.
- Mail completed application (all pages must be submitted) and payment to the address listed above.

OFFICE USE ONLY
T-82 23297

Applicant Information

NAME (Last, First, Middle) Avoub Ali Ahmad		LAST 4 DIGITS OF SOCIAL SECURITY NUMBER* XXX-XX-
HOME ADDRESS 5509 Orchard		DATE OF BIRTH
CITY Dearborn		COUNTY Wayne
STATE Michigan	ZIP CODE 48126	TELEPHONE NUMBER (include Area Code)

Current Status

1. Have you previously applied to take the Michigan journey plumber examination?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
2. Are you now licensed as a journey plumber in another state or country?	<input checked="" type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Journey Plumber License No. _____ State/Country Lebanon		
3. Are you registered as an apprentice with the State of Michigan?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Apprentice No. 83- _____		

Examination Preference

Examinations are conducted in March, June, September and December of each year. Please indicate a preference of examination date. If approved for examination, an admission card will be mailed to you approximately 10 days prior to the examination date. If the examination date you have selected is full, you will be scheduled for the next available examination.

Preferred Date _____

No Preference - Next Available Examination

If you have a disability and require an accommodation to take the examination, please submit written documentation from a professional (education professional, doctor, psychologist, psychiatrist) to certify that your disabling condition requires the requested test accommodation. Forms are available from this office.

Apprenticeship School

1. Have you attended a joint apprenticeship school? <input checked="" type="checkbox"/> Yes (complete information below) <input type="checkbox"/> No		
NAME OF SCHOOL Penn Foster	CITY Scranton	STATE PA
INSTRUCTOR Robert Shafer	DATES ATTENDED (MO/DAY/YR) From: 1-19-10 To: 7-16-10	
2. Have you attended other plumbing schools (military, adult education, etc.)? <input type="checkbox"/> Yes (complete information below) <input checked="" type="checkbox"/> No		
NAME OF SCHOOL	CITY	STATE
INSTRUCTOR	DATES ATTENDED (MO/DAY/YR) From: _____ To: _____	

*This information is confidential. Disclosure of confidential information is protected by the Federal Privacy Act.

Education

HIGH SCHOOL		COLLEGE / UNIVERSITY	
CITY	STATE	CITY	STATE
HIGHEST GRADE COMPLETED	DATE GRADUATED	MAJOR	DATE GRADUATED

Background Information

Have you been convicted of a felony or misdemeanor? Yes No

If yes, complete the Conviction History section below. Failure to accurately respond to this question will result in you forfeiting any rights of consideration for examination and issuance of a plumber's license in the state of Michigan.

Conviction History


In accordance with the Former Offenders Act, 1974 PA 381, this is to provide you with an opportunity to explain your affirmative response to the question above which asked if you had been convicted of a felony or misdemeanor.

If you are unsure of exact details, respond to the best of your knowledge. The information requested on this form is required under 2002 PA 733 and will be used to process your application. Attach additional sheet(s) if necessary.

YOUR NAME WHEN CONVICTED	
INDICATE CONVICTION(S) FOR WHICH YOU WERE CHARGED	
DATE(S) OF CONVICTION(S) AND SENTENCE(S)	
NAME AND ADDRESS OF SENTENCING COURT(S)	
CHECK YES OR NO TO THE FOLLOWING	
1. Are you a current inmate? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
2. Are you currently on probation / parole? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
If yes, provide the name, address and telephone number of the correctional facility, probation officer or parole officer.	
RELEASE DATE FROM CUSTODY, PROBATION OR PAROLE	
REHABILITATION PROGRAMS ENROLLED IN OR COMPLETED	

Conviction History Certification and Signature (To be signed only if Conviction History section above is completed)

I hereby certify the statements and facts provided are true and accurate to the best of my knowledge. By signing this form, I give my permission to allow the Bureau of Construction Codes to contact appropriate agencies regarding my record of conviction(s).

SIGNATURE OF APPLICANT 	DATE 8-19-10
---	-----------------

Experience Record

Master plumbers completing the work history information shall begin with the most recent employment and continue in reverse time order. Describe the type of work performed in detail to enable the reviewer to correctly evaluate qualifications. List each position held as an apprentice plumber. If there is a lapse in employment (military service, jobs unrelated to plumbing, unemployment, etc) please explain.

Part-Time Experience:

If the applicant has any part-time experience, or if period of employment starts before graduation from high school or while attending college, a separate sheet on company letterhead must be attached documenting exactly how many hours were worked each week during the period. The attached sheet must also be notarized and signed by the authorized master plumber including his/her license number.

Out-of-State/Country Experience

A person who is licensed as a journey plumber in another state or country may qualify for examination upon a determination by the Board that the license was obtained by the person through substantially the same or equal requirements as those of the state of Michigan. Out of state/country applicants must provide a copy of their current license with the licensing rules and regulations from that state/country. If the applicant has out-of-state/country experience, but not licensed, the applicant must provide a license certification letter from that state's licensing entity to verify their employer held a license as a plumbing contractor during their employment.

Present Employer - This section is to be completed by the master plumber supervising the applicant

NAME OF EMPLOYER KENNETH S. MITAL PLBG			NAME OF MASTER PLUMBER KENNETH S MITAL		
BUSINESS ADDRESS 7148 N. GULLEY			DATES OF APPRENTICE'S EMPLOYMENT (MO/DAY/YR) From: 5-25-05 To: PRESENT		
CITY DEARBORN HTS	STATE MI	ZIP CODE 48127	<input type="checkbox"/> Full Time <input checked="" type="checkbox"/> Part Time No. Hours/Week _____		
TYPE OF WORK PERFORMED <input checked="" type="checkbox"/> Residential <input type="checkbox"/> Heavy Construction <input checked="" type="checkbox"/> Industrial <input checked="" type="checkbox"/> Commercial <input type="checkbox"/> Maintenance <input type="checkbox"/> Repair					
DESCRIPTION OF WORK ALL TYPES OF PLUMBING WORK FROM RESIDENTIAL TO LIGHT COMMERCIAL					
I certify I am/was engaged in the business of being an authorized master plumber and the applicant was actually in my employ as an apprentice whose principal occupation was engaged in learning and assisting in the practical installation of plumbing drainage. I further understand falsification of any statement is cause for rejection of application or revocation of license, if issued.			Subscribed and sworn before me, Barbara B. Johnson this 19th day of August , 2010 a Notary Public and for Wayne County, Michigan.		
SIGNATURE OF MASTER PLUMBER Kenneth S. Mital			Signature of Notary Public Barbara B. Johnson		
LICENSE NUMBER 8001656 8107826			My Commission expires: 6-10-2010		

54

BARBARA B. JOHNSON
 NOTARY PUBLIC, STATE OF MI
 COUNTY OF WAYNE
 MY COMMISSION EXPIRES Jun 10, 2012
 ACTING IN COUNTY OF **Wayne**



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
LANSING

ANDREW S. LEVIN
ACTING DIRECTOR

February 8, 2011

Mr. Richard J. Drouillard
6897 Haymarket Street
Shelby Twp., MI 48317

Dear Mr. Drouillard:

This letter is in regards to your Application for **Journey Plumber Examination**.

The Plumbing Division is scheduling you to appear before the State Plumbing Board for consideration of your out-of-country experience. The next meeting will be held on **March 1, 2011**, at the Department of Energy, Labor & Economic Growth, Bureau of Construction Codes, 2501 Woodlake Circle, Okemos, Michigan. Your appointment is at **10:30** Eastern Standard Time. A map is enclosed for your convenience.

You will be required to provide a license certification letter from **Ontario/Canada's** licensing board to verify when you were issued your license, how long you held the license, and their licensing rules and regulations. Please bring any other documentation that would be helpful for the board to determine if you meet the same requirements as the State of Michigan.

Pending the decision of the board, it would be advisable to be equipped with material and tools for the examination to be held on **March 2, 2011**, located in East Lansing, Michigan.

If you have any questions, contact this office at (517) 241-9330.

Sincerely,

A handwritten signature in black ink that reads "Robert G. Konyndyk".

Robert G. Konyndyk, Chief
Plumbing Division

RGK/mkr

Enclosure

Providing for Michigan's Safety in the Built Environment

BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254 • LANSING, MICHIGAN 48909
Telephone (517) 241-9330 • Fax (517) 373-8547
www.michigan.gov/dleg

DELEG is an equal opportunity employer/program.
Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.

OK
1/31/11
MS

Application for Journey Plumber Examination
 Michigan Department of Energy, Labor & Economic Growth
 Bureau of Construction Codes / Plumbing Division
 P.O. Box 30255, Lansing, MI 48909
 517-241-9330

www.michigan.gov/bcc

Examination Fee: \$100.00 (Nonrefundable)

Authority: 2002 PA 733 Completion: Necessary for examination consideration Penalty: Application cancelled and fee forfeited	DELEG is an equal opportunity employer to individuals with disabilities.	Out of State Experience Country	quest shall
---	--	---	----------------

Instructions: Applicant shall be at least 18 years of age and have 6,000 h be under the supervision of a master plumber. **Applicant shall be a current**

- Complete and sign original application. Type or print in ink.
- Master plumbers who supervised you as an apprentice must certify your dates of employment and have their signature notarized.
- Enclose a check made payable to the State of Michigan.
- Mail completed application (all pages must be submitted) and payment to the address listed above.

OFFICE USE ONLY T-82 23379

Applicant Information

NAME (Last, First, Middle)		LAST 4 DIGITS OF SOCIAL SECURITY NUMBER*
Drouillard, Richard, Jeffrey		XXX-XX-
HOME ADDRESS		DATE OF BIRTH
6897 Haymarket Street		
CITY		COUNTY
Shelby Twp		Canada SO Macomb
STATE	ZIP CODE	TELEPHONE NUMBER (Include Area Code)
Michigan	48317	

Current Status

1. Have you previously applied to take the Michigan journey plumber examination?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
2. Are you now licensed as a journey plumber in another state or country?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Journey Plumber License No. <u>306A-347011</u> State/Country <u>Ontario/Canada</u>		
3. Are you registered as an apprentice with the State of Michigan?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Apprentice No. 83- _____		

Examination Preference

Examinations are conducted in March, June, September and December of each year. Please indicate a preference of examination date. If approved for examination, an admission card will be mailed to you approximately 10 days prior to the examination date. If the examination date you have selected is full, you will be scheduled for the next available examination.

Preferred Date _____

No Preference - Next Available Examination

Tran Info: 95 16479568-1 01/18/11
 Chk#: 213 Amt: \$100.00
 ID: RICHARD DROUILLARD

If you have a disability and require an accommodation to take the examination, please submit written documentation from a professional (education professional, doctor, psychologist, psychiatrist) to certify that your disabling condition requires the requested test accommodation. Forms are available from this office.

Apprenticeship School

1. Have you attended a joint apprenticeship school? <input checked="" type="checkbox"/> Yes (complete information below) <input type="checkbox"/> No		
NAME OF SCHOOL	CITY	STATE
St. Clair College	Windsor	Ontario
INSTRUCTOR	DATES ATTENDED (MO/DAY/YR)	
Kelly Robinson	From: 03/01/92 To: 03/01/96	
2. Have you attended other plumbing schools (military, adult education, etc.)? <input type="checkbox"/> Yes (complete information below) <input checked="" type="checkbox"/> No		
NAME OF SCHOOL	CITY	STATE
INSTRUCTOR	DATES ATTENDED (MO/DAY/YR)	
	From: To:	

*This information is confidential. Disclosure of confidential information is protected by the Federal Privacy Act.

Education

HIGH SCHOOL St. Anne's High School		COLLEGE / UNIVERSITY	
CITY Tecumseh	STATE Ontario	CITY	STATE
HIGHEST GRADE COMPLETED 12	DATE GRADUATED 06/1985	MAJOR	DATE GRADUATED

Background Information

Have you been convicted of a felony or misdemeanor? Yes No

If yes, complete the Conviction History section below. Failure to accurately respond to this question will result in you forfeiting any rights of consideration for examination and issuance of a plumber's license in the state of Michigan.

Conviction History

In accordance with the Former Offenders Act, 1974 PA 381, this is to provide you with an opportunity to explain your affirmative response to the question above which asked if you had been convicted of a felony or misdemeanor.

If you are unsure of exact details, respond to the best of your knowledge. The information requested on this form is required under 2002 PA 733 and will be used to process your application. Attach additional sheet(s) if necessary.

YOUR NAME WHEN CONVICTED
INDICATE CONVICTION(S) FOR WHICH YOU WERE CHARGED
DATE(S) OF CONVICTION(S) AND SENTENCE(S)
NAME AND ADDRESS OF SENTENCING COURT(S)
CHECK YES OR NO TO THE FOLLOWING 1. Are you a current inmate? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 2. Are you currently on probation / parole? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, provide the name, address and telephone number of the correctional facility, probation officer or parole officer.
RELEASE DATE FROM CUSTODY, PROBATION OR PAROLE
REHABILITATION PROGRAMS ENROLLED IN OR COMPLETED

Conviction History Certification and Signature (To be signed only if Conviction History section above is completed)

I hereby certify the statements and facts provided are true and accurate to the best of my knowledge. By signing this form, I give my permission to allow the Bureau of Construction Codes to contact appropriate agencies regarding my record of conviction(s).

SIGNATURE OF APPLICANT 	DATE Jan 13/2011
---	---------------------

Previous Employer - This section is to be completed by the master plumber who supervised the applicant

NAME OF EMPLOYER			NAME OF MASTER PLUMBER		
BUSINESS ADDRESS			DATES OF APPRENTICE'S EMPLOYMENT (MO/DAY/YR)		
CITY	STATE	ZIP CODE	From:	To:	
			<input type="checkbox"/> Full Time <input type="checkbox"/> Part Time No. Hours/Week _____		
TYPE OF WORK PERFORMED					
<input type="checkbox"/> Residential <input type="checkbox"/> Heavy Construction <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Maintenance <input type="checkbox"/> Repair					
DESCRIPTION OF WORK					
I certify I am/was engaged in the business of being an authorized master plumber and the applicant was actually in my employ as an apprentice whose principal occupation was engaged in learning and assisting in the practical installation of plumbing drainage. I further understand falsification of any statement is cause for rejection of application or revocation of license, if issued.			Subscribed and sworn before me, _____ this _____ day of _____, a Notary Public in and for _____ County, Michigan.		
SIGNATURE OF MASTER PLUMBER			Signature of Notary Public _____		
LICENSE NUMBER			My Commission expires: _____		

Previous Employer - This section is to be completed by the master plumber who supervised the applicant

NAME OF EMPLOYER			NAME OF MASTER PLUMBER		
BUSINESS ADDRESS			DATES OF APPRENTICE'S EMPLOYMENT (MO/DAY/YR)		
CITY	STATE	ZIP CODE	From:	To:	
			<input type="checkbox"/> Full Time <input type="checkbox"/> Part Time No. Hours/Week _____		
TYPE OF WORK PERFORMED					
<input type="checkbox"/> Residential <input type="checkbox"/> Heavy Construction <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Maintenance <input type="checkbox"/> Repair					
DESCRIPTION OF WORK					
I certify I am/was engaged in the business of being an authorized master plumber and the applicant was actually in my employ as an apprentice whose principal occupation was engaged in learning and assisting in the practical installation of plumbing drainage. I further understand falsification of any statement is cause for rejection of application or revocation of license, if issued.			Subscribed and sworn before me, _____ this _____ day of _____, a Notary Public in and for _____ County, Michigan.		
SIGNATURE OF MASTER PLUMBER			Signature of Notary Public _____		
LICENSE NUMBER			My Commission expires: _____		

Certification and Signature (Must be signed by all applicants)

I certify the information provided is true and accurate to the best of my ability and that I have the experience required for this examination. I further understand falsification of any statement is cause for rejection of application or revocation of license, if issued.	
SIGNATURE OF APPLICANT	DATE

Experience Record

Master plumbers completing the work history information shall begin with the most recent employment and continue in reverse time order. Describe the type of work performed in detail to enable the reviewer to correctly evaluate qualifications. List each position held as an apprentice plumber. If there is a lapse in employment (military service, jobs unrelated to plumbing, unemployment, etc) please explain.

Part-Time Experience

If the applicant has any part-time experience, or if period of employment starts before graduation from high school or while attending college, a separate sheet on company letterhead must be attached documenting exactly how many hours were worked each week during the period. The attached sheet must also be notarized and signed by the authorized master plumber including his/her license number.

Out-of-State/Country Experience

A person **who is licensed** as a journey plumber in another state or country may qualify for examination upon a determination by the Board that the license was obtained by the person through substantially the same or equal requirements as those of the state of Michigan. Out of state/country applicants must provide a copy of their current license with the licensing rules and regulations from that state/country. If the applicant has out-of-state/country experience, **but not licensed**, the applicant must provide a license certification letter from that state's licensing entity to verify their employer held a license as a plumbing contractor during their employment.

Present Employer - This section is to be completed by the master plumber supervising the applicant

NAME OF EMPLOYER			NAME OF MASTER PLUMBER		
BUSINESS ADDRESS			DATES OF APPRENTICE'S EMPLOYMENT (MO/DAY/YR)		
CITY	STATE	ZIP CODE	From:	To:	
			<input type="checkbox"/> Full Time	<input type="checkbox"/> Part Time	No. Hours/Week _____
TYPE OF WORK PERFORMED					
<input type="checkbox"/> Residential <input type="checkbox"/> Heavy Construction <input type="checkbox"/> Industrial <input type="checkbox"/> Commercial <input type="checkbox"/> Maintenance <input type="checkbox"/> Repair					
DESCRIPTION OF WORK:					
I certify I am/was engaged in the business of being an authorized master plumber and the applicant was actually in my employ as an apprentice whose principal occupation was engaged in learning and assisting in the practical installation of plumbing drainage. I further understand falsification of any statement is cause for rejection of application or revocation of license, if issued.			Subscribed and sworn before me, _____ this _____ day of _____, a Notary Public in and for _____ County, Michigan.		
SIGNATURE OF MASTER PLUMBER			Signature of Notary Public _____		
LICENSE NUMBER			My Commission expires: _____		



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
LANSING

ANDREW S. LEVIN
ACTING DIRECTOR

February 8, 2011

Mr. John F. Jacob
515 E. High St.
Defiance, Ohio 43512

Dear Mr. Jacob:

The Plumbing Division has received your Application for the **Master Plumber Examination**.

The Plumbing Division is scheduling you to appear before the State Plumbing Board for consideration of your out-of-state licensing experience. The next meeting will be held on **March 1, 2011**, located at 2501 Woodlake Circle, Okemos, Michigan. Your appointment is at **10:45**, Eastern Standard Time. A map is enclosed for your convenience.

You will be required to provide your original license issued from the **State of Ohio** and their licensing rules and regulations.

Pending the decision of the board, it would be advisable to be prepared for the examination to be held on **March 2, 2011**, located in East Lansing, Michigan.

If you have any further questions or are unable to attend, contact this office at (517) 241-9330.

Sincerely,

A handwritten signature in cursive script that reads "Robert G. Konyndyk".

Robert G. Konyndyk, Chief
Plumbing Division

RGK/mkr

Enclosure

Providing for Michigan's Safety in the Built Environment

BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254 • LANSING, MICHIGAN 48909
Telephone (517) 241-9330 • Fax (517) 373-8547
www.michigan.gov/dleg

DELEG is an equal opportunity employer/program.
Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.

OK
1/24/17
JTB

Application for Master Plumber Examination
Michigan Department of Energy, Labor & Economic Growth
Bureau of Construction Codes / Plumbing Division
P.O. Box 30255, Lansing, MI 48909
517-241-9330
www.michigan.gov/bcc

Trans Info: 92 16377991-1 12/15/17
CHW#: 42143 Amt: \$100.00 ✓
ID: FITZGERALD INC

Examination Fee: \$100.00 (Nonrefundable)

Authority: 2002 PA 733	DELEG is an equal opportunity employer to individuals with disabilities.	Out of State Experience
Completion: Necessary for examination consideration		
Penalty: Application cancelled and fee forfeited		

Instructions: Applicant shall be at least 18 years of age, hold a journeymen license or 4,000 hours experience in work as a journey plumber over a period of at least 2 years immediately preceding the date of application.

- Complete and **sign original application**. Type or print in ink.
- Master plumbers who supervised you as a journey plumber must certify your dates of employment and have their signature notarized.
- Enclose a check made payable to the **State of Michigan**.
- Mail completed application (**all pages must be submitted**) and payment to the address listed above.

Eligibility of Applicants From Another State or Country

A person who is licensed as a master plumber in another state or country may qualify for examination upon a determination by the board that the license was obtained by the person through substantially the same or equal requirements as those of the state of Michigan. Out-of-state/country applicants must provide a copy of their current license with the licensing rules and regulations from that state/country.

		OFFICE USE ONLY T-81 / 26/17
Applicant Information		LAST 4 DIGITS OF SOCIAL SECURITY NUMBER*
NAME (Last, First, Middle) Jacob, John F.		XXX-XX-XXXX
HOME ADDRESS 515 E. High St.		DATE OF BIRTH
CITY Defiance		COUNTY Defiance
STATE Ohio	ZIP CODE 43512	TELEPHONE NUMBER (Include Area Code)

Current Status

1. Have you previously applied to take the Michigan master plumber examination?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
2. Have you been licensed as a journey plumber in Michigan? Journey Plumber License No. 82- _____	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
3. Are you licensed as a master plumber in another state or country? Master Plumber License No. 12240 _____ State/Country <u>Ohio</u>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No

Examination Preference

Examinations are conducted in March, June, September and December of each year. Please indicate a preference of examination date. If approved for examination, an admission card will be mailed to you approximately 10 days prior to the examination date. If the examination date you have selected is full, you will be scheduled for the next available examination.

Preferred Date _____ No Preference - Next Available Examination

If you have a disability and require an accommodation to take the examination, please submit written documentation from a professional (education professional, doctor, psychologist, psychiatrist) to certify that your disabling condition requires the requested test accommodation. Forms are available from this office.

*This information is confidential. Disclosure of confidential information is protected by the Federal Privacy Act.

Background Information

Have you been convicted of a felony or misdemeanor? Yes No

If yes, complete the Conviction History section below. Failure to accurately respond to this question will result in you forfeiting any rights of consideration for examination and issuance of a plumber's license in the state of Michigan.

Conviction History

In accordance with the Former Offenders Act, 1974 PA 381, this is to provide you with an opportunity to explain your affirmative response to the question above which asked if you had been convicted of a felony or misdemeanor.

If you are unsure of exact details, respond to the best of your knowledge. The information requested on this form is required under 2002 PA 733 and will be used to process your application. Attach additional sheet(s) if necessary.

YOUR NAME WHEN CONVICTED	
INDICATE CONVICTION(S) FOR WHICH YOU WERE CHARGED	
DATE(S) OF CONVICTION(S) AND SENTENCE(S)	
NAME AND ADDRESS OF SENTENCING COURT(S)	
<p>CHECK YES OR NO TO THE FOLLOWING</p> <p>1. Are you a current inmate? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>2. Are you currently on probation / parole? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>If yes, provide the name, address and telephone number of the correctional facility, probation officer or parole officer.</p>	
RELEASE DATE FROM CUSTODY, PROBATION OR PAROLE	
REHABILITATION PROGRAMS ENROLLED IN OR COMPLETED	

Conviction History Certification and Signature (To be signed only if Conviction History section above is completed)

I hereby certify the statements and facts provided are true and accurate to the best of my knowledge. By signing this form, I give my permission to allow the Bureau of Construction Codes to contact appropriate agencies regarding my record of conviction(s).

SIGNATURE OF APPLICANT	DATE
------------------------	------



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
LANSING

ANDREW S. LEVIN
ACTING DIRECTOR

February 8, 2011

Mr. Scott P. Brendel
2431 Porter Rd.
White Lake, MI 48383

Dear Mr. Brendel:

I am writing in response to your appeal requesting to appear before the State Plumbing Board in the matter of a denial for Application for **Master Plumber Examination**.

The Plumbing Division is scheduling you to appear before the board at the next scheduled meeting. That meeting will be held on **March 1, 2011**, at the Michigan Department of Energy, Labor & Economic Growth, Bureau of Construction Codes, 2501 Woodlake Circle, Conference Room No. 3, Okemos, Michigan. Your appointment is at **11:00 a.m.**, Eastern Standard time. A map is enclosed for your convenience.

Upon completion of the board's review, the applicant shall be informed of the board's decision. Applicants approved by the board shall be required to reapply for **application for re-examinations** by use of the proper form and fee. Applicants denied by the board will be informed of the appeal process methodology.

If you have any questions or are unable to attend, contact this division at (517) 241-9330.

Sincerely,

A handwritten signature in cursive script that reads 'Robert G. Konyndyk'.

Robert G. Konyndyk, Chief
Plumbing Division

RGK/mkr

Enclosure

Providing for Michigan's Safety in the Built Environment

BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254 • LANSING, MICHIGAN 48909
Telephone (517) 241-9330 • Fax (517) 373-8547
www.michigan.gov/dleg

DELEG is an equal opportunity employer/program.
Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
LANSING

ANDREW S. LEVIN
ACTING DIRECTOR

February 9, 2011

Mr. Robert Gabrish
18845 Parklane
Livonia, MI 48152

Dear Mr. Gabrish:

The Plumbing Division has received your letter dated January 7, 2011 so we are scheduling you to appear before the State Plumbing Board per your request. At that time they will discuss our June 11, 2010 letter to you denying you to take the Master Plumber Examination. The next meeting will be held on **March 1, 2011**, located at 2501 Woodlake Circle, Okemos, Michigan. Your appointment is at **11:15**, Eastern Standard Time. A map is enclosed for your convenience.

Our records indicate that your license expired on April 30, 2009. Your Journey Plumber's license was reinstated on June 24, 2010. As your license lapsed April 30, 2009 through June 24, 2010, you will not be eligible to apply for your Master Plumber's Examination until after **June 24, 2012**.

Act 733, Section 23, (1), (d) requires an applicant for the masters test to hold a journey license and gain 4000 hours experience in work as a journey plumber over a period of not less than 2 years immediately preceding the date of their application.

If you have any further questions or are unable to attend, contact this office at (517)241-9330.

Sincerely,

Robert G. Konyndyk, Chief
Plumbing Division

RGK/mkr

Enclosure

Providing for Michigan's Safety in the Built Environment

BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254 • LANSING, MICHIGAN 48909
Telephone (517) 241-9330 • Fax (517) 373-8547
www.michigan.gov/dleg

DELEG is an equal opportunity employer/program.
Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.




RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
LANSING

ANDREW S. LEVIN
ACTING DIRECTOR

February 23, 2011

TO: Members of the State Plumbing Board

FROM: Robert G. Konyndyk, Chief, Plumbing Division 

SUBJECT: Construction Code Appeal Request for St. Johns High School – Football Field
CCC-PLBG-11-002

APPLICANT REPRESENTATIVE:

Mr. Daniel F. Tryles
Kingscott Associates Inc.
229 East Michigan Ave.
Suite 335
Kalamazoo, Michigan 49007

PROJECT:

St. Johns High School - Football Field
501 West Sickels Street
St. Johns, Michigan

AUTHORITY:

Section 15 of 1972 PA 230 being section 125.1515 of the Michigan Compiled Laws.

APPEAL REQUEST:

Allow the use of reduced number of required plumbing fixtures based upon an occupant load of 3,000 rather than the identified 4,000.

Providing for Michigan's Safety in the Built Environment

BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254 • LANSING, MICHIGAN 48909
Telephone (517) 241-9330 • Fax (517) 373-8547
www.michigan.gov/dleg

DELEG is an equal opportunity employer/program.
Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.

APPLICABLE CODE SECTION:

Table 403.1

ADDITIONAL FACTS:

They would have sufficient fixtures if the occupant load was based upon 3,000 rather than the 4,000.

RECOMMENDATION:

Staff does not have a recommend prior to the designer's testimony to the board.

RGK/mkr

**MICHIGAN STATE PLUMBING BOARD
BUREAU OF CONSTRUCTION CODES**
2501 Woodlake Circle
Okemos, Michigan 48864

Appeal Docket No.
CCC-PLBG-11-002

Petitioner, Mr. Daniel F. Tryles, Kingscott Associates Inc., 229 East Michigan Ave., Suite 335, Kalamazoo, Michigan 49007 for St. Johns High School – Football Field, 501 West Sickels Street, St. Johns, Michigan.

vs

Respondent, Michigan Department of Energy, Labor and Economic Growth, Bureau of Construction Codes

NOTICE OF HEARING

Date: March 1, 2011
Time: 11:30 a.m. Eastern Standard Time
Location: 2501 Woodlake Circle, Conference Room #3, Okemos, Michigan

Pursuant to the authority contained in Section 16 of 1972 PA 230, the Stille-DeRossett-Hale Single State Construction Code Act (MCLA 125.1516).

A Hearing will be held in response to the request of Mr. Daniel F. Tryles, Kingscott Associates Inc., 229 East Michigan Ave., Suite 335, Kalamazoo, Michigan 49007 for St. Johns High School – Football Field, 501 West Sickels Street, St. Johns, Michigan to appeal for relief from the requirements of Section 403.1 of the Michigan Plumbing Code.


Exhibits:

Exhibit A Copy of the application received from Mr. Tryles dated February 7, 2011.

MICHIGAN STATE PLUMBING BOARD



Robert G. Konyndyk, Chief of Plumbing Division



Date

Appeal Docket No.
CCC-PLBG-11-002

NOTE

The parties shall be given an opportunity to present oral and written arguments on issues of law and policy and an opportunity to present evidence and arguments on issues of fact.

Parties are expected to be prepared to present all competent evidence on all disputed issues. If a necessary witness will not appear voluntarily at this hearing, parties are entitled to subpoenas compelling their attendance and subpoenas duces tecum for submission of documentary evidence. A request for same must be made with the Bureau at the above address, Attention: Chief of Plumbing Division.

All proceedings shall be conducted in accordance with procedures applicable to the trial of contested cases under 1969 PA 306, being the Administrative Procedures Act of 1969.

A CONSTRUCTION CODE APPEAL WILL BE GRANTED ONLY UPON A SHOWING OF GOOD CAUSE.

EXHIBIT A - MR. DANIEL F. TRYLES, KINGSCOTT ASSOCIATES INC., 229 EAST MICHIGAN AVE., SUITE 335, KALAMAZOO, MICHIGAN 49007 FOR ST. JOHNS HIGH SCHOOL – FOOTBALL FIELD, 501 WEST SICKELS STREET, ST. JOHNS, MICHIGAN.



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
LANSING

ANDREW S. LEVIN
ACTING DIRECTOR

February 23, 2011

Mr. Daniel F. Tryles
Kingscott Associates Inc.
229 East Michigan Ave.
Suite 335
Kalamazoo, Michigan 49007

Dear Mr. Tryles:

Attached is a Notice of Hearing regarding an appeal from the requirements of Section 403.1, of the Michigan Plumbing Code, for St. Johns High School – Football Field.

This hearing is in response to your request to appeal for relief from the requirements of the above referenced code section.

Please be prepared to address the board's concerns and provide any information which will aid in their decision. Addressing the following matters will further aid the board and your office in this matter:

1. What type of alternative solutions would you propose as offered in your correspondence?
2. Are there any other schools within close proximity to the field?
3. Where will the team room be relocated?

If you have any further questions prior to the meeting, please contact me at (517) 241-9330.

Sincerely,

A handwritten signature in black ink that reads "Robert G. Konyndyk".

Robert G. Konyndyk, Chief
Plumbing Division

RGK/mkr

Providing for Michigan's Safety in the Built Environment

BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254 • LANSING, MICHIGAN 48909
Telephone (517) 241-9330 • Fax (517) 373-8547
www.michigan.gov/dleg

DELEG is an equal opportunity employer/program.
Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.



February 7, 2011

Mr. Robert Konyndyk, Chief
State of Michigan, Plumbing Division
2501 Woodlake Circle
Okemos, Michigan 48864

RE: St. Johns High School - Football Field Improvements
St. Johns High School
St. Johns, Michigan
2698-02 AF

Dear Mr. Konyndyk,

On behalf of St. Johns Public Schools, I am writing you this letter in an effort to reduce the number of lavatories, water closets, and drinking fountains required at their proposed **Football Field Improvements** project.

The existing St. Johns High School football facility seats 2600. The proposed improvements will increase the grandstand seating capacity to 4000 (3000 on the home side and 1000 on the visitor side). 2009 Michigan Plumbing Code, Table 403.1 indicates the following is required for Occupancy type A-5:

TOTAL FIXTURES REQUIRED:

Women: ¹⁴ ~~47~~ (~~46~~) water closets, (~~13~~) sinks, and (~~2~~) drinking fountains
Men: ⁴ ~~25~~ (~~24~~) water closets, (~~10~~) sinks, and (~~2~~) drinking fountains,
(1) service sink

The existing athletic stadium facility has the following plumbing fixtures currently available for the public's use:

Existing Team & Toilet Room Building:

Women: (4) water closets, (2) sinks
Men: (2) water closets, (2) urinals, (2) sinks

Existing City Park Toilet Building:

Women: (4) water closets, (3) sinks
Men: (2) water closets, (2) urinals, (3) sinks

TOTAL EXISTING:

Women: (8) water closets, (5) sinks
Men: (4) water closets, (4) urinals, (5) sinks

The Football Field Improvements project will completely remodel the existing Team Room & Toilet Room structure. The existing City Park Toilet Building will remain accessible for use on game nights. Upon completion, the new facility (as proposed) will have the following plumbing fixtures:

New (Remodeled) Toilet Room Building:

Women: (24) water closets, (8) sinks, (2) drinking fountains, (1) service sink

Men: (5) water closets, (8) urinals, (5) sinks, (2) drinking fountains, (1) service sink

Existing City Park Toilet Building:

Women: (4) water closets, (3) sinks

Men: (2) water closets, (2) urinals, (3) sinks

TOTAL PROPOSED:

Women: (28) water closets, (11) sinks, (2) drinking fountains

Men: (7) water closets, (10) urinals, (8) sinks, (2) drinking fountains, (1) service sink

This is a significant plumbing fixture upgrade at a manageable cost to the district. To provide the amount of new plumbing fixtures required by the plumbing code would be financially prohibitive for the district from both an initial construction cost and an annual operational and maintenance cost perspective.


In addition, St. Johns Public Schools has indicated the average attendance for home football games in the last five years is around 2600 participants seated in the bleachers and 300-400 participants standing in various locations around the field for a total of 2900 to 3000 spectators. It is anticipated the average attendance will remain consistent upon completion of the proposed improvements.

The district is agreeable to alternative solutions for access to plumbing fixtures during unusually high attendance events.

A site plan and floor plans of the existing and proposed toilet room facilities are attached for your review. Please consider the above factors and grant us a variance so our project can proceed as proposed. Thank you for your time and consideration.

Sincerely,

KINGSCOTT ASSOCIATES INC

A handwritten signature in black ink, appearing to read "Daniel F. Tryles". The signature is written in a cursive style with a large initial "D" and "T".

Daniel F. Tryles, AIA
Project Director

C: Ken Ladouceur – St. Johns Public Schools
Ted Ryskamp – Clark Construction
AE file

2009 Michigan Plumbing Code

Table 403.1 - Minimum number of Plumbing Fixtures

Occupancy A-5
 Bleacher Capacity 4000

Plumbing Fixture Type	Total Required		Total Available	
	Male	Female	Male	Female
Water Closets	24	46	17	28
Lavatories	10	13	8	11
Drinking Fountains	2	2	2	2
Service Sinks	1	0	1	0

New Fixtures Proposed	Male	Female
Water Closets	13	24
Lavatories	5	8
Drinking Fountains	2	2
Service Sinks	1	0

Existing Fixtures to Remain	Male	Female
Water Closets	4	4
Lavatories	3	3
Drinking Fountains	0	0
Service Sinks	0	0



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
LANSING

ANDREW S. LEVIN
ACTING DIRECTOR

February 23, 2011

TO: Members of the State Plumbing Board

FROM: Robert G. Konyndyk, Chief, Plumbing Division 

SUBJECT: Construction Code Appeal Request for Grand River Preparatory Academy, High School Addition of New Gymnasium and Supporting Rooms, CCC-PLBG-11-003

APPLICANT REPRESENTATIVE:

Mr. Darrel DeHaan
Integrated Architecture
4090 Lake Drive SE
Grand Rapids, Michigan

PROJECT:

Grand River Preparatory Academy
642 52nd Street
Kentwood, Michigan

High School Addition of New Gymnasium and Supporting Rooms

AUTHORITY:

Section 15 of 1972 PA 230 being section 125.1515 of the Michigan Compiled Laws.

APPEAL REQUEST:

Allow the use of reduced number of required plumbing fixtures based upon access to classroom restroom in non-simultaneous use group situations.

Providing for Michigan's Safety in the Built Environment

BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254 • LANSING, MICHIGAN 48909
Telephone (517) 241-9330 • Fax (517) 373-8547
www.michigan.gov/dleg

DELEG is an equal opportunity employer/program.
Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.

APPLICABLE CODE SECTION:

Table 403.1

ADDITIONAL FACTS:

The previous simultaneous use considerations only addressed the new gymnasium and the school class room functions. My concerns are greater such as a deficiency of fixtures when separate unrelated group occupants would be in all of the following areas:

- D. Classroom settings
- E. Existing gymnasium
- F. New gymnasium

Having all areas occupied will pose greater deficiencies than previously identified.

RECOMMENDATION:

Staff does not have a recommend prior to the designer's testimony to the board and assurances of signage and non-simultaneous use documentation.

RGK/m:kr

**MICHIGAN STATE PLUMBING BOARD
BUREAU OF CONSTRUCTION CODES**
2501 Woodlake Circle
Okemos, Michigan 48864

Appeal Docket No.
CCC-PLBG-11-003

Petitioner, Mr. Darrel DeHaan, Integrated Architecture, 4090 Lake Drive SE, Grand Rapids, Michigan 49546 for Grand River Preparatory Academy, 642 52nd Street, Kentwood, Michigan, High School Addition of New Gymnasium and Supporting Rooms.

vs

Respondent, Michigan Department of Energy, Labor and Economic Growth, Bureau of Construction Codes

NOTICE OF HEARING

Date: March 1, 2011
Time: 11:45 a.m. Eastern Standard Time
Location: 2501 Woodlake Circle, Conference Room #3, Okemos, Michigan

Pursuant to the authority contained in Section 16 of 1972 PA 230, the Stille-DeRossett-Hale Single State Construction Code Act (MCLA 125.1516).

A Hearing will be held in response to the request of Mr. Darrel DeHaan, Integrated Architecture, 4090 Lake Drive SE, Grand Rapids, Michigan 49546 for Grand River Preparatory Academy, 642 52nd Street, Kentwood, Michigan, High School Addition of New Gymnasium and Supporting Rooms to appeal for relief from the requirements of Section 403.1 of the Michigan Plumbing Code.


Exhibits:

Exhibit A Copy of the application received from Mr. DeHaan dated February 18, 2011.

MICHIGAN STATE PLUMBING BOARD



Robert G. Konyndyk, Chief of Plumbing Division



Date

Appeal Docket No.
CCC-PLBG-11-003

NOTE

The parties shall be given an opportunity to present oral and written arguments on issues of law and policy and an opportunity to present evidence and arguments on issues of fact.

Parties are expected to be prepared to present all competent evidence on all disputed issues. If a necessary witness will not appear voluntarily at this hearing, parties are entitled to subpoenas compelling their attendance and subpoenas duces tecum for submission of documentary evidence. A request for same must be made with the Bureau at the above address, Attention: Chief of Plumbing Division.

All proceedings shall be conducted in accordance with procedures applicable to the trial of contested cases under 1969 PA 306, being the Administrative Procedures Act of 1969.

A CONSTRUCTION CODE APPEAL WILL BE GRANTED ONLY UPON A SHOWING OF GOOD CAUSE.

EXHIBIT A - MR. DARREL DEHAAN, INTEGRATED ARCHITECTURE, 4090 LAKE DRIVE SE, GRAND RAPIDS, MICHIGAN 49546 FOR GRAND RIVER PREPARATORY ACADEMY, 642 52ND STREET, KENTWOOD, MICHIGAN, HIGH SCHOOL ADDITION OF NEW GYMNASIUM AND SUPPORTING ROOMS.



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
LANSING

ANDREW S. LEVIN
ACTING DIRECTOR

February 23, 2011

Mr. Darrel DeHaan
Integrated Architecture
4090 Lake Drive SE
Grand Rapids, Michigan 49546

Dear Mr. DeHaan:

Attached is a Notice of Hearing regarding an appeal from the requirements of Section 403.1, of the Michigan Plumbing Code, for Grand River Preparatory Academy, High School Addition of New Gymnasium and Supporting Rooms.

This hearing is in response to your request to appeal for relief from the requirements of the above referenced code section.

Please be prepared to address the board's concerns and provide any information which will aid in their decision. Addressing the following matters will further aid the board and your office in this matter:

1. What is the status of construction?
2. Provide a site plan for the proposed and existing structure.
3. What type of assurance will school administrators provide regarding the expressed simultaneous use issues?
4. The previous simultaneous use considerations only addressed the new gymnasium and the school class room functions. My concerns are greater such as a deficiency of fixtures when separate unrelated group occupants would be in all of the following areas:
 - A. Classroom settings
 - B. Existing gymnasium
 - C. New gymnasium

Having all areas occupied will pose greater deficiencies than previously identified. Please be prepared to clarify this matter to the board.

If you have any further questions prior to the meeting, please contact me at (517) 241-9330.

Sincerely,

Robert G. Konyndyk, Chief
Plumbing Division

RGK/mkr

Providing for Michigan's Safety in the Built Environment

BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254 • LANSING, MICHIGAN 48909
Telephone (517) 241-9330 • Fax (517) 373-8547
www.michigan.gov/dleg

DELEG is an equal opportunity employer/program.
Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.



18 February 2011

Mr. Robert Konyndyk,
Chief Plumbing Inspector – Plumbing Division
Bureau of Construction Codes
PO Box 30254
Lansing, MI 48909

RE: **Grand River Prep High School Addition**
IA Project No.: **20101008**
State of MI Project Number: **96803 – Kent**

Mr. Konyndyk,

Thank you in advance for your consideration of this supporting statement to the Application for Construction Code Appeal regarding Grand River Prep High School Gymnasium Addition (BCC# 96803). The project is for an existing charter school, located in Kentwood, Michigan. Below is the original response regarding plumbing fixture quantity, from Peter Ingalls, Plan Reviewer.

1. *MPC, Section 403.1 - Plumbing fixtures shall be provided for the type of occupancy and in the minimum number shown in Table 403.1. Types of occupancies not shown in Table 403.1 shall be considered individually by the code official. The number of occupancies shall be determined in accordance with the Michigan Building Code. Occupancy classifications shall be determined in accordance with the Michigan Building Code. Exception: The actual number of occupants determined by a supporting affidavit from the owner or agency.*

Note based on a use group of A-4 and a bleacher seating capacity of 667 the following minimum male and female fixtures shall be provided. Male= 5 water closets and 2 lavs Female= 9 water closets and 3 lavs. Note fixtures in locker rooms will not be counted towards minimum required fixtures. Note at this time you are short 4 water closets for the minimum female count.

2. *This project design does not comply with the minimum fixture requirements of Table 403.1 of the Michigan Plumbing Code. You may demonstrate compliance by revising your drawings and specifications showing the minimum required fixtures or you may appeal this matter to the state Plumbing Board by contacting the Plumbing Division at (517) 241-9330. If you decide to appeal, provide the Plan Review Division with a copy of your submitted Application for Construction Code Appeal.*

BASIS OF APPEAL

Included in the appeal supporting documentation is an overall composite plan showing the existing school with new addition. This shows the availability of existing toilet rooms within 120' of the new toilet rooms. The composite plan shows that the requirement for the total fixtures necessary for an assembly function will be achieved. The owner has confirmed that the existing toilet rooms directly down the corridor from the gymnasium will be made available for assembly functions in the gymnasium. We have also factored in the availability of changing rooms toward the required fixture counts, as these are accessible to the entire school population. The plans show an available fixture quantity of **33 toilets** (16 Men, 15 Women, 2 Unisex).

While the current actual occupant load is significantly less (325 occupants), we have used a factored "projected occupant load." Based on that projected, owner-provided occupant load of 800 occupants (Use Group E) in the existing building, with an additional new actual occupant load of 667 (Use Group A-4), and factoring their respective

requirements (A-4) M-1/75, W-1/40 and (E) 1/50, the total required fixture quantity is **30 toilets**. Upon your request, the owner is prepared to provide an affidavit indicating actual occupant loads, hours of operation and planned functions. The use of the gymnasium for events, and by non-students is planned as a non-simultaneous use to the educational function of the building. Assembly functions, as well as other events for non-students will not occur during normal school operating hours. It is the owner's stance that the combined plumbing fixture quantity of both the addition and existing building will be of adequate quantity to accommodate both student function and assembly function.

DESIRED RELIEF

We would like to request relief to the requirement for additional plumbing fixtures, as noted in the plan review comments (2009 Michigan Plumbing Code, Items 1 & 2). As stated above, it is the owner's stance that an adequate quantity of plumbing fixtures exist to accommodate the building's users and intended functions. We ask that the proposed building addition plans, dated 11 Jan. 2011 be approved. We hope this provides sufficient information to allow for your approval of the project to proceed.

Regards,



Darrel DeHaan, Project Manager

January 31, 2011

Mr. Jason Nuhuis
Lamar Construction Company
4404 Central Parkway
Hudsonville, MI 49426

RE: Project Number: 96803 - Kent	Use Group:	A4
Arch. Project Number: 20101008	Construction Type:	IIB
Grand River Preparatory Academy	Square Footage:	Add 19731
624 52nd Street	Actual Occupant Load:	667
Kentwood, MI	Calculated Occupant Load:	743
Description: Addition of New Gymnasium and Supporting Rooms		

Dear Mr. Nuhuis:

This project has been reviewed for compliance with the State of Michigan Construction Code.

2008 Michigan Electrical Code - Keith Otto

1. NEC, Section 250.94 - The intersystem bonding and grounding of communication systems shall be by a set of terminals mounted to the meter enclosure, a bonding terminal near the service equipment enclosure or a bonding terminal near the grounding electrode conductor.

This is a new requirement in the 2008 NEC for all new services.

2. NEC, Article 760 - The electrical plan review regarding the fire alarm system is limited to the wiring method.

This project is approved for compliance with the Michigan Electrical Code subject to the preceding plan review comments and field inspection.

2006 Michigan Building Code - James Greene

1. MBC, Section 106.2 - The construction documents submitted with the application shall be accompanied by a site plan showing to scale the size and location of new construction and existing structures on the site, distance from lot lines, the established street grades and the proposed finish grades; and it shall be drawn in accordance with an accurate boundary line survey.

Provide site plan for review and approval to the 2006 MBC.

Mr. Jason Nuhuis
Page 3
January 31, 2011

2. This project design does not comply with the minimum fixture requirements of Table 403.1 of the Michigan Plumbing Code. You may demonstrate compliance by revising your drawings and specifications showing the minimum required fixtures or you may appeal this matter to the state Plumbing Board by contacting the Plumbing Division at (517) 241-9330. If you decide to appeal, provide the Plan Review Division with a copy of your submitted Application for Construction Code Appeal.

Upon receipt of 2 complete set(s) of revised plans responding to the Building, Plumbing code(s) plan review comments noted herein, the plan review approval will be forwarded.

If you have any questions regarding your plan review, please contact our office at (517) 241-9328.

Sincerely,

Signed and Filed on: February 2, 2011

Peter Ingalls, Plan Reviewer

PI/lg

cc: BCC - Plumbing, Electrical, Building, Mechanical Division(s)
Integrated Architecture - Darrel DeHaan



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENERGY, LABOR & ECONOMIC GROWTH
LANSING

ANDREW S. LEVIN
ACTING DIRECTOR

February 8, 2011

TO: Members of the State Plumbing Board

FROM: Larry Lehman, Building Division Chief
Bureau of Construction Codes

SUBJECT: Inspector Registration Applicants

For your information, the following is a list of applicants that were presented to the Construction Code Commission for provisional registration as a plumbing inspector on January 5, 2011.

DABOUL, Fred M.
Master License #8104965 (1962)

DIXON, Walter M. IV
Journeyman License #8216708 (5/1991)

The following is an applicant that will be presented to the Construction Code Commission for provisional registration as a plumbing inspector on April 6, 2011.

CLARK, Kenneth E.
Master #8106008 (1972)

Providing for Michigan's Safety in the Built Environment

BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254 • LANSING, MICHIGAN 48909
Telephone (517) 241-9317 • Fax (517) 241-9308
www.michigan.gov/dleg

DELEG is an equal opportunity employer/program.
Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.