



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF NATURAL RESOURCES
LANSING



RODNEY A. STOKES
DIRECTOR

**CORRECTIONS LIST
MAY 8, 2012 OIL AND GAS LEASE AUCTION**

OFFERING NUMBER 280 – Classification changed to LND (Now N-280)

OFFERING NUMBER 282 – Classification changed to LND (Now N-282)

OFFERING NUMBER 414 – Classification changed to LND (Now N-414)

OFFERING NUMBER N-897

COMPLETE LEGAL DESCRIPTION FOR 1.9 LEASE ACRE PARCEL

That part of S1/2 NW1/4 commencing at center of said Sec th N along N and S 1/4 line to its intersection with old road running to Brighton and described in deed recorded in L 152, P252 of County Records, thence W'ly to SE cor of Lot 49, according to survey of Vill Plat, made by John Farnsworth 4/12/1837, thence SE'ly to a pt 1 rd W of Mill Bldg as described in deed recorded in L 143, P 427, of County Records, th SE'ly to place of beginning. Also, a strip of land 3 rds in width N and S through and across the following described land: Commencing at the Mill Pond at SE corner of Lot 49 according to survey of a Village Plat by John Farnsworth 4/12/1837, thence on line of said lot to a point 14 rds E of a point in center of Hy at NW corner of Mill property, thence S 10 rds, thence W 14 rds, thence S along center of Hy to the 1/4 Sec line, thence E to the NE corner of Parker land; thence NW'ly to a point 1 rd W of Mill Building, thence to place of beginning, being in the S1/2 NW1/4, Sec 12, and excepting from the same a piece of land 211/2 rods by 3 rds used as a burial ground and excepting a strip of land 1 rod wide beginning at the SW corner of land in S1/2 NW1/4, Sec 12, described as: Commencing at a point in center of the HY at the NW corner of the Mill property, thence E 14 rds, thence S 10 rds, thence W 14 rds, thence N in center of Hy to the place of beginning; the said 1 rod strip to be directly S of and adjoining the 1 rod strip above excepted and includes sufficient land on the West to make a reasonable curve for road purposes, where the said 3 rd strip meets the N and S road. The conveyance of the said 3 rod strip is for the purpose of highway and no other purpose. All flowage rights necessary for the forming of Campbell Mill Pond appurtenant to land described as: Commencing at the Mill Pond at SE corner of Lot 49, Sec 12, according to the survey of Village Plat by John Farnsworth 4/12/1837, thence West on line of said lot to a point 14 rds E of a point in center of Hy at the NW corner of Mill property, thence South 10 rods, thence West 14 rods, thence South along center of road to the E and W 1/4 line of said Sec, thence East to the NE corner of the Parker land, being the center of said Sec 12, thence North to center of old road running to Brighton, thence W'ly to place of beginning. It is understood that this conveyance also includes the right of flowage over the lands of Abraham D. Peck as set forth in deed, dated May 27, 1850 from Abraham D Peck and wife to Bradford Campbell recorded in Liber 15, Page 442, County Records. It is further understood that this conveyance shall include all right, title and interest that the grantors possess in the NW1/4 Sec 12, T1N,R5E.

OFFERING NUMBER N-1084

COMPLETE LEGAL DESCRIPTION FOR 28.48 LEASE ACRE PARCEL

Oakland County - Farmington Township - T1N, R9E East 41.6 acres of West 1/2 of NE 1/4 EXCEPT part of W 1/2 of the NE 1/4 of Sec. 15 described as starting at the North 1/4 corner of said Sec. 15, thence N88d21'E on Section line 614.15 ft., thence S1d30'E 33 ft. to the Point of Beginning (POB) of this description, thence S1d39'E 267 ft., thence N88d21'E 80 ft., thence

(continued)

N1d30'W 267 ft., thence S88d21'W 80 ft. to the Point of Beginning (Parcel 1), also EXCEPT part of the W ½ of the NE ¼ of Sec. 15 described as a strip of land 60 ft. wide of which the center line beginning at a point in the North line of Sec. 15, distant N88d21'E on Section line 959.15 ft. from the N ¼ corner of said Section 15, thence is running S1d30'E 1500 ft. containing 2 acres more or less (Street),

also EXCEPT part of the W ½ of the NE ¼ of Section 15, described as starting at the N ¼ corner of Section 15, thence N88d21'E on Sec. line 1224.15 ft., thence S1d30'E 33 ft. to the Point of Beginning of the description, thence S1d30'E 267 ft., thence N88d21'E 81.96 ft. to the North-South 1/8 line, thence N1d36'W on 1/8 line 267 ft., thence S88d21'W 80.42 ft. to the Point of Beginning (Parcel 8), also EXCEPT undivided ¼ interest in the following description: Part of the W ½ of the NE ¼ of Section 15 Desc. as beg. at a pt. in the East line of sd. W ½ of NE ¼ of Sec. 15 dist. S'ly on 1/8 line 1500 ft. from the NE corner of sd. W ½ of NE ¼ of Sec. 15, th S1d25'E on 1/8 line 1145.28 ft. to the E and W ¼ Sec. line S88d41'W on ¼ line 690.38 ft., N1d30'W 1141.25 ft., th N88d21'E paral. To N. Sec. line 693.96 ft. to the pt. of beg. Contains 18.25 acres more or less being S. 18.25 acres of E 41.6 acres of W ½ of NE ¼ of Sec. 15, also EXCEPT Part of the W ½ of the NE ¼ of Sec. 15 desc. as starting at the N ¼ cor. of Sec. 15, th N88d21'E on Sec. line 989.15 ft., th S1d30'E 400 ft. to the pt. of beg., th S1d30'E 200 ft., th N88d21'E 317.46 ft. to 1/8 line, th N1d36'W on 1/8 line 200 ft., th S88d21'W 317.13 ft. to the pt. of beg. (Parcels 10 - 11), also EXCEPT Part of the W ½ of the NE ¼ of Sec. 15 desc. as starting at the N ¼ cor. of Sec. 15, th N88d21'E on Sec. line 925.15 ft., th S1d30'E 300 ft. to the pt. of beg. of this desc., th S1d30'E 100 ft., th S88d21'W 315 ft., th N1d30'W 100 ft., th N88d21'E 315 ft. to pt. of beg. (Parcel 32), also EXCEPT Part of the W ½ of the NE ¼ of Sec. 15 desc. as starting at the N ¼ cor. of Sec. 15, th N88d21'E on Sec. line 694.15 ft., th S1d30'E 33 ft. to the pt. of beg. of this desc., th S1d30'E 267 ft., th N88d21'E 235 ft., th N1d30'W 267 ft., th S88d21'W 235 ft. to pt. of beg. (Parcels 2-3-4), also EXCEPT Part of the W ½ of the NE ¼ of Sec. 15 desc. as starting at the N ¼ cor. of Sec. 15, th N88d21'E on Sec. line 929.15 ft., th S 1d30'E 400 ft. to pt. of beg. of this desc., th S1d30'E 100 ft., th S88d21'W 315 ft., th N1d30'W 100 ft., th N88d21'E 315 ft. to the pt. of beg. (Parcel 31), also EXCEPT Part of W ½ of NE ¼ Sec. 15 desc. as starting at N ¼ cor. of sd. Sec. 15, th N88d21'E on sec. line 989.15 ft., th S1d30'E 33 ft. to pt. of beg. of this desc., th S1d30'E 267 ft., th N88d21'E 75 ft., th N1d30'W 267 ft., th S88d21'W 75 ft. to pt. of beg. (Parcel 5), also EXCEPT Beg. at the N ¼ cor. of sd. Sec. 15, th N88d21'E on Sec. line 989.15 ft., th S1d30'E 300 ft. to pt. of beg., th S1d30'E 100 ft., th N88d21'E 317.13 ft. to 1/8 line, th N1d36'W on 1/8 line 100 ft., th S88d21'W 316.96 ft. to beg. (Parcel 9), Section 15.

OFFERING NUMBER N-1130

COMPLETE LEGAL DESCRIPTION FOR 5.56 LEASE ACRE PARCEL

That part of the following description lying within the SE1/4, Section 36, T02N, R08E: Part of the S ½ corner of Section 36, commencing at the SW corner, th. S 89°37' 24" E, 1,348.38 ft. along the South line of Section 36, and centerline of 14 Mile Road for a p.o.b.; th. along the wetland traverse line the following 28 courses: N 00°22' 36" E, 69.82 ft.; th. S 87°47' 10" E, 185.42 ft.; th. N 54°18' 03" E, 150.77 ft.; th. N 02°24' 45" E, 228.12 ft.; th. N 17°04' 24" W, 159.01 ft.; th. N 06°49' 31" W, 324.27 ft.; th. N 39°26' 08" E, 216.81 ft.; th. N 68°57' 58" W, 190.82 ft.; th. N 15°45' 36" W, 29.48 ft.; th. S 8 2°08' 45" E, 174.42 ft.; th. S 42°23' 36" E, 111.77 ft.; th. S 49°42' 14" W, 147.80 ft.; th. S 00°21' 15" W, 207.44 ft.; th. S 02°09' 18" E, 194.83 ft.; th. S 20°29' 37" E, 126.06 ft.; th. S 48°43' 29" E, 206.91 ft.; th. S 77°10' 16" E, 67.27 ft.; th. S 31°16' 48" E, 173.28 ft.; th. S 7 9°10' 08" E, 299.44 ft.; th. N 08°33' 15" E, 143.16 ft.; th. N 21°48' 47" E, 139.64 ft.; th. N 76°00' 20" E, 158.57 ft.; th. N 75°27' 14" E, 101.07 ft.; th. S 39°56' 27" E, 75.60 ft.; th. S 0 3°48' 32" W, 74.65 ft.; th. S 00°10' 21" W, 80.70 ft.; th. S 02°58' 28" W, 94.24 ft.; th. S 21°17' 00" W, 80.94 ft. to the S ¼ corner of Section 36;

(continued)

th. N 89°30' 20" W, 125.40 ft. to the N ¼ corner of Section 1, T01N, R08E, Novi Twp., th. N 89°37' 24" W, 1,183.48 ft. to the point of beginning.

AND

Part of the S ½ of Section 36, beginning at the S ¼ corner of Section 36; th. N 21°35' 36" E, 80.83 ft.; th. N 02°58' 28" E, 94.24 ft.; th. N 00°10' 21" E, 80.70 ft.; th. N 03°48' 32" E, 74.65 ft.; th. N 39°56' 27" W, 75.60 ft.; th. S 75°27' 14" W, 101.07 ft.; th. S 76°00' 20" W, 158.57 ft.; th. S 21°48' 47" W, 139.64 ft.; th. S 08°33' 15" W, 143.16 ft.; th. N 79°10' 08" W, 299.44 ft.; th. N 31°16' 48" W, 173.28 ft.; th. N 77°10' 16" W, 67.27 ft.; th. N 48°43' 29" W, 206.91 ft.; th. N 20°29' 37" W, 126.06 ft.; th. N 02°09' 18" W, 194.83 ft.; th. N 00°21' 15" E, 207.44 ft.; th. N 49°42' 14" E, 147.80 ft.; th. N 42°23' 36" W, 111.77 ft.; th. N 82°08' 45" W, 174.42 ft.; th. S 15°45' 36" E, 29.48 ft.; th. S 68°57' 58" E, 190.82 ft.; th. S 39°26' 08" W, 216.81 ft.; th. S 06°49' 31" E, 324.27 ft.; th. S 17°04' 24" E, 159.01 ft.; th. S 02°24' 45" W, 228.12 ft.; th. S 54°18' 03" W, 150.77 ft.; th. N 87°47' 10" W, 185.42 ft.; th. N 16°06' 20" W, 107.13 ft.; th. N 83°57' 15" W, 76.36 ft.; th. N 46°35' 33" W, 178.91 ft.; th. N 20°23' 06" W, 149.07 ft.; th. N 07°29' 28" E, 126.87 ft.; th. N 24°22' 59" E, 84.94 ft.; th. N 25°22' 44" W, 69.39 ft.; th. N 60°44' 54" W, 127.73 ft.; th. N 85°00' 20" W, 168.85 ft.; th. N 36°24' 49" W, 202.09 ft.; th. N 29°55' 01" W, 199.13 ft.; th. N 37°44' 04" W, 185.91 ft.; th. N 54°32' 30" W, 95.03 ft.; th. N 36°55' 24" W, 94.04 ft.; th. N 40°11' 22" W, 136.89 ft.; th. N 47°56' 59" W, 193.90 ft.; th. N 13°23' 42" E, 263.47 ft.; th. N 68°50' 53" E, 113.49 ft.; th. N 28°27' 20" W, 344.55 ft.; th. N 16°40' 35" W, 180.39 ft.; th. N 51°03' 32" E, 46.61 ft.; th. N 18°20' 15" W, 124.87 ft.; th. N 00°12' 03" E, 95.70 ft. to a point on the East-West ¼ line of Section 36; th. S 89°32' 25" E, 1,460.80 ft. along said line; th. S 22°03' 52" W, 82.30 ft.; th. S 60°26' 08" E, 67.00 ft.; th. S 18°56' 08" E, 160.00 ft.; th. S 64°56' 08" E, 86.00 ft.; th. N 76°03' 52" E, 141.00 ft.; th. S 64°56' 08" E, 103.00 ft.; th. S 31°33' 52" W, 104.00 ft.; th. S 16°33' 52" W, 59.00 ft.; th. N 89°33' 52" E, 106.00 ft.; th. S 68°26' 08" E, 112.00 ft.; th. S 12°03' 52" W, 51.00 ft.; th. S 46°33' 52" W, 174.00 ft.; th. N 76°03' 52" E, 208.00 ft.; th. S 34°56' 08" E, 97.00 ft.; th. S 14°03' 52" W, 126.00 ft.; th. S 55°26' 08" E, 103.00 ft.; th. N 86°33' 52" E, 117.00 ft.; th. N 60°03' 52" E, 163.00 ft.; th. S 70°56' 08" E, 141.00 ft. to a point on a line 25 ft. W'ly of and parallel to the W'ly right-of-way line of proposed Highway M-5; th. S 23°29' 06" E, 283.51 ft. along said line; th. S 56°33' 52" W, 433.98 ft.; th. S 61°33' 52" W, 237.00 ft.; th. S 77°03' 52" W, 129.00 ft.; th. N 86°26' 08" W, 143.00 ft.; th. S 76°03' 52" W, 100 ft.; th. S 20°33' 52" W, 49.00 ft.; th. S 28°56' 08" E, 57.00 ft.; th. S 80°26' 08" E, 82.00 ft.; th. N 74°33' 52" E, 307.00 ft.; th. N 60°03' 52" E, 143.00 ft.; th. S 86°56' 08" E, 230.00 ft.; th. S 55°26' 08" E, 497.00 ft. to a point on a line 25 ft. W of and parallel to the W'ly right-of-way line of proposed Highway M-5; th. along said line along a curve to the right 920.03 ft., said curve having a radius of 3,523.72 ft., central angle of 14°57' 35" and a long chord bearing of S 05°17' 18" E, 917.42 ft. to a point on the S'ly line of Section 36; th. N 89°31' 56" W, 360.01 ft. along said line to the point of beginning.

OFFERING NUMBER N-1131

COMPLETE LEGAL DESCRIPTION FOR 82.50 LEASE ACRE PARCEL

That part of the following description lying within the SW1/4, Section 36, T02N, R08E: Part of the S ½ corner of Section 36, commencing at the SW corner, th. S 89°37' 24" E, 1,348.38 ft. along the South line of Section 36, and centerline of 14 Mile Road for a p.o.b.; th. along the wetland traverse line the following 28 courses: N 00°22' 36" E, 69.82 ft.; th. S 87°47' 10" E, 185.42 ft.; th. N 54°18' 03" E, 150.77 ft.; th. N 02°24' 45" E, 228.12 ft.; th. N 17°04' 24" W,

(continued)

159.01 ft.; th. N 06°49' 31" W, 324.27 ft.; th. N 39°26' 08" E, 216.81 ft.; th. N 68°57' 58" W, 190.82 ft.; th. N 15°45' 36" W, 29.48 ft.; th. S 82°08' 45" E, 174.42 ft.; th. S 42°23' 36" E, 111.77 ft.; th. S 49°42' 14" W, 147.80 ft.; th. S 00°21' 15" W, 207.44 ft.; th. S 02°09' 18" E, 194.83 ft.; th. S 20°29' 37" E, 126.06 ft.; th. S 48°43' 29" E, 206.91 ft.; th. S 77°10' 16" E, 67.27 ft.; th. S 31°16' 48" E, 173.28 ft.; th. S 79°10' 08" E, 299.44 ft.; th. N 08°33' 15" E, 143.16 ft.; th. N 21°48' 47" E, 139.64 ft.; th. N 76°00' 20" E, 158.57 ft.; th. N 75°27' 14" E, 101.07 ft.; th. S 39°56' 27" E, 75.60 ft.; th. S 03°48' 32" W, 74.65 ft.; th. S 00°10' 21" W, 80.70 ft.; th. S 02°58' 28" W, 94.24 ft.; th. S 21°17' 00" W, 80.94 ft. to the S ¼ corner of Section 36; th. N 89°30' 20" W, 125.40 ft. to the N ¼ corner of Section 1, T01N, R08E, Novi Twp., th. N 89°37' 24" W, 1,183.48 ft. to the point of beginning.

AND

Part of the S ½ of Section 36, beginning at the S ¼ corner of Section 36; th. N 21°35' 36" E, 80.83 ft.; th. N 02°58' 28" E, 94.24 ft.; th. N 00°10' 21" E, 80.70 ft.; th. N 03°48' 32" E, 74.65 ft.; th. N 39°56' 27" W, 75.60 ft.; th. S 75°27' 14" W, 101.07 ft.; th. S 76°00' 20" W, 158.57 ft.; th. S 21°48' 47" W, 139.64 ft.; th. S 08°33' 15" W, 143.16 ft.; th. N 79°10' 08" W, 299.44 ft.; th. N 31°16' 48" W, 173.28 ft.; th. N 77°10' 16" W, 67.27 ft.; th. N 48°43' 29" W, 206.91 ft.; th. N 20°29' 37" W, 126.06 ft.; th. N 02°09' 18" W, 194.83 ft.; th. N 00°21' 15" E, 207.44 ft.; th. N 49°42' 14" E, 147.80 ft.; th. N 42°23' 36" W, 111.77 ft.; th. N 82°08' 45" W, 174.42 ft.; th. S 15°45' 36" E, 29.48 ft.; th. S 68°57' 58" E, 190.82 ft.; th. S 39°26' 08" W, 216.81 ft.; th. S 06°49' 31" E, 324.27 ft.; th. S 17°04' 24" E, 159.01 ft.; th. S 02°24' 45" W, 228.12 ft.; th. S 54°18' 03" W, 150.77 ft.; th. N 87°47' 10" W, 185.42 ft.; th. N 16°06' 20" W, 107.13 ft.; th. N 83°57' 15" W, 76.36 ft.; th. N 46°35' 33" W, 178.91 ft.; th. N 20°23' 06" W, 149.07 ft.; th. N 07°29' 28" E, 126.87 ft.; th. N 24°22' 59" E, 84.94 ft.; th. N 25°22' 44" W, 69.39 ft.; th. N 60°44' 54" W, 127.73 ft.; th. N 85°00' 20" W, 168.85 ft.; th. N 36°24' 49" W, 202.09 ft.; th. N 29°55' 01" W, 199.13 ft.; th. N 37°44' 04" W, 185.91 ft.; th. N 54°32' 30" W, 95.03 ft.; th. N 36°55' 24" W, 94.04 ft.; th. N 40°11' 22" W, 136.89 ft.; th. N 47°56' 59" W, 193.90 ft.; th. N 13°23' 42" E, 263.47 ft.; th. N 68°50' 53" E, 113.49 ft.; th. N 28°27' 20" W, 344.55 ft.; th. N 16°40' 35" W, 180.39 ft.; th. N 51°03' 32" E, 46.61 ft.; th. N 18°20' 15" W, 124.87 ft.; th. N 00°12' 03" E, 95.70 ft. to a point on the East-West ¼ line of Section 36; th. S 89°32' 25" E, 1,460.80 ft. along said line; th. S 22°03' 52" W, 82.30 ft.; th. S 60°26' 08" E, 67.00 ft.; th. S 18°56' 08" E, 160.00 ft.; th. S 64°56' 08" E, 86.00 ft.; th. N 76°03' 52" E, 141.00 ft.; th. S 64°56' 08" E, 103.00 ft.; th. S 31°33' 52" W, 104.00 ft.; th. S 16°33' 52" W, 59.00 ft.; th. N 89°33' 52" E, 106.00 ft.; th. S 68°26' 08" E, 112.00 ft.; th. S 12°03' 52" W, 51.00 ft.; th. S 46°33' 52" W, 174.00 ft.; th. N 76°03' 52" E, 208.00 ft.; th. S 34°56' 08" E, 97.00 ft.; th. S 14°03' 52" W, 126.00 ft.; th. S 55°26' 08" E, 103.00 ft.; th. N 86°33' 52" E, 117.00 ft.; th. N 60°03' 52" E, 163.00 ft.; th. S 70°56' 08" E, 141.00 ft. to a point on a line 25 ft. W'ly of and parallel to the W'ly right-of-way line of proposed Highway M-5; th. S 23°29' 06" E, 283.51 ft. along said line; th. S 56°33' 52" W, 433.98 ft.; th. S 61°33' 52" W, 237.00 ft.; th. S 77°03' 52" W, 129.00 ft.; th. N 86°26' 08" W, 143.00 ft.; th. S 76°03' 52" W, 100 ft.; th. S 20°33' 52" W, 49.00 ft.; th. S 28°56' 08" E, 57.00 ft.; th. S 80°26' 08" E, 82.00 ft.; th. N 74°33' 52" E, 307.00 ft.; th. N 60°03' 52" E, 143.00 ft.; th. S 86°56' 08" E, 230.00 ft.; th. S 55°26' 08" E, 497.00 ft. to a point on a line 25 ft. W of and parallel to the W'ly right-of-way line of proposed Highway M-5; th. along said line along a curve to the right 920.03 ft., said curve having a radius of 3,523.72 ft., central angle of 14°57' 35" and a long chord bearing of S 05°17' 18" E, 917.42 ft. to a point on the S'ly line of Section 36; th. N 89°31' 56" W, 360.01 ft. along said line to the point of beginning.

OFFERING NUMBER N-1145

COMPLETE LEGAL DESCRIPTION FOR 6.22 LEASE ACRE PARCEL

That part of the following desc. lying in the NE 1/4 NE 1/4: Beg. at a point located distant S 89Degrees 29M 30S W 206.05 ft. and N 00Degrees 10M 36 S E 262.00 ft. from the E 1/4 corner of said Sec. 21: thence N 43 degrees 30M 57S W 192.82 ft.; thence S 79Degrees 41M 43S W 234.79 ft.; thence S 89Degrees 28M 34S W 200.01 ft.; thence N 80Degrees 19M 18S W 130.86 ft.; thence S 79Degrees 53M 20S W 449.99 ft.; thence S 24Degrees 12M 03S W 390.30 ft.; thence N 75Degrees 45M 46S W 138.25 ft.; thence S 55Degrees 57M 40S W 182.22 ft.; thence S 02Degrees 26M 59S E 187.17 ft.; thence S 49Degrees 28M 15S E 261.87 ft.; thence S 69Degrees 38M 48S E 132.26 ft.; thence S 84Degrees 27M 07S E 122.15 ft.; thence S 00Degrees 12M 40S W 131.16 ft.; thence S 87Degrees 56M 50S W 1329.14 ft.; thence S 86Degrees 28M 40S W 49.19 ft.; thence N 02Degrees 45M 11S W 177.71 ft.; thence on a curve to the left (Radius = 170.00 ft., long chord bears N 32Degrees 44M 07S E 16.64 ft.) a distance of 16.65 ft.; thence N 78Degrees 36M 58S E 124.00 ft.; thence N 65Degrees 48M 49S E 97.03 ft.; thence N 12Degrees 41M 59S W 77.67 ft.; thence N 52Degrees 19M 08S W 155.42 ft.; thence N 28Degrees 41M 40S W 100.61 ft.; thence N 56Degrees 54M 00S E 22.15 ft.; thence S 66Degrees 13M 00S E 350.60 ft.; thence N 79Degrees 46M 00S E 152.62 ft.; thence N 01Degree 31M 00S E 319.76 ft. to a point of traverse, later referred to as the first mentioned point of traverse; thence cont. N 01Degree 31M 00S E 24 ft., more or less, to centerline of water course; thence NW'ly along said water course, a distance of 575 ft., more or less; thence S 39Degrees 35 M 10S W 35 ft., more or less, to a point of traverse, said point is located distant S 80Degrees 27M 00S W 121.67 ft. and N 60Degrees 23M 00S W 107.00 ft. an N 05Degrees 42M 00S E 100.00 ft. and N 44Degrees 06M 00S W 80.00 ft. and S 83Degrees 28M 00S W 96.66 ft. from the first mentioned point of traverse; thence on a curve to the right (Radius = 740.7 ft., long chord bears S 45Degrees 52M 28S W 130.00 ft.) a distance of 130.17 ft.; thence N 38Degrees 59M 28S W 60.00 ft.; thence on a curve to the left (Radius = 680.70 ft., long chord bears N 44Degrees 13M 02S E 161.00 ft.) a distance of 161.38 ft. to a point of traverse, later referred to as the second mentioned point of traverse; thence NE'ly and NW'ly 431 ft., more or less, along the shore line of a water course to a point of traverse, said point is located distance N 00Degrees 33M 00S E 72.74 ft. and N 15Degrees 57M 00S E 84.30 ft. and N 84Degrees 33M 00S W 112.12 ft. and N 57Degrees 31M 00S W 111.76 ft. and N 22Degrees 13M 00S W 45 ft. from the second mentioned point of traverse; thence N 57Degrees 07M 40S W 189.60 ft.; thence N 09Degrees 39M 00S E 80.00 ft.; thence N 63Degrees 57M 20S E 47.20 ft.; thence N 14Degrees 53M 00S E 255.12 ft.; thence N 68Degrees 47M 00S W 327.65 ft.; thence on a curve to the left (Radius = 258.68 ft., long chord bears N 06Degrees 06M 30S E 79.74 ft.) a distance of 80.06 ft.; thence on a curve to the left (Radius = 409.61 ft., long chord bears N 14Degrees 52 M 58S W 172.07 ft.) a distance of 173.36 ft.; thence N 27Degrees 00M 28S W 87.64 ft. to the S R.O.W. of Grand Trunk Railroad; thence N 83Degrees 10M 10S E along said R.O.W., a distance of 3212.24 ft. to the E line of said Sec. 21; thence S 00Degrees 10M 36S W along said E line a distance of 1196.25 ft.; thence N 79Degrees 39M 00S W 16.00 ft.; thence S 72Degrees 59M 00S W 199.18 ft.; thence S 00Degrees 10M 36S W 289.69 ft. to P.O.B.

OFFERING NUMBER N-1145

COMPLETE LEGAL DESCRIPTION FOR 4.37 LEASE ACRE PARCEL

That part of the following desc. lying in the NW 1/4 NE 1/4: Beg. at a point located distant S 89Degrees 29M 30S W 206.05 ft. and N 00Degrees 10M 36 S E 262.00 ft. from the E 1/4 corner of said Sec. 21: thence N 43 degrees 30M 57S W 192.82 ft.; thence S 79Degrees 41M 43S W 234.79 ft.; thence S 89Degrees 28M 34S W 200.01 ft.; thence N 80Degrees 19M 18S W 130.86 ft.; thence S 79Degrees 53M 20S W 449.99 ft.; thence S 24Degrees 12M 03S W 390.30 ft.; thence N 75Degrees 45M 46S W 138.25 ft.; thence S 55Degrees 57M 40S W 182.22 ft.; thence S 02Degrees 26M 59S E 187.17 ft.; thence S 49Degrees 28M 15S E 261.87 ft.; thence S 69Degrees 38M 48S E 132.26 ft.; thence S 84Degrees 27M 07S E 122.15 ft.; thence S 00Degrees 12M 40S W 131.16 ft.; thence S 87Degrees 56M 50S W 1329.14 ft.; thence S 86Degrees 28M 40S W 49.19 ft.; thence N 02Degrees 45M 11S W 177.71 ft.; thence on a curve to the left (Radius = 170.00 ft., long chord bears N 32Degrees 44M 07S E 16.64 ft.) a distance of 16.65 ft.; thence N 78Degrees 36M 58S E 124.00 ft.; thence N 65Degrees 48M 49S E 97.03 ft.; thence N 12Degrees 41M 59S W 77.67 ft.; thence N 52Degrees 19M 08S W 155.42 ft.; thence N 28Degrees 41M 40S W 100.61 ft.; thence N 56Degrees 54M 00S E 22.15 ft.; thence S 66Degrees 13M 00S E 350.60 ft.; thence N 79Degrees 46M 00S E 152.62 ft.; thence N 01Degree 31M 00S E 319.76 ft. to a point of traverse, later referred to as the first mentioned point of traverse; thence cont. N 01Degree 31M 00S E 24 ft., more or less, to centerline of water course; thence NW'ly along said water course, a distance of 575 ft., more or less; thence S 39Degrees 35 M 10S W 35 ft., more or less, to a point of traverse, said point is located distant S 80Degrees 27M 00S W 121.67 ft. and N 60Degrees 23M 00S W 107.00 ft. an N 05Degrees 42M 00S E 100.00 ft. and N 44Degrees 06M 00S W 80.00 ft. and S 83Degrees 28M 00S W 96.66 ft. from the first mentioned point of traverse; thence on a curve to the right (Radius = 740.7 ft., long chord bears S 45Degrees 52M 28S W 130.00 ft.) a distance of 130.17 ft.; thence N 38Degrees 59M 28S W 60.00 ft.; thence on a curve to the left (Radius = 680.70 ft., long chord bears N 44Degrees 13M 02S E 161.00 ft.) a distance of 161.38 ft. to a point of traverse, later referred to as the second mentioned point of traverse; thence NE'ly and NW'ly 431 ft., more or less, along the shore line of a water course to a point of traverse, said point is located distance N 00Degrees 33M 00S E 72.74 ft. and N 15Degrees 57M 00S E 84.30 ft. and N 84Degrees 33M 00S W 112.12 ft. and N 57Degrees 31M 00S W 111.76 ft. and N 22Degrees 13M 00S W 45 ft. from the second mentioned point of traverse; thence N 57Degrees 07M 40S W 189.60 ft.; thence N 09Degrees 39M 00S E 80.00 ft.; thence N 63Degrees 57M 20S E 47.20 ft.; thence N 14Degrees 53M 00S E 255.12 ft.; thence N 68Degrees 47M 00S W 327.65 ft.; thence on a curve to the left (Radius = 258.68 ft., long chord bears N 06Degrees 06M 30S E 79.74 ft.) a distance of 80.06 ft.; thence on a curve to the left (Radius = 409.61 ft., long chord bears N 14Degrees 52 M 58S W 172.07 ft.) a distance of 173.36 ft.; thence N 27Degrees 00M 28S W 87.64 ft. to the S R.O.W. of Grand Trunk Railroad; thence N 83Degrees 10M 10S E along said R.O.W., a distance of 3212.24 ft. to the E line of said Sec. 21; thence S 00Degrees 10M 36S W along said E line a distance of 1196.25 ft.; thence N 79Degrees 39M 00S W 16.00 ft.; thence S 72Degrees 59M 00S W 199.18 ft.; thence S 00Degrees 10M 36S W 289.69 ft. to P.O.B.

OFFERING NUMBER N-1145

COMPLETE LEGAL DESCRIPTION FOR 16.12 LEASE ACRE PARCEL

That part of the following desc. lying in the SE 1/4 NE 1/4: Beg. at a point located distant S 89Degrees 29M 30S W 206.05 ft. and N 00Degrees 10M 36 S E 262.00 ft. from the E 1/4 corner of said Sec. 21: thence N 43 degrees 30M 57S W 192.82 ft.; thence S 79Degrees 41M 43S W 234.79 ft.; thence S 89Degrees 28M 34S W 200.01 ft.; thence N 80Degrees 19M 18S W 130.86 ft.; thence S 79Degrees 53M 20S W 449.99 ft.; thence S 24Degrees 12M 03S W 390.30 ft.; thence N 75Degrees 45M 46S W 138.25 ft.; thence S 55Degrees 57M 40S W 182.22 ft.; thence S 02Degrees 26M 59S E 187.17 ft.; thence S 49Degrees 28M 15S E 261.87 ft.; thence S 69Degrees 38M 48S E 132.26 ft.; thence S 84Degrees 27M 07S E 122.15 ft.; thence S 00Degrees 12M 40S W 131.16 ft.; thence S 87Degrees 56M 50S W 1329.14 ft.; thence S 86Degrees 28M 40S W 49.19 ft.; thence N 02Degrees 45M 11S W 177.71 ft.; thence on a curve to the left (Radius = 170.00 ft., long chord bears N 32Degrees 44M 07S E 16.64 ft.) a distance of 16.65 ft.; thence N 78Degrees 36M 58S E 124.00 ft.; thence N 65Degrees 48M 49S E 97.03 ft.; thence N 12Degrees 41M 59S W 77.67 ft.; thence N 52Degrees 19M 08S W 155.42 ft.; thence N 28Degrees 41M 40S W 100.61 ft.; thence N 56Degrees 54M 00S E 22.15 ft.; thence S 66Degrees 13M 00S E 350.60 ft.; thence N 79Degrees 46M 00S E 152.62 ft.; thence N 01Degree 31M 00S E 319.76 ft. to a point of traverse, later referred to as the first mentioned point of traverse; thence cont. N 01Degree 31M 00S E 24 ft., more or less, to centerline of water course; thence NW'ly along said water course, a distance of 575 ft., more or less; thence S 39Degrees 35 M 10S W 35 ft., more or less, to a point of traverse, said point is located distant S 80Degrees 27M 00S W 121.67 ft. and N 60Degrees 23M 00S W 107.00 ft. an N 05Degrees 42M 00S E 100.00 ft. and N 44Degrees 06M 00S W 80.00 ft. and S 83Degrees 28M 00S W 96.66 ft. from the first mentioned point of traverse; thence on a curve to the right (Radius = 740.7 ft., long chord bears S 45Degrees 52M 28S W 130.00 ft.) a distance of 130.17 ft.; thence N 38Degrees 59M 28S W 60.00 ft.; thence on a curve to the left (Radius = 680.70 ft., long chord bears N 44Degrees 13M 02S E 161.00 ft.) a distance of 161.38 ft. to a point of traverse, later referred to as the second mentioned point of traverse; thence NE'ly and NW'ly 431 ft., more or less, along the shore line of a water course to a point of traverse, said point is located distance N 00Degrees 33M 00S E 72.74 ft. and N 15Degrees 57M 00S E 84.30 ft. and N 84Degrees 33M 00S W 112.12 ft. and N 57Degrees 31M 00S W 111.76 ft. and N 22Degrees 13M 00S W 45 ft. from the second mentioned point of traverse; thence N 57Degrees 07M 40S W 189.60 ft.; thence N 09Degrees 39M 00S E 80.00 ft.; thence N 63Degrees 57M 20S E 47.20 ft.; thence N 14Degrees 53M 00S E 255.12 ft.; thence N 68Degrees 47M 00S W 327.65 ft.; thence on a curve to the left (Radius = 258.68 ft., long chord bears N 06Degrees 06M 30S E 79.74 ft.) a distance of 80.06 ft.; thence on a curve to the left (Radius = 409.61 ft., long chord bears N 14Degrees 52 M 58S W 172.07 ft.) a distance of 173.36 ft.; thence N 27Degrees 00M 28S W 87.64 ft. to the S R.O.W. of Grand Trunk Railroad; thence N 83Degrees 10M 10S E along said R.O.W., a distance of 3212.24 ft. to the E line of said Sec. 21; thence S 00Degrees 10M 36S W along said E line a distance of 1196.25 ft.; thence N 79Degrees 39M 00S W 16.00 ft.; thence S 72Degrees 59M 00S W 199.18 ft.; thence S 00Degrees 10M 36S W 289.69 ft. to P.O.B.

OFFERING NUMBER N-1145

COMPLETE LEGAL DESCRIPTION FOR 6.78 LEASE ACRE PARCEL

That part of the following desc. lying in the SE 1/4 NE 1/4: Beg. at a point located distant S 89Degrees 29M 30S W 206.05 ft. and N 00Degrees 10M 36 S E 262.00 ft. from the E 1/4 corner of said Sec. 21: thence N 43 degrees 30M 57S W 192.82 ft.; thence S 79Degrees 41M 43S W 234.79 ft.; thence S 89Degrees 28M 34S W 200.01 ft.; thence N 80Degrees 19M 18S W 130.86 ft.; thence S 79Degrees 53M 20S W 449.99 ft.; thence S 24Degrees 12M 03S W 390.30 ft.; thence N 75Degrees 45M 46S W 138.25 ft.; thence S 55Degrees 57M 40S W 182.22 ft.; thence S 02Degrees 26M 59S E 187.17 ft.; thence S 49Degrees 28M 15S E 261.87 ft.; thence S 69Degrees 38M 48S E 132.26 ft.; thence S 84Degrees 27M 07S E 122.15 ft.; thence S 00Degrees 12M 40S W 131.16 ft.; thence S 87Degrees 56M 50S W 1329.14 ft.; thence S 86Degrees 28M 40S W 49.19 ft.; thence N 02Degrees 45M 11S W 177.71 ft.; thence on a curve to the left (Radius = 170.00 ft., long chord bears N 32Degrees 44M 07S E 16.64 ft.) a distance of 16.65 ft.; thence N 78Degrees 36M 58S E 124.00 ft.; thence N 65Degrees 48M 49S E 97.03 ft.; thence N 12Degrees 41M 59S W 77.67 ft.; thence N 52Degrees 19M 08S W 155.42 ft.; thence N 28Degrees 41M 40S W 100.61 ft.; thence N 56Degrees 54M 00S E 22.15 ft.; thence S 66Degrees 13M 00S E 350.60 ft.; thence N 79Degrees 46M 00S E 152.62 ft.; thence N 01Degree 31M 00S E 319.76 ft. to a point of traverse, later referred to as the first mentioned point of traverse; thence cont. N 01Degree 31M 00S E 24 ft., more or less, to centerline of water course; thence NW'ly along said water course, a distance of 575 ft., more or less; thence S 39Degrees 35 M 10S W 35 ft., more or less, to a point of traverse, said point is located distant S 80Degrees 27M 00S W 121.67 ft. and N 60Degrees 23M 00S W 107.00 ft. an N 05Degrees 42M 00S E 100.00 ft. and N 44Degrees 06M 00S W 80.00 ft. and S 83Degrees 28M 00S W 96.66 ft. from the first mentioned point of traverse; thence on a curve to the right (Radius = 740.7 ft., long chord bears S 45Degrees 52M 28S W 130.00 ft.) a distance of 130.17 ft.; thence N 38Degrees 59M 28S W 60.00 ft.; thence on a curve to the left (Radius = 680.70 ft., long chord bears N 44Degrees 13M 02S E 161.00 ft.) a distance of 161.38 ft. to a point of traverse, later referred to as the second mentioned point of traverse; thence NE'ly and NW'ly 431 ft., more or less, along the shore line of a water course to a point of traverse, said point is located distance N 00Degrees 33M 00S E 72.74 ft. and N 15Degrees 57M 00S E 84.30 ft. and N 84Degrees 33M 00S W 112.12 ft. and N 57Degrees 31M 00S W 111.76 ft. and N 22Degrees 13M 00S W 45 ft. from the second mentioned point of traverse; thence N 57Degrees 07M 40S W 189.60 ft.; thence N 09Degrees 39M 00S E 80.00 ft.; thence N 63Degrees 57M 20S E 47.20 ft.; thence N 14Degrees 53M 00S E 255.12 ft.; thence N 68Degrees 47M 00S W 327.65 ft.; thence on a curve to the left (Radius = 258.68 ft., long chord bears N 06Degrees 06M 30S E 79.74 ft.) a distance of 80.06 ft.; thence on a curve to the left (Radius = 409.61 ft., long chord bears N 14Degrees 52 M 58S W 172.07 ft.) a distance of 173.36 ft.; thence N 27Degrees 00M 28S W 87.64 ft. to the S R.O.W. of Grand Trunk Railroad; thence N 83Degrees 10M 10S E along said R.O.W., a distance of 3212.24 ft. to the E line of said Sec. 21; thence S 00Degrees 10M 36S W along said E line a distance of 1196.25 ft.; thence N 79Degrees 39M 00S W 16.00 ft.; thence S 72Degrees 59M 00S W 199.18 ft.; thence S 00Degrees 10M 36S W 289.69 ft. to P.O.B.

OFFERING NUMBER N-1145

COMPLETE LEGAL DESCRIPTION FOR 22.13 LEASE ACRE PARCEL

That part of the following desc. lying in the SW 1/4 NE 1/4: Beg. at a point located distant S 89Degrees 29M 30S W 206.05 ft. and N 00Degrees 10M 36 S E 262.00 ft. from the E 1/4 corner of said Sec. 21: thence N 43 degrees 30M 57S W 192.82 ft.; thence S 79Degrees 41M 43S W 234.79 ft.; thence S 89Degrees 28M 34S W 200.01 ft.; thence N 80Degrees 19M 18S W 130.86 ft.; thence S 79Degrees 53M 20S W 449.99 ft.; thence S 24Degrees 12M 03S W 390.30 ft.; thence N 75Degrees 45M 46S W 138.25 ft.; thence S 55Degrees 57M 40S W 182.22 ft.; thence S 02Degrees 26M 59S E 187.17 ft.; thence S 49Degrees 28M 15S E 261.87 ft.; thence S 69Degrees 38M 48S E 132.26 ft.; thence S 84Degrees 27M 07S E 122.15 ft.; thence S 00Degrees 12M 40S W 131.16 ft.; thence S 87Degrees 56M 50S W 1329.14 ft.; thence S 86Degrees 28M 40S W 49.19 ft.; thence N 02Degrees 45M 11S W 177.71 ft.; thence on a curve to the left (Radius = 170.00 ft., long chord bears N 32Degrees 44M 07S E 16.64 ft.) a distance of 16.65 ft.; thence N 78Degrees 36M 58S E 124.00 ft.; thence N 65Degrees 48M 49S E 97.03 ft.; thence N 12Degrees 41M 59S W 77.67 ft.; thence N 52Degrees 19M 08S W 155.42 ft.; thence N 28Degrees 41M 40S W 100.61 ft.; thence N 56Degrees 54M 00S E 22.15 ft.; thence S 66Degrees 13M 00S E 350.60 ft.; thence N 79Degrees 46M 00S E 152.62 ft.; thence N 01Degree 31M 00S E 319.76 ft. to a point of traverse, later referred to as the first mentioned point of traverse; thence cont. N 01Degree 31M 00S E 24 ft., more or less, to centerline of water course; thence NW'ly along said water course, a distance of 575 ft., more or less; thence S 39Degrees 35 M 10S W 35 ft., more or less, to a point of traverse, said point is located distant S 80Degrees 27M 00S W 121.67 ft. and N 60Degrees 23M 00S W 107.00 ft. an N 05Degrees 42M 00S E 100.00 ft. and N 44Degrees 06M 00S W 80.00 ft. and S 83Degrees 28M 00S W 96.66 ft. from the first mentioned point of traverse; thence on a curve to the right (Radius = 740.7 ft., long chord bears S 45Degrees 52M 28S W 130.00 ft.) a distance of 130.17 ft.; thence N 38Degrees 59M 28S W 60.00 ft.; thence on a curve to the left (Radius = 680.70 ft., long chord bears N 44Degrees 13M 02S E 161.00 ft.) a distance of 161.38 ft. to a point of traverse, later referred to as the second mentioned point of traverse; thence NE'ly and NW'ly 431 ft., more or less, along the shore line of a water course to a point of traverse, said point is located distance N 00Degrees 33M 00S E 72.74 ft. and N 15Degrees 57M 00S E 84.30 ft. and N 84Degrees 33M 00S W 112.12 ft. and N 57Degrees 31M 00S W 111.76 ft. and N 22Degrees 13M 00S W 45 ft. from the second mentioned point of traverse; thence N 57Degrees 07M 40S W 189.60 ft.; thence N 09Degrees 39M 00S E 80.00 ft.; thence N 63Degrees 57M 20S E 47.20 ft.; thence N 14Degrees 53M 00S E 255.12 ft.; thence N 68Degrees 47M 00S W 327.65 ft.; thence on a curve to the left (Radius = 258.68 ft., long chord bears N 06Degrees 06M 30S E 79.74 ft.) a distance of 80.06 ft.; thence on a curve to the left (Radius = 409.61 ft., long chord bears N 14Degrees 52 M 58S W 172.07 ft.) a distance of 173.36 ft.; thence N 27Degrees 00M 28S W 87.64 ft. to the S R.O.W. of Grand Trunk Railroad; thence N 83Degrees 10M 10S E along said R.O.W., a distance of 3212.24 ft. to the E line of said Sec. 21; thence S 00Degrees 10M 36S W along said E line a distance of 1196.25 ft.; thence N 79Degrees 39M 00S W 16.00 ft.; thence S 72Degrees 59M 00S W 199.18 ft.; thence S 00Degrees 10M 36S W 289.69 ft. to P.O.B.

OFFERING NUMBER N-1146

COMPLETE LEGAL DESCRIPTION FOR 0.58 LEASE ACRE PARCEL

That part of the following desc. lying in the NE 1/4 NW 1/4: Beg. at a point located distant S 89Degrees 29M 30S W 206.05 ft. and N 00Degrees 10M 36 S E 262.00 ft. from the E 1/4 corner of said Sec. 21: thence N 43 degrees 30M 57S W 192.82 ft.; thence S 79Degrees 41M 43S W 234.79 ft.; thence S 89Degrees 28M 34S W 200.01 ft.; thence N 80Degrees 19M 18S W 130.86 ft.; thence S 79Degrees 53M 20S W 449.99 ft.; thence S 24Degrees 12M 03S W 390.30 ft.; thence N 75Degrees 45M 46S W 138.25 ft.; thence S 55Degrees 57M 40S W 182.22 ft.; thence S 02Degrees 26M 59S E 187.17 ft.; thence S 49Degrees 28M 15S E 261.87 ft.; thence S 69Degrees 38M 48S E 132.26 ft.; thence S 84Degrees 27M 07S E 122.15 ft.; thence S 00Degrees 12M 40S W 131.16 ft.; thence S 87Degrees 56M 50S W 1329.14 ft.; thence S 86Degrees 28M 40S W 49.19 ft.; thence N 02Degrees 45M 11S W 177.71 ft.; thence on a curve to the left (Radius = 170.00 ft., long chord bears N 32Degrees 44M 07S E 16.64 ft.) a distance of 16.65 ft.; thence N 78Degrees 36M 58S E 124.00 ft.; thence N 65Degrees 48M 49S E 97.03 ft.; thence N 12Degrees 41M 59S W 77.67 ft.; thence N 52Degrees 19M 08S W 155.42 ft.; thence N 28Degrees 41M 40S W 100.61 ft.; thence N 56Degrees 54M 00S E 22.15 ft.; thence S 66Degrees 13M 00S E 350.60 ft.; thence N 79Degrees 46M 00S E 152.62 ft.; thence N 01Degree 31M 00S E 319.76 ft. to a point of traverse, later referred to as the first mentioned point of traverse; thence cont. N 01Degree 31M 00S E 24 ft., more or less, to centerline of water course; thence NW'ly along said water course, a distance of 575 ft., more or less; thence S 39Degrees 35 M 10S W 35 ft., more or less, to a point of traverse, said point is located distant S 80Degrees 27M 00S W 121.67 ft. and N 60Degrees 23M 00S W 107.00 ft. an N 05Degrees 42M 00S E 100.00 ft. and N 44Degrees 06M 00S W 80.00 ft. and S 83Degrees 28M 00S W 96.66 ft. from the first mentioned point of traverse; thence on a curve to the right (Radius = 740.7 ft., long chord bears S 45Degrees 52M 28S W 130.00 ft.) a distance of 130.17 ft.; thence N 38Degrees 59M 28S W 60.00 ft.; thence on a curve to the left (Radius = 680.70 ft., long chord bears N 44Degrees 13M 02S E 161.00 ft.) a distance of 161.38 ft. to a point of traverse, later referred to as the second mentioned point of traverse; thence NE'ly and NW'ly 431 ft., more or less, along the shore line of a water course to a point of traverse, said point is located distance N 00Degrees 33M 00S E 72.74 ft. and N 15Degrees 57M 00S E 84.30 ft. and N 84Degrees 33M 00S W 112.12 ft. and N 57Degrees 31M 00S W 111.76 ft. and N 22Degrees 13M 00S W 45 ft. from the second mentioned point of traverse; thence N 57Degrees 07M 40S W 189.60 ft.; thence N 09Degrees 39M 00S E 80.00 ft.; thence N 63Degrees 57M 20S E 47.20 ft.; thence N 14Degrees 53M 00S E 255.12 ft.; thence N 68Degrees 47M 00S W 327.65 ft.; thence on a curve to the left (Radius = 258.68 ft., long chord bears N 06Degrees 06M 30S E 79.74 ft.) a distance of 80.06 ft.; thence on a curve to the left (Radius = 409.61 ft., long chord bears N 14Degrees 52 M 58S W 172.07 ft.) a distance of 173.36 ft.; thence N 27Degrees 00M 28S W 87.64 ft. to the S R.O.W. of Grand Trunk Railroad; thence N 83Degrees 10M 10S E along said R.O.W., a distance of 3212.24 ft. to the E line of said Sec. 21; thence S 00Degrees 10M 36S W along said E line a distance of 1196.25 ft.; thence N 79Degrees 39M 00S W 16.00 ft.; thence S 72Degrees 59M 00S W 199.18 ft.; thence S 00Degrees 10M 36S W 289.69 ft. to P.O.B.

OFFERING NUMBER N-1146

COMPLETE LEGAL DESCRIPTION FOR 3.53 LEASE ACRE PARCEL

That part of the following desc. lying in the SE 1/4 NW 1/4: Beg. at a point located distant S 89Degrees 29M 30S W 206.05 ft. and N 00Degrees 10M 36 S E 262.00 ft. from the E 1/4 corner of said Sec. 21: thence N 43 degrees 30M 57S W 192.82 ft.; thence S 79Degrees 41M 43S W 234.79 ft.; thence S 89Degrees 28M 34S W 200.01 ft.; thence N 80Degrees 19M 18S W 130.86 ft.; thence S 79Degrees 53M 20S W 449.99 ft.; thence S 24Degrees 12M 03S W 390.30 ft.; thence N 75Degrees 45M 46S W 138.25 ft.; thence S 55Degrees 57M 40S W 182.22 ft.; thence S 02Degrees 26M 59S E 187.17 ft.; thence S 49Degrees 28M 15S E 261.87 ft.; thence S 69Degrees 38M 48S E 132.26 ft.; thence S 84Degrees 27M 07S E 122.15 ft.; thence S 00Degrees 12M 40S W 131.16 ft.; thence S 87Degrees 56M 50S W 1329.14 ft.; thence S 86Degrees 28M 40S W 49.19 ft.; thence N 02Degrees 45M 11S W 177.71 ft.; thence on a curve to the left (Radius = 170.00 ft., long chord bears N 32Degrees 44M 07S E 16.64 ft.) a distance of 16.65 ft.; thence N 78Degrees 36M 58S E 124.00 ft.; thence N 65Degrees 48M 49S E 97.03 ft.; thence N 12Degrees 41M 59S W 77.67 ft.; thence N 52Degrees 19M 08S W 155.42 ft.; thence N 28Degrees 41M 40S W 100.61 ft.; thence N 56Degrees 54M 00S E 22.15 ft.; thence S 66Degrees 13M 00S E 350.60 ft.; thence N 79Degrees 46M 00S E 152.62 ft.; thence N 01Degree 31M 00S E 319.76 ft. to a point of traverse, later referred to as the first mentioned point of traverse; thence cont. N 01Degree 31M 00S E 24 ft., more or less, to centerline of water course; thence NW'ly along said water course, a distance of 575 ft., more or less; thence S 39Degrees 35 M 10S W 35 ft., more or less, to a point of traverse, said point is located distant S 80Degrees 27M 00S W 121.67 ft. and N 60Degrees 23M 00S W 107.00 ft. an N 05Degrees 42M 00S E 100.00 ft. and N 44Degrees 06M 00S W 80.00 ft. and S 83Degrees 28M 00S W 96.66 ft. from the first mentioned point of traverse; thence on a curve to the right (Radius = 740.7 ft., long chord bears S 45Degrees 52M 28S W 130.00 ft.) a distance of 130.17 ft.; thence N 38Degrees 59M 28S W 60.00 ft.; thence on a curve to the left (Radius = 680.70 ft., long chord bears N 44Degrees 13M 02S E 161.00 ft.) a distance of 161.38 ft. to a point of traverse, later referred to as the second mentioned point of traverse; thence NE'ly and NW'ly 431 ft., more or less, along the shore line of a water course to a point of traverse, said point is located distance N 00Degrees 33M 00S E 72.74 ft. and N 15Degrees 57M 00S E 84.30 ft. and N 84Degrees 33M 00S W 112.12 ft. and N 57Degrees 31M 00S W 111.76 ft. and N 22Degrees 13M 00S W 45 ft. from the second mentioned point of traverse; thence N 57Degrees 07M 40S W 189.60 ft.; thence N 09Degrees 39M 00S E 80.00 ft.; thence N 63Degrees 57M 20S E 47.20 ft.; thence N 14Degrees 53M 00S E 255.12 ft.; thence N 68Degrees 47M 00S W 327.65 ft.; thence on a curve to the left (Radius = 258.68 ft., long chord bears N 06Degrees 06M 30S E 79.74 ft.) a distance of 80.06 ft.; thence on a curve to the left (Radius = 409.61 ft., long chord bears N 14Degrees 52 M 58S W 172.07 ft.) a distance of 173.36 ft.; thence N 27Degrees 00M 28S W 87.64 ft. to the S R.O.W. of Grand Trunk Railroad; thence N 83Degrees 10M 10S E along said R.O.W., a distance of 3212.24 ft. to the E line of said Sec. 21; thence S 00Degrees 10M 36S W along said E line a distance of 1196.25 ft.; thence N 79Degrees 39M 00S W 16.00 ft.; thence S 72Degrees 59M 00S W 199.18 ft.; thence S 00Degrees 10M 36S W 289.69 ft. to P.O.B.

OFFERING NUMBER N-1200

WITHDRAWN

OFFERING NUMBER N-1206

WITHDRAWN

OFFERING NUMBER N-1209

COMPLETE LEGAL DESCRIPTION FOR 6.67 LEASE ACRE PARCEL

All of the land lying within the area of overlap between the following described parcels "A" and "B":

PARCEL A: S 50 acres of N 75 acres of SW1/4, except commencing at SW cor of Sec 18 th N 2d31' E along W line of Sec 18, 1,347.11 ft to the common line between properties formerly owned by Cordelia Emery and Arthur F. Tull, th E 161 ft along said common line to POB, th N 2d31' E 129.89 ft, th SE'ly to a point 422 ft due E of said W line of Sec 18 and 47 ft due N of the aforesaid common line, th SE'ly to a point 522 ft due E of said W line of Sec 18 and 25 ft N of said common line, t due S 25 ft to a point in said common line, th due W along said common line 361 ft to POB, (parcel 3), A strip of land 15 ft in width extending along the N'ly or hypotenuse side of above described triangular exception, said strip of land having for its N'ly boundary line the first SE'ly line above described on the N'ly boundary o the above triangle and a prolongation of said line to the E'ly line of said parcel, and in addition thereto, all land lying between the N'ly boundary of said parcel first above described and the 15 foot strip aforesaid, including the following easement on adjoining land: An easement in a strip of land 15 feet wide immediately adjoining and parallel to the strip of land described above under the heading Parcel 3 as described in deed dated Jan 1, 1940, and recorded in Liber 766, Page 575, Oakland County Records; ALSO EXCEPT so much of the following described parcel as is contained in the above description: T3N,R9E, S18, Part of NE1/4 SW1/4 described as beg on N & S1/4 line 135 ft S of center of Sec 18, thence S 1,000 feet along said 1/4 line, thence W 600 ft, th N 1,000 ft, parallel with said N & S1/4 line, th E 600 ft to POB , the exception containing 8.97 acres, more or less. PARCEL B: Beginning at the North ¼ corner of Section 18; thence along the North-South ¼ line of said section, S00°02'47"W 2,6 58.87 ft to the Center of said section; continuing southerly along the N-S ¼ line 135.00 ft; W 600.00 ft; S 1000.00 ft, E 600 ft; to said N-S ¼ line; Southerly along the N-S ¼ line 169.41 ft; thence along the North line of "Supervisor's Plat No. 36", N89°21'02"W (calculated) 300.00 ft (N87°13'30"W recorded) to the Northeast corner of "Supervisor's Plat No. 59"; thence along the north line of Supervisor's Plat No. 59, N89°45'34"W (calculated) 685.66 ft (N87°34' 40"W recorded); thence N24°54'06"E 507.14 ft; N00°06'38"E 3,324.35 ft; N57°31'19"W 324 .88 ft to the North line of said Section 18; S89°54'06"E 1,041.91 ft along said North line to th e Point of Beginning

OFFERING NUMBER N-1209

COMPLETE LEGAL DESCRIPTION FOR 33.96 LEASE ACRE PARCEL

S 50 acres of N 75 acres of SW1/4, except commencing at SW cor of Sec 18 th N 2d31' E along W line of Sec 18, 1,347.11 ft to the common line between properties formerly owned by Cordelia Emery and Arthur F. Tull, th E 161 ft along said common line to POB, th N 2d31' E 129.89 ft, th SE'ly to a point 422 ft due E of said W line of Sec 18 and 47 ft due N of the aforesaid common line, th SE'ly to a point 522 ft due E of said W line of Sec 18 and 25 ft N of said common line, t due S 25 ft to a point in said common line, th due W along said common line 361 ft to POB, (parcel 3), A strip of land 15 ft in width extending along the N'ly or hypotenuse side of above described triangular exception, said strip of land having for its N'ly boundary line the first SE'ly line above described on the N'ly boundary o the above triangle and a prolongation of said line to the E'ly line of said parcel, and in addition thereto, all land lying between the N'ly boundary of said parcel first above described and the 15 foot strip aforesaid, including the following easement on adjoining land: An easement in a strip of land 15 feet wide immediately adjoining and parallel to the strip of land described above under the heading Parcel 3 as described in deed dated Jan 1, 1940, and recorded in Liber 766, Page 575, Oakland County Records; ALSO EXCEPT so much of the following described parcel as is contained in the above description: T3N,R9E, S18, Part of NE1/4 SW1/4 described as beg on N & S1/4 line 135 ft S of center of

(continued)

Sec 18, thence S 1,000 feet along said 1/4 line, thence W 600 ft, th N 1,000 ft, parallel with said N & S1/4 line, th E 600 ft to POB , the exception containing 8.97 acres, more or less.;

ALSO EXCEPT any portion lying within the following described parcel: Beginning at the North ¼ corner of Section 18; thence along the North-South ¼ line of said section, S00°02'47"W 2,658.87 ft to the Center of said section; continuing southerly along the N-S ¼ line 135.00 ft; W 600.00 ft; S 1000.00 ft, E 600 ft; to said N-S ¼ line; Southerly along the N-S ¼ line 169.41 ft; thence along the North line of "Supervisor's Plat No. 36", N89°21'02"W (calculated) 300.00 ft (N87°13'30"W recorded) to the Northeast corner of " Supervisor's Plat No. 59"; thence along the north line of Supervisor's Plat No. 59, N89°45'34"W (calculated) 685.66 ft (N87°34'40"W recorded); thence N24°54'06"E 507.14 ft; N00°06'38" E 3,324.35 ft; N57°31'19"W 324.88 ft to the North line of said Section 18; S89°54'06"E 1,04 1.91 ft along said North line to the Point of Beginning

OFFERING NUMBER N-1215

COMPLETE LEGAL DESCRIPTION FOR 5.28 LEASE ACRE PARCEL

That part of the following desc. lying in the NE 1/4 SW 1/4: Beg. at the W 1/4 corner of Sec. 28; thence N 88Degrees 59M 51S E along the S line of Crescent Lake Estates No. 2, as recorded in Liber 51 of plats, Page 28 of the Oakland Co. records, 892.65 ft.; thence S 25Degrees 35M 24S W 394.37 ft.; thence S 11Degrees 38M 28S W 446.48 ft.; thence S 12Degrees 43M 44S W 128.56 ft.; S 10Degrees 20M 18S E 410.59 ft.; thence N 74Degrees 50M 50S E 246.22 ft.; thence N 81Degrees 43M 29S E 252.28 ft.; thence N 73Degrees 26M 35S E 325.13 ft.; thence N 51Degrees 58M 26S E 396.10 ft.; thence N 31Degrees 41M 00S E 320.66 ft. to the S line of Artesian Drive as shown in Elizabeth Shores, as recorded in Liber 51 of plats, Page 19 of the Oakland Co. records; thence N 89Degrees 04M 34S E along said S line 248.66 ft.; thence S 04Degrees 58M 35S W 169.35 ft.; thence S 20Degrees 29M 46S W 87.23 ft.; thence S 18Degrees 31M 10S E 65.73 ft.; thence S 52Degrees 48M 54S E 72.19 ft.; thence S 52Degrees 37M 37S E 243.93 ft.; thence S 11Degrees 47M 29S E 486.00 ft.; thence S 15Degrees 34M 24S W 292.90 ft. to the N line of Supervisor's Plat No. 51, as recorded in Liber 62 of plats, Page 36 of the Oakland Co. records; thence N 89Degrees 52M 00S W along said N line 1148.46 ft. to the W line of said Supervisor's Plat No. 51; thence S 00Degrees 08M 00S W along said W line 150.00 ft.; thence S 02Degrees 41M 00S W cont. along said W line 30.95 ft.; thence S 00Degrees 34M 00S W cont. along said W line 150.00 ft. to the S. line of said Supervisor's Plat No. 51; thence S 89Degrees 52M 00S E along said S line 425.49 ft.; thence S 396.94 ft.; thence N 89Degrees 48M 13S W parallel with the S line of said Sec. 28 a distance of 429.88 ft.; thence S 00Degrees 04M 51S W 65.00 ft. to said S line; thence N 89Degrees 48M 13S W along said S line 653.93 ft.; thence S 00Degrees 06M 53S W 1320.69 ft.; thence S 89Degrees 46M 57S W 658.99 ft. to the W line of said Sec. 33; thence N 00Degrees 14M 48S E along said W line 1325.45 to NW corner of Sec. 33; thence N 00Degrees 16M 48S E along the E line of said Sec. 29 a distance of 817.70 ft.; thence N 89 Degrees 11M 40S W 1330.19 ft.; thence N 00Degrees 09M 30S E 228.14 ft.; thence N 88Degrees 53M 51S W parallel with the E/W line of said Sec. 29 a distance of 1587.98 ft. to the centerline of Lochaven Rd., as shown in Supervisor's Plat No. 39, as recorded in Liber 67 of plats, Page 8 of the Oakland Co. records; thence N 00Degrees 24M 40S E along said centerline 100.01 ft.; thence S 88Degrees 53M 51S E parallel with said E/W 1/4 line 1587.54 ft.; thence N 00Degrees 09M 30S E 176.09 ft.; thence S 89Degrees 06M 44S E 1331.28 ft. to the E line of said Sec. 29; thence N 00Degrees 16M 48S E along said E line 1320.03 ft. to P.O.B.

OFFERING NUMBER N-1215

COMPLETE LEGAL DESCRIPTION FOR 11.70 LEASE ACRE PARCEL

That part of the following desc. lying in the NW 1/4 SW 1/4: Beg. at the W 1/4 corner of Sec. 28; thence N 88Degrees 59M 51S E along the S line of Crescent Lake Estates No. 2, as recorded in Liber 51 of plats, Page 28 of the Oakland Co. records, 892.65 ft.; thence S 25Degrees 35M 24S W 394.37 ft.; thence S 11Degrees 38M 28S W 446.48 ft.; thence S 12Degrees 43M 44S W 128.56 ft.; S 10Degrees 20M 18S E 410.59 ft.; thence N 74Degrees 50M 50S E 246.22 ft.; thence N 81Degrees 43M 29S E 252.28 ft.; thence N 73Degrees 26M 35S E 325.13 ft.; thence N 51Degrees 58M 26S E 396.10 ft.; thence N 31Degrees 41M 00S E 320.66 ft. to the S line of Artesian Drive as shown in Elizabeth Shores, as recorded in Liber 51 of plats, Page 19 of the Oakland Co. records; thence N 89Degrees 04M 34S E along said S line 248.66 ft.; thence S 04Degrees 58M 35S W 169.35 ft.; thence S 20Degrees 29M 46S W 87.23 ft.; thence S 18Degrees 31M 10S E 65.73 ft.; thence S 52Degrees 48M 54S E 72.19 ft.; thence S 52Degrees 37M 37S E 243.93 ft.; thence S 11Degrees 47M 29S E 486.00 ft.; thence S 15Degrees 34M 24S W 292.90 ft. to the N line of Supervisor's Plat No. 51, as recorded in Liber 62 of plats, Page 36 of the Oakland Co. records; thence N 89Degrees 52M 00S W along said N line 1148.46 ft. to the W line of said Supervisor's Plat No. 51; thence S 00Degrees 08M 00S W along said W line 150.00 ft.; thence S 02Degrees 41M 00S W cont. along said W line 30.95 ft.; thence S 00Degrees 34M 00S W cont. along said W line 150.00 ft. to the S. line of said Supervisor's Plat No. 51; thence S 89Degrees 52M 00S E along said S line 425.49 ft.; thence S 396.94 ft.; thence N 89Degrees 48M 13S W parallel with the S line of said Sec. 28 a distance of 429.88 ft.; thence S 00Degrees 04M 51S W 65.00 ft. to said S line; thence N 89Degrees 48M 13S W along said S line 653.93 ft.; thence S 00Degrees 06M 53S W 1320.69 ft.; thence S 89Degrees 46M 57S W 658.99 ft. to the W line of said Sec. 33; thence N 00Degrees 14M 48S E along said W line 1325.45 to NW corner of Sec. 33; thence N 00Degrees 16M 48S E along the E line of said Sec. 29 a distance of 817.70 ft.; thence N 89Degrees 11M 40S W 1330.19 ft.; thence N 00Degrees 09M 30S E 228.14 ft.; thence N 88Degrees 53M 51S W parallel with the E/W line of said Sec. 29 a distance of 1587.98 ft. to the centerline of Lochaven Rd., as shown in Supervisor's Plat No. 39, as recorded in Liber 67 of plats, Page 8 of the Oakland Co. records; thence N 00Degrees 24M 40S E along said centerline 100.01 ft.; thence S 88Degrees 53M 51S E parallel with said E/W 1/4 line 1587.54 ft.; thence N 00Degrees 09M 30S E 176.09 ft.; thence S 89Degrees 06M 44S E 1331.28 ft. to the E line of said Sec. 29; thence N 00Degrees 16M 48S E along said E line 1320.03 ft. to P.O.B.

OFFERING NUMBER N-1215

COMPLETE LEGAL DESCRIPTION FOR 12.25 LEASE ACRE PARCEL

That part of the following desc. lying in the SE 1/4 SW 1/4: Beg. at the W 1/4 corner of Sec. 28; thence N 88Degrees 59M 51S E along the S line of Crescent Lake Estates No. 2, as recorded in Liber 51 of plats, Page 28 of the Oakland Co. records, 892.65 ft.; thence S 25Degrees 35M 24S W 394.37 ft.; thence S 11Degrees 38M 28S W 446.48 ft.; thence S 12Degrees 43M 44S W 128.56 ft.; S 10Degrees 20M 18S E 410.59 ft.; thence N 74Degrees 50M 50S E 246.22 ft.; thence N 81Degrees 43M 29S E 252.28 ft.; thence N 73Degrees 26M 35S E 325.13 ft.; thence N 51Degrees 58M 26S E 396.10 ft.; thence N 31Degrees 41M 00S E 320.66 ft. to the S line of Artesian Drive as shown in Elizabeth Shores, as recorded in Liber 51 of plats, Page 19 of the Oakland Co. records; thence N 89Degrees 04M 34S E along said S line 248.66 ft.; thence S 04Degrees 58M 35S W 169.35 ft.; thence S 20Degrees 29M 46S W 87.23 ft.; thence S 18Degrees 31M 10S E 65.73 ft.; thence S 52Degrees 48M 54S E 72.19 ft.; thence S 52Degrees 37M 37S E 243.93 ft.; thence S 11Degrees 47M 29S E 486.00 ft.; thence S 15Degrees 34M 24S W 292.90 ft. to the N line of Supervisor's Plat No. 51, as recorded in Liber 62 of plats, Page 36 of the Oakland Co. records;

(continued)

thence N 89Degrees 52M 00S W along said N line 1148.46 ft. to the W line of said Supervisor's Plat No. 51; thence S 00Degrees 08M 00S W along said W line 150.00 ft.; thence S 02Degrees 41M 00S W cont. along said W line 30.95 ft.; thence S 00Degrees 34M 00S W cont. along said W line 150.00 ft. to the S. line of said Supervisor's Plat No. 51; thence S 89Degrees 52M 00S E along said S line 425.49 ft.; thence S 396.94 ft.; thence N 89Degrees 48M 13S W parallel with the S line of said Sec. 28 a distance of 429.88 ft.; thence S 00Degrees 04M 51S W 65.00 ft. to said S line; thence N 89Degrees 48M 13S W along said S line 653.93 ft.; thence S 00Degrees 06M 53S W 1320.69 ft.; thence S 89Degrees 46M 57S W 658.99 ft. to the W line of said Sec. 33; thence N 00Degrees 14M 48S E along said W line 1325.45 to NW corner of Sec. 33; thence N 00Degrees 16M 48S E along the E line of said Sec. 29 a distance of 817.70 ft.; thence N 89 Degrees 11M 40S W 1330.19 ft.; thence N 00Degrees 09M 30S E 228.14 ft.; thence N 88Degrees 53M 51S W parallel with the E/W line of said Sec. 29 a distance of 1587.98 ft. to the centerline of Lochaven Rd., as shown in Supervisor's Plat No. 39, as recorded in Liber 67 of plats, Page 8 of the Oakland Co. records; thence N 00Degrees 24M 40S E along said centerline 100.01 ft.; thence S 88Degrees 53M 51S E parallel with said E/W 1/4 line 1587.54 ft.; thence N 00Degrees 09M 30S E 176.09 ft.; thence S 89Degrees 06M 44S E 1331.28 ft. to the E line of said Sec. 29; thence N 00Degrees 16M 48S E along said E line 1320.03 ft. to P.O.B.

OFFERING NUMBER N-1215

COMPLETE LEGAL DESCRIPTION FOR 22.50 LEASE ACRE PARCEL

That part of the following desc. lying in the SW 1/4 SW 1/4: Beg. at the W 1/4 corner of Sec. 28; thence N 88Degrees 59M 51S E along the S line of Crescent Lake Estates No. 2, as recorded in Liber 51 of plats, Page 28 of the Oakland Co. records, 892.65 ft.; thence S 25Degrees 35M 24S W 394.37 ft.; thence S 11Degrees 38M 28S W 446.48 ft.; thence S 12Degrees 43M 44S W 128.56 ft.; S 10Degrees 20M 18S E 410.59 ft.; thence N 74Degrees 50M 50S E 246.22 ft.; thence N 81Degrees 43M 29S E 252.28 ft.; thence N 73Degrees 26M 35S E 325.13 ft.; thence N 51Degrees 58M 26S E 396.10 ft.; thence N 31Degrees 41M 00S E 320.66 ft. to the S line of Artesian Drive as shown in Elizabeth Shores, as recorded in Liber 51 of plats, Page 19 of the Oakland Co. records; thence N 89Degrees 04M 34S E along said S line 248.66 ft.; thence S 04Degrees 58M 35S W 169.35 ft.; thence S 20Degrees 29M 46S W 87.23 ft.; thence S 18Degrees 31M 10S E 65.73 ft.; thence S 52Degrees 48M 54S E 72.19 ft.; thence S 52Degrees 37M 37S E 243.93 ft.; thence S 11Degrees 47M 29S E 486.00 ft.; thence S 15Degrees 34M 24S W 292.90 ft. to the N line of Supervisor's Plat No. 51, as recorded in Liber 62 of plats, Page 36 of the Oakland Co. records; thence N 89Degrees 52M 00S W along said N line 1148.46 ft. to the W line of said Supervisor's Plat No. 51; thence S 00Degrees 08M 00S W along said W line 150.00 ft.; thence S 02Degrees 41M 00S W cont. along said W line 30.95 ft.; thence S 00Degrees 34M 00S W cont. along said W line 150.00 ft. to the S. line of said Supervisor's Plat No. 51; thence S 89Degrees 52M 00S E along said S line 425.49 ft.; thence S 396.94 ft.; thence N 89Degrees 48M 13S W parallel with the S line of said Sec. 28 a distance of 429.88 ft.; thence S 00Degrees 04M 51S W 65.00 ft. to said S line; thence N 89Degrees 48M 13S W along said S line 653.93 ft.; thence S 00Degrees 06M 53S W 1320.69 ft.; thence S 89Degrees 46M 57S W 658.99 ft. to the W line of said Sec. 33; thence N 00Degrees 14M 48S E along said W line 1325.45 to NW corner of Sec. 33; thence N 00Degrees 16M 48S E along the E line of said Sec. 29 a distance of 817.70 ft.; thence N 89 Degrees 11M 40S W 1330.19 ft.; thence N 00Degrees 09M 30S E 228.14 ft.; thence N 88Degrees 53M 51S W parallel with the E/W line of said Sec. 29 a distance of 1587.98 ft. to the centerline of Lochaven Rd., as shown in Supervisor's Plat No. 39, as recorded in Liber 67 of plats, Page 8 of the Oakland Co. records;

(continued)

thence N 00Degrees 24M 40S E along said centerline 100.01 ft.; thence S 88Degrees 53M 51S E parallel with said E/W 1/4 line 1587.54 ft.; thence N 00Degrees 09M 30S E 176.09 ft.; thence S 89Degrees 06M 44S E 1331.28 ft. to the E line of said Sec. 29; thence N 00Degrees 16M 48S E along said E line 1320.03 ft. to P.O.B.

OFFERING NUMBER N-1216

COMPLETE LEGAL DESCRIPTION FOR 8.61 LEASE ACRE PARCEL

That part of the following desc. lying in the SE 1/4 SE 1/4: Beg. at the W 1/4 corner of Sec. 28; thence N 88Degrees 59M 51S E along the S line of Crescent Lake Estates No. 2, as recorded in Liber 51 of plats, Page 28 of the Oakland Co. records, 892.65 ft.; thence S 25Degrees 35M 24S W 394.37 ft.; thence S 11Degrees 38M 28S W 446.48 ft.; thence S 12Degrees 43M 44S W 128.56 ft.; S 10Degrees 20M 18S E 410.59 ft.; thence N 74Degrees 50M 50S E 246.22 ft.; thence N 81Degrees 43M 29S E 252.28 ft.; thence N 73Degrees 26M 35S E 325.13 ft.; thence N 51Degrees 58M 26S E 396.10 ft.; thence N 31Degrees 41M 00S E 320.66 ft. to the S line of Artesian Drive as shown in Elizabeth Shores, as recorded in Liber 51 of plats, Page 19 of the Oakland Co. records; thence N 89Degrees 04M 34S E along said S line 248.66 ft.; thence S 04Degrees 58M 35S W 169.35 ft.; thence S 20Degrees 29M 46S W 87.23 ft.; thence S 18Degrees 31M 10S E 65.73 ft.; thence S 52Degrees 48M 54S E 72.19 ft.; thence S 52Degrees 37M 37S E 243.93 ft.; thence S 11Degrees 47M 29S E 486.00 ft.; thence S 15Degrees 34M 24S W 292.90 ft. to the N line of Supervisor's Plat No. 51, as recorded in Liber 62 of plats, Page 36 of the Oakland Co. records; thence N 89Degrees 52M 00S W along said N line 1148.46 ft. to the W line of said Supervisor's Plat No. 51; thence S 00Degrees 08M 00S W along said W line 150.00 ft.; thence S 02Degrees 41M 00S W cont. along said W line 30.95 ft.; thence S 00Degrees 34M 00S W cont. along said W line 150.00 ft. to the S. line of said Supervisor's Plat No. 51; thence S 89Degrees 52M 00S E along said S line 425.49 ft.; thence S 396.94 ft.; thence N 89Degrees 48M 13S W parallel with the S line of said Sec. 28 a distance of 429.88 ft.; thence S 00Degrees 04M 51S W 65.00 ft. to said S line; thence N 89Degrees 48M 13S W along said S line 653.93 ft.; thence S 00Degrees 06M 53S W 1320.69 ft.; thence S 89Degrees 46M 57S W 658.99 ft. to the W line of said Sec. 33; thence N 00Degrees 14M 48S E along said W line 1325.45 to NW corner of Sec. 33; thence N 00Degrees 16M 48S E along the E line of said Sec. 29 a distance of 817.70 ft.; thence N 89Degrees 11M 40S W 1330.19 ft.; thence N 00Degrees 09M 30S E 228.14 ft.; thence N 88Degrees 53M 51S W parallel with the E/W line of said Sec. 29 a distance of 1587.98 ft. to the centerline of Lochaven Rd., as shown in Supervisor's Plat No. 39, as recorded in Liber 67 of plats, Page 8 of the Oakland Co. records; thence N 00Degrees 24M 40S E along said centerline 100.01 ft.; thence S 88Degrees 53M 51S E parallel with said E/W 1/4 line 1587.54 ft.; thence N 00Degrees 09M 30S E 176.09 ft.; thence S 89Degrees 06M 44S E 1331.28 ft. to the E line of said Sec. 29; thence N 00Degrees 16M 48S E along said E line 1320.03 ft. to P.O.B.

OFFERING NUMBER N-1217

COMPLETE LEGAL DESCRIPTION FOR 0.34 LEASE ACRE PARCEL

That part of the following desc. lying in the SE 1/4 SW 1/4: Beg. at the W 1/4 corner of Sec. 28; thence N 88Degrees 59M 51S E along the S line of Crescent Lake Estates No. 2, as recorded in Liber 51 of plats, Page 28 of the Oakland Co. records, 892.65 ft.; thence S 25Degrees 35M 24S W 394.37 ft.; thence S 11Degrees 38M 28S W 446.48 ft.; thence S 12Degrees 43M 44S W 128.56 ft.; S 10Degrees 20M 18S E 410.59 ft.; thence N 74Degrees 50M 50S E 246.22 ft.; thence N 81Degrees 43M 29S E 252.28 ft.; thence N 73Degrees 26M 35S E 325.13 ft.; thence N 51Degrees 58M 26S E 396.10 ft.; thence N 31Degrees 41M 00S E 320.66 ft. to the S line of Artesian Drive as shown in Elizabeth Shores, as recorded in Liber 51

(continued)

of plats, Page 19 of the Oakland Co. records; thence N 89Degrees 04M 34S E along said S line 248.66 ft.; thence S 04Degrees 58M 35S W 169.35 ft.; thence S 20Degrees 29M 46S W 87.23 ft.; thence S 18Degrees 31M 10S E 65.73 ft.; thence S 52Degrees 48M 54S E 72.19 ft.; thence S 52Degrees 37M 37S E 243.93 ft.; thence S 11Degrees 47M 29S E 486.00 ft.; thence S 15Degrees 34M 24S W 292.90 ft. to the N line of Supervisor's Plat No. 51, as recorded in Liber 62 of plats, Page 36 of the Oakland Co. records; thence N 89Degrees 52M 00S W along said N line 1148.46 ft. to the W line of said Supervisor's Plat No. 51; thence S 00Degrees 08M 00S W along said W line 150.00 ft.; thence S 02Degrees 41M 00S W cont. along said W line 30.95 ft.; thence S 00Degrees 34M 00S W cont. along said W line 150.00 ft. to the S. line of said Supervisor's Plat No. 51; thence S 89Degrees 52M 00S E along said S line 425.49 ft.; thence S 396.94 ft.; thence N 89Degrees 48M 13S W parallel with the S line of said Sec. 28 a distance of 429.88 ft.; thence S 00Degrees 04M 51S W 65.00 ft. to said S line; thence N 89Degrees 48M 13S W along said S line 653.93 ft.; thence S 00Degrees 06M 53S W 1320.69 ft.; thence S 89Degrees 46M 57S W 658.99 ft. to the W line of said Sec. 33; thence N 00Degrees 14M 48S E along said W line 1325.45 to NW corner of Sec. 33; thence N 00Degrees 16M 48S E along the E line of said Sec. 29 a distance of 817.70 ft.; thence N 89Degrees 11M 40S W 1330.19 ft.; thence N 00Degrees 09M 30S E 228.14 ft.; thence N 88Degrees 53M 51S W parallel with the E/W line of said Sec. 29 a distance of 1587.98 ft. to the centerline of Lochaven Rd., as shown in Supervisor's Plat No. 39, as recorded in Liber 67 of plats, Page 8 of the Oakland Co. records; thence N 00Degrees 24M 40S E along said centerline 100.01 ft.; thence S 88Degrees 53M 51S E parallel with said E/W 1/4 line 1587.54 ft.; thence N 00Degrees 09M 30S E 176.09 ft.; thence S 89Degrees 06M 44S E 1331.28 ft. to the E line of said Sec. 29; thence N 00Degrees 16M 48S E along said E line 1320.03 ft. to P.O.B.

OFFERING NUMBER N-1218

COMPLETE LEGAL DESCRIPTION FOR 11.25 LEASE ACRE PARCEL

That part of the following desc. lying in the NW 1/4 NW 1/4: Beg. at the W 1/4 corner of Sec. 28; thence N 88Degrees 59M 51S E along the S line of Crescent Lake Estates No. 2, as recorded in Liber 51 of plats, Page 28 of the Oakland Co. records, 892.65 ft.; thence S 25Degrees 35M 24S W 394.37 ft.; thence S 11Degrees 38M 28S W 446.48 ft.; thence S 12Degrees 43M 44S W 128.56 ft.; S 10Degrees 20M 18S E 410.59 ft.; thence N 74Degrees 50M 50S E 246.22 ft.; thence N 81Degrees 43M 29S E 252.28 ft.; thence N 73Degrees 26M 35S E 325.13 ft.; thence N 51Degrees 58M 26S E 396.10 ft.; thence N 31Degrees 41M 00S E 320.66 ft. to the S line of Artesian Drive as shown in Elizabeth Shores, as recorded in Liber 51 of plats, Page 19 of the Oakland Co. records; thence N 89Degrees 04M 34S E along said S line 248.66 ft.; thence S 04Degrees 58M 35S W 169.35 ft.; thence S 20Degrees 29M 46S W 87.23 ft.; thence S 18Degrees 31M 10S E 65.73 ft.; thence S 52Degrees 48M 54S E 72.19 ft.; thence S 52Degrees 37M 37S E 243.93 ft.; thence S 11Degrees 47M 29S E 486.00 ft.; thence S 15Degrees 34M 24S W 292.90 ft. to the N line of Supervisor's Plat No. 51, as recorded in Liber 62 of plats, Page 36 of the Oakland Co. records; thence N 89Degrees 52M 00S W along said N line 1148.46 ft. to the W line of said Supervisor's Plat No. 51; thence S 00Degrees 08M 00S W along said W line 150.00 ft.; thence S 02Degrees 41M 00S W cont. along said W line 30.95 ft.; thence S 00Degrees 34M 00S W cont. along said W line 150.00 ft. to the S. line of said Supervisor's Plat No. 51; thence S 89Degrees 52M 00S E along said S line 425.49 ft.; thence S 396.94 ft.; thence N 89Degrees 48M 13S W parallel with the S line of said Sec. 28 a distance of 429.88 ft.; thence S 00Degrees 04M 51S W 65.00 ft. to said S line; thence N 89Degrees 48M 13S W along said S line 653.93 ft.; thence S 00Degrees 06M 53S W 1320.69 ft.; thence S 89Degrees 46M 57S W 658.99 ft. to the W line of said Sec. 33; thence N 00Degrees 14M 48S E along said W line 1325.45 to NW corner of Sec. 33; thence N

(continued)

00Degrees 16M 48S E along the E line of said Sec. 29 a distance of 817.70 ft.; thence N 89 Degrees 11M 40S W 1330.19 ft.; thence N 00Degrees 09M 30S E 228.14 ft.; thence N 88Degrees 53M 51S W parallel with the E/W line of said Sec. 29 a distance of 1587.98 ft. to the centerline of Lochaven Rd., as shown in Supervisor's Plat No. 39, as recorded in Liber 67 of plats, Page 8 of the Oakland Co. records; thence N 00Degrees 24M 40S E along said centerline 100.01 ft.; thence S 88Degrees 53M 51S E parallel with said E/W 1/4 line 1587.54 ft.; thence N 00Degrees 09M 30S E 176.09 ft.; thence S 89Degrees 06M 44S E 1331.28 ft. to the E line of said Sec. 29; thence N 00Degrees 16M 48S E along said E line 1320.03 ft. to P.O.B.

OFFERING NUMBER N-1236

COMPLETE LEGAL DESCRIPTION FOR 33.42 LEASE ACRE PARCEL

That part of the following description lying within the SE1/4, Section 9, T04N, R07E:

Section 21

Parcel 1

That part of W ½ of NW ¼, lying North of center of highway of Section 21.

Section 16

Parcel 2

Part of the SW ¼ of the NE ¼ and the NW ¼ of the SE ¼ of Section 16 beginning at center of Section 16; th. N 115 ft.; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E to E/W ¼ line of Section 16; th. E along said ¼ E/W line to West line of "Supervisor's Plat No. 5" recorded in Liber 54A of Plats, Page 76A, Oakland County Records; th. S along said West line of "Supervisor's Plat No. 5" to a point located N 00°42' 11" E (previously recorded as North) 122.76 ft. from the N'ly line Lot 5 of said "Supervisor's Plat No. 5"; th. S 68°49' 19" W 320.93 ft. to the shore of Big School Lot Lake; Th. S'ly 125 ft. to the NW corner of said "Supervisor's Plat No. 5"; th. S'ly along the W line said "Supervisor's Plat No. 5" to the SE corner of the NW ¼ of the SE ¼ of Section 16; th. W to the N/S ¼ line of Section 16; th. North along said N/S ¼ line to the point of beginning.

Parcel 3

SW ¼ of the SW ¼

Parcel 4

Part of the NW ¼ of the SW ¼ beginning at a point located N 01°04' 36" E 1,264.05 ft. and S 86°24' 23" E 460.76 ft. from the SW corner of Section 16, th. N 01°04' 36" E 960.45 ft.; th. S 89°41' 25" E 857.11 ft.; th. S 01°30' 55" W 1,009 .28 ft.; th. N 86°24' 23" W 850.13 ft. to the point of beginning.

Parcel 5

SE ¼ of the SW ¼

(continued)

Parcel 6

Part of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 16, beginning at point on the North line of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$, distant E 1,236 ft. from the NW corner of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$; TH. S'ly along centerline of highway 359 ft.; th. W 166 ft.; th. S 948 ft.; th. S 50°30' 00" W to East and West $\frac{1}{4}$ line; th. East along said $\frac{1}{4}$ line to W'ly line of PM RR right-of-way; th. N'ly along right-of-way line to North line of S $\frac{1}{2}$ of NE $\frac{1}{4}$; th. West along 1/8 line to beginning, EXCEPT that part in "Supervisor's Plat No. 5".

Parcel 7

Part of the East $\frac{1}{2}$ of Section 16, beginning at a point on the North and South $\frac{1}{4}$ line distant North 115 ft. from center of Section; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E 433 ft.; th. N 1305 ft. to the East and West 1/8 line; th. W 1,020 ft. to the North and South $\frac{1}{4}$ line; th. S 1,205 ft. to beginning.

Parcel 8

Part of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 16, beginning at a point on the North line of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ distant E 1,020 ft. from the NW corner of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$; th. S 357 ft.; th. E 166 ft. to centerline of highway; th. N'ly along said centerline 359 ft. to 1/8 line; th. W along 1/8 line 216 ft. to beginning.

Parcel 9

That part of the N $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 16, lying SW'ly of PM RR right-of-way.

Parcel 10

NW $\frac{1}{4}$ of the NW $\frac{1}{4}$

Parcel 11

NE $\frac{1}{4}$ of the NW $\frac{1}{4}$

Parcel 12

SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 16, EXCEPT beginning at the West $\frac{1}{4}$ corner; th. N 00°13' 00" E 430 ft.; th. N 89°14' 10" E 303 ft.; th. S 00°13' 00" W 430 ft.; th. S 89°14' 10" W 303 ft. to beginning.

Parcel 13

SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ AND the N 330 ft. of the SW $\frac{1}{4}$

Section 9

Parcel 14

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 1,006.29 ft. from the SW section corner; th. N 00°27' 20" E 239.66 ft.; th. N 89°43' 35" E 380 ft.; th. S 00°27' 20" W 237.65 ft.; th. S 89°25' 26" W 380.08 ft. to beginning.

Parcel 15

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 00°27' 20" E 1,006.29 ft.; th. N 89°25' 26" E 380.08 ft. from the SW section corner; th. N 00°27' 20" E 637.65 ft.; th. N 89°43' 35" E 344 ft.; th. S 01°27' 00" W 634.74 ft.; th. S 89°25' 26" W 344 ft. to beginning.

(continued)

Parcel 16

Part of the SW $\frac{1}{4}$ of Section 9, beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89° 25' 26" E 724.08 ft. from SW section corner; th. N 01°27' 00" E 636.56 ft.; th. N 89°43' 35" E 263.48 ft.; th. S 01°27' 00" W 636.56 ft.; th. S 89°25' 26" W 252.49 ft. to beginning.

Parcel 17

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89°25' 26" E 976.57 ft. from the SW section corner; th. N 01°27' 00" E 634.74 ft.; th. N 89°43' 35" E 344 ft.; th. S 01°27' 25" W 632.99 ft.; th. S 89°25' 26" W 344 ft. to beginning.

Parcel 19

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 335.43 ft. from the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89°25' 26" E 1,314.66 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,308.79 ft. to beginning.

Parcel 20

Part of the SW $\frac{1}{4}$ beginning at the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89° 25' 26" E 1,308.79 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,302.92 ft. to beginning.

Parcel 21

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. from the SW section corner; th. N 01°27' 25" E 336.15 ft.; th. N 00°21' 12" E 988.23 ft.; th. N 89°28' 16" E 331.88 ft.; th. S 00°32' 03" W 1,324.01 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 22

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 334.18 ft. from the SW section corner; th. N 00°32' 03" E 1,324.01 ft.; th. N 89° 28' 16" E 331.88 ft.; th. S 00°26' 05" W 1,323.70 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 23

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 668.36 ft. from the SW section corner; th. N 00°26' 25" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°20' 09" W 1,323.39 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 24

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 1,002.54 ft. from the SW section corner; th. N 00°20' 09" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°14' 10" W 1,323.07 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 25

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. from the SW section corner; th. N 01°27' 25" E 651.90 ft.; th. N 89°25' 26" E 668.36 ft.; th. S 00°54' 00" W 651.76 ft.; th. S 89°25' 25" W 675.31 ft. to beginning.

(continued)

Parcel 26

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. and N 89°25' 25" E 675.31 ft. from the SW section corner; th. N 00°54' 00" E 651.76 ft.; th. N 89°25' 26" E 668.36 ft.; th. S 00°14' 10" W 651.50 ft. th. S 89°25' 25" W 675.31 ft. to beginning.

Parcel 27

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. from the SW section corner; th. N 01°27' 25" E 651.89 ft.; th. N 89°25' 25" E 675.31 ft.; th. S 00°50' 51" W 651.68 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 28

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,985.18 ft. from the SW section corner; th. N 00°50' 51" E 651.68 ft.; th. N 89°25' 25" E 675.31 ft.; th. S 00°14' 10" W 651.50 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 29

That part of the SE $\frac{1}{4}$ lying West of PM RR right-of-way.

OFFERING NUMBER N-1237

COMPLETE LEGAL DESCRIPTION FOR 87.30 LEASE ACRE PARCEL

That part of the following description lying within the SW $\frac{1}{4}$, Section 9, T04N, R07E:

Section 21 – Parcel 1 - That part of the W $\frac{1}{2}$ of NW $\frac{1}{4}$, lying North of center of highway of Section 21.

Section 16

Parcel 2

Part of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ and the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 16 beginning at center of Section 16; th. N 115 ft.; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E to E/W $\frac{1}{4}$ line of Section 16; th. E along said $\frac{1}{4}$ E/W line to West line of "Supervisor's Plat No. 5" recorded in Liber 54A of Plats, Page 76A, Oakland County Records; th. S along said West line of "Supervisor's Plat No. 5" to a point located N 00°42' 11" E (previously recorded as North) 122.76 ft. from the N'ly line Lot 5 of said "Supervisor's Plat No. 5"; th. S 68°49' 19" W 320.93 ft. to the shore of Big School Lot Lake; Th. S'ly 125 ft. to the NW corner of said "Supervisor's Plat No. 5"; th. S'ly along the W line said "Supervisor's Plat No. 5" to the SE corner of the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 16; th. W to the N/S $\frac{1}{4}$ line of Section 16; th. North along said N/S $\frac{1}{4}$ line to the point of beginning.

Parcel 3

SW $\frac{1}{4}$ of the SW $\frac{1}{4}$

Parcel 4

Part of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ beginning at a point located N 01°04' 36" E 1,264.05 ft. and S 86°24' 23" E 460.76 ft. from the SW corner of Section 16, th. N 01°04' 36" E 960.45 ft.; th. S 89°41' 25" E 857.11 ft.; th. S 01°30' 55" W 1,009.28 ft.; th. N 86°24' 23" W 850.13 ft. to the point of beginning.

(continued)

Parcel 5

SE $\frac{1}{4}$ of the SW $\frac{1}{4}$

Parcel 6

Part of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 16, beginning at point on the North line of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$, distant E 1,236 ft. from the NW corner of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$; TH. S'ly along centerline of highway 359 ft.; th. W 166 ft.; th. S 948 ft.; th. S 50°30' 00" W to East and West $\frac{1}{4}$ line; th. East along said $\frac{1}{4}$ line to W'ly line of PM RR right-of-way; th. N'ly along right-of-way line to North line of S $\frac{1}{2}$ of NE $\frac{1}{4}$; th. West along $\frac{1}{8}$ line to beginning, EXCEPT that part in "Supervisor's Plat No. 5".

Parcel 7

Part of the East $\frac{1}{2}$ of Section 16, beginning at a point on the North and South $\frac{1}{4}$ line distant North 115 ft. from center of Section; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E 433 ft.; th. N 1305 ft. to the East and West $\frac{1}{8}$ line; th. W 1,020 ft. to the North and South $\frac{1}{4}$ line; th. S 1,205 ft. to beginning.

Parcel 8

Part of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 16, beginning at a point on the North line of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ distant E 1,020 ft. from the NW corner of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$; th. S 357 ft.; th. E 166 ft. to centerline of highway; th. N'ly along said centerline 359 ft. to $\frac{1}{8}$ line; th. W along $\frac{1}{8}$ line 216 ft. to beginning.

Parcel 9

That part of the N $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 16, lying SW'ly of PM RR right-of-way.

Parcel 10

NW $\frac{1}{4}$ of the NW $\frac{1}{4}$

Parcel 11

NE $\frac{1}{4}$ of the NW $\frac{1}{4}$

Parcel 12

SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 16, EXCEPT beginning at the West $\frac{1}{4}$ corner; th. N 00°13' 00" E 430 ft.; th. N 89°14' 10" E 303 ft.; th. S 00°13' 00" W 430 ft.; th. S 89°14' 10" W 303 ft. to beginning.

Parcel 13

SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ AND the N 330 ft. of the SW $\frac{1}{4}$

Section 9

Parcel 14

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 1,006.29 ft. from the SW section corner; th. N 00°27' 20" E 239.66 ft.; th. N 89°43' 35" E 380 ft.; th. S 00°27' 20" W 237.65 ft.; th. S 89°25' 26" W 380.08 ft. to beginning.

(continued)

Parcel 15

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 00°27' 20" E 1,006.29 ft.; th. N 89°25' 26" E 380.08 ft. from the SW section corner; th. N 00°27' 20" E 637.65 ft.; th. N 89°43' 35" E 344 ft.; th. S 01° 27' 00" W 634.74 ft.; th. S 89°25' 26" W 344 ft. to beginning.

Parcel 16

Part of the SW $\frac{1}{4}$ of Section 9, beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89°25' 26" E 724.08 ft. from SW section corner; th. N 01°27' 00" E 636.56 ft.; th. N 89°43' 35" E 263.48 ft.; th. S 01°27' 00" W 636.56 ft.; th. S 89°25' 26" W 252.49 ft. to beginning.

Parcel 17

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89°25' 26" E 976.57 ft. from the SW section corner; th. N 01°27' 00" E 634.74 ft.; th. N 89°43' 35" E 344 ft.; th. S 01°27' 25" W 632.99 ft.; th. S 89°25' 26" W 344 ft. to beginning.

Parcel 19

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 335.43 ft. from the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89°25' 26" E 1,314.66 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,308.79 ft. to beginning.

Parcel 20

Part of the SW $\frac{1}{4}$ beginning at the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89°25' 26" E 1,308.79 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,302.92 ft. to beginning.

Parcel 21

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. from the SW section corner; th. N 01°27' 25" E 336.15 ft.; th. N 00°21' 12" E 988.23 ft.; th. N 89°28' 16" E 331.88 ft.; th. S 00°32' 03" W 1,324.01 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 22

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 334.18 ft. from the SW section corner; th. N 00°32' 03" E 1,324.01 ft.; th. N 89°28' 16" E 331.88 ft.; th. S 00°26' 05" W 1,323.70 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 23

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 668.36 ft. from the SW section corner; th. N 00°26' 25" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°20' 09" W 1,323.39 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

(continued)

Parcel 24

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 1,002.54 ft. from the SW section corner; th. N 00°20' 09" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°14' 10" W 1,323.07 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 25

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. from the SW section corner; th. N 01°27' 25" E 651.90 ft.; th. N 89°25' 26" E 668.36 ft.; th. S 00°54' 00" W 651.76 ft.; th. S 89°25' 25" W 675.31 ft. to beginning.

Parcel 26

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. and N 89°25' 25" E 675.31 ft. from the SW section corner; th. N 00°54' 00" E 651.76 ft.; th. N 89°25' 26" E 668.36 ft.; th. S 00°14' 10" W 651.50 ft. th. S 89°25' 25" W 675.31 ft. to beginning.

Parcel 27

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. from the SW section corner; th. N 01°27' 25" E 651.89 ft.; th. N 89°25' 25" E 675.31 ft.; th. S 00°50' 51" W 651.68 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 28

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,985.18 ft. from the SW section corner; th. N 00°50' 51" E 651.68 ft.; th. N 89°25' 25" E 675.31 ft.; th. S 00°14' 10" W 651.50 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 29

That part of the SE ¼ lying West of PM RR right-of-way.

OFFERING NUMBER N-1238

COMPLETE LEGAL DESCRIPTION FOR 47.75 LEASE ACRE PARCEL

That part of the following description lying within the NE1/4, Section 16, T04N, R07E:

Section 21 - Parcel 1 - That part of the W ½ of NW ¼, lying North of center of highway of Section 21

Section 16

Parcel 2

Part of the SW ¼ of the NE ¼ and the NW ¼ of the SE ¼ of Section 16 beginning at center of Section 16; th. N 115 ft.; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E to E/W ¼ line of Section 16; th. E along said ¼ E/W line to West line of "Supervisor's Plat No. 5" recorded in Liber 54A of Plats, Page 76A, Oakland County Records; th. S along said West line of "Supervisor's Plat No. 5" to a point located N 00°42' 11" E (previously recorded as North) 122.76 ft. from the N'ly line Lot 5 of said "Supervisor's Plat No. 5"; th. S 68°49' 19" W 320.93 ft. to the shore of Big School Lot Lake; Th. S'ly 125 ft. to the NW corner of said "Supervisor's Plat No. 5"; th. S'ly along the W line said "Supervisor's Plat No. 5" to the SE corner of the NW ¼ of

(continued)

the SE ¼ of Section 16; th. W to the N/S ¼ line of Section 16; th. North along said N/S ¼ line to the point of beginning.

Parcel 3

SW ¼ of the SW ¼

Parcel 4

Part of the NW ¼ of the SW ¼ beginning at a point located N 01°04' 36" E 1,264.05 ft. and S 86°24' 23" E 460.76 ft. from the SW corner of Section 16, th. N 01°04' 36" E 960.45 ft.; th. S 89°41' 25" E 857.11 ft.; th. S 01°30' 55" W 1,009 .28 ft.; th. N 86°24' 23" W 850.13 ft. to the point of beginning.

Parcel 4

Part of the NW ¼ of the SW ¼ beginning at a point located N 01°04' 36" E 1,264.05 ft. and S 86°24' 23" E 460.76 ft. from the SW corner of Section 16, th. N 01°04' 36" E 960.45 ft.; th. S 89°41' 25" E 857.11 ft.; th. S 01°30' 55" W 1,009 .28 ft.; th. N 86°24' 23" W 850.13 ft. to the point of beginning.

Parcel 5

SE ¼ of the SW ¼

Parcel 6

Part of the S ½ of the NE ¼ of Section 16, beginning at point on the North line of the S ½ of the NE ¼, distant E 1,236 ft. from the NW corner of the S ½ of the NE ¼; TH. S'ly along centerline of highway 359 ft.; th. W 166 ft.; th. S 948 ft.; th. S 50°30' 00" W to East and West ¼ line; th. East along said ¼ line to W'ly line of PM RR right-of-way; th. N'ly along right-of-way line to North line of S ½ of NE ¼; th. West along 1/8 line to beginning, EXCEPT that part in "Supervisor's Plat No. 5".

Parcel 7

Part of the East ½ of Section 16, beginning at a point on the North and South ¼ line distant North 115 ft. from center of Section; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E 433 ft.; th. N 1305 ft. to the East and West 1/8 line; th. W 1,020 ft. to the North and South ¼ line; th. S 1,205 ft. to beginning.

Parcel 8

Part of the S ½ of the NE ¼ of Section 16, beginning at a point on the North line of the S ½ of the NE ¼ distant E 1,020 ft. from the NW corner of the S ½ of the NE ¼; th. S 357 ft.; th. E 166 ft. to centerline of highway; th. N'ly along said centerline 359 ft. to 1/8 line; th. W along 1/8 line 216 ft. to beginning.

Parcel 9

That part of the N ½ of the NE ¼ of Section 16, lying SW'ly of PM RR right-of-way.

Parcel 10

NW ¼ of the NW ¼

Parcel 11

NE ¼ of the NW ¼

(continued)

Parcel 12

SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 16, EXCEPT beginning at the West $\frac{1}{4}$ corner; th. N 00°13' 00" E 430 ft.; th. N 89°14' 10" E 303 ft.; th. S 00°13' 00" W 430 ft.; th. S 89°14' 10" W 303 ft. to beginning.

Parcel 13

SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ AND the N 330 ft. of the SW $\frac{1}{4}$
Section 9

Parcel 14

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 1,006.29 ft. from the SW section corner; th. N 00°27' 20" E 239.66 ft.; th. N 89°43' 35" E 380 ft.; th. S 00°27' 20" W 237.65 ft.; th. S 89°25' 26" W 380.08 ft. to beginning.

Parcel 15

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 00°27' 20" E 1,006.29 ft.; th. N 89°25' 26" E 380.08 ft. from the SW section corner; th. N 00°27' 20" E 637.65 ft.; th. N 89°43' 35" E 344 ft.; th. S 01°27' 00" W 634.74 ft.; th. S 89°25' 26" W 344 ft. to beginning.

Parcel 16

Part of the SW $\frac{1}{4}$ of Section 9, beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89°25' 26" E 724.08 ft. from SW section corner; th. N 01°27' 00" E 636.56 ft.; th. N 89°43' 35" E 263.48 ft.; th. S 01°27' 00" W 636.56 ft.; th. S 89°25' 26" W 252.49 ft. to beginning.

Parcel 17

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89°25' 26" E 976.57 ft. from the SW section corner; th. N 01°27' 00" E 634.74 ft.; th. N 89°43' 35" E 344 ft.; th. S 01°27' 25" W 632.99 ft.; th. S 89°25' 26" W 344 ft. to beginning.

Parcel 19

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 335.43 ft. from the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89°25' 26" E 1,314.66 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,308.79 ft. to beginning.

Parcel 20

Part of the SW $\frac{1}{4}$ beginning at the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89°25' 26" E 1,308.79 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,302.92 ft. to beginning.

Parcel 21

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. from the SW section corner; th. N 01°27' 25" E 336.15 ft.; th. N 00°21' 12" E 988.23 ft.; th. N 89°28' 16" E 331.88 ft.; th. S 00°32' 03" W 1,324.01 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

(continued)

Parcel 22

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 334.18 ft. from the SW section corner; th. N 00°32' 03" E 1,324.01 ft.; th. N 89° 28' 16" E 331.88 ft.; th. S 00°26' 05" W 1,323.70 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 23

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 668.36 ft. from the SW section corner; th. N 00°26' 25" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°20' 09" W 1,323.39 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 24

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 1,002.54 ft. from the SW section corner; th. N 00°20' 09" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°14' 10" W 1,323.07 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 25

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. from the SW section corner; th. N 01°27' 25" E 651.90 ft.; th. N 89°25' 26" E 668.36 ft.; th. S 00°54' 00" W 651.76 ft.; th. S 89°25' 25" W 675.31 ft. to beginning.

Parcel 26

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. and N 89°25' 25" E 675.31 ft. from the SW section corner; th. N 00°54' 00" E 651.76 ft.; th. N 89°25' 26" E 668.36 ft.; th. S 00°14' 10" W 651.50 ft. th. S 89°25' 25" W 675.31 ft. to beginning.

Parcel 27

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. from the SW section corner; th. N 01°27' 25" E 651.89 ft.; th. N 89°25' 25" E 675.31 ft.; th. S 00°50' 51" W 651.68 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 28

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,985.18 ft. from the SW section corner; th. N 00°50' 51" E 651.68 ft.; th. N 89°25' 25" E 675.31 ft.; th. S 00°14' 10" W 651.50 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 29

That part of the SE ¼ lying West of PM RR right-of-way.

OFFERING NUMBER N-1239

COMPLETE LEGAL DESCRIPTION FOR 117.75 LEASE ACRE PARCEL

That part of the following description lying within the NW1/4, Section 16, T04N, R07E:

Section 21 - Parcel 1 - That part of the W ½ of NW ¼, lying North of center of highway of Section 21.

(continued)

Section 16

Parcel 2

Part of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ and the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 16 beginning at center of Section 16; th. N 115 ft.; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E to E/W $\frac{1}{4}$ line of Section 16; th. E along said $\frac{1}{4}$ E/W line to West line of "Supervisor's Plat No. 5" recorded in Liber 54A of Plats, Page 76A, Oakland County Records; th. S along said West line of "Supervisor's Plat No. 5" to a point located N 00°42' 11" E (previously recorded as North) 122.76 ft. from the N'ly line Lot 5 of said "Supervisor's Plat No. 5"; th. S 68°49' 19" W 320.93 ft. to the shore of Big School Lot Lake; Th. S'ly 125 ft. to the NW corner of said "Supervisor's Plat No. 5"; th. S'ly along the W line said "Supervisor's Plat No. 5" to the SE corner of the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 16; th. W to the N/S $\frac{1}{4}$ line of Section 16; th. North along said N/S $\frac{1}{4}$ line to the point of beginning.

Parcel 3

SW $\frac{1}{4}$ of the SW $\frac{1}{4}$

Parcel 4

Part of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ beginning at a point located N 01°04' 36" E 1,264.05 ft. and S 86°24' 23" E 460.76 ft. from the SW corner of Section 16, th. N 01°04' 36" E 960.45 ft.; th. S 89°41' 25" E 857.11 ft.; th. S 01°30' 55" W 1,009 .28 ft.; th. N 86°24' 23" W 850.13 ft. to the point of beginning.

Parcel 5

SE $\frac{1}{4}$ of the SW $\frac{1}{4}$

Parcel 6

Part of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 16, beginning at point on the North line of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$, distant E 1,236 ft. from the NW corner of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$; TH. S'ly along centerline of highway 359 ft.; th. W 166 ft.; th. S 948 ft.; th. S 50°30' 00" W to East and West $\frac{1}{4}$ line; th. East along said $\frac{1}{4}$ line to W'ly line of PM RR right-of-way; th. N'ly along right-of-way line to North line of S $\frac{1}{2}$ of NE $\frac{1}{4}$; th. West along 1/8 line to beginning, EXCEPT that part in "Supervisor's Plat No. 5".

Parcel 7

Part of the East $\frac{1}{2}$ of Section 16, beginning at a point on the North and South $\frac{1}{4}$ line distant North 115 ft. from center of Section; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E 433 ft.; th. N 1305 ft. to the East and West 1/8 line; th. W 1,020 ft. to the North and South $\frac{1}{4}$ line; th. S 1,205 ft. to beginning.

Parcel 8

Part of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 16, beginning at a point on the North line of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ distant E 1,020 ft. from the NW corner of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$; th. S 357 ft.; th. E 166 ft. to centerline of highway; th. N'ly along said centerline 359 ft. to 1/8 line; th. W along 1/8 line 216 ft. to beginning.

Parcel 9

That part of the N $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 16, lying SW'ly of PM RR right-of-way.

(continued)

Parcel 10
NW ¼ of the NW ¼

Parcel 11
NE ¼ of the NW ¼

Parcel 12
SW ¼ of the NW ¼ of Section 16, EXCEPT beginning at the West ¼ corner; th. N 00°13' 00" E 430 ft.; th. N 89°14' 10" E 303 ft.; th. S 00°13' 00" W 430 ft.; th. S 89°14' 10" W 303 ft. to beginning.

Parcel 13
SE ¼ of the NW ¼ AND the N 330 ft. of the SW ¼

Section 9

Parcel 14
Part of the SW ¼ beginning at point distant N 00°27' 20" E 1,006.29 ft. from the SW section corner; th. N 00°27' 20" E 239.66 ft.; th. N 89°43' 35" E 380 ft.; th. S 00°27' 20" W 237.65 ft.; th. S 89°25' 26" W 380.08 ft. to beginning.

Parcel 15
Part of the SW ¼ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 00°27' 20" E 1,006.29 ft.; th. N 89°25' 26" E 380.08 ft. from the SW section corner; th. N 00°27' 20" E 637.65 ft.; th. N 89°43' 35" E 344 ft.; th. S 01°27' 00" W 634.74 ft.; th. S 89°25' 26" W 344 ft. to beginning.

Parcel 16
Part of the SW ¼ of Section 9, beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89°25' 26" E 724.08 ft. from SW section corner; th. N 01°27' 00" E 636.56 ft.; th. N 89°43' 35" E 263.48 ft.; th. S 01°27' 00" W 636.56 ft.; th. S 89°25' 26" W 252.49 ft. to beginning.

Parcel 17
Part of the SW ¼ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89°25' 26" E 976.57 ft. from the SW section corner; th. N 01°27' 00" E 634.74 ft.; th. N 89°43' 35" E 344 ft.; th. S 01°27' 25" W 632.99 ft.; th. S 89°25' 26" W 344 ft. to beginning.

Parcel 19
Part of the SW ¼ beginning at point distant N 00°27' 20" E 335.43 ft. from the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89°25' 26" E 1,314.66 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,308.79 ft. to beginning.

Parcel 20
Part of the SW ¼ beginning at the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89°25' 26" E 1,308.79 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,302.92 ft. to beginning.

(continued)

Parcel 21

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. from the SW section corner; th. N 01° 27' 25" E 336.15 ft.; th. N 00°21' 12" E 988.23 ft.; th. N 89°28' 16" E 331.88 ft.; th. S 00°32' 03" W 1,324.01 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 22

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 334.18 ft. from the SW section corner; th. N 00°32' 03" E 1,324.01 ft.; th. N 89° 28' 16" E 331.88 ft.; th. S 00°26' 05" W 1,323.70 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 23

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 668.36 ft. from the SW section corner; th. N 00°26' 25" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°20' 09" W 1,323.39 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 24

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 1,002.54 ft. from the SW section corner; th. N 00°20' 09" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°14' 10" W 1,323.07 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 25

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. from the SW section corner; th. N 01°27' 25" E 651.90 ft.; th. N 89°25' 26" E 668.36 ft.; th. S 00°54' 00" W 651.76 ft.; th. S 89°25' 25" W 675.31 ft. to beginning.

Parcel 26

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. and N 89°25' 25" E 675.31 ft. from the SW section corner; th. N 00°54' 00" E 651.76 ft.; th. N 89°25' 26" E 668.36 ft.; th. S 00°14' 10" W 651.50 ft. th. S 89°25' 25" W 675.31 ft. to beginning.

Parcel 27

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. from the SW section corner; th. N 01°27' 25" E 651.89 ft.; th. N 89°25' 25" E 675.31 ft.; th. S 00°50' 51" W 651.68 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 28

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,985.18 ft. from the SW section corner; th. N 00°50' 51" E 651.68 ft.; th. N 89°25' 25" E 675.31 ft.; th. S 00°14' 10" W 651.50 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 29

That part of the SE ¼ lying West of PM RR right-of-way.

OFFERING NUMBER N-1240

COMPLETE LEGAL DESCRIPTION FOR 27.93 LEASE ACRE PARCEL

That part of the following description lying within the SE1/4, Section 16, T04N, R07E:

Section 21 - Parcel 1 - That part of the W ½ of NW ¼, lying North of center of highway of Section 21.

Section 16

Parcel 2

Part of the SW ¼ of the NE ¼ and the NW ¼ of the SE ¼ of Section 16 beginning at center of Section 16; th. N 115 ft.; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E to E/W ¼ line of Section 16; th. E along said ¼ E/W line to West line of "Supervisor's Plat No. 5" recorded in Liber 54A of Plats, Page 76A, Oakland County Records; th. S along said West line of "Supervisor's Plat No. 5" to a point located N 00°42' 11" E (previously recorded as North) 122.76 ft. from the N'ly line Lot 5 of said "Supervisor's Plat No. 5"; th. S 68°49' 19" W 320.93 ft. to the shore of Big School Lot Lake; Th. S'ly 125 ft. to the NW corner of said "Supervisor's Plat No. 5"; th. S'ly along the W line said "Supervisor's Plat No. 5" to the SE corner of the NW ¼ of the SE ¼ of Section 16; th. W to the N/S ¼ line of Section 16; th. North along said N/S ¼ line to the point of beginning.

Parcel 3

SW ¼ of the SW ¼

Parcel 4

Part of the NW ¼ of the SW ¼ beginning at a point located N 01°04' 36" E 1,264.05 ft. and S 86°24' 23" E 460.76 ft. from the SW corner of Section 16, th. N 01°04' 36" E 960.45 ft.; th. S 89°41' 25" E 857.11 ft.; th. S 01°30' 55" W 1,009 .28 ft.; th. N 86°24' 23" W 850.13 ft. to the point of beginning.

Parcel 5

SE ¼ of the SW ¼

Parcel 6

Part of the S ½ of the NE ¼ of Section 16, beginning at point on the North line of the S ½ of the NE ¼, distant E 1,236 ft. from the NW corner of the S ½ of the NE ¼; TH. S'ly along centerline of highway 359 ft.; th. W 166 ft.; th. S 948 ft.; th. S 50°30' 00" W to East and West ¼ line; th. East along said ¼ line to W'ly line of PM RR right-of-way; th. N'ly along right-of-way line to North line of S ½ of NE ¼; th. West along 1/8 line to beginning, EXCEPT that part in "Supervisor's Plat No. 5".

Parcel 7

Part of the East ½ of Section 16, beginning at a point on the North and South ¼ line distant North 115 ft. from center of Section; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E 433 ft.; th. N 1305 ft. to the East and West 1/8 line; th. W 1,020 ft. to the North and South ¼ line; th. S 1,205 ft. to beginning.

(continued)

Parcel 8

Part of the S ½ of the NE ¼ of Section 16, beginning at a point on the North line of the S ½ of the NE ¼ distant E 1,020 ft. from the NW corner of the S ½ of the NE ¼; th. S 357 ft.; th. E 166 ft. to centerline of highway; th. N'ly along said centerline 359 ft. to 1/8 line; th. W along 1/8 line 216 ft. to beginning.

Parcel 9

That part of the N ½ of the NE ¼ of Section 16, lying SW'ly of PM RR right-of-way.

Parcel 10

NW ¼ of the NW ¼

Parcel 11

NE ¼ of the NW ¼

Parcel 12

SW ¼ of the NW ¼ of Section 16, EXCEPT beginning at the West ¼ corner; th. N 00°13' 00" E 430 ft.; th. N 89°14' 10" E 303 ft.; th. S 00°13' 00" W 430 ft.; th. S 89°14' 10" W 303 ft. to beginning.

Parcel 13

SE ¼ of the NW ¼ AND the N 330 ft. of the SW ¼

Section 9

Parcel 14

Part of the SW ¼ beginning at point distant N 00°27' 20" E 1,006.29 ft. from the SW section corner; th. N 00°27' 20" E 239.66 ft.; th. N 89°43' 35" E 380 ft.; th. S 00°27' 20" W 237.65 ft.; th. S 89°25' 26" W 380.08 ft. to beginning.

Parcel 15

Part of the SW ¼ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 00°27' 20" E 1,006.29 ft.; th. N 89°25' 26" E 380.08 ft. from the SW section corner; th. N 00°27' 20" E 637.65 ft.; th. N 89°43' 35" E 344 ft.; th. S 01°27' 00" W 634.74 ft.; th. S 89°25' 26" W 344 ft. to beginning.

Parcel 16

Part of the SW ¼ of Section 9, beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89°25' 26" E 724.08 ft. from SW section corner; th. N 01°27' 00" E 636.56 ft.; th. N 89°43' 35" E 263.48 ft.; th. S 01°27' 00" W 636.56 ft.; th. S 89°25' 26" W 252.49 ft. to beginning.

Parcel 17

Part of the SW ¼ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89°25' 26" E 976.57 ft. from the SW section corner; th. N 01°27' 00" E 634.74 ft.; th. N 89°43' 35" E 344 ft.; th. S 01°27' 25" W 632.99 ft.; th. S 89°25' 26" W 344 ft. to beginning.

(continued)

Parcel 19

Part of the SW ¼ beginning at point distant N 00°27' 20" E 335.43 ft. from the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89°25' 26" E 1,314.66 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,308.79 ft. to beginning.

Parcel 20

Part of the SW ¼ beginning at the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89°25' 26" E 1,308.79 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,302.92 ft. to beginning.

Parcel 21

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. from the SW section corner; th. N 01°27' 25" E 336.15 ft.; th. N 00°21' 12" E 988.23 ft.; th. N 89°28' 16" E 331.88 ft.; th. S 00°32' 03" W 1,324.01 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 22

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 334.18 ft. from the SW section corner; th. N 00°32' 03" E 1,324.01 ft.; th. N 89°28' 16" E 331.88 ft.; th. S 00°26' 05" W 1,323.70 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 23

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 668.36 ft. from the SW section corner; th. N 00°26' 25" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°20' 09" W 1,323.39 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 24

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 1,002.54 ft. from the SW section corner; th. N 00°20' 09" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°14' 10" W 1,323.07 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 25

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. from the SW section corner; th. N 01°27' 25" E 651.90 ft.; th. N 89°25' 26" E 668.36 ft.; th. S 00°54' 00" W 651.76 ft.; th. S 89°25' 25" W 675.31 ft. to beginning.

Parcel 26

Part of the SW ¼ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. and N 89°25' 25" E 675.31 ft. from the SW section corner; th. N 00°54' 00" E 651.76 ft.; th. N 89°25' 26" E 668.36 ft.; th. S 00°14' 10" W 651.50 ft. th. S 89°25' 25" W 675.31 ft. to beginning.

(continued)

Parcel 27

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°2 5' 26" E 1,302.92 ft. from the SW section corner; th. N 01°27' 25" E 651.89 ft.; th. N 89°2 5' 25" E 675.31 ft.; th. S 00°50' 51" W 651.68 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 28

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°2 5' 26" E 1,985.18 ft. from the SW section corner; th. N 00°50' 51" E 651.68 ft.; th. N 89°2 5' 25" E 675.31 ft.; th. S 00°14' 10" W 651.50 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 29

That part of the SE $\frac{1}{4}$ lying West of PM RR right-of-way.

OFFERING NUMBER N-1241

COMPLETE LEGAL DESCRIPTION FOR 81.96 LEASE ACRE PARCEL

That part of the following description lying within the SW $\frac{1}{4}$, Section 16, T04N, R07E:
Section 21 - Parcel 1 - That part of the W $\frac{1}{2}$ of NW $\frac{1}{4}$, lying North of center of highway of Section 21.

Section 16

Parcel 2

Part of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ and the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 16 beginning at center of Section 16; th. N 115 ft.; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E to E/W $\frac{1}{4}$ line of Section 16; th. E along said $\frac{1}{4}$ E/W line to West line of "Supervisor's Plat No. 5" recorded in Liber 54A of Plats, Page 76A, Oakland County Records; th. S along said West line of "Supervisor's Plat No. 5" to a point located N 00°42' 11" E (previously recorded as North) 122.76 ft. from the N'ly line Lot 5 of said "Supervisor's Plat No. 5"; th. S 68°49' 19" W 320.93 ft. to the shore of Big School Lot Lake; Th. S'ly 125 ft. to the NW corner of said "Supervisor's Plat No. 5"; th. S'ly along the W line said "Supervisor's Plat No. 5" to the SE corner of the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 16; th. W to the N/S $\frac{1}{4}$ line of Section 16; th. North along said N/S $\frac{1}{4}$ line to the point of beginning.

Parcel 3

SW $\frac{1}{4}$ of the SW $\frac{1}{4}$

Parcel 4

Part of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ beginning at a point located N 01°04' 36" E 1,264.05 ft. and S 86°24' 23" E 460.76 ft. from the SW corner of Section 16, th. N 01°04' 36" E 960.45 ft.; th. S 89°41' 25" E 857.11 ft.; th. S 01°30' 55" W 1,009 .28 ft.; th. N 86°24' 23" W 850.13 ft. to the point of beginning.

Parcel 5

SE $\frac{1}{4}$ of the SW $\frac{1}{4}$

(continued)

Parcel 6

Part of the S ½ of the NE ¼ of Section 16, beginning at point on the North line of the S ½ of the NE ¼, distant E 1,236 ft. from the NW corner of the S ½ of the NE ¼; TH. S'ly along centerline of highway 359 ft.; th. W 166 ft.; th. S 948 ft.; th. S 50°30' 00" W to East and West ¼ line; th. East along said ¼ line to W'ly line of PM RR right-of-way; th. N'ly along right-of-way line to North line of S ½ of NE ¼; th. West along 1/8 line to beginning, EXCEPT that part in "Supervisor's Plat No. 5".

Parcel 7

Part of the East ½ of Section 16, beginning at a point on the North and South ¼ line distant North 115 ft. from center of Section; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E 433 ft.; th. N 1305 ft. to the East and West 1/8 line; th. W 1,020 ft. to the North and South ¼ line; th. S 1,205 ft. to beginning.

Parcel 8

Part of the S ½ of the NE ¼ of Section 16, beginning at a point on the North line of the S ½ of the NE ¼ distant E 1,020 ft. from the NW corner of the S ½ of the NE ¼; th. S 357 ft.; th. E 166 ft. to centerline of highway; th. N'ly along said centerline 359 ft. to 1/8 line; th. W along 1/8 line 216 ft. to beginning.

Parcel 9

That part of the N ½ of the NE ¼ of Section 16, lying SW'ly of PM RR right-of-way.

Parcel 10

NW ¼ of the NW ¼

Parcel 11

NE ¼ of the NW ¼

Parcel 12

SW ¼ of the NW ¼ of Section 16, EXCEPT beginning at the West ¼ corner; th. N 00°13' 00" E 430 ft.; th. N 89°14' 10" E 303 ft.; th. S 00°13' 00" W 430 ft.; th. S 89°14' 10" W 303 ft. to beginning.

Parcel 13

SE ¼ of the NW ¼ AND the N 330 ft. of the SW ¼

Section 9

Parcel 14

Part of the SW ¼ beginning at point distant N 00°27' 20" E 1,006.29 ft. from the SW section corner; th. N 00°27' 20" E 239.66 ft.; th. N 89°43' 35" E 380 ft.; th. S 00°27' 20" W 237.65 ft.; th. S 89°25' 26" W 380.08 ft. to beginning.

Parcel 15

Part of the SW ¼ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 00°27' 20" E 1,006.29 ft.; th. N 89°25' 26" E 380.08 ft. from the SW section corner; th. N 00°27' 20" E 637.65 ft.; th. N 89°43' 35" E 344 ft.; th. S 01°27' 00" W 634.74 ft.; th. S 89°25' 26" W 344 ft. to beginning.

(continued)

Parcel 16

Part of the SW $\frac{1}{4}$ of Section 9, beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89° 25' 26" E 724.08 ft. from SW section corner; th. N 01°27' 00" E 636.56 ft.; th. N 89°43' 35" E 263.48 ft.; th. S 01°27' 00" W 636.56 ft.; th. S 89°25' 26" W 252.49 ft. to beginning.

Parcel 17

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89°25' 26" E 976.57 ft. from the SW section corner; th. N 01°27' 00" E 634.74 ft.; th. N 89°43' 35" E 344 ft.; th. S 01°27' 25" W 632.99 ft.; th. S 89°25' 26" W 344 ft. to beginning.

Parcel 19

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 335.43 ft. from the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89°25' 26" E 1,314.66 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,308.79 ft. to beginning.

Parcel 20

Part of the SW $\frac{1}{4}$ beginning at the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89° 25' 26" E 1,308.79 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,302.92 ft. to beginning.

Parcel 21

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. from the SW section corner; th. N 01°27' 25" E 336.15 ft.; th. N 00°21' 12" E 988.23 ft.; th. N 89°28' 16" E 331.88 ft.; th. S 00°32' 03" W 1,324.01 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 22

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 334.18 ft. from the SW section corner; th. N 00°32' 03" E 1,324.01 ft.; th. N 89° 28' 16" E 331.88 ft.; th. S 00°26' 05" W 1,323.70 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 23

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 668.36 ft. from the SW section corner; th. N 00°26' 25" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°20' 09" W 1,323.39 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 24

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 1,002.54 ft. from the SW section corner; th. N 00°20' 09" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°14' 10" W 1,323.07 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 25

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. from the SW section corner; th. N 01°27' 25" E 651.90 ft.; th. N 89°25' 26" E 668.36 ft.; th. S 00°54' 00" W 651.76 ft.; th. S 89°25' 25" W 675.31 ft. to beginning.

(continued)

Parcel 26

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°2 5' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. and N 89°25' 25" E 675.31 ft. from the SW section corner; th. N 00°54' 00" E 651.76 ft.; th. N 89°2 5' 26" E 668.36 ft.; th. S 00°14' 10" W 651.50 ft. th. S 89°25' 25" W 675.31 ft. to beginning.

Parcel 27

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°2 5' 26" E 1,302.92 ft. from the SW section corner; th. N 01°27' 25" E 651.89 ft.; th. N 89°2 5' 25" E 675.31 ft.; th. S 00°50' 51" W 651.68 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 28

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°2 5' 26" E 1,985.18 ft. from the SW section corner; th. N 00°50' 51" E 651.68 ft.; th. N 89°2 5' 25" E 675.31 ft.; th. S 00°14' 10" W 651.50 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 29

That part of the SE $\frac{1}{4}$ lying West of PM RR right-of-way.

OFFERING NUMBER N-1242

COMPLETE LEGAL DESCRIPTION FOR 14.25 LEASE ACRE PARCEL

That part of the following description lying within the NW $\frac{1}{4}$, Section 21, T04N, R07E:

Section 21 - Parcel 1 - That part of the W $\frac{1}{2}$ of NW $\frac{1}{4}$, lying North of center of highway of Section 21.

Section 16

Parcel 2

Part of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ and the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 16 beginning at center of Section 16; th. N 115 ft.; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E to E/W $\frac{1}{4}$ line of Section 16; th. E along said $\frac{1}{4}$ E/W line to West line of "Supervisor's Plat No. 5" recorded in Liber 54A of Plats, Page 76A, Oakland County Records; th. S along said West line of "Supervisor's Plat No. 5" to a point located N 00°42' 11" E (previously recorded as North) 122.76 ft. from the N'ly line Lot 5 of said "Supervisor's Plat No. 5"; th. S 68°49' 19" W 320.93 ft. to the shore of Big School Lot Lake; Th. S'ly 125 ft. to the NW corner of said "Supervisor's Plat No. 5"; th. S'ly along the W line said "Supervisor's Plat No. 5" to the SE corner of the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 16; th. W to the N/S $\frac{1}{4}$ line of Section 16; th. North along said N/S $\frac{1}{4}$ line to the point of beginning.

Parcel 3

SW $\frac{1}{4}$ of the SW $\frac{1}{4}$

Parcel 4

Part of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ beginning at a point located N 01°04' 36" E 1,264.05 ft. and S 86°24' 23" E 460.76 ft. from the SW corner of Section 16, th. N 01°04' 36" E 960.45 ft.; th. S 89°41' 25" E 857.11 ft.; th. S 01°30' 55" W 1,009 .28 ft.; th. N 86°24' 23" W 850.13 ft. to the point of beginning.

(continued)

Parcel 5

SE $\frac{1}{4}$ of the SW $\frac{1}{4}$

Parcel 6

Part of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 16, beginning at point on the North line of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$, distant E 1,236 ft. from the NW corner of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$; TH. S'ly along centerline of highway 359 ft.; th. W 166 ft.; th. S 948 ft.; th. S 50°30' 00" W to East and West $\frac{1}{4}$ line; th. East along said $\frac{1}{4}$ line to W'ly line of PM RR right-of-way; th. N'ly along right-of-way line to North line of S $\frac{1}{2}$ of NE $\frac{1}{4}$; th. West along $\frac{1}{8}$ line to beginning, EXCEPT that part in "Supervisor's Plat No. 5".

Parcel 7

Part of the East $\frac{1}{2}$ of Section 16, beginning at a point on the North and South $\frac{1}{4}$ line distant North 115 ft. from center of Section; th. S 88°00' 00" E 472 ft.; th. S 26°30' 00" E 400 ft.; th. N 50°30' 00" E 433 ft.; th. N 1305 ft. to the East and West $\frac{1}{8}$ line; th. W 1,020 ft. to the North and South $\frac{1}{4}$ line; th. S 1,205 ft. to beginning.

Parcel 8

Part of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 16, beginning at a point on the North line of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ distant E 1,020 ft. from the NW corner of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$; th. S 357 ft.; th. E 166 ft. to centerline of highway; th. N'ly along said centerline 359 ft. to $\frac{1}{8}$ line; th. W along $\frac{1}{8}$ line 216 ft. to beginning.

Parcel 9

That part of the N $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 16, lying SW'ly of PM RR right-of-way.

Parcel 10

NW $\frac{1}{4}$ of the NW $\frac{1}{4}$

Parcel 11

NE $\frac{1}{4}$ of the NW $\frac{1}{4}$

Parcel 12

SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 16, EXCEPT beginning at the West $\frac{1}{4}$ corner; th. N 00°13' 00" E 430 ft.; th. N 89°14' 10" E 303 ft.; th. S 00°13' 00" W 430 ft.; th. S 89°14' 10" W 303 ft. to beginning.

Parcel 13

SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ AND the N 330 ft. of the SW $\frac{1}{4}$

Section 9

Parcel 14

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°2' 7" E 1,006.29 ft. from the SW section corner; th. N 00°27' 20" E 239.66 ft.; th. N 89°4' 3" 35" E 380 ft.; th. S 00°27' 20" W 237.65 ft.; th. S 89°25' 26" W 380.08 ft. to beginning.

(continued)

Parcel 15

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 00°27' 20" E 1,006.29 ft.; th. N 89°25' 26" E 380.08 ft. from the SW section corner; th. N 00°27' 20" E 637.65 ft.; th. N 89°43' 35" E 344 ft.; th. S 01° 27' 00" W 634.74 ft.; th. S 89°25' 26" W 344 ft. to beginning.

Parcel 16

Part of the SW $\frac{1}{4}$ of Section 9, beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89°25' 26" E 724.08 ft. from SW section corner; th. N 01°27' 00" E 636.56 ft.; th. N 89°43' 35" E 263.48 ft.; th. S 01°27' 00" W 636.56 ft.; th. S 89°25' 26" W 252.49 ft. to beginning.

Parcel 17

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 1,006.29 ft. and N 89°25' 26" E 976.57 ft. from the SW section corner; th. N 01°27' 00" E 634.74 ft.; th. N 89°43' 35" E 344 ft.; th. S 01°27' 25" W 632.99 ft.; th. S 89°25' 26" W 344 ft. to beginning.

Parcel 19

Part of the SW $\frac{1}{4}$ beginning at point distant N 00°27' 20" E 335.43 ft. from the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89°25' 26" E 1,314.66 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,308.79 ft. to beginning.

Parcel 20

Part of the SW $\frac{1}{4}$ beginning at the SW section corner; th. N 00°27' 20" E 335.43 ft.; th. N 89°25' 26" E 1,308.79 ft.; th. S 01°27' 25" W 335.59 ft.; th. S 89°25' 26" W 1,302.92 ft. to beginning.

Parcel 21

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. from the SW section corner; th. N 01°27' 25" E 336.15 ft.; th. N 00°21' 12" E 988.23 ft.; th. N 89°28' 16" E 331.88 ft.; th. S 00°32' 03" W 1,324.01 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 22

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 334.18 ft. from the SW section corner; th. N 00°32' 03" E 1,324.01 ft.; th. N 89°28' 16" E 331.88 ft.; th. S 00°26' 05" W 1,323.70 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 23

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 668.36 ft. from the SW section corner; th. N 00°26' 25" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°20' 09" W 1,323.39 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

Parcel 24

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,303.79 ft. and N 89°25' 26" E 1,002.54 ft. from the SW section corner; th. N 00°20' 09" E 1,323.70 ft.; th. N 89°28' 16" E 331.89 ft.; th. S 00°14' 10" W 1,323.07 ft.; th. S 89°25' 26" W 334.18 ft. to beginning.

(continued)

Parcel 25

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. from the SW section corner; th. N 01°27' 25" E 651.90 ft.; th. N 89°25' 26" E 668.36 ft.; th. S 00°54' 00" W 651.76 ft.; th. S 89°25' 25" W 675.31 ft. to beginning.

Parcel 26

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. and N 01°27' 25" E 1,302.92 ft. and N 01°27' 25" E 651.89 ft. and N 89°25' 25" E 675.31 ft. from the SW section corner; th. N 00°54' 00" E 651.76 ft.; th. N 89°25' 26" E 668.36 ft.; th. S 00°14' 10" W 651.50 ft. th. S 89°25' 25" W 675.31 ft. to beginning.

Parcel 27

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,302.92 ft. from the SW section corner; th. N 01°27' 25" E 651.89 ft.; th. N 89°25' 25" E 675.31 ft.; th. S 00°50' 51" W 651.68 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 28

Part of the SW $\frac{1}{4}$ beginning at point distant N 89°25' 26" E 1,985.18 ft. from the SW section corner; th. N 00°50' 51" E 651.68 ft.; th. N 89°25' 25" E 675.31 ft.; th. S 00°14' 10" W 651.50 ft.; th. S 89°25' 26" W 682.26 ft. to beginning.

Parcel 29

That part of the SE $\frac{1}{4}$ lying West of PM RR right-of-way.

**OFFERING NUMBER N-1368
WITHDRAWN**

Updated April 27, 2012