



Department of Natural Resources and Environment
Office of Land and Facilities
Design, Construction and Customer Systems Section

FOR ALL VAULT TOILET REPLACEMENT CONTRACTS

MULTIPLE STATE FOREST CAMPGROUNDS

DNR PROJECT No. 26-3953, 1 - 8

ADDENDUM No. 1

For All Eight (8) Contracts

BID OPENING DATE: Friday, July 9, 2010 at 2:00 p.m., Local Time, in Lansing

DATE ADDENDUM ISSUED: Tuesday, June 29, 2010

STATE UNIT: Forest Management Division

TO: ALL BIDDERS

SUBJECT: This Addendum No. 1 is issued to revise the Contract Documents for the above referenced projects

ITEM #1: The Contractor is responsible for obtaining permits from the local district health departments.

ITEM #1: Leverentz Lake SFCG – There will be two (2) vault toilets removed and replaced at this campground.

ITEM #2: Qualified Disabled Veterans Preference – Act 91 of the Public Acts of 2005 and Act 22 of the Public Acts of 2010 are applicable to this project. See attached bulletin.

ITEM #3: Silt Fence: Silt fence shall be required around disturbed construction areas as detailed in the attached drawing.

ITEM #4: Native Grasses - The grasses listed in the attached table will replace those listed in the contract and are the only species acceptable for these contracts.

ITEM #5: Siding: - Shall be: CertainTeed, ColorMax Prefinished Cedar 8" Groove Vertical Panel, 4' x8' sheets, Color: Newport; Taupe is an accepted alternate.

Acknowledgment: Two copies of this Addendum No. 1, properly signed in the space provided below, shall be submitted with your duplicate Proposal and Contract Forms.

(Firm Name)

Patrick Avendt
Design, Construction and Customer Systems
Office of Land and Facilities
(517) 373-9902

(Bidder's Signature and Title)



JENNIFER M. GRANHOLM
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
TECHNOLOGY, MANAGEMENT AND BUDGET
LANSING



KENNETH D. THEIS
DIRECTOR

April 14, 2010

Qualified Disabled Veterans Preference

Act 91 of the Public Acts of 2005
Act 22 of the Public Acts of 2010

In awarding contracts under MCL 18.1241 and MCL 18.1261, the department shall give a preference of up to 10% of the amount of the contract to a qualified disabled veteran.

MCL 18.1241 Applies to “contracts for construction, repair, remodeling, or demolition of a facility.”

MCL 18.1261 applies to “the purchase of, the contracting for, and the providing of supplies, materials, services, insurance, utilities, third party financing, equipment, printing, and all other items as needed by state agencies for which the legislature has not otherwise expressly provided.”

The request to have the preference applied to a bid and the required documentation showing eligibility for the preference must be submitted as part of the bid, otherwise the preference will not be applied.

Definitions:

1. “Qualified Disabled Veteran” (QDV) means a business entity that is 51% or more owned by one or more veterans with a service-connected disability.
2. “Service Connected Disability” means a disability incurred or aggravated in the line of duty in the active military, naval, or air service as described in 38 USC 101(16).
3. “Veteran” means a person who served in the active military, naval, or air service and who was discharged or released from his or her service under conditions other than dishonorable.

Required Documentation:

1. Proof of service and conditions of discharge: DD 214
2. Proof of service-connected disability: DD 214 if the disability was documented at discharge or a Veterans Administration (VA) Rating Decision letter if the disability was documented after discharge.
3. Proof of Ownership: Appropriate legal documents setting forth the ownership of the business entity submitting the bid.

Application of the Preference: For the purpose of evaluating and determining the low responsive bid, 10% of the lowest responsive bid (the bid that would otherwise receive the contract award if the preference were not being considered) will be deducted from all QDV bids. If the low responsive QDV bid, less the 10% preference, is less than the lowest responsive bid, then the QDV bid will be declared the official low responsive bid. The original QDV bid amount will be the basis of the contract award.

Example:



Lowest Responsive Bid	\$100,000
Lowest Responsive QDV Bid	\$109,000
Preference (10% of Lowest Responsive Bid)	\$10,000
Lowest Responsive QDV Bid Less Preference	\$99,000 (\$109,000 - \$10,000)
Official Low Responsive Bid	\$109,000

Determining 51% or more Ownership: The business entity holding the contract must be 51% or more owned by one or more veterans (natural persons) with a service-connected disability. For example, a joint venture between two companies is owned by the companies and not a natural person, regardless of the ownership of either company.

Bonds, Insurance, and Certificate of Awardability: These items shall be issued in the name of the business entity bidding.

Loss of Preference: If during the term of the contract the contractor no longer qualifies for the preference, or if the contract is assigned to a business entity that does not qualify for the preference, they will be required to discount their contract price by the amount of the preference they received.


NOTE: ON ALL DEMOLITION AND NEW CONSTRUCTION A MINIMUM OF 15 LINEAL FEET OF SILT FENCE TO BE CONSTRUCTED ON THE DOWNWARD SLOPE IN THE AREA OF VAULT TOILET.



ROLL JOINTS

SILT FENCE NOTES

1. INSTALL PARALLEL TO A CONTOUR.
2. SILT FENCE SHALL BE MADE OF WOVEN GEOTEXTILE FABRIC.
3. DIG A 6" TRENCH ALONG THE AREA WHERE THE FENCE IS TO BE INSTALLED.
4. PLACE 6" OF THE SILT FENCE BOTTOM FLAP INTO THE TRENCH.
5. BACKFILL THE TRENCH WITH SOIL AND COMPACT THE SOIL ON BOTH SIDES. CREATE A SMALL RIDGE ON THE UP-SLOPE SIDE OF THE FENCE.
6. 6. INSTALL WOODEN STAKES 6 - 10' APART AND DRIVE INTO THE GROUND A MINIMUM OF 12".
7. STAPLE THE GEOTEXTILE FABRIC TO THE WOODEN STAKES.
8. JOIN SECTIONS OF SILT FENCE BY WRAPPING ENDS TOGETHER (SEE DRAWING).
9. INSPECT FREQUENTLY AND IMMEDIATELY AFTER EACH STORM EVENT. CHECK SEVERAL TIMES DURING PROLONGED STORM EVENTS. IF NECESSARY, REPAIR IMMEDIATELY.
10. IF THE SEDIMENT HAS REACHED 1/3 THE HEIGHT OF THE FENCE, THE SOIL SHALL BE REMOVED AND DISPOSED OF IN A STABLE UPLAND SITE.
11. THE FENCE SHALL BE RE-INSTALLED IF WATER IS SEEPING UNDERNEATH IT OR IF THE FENCE HAS BECOME INEFFECTIVE.
12. SILT FENCE SHALL BE REMOVED ONCE VEGETATION IS ESTABLISHED AND UP-SLOPE AREA HAS STABILIZED.



SILT FENCE

NOT TO SCALE

PROJECT NO.	26-3953
INDEX	14410
PCA	95803
DRAWN BY	SK
DESIGNED BY	SK

SILT FENCE
DETAIL

CAMPGROUND VAULT TOILET
INSTALLATION

2.01 Grass seed shall be applied at the rate of six pounds (6#) per thousand square feet in the following named mixtures.

	<u>PERCENT/ WEIGHT</u>	<u>MINIMUM PERCENT GERMINATION</u>
		<u>MINIMUM</u>
Creeping Red Fescue	15%	90%
Kentucky Blue Grass 98/85	15%	90%
Seed Oats	50%	90%
Annual Rye	<u>20%</u>	90%
	100%	