

DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF CONSTRUCTION CODES
P.O. BOX 30254
LANSING, MI 48909

CERTIFICATE OF ACCEPTABILITY
PRODUCT APPROVAL

1641-MA

Issued by the Michigan State Construction Code Commission in accordance with authority granted under Section 21, 1972 P.A. 230, MCL 125.1521 on the recommendation of the Bureau of Construction Codes, Mechanical Division.

MANUFACTURER:
Viega LLC


PRODUCT:
MegaPress product #'s 4811, 4812, 4815, 4816, 4818, 4826, 4860, 48151, and 48172. Sizes ½", ¾", 1", 1 ¼", 1 ½" and 2".

MANUFACTURER DESIGNATION:
301 N. Main Fl 9
Wichita, KS 67202-4806

CONDITIONS OF USE AND INSTALLATION:

1. All requirements of the Michigan Mechanical, Michigan Residential Codes. Most current editions shall apply.
2. Installations shall be in accordance with the manufacturer's installation instructions.
3. Not approved for underground installations.
4. Not approved for embedding applications.
5. Approved for schedule 40 pipe only.
6. Not approved for temperatures about 250 degrees F.
7. Not approved for pressures about 200 PSI.
8. The fitting installation must be pressure-tested for leaks in the presence of the code official.
9. RIGID press tool shall be re-calibrated by RIGID after a period of 30,000 presses.
10. This approval shall become void if the product no longer conforms to the current Michigan Mechanical, Michigan Residential codes.

THIS CERTIFICATE SHALL NOT BE USED FOR ADVERTISING PURPOSES.



By Direction of the Construction Code Commission

Irvin J. Poke
Irvin J. Poke, AIA, Director

Kevin D. Kalakay
Kevin D. Kalakay, Chief, Mechanical Division

Effective Date: 4/3/13