



Attachment A, Pricing

<b>Power Equipment Distributors Agricultural, Grounds, and Roadside Fixed Price Equipment List</b>			
<b>PED's Equipment Category Titles</b>	<b>Manuf. Name</b>	<b>Model #</b>	<b>Unit Purchase Price</b>
Lazer Z XS	Exmark	LXS25KD605	\$ 12,467.00
Lazer Z XS	Exmark	LXS25KD665	\$ 12,706.00
Lazer Z XS	Exmark	LXS25KD725	\$ 13,106.00
Lazer Z AS	Exmark	LZA20KAS484	\$ 5,993.00
Lazer Z AS	Exmark	LZA20KAX524	\$ 6,393.00
Lazer Z AS	Exmark	LZA27KC604	\$ 6,991.00
Lazer Z AS	Exmark	LZA20KAX524	\$ 6,393.00
Lazer Z AS	Exmark	LZA27KC604	\$ 6,991.00
Lazer Z ASX	Exmark	LZAS22KA484	\$ 6,712.00
Lazer Z ASX	Exmark	LZAS23KC524	\$ 7,112.00
Lazer Z ASX	Exmark	LZAS22KA484, ,	\$ 6,712.00
Lazer Z ASX	Exmark	LZAS23KC524	\$ 7,112.00
Lazer Z ASX	Exmark	LZAS25KC604	\$ 7,751.00
Lazer Z ASX	Exmark	LZAS27KC524	\$ 7,512.00
Lazer Z	Exmark	LZZ29KA606	\$ 8,790.00
Lazer Z	Exmark	LZZ29KA606	\$ 8,790.00
Lazer Z ASX	Exmark	LZAS29KA724	\$ 8,551.00
Lazer Z	Exmark	LZZ34KA606	\$ 9,270.00
Lazer Z	Exmark	LZZ34KA726	\$ 9,590.00
Lazer Z XS	Exmark	LXS25KD665	\$ 12,706.00
Lazer Z XS	Exmark	LXS25KD725	\$ 13,106.00
Lazer Z AS	Exmark	LZA20KAX524	\$ 6,393.00
Lazer Z AS	Exmark	LZA27KC604	\$ 6,991.00
Lazer Z ASX Propane	Exmark	LZAS29KA604LP	\$ 9,989.00
Lazer Z ASX Propane	Exmark	LZAS29KA724LP	\$ 10,389.00
Lazer Z XS	Exmark	LXS25KD605	\$ 12,467.00
Lazer Z XS	Exmark	LXS25KD665	\$ 12,706.00
Lazer Z XS	Exmark	LXS25KD725	\$ 13,106.00
Lazer Z XS	Exmark	LXS35BV605	\$ 10,629.00
Lazer Z XS	Exmark	LXS35BV665	\$ 10,788.00
Lazer Z XS	Exmark	LXS35BV725	\$ 11,188.00
Lazer Z	Exmark	LZZ23KC486	\$ 7,512.00
Lazer Z	Exmark	LZZ24KA526	\$ 7,911.00
Lazer Z	Exmark	LZZ27KC526	\$ 8,071.00
Lazer Z	Exmark	LZZ27KC606	\$ 8,631.00
Lazer Z	Exmark	LZZ29KA606	\$ 8,790.00
Lazer Z	Exmark	LZZ34KA606	\$ 9,270.00
Lazer Z	Exmark	LZZ34KA726	\$ 9,590.00
Lazer Z	Exmark	LZZ38KC606	\$ 9,590.00
Lazer Z	Exmark	LZZ38KC726	\$ 9,909.00

**Contract No. 071B0200328**



Lazer Z ASX	Exmark	LZAS22KA484	\$ 6,712.00
Lazer Z ASX	Exmark	LZAS23KC524	\$ 7,112.00
Lazer Z ASX	Exmark	LZAS27KC524	\$ 7,512.00
Lazer Z ASX	Exmark	LZAS25KC604	\$ 7,751.00
Lazer Z ASX	Exmark	LZAS27KC604	\$ 7,991.00
Lazer Z ASX	Exmark	LZAS26LKA604	\$ 8,391.00
Lazer Z ASX	Exmark	LZAS29KA724	\$ 8,551.00
Lazer Z AS	Exmark	LZA20KAS484	\$ 5,993.00
Lazer Z AS	Exmark	LZA20KAX484	\$ 6,153.00
Lazer Z AS	Exmark	LZA20KAX524	\$ 6,393.00
Lazer Z AS	Exmark	LZA27KC604	\$ 6,991.00
Lazer Z EFI	Exmark	LZZ29KCE606	\$ 9,190.00
Lazer Z Propane	Exmark	LZZ29KA606LP	\$ 10,629.00
Lazer Z ASX Propane	Exmark	LZAS29KA604LP	\$ 9,989.00
Lazer Z ASX Propane	Exmark	LZAS29KA724LP	\$ 10,389.00
Navigator	Exmark	NAV27KC	\$ 8,790.00
Navigator	Exmark	NAV20KC	\$ 7,991.00
Navigator	Exmark	CD42CD	\$ 2,077.00
Navigator	Exmark	CD48CD	\$ 2,157.00
Phazer	Exmark	PHZ19KA343	\$ 4,794.00
Quest SP	Exmark	QSP20KAS443	\$ 6,493.00
Quest SP	Exmark	QSP20KAS483	\$ 6,792.00
Quest SP	Exmark	QSP22KAS522	\$ 6,992.00
Quest	Exmark	QST20BE422	\$ 3,962.00
Quest	Exmark	QST22BE482	\$ 4,277.00
Quest	Exmark	QST24BE522	\$ 4,790.00
3 Pt Broadcast Spreader	TurfEx	TS700P	\$ 969.00
4 Pt Broadcast Spreader	TurfEx	TS1200P	\$ 1,529.10
String Trimmer	RedMax	BCZ2650T	\$ 279.96

**Quick Payment Terms provided by PED: 1% discount off invoice if paid within 10 days.**



Attachment B, Additional Pricing

<b>EXMARK STATE OF MICHIGAN PRICING 2010</b>				
<b>MODEL</b>	<b>DESCRIPTION</b>	<b>LIST \$</b>	<b>DISCOUNT%</b>	<b>STATE \$</b>
Model	Description			
<b>Commercial 21" Walk Behind AS</b>				
EC21ASKAP	21" Comm. Advantage Series Push Unit w/Kaw FJ180V-180cc Engine	\$ 887.00	28%	\$639.00
EC21ASKA	21" Comm Advantage Series Self Prop. w/Kaw FJ180V-180cc Engine	\$ 998.00	28%	\$718.00
EC21ASHN	21" Comm. Advantage Series Self Prop. w/Honda GSV-190cc Engine	\$ 1,109.00	28%	\$798.00
Model	Description			
<b>Commercial 21" Walk Behind</b>				
EC21KA	21" Comm. Full Featured Self Prop. w/Kaw FJ180V-KAI-180cc Engine	\$ 1,109.00	28%	\$798.00
EC21KABBC	21" Comm. Full Featured SP-BBC w/Kaw FJ180V-KAI-180cc Engine	\$ 1,320.00	28%	\$950.00
EC21HNBBC	21" Comm. Full Featured SP-BBC w/Honda GXV-160cc Engine	\$ 1,497.00	28%	\$1,078.00
Model	Description			
<b>Metro 26" Walk Behind</b>				
MS6KA26B	26" 6.0 HP Kawasaki Self Propelled-BBC	\$ 1,886.00	28%	\$1,358.00
Model	Description			
<b>Metro 5-Speed Double Belt Drive</b>				
M16KA322P	32" 16 HP Kawasaki Twin - Pistol Grip Handles - <b>Single B Belt</b>	\$ 3,162.00	28%	\$2,277.00
M16KA362	36" 16 HP Kawasaki - Twin - ECS	\$ 3,495.00	28%	\$2,517.00
M16KA362P	36" 16 HP Kawasaki Twin - Pistol Grip Handles	\$ 3,495.00	28%	\$2,517.00
M16KA483	48" 16 HP Kawasaki - Twin - ECS	\$ 3,762.00	28%	\$2,708.00



M16KA483P	48" 16 HP Kawasaki - Twin - Pistol Grip Handles	\$ 3,762.00	28%	\$2,708.00
<b>Model</b>	<b>Description</b>			
<b><i>Viking Hydro - All Models now with ECS(Enhanced Control System)</i></b>				
VH16KA362	36" 16 HP Kawasaki Twin	\$ 5,549.00	28%	\$3,995.00
VH16KA483	48" 16 HP Kawasaki Twin	\$ 5,771.00	28%	\$4,155.00
<b>Model</b>	<b>Description</b>			
<b><i>Turf Tracer HP</i></b>				
THP16KA363	36" 16 HP Kawasaki Twin	\$ 6,159.00	28%	\$4,435.00
THP16KA483	48" 16 HP Kawasaki Twin	\$ 6,825.00	28%	\$4,914.00
THP18KA523	48" 18 HP Kawasaki Twin	\$ 7,081.00	28%	\$5,098.00
THP20KAE483	48" 20 HP Kawasaki - Electric Start	\$ 7,303.00	28%	\$5,258.00
THP20KAE523	52" 20 HP Kawasaki - Electric Start	\$ 7,536.00	28%	\$5,426.00
<b>Model</b>	<b>Description</b>			
<b><i>Turf Tracer Hydro</i></b>				
TT20KCE	Power Unit Only 20 HP Kohler Command - Elec Start	\$ 5,637.00	28%	\$4,275.00
TT24KAE	Power Unit Only 24 HP Kawasaki Twin - Elec Start	\$ 6,415.00	28%	\$4,619.00
<b>Model</b>	<b>Description</b>			
<b><i>Turf Tracer Decks</i></b>				
FMD524	52" Full Floating Mower Deck	\$ 2,441.00	28%	\$1,574.00
FMD604	60" Full Floating Mower Deck	\$ 2,552.00	28%	\$1,662.00
<b>Model</b>	<b>Description</b>			
<b><i>Vantage</i></b>				
VT20KAS484	48" 20 HP Kawasaki Stand On - Ultra Cut Deck	\$ 8,324.00	28%	\$5,993.00
VT20KAS524	52" 20 HP Kawasaki Stand On - Ultra Cut Deck	\$ 8,435.00	28%	\$6,073.00
VT24KAS484	48" 24 HP Kawasaki Stand On - Ultra Cut Deck	\$ 8,768.00	28%	\$6,313.00



VT24KAS524	52" 24 HP Kawasaki Stand On - Ultra Cut Deck	\$ 8,879.00	28%	\$6,393.00
<b>Model</b>	<b>Description</b>			
<b>Navigator Power Units</b>				
NAV20KC	20 HP Kohler Command Tractor Unit 9.5 bu. Collection Hopper	\$ 11,099.00	28%	\$7,991.00
NAV27KC	27 HP Kohler Command Tractor Unit 9.5 bu. Collection Hopper	\$ 12,209.00	28%	\$8,790.00
<b>Navigator Decks</b>				
CD42CD	42" Center Discharge Cutting Deck w/h /d gear driven spindle assy.	\$ 2,885.00	28%	\$2,077.00
CD48CD	48" Center Discharge Cutting Deck w/h /d gear driven spindle assy.	\$ 2,996.00	28%	\$2,157.00
<b>Model</b>	<b>Description</b>			
<b>Quest</b>				
QST20BE422	42" 20 HP Briggs Extended Life Series Engine	\$4,661.00	15%	\$3,962.00
QST22BE482	48" 22 HP Briggs Extended Life Series Engine	\$5,216.00	18%	\$4,277.00
QST24BE522	52" 24 HP Briggs Extended Life Series Engine	\$5,771.00	17%	\$4,790.00
<b>Model</b>	<b>Description</b>			
<b>Quest SP</b>				
QSP20KAS443	44" 20 HP Kawasaki Engine	\$ 7,214.00	10%	\$6,493.00
QSP20KAS483	48" 20 HP Kawasaki Engine	\$ 7,547.00	10%	\$6,792.00
QSP22KAS523	52" 22 HP Kawasaki Engine	\$ 7,769.00	10%	\$6,992.00
<b>Model</b>	<b>Description</b>			
<b>Phazer</b>				
PHZ19KA343	34" 19 HP Kawasaki V-Twin	\$ 6,659.00	28%	\$4,794.00
<b>Model</b>	<b>Description</b>			
<b>Next Lazer Z - Advantage Series</b>				



LZA20KAS484	48" 20 HP FS Kawasaki Engine - Ultra Cut deck	\$ 8,324.00	28%	\$5,993.00
LZA20KAX484	48" 20 HP FX Kawasaki Engine w/HD Air Cleaner - Ultra Cut deck	\$ 8,546.00	28%	\$6,153.00
LZA20KAX524	52" 20 HP FX Kawasaki Engine w/HD Air Cleaner - Ultra Cut deck	\$ 8,879.00	28%	\$6,393.00
LZA27KC604	60" 27 HP Kohler Command w/HD Air Cleaner - Ultra Cut deck	\$9,710.00	28%	\$6,991.00
<b>Model</b>	<b>Description</b>			
<b>Next Lazer Z - Advantage Series X</b>				
LZAS22KA484	48" 22 HP Kawasaki Twin - UltraCut Deck	\$ 9,323.00	28%	\$6,712.00
LZAS23KC524	52" 23HP Kohler Command - UltraCut Deck	\$ 9,878.00	28%	\$7,112.00
LZAS27KC524	52" 27HP Kohler Command - UltraCut Deck	\$ 10,433.00	28%	\$7,512.00
LZAS25KC604	60" 25HP Kohler Command - UltraCut Deck	\$ 10,766.00	28%	\$7,751.00
LZAS27KC604	60" 27HP Kohler Command - UltraCut Deck	\$ 11,099.00	28%	\$7,991.00
LZAS26LKA604	60" 26HP Kawasaki Liquid Cool - UltraCut Deck	\$ 11,876.00	28%	\$8,391.00
LZAS29KA724	72" 29HP Kawasaki Twin - UltraCut Deck	\$ 11,876.00	28%	\$8,551.00
<b>Model</b>	<b>Description</b>			
<b>Next Lazer Z</b>				
LZZ23KC486	48" 23HP Kohler Command - 6 Series Deck	\$ 10,433.00	28%	\$7,512.00
LZZ24KA526	52" 24 HP Kawasaki Twin - 6 Series Deck	\$ 10,988.00	28%	\$7,911.00
LZZ27KC526	52" 27HP Kohler Command - 6 Series Deck	\$ 11,210.00	28%	\$8,071.00
LZZ27KC606	60" 27HP Kohler Command - 6 Series Deck	\$ 11,987.00	28%	\$8,631.00



LZZ29KCE606	60" 29 HP Kohler EFI - 6 Series Deck	\$ 12,764.00	28%	\$9,190.00
LZZ29KA606	60" 29HP Kawasaki Twin - 6 Series Deck	\$ 12,209.00	28%	\$8,790.00
LZZ34KA606	60" 34HP Kawasaki Twin - 6 Series Deck	\$ 12,875.00	28%	\$9,270.00
LZZ34KA726	72" 34HP Kawasaki Twin - 6 Series Deck	\$ 13,319.00	28%	\$9,590.00
LZZ38KC606	60" 38HP Kohler Command - 6 Series Deck	\$ 13,319.00	28%	\$9,590.00
LZZ38KC726	72" 38HP Kohler Command - 6 Series Deck	\$ 13,763.00	28%	\$9,909.00
<b>Model</b>	<b>Description</b>			
<b>Lazer Z XS</b>				
LXS35BV605	60" 35HP Briggs Vanguard 2-Cylinder - Platform Mower	\$ 14,762.00	28%	\$10,629.00
LXS35BV665	66" 35HP Briggs Vanguard 2-Cylinder - Platform Mower	\$ 14,984.00	28%	\$10,788.00
LXS35BV725	72" 35HP Briggs Vanguard 2-Cylinder - Platform Mower	\$ 15,539.00	28%	\$11,188.00
LXS25KD605	60" 25 HP Kubota Diesel - Platform Mower	\$ 17,315.00	28%	\$12,467.00
LXS25KD665	66" 25 HP Kubota Diesel - Platform Mower	\$ 17,648.00	28%	\$12,706.00
LXS25KD725	72" 25 HP Kubota Diesel - Platform Mower	\$ 18,203.00	28%	\$13,106.00
<b>Model</b>	<b>Description</b>			
<b>Exmark Propane Units</b>				
THP20KAE483LP	48" 20 HP Kawasaki - Electric Start - Propane	\$ 8,879.00	28%	\$6,393.00
THP20KAE523LP	52" 20 HP Kawasaki - Electric Start - Propane	\$ 9,101.00	28%	\$6,553.00
TT24KAELP	Power Unit Only 24 HP Kawasaki Twin - Elec Start - Propane	\$ 8,324.00	28%	\$5,993.00



LZAS29KA604LP	60" 29 HP Kawasaki Twin - UltraCut Deck - Propane	\$ 13,874.00	28%	\$9,989.00
LZAS29KA724LP	72" 29 HP Kawasaki Twin - UltraCut Deck - Propane	\$ 14,429.00	28%	\$10,389.00
LZZ29KA606LP	60" 29 HP Kawasaki Twin - 6 Series Deck - Propane	\$ 14,762.00	28%	\$10,629.00
<b>Model</b>	<b>Description</b>			
<b>Ultra Vac Collection System</b>				
<b>Lazer Ultra Vac Material Collection Systems</b>				
UV60	Ultra Vac for 60" Lazer XS - requires drive kit	\$ 2,699.00	20%	\$2,159.00
UVD60	Ultra Vac Quick Dump for 60" Lazer XS - requires drive kit	\$2,999.00	20%	\$2,399.00
UV6672	Ultra Vac for 66"/72" Lazer XS - requires drive kit	\$2,499.00	20%	\$1,999.00
UVD6672	Ultra Vac Quick Dump for 66"/72" Lazer XS - requires drive kit	\$2,999.00	20%	\$2,399.00
<b>Next Gen Lazer Ultra Vac Material Collection Systems</b>				
LZUV2B	Ultra Vac for 48" & 52" NLZ - Requires Drive Kit	\$ 1,999.00	20%	\$1,439.00
LZUVQD7	Ultra Vac Quick Dischare for 48" & 52" NLZ - Requires Drive Kit	\$ 2,599.00	20%	\$1,999.00
LZUV3B	Ultra Vac for 60" & 72" NLZ - Requires Drive Kit	\$ 2,899.00	20%	\$2,159.00
LZUVQD11	Ultra Vac Quick Dischare for 60" & 72" NLZ - Requires Drive Kit	\$ 3,099.00	20%	\$2,399.00
<b>Model</b>	<b>Description</b>			
<b>Ultra Vac Drive Kits</b>				
109-1167	Drive kit Lazer XS 60"	\$ 149.00	20%	\$119.00
109-1168	Drive kit Lazer XS 66"	\$ 199.00	20%	\$159.00
109-1169	Drive kit Lazer XS 72"	\$ 199.00	20%	\$159.00
109-9622	Drive kit NLZ 484 Deck	\$ 99.00	20%	\$79.00



109-9623	Drive kit NLZ 486 Deck	\$	99.00	20%	\$79.00
109-9624	Drive kit NLZ 524 Deck	\$	99.00	20%	\$79.00
109-9625	Drive kit NLZ 526 Deck	\$	99.00	20%	\$79.00
109-9626	Drive kit NLZ 604 Deck	\$	99.00	20%	\$79.00
109-9627	Drive kit NLZ 606 Deck	\$	99.00	20%	\$79.00
109-9628	Drive kit NLZ 724 Deck	\$	99.00	20%	\$79.00
109-9629	Drive kit NLZ 726 Deck	\$	99.00	20%	\$79.00
<b>Model</b>	<b>Description</b>				
<b>Accessories / Options</b>					
FRPSNAV	Navigator Rops	\$	499.00	20%	\$399.00
GC3444	Side bagger for 34" Phazer	\$	349.00	20%	\$279.00
GC36MC	Catcher 32", 36", 44", 48", 52" and 60"	\$	299.00	20%	\$239.00
LSSEAT	Lumbar Suspension w/Adjustment	\$	549.00	20%	\$439.00
MK26	26" Mulching Kit for Metro 26" Mowers	\$	79.00	20%	\$63.00
MK322	32" Mulching Kit for Metro Mowers & VH Mowers 102,000 and up	\$	199.00	20%	\$159.00
MK343	34" Mulch Kit Phazer Units	\$	199.00	20%	\$159.00
MK362	36" Mulching Kit for Metro, Viking and Viking Hydro Mowers 115,000 and up	\$	199.00	20%	\$159.00
MK363Q	36" Mulching Kit for Turf Tracer HP and Metro HP Mowers	\$	199.00	20%	\$159.00
MK483Q	48" Mulching Kit for Turf Tracer HP, (Metro & Metro HP, Viking Hydro S/N 160000 & Above) and Lazer Z CT & HP Mowers	\$	249.00	20%	\$199.00
MK486	48" Mulch Kit ( Series 4 & 6 )	\$	249.00	20%	\$199.00
MK523Q	52" Mulching Kit for FMD 160,000 thru 319,999-Metro HP, Viking Hydro, Turf Tracer HP & Lazer CT-Lazer HP 130,000 thru 599,999-Lazer Z 130,000 thru 259,999	\$	249.00	20%	\$199.00
MK526	52" Mulch Kit ( Series 4 & 6 )	\$	249.00	20%	\$199.00
MK605	60" Mulching Kit for Lazer Z & XS 600,000 and up	\$	249.00	20%	\$199.00
MK606	60" Mulch Kit ( Series 4 & 6 )	\$	249.00	20%	\$199.00

Contract No. 071B0200328



MK665	66" Mulching Kit for Lazer Z & XS 600,000 and up	\$ 249.00	20%	\$199.00
MK726	72" Mulch Kit ( Series 4 & 6 )	\$ 249.00	20%	\$199.00
MKNAV42	Mulch Kit 42" Navigator Units	\$ 279.00	20%	\$223.00
MKNAV48	Mulch Kit 48" Navigator Units	\$ 279.00	20%	\$223.00
OCD02	Operator Control Discharge - All NLZ Decks	\$ 279.00	20%	\$223.00
OCDWB01	Operator Controlled Discharge - All Wide Area Walk Behind Units	\$ 279.00	20%	\$223.00
STANDON	EZRider Stand On	\$ 499.00	20%	\$399.00
STR605	Striper Kit for 60" XS	\$ 379.00	20%	\$303.00
STR665-725	Striper Kit for 66"/72" XS	\$ 379.00	20%	\$303.00
STRFMD	Striper Kit for FMD Decks 523,524,603,604 on Turf Tracer Hydros	\$ 379.00	20%	\$303.00
STRHPW36	Striper Kit for 36" TTHP Units	\$ 379.00	20%	\$303.00
STRHPW48	Striper Kit for 48" & 52" TTHP Units	\$ 379.00	20%	\$303.00
TC26	Trash Holder Kit	\$ 49.00	20%	\$39.00
103-2637	Weight Kit f/all Intermediate Walk-Behind Units	\$ 129.00	20%	\$103.00
103-9565	Hitch Kit - Lazer Z XP and XS	\$ 99.00	20%	\$79.00
109-3760	Phazer Z Hitch Kit	\$ 69.00	20%	\$55.00
109-5080	Striper Kit - 72" NLZ & NLZ AS	\$ 249.00	20%	\$199.00
109-5081	Striper Kit - 48",52" & 60" NLZ & NLZ AS	\$ 249.00	20%	\$199.00
109-5980	Quest - Mulch Kit 48" Units	\$ 199.00	20%	\$159.00
109-5982	Quest - Mulch Kit 52" Units	\$ 199.00	20%	\$159.00
109-6240	Quest Light Kit	\$ 189.00	20%	\$151.00
109-6245	Quest Hitch	\$ 29.00	20%	\$23.00
109-6250	Quest Sunshade	\$ 179.00	20%	\$143.00
109-9487	Hitch Kit - NLZ & NLZ AS	\$ 49.00	20%	\$39.00
109-9694	12 Volt Adapter - NLZ	\$ 43.00	20%	\$34.00
116-0036	Standard NLZ Lazer Seat	\$ 460.00	20%	\$368.00
116-0062	Comfort Ride Seat Suspension - NLZ & NLZ AS	\$ 279.00	20%	\$223.00
116-0513	Sunshade Kit	\$ 199.00	20%	\$159.00
116-0750	Full Suspension Seat - NLZ & NLZ AS	\$ 499.00	20%	\$399.00

**Contract No. 071B0200328**



116-0941	Tilt Frame & 3D Iso System Kit - NLZ ASX	\$ 149.00	20%	\$119.00
116-1049	NLZ Receiver	\$ 49.00	20%	\$39.00
116-1065	NLZ Extended Drive Handles	\$ 99.98	20%	\$80.00
116-1084	Quest Bagger	\$ 699.00	15%	\$594.00
116-1085	Quest - Mulch Kit 42" Units	\$ 179.00	20%	\$143.00
116-1154	Light Kit ROPS	\$ 249.00	20%	\$199.00
116-1351	Jack (Top Wind)	\$ 89.00	20%	\$71.00
116-1378	Equipment Cover for Phazer and Quest	\$ 79.00	20%	\$63.00
116-1379	Equipment Cover for riders and walks	\$ 129.00	20%	\$103.00
116-1563	Quest Receiver	\$ 49.00	20%	\$39.00



**Attachment C, Authorized Exmark Dealer Listing**

COMPANY	Address1	Address2	CITY	STATE	Zip	Contact	Phone	Fax	Email	Year Established As Exmark	Outside
All Seasons Outdoor Eqp	15130 E 10 Mile Rd		Eastpointe	MI	48021-1008	Ernie Vandale	5867714949	5867712323	Allseasons10@Earthlink.Net	7/10/1996	No
Atherton Road Sales & Service	6468 E Atherton Rd		Burton	MI	48519-1699	Jim Mckittrick	8107437776	8107430751	Info@Athertonroad.Com	7/10/1996	Yes
Bader Brothers, Inc	16400 M-32		Hillman	MI	49746	David Bader	9893793000	9893793099	Dbader@Baderbros.Com	5/8/2008	No
Bader Brothers, Inc	9952 Saginaw St	Po Box 378	Reese	MI	48757-9567	Jason Sawatski	9898684165	9898689699	Reese@Baderbros.Com	8/10/2005	Yes
Bader Brothers, Inc	6150 Bay Rd.		Saginaw	MI	48604	Craig Coggins	9897911234	9897919464	Saginaw@Baderbros.Com	8/10/2005	Yes
Bader Brothers, Inc	8461 Main St.		Birch Run	MI	48415	Bill Mccrandall	9896249356	9896249605	Birchrun@Baderbros.Com	8/10/2005	Yes
Bates Tractor & Equipment Inc.	461 E. Fenn Rd.		Coldwater	MI	49036	Dave Bates	5172799179	5172783997	Batestractor@Yahoo.Com	11/19/2004	Yes
Boullions Sales & Service	8530 N Territorial Rd		Dexter	MI	48130-9626	Kerry White	7344268527	7344262004	Sales@Boullionsales.Com	2/1/2008	Yes
Brunke's Small Engine Repair	9691 Cleveland Ave		Baroda	MI	49101-9750	Ed Brunke	2694221621	2694222947	Legacy1999@Aol.Com	1/18/1999	Yes
Burdick Street Landscape Equip	43 East Burdick St		Oxford	MI	48371	John Bradshaw	2489692800	2489692978		2/10/2010	Yes
Capital Equipment Clare Llc	302 North Mcewan		Clare	MI	48617	Mindy Ackerman	9893862192	9893867038	Kccl-Dave@Hotmail.Com	12/7/2007	Yes
Countryside Lawn & Power Eqt.	14770 Webster Rd		Bath	MI	48808-9783	Ed Emery	5176417379	5176414675	Clpbath@Cablespeed.Com	6/5/1997	No
D & G Equipment, Inc.	3915 Tractor Dr.		Howell	MI	48855	Brian Norton	5175406141	5175406144	Dghowell@Dgequipment.Com	8/23/2002	Yes
D & G Equipment, Inc.	1155 South Milford Rd.		Highland	MI	48357	Brian Norton	2488872410	2488873937	Dgmail@Dgequipment.Com	5/15/2007	Yes
D & G Equipment, Inc.	710 N. Cedar		Mason	MI	48854	Brian Norton	5176769588	5176769694	Dgmail@Dgequipment.Com	4/23/1998	Yes
D & G Equipment, Inc.	110 S. Lincoln		Williamston	MI	48813	Brian Norton	5175432540	5176553156		4/17/1998	Yes
D & G Equipment, Inc.	1047 N. Shiawassee		Corunna	MI	48817-1551	Brian Norton	9897438844	9897438855	Dgcorunna@Dgequipment.Com	10/3/2001	Yes
Dan's Farm Supply, Inc.	3975 South Adrian Hwy		Adrian	MI	49221-8725	Brian Norton	5172631395	5172655463		12/2/2005	No
Doug's Small Engine	5293 E Pickard St		Mount Pleasant	MI	48858-5007	Tony Gill	9897730059	9897727465	Dse@Charterinternet.Com	1/22/2010	Yes
Ferguson's Lawn Equipment	955 S. Airport		Traverse City	MI	49686	Brad Barnes	2319462440	2319463215	Timt@Discountstove.Com	2/17/1997	Yes
J & J Farms Sales & Service	4241 Holton Rd		Muskegon	MI	49445	Dealer	2317447140	2317447147		11/18/2009	No
John Hoeksema, Inc.	11483 E. Lakewood Blvd.		Holland	MI	49424	Howard Hoeksema	6163968132	6169280248	Hoeksema@Wmol.Com	6/21/2005	Yes
Kubota Of West Michigan	430 100Th Street Sw.		Byron Center	MI	49315-8540	Kaili Dohm	6168770800	6168770930	Erik@Kubotawest.Com	12/28/2001	Yes
Kurt's Lawn & Garden	548 S. Sandusky Rd		Sandusky	MI	48471-9415	Kurt Smith	8106482250	8106483937	Klg@Glis.Net	10/21/1994	No
Lumberjack Shack, Inc.	7230 Webster Rd		Imlay City	MI	48444-9655	Dave Zgnilec	8107247230	8107241399	Lumberjackshack@Charterinternet.Com	5/13/1993	No
Martin Small Engine, Llc	7750 W. Cleveland Rd.		Middleton	MI	48856	Mark Martin	9892365700	9892365711	Msellc@Yahoo.Com	9/6/1992	No
R & B Lawn Mowers Inc	2950 Puritan		Detroit	MI	48238	Dealer	3133416100	3133416100	Rb_Lawnmowers@Yahoo.Com	9/14/2009	No
Steensma Lawn & Power	7561 Stadium Dr		Kalamazoo	MI	49009-7953	Brian Steensma	2693756476	2693758193	Sales@Steensmalawn.Com	9/8/2003	Yes

**Contract No. 071B0200328**



Steensma Lawn & Power Equipment	633 11Th Street	Plainwell	MI	49080-1000	Tim Steensma	2696859557 2696859712	Tim@Steensmalawn.Com	9/6/2006	Yes
Voelker Implement	18880 Northland Dr	Big Rapids	MI	49307-9773	Mary Davison	2317966333 2317966404	Bigrapids@Voelkerimplement.Com	2/15/2007	Yes
Voelker Implement	4363 South Morey Rd	Lake City	MI	49651	Mary Davison	2318398660 2318398665		2/15/2007	Yes
Weingartz Supply Co Inc	11875 Northland Dr	Cedar Springs	MI	49319-8929	Ron Weingartz	6166962913 6166960618	Ron@Weingartz.Com	12/23/1997	Yes
Weingartz Supply Co Inc	39050 Grand River Ave	Farmington Hill	MI	48335-1500	Ken Weingartz	2484713050 2484716948	Cbolton@Weingartz.Com	7/2/1996	Yes
Weingartz Supply Co Inc	46061 Van Dyke Ave	Utica	MI	48317-5375	John Chambers	5867317240 5867319319	Jchambers@Weingartz.Com	7/2/1996	Yes
Weingartz Supply Co Inc	6585 Dixie Hwy	Clarkston	MI	48346-3421	Chris Bolton	2486234731 2486205449	Sstrnad@Weingartz.Com	3/18/2002	Yes
Wm. F. Sell & Son, Inc.	19185 West	Woodhaven	MI		48183 Jeff Geftos	7342825100 7342821279	Wfselljgg@Aol.Com	3/21/2002	No
Zimmer's Sales	6667 Saint Clair Hwy	East China	MI	48054-1112	Nancy Schweihofe	8103297136 8103297137	Zimmer67@Comcast.Net	7/2/1996	No



**Attachment D, Warranties**



**WARRANTY QUICK GUIDE**  
EFFECTIVE DATES: SEPTEMBER 1, 2009 THROUGH AUGUST 31, 2010

<u>Parts</u>	<u>Warranty Period</u>	<u>Required Information</u>
Grass Bags	90 days	
Batteries	One year parts and labor, file labor only claims, Exmark will pay \$25 for parts	Must have date code and voltage reading before and after charging
Belts	90 days parts and labor	
Clutches	2 years part and labor 90 days on replacement parts	Clutch must be checked per manual – clutch must be returned
Cutter Assy.	2 year parts and labor 600,000 + Repairable with bearings	Most repairs should be sub assy. – repair should be FIX AS FAIL ONLY
Decks	2 year parts and labor – against defects not wear	Should be repair – if replacement necessary contact Distributor Service Manager
Engines	2 years parts and labor	File with appropriate engine manufacture
Frames	2 year parts and labor – prior one year	Should be repaired – if replacement necessary contact Distributor Service Manager
Hoses	2 year parts and labor	
Jackshaft Assy.	2 year parts and labor	Should be sub assy. only
Drive Pumps	2 year parts and labor	Repair required for gasket and seal leaks in second year of warranty – replacement pumps must be returned
Testing Pumps		Flow test or tear down recommended – claim must have flow test readings or inspection results
XP Pumps/Fan	2 year parts and labor seal kit available for seal leaks	Replace and return parts – most failures should be one or the other not both
Radiators	2 year parts and labor	Should be repaired in under \$75 – return parts
Striper	90 day parts and labor	Bearing failure code 950
OCD01	90 days parts and labor	
Transaxle	2 years parts and labor	Should be repaired – replacement requires factory approval
Transmission	2 year parts and labor – 1 <sup>st</sup> 90 days with Peerless	Shifter keys failure NOT warrantable, requires annual maintenance, should be



		replaced and parts returned
Ultra Vac	1 year parts and labor	Wear not defect – should use low lift blades under sever mowing conditions
Tires	90 day parts and labor	For defects up to 6 months 50/50 on tire cost
Wheel Motors	2 years parts and labor	Most repairs should be pump or motor not both – drive links are not covered as defects – see bulletin 02-18 – return requires



As of 09-16-09	Warranty 2010								
Product	Commercial 2 year	Commercial 3 year Consumer 5 year	Commercial 2 year Consumer 4 year	Commercial 1 year Consumer 4 year	Commercial 1 year	Commercial 1 year ACC and ATT	Commercial 90 days ACC and ATT	Consumer (Quest) 3 year (Commercial 30 days)	Consumer (Quest) 1 year (Commercial 30 days) ACC and ATT
Document Number	4500-589	4500-590	4500-591	4500-592	4500-426	4500-433	4500-427	4500-428	4500-429
Commercial Riders (except Next Lazer Z, AS, ASX and Quest SP)	X								
Commercial Front-Mount Decks (Navigator)	X								
Next Lazer Z and Next Lazer AS X and Vantage		X							
Next Lazer AS			X						
Commercial Walk Behinds (except Commercial 21 and Metro 26)	X								
Commercial 21 and Metro 26					X				
Commercial Serialized Accessories						X			
Commercial Non-Serialized Accessories (except Striper and Operator Controlled Discharge)						X			
Commercial Striper and Operator Controlled Discharge							X		
Quest SP				X					
Consumer (Quest) Rider								X	
Consumer (Quest) Serialized Accessories									X
Consumer (Quest) Non-Serialized Accessories									X
<b>New Warranty Replaces for Model Year 2010</b>	<b>4500-425</b>	<b>4500-434</b>	<b>New</b>	<b>New</b>	<b>Same</b>	<b>Same</b>	<b>Same</b>	<b>Same</b>	<b>Same</b>



## Exmark Commercial Attachments and Accessories 1 Year Limited Warranty

### Conditions and Products Covered

Exmark Mfg. Co. Inc. and its affiliate, Exmark Warranty Company, pursuant to an agreement between them, jointly warrant on the terms and conditions herein, that we will repair, replace or adjust any part on these products and found by us (in the exercise of our reasonable discretion) to be defective in factory materials or workmanship for a period of one year.

This warranty applies to Exmark commercial attachments and accessories sold in the U.S. or Canada. This warranty may only be assigned or transferred to a second (or third) owner by an authorized Exmark dealer. The warranty period commences upon the date of the original retail purchase.

#### Warranty Exceptions

- Bags, Belts and Tires

#### Warranty Period

90 days

This warranty only includes the cost of parts and labor.

### Items and Conditions Not Covered

This warranty does not cover the following:

- Pickup and delivery charges to and from any authorized Exmark Service Dealer.
- Any damage or deterioration due to normal use, wear and tear, or exposure.
- Cost of regular maintenance service or parts, such as filters, fuel, lubricants, tune-up parts, and adjustments.
- Any product or part which has been altered or misused or required replacement or repair due to normal wear, accidents, or lack of proper maintenance.
- Any repairs necessary due to use of parts, accessories or supplies, including gasoline, oil or lubricants, incompatible with the attachment or accessory or other than as recommended in the operator's manual or other operational instructions provided by Exmark.

All warranty work must be performed by an authorized Exmark Service Dealer using Exmark approved replacement parts.

### Instructions for Obtaining Warranty Service

The product must be registered with original proof of purchase by an Exmark Service Dealer before obtaining any warranty service.

Contact any Exmark Service Dealer to arrange service at their dealership. To locate a dealer convenient to you, access our website at [www.exmark.com](http://www.exmark.com). U.S. or Canada customers may also call 402-223-6375.

If for any reason you are dissatisfied with the Service Dealer's analysis or with the assistance provided, contact us at:

Exmark Customer Service Department  
 The Exmark Warranty Company  
 2101 Ashland Avenue  
 Beatrice, NE 68310  
 402-223-6375 or  
[service@exmark.com](mailto:service@exmark.com)

### Owner's Responsibilities

If your product requires warranty service it must be returned to an authorized Exmark service dealer within the warranty period. This warranty extends only to commercial attachments and accessories operated under normal conditions. You must read the operator's manual. You must also properly service and maintain your Exmark product as described in the operator's manual or other operational instructions provided by Exmark. Such routine maintenance, whether performed by a dealer or by you, is at your expense.

### General Conditions

The sole liability of Exmark and Exmark Warranty Company with respect to this warranty shall be repair or replacement of defective components as set forth herein. **Neither Exmark nor Exmark Warranty Company shall be liable for any incidental or consequential loss or damage.**

Such damages include but are not limited to:

- Expenses related to gasoline, oil or lubricants.
- Travel time, overtime, after hours time or other extraordinary repair charges or charges relating to repairs or replacements outside of normal business hours at the place of business of the authorized Exmark Service Dealer.
- Rental of like or similar replacement equipment during the period of any warranty, repair or replacement work.
- Any telephone or telegram charges or travel charges.
- Loss or damage to person or property other than that covered by the terms of this warranty.
- Any claims for lost revenue, lost profit or additional cost as a result of a claim of breach of warranty.
- Attorney's fees.

No Claim of breach of warranty shall be cause for cancellation or rescission of the contract of sale of any Exmark attachment or accessory.

**All implied warranties of merchantability (that the product is fit for ordinary use) and fitness for use (that the product is fit for a particular purpose) are limited to the duration of the express warranty.**

**Some states do not allow exclusions of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above exclusions and limitations may not apply to you.**

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



## Exmark Commercial Turf Equipment 1 Year Limited Warranty

### Conditions and Products Covered

Exmark Mfg. Co. Inc. and its affiliate, Exmark Warranty Company, pursuant to an agreement between them, jointly warrant on the terms and conditions herein, that we will repair, replace or adjust any part on these products and found by us (in the exercise of our reasonable discretion) to be defective in factory materials or workmanship for a period of one year.

This warranty applies to Exmark commercial turf equipment sold in the U.S. or Canada. This warranty may only be assigned or transferred to a second (or third) owner by an authorized Exmark dealer. The warranty period commences upon the date of the original retail purchase.

Warranty Exceptions	Warranty Period
• Bags, Belts and Tires	90 days
• Engine	2 years*

\* The Engine warranty is covered by the engine manufacturer. Please refer to the engine manufacturer's warranty statement that is included in the literature packet.

This warranty only includes the cost of parts and labor.

### Items and Conditions Not Covered

This warranty does not cover the following:

- Pickup and delivery charges to and from any authorized Exmark Service Dealer.
- Any damage or deterioration due to normal use, wear and tear, or exposure.
- Cost of regular maintenance service or parts, such as filters, fuel, lubricants, tune-up parts, and adjustments.
- Any product or part which has been altered or misused or required replacement or repair due to normal wear, accidents, or lack of proper maintenance.
- Any repairs necessary due to use of parts, accessories or supplies, including gasoline, oil or lubricants, incompatible with the turf equipment or other than as recommended in the operator's manual or other operational instructions provided by Exmark.

There are no other express warranties except for engine and special emission system coverage.

All warranty work must be performed by an authorized Exmark Service Dealer using Exmark approved replacement parts.

### Instructions for Obtaining Warranty Service

The product must be registered with original proof of purchase by an Exmark Service Dealer before obtaining any warranty service.

Contact any Exmark Service Dealer to arrange service at their dealership. To locate a dealer convenient to you, access our website at [www.exmark.com](http://www.exmark.com). U.S. or Canada customers may also call 402-223-6375.

If for any reason you are dissatisfied with the Service Dealer's analysis or with the assistance provided, contact us at:

Exmark Customer Service Department  
The Exmark Warranty Company  
2101 Ashland Avenue  
Beatrice, NE 68310  
402-223-6375 or  
[service@exmark.com](mailto:service@exmark.com)

### Owner's Responsibilities

If your product requires warranty service it must be returned to an authorized Exmark service dealer within the warranty period. This warranty extends only to turf equipment operated under normal conditions. You must read the operator's manual. You must also properly service and maintain your Exmark product as described in the operator's manual. Such routine maintenance, whether performed by a dealer or by you, is at your expense.

### General Conditions

The sole liability of Exmark and Exmark Warranty Company with respect to this warranty shall be repair or replacement of defective components as set forth herein. **Neither Exmark nor Exmark Warranty Company shall be liable for any incidental or consequential loss or damage.**

Such damages include but are not limited to:

- Expenses related to gasoline, oil or lubricants.
- Travel time, overtime, after hours time or other extraordinary repair charges or charges relating to repairs or replacements outside of normal business hours at the place of business of the authorized Exmark Service Dealer.
- Rental of like or similar replacement equipment during the period of any warranty, repair or replacement work.
- Any telephone or telegram charges or travel charges.
- Loss or damage to person or property other than that covered by the terms of this warranty.
- Any claims for lost revenue, lost profit or additional cost as a result of a claim of breach of warranty.
- Attorney's fees.

No Claim of breach of warranty shall be cause for cancellation or rescission of the contract of sale of any Exmark mower.

**All implied warranties of merchantability (that the product is fit for ordinary use) and fitness for use (that the product is fit for a particular purpose) are limited to the duration of the express warranty.**

**Some states do not allow exclusions of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above exclusions and limitations may not apply to you.**

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



## Exmark Commercial Turf Equipment 2 Year Limited Warranty

### Conditions and Products Covered

Exmark Mfg. Co. Inc. and its affiliate, Exmark Warranty Company, pursuant to an agreement between them, jointly warrant on the terms and conditions herein, that we will repair, replace or adjust any part on these products and found by us (in the exercise of our reasonable discretion) to be defective in factory materials or workmanship for a period of two years.

This warranty applies to Exmark commercial turf equipment sold in the U.S. or Canada. This warranty may only be assigned or transferred to a second (or third) owner by an authorized Exmark dealer. The warranty period commences upon the date of the original retail purchase.

#### Warranty Exceptions

- Bags, Belts and Tires 90 days
- Battery 1 Year Prorated
- Pumps, Motors and Transmissions 2 years or 1250 hours§
- Electric Clutch 2 years or 750 hours§
- Engine 2 years\*

#### Warranty Period

§ Whichever occurs first.

\* The Engine warranty is covered by the engine manufacturer. Please refer to the engine manufacturer's warranty statement that is included in the literature packet.

This warranty only includes the cost of parts and labor.

### Items and Conditions Not Covered

This warranty does not cover the following:

- Pickup and delivery charges to and from any authorized Exmark Service Dealer.
- Any damage or deterioration due to normal use, wear and tear, or exposure.
- Cost of regular maintenance service or parts, such as filters, fuel, lubricants, tune-up parts, and adjustments.
- Any product or part which has been altered or misused or required replacement or repair due to normal wear, accidents, or lack of proper maintenance.
- Any repairs necessary due to use of parts, accessories or supplies, including gasoline, oil or lubricants, incompatible with the turf equipment or other than as recommended in the operator's manual or other operational instructions provided by Exmark.

There are no other express warranties except for engine and special emission system coverage.

All warranty work must be performed by an authorized Exmark Service Dealer using Exmark approved replacement parts.

### Instructions for Obtaining Warranty Service

The product must be registered with original proof of purchase by an Exmark Service Dealer before obtaining any warranty service.

Contact any Exmark Service Dealer to arrange service at their dealership. To locate a dealer convenient to you, access our website at [www.exmark.com](http://www.exmark.com). U.S. or Canada customers may also call 402-223-6375.

If for any reason you are dissatisfied with the Service Dealer's analysis or with the assistance provided, contact us at:

Exmark Customer Service Department  
The Exmark Warranty Company  
2101 Ashland Avenue  
Beatrice, NE 68310  
402-223-6375 or  
[service@exmark.com](mailto:service@exmark.com)

### Owner's Responsibilities

If your product requires warranty service it must be returned to an authorized Exmark service dealer within the warranty period. This warranty extends only to turf equipment operated under normal conditions. You must read the operator's manual. You must also properly service and maintain your Exmark product as described in the operator's manual. Such routine maintenance, whether performed by a dealer or by you, is at your expense.

### General Conditions

The sole liability of Exmark and Exmark Warranty Company with respect to this warranty shall be repair or replacement of defective components as set forth herein. **Neither Exmark nor Exmark Warranty Company shall be liable for any incidental or consequential loss or damage.**

Such damages include but are not limited to:

- Expenses related to gasoline, oil or lubricants.
- Travel time, overtime, after hours time or other extraordinary repair charges or charges relating to repairs or replacements outside of normal business hours at the place of business of the authorized Exmark Service Dealer.
- Rental of like or similar replacement equipment during the period of any warranty, repair or replacement work.
- Any telephone or telegram charges or travel charges.
- Loss or damage to person or property other than that covered by the terms of this warranty.
- Any claims for lost revenue, lost profit or additional cost as a result of a claim of breach of warranty.
- Attorney's fees.

No Claim of breach of warranty shall be cause for cancellation or rescission of the contract of sale of any Exmark mower.

**All implied warranties of merchantability (that the product is fit for ordinary use) and fitness for use (that the product is fit for a particular purpose) are limited to the duration of the express warranty.**

**Some states do not allow exclusions of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above exclusions and limitations may not apply to you.**

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



**Exmark Lazer Z, Lazer Z Advantage Series X, and Vantage Turf Equipment  
3 Year Limited Commercial Warranty  
5 Year or 750 Hours Limited Consumer Warranty**

**General Warranty Conditions and Products Covered**

Exmark Mfg. Co. Inc. and its affiliate, Exmark Warranty Company, pursuant to an agreement between them, jointly warrant on the terms and conditions herein, that we will repair, replace or adjust any part on these products and found by us (in the exercise of our reasonable discretion) to be defective in factory materials or workmanship.

This warranty may only be assigned or transferred to a second (or third) owner by an authorized Exmark dealer. The warranty period commences upon the date of the original retail purchase.

**Commercial Warranty Conditions**

This warranty applies to Exmark Lazer Z, Lazer Z Advantage Series (AS) X, and Vantage turf equipment sold in the U.S. or Canada for a period of three years for commercial usage.

This warranty includes the cost of parts and labor for a period of two years and the cost of parts for one additional year. This warranty does not cover pickup and delivery charges to and from any authorized Exmark Service Dealer.

**Consumer Warranty Conditions**

This warranty applies to Exmark Lazer Z, Lazer Z AS X, and Vantage turf equipment sold in the U.S. or Canada for a period of five years or 750 hours (whichever occurs first) for residential usage.

Residential usage means use of the product on the same lot as your home. Use at more than one location is considered commercial use, and the commercial use warranty detailed above would apply.

This warranty only includes the cost of parts and labor. For the first warrantable service repair, Exmark will cover up to \$45 for associated pick-up and delivery charges to and from any authorized Exmark Service Dealer. Additional transportation charges may apply, contact your Dealer for details.

**Warranty Exceptions**

<u>Warranty Exceptions</u>	<u>Warranty Period</u>
• Bags, Belts and Tires	90 days
• Battery	1 Year Prorated
• Commercial Pumps, Motors and Transmissions	3 years or 1250 hours
• Consumer Pumps, Motors and Transmissions	5 years or 750 hours
• Commercial Electric Clutch	3 years or 750 hours
• Consumer Electric Clutch	5 years or 750 hours
• Engine	2 years*

\* The Engine warranty is covered by the engine manufacturer. Please refer to the engine manufacturer's warranty statement that is included in the literature packet.

**Items and Conditions Not Covered**

This warranty does not cover the following:

- Any damage or deterioration due to normal use, wear and tear, or exposure.
- Cost of regular maintenance service or parts, such as filters, fuel, lubricants, tune-up parts, and adjustments.
- Any product or part which has been altered or misused or required replacement or repair due to normal wear, accidents, or lack of proper maintenance.
- Any repairs necessary due to use of parts, accessories or supplies, including gasoline, oil or lubricants, incompatible with the turf equipment or other than as recommended in the operator's manual or other operational instructions provided by Exmark.

There are no other express warranties except for engine and special emission system coverage.

All warranty work must be performed by an authorized Exmark Service Dealer using Exmark approved replacement parts.

**Instructions for Obtaining Warranty Service**

The product must be registered with original proof of purchase by an Exmark Service Dealer before obtaining any warranty service.

Contact any Exmark Service Dealer to arrange service at their dealership. To locate a dealer convenient to you, access our website at [www.exmark.com](http://www.exmark.com). U.S. or Canada customers may also call 402-223-6375.

If for any reason you are dissatisfied with the Service Dealer's analysis or with the assistance provided, contact us at:

Exmark Customer Service Department  
The Exmark Warranty Company  
2101 Ashland Avenue  
Beatrice, NE 68310  
402-223-6375 or  
[service@exmark.com](mailto:service@exmark.com)

**Owner's Responsibilities**

If your product requires warranty service it must be returned to an authorized Exmark service dealer within the warranty period. This warranty extends only to turf equipment operated under normal conditions. You must read the operator's manual. You must also properly service and maintain your Exmark product as described in the operator's manual. Such routine maintenance, whether performed by a dealer or by you, is at your expense.

**General Conditions**

The sole liability of Exmark and Exmark Warranty Company with respect to this warranty shall be repair or replacement of defective components as set forth herein. Neither Exmark nor Exmark Warranty Company shall be liable for any incidental or consequential loss or damage.

Such damages include but are not limited to:

- Expenses related to gasoline, oil or lubricants.
- Travel time, overtime, after hours time or other extraordinary repair charges or charges relating to repairs or replacements outside of normal business hours at the place of business of the authorized Exmark Service Dealer.
- Rental of like or similar replacement equipment during the period of any warranty, repair or replacement work.
- Any telephone or telegram charges or travel charges.
- Loss or damage to person or property other than that covered by the terms of this warranty.
- Any claims for lost revenue, lost profit or additional cost as a result of a claim of breach of warranty.
- Attorney's fees.

No Claim of breach of warranty shall be cause for cancellation or rescission of the contract of sale of any Exmark mower.

All implied warranties of merchantability (that the product is fit for ordinary use) and fitness for use (that the product is fit for a particular purpose) are limited to the duration of the express warranty.

Some states do not allow exclusions of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above exclusions and limitations may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

G4500-520



**Lazer Z Advantage Series Turf Equipment  
2 Year Limited Commercial Warranty  
4 Year or 500 Hours Limited Consumer Warranty**

**General Warranty Conditions and Products Covered**

Exmark Mfg. Co. Inc. and its affiliate, Exmark Warranty Company, pursuant to an agreement between them, jointly warrant on the terms and conditions herein, that we will repair, replace or adjust any part on these products and found by us (in the exercise of our reasonable discretion) to be defective in factory materials or workmanship.

This warranty may only be assigned or transferred to a second (or third) owner by an authorized Exmark dealer. The warranty period commences upon the date of the original retail purchase.

**Commercial Warranty Conditions**

This warranty applies to Exmark Lazer Z Advantage Series (AS) turf equipment sold in the U.S. or Canada for a period of two years for commercial usage.

This warranty includes the cost of parts and labor for a period of two years. This warranty does not cover pickup and delivery charges to and from any authorized Exmark Service Dealer.

**Consumer Warranty Conditions**

This warranty applies to Exmark Lazer Z AS turf equipment sold in the U.S. or Canada for a period of four years or 500 hours (whichever occurs first) for residential usage.

Residential usage means use of the product on the same lot as your home. Use at more than one location is considered commercial use, and the commercial use warranty detailed above would apply.

This warranty only includes the cost of parts and labor. For the first warrantable service repair, Exmark will cover up to \$45 for associated pick-up and delivery charges to and from any authorized Exmark Service Dealer. Additional transportation charges may apply, contact your Dealer for details.

**Warranty Exceptions**

<u>Warranty Exceptions</u>	<u>Warranty Period</u>
• Bags, Belts and Tires	90 days
• Battery	1 Year Prorated
• Commercial Pumps, Motors and Transmissions	2 years or 750 hours
• Consumer Pumps, Motors and Transmissions	4 years or 500 hours
• Commercial Electric Clutch	2 years or 500 hours
• Consumer Electric Clutch	4 years or 500 hours
• Engine	2 years*

\* The Engine warranty is covered by the engine manufacturer. Please refer to the engine manufacturer's warranty statement that is included in the literature packet.

**Items and Conditions Not Covered**

This warranty does not cover the following:

- Any damage or deterioration due to normal use, wear and tear, or exposure.
- Cost of regular maintenance service or parts, such as filters, fuel, lubricants, tune-up parts, and adjustments.
- Any product or part which has been altered or misused or required replacement or repair due to normal wear, accidents, or lack of proper maintenance.
- Any repairs necessary due to use of parts, accessories or supplies, including gasoline, oil or lubricants, incompatible with the turf equipment or other than as recommended in the operator's manual or other operational instructions provided by Exmark.

There are no other express warranties except for engine and special emission system coverage.

All warranty work must be performed by an authorized Exmark Service Dealer using Exmark approved replacement parts.

**Instructions for Obtaining Warranty Service**

The product must be registered with original proof of purchase by an Exmark Service Dealer before obtaining any warranty service.

Contact any Exmark Service Dealer to arrange service at their dealership. To locate a dealer convenient to you, access our website at [www.exmark.com](http://www.exmark.com). U.S. or Canada customers may also call 402-223-6375.

If for any reason you are dissatisfied with the Service Dealer's analysis or with the assistance provided, contact us at:

Exmark Customer Service Department  
The Exmark Warranty Company  
2101 Ashland Avenue  
Beatrice, NE 68310  
402-223-6375 or  
[service@exmark.com](mailto:service@exmark.com)

**Owner's Responsibilities**

If your product requires warranty service it must be returned to an authorized Exmark service dealer within the warranty period. This warranty extends only to turf equipment operated under normal conditions. You must read the operator's manual. You must also properly service and maintain your Exmark product as described in the operator's manual. Such routine maintenance, whether performed by a dealer or by you, is at your expense.

**General Conditions**

The sole liability of Exmark and Exmark Warranty Company with respect to this warranty shall be repair or replacement of defective components as set forth herein. Neither Exmark nor Exmark Warranty Company shall be liable for any incidental or consequential loss or damage.

Such damages include but are not limited to:

- Expenses related to gasoline, oil or lubricants.
- Travel time, overtime, after hours time or other extraordinary repair charges or charges relating to repairs or replacements outside of normal business hours at the place of business of the authorized Exmark Service Dealer.
- Rental of like or similar replacement equipment during the period of any warranty, repair or replacement work.
- Any telephone or telegram charges or travel charges.
- Loss or damage to person or property other than that covered by the terms of this warranty.
- Any claims for lost revenue, lost profit or additional cost as a result of a claim of breach of warranty.
- Attorney's fees.

No Claim of breach of warranty shall be cause for cancellation or rescission of the contract of sale of any Exmark mower.

All implied warranties of merchantability (that the product is fit for ordinary use) and fitness for use (that the product is fit for a particular purpose) are limited to the duration of the express warranty.

Some states do not allow exclusions of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above exclusions and limitations may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

G4520-521



**Quest SP Turf Equipment  
1 Year Limited Commercial Warranty  
4 Year or 400 Hours Limited Consumer Warranty**

**General Warranty Conditions and Products Covered**

Exmark Mfg. Co. Inc. and its affiliate, Exmark Warranty Company, pursuant to an agreement between them, jointly warrant on the terms and conditions herein, that we will repair, replace or adjust any part on these products and found by us (in the exercise of our reasonable discretion) to be defective in factory materials or workmanship.

This warranty may only be assigned or transferred to a second (or third) owner by an authorized Exmark dealer. The warranty period commences upon the date of the original retail purchase.

**Commercial Warranty Conditions**

This warranty applies to Exmark Quest SP turf equipment sold in the U.S. or Canada for a period of one year for commercial usage.

This warranty includes the cost of parts and labor for a period of two years. This warranty does not cover pickup and delivery charges to and from any authorized Exmark Service Dealer.

**Consumer Warranty Conditions**

This warranty applies to Exmark Quest SP turf equipment sold in the U.S. or Canada for a period of four years or 400 hours (whichever occurs first) for residential usage.

Residential usage means use of the product on the same lot as your home. Use at more than one location is considered commercial use, and the commercial use warranty detailed above would apply.

This warranty only includes the cost of parts and labor. For the first warrantable service repair, Exmark will cover up to \$45 for associated pick-up and delivery charges to and from any authorized Exmark Service Dealer. Additional transportation charges may apply, contact your Dealer for details.

**Warranty Exceptions**

<u>Warranty Exceptions</u>	<u>Warranty Period</u>
• Bags, Belts and Tires	90 days
• Battery	1 Year Prorated
• Commercial Pumps, Motors and Transmissions	1 years or 500 hours
• Consumer Pumps, Motors and Transmissions	4 years or 400 hours
• Commercial Electric Clutch	1 years or 500 hours
• Consumer Electric Clutch	4 years or 400 hours
• Engine	2 years*

\* The Engine warranty is covered by the engine manufacturer. Please refer to the engine manufacturer's warranty statement that is included in the literature packet.

**Items and Conditions Not Covered**

- This warranty does not cover the following:
- Any damage or deterioration due to normal use, wear and tear, or exposure.
  - Cost of regular maintenance service or parts, such as filters, fuel, lubricants, tune-up parts, and adjustments.
  - Any product or part which has been altered or misused or required replacement or repair due to normal wear, accidents, or lack of proper maintenance.
  - Any repairs necessary due to use of parts, accessories or supplies, including gasoline, oil or lubricants, incompatible with the turf equipment or other than as recommended in the operator's manual or other operational instructions provided by Exmark.

There are no other express warranties except for engine and special emission system coverage.

All warranty work must be performed by an authorized Exmark Service Dealer using Exmark approved replacement parts.

**Instructions for Obtaining Warranty Service**

The product must be registered with original proof of purchase by an Exmark Service Dealer before obtaining any warranty service.

Contact any Exmark Service Dealer to arrange service at their dealership. To locate a dealer convenient to you, access our website at [www.exmark.com](http://www.exmark.com). U.S. or Canada customers may also call 402-223-6375.

If for any reason you are dissatisfied with the Service Dealer's analysis or with the assistance provided, contact us at:

Exmark Customer Service Department  
The Exmark Warranty Company  
2101 Ashland Avenue  
Beatrice, NE 68310  
402-223-6375 or  
[service@exmark.com](mailto:service@exmark.com)

**Owner's Responsibilities**

If your product requires warranty service it must be returned to an authorized Exmark service dealer within the warranty period. This warranty extends only to turf equipment operated under normal conditions. You must read the operator's manual. You must also properly service and maintain your Exmark product as described in the operator's manual. Such routine maintenance, whether performed by a dealer or by you, is at your expense.

**General Conditions**

The sole liability of Exmark and Exmark Warranty Company with respect to this warranty shall be repair or replacement of defective components as set forth herein. **Neither Exmark nor Exmark Warranty Company shall be liable for any incidental or consequential loss or damage.**

Such damages include but are not limited to:

- Expenses related to gasoline, oil or lubricants.
- Travel time, overtime, after hours time or other extraordinary repair charges or charges relating to repairs or replacements outside of normal business hours at the place of business of the authorized Exmark Service Dealer.
- Rental of like or similar replacement equipment during the period of any warranty, repair or replacement work.
- Any telephone or telegram charges or travel charges.
- Loss or damage to person or property other than that covered by the terms of this warranty.
- Any claims for lost revenue, lost profit or additional cost as a result of a claim of breach of warranty.
- Attorney's fees.

No Claim of breach of warranty shall be cause for cancellation or rescission of the contract of sale of any Exmark mower.

**All implied warranties of merchantability (that the product is fit for ordinary use) and fitness for use (that the product is fit for a particular purpose) are limited to the duration of the express warranty.**

Some states do not allow exclusions of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above exclusions and limitations may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



## Exmark Commercial Attachments and Accessories 90 Day Limited Warranty

### Conditions and Products Covered

Exmark Mfg. Co. Inc. and its affiliate, Exmark Warranty Company, pursuant to an agreement between them, jointly warrant on the terms and conditions herein, that we will repair, replace or adjust any part on these products and found by us (in the exercise of our reasonable discretion) to be defective in factory materials or workmanship for a period of 90 days.

This warranty applies to Exmark commercial attachments and accessories sold in the U.S. or Canada. This warranty may only be assigned or transferred to a second (or third) owner by an authorized Exmark dealer. The warranty period commences upon the date of the original retail purchase.

This warranty only includes the cost of parts and labor.

### Items and Conditions Not Covered

This warranty does not cover the following:

- Pickup and delivery charges to and from any authorized Exmark Service Dealer.
- Any damage or deterioration due to normal use, wear and tear, or exposure.
- Cost of regular maintenance service or parts, such as filters, fuel, lubricants, tune-up parts, and adjustments.
- Any product or part which has been altered or misused or required replacement or repair due to normal wear, accidents, or lack of proper maintenance.
- Any repairs necessary due to use of parts, accessories or supplies, including gasoline, oil or lubricants, incompatible with the attachment or accessory or other than as recommended in the operator's manual or other operational instructions provided by Exmark.

All warranty work must be performed by an authorized Exmark Service Dealer using Exmark approved replacement parts.

### Instructions for Obtaining Warranty Service

The product must be registered with original proof of purchase by an Exmark Service Dealer before obtaining any warranty service.

Contact any Exmark Service Dealer to arrange service at their dealership. To locate a dealer convenient to you, access our website at [www.exmark.com](http://www.exmark.com). U.S. or Canada customers may also call 402-223-6375.

If for any reason you are dissatisfied with the Service Dealer's analysis or with the assistance provided, contact us at:

Exmark Customer Service Department  
The Exmark Warranty Company  
2101 Ashland Avenue  
Beatrice, NE 68310  
402-223-6375 or  
[service@exmark.com](mailto:service@exmark.com)

### Owner's Responsibilities

If your product requires warranty service it must be returned to an authorized Exmark service dealer within the warranty period. This warranty extends only to commercial attachments and accessories operated under normal conditions. You must read the operator's manual. You must also properly service and maintain your Exmark product as described in the operator's manual or other operational instructions provided by Exmark. Such routine maintenance, whether performed by a dealer or by you, is at your expense.

### General Conditions

The sole liability of Exmark and Exmark Warranty Company with respect to this warranty shall be repair or replacement of defective components as set forth herein. **Neither Exmark nor Exmark Warranty Company shall be liable for any incidental or consequential loss or damage.**

Such damages include but are not limited to:

- Expenses related to gasoline, oil or lubricants.
- Travel time, overtime, after hours time or other extraordinary repair charges or charges relating to repairs or replacements outside of normal business hours at the place of business of the authorized Exmark Service Dealer.
- Rental of like or similar replacement equipment during the period of any warranty, repair or replacement work.
- Any telephone or telegram charges or travel charges.
- Loss or damage to person or property other than that covered by the terms of this warranty.
- Any claims for lost revenue, lost profit or additional cost as a result of a claim of breach of warranty.
- Attorney's fees.

No Claim of breach of warranty shall be cause for cancellation or rescission of the contract of sale of any Exmark attachment or accessory.

**All implied warranties of merchantability (that the product is fit for ordinary use) and fitness for use (that the product is fit for a particular purpose) are limited to the duration of the express warranty.**

**Some states do not allow exclusions of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above exclusions and limitations may not apply to you.**

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



Attachment E, PED Lease Terms



*New Equipment Leasing, Inc.*

*Is pleased to offer:*

***Cost Control Solutions***  
**for MUNICIPALITIES**

---

*Choose from 3 different payment programs for  
Exmark equipment:*

***12*** 3 year program. 36 monthly payments. Ownership of equipment transferred to municipality at end. (\$1.00 Buy Out)  
\*Monthly payment factor = .0319

***12*** New Every Two. 24 monthly payments. Turn in equipment at the end or purchase for 40%. \*Monthly payment factor = .0329

***12*** 1 year program. 12 monthly payments. Turn in equipment at the end or purchase for 60%. \*Monthly payment factor = .0445

No security deposit required. \$120.00 processing fee due at signing. Paperwork must be done on municipal documents. Quarterly, semi-annual or annual payment programs available upon request.

*\*Payment Factors Subject to Change Quarterly*

CONTACT TIM SCHUT AT (800) 589-3336 OR [tschut@nelinc.com](mailto:tschut@nelinc.com)



**Attachment F, Authorized RedMax Dealer Listing**

NAME	ADDRESS1	ADDRESS2	CITY	STATE	ZIP	PHONE	FAX	COUNTY
ALL SEASONS OUTDOOR EQP	15130 E 10 MILE RD		EASTPOINTE	MI	48021-1008	5867714949	5867712323	MACOMB
ATHERTON ROAD SALES & SERVICE BATES TRACTOR & EQUIPMENT INC.	6468 E ATHERTON RD 461 E. FENN RD.		BURTON COLDWATER	MI MI	48519-1699 49036	8107437776 5172799179	8107430751 5172783997	GENESEE BRANCH
DARLING'S BELTLINE	3203 LAPEER RD		PORT HURON	MI	48060-2529	8109879555	8109879557	SAINT CLAIR
BILLINGS LAWN EQUIPMENT BOBCAT OF LANSING	221 NORTH MAIN ST. 3237 W. MILLER RD.		ROYAL OAK LANSING	MI MI	48067-2683 48911	2485410138 5173941155	2485410312 5173941550	OAKLAND INGHAM
BOULLIONS SALES & SERVICE Ralph's Lawn Equipment	8530 N TERRITORIAL RD 8220 Macomb		DEXTER Grosse Ile.	MI MI	48130-9626 48138	7344268527 7346762000	7344262004 7346762023	WASHTENAW WAYNE
COMMERCIAL LAWNMOWER INC. CONTRACTORS EQUIP & SUPPLY	32098 PLYMOUTH RD. 1986 SPRINKLE RD		LIVONIA KALAMAZOO	MI MI	48150-1489 49048	8007381388 2693823553	7345253010 2693822435	WAYNE KALAMAZOO
COUNTRY CORNER - ALMON	515 S MAIN ST	PO Box 421	ALMONT	MI	48003-8504	8107988255	8107982368	LAPEER
COUNTRYSIDE LAWN & POWER EQT.	14770 WEBSTER RD		BATH	MI	48808-9783 48159-	5176417379	5176414675	CLINTON
D & D SMALL ENGINE D & G EQUIPMENT INC.	9551 OSTRANDER RD 110 S. LINCOLN		MAYBEE CHARLOTTE	MI MI	9780 48813	7345878825 5175432540	7345872328 5176553156	MONROE INGHAM
D & G EQUIPMENT-CORUNNA D & G EQUIPMENT INC.	1047 N. SHIAWASSEE 1155 South Milford Rd.		CORUNNA Highland	MI MI	48817-1551 48357	9897438844 2488872410	9897438855 2488873937	SHIAWASSEE OAKLAND
D & G EQUIPMENT INC. D & G EQUIPMENT INC.	3915 TRACTOR DR 710 N CEDAR		HOWELL MASON	MI MI	48855 48854	5175406141 5176769588	5175406144 5176769694	LIVINGSTON INGHAM
D & G EQUIPMENT INC. D & G EQUIPMENT INC.	290 Railroad St. 2525 E GRAND RIVER RD		Rives Junction WILLIAMSTON	MI MI	49277 48895-9159	5175692405 5176554606		INGHAM INGHAM

Contract No. 071B0200328



DAN'S FARM SUPPLY INC.	3975 SOUTH ADRIAN HWY		ADRIAN	MI	49221-8725	5172631395	5172655463	LENAWEE
DUNDEE AUTO PARTS	180 MAIN ST		DUNDEE	MI	48131	7345292600	7345295674	MONROE
DUPUIE SMALL ENGINE	1053 M72 SE		KALKASKA	MI	49646	2312585771	2312585844	KALKASKA
FORTON'S MOWER SERVICE	21707 HARPER AVE		SAINT CLAIR SHO	MI	48080-2213	5867757472	5867712621	MACOMB
REED CITY HARDWARE	114 W UPTON AVE		REED CITY	MI	49677-1130	2318325302	2318320434	OSCEOLA
GENE'S TRUCK SALES	981 E RAILWAY	PO BOX 516	COLEMAN	MI	48618-0516	9894651521	9894650043	MIDLAND
GEORGE HOFACKER EQP SALES	3633 4 MILE RD NW		GRAND RAPIDS	MI	49544	6167842998	6167843343	KENT
HAMMOND EQUIPMENT COMPANY	5951 CHARLEVOIX AVE		PETOSKEY	MI	49770-9216	2314399280	2314399970	EMMET
HELLEBUYCK BIKE & MOWER CENTER	52881 VAN DYKE AVE		SHELBY TWP	MI	48316-3543	5867399620	5867396251	MACOMB
HELLEBUYCK BIKE & MOWER CENTER	31430 MOUND RD		WARREN	MI	48092	5863652411	5863652411	MACOMB
BURDICK STREET LANDSCAPE EQUIP	43 EAST BURDICK ST		OXFORD	MI	48371	2489692800	2489692978	OAKLAND
JOHN HOEKSEMA INC.	11483 E. LAKEWOOD BLVD.		HOLLAND	MI	49424	6163968132	6169280248	OTTAWA
HOFFMAN POWER EQUIPMENT INC.	3139 ENTERPRISE		SAGINAW	MI	48603	9897928676	9897920250	SAGINAW
JACK'S LAWN SERVICE INC	15550 GARDEN STONE DRIVE		MONROE	MI	48161-3731	7342433382	7342433370	MONROE
KUBOTA OF WEST MICHIGAN	430 100TH STREET SW.		BYRON CENTER	MI	49315-8540	6168770800	6168770930	KENT
LLOYD'S REPAIR	7750 RIDGE HWY		BRITTON	MI	49229-9520	5174518430	5174518006	LENAWEE
MARK'S OUTDOOR POWER EQT.	16959 NORTHVILLE RD		NORTHVILLE	MI	48167-9519	2483493860	2483489689	WAYNE
R & B LAWN MOWERS INC	2950 PURITAN		DETROIT	MI	48238	3133416100	3133416100	WAYNE
MAYNARD BATTERY	401 MILLER AVE		ANN ARBOR	MI	48103-3339	7346620217	7346621538	WASHTENAW
KURT'S LAWN & GARDEN	548 S. SANDUSKY RD		SANDUSKY	MI	48471-9415	8106482250	8106483937	SANILAC
MIKE'S POWER EQUIPMENT LLC	605 N US 27		ST JOHN	MI	48879	9896680123	9896680124	CLINTON
NORTH CENTER FARM SUPPLY	75075 NORTH AVE		ARMADA	MI	48005-2728	5867845331	5867848040	MACOMB

Contract No. 071B0200328



FERGUSON'S LAWN EQUIPMENT	955 S. AIRPORT		TRAVERSE CITY	MI	49686	2319462440	2319463215	GRAND TRVERSE
					48329-			
OAKLAND LAWN & GARDEN	2934 FREMBES RD		WATERFORD	MI	3619	2486735296	2486735457	OAKLAND
PARADISE GRAVELY TRACTORS	67111 VAN DYKE		ROMEO	MI	48095	5867522577		MACOMB
PROLINE EQUIPMENT	9322 MARINE CITY HWY		CASCO	MI	48064	5867162453	5867251183	SAINT CLAIR
PRO MAX ENTERPRISES	809 THOMAS L PKWY #2		LANSING	MI	48917	5173231727	5173238652	EATON
PS & T INDUSTRIAL SUPPLY	***NO SALES ALLOWED***		GRAND HAVEN	MI	49417	6169357100		OTTAWA
					48185-			
WESTLAND LAWN & SNOW EQP INC	27429 JOY RD		WESTLAND	MI	5503	7342611250	7342616280	WAYNE
ROBBINS ROAD HARDWARE	948 ROBBINS ROAD		GRAND HAVEN	MI	49417	6168428770	6168424284	OTTAWA
					48307-			
ROCHESTER LAWN EQUIPMENT	94 W AUBURN RD		ROCHESTER	MI	5000	2488524961	2488528965	OAKLAND
					49456-			
BILL'S SPORT SHOP	(DBA, SANDERS, INC.)	401 W SAVIDGE ST	SPRING LAKE	MI	1692	6168469055	6168460247	OTTAWA
					48468-			
SCHAVE'S SMALL ENGINE REPAIR	4238 MAIN ST		PORT HOPE	MI	9362	9894284242	9894284922	HURON
					49017-			
SCOOTER'S PENNFIELD HARDWARE	912 NORTH AVE		BATTLE CREEK	MI	3124	2699640174	2699642014	CALHOUN
WM. F. SELL & SON INC.	19185 WEST		WOODHAVEN	MI	48183	7346925100	7346925199	WAYNE
					48043-			
STARK'S SERVICE	328 CASS AVE		MOUNT CLEMENS	MI	2121	5864682570	5864686281	MACOMB
					49009-			
STEENSMA LAWN & POWER	7561 STADIUM DR		KALAMAZOO	MI	7953	2693756476	2693758193	KALAMAZOO
					49080-			
Steensma Lawn & Power Equipmen	633 11th Street		Plainwell	MI	1000	2696859557	2696859712	ALLEGAN
					49685-			GRAND
STRICKER'S OUTDOOR POWER EQP	707 W BLUE STAR DR		TRAVERSE CITY	MI	8778	2319433709	2319433977	TRAVERSE
					48178-			
THESIER EQUIPMENT COMPANY	28342 PONTIAC TRL		SOUTH LYON	MI	9240	2484372092	2484372140	OAKLAND
TPM LLC DBA I RENT	***NO MAILINGS***		MUSKEGON	MI	49445	2317190518		MUSKEGON
					48186-			
WAYNE LAWN & GARDEN	2103 S WAYNE RD		WESTLAND	MI	5490	7347215220	7347210770	WAYNE
					49319-			
WEINGARTZ SUPPLY CO INC -CEDAR	11875 NORTHLAND DRIVE		CEDAR SPRINGS	MI	8929	6166962913	6166960618	KENT

**Contract No. 071B0200328**



WEINGARTZ SUPPLY CO INC -CLARK	6585 DIXIE HWY	CLARKSTON	MI	48346-3421	2486234731	2486205449	OAKLAND
WEINGARTZ SUPPLY CO INC -FARM	39050 GRAND RIVER AVE	FARMINGTON HILL	MI	48335-1500	2484713050	2484716948	OAKLAND
WEINGARTZ SUPPLY CO INC -UTICA	46061 VAN DYKE AVE	UTICA	MI	48317-5375	5867317240	5867319319	MACOMB
WHEELS & BLADES INC.	8055 COMMERCE RD	COMMERCE TWP	MI	48382-3515	2483636683	2483632064	OAKLAND
ZIMMER'S SALES	6667 SAINT CLAIR HWY	EAST CHINA	MI	48054-1112	8103297136	8103297137	SAINT CLAIR



**Attachment G, Authorized TurfEx Dealer Listing**

NAME	ADDRESS1	ADDRESS2	CITY	STATE	ZIP	PHONE	FAX	COUNTY	SNOWEX DLR	TURFEX DLR
AUTOMOTIVE SERVICE CO	603 E WASHINGTON AVE		JACKSON	MI	49203	5177846131	5177840601	JACKSON	yes	no
ALLIED TRUCK EQUIPMENT COMPANY	***NO MAILINGS***		GRAND RAPIDS	MI	49548	6165306000	6165306174	KENT	yes	no
ALL SEASONS OUTDOOR EQP	15130 E 10 MILE RD		EASTPOINTE	MI	48021-1008	5867714949	5867712323	MACOMB	yes	no
ARISTA TRUCK SYSTEMS	5125 CLAY AVE SW		GRAND RAPIDS	MI	49548	6165306000	6165306174	OTTAWA	yes	no
BADER & SONS	332 W SAGINAW HWY		GRAND LEDGE	MI	48837	5176222220	5176474164	IONIA	yes	no
BADER & SONS	6018 E GRAND RIVER		PORTLAND	MI	48875	5176474165	5176474180	IONIA	yes	no
BADER AND SONS	***NO MAILINGS***		TECUMSEH	MI	49286	5174232133	5174236505	LENAWEE	yes	no
BADER BROTHERS INC(BIRCH RUN)	8461 MAIN ST.		BIRCH RUN	MI	48415	9896249356	9896249605	TUSCOLA	yes	no
BADER BROTHERS INC	16400 M-32		HILLMAN	MI	48757-49746	9893793000	9893793099	TUSCOLA	yes	no
BADER BROTHERS INC (REESE)	9952 Saginaw ST	Po Box 378	REESE	MI	9567	9898684165	9898689699	TUSCOLA	yes	no
BADER BROTHERS INC (SAGINAW)	6150 BAY RD.		SAGINAW	MI	48604	9897911234	9897919464	TUSCOLA	yes	no
BATES TRACTOR & EQUIPMENT INC.	461 E. FENN RD.		COLDWATER	MI	48067-49036	5172799179	5172783997	BRANCH	yes	no
BILLINGS LAWN EQUIPMENT	221 NORTH MAIN ST.		ROYAL OAK	MI	2683	2485410138	2485410312	OAKLAND	yes	no
BOBCAT OF LANSING	3237 W. MILLER RD.		LANSING	MI	48911	5173941155	5173941550	INGHAM	yes	no
Ralph's Lawn Equipment	8220 Macomb		Grosse Ile.	MI	48138	7346762000	7346762023	WAYNE	yes	no
CAPITAL EQUIPMENT CLARE LLC	302 NORTH MCEWAN		CLARE	MI	48617-48150	9893862192	9893867038	CLARE	yes	no
COMMERCIAL LAWNMOWER INC.	32098 PLYMOUTH RD.		LIVONIA	MI	48808-1489	8007381388	7345253010	WAYNE	yes	no
COUNTRYSIDE LAWN & POWER EQT.	14770 WEBSTER RD		BATH	MI	9783	5176417379	5176414675	CLINTON	yes	no
CUSTOM LAWN CARE INC.	***NO MAILINGS***		WHITE PIDGEON	MI	49099	2694837359	2694837151	SAINT JOSEPH	yes	no
D & G EQUIPMENT INC.	110 S. LINCOLN		CHARLOTTE	MI	48817-48813	5175432540	5176553156	INGHAM	yes	no
D & G EQUIPMENT-CORUNNA	1047 N. SHIAWASSEE		CORUNNA	MI	1551	9897438844	9897438855	SHIAWASSEE	yes	no
D & G EQUIPMENT INC.	1155 South Milford Rd.		Highland	MI	48357	2488872410	2488873937	OAKLAND	yes	no

**Contract No. 071B0200328**



D & G EQUIPMENT INC.	3915 TRACTOR DR	HOWELL	MI	48855	5175406141	5175406144	LIVINGSTON	yes	no
D & G EQUIPMENT INC.	710 N CEDAR	MASON	MI	48854	5176769588	5176769694	INGHAM	yes	no
D & G EQUIPMENT INC.	290 Railroad St.	Rives Junction	MI	49277	5175692405		INGHAM	yes	no
				48895-					
D & G EQUIPMENT INC.	2525 E GRAND RIVER RD	WILLIAMSTON	MI	9159	5176554606	5176553156	INGHAM	yes	no
				49221-					
DAN'S FARM SUPPLY INC.	3975 SOUTH ADRIAN HWY	ADRIAN	MI	8725	5172631395	5172655463	LENAWEE	yes	no
				48103-					
DIUBLE EQUIPMENT INC	4365 S PARKER RD	ANN ARBOR	MI	9398	7349941313	7349947872	WASHTENAW	yes	no
				48529-					
FLINT NEW HOLLAND INC	3266 E BRISTOL RD	BURTON	MI	1494	8107442030	8107440444	GENESEE	yes	no
				49418-					
GRANDVILLE TRACTOR & EQUIPMENT	3710 CHICAGO DR SW	GRANDVILLE	MI	1397	6165322347	6165322396	KENT	yes	no
				48615-					
GRATIOT OUTDOOR EQUIPMENT	501 E SAGINAW	BRECKENRIDGE	MI	8707	9898423844		GRATIOT	yes	no
				48609-					
H & B EQUIPMENT & RENTAL	7901 GRATIOT RD	SAGINAW	MI	5025	9897812337	9897814427	SAGINAW	yes	no
				48316-					
HELLEBUYCK BIKE & MOWER CENTER	52881 VAN DYKE AVE	SHELBY TWP	MI	3543	5867399620	5867396251	MACOMB	yes	no
HELLEBUYCK BIKE & MOWER CENTER	31430 MOUND RD	WARREN	MI	48092	5863652411	5863652411	MACOMB	yes	no
HOFFMAN POWER EQUIPMENT INC.	3139 ENTERPRISE	SAGINAW	MI	48603	9897928676	9897920250	SAGINAW	yes	no
HYDE EQUIPMENT CO. INC	***NO MAILINGS***	PETOSKEY	MI	49770	2313474725	2313472202	EMMET	yes	no
				48161-					
JACK'S LAWN SERVICE INC	15550 GARDEN STONE DRIVE	MONROE	MI	3731	7342433382	7342433370	MONROE	yes	no
JONES EQUIPMENT RENTAL	4600 24TH AVE	FORT GRATIOT	MI	48059	8103856000	8103851667	SAINT CLAIR	yes	no
Jones Equipment Rental	1777 Busha Hwy	Marysville	MI	48040	8103646400	8103641370	SAINT CLAIR	yes	no
				49267-					
BUCK & KNOBBY EQUIPMENT CO.	6222 STERNS RD	OTTAWA LAKE	MI	9524	7348543380	7348562709	MONROE	yes	no
				49315-					
KUBOTA OF WEST MICHIGAN	430 100TH STREET SW.	BYRON CENTER	MI	8540	6168770800	6168770930	KENT	yes	no
MURPHY'S TRAILER RENT & SALES	***NO MAILINGS***	BATTLE CREEK	MI	49014	2699688248	2699680690	CALHOUN	yes	no
				49261-					
NAPOLEON LAWN & LEISURE	***NO MAILINGS***	NAPOLEON	MI	0456	5175364256	5175368230	JACKSON	yes	no

Contract No. 071B0200328



PRO MOWER & SNOW	***NO SALES ALLOWED***	WARREN	MI	48089	5867547009	5867542084	MACOMB	yes	no
QUALITY CAR & TRUCK REPAIR	***NO MAILINGS***	BIG RAPIDS	MI	49307	2317968320	2317968896	MECOSTA	yes	no
REEMAN EQUIPMENT	***NO MAILINGS***	FREMONT	MI	49412	2319242570	2319240644	NEWAYGO	yes	no
				48185-					
WESTLAND LAWN & SNOW EQP INC	27429 JOY RD	WESTLAND	MI	5503	7342611250	7342616280	WAYNE	yes	no
				48062-					
RICHMOND NEW HOLLAND	68295 OAK ST	RICHMOND	MI	1396	5867273515	5867274056	MACOMB	yes	no
				48170-					
SAXTON'S GARDEN CENTER	587 W ANN ARBOR TRL	PLYMOUTH	MI	1627	7344536250	7344532473	WAYNE	yes	no
WM. F. SELL & SON INC.	19185 WEST	WOODHAVEN	MI	48183	7346925100	7346925199	WAYNE	yes	no
				49345-					
SPARTA FARM & LAWN EQUIP.	1550 10 MILE RD NW	SPARTA	MI	9412	6168871010	6168873911	KENT	yes	no
				49009-					
STEENSMA LAWN & POWER	7561 STADIUM DR	KALAMAZOO	MI	7953	2693756476	2693758193	KALAMAZOO	yes	no
				49080-					
Steensma Lawn & Power Equipmen	633 11th Street	Plainwell	MI	1000	2696859557	2696859712	ALLEGAN	yes	no
STU'S WELDING	4249 BLUE STAR HWY	HOLLAND	MI	49423	6163928459	6163926155	OTTAWA GRAND	yes	no
G T R	2098 M-37 SOUTH	TRAVERSE CITY	MI	49684	2319439640	2319439790	TRAVERSE	yes	no
				48178-					
THESIER EQUIPMENT COMPANY	28342 PONTIAC TRL	SOUTH LYON	MI	9240	2484372092	2484372140	OAKLAND	yes	no
				49423-					
WESTENBROEK MOWER INC.	461 CHICAGO DR	HOLLAND	MI	2937	6163965733	6163960016	OTTAWA	yes	no
WESTENBROEK OUTDOOR POWER	7670 COTTONWOOD	JENNISON	MI	49428	6166675700	6165300223	KENT	yes	no
				48382-					
WHEELS & BLADES INC.	8055 COMMERCE RD	COMMERCE TWP	MI	3515	2483636683	2483632064	OAKLAND	yes	no
				48603-					
WOHLFEIL'S HARDWARE	5818 STATE ST	SAGINAW	MI	3478	9897990702	9897997819	SAGINAW	yes	no
WOLVERINE RENTAL & SUPPLY	5475 SOUTH STATE ST	ANN ARBOR	MI	48108	7346653223	7346656785	WASHTENAW	yes	no
				48054-					
ZIMMER'S SALES	6667 SAINT CLAIR HWY	EAST CHINA	MI	1112	8103297136	8103297137	SAINT CLAIR	yes	no
ZAREMBA EQUIPMENT INC	1734 DICKERSON RD.	GAYLORD	MI	49735	9897057664	9897057745	OTSEGO	yes	no
ATHERTON ROAD SALES & SERVICE	6468 E ATHERTON RD	BURTON	MI	48519-	8107437776	8107430751	GENESEE	yes	yes

**Contract No. 071B0200328**



WEINGARTZ SUPPLY CO INC -CEDAR	11875 NORTHLAND DRIVE	CEDAR SPRINGS	MI	1699 49319- 8929	6166962913	6166960618	KENT	yes	yes
WEINGARTZ SUPPLY CO INC -CLARK	6585 DIXIE HWY	CLARKSTON	MI	48346- 3421	2486234731	2486205449	OAKLAND	yes	yes
WEINGARTZ SUPPLY CO INC -FARM	39050 GRAND RIVER AVE	FARMINGTON HILL	MI	48335- 1500	2484713050	2484716948	OAKLAND	yes	yes
WEINGARTZ SUPPLY CO INC -UTICA	46061 VAN DYKE AVE	UTICA	MI	48317- 5375	5867317240	5867319319	MACOMB	yes	yes



**COMMERCIAL 21**  
ALL NEW FROM EXMARK.

MODEL	COMMERCIAL 21 ADVANTAGE SERIES			COMMERCIAL 21		
	EC21ASKAP	EC21ASKA	EC21ASHN	EC21KA	EC21KABBC	EC21HNBBC
<b>POWER COMPONENTS</b>						
Engine	Kawasaki*	Kawasaki	Honda*	Kawasaki	Kawasaki KAI	Honda
Model	FJ180V		GSV	FJ180V KAI		GXV
Feature	Overhead valve		Overhead Cam	Overhead Valve, Commercial Construction		
Displacement	180cc		190cc	180cc		160cc
Drive System	Hand-push	Self-propelled, infinitely variable speed selection				
Speed	Hand-push	0 to 4.2 mph (6.8 kmph) forward				
Fuel Capacity	2 quart integral fuel tank			1 gallon remote fuel tank		
CARB Compliant	No			Yes		
<b>DECKS</b>						
Deck Construction	5" deep, 1/4 thick die-cast aluminum					
Deck Style	Rear-discharge bagger standard, with option to mulch					
Width	21" (53.3 cm)					
Cutting Heights	1.0" (2.5 cm) to 4.5" (11.4 cm) in 0.5" (1.3 cm) increments					
Blades	0.135" (.34 cm) thick alloy steel					
Blade-Tip Speed	Approximately 18,500 fpm					
Drive Tires	9" x 2.5" semi-pneumatic					
Collection Bag	Standard					
Bag Capacity	2.5 bushels (20 gallons)					
<b>EQUIPMENT</b>						
Safety Package	Zone Start			Blade Brake Control (BBC)		
Engine Guard	Optional			Standard		
Skid Plates	Optional			Standard		
Mulch Plug	Optional			Standard		
Cushion Grip Controls	Optional			Standard		
Rear Door Handle	Optional			Standard		
<b>MISCELLANEOUS</b>						
Curb Weight	106 lbs	111 lbs	98 lbs	115 lbs	122 lbs	122 lbs
Warranty	1 Year Commercial					



**KEY FEATURES**

- Innovative new front height adjustment is extremely durable and eliminates the need for pivot style adjusters.
- Single point rear height adjustment allows operators to quickly change cutting height.
- Easy on / off bag design eliminates the need for levers and doors.
- 5" deep cutting deck is constructed of die-cast aluminum.
- Commercial grade Honda & Kawasaki engine choices.
- 60% fewer parts equals a simple, rugged, reliable mower.

**Commercial 21**  
*Advantage*

**Commercial 21**

**BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL**

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
 Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® is a registered trademark of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2010.



exmark.com



# METRO 26

## INCREASE YOUR PRODUCTIVITY UP TO 25% WITH THE HARDEST-WORKING WALK-BEHIND FROM EXMARK.

25% INCREASE IN PRODUCTIVITY OVER TRADITIONAL 21"

Since opening our doors, we've been busy making high-quality, professional-grade mowers. And the Metro® 26 is no exception. With its bigger deck, bigger bag and bigger gas tank, it'll increase productivity by up to 25%. We take pride in the fact that anything bearing the Exmark® name is an exceptional piece of equipment. You can feel confident knowing that it's the brand landscape pros choose 2 to 1 over any other. Visit [exmark.com](http://exmark.com)

**DECKS**

Rear-discharge bagger standard, with option to mulch and side discharge.

**WIDTHS AVAILABLE**

26" (66 cm).

**CUTTING HEIGHTS**

1.0" (2.5 cm) to 4.0" (10.2 cm) in 0.50" (1.27 cm) increments.

**BLADES**

0.135" (3.4 mm) thick alloy steel.

**BLADE SPINDLES**

1.0" (25.4 mm) diameter, hardened steel.

**BLADE-TIP SPEED**

18,500 fpm.

**ENGINE DECK**

Die-cast aluminum.

**DRIVE TIRES**

10 x 3.0-7, semi-pneumatic with die-cast aluminum rims with bearing assembly.

**FRONT TIRES**

8 x 2.0-6, semi-pneumatic with die-cast aluminum rims with bearing assembly.

**BAG CAPACITY**

3-bushels (24 gallons).

**ENGINE AVAILABLE**

6.0 hp Kawasaki® FJ180V KAI engine; governed to 3600 rpm. See your dealer for CARB compliant models.

**DRIVE SYSTEM**

Self-propelled, rear wheel gear-drive.

**TRANSMISSION**

3-speed.

**SAFETY PACKAGE**

Blade Brake Controls (BBC).

**SPEED CONTROL**

Finger-tip bail controls

**SPEED**

2.0 mph (3.2 kmph) to 4.1 mph (6.6 kmph) forward.

**FUEL CAPACITY**

1 gallon (3.8-L).



MODEL	CONTROLS	ENGINE	CUTTING WIDTH
MS6KA26B	Self-Propelled	6 hp Kawasaki	26" (66 cm)

**BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL.**

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
 Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® and Metro® are registered trademarks of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2010.





# METRO

## THERE'S NO BETTER COMBINATION OF CUT, QUALITY AND PRICE IN A FIXED-DECK, GEAR-DRIVE MOWER.

Since opening our doors, we've been busy making high-quality, professional-grade mowers. And the Metro® is no exception. We take pride in the fact that anything bearing the Exmark® name is an exceptional piece of equipment. You can feel confident knowing that it's the brand landscape pros choose 2 to 1 over any other. Visit [exmark.com](http://exmark.com)

**DECKS**

Fixed-deck, side-discharge standard, with molded discharge chute and option to bag or mulch.

**WIDTHS AVAILABLE**

32", 36" or 48" cutting decks.

**CUTTING HEIGHTS**

1.0" (2.5 cm) to 4.25" (10.8 cm) in 0.25" (0.64 cm) increments.

**BLADES**

0.20" (5.1 mm) thick alloy steel.

**BLADE SPINDLES**

1.0" diameter mounted in cast aluminum housings with dual ball bearings. No maintenance.

**BLADE-TIP SPEED**

Approximately 18,500 fpm.

**ENGINE DECK**

7-gauge welded steel.

**STEERING & MOTION CONTROL**

Pistol Grip or Enhanced Control System (ECS) controls.

**TURNING RADIUS**

Zero-turn around center of inside tire.

**FRONT CASTER TIRES**

Double-yoke, 9 x 3.50-4, smooth tread, semi-pneumatic.

**DRIVE TIRES**

13 x 5.00-6, 4-ply Turf Saver® on 32" model;  
13 x 6.50-6, 4-ply Turf Master® on 36" and 48" models.

**ENGINE AVAILABLE**

16 hp Kawasaki® FS, governed to 3600 rpm.  
See your dealer for available CARB compliant models.

**DRIVE SYSTEM**

Direct drive from transmission to double-belt wheel drives (single belt on 32").

**TRANSMISSION**

5-speed Peerless® 700-070A.

**SPEED CONTROL**

Padded shift lever.

**SPEED**

2.0 mph (3.2 kmph) to 6.2 mph (10.0 kmph) forward, reverse assist.

**PTO ENGAGEMENT**

Lever-actuated blade engagement with blade brake.

**SAFETY PACKAGE**

Operator Presence Controls (OPC). Operator must have transmission in neutral and blades disengaged to leave operator's position without stopping engine.

**FUEL CAPACITY**

5 gallon (18.9-L) fuel tank.

**LUBRICATION**

Synthetic oil with continuous filtration of hydro oil.



MODEL	CONTROLS	ENGINE	CUTTING WIDTH
M16KA322P	PISTOL	16 hp Kawasaki FS	32" (81 cm)
M16KA362P	PISTOL	16 hp Kawasaki FS	36" (91 cm)
M16KA362	ECS	16 hp Kawasaki FS	36" (91 cm)
M16KA483P	PISTOL	16 hp Kawasaki FS	48" (122 cm)
M16KA483	ECS	16 hp Kawasaki FS	48" (122 cm)

**BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL**

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® and Metro® are registered trademarks of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2010.





PED Specs 1

**VIKING**

**THIS FIXED-DECK MOWER REPRESENTS THE BEST VALUE IN HYDRO WALK-BEHINDS.**

Since opening our doors, we've been busy making high-quality, professional-grade mowers. And the Viking™ is no exception. We take pride in the fact that anything bearing the Exmark® name is an exceptional piece of equipment. You can feel confident knowing that it's the brand landscape pros choose 2 to 1 over any other. Visit [exmark.com](http://exmark.com)

**DECKS**

Fixed-deck, side-discharge standard, with molded discharge chute and option to bag or mulch.

**WIDTHS AVAILABLE**

36" or 48" cutting widths.

**CUTTING HEIGHTS**

1.0" (2.5 cm) to 4.25" (10.8 cm) in 0.25" (0.64 cm) increments.

**BLADES**

0.20" (5.1 mm) thick alloy steel.

**BLADE SPINDLES**

1.0" diameter mounted in cast aluminum housings with dual-sealed bearings. No maintenance required.

**BLADE-TIP SPEED**

Approximately 18,500 fpm.

**ENGINE DECK**

7-gauge, heavy-duty, welded steel.

**STEERING & MOTION CONTROL**

Hydro drive with Enhanced Control System (ECS), forward/reverse, left/right or zero-turn.

**TRACKING ADJUSTMENT**

Insta-Track.

**PARK BRAKE**

Standard mechanical compression.

**FRONT CASTER TIRES**

Double-yoke, 9 x 3.50-4, smooth tread, semi-pneumatic.

**DRIVE TIRES**

16 x 6.50-8, 4-ply TurfMaster.®

**ENGINE AVAILABLE**

16 hp Kawasaki® FS, governed to 3600 rpm. See your dealer for available CARB compliant models.

**DRIVE SYSTEM**

Twin Hydro Gear variable-displacement pumps and twin high-efficiency Parker/Ross wheel-drive motors with 1" (2.54 cm) tapered shafts.

**PTO ENGAGEMENT**

Mechanical blade engagement with blade brake.

**DRIVE WHEEL RELEASE**

Easy-access dump valves, with engine on or off.

**SAFETY PACKAGE**

Operator Presence Controls (OPC). Operator must have speed control lever in neutral and blades disengaged to leave operator's position without stopping engine.

**SPEED**

Infinitely variable selection from 0-6.2 mph (10 kmph) forward, 0-2.2 (3.5 kmph) reverse.

**FUEL CAPACITY**

5-gallon (18.9-L) fuel tank.

**LUBRICATION**

Synthetic oil with continuous filtration of hydro oil.



MODEL	CONTROLS	ENGINE	CUTTING WIDTH
VH16KA362	ECS	16 hp Kawasaki FS	36" (91 cm)
VH16KA483	ECS	16 hp Kawasaki FS	48" (122 cm)

**BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL**

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
 Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® is a registered trademark and Viking™ is a trademark of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2010.





# TURF TRACER HP

## RECEIVE EXCEPTIONAL PERFORMANCE AND PRODUCTIVITY FROM THIS FLOATING DECK, HYDRO-DRIVE MOWER.

Since opening our doors, we've been busy making high-quality, professional-grade mowers. And the Turf Tracer® HP is no exception. We take pride in the fact that anything bearing the Exmark® name is an exceptional piece of equipment. You can feel confident knowing that it's the brand landscape pros choose 2 to 1 over any other. Visit [exmark.com](http://exmark.com)

### DECKS

Full-floating, side-discharge standard, molded discharge chute and option to bag or mulch.

### WIDTHS AVAILABLE

36" 48" or 52" cutting widths.

### CUTTING HEIGHTS

1.5" (3.8 cm) to 4.5" (11.4 cm) in 0.5" (1.3 cm) increments.

### BLADES

0.20" (5.1 mm) thick alloy steel.

### BLADE SPINDLES

1.75" diameter mounted in cast aluminum-alloy spindle housings with dual-sealed bearings. No maintenance required.

### BLADE-TIP SPEED

Approximately 18,500 fpm.

### ENGINE DECK

7-gauge, heavy-duty, welded steel.

### STEERING & MOTION CONTROL

Hydro drive with Enhanced Control System (ECS), forward/reverse, left/right or zero-turn.

### TRACKING ADJUSTMENT

Insta-Track.

### TURNING RADIUS

True zero-turn.

### PARKING BRAKE

Standard mechanical compression.

### FRONT CASTER TIRES

Double-yoke, 9 x 3.5-4, smooth tread, semi-pneumatic.

### DRIVE TIRES

16 x 6.5-8, 4-ply Turf Master® on 36" models;  
16 x 7.5-8, 4-ply Turf Master on 48" and 52" models.

### ENGINES AVAILABLE

16 and 18 hp Kawasaki® FS Recoil; 20 hp Kawasaki FS V-Twin with electric start; all governed to 3600 rpm.

### DRIVE SYSTEM

Twin Hydro-Gear variable-displacement pumps and twin high-efficiency Parker/Ross wheel-drive motors with 1" (2.54 cm) tapered shafts.

### PTO ENGAGEMENT

Mechanical blade engagement with blade brake.

### DRIVE WHEEL RELEASE

Easy-access dump valves, with engine on or off.

### SAFETY PACKAGE

Operator Presence Controls (OPC). Operator must have speed control lever in neutral and blades disengaged to leave operator's position without stopping engine.

### SPEED

Infinitely variable selection from 0-6.2 mph (10 kmph) forward, 0-2.2 (3.5 kmph) reverse.

### FUEL CAPACITY

5-gallon (18.9-L) fuel tank.

### LUBRICATION

Synthetic oil with continuous filtration of hydro oil.



MODEL	CONTROLS	ENGINE	CUTTING WIDTH
THP16KA363	ECS	16 hp Kawasaki FS	36" (91 cm)
THP16KA483	ECS	16 hp Kawasaki FS	48" (122 cm)
THP18KA523	ECS	18 hp Kawasaki FS	52" (132 cm)
THP20KAE483	ECS	20 hp Kawasaki FS	48" (122 cm)
THP20KAE523	ECS	20 hp Kawasaki FS	52" (132 cm)

### BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® and Turf Tracer® are registered trademarks of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2010.





# TURF TRACER

## THE INDUSTRY'S ULTIMATE, FULL-FEATURED HYDRO MOWER.

Since opening our doors, we've been busy making high-quality, professional-grade mowers. And the Turf Tracer® is no exception. We take pride in the fact that anything bearing the Exmark® name is an exceptional piece of equipment. You can feel confident knowing that it's the brand landscape pros choose 2 to 1 over any other. Visit [exmark.com](http://exmark.com)

**DECKS**

Full-floating UltraCut™ Series 4, side-discharge standard with molded discharge chute and option to bag or mulch.

**WIDTHS AVAILABLE**

52" or 60" cutting widths.

**CUTTING HEIGHTS**

1.5" (3.8 cm) to 4.5" (11.4 cm) in 0.5" (1.3 cm) increments.

**BLADES**

0.20" (5.1 mm) thick alloy steel.

**BLADE SPINDLES**

1.75" diameter mounted in cast aluminum-alloy spindle housings with dual-sealed bearings. No maintenance required.

**BLADE-TIP SPEED**

Approximately 18,500 fpm.

**ENGINE DECK**

7-gauge, heavy-duty, welded steel.

**STEERING & MOTION CONTROL**

Hydro drive with Enhanced Control System (ECS), forward/reverse, left/right or zero-turn.

**TRACKING ADJUSTMENT**

Insta-Track.

**TURNING RADIUS**

True zero-turn.

**PARKING BRAKE**

Standard mechanical compression.

**FRONT CASTER TIRES**

Double-yoke, semi-pneumatic, 11 x 4.0-5, smooth tread.

**DRIVE TIRES**

18 x 8.5-8, 4-ply TurfMaster.®

**ENGINES AVAILABLE**

20 hp Kohler® Command™ Pro or 24 hp Kawasaki® FX with electric start; all governed to 3600 rpm. See your dealer for available CARB compliant models.

**ENGINE HOURMETER**

Standard.

**DRIVE SYSTEM**

Twin Hydro Gear variable-displacement pumps and twin high-efficiency Parker/Ross wheel-drive motors with 1" (2.54 cm) tapered shafts.

**PTO ENGAGEMENT**

Electromagnetic 200 ft-lbs clutch.

**DRIVE WHEEL RELEASE**

Easy-access dump valves, with engine on or off.

**SAFETY PACKAGE**

Operator Presence Controls (OPC). Operator must have speed control lever in neutral and blades disengaged to leave operator position without stopping engine.

**ELECTRICAL SYSTEM**

12-V battery, 15-amp alternator.

**SPEED**

Infinitely variable selection from 0-6.75 mph (10.9 kmph) forward, 0-2.25 (3.6 kmph) reverse.

**FUEL CAPACITY**

5-gallon (18.9-L) fuel tank.

**LUBRICATION**

Synthetic oil with continuous filtration of hydro oil.



MODEL	CONTROLS	ENGINE	CUTTING WIDTH
TT20KCE	ECS	20 hp Kohler Command	
TT24KAE	ECS	24 hp Kawasaki	
FMD524			52" (132 cm)
FMD604			60" (152 cm)

**BESTSELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL.**

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
 Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® and Turf Tracer® are registered trademarks and UltraCut™ is a trademark of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2010.





**VANTAGE**

**THE INDUSTRY'S ULTIMATE, FULL-FEATURED STAND-ON MOWER.**

Meet the latest member of our family of leading commercial mowers, the new Vantage.™ It's a stand-on mower that stands apart from its siblings, yet has inherited all of their good qualities. It's just as durable. Just as reliable. But with better traction and handling for exceptional controllability. And as it easily maneuvers around the landscape, taking you in and out of tight places, it still delivers Exmark's quality of cut. The new Vantage. It's different. Different in a really good way. Visit [exmark.com](http://exmark.com)

**DECKS**

**STYLE**—UltraCut™ Series 4. Side discharge standard with the option to bag or mulch.

**WIDTHS AVAILABLE**

48" or 52" 10-gauge top that is formed and continuously seam welded, 7-gauge side skirt and 7-gauge formed and welded spindle mounting locations for improved strength and reduced weight. 4-point suspension with mechanical-spring deck lift.

**CUTTING HEIGHTS**

1.0" (2.54 cm) to 5.0" (12.7 cm) in 0.25" (0.64 cm) increments adjustable from the operator position.

**BLADE**

0.20" (5.1 mm) thick alloy steel.

**BLADE SPINDLE**

No-maintenance, sealed and nongreasable spindles. 5.40"-diameter cutter housing with 1.75" diameter splined blade drive and 1.0" diameter spindle shaft.

**BLADE-TIP SPEED**

Approximately 18,500 fpm.

**TRACTOR FRAME**

Welded, heavy-duty 1.5" x 3" tubular steel.

**SUSPENSION PLATFORM**

Self-compensating elastomeric suspension. Stowable operator platform.

**STEERING & MOTION CONTROL**

Twin levers with no-tools adjustable front reference bar to modify forward ground speed.

**FRONT CASTER TIRES**

11 x 4.0-5, smooth-tread, semi-pneumatic tires.

**DRIVE TIRES**

20 x 10.0-8 Turf Master® drive tires.

**TURNING RADIUS**

True zero-turn.

**PARKING BRAKE**

Lever-actuated bar brake.

**ENGINES AVAILABLE**

20 and 24 hp Kawasaki® V-Twin, governed to 3600 rpm.

**ENGINE HOURMETER**

Standard.

**DRIVE SYSTEM**

Two Hydro Gear 10cc pumps powering two Parker 12 cubic inch motors.

**SPEED**

Infinitely variable speed selection from 0-8 mph (12.9 kmph) forward, 0-4 mph (6.4 kmph) reverse.

**PTO ENGAGEMENT**

Electromagnetic clutch.

**FUEL CAPACITY**

8-gallon, single fuel tank with single fill location.

**ELECTRICAL SYSTEM**

12-V battery with 15-amp alternator.

**HYDRO FLUID**

Exmark Premium Hydro Oil.

**DRIVE WHEEL RELEASE**

Allows unit movement without engine running.

**SAFETY PACKAGE**

Operator Presence Control (OPC).

**DECK LIFT**

Standard.



MODEL	ENGINE	CUTTING WIDTH
VT20KA5484	20 hp Kawasaki V Twin	48" (122 cm)
VT20KA5524	20 hp Kawasaki V Twin	52" (132 cm)
VT24KA5484	24 hp Kawasaki V Twin	48" (122 cm)
VT24KA5524	24 hp Kawasaki V Twin	52" (132 cm)

**BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL**

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
 Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® is a registered trademark and UltraCut™ and Vantage™ is a trademark of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2010.





# NAVIGATOR

## FOR PERFECTIONISTS, BY PERFECTIONISTS.

The Navigator®'s integrated collection system picks up clippings, lengthens emptying intervals and leaves premier properties looking their best. We take pride in the fact that anything bearing the Exmark® name is an exceptional piece of equipment. You can feel confident knowing that it's the brand landscape pros choose 2 to 1 over any other. Visit [exmark.com](http://exmark.com)

**DECK**

**STYLE** — Full-floating, center-discharge standard with two-sided trimming.

**WIDTHS AVAILABLE**

42" or 48" 7-gauge sides joined by a continuous bead weld to a 10-gauge top, 3/16" wear guard is welded to the entire base of the deck, 7-gauge deck spindle supports, 0.25"-thick strap steel deck supports.

**CUTTING HEIGHTS**

1.0" (2.5 cm) to 4.0" (10.2 cm) in 0.25" (0.64 cm) increments.

**BLADE**

0.164" thick blades with 3 1/2" air foil.

**BLADE DRIVE**

1" Austempered spindle shaft with shear-pin protection at the blades.

**BLADE-TIP SPEED**

Approximately 18,500 fpm.

**TRACTOR FRAME**

Channeled and fully welded 1.5" x 1.5" x 0.187" wall tubing with a ground clearance of 4.0," strategically located, continuous force counterweight springs.

**STEERING & MOTION CONTROL**

"FeatherTouch" hand-control drive levers, low-force constant speed lever.

**FRONT CASTER TIRES**

8 x 3.0-4 semi-pneumatic.

**REAR CASTER TIRES**

13 x 8.0-6 semi-pneumatic.

**DRIVE TIRES**

18 x 10.5-10 Multi-Trac® C/S.

**TURNING RADIUS**

True zero-turn.

**PARKING BRAKE**

Wet disc, internal in wheel motor.

**SEAT**

High-back, "EVC" (Elastomeric Vibration Control) seat, which has no springs to break.

**ENGINES AVAILABLE**

20 or 27 hp Kohler® Command™ SP, governed to 3,600 rpm.

**ENGINE HOURMETER**

Standard.

**DRIVE SYSTEM**

Dual Hydro-Gear 12 cc variable displacement pumps power Hydro-Gear Planetary Reduction motors.

**SPEED**

Infinitely variable speed selection from 0-7.0 mph (11.3 kmph) forward, 0-5.5 mph (8.9 kmph) reverse.

**PTO ENGAGEMENT**

Clutching belt with 6" brake band.

**FUEL CAPACITY**

7.5-gallon (28.4-L), pivoting tank for easier engine service.

**HYDRO FLUID**

Exmark Premium Hydro Oil.

**GROUND CLEARANCE**

4" from base of tractor frame.

**GEARBOX DESIGN**

Heavy-duty cast iron. Three independently sealed high-capacity gearboxes with spiral bevel-cut gears for quiet operation.

**BLOWER**

5.0" x 11" x 1/4" housing with reinforced high-wear areas and a three-blade abrasion-resistant impeller.



MOWS UP TO **3.4**  
ACRES PER HOUR

GROUND SPEEDS UP  
TO **7.0 MPH**

**NAVIGATOR**

MODEL	ENGINE	CUTTING WIDTH
NAV20KC	20 hp Kohler Command	
NAV27KC	27 hp Kohler Command	
CD42CD		42" (107 cm)
CD48CD		48" (122 cm)

**BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL**

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
 Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® and Navigator® are registered trademarks of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company Inc. All Rights Reserved. Printed in the U.S.A. 2010.





# QUEST

## THE ORIGINAL PREMIUM RESIDENTIAL RIDER.

When it comes to your mower, saving time and getting a quality cut should not be mutually exclusive. The zero-turn Quest™ is designed to do both, beautifully. It's built with the same heavy-duty construction and incredible cutting technology found in our commercial mowers. Quest delivers professional results in no time. Every time. Visit [exmark.com](http://exmark.com)

### DECKS

**STYLE** — Full-floating Series 2. Side discharge standard with option to bag or mulch.

### WIDTHS AVAILABLE

42", 48" or 52" 4.0"-deep, formed and welded 10-gauge steel with reinforcement/guard on leading edge and trim side of deck.

### CUTTING HEIGHTS

1.5" (3.8 cm) to 4.5" (11.4 cm) in 0.5" (1.3 cm) increments, adjustable from operator seat via foot-operated, deck-lift system.

### BLADES

0.20"-thick (5.1 mm) alloy steel.

### BLADE SPINDLES

7.50"-diameter cutter housing contains 0.67"-diameter spindle shaft and hex blade drive for impressive results. Sealed, grease-less spindles require no maintenance year-round.

### BLADE-TIP SPEED

Approximately 18,500 fpm.

### TRACTOR FRAME

Welded, 2" x 2" heavy-duty tubular steel frame.

### STEERING & MOTION CONTROL

Hydraulically dampened twin levers, adjustable both fore and aft. Also has 2-position height adjustment.

### FRONT CASTER TIRES

Pneumatic, 10 x 4 saw tooth tread tires, wheel axle has greasable bushing assembly on 42" model. Pneumatic, 10 x 4 smooth tread tires, wheel axle has greasable roller bearing assembly on 48" and 52" models. Caster spindle assembly is sealed, no-maintenance ball bearing design on all models.

### DRIVE TIRES

20 x 9.0-8, 4-ply on 42" & 48" models.  
20 x 10.0-8, 4-ply on 52" models.

### TURNING RADIUS

True zero-turn.

### PARKING BRAKE

Lever-actuated, brake system internal to transaxles.

### SEAT

18" high-back comfort seat, with armrests, adjusts fore and aft from the operator seat.

### ENGINES AVAILABLE

20 Briggs & Stratton® ELS (Extended Life Series) Twin-Cylinder engine, governed to 3300 rpm. 22 hp Briggs & Stratton ELS Twin-Cylinder engine, governed to 3650 rpm. 24 hp Briggs & Stratton ELS Twin-Cylinder engine, governed to 3650 rpm.

### ENGINE HOURMETER

Standard on 48" & 52" models. Optional on 42" model.

### DRIVE SYSTEM

Dual Hydro Gear ZT2800 hydrostatic transaxles, and independent, replaceable filters. 48" & 52" models with charge pumps.

### SPEED

Infinitely variable speed selection from 0–7.0 mph (11.3 kmph) forward, 0–5.0 mph (8.1 kmph) reverse on 48" & 52" models; 0–6.0 (9.7 kmph) forward and 0–4.0 (6.4 kmph) reverse on 42" model.

### PTO ENGAGEMENT

MagStop electromagnetic 80-ft-lbs clutch on 42" model. MagStop electromagnetic 125-ft-lbs clutch on 48" & 52" models.

### DRIVE-WHEEL RELEASE

Allows unit movement without engine running.

### SAFETY PACKAGE

Operator Presence Controls (OPC) and drive system interlock.

### FUEL CAPACITY

4-gallon (15.6-L) single fuel tank.

### HYDRO FLUID

Exmark Premium Hydro oil.



MOWS UP TO **2.8**  
ACRES PER HOUR

GROUND SPEEDS UP  
TO **7.0 MPH**

# Quest

MODEL	ENGINE	CUTTING WIDTH
QST20BE422	20 hp Briggs & Stratton	42" (107 cm)
QST22BE482	22 hp Briggs & Stratton	48" (122 cm)
QST24BE522	24 hp Briggs & Stratton	52" (132 cm)

### BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® is a registered trademark and Quest™ is a trademark of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company Inc. All Rights Reserved. Printed in the U.S.A. 2010.





**QUEST SP**

**A SUPERIOR ZERO-TURN, HEAVY-DUTY MOWER THAT DELIVERS LANDSCAPE PROFESSIONAL PERFORMANCE.**

The Quest™ SP, is a larger, modified version of the homeowner Quest mower. It includes enhanced and additional features that provide greater durability and productivity in a heavy-duty, zero-turn mower. A superior mower that delivers landscape professional performance. Visit [exmark.com](http://exmark.com)

**DECKS**

**STYLE** — Full-floating Series 3. Side discharge standard with option to bag or mulch.

**WIDTHS AVAILABLE**

44", 48" or 52" 5.0"-deep, 10-gauge high strength alloy top that is formed and continuously seam welded, with 7-gauge side skirt.

**CUTTING HEIGHTS**

1.5" (3.81 cm) to 5.0" (12.7 cm) in 0.25" (0.64 cm) increments adjustable from the operator position

**BLADES**

0.20"-thick (5.1 mm) alloy steel.

**BLADE SPINDLES**

No maintenance, sealed and non-greasable spindles. 7.75"-diameter cutter housing with 1.0"-diameter spindle shaft and hex blade driver can handle tough mowing conditions.

**BLADE-TIP SPEED**

Approximately 18,500 fpm.

**TRACTOR FRAME**

Welded, 2" x 2" heavy-duty tubular steel frame.

**STEERING & MOTION CONTROL**

Hydraulically dampened twin levers, adjustable both fore and aft. Also has 3-position height adjustment.

**FRONT CASTER TIRES**

13 x 5.0-6, pneumatic.

**DRIVE TIRES**

20 x 7.0-10 (44" & 48" models). 20 x 10.0-10 (52" model).

**TURNING RADIUS**

True zero-turn.

**PARKING BRAKE**

Lever-actuated, brake system internal to transaxles.

**SEAT**

Seat with thicker cushion and better bolstering further enhances ride comfort. Equipped with high-back seat, with armrests, and adjusts fore and aft from the operator seat.

**ENGINES AVAILABLE**

20 and 22 hp Kawasaki® FS engines, governed to 3750 rpm.

**ENGINE HOURMETER**

Standard.

**DRIVE SYSTEM**

Dual Hydro-Gear ZT3100, hydrostatic transaxles with charge pumps and independent, replaceable filters.

**SPEED**

Infinitely variable speed selection from 0-8.0 mph (12.9 kmph) forward, 0-5.0 mph (8.0 kmph) reverse.

**PTO ENGAGEMENT**

MagStop electromagnetic 175-ft-lbs clutch with spot brake.

**DRIVE-WHEEL RELEASE**

Allows unit movement without engine running.

**SAFETY PACKAGE**

Operator Presence Controls (OPC) and drive system interlock.

**ROLLOVER PROTECTION SYSTEM (ROPS)**

2-post foldable ROPS standard with seat belt and latch.

**FUEL CAPACITY**

4-gallon (15.6 L), single fuel tank.

**HYDRO FLUID**

Exmark® Premium Hydro oil.



MOWS UP TO **3.4**  
ACRES PER HOUR  
GROUND SPEEDS UP  
TO **8.0 MPH**



MODEL	ENGINE	CUTTING WIDTH
QSP20KA5443	22 hp Kawasaki FS V-Twin	44" (112 cm)
QSP20KA5483	20 hp Kawasaki FS V-Twin	48" (122 cm)
QSP22KA5523	22 hp Kawasaki FS V-Twin	52" (132 cm)

**BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL**

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
 Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® is a registered trademark and UltraCut™ and Quest™ are trademarks of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2010.





# PHAZER

## GET THE AGILITY OF A WALK-BEHIND AND THE EFFICIENCY OF A RIDER WITH A PHAZER.

Since opening our doors, we've been busy making high-quality, professional-grade mowers and the Phazer™ is no exception. We take pride in the fact that anything bearing the Exmark® name is an exceptional piece of equipment. So every time you ride or walk behind one, you can feel confident knowing it's the brand pros choose 2 to 1 over any other. Visit [exmark.com](http://exmark.com)

**DECK**

Full-floating, side discharge standard, with molded discharge chute and option to bag or mulch.

**WIDTHS AVAILABLE**

34" 10-gauge top that is formed and continuously seam welded, with 7-gauge side skirt and 7-gauge reinforcement rings at spindle assembly. 5" deep, 4-point suspension, full-floating deck. Flexible discharge chute.

**CUTTING HEIGHTS**

1.0" (2.5 cm) to 5.0" (12.7 cm) in 0.25" (0.64 cm) increments. Adjustable from operator's seat.

**BLADES**

0.20"-thick (5.1 mm) alloy steel.

**BLADE SPINDLES**

1.0" diameter mounted in cast aluminum housings with dual ball bearings. No maintenance.

**BLADE-TIP SPEED**

Approximately 18,500 fpm.

**TRACTOR FRAME**

Welded, heavy-duty, 7-gauge steel.

**STEERING & MOTION CONTROL**

Hydraulically damped twin levers adjust fore and aft.

**FRONT CASTER TIRES**

11 x 4.0-5, smooth tread semi-pneumatic tires.

**DRIVE TIRES**

18 x 7.0-8, 4-ply with Multi-Trac® C/S tread.

**TURNING RADIUS**

True zero-turn

**ENGINE AVAILABLE**

19 hp Kawasaki® V-Twin with electric start, governed to 3,750 rpm.

**ENGINE HOURMETER**

Standard.

**DRIVE SYSTEM**

Dual Hydro Gear ZT3100 hydrostatic transaxles with charge pumps and independent, replaceable filters.

**SPEED**

Infinitely variable speed selection from 0-8.0 mph (12.9 kmph) forward, 0-5.0 mph (8.0 kmph) reverse.

**PTO ENGAGEMENT**

Magstop Electromagnetic 125-ft-lbs clutch.

**DRIVE WHEEL RELEASE**

Allows unit movement without engine running.

**SAFETY PACKAGE**

Operator Presence Controls (OPC) and drive system interlock.

**FUEL CAPACITY**

7.7-gallon (29.1-L) twin fuel tanks.

**HYDRO FLUID**

Exmark Premium Hydro oil.

MOWS UP TO **2.8**  
ACRES PER HOUR  
GROUND SPEEDS UP  
TO **8.0 MPH**



MODEL	ENGINE	CUTTING WIDTH
PHZ19KA343	19 hp Kawasaki	34" (86 cm)

\*Molded discharge chute standard

**BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL**

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
 Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® is a registered trademark and Phazer™ is a trademark of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved.  
 Printed in the U.S.A. 2010.





**LAZER Z ADVANTAGE SERIES 60"**

**A COMMERCIAL-GRADE ZERO-TURN IN A VALUE PACKAGE.**

The Lazer Z® from Exmark® is the evolution of the industry leading zero-turn mower. With the "New" Lazer Z Advantage Series, you get to benefit from many of the commercial features of the core Lazer Z in a value package. To experience what you've helped us built, go to [exmark.com](http://exmark.com)

**DECKS**

STYLE — Full-floating UltraCut™ Series 4. Side-discharge standard the with option to bag or mulch.

**60" WIDTH**

10-gauge top that is formed and continuously seam-welded, 7-gauge side skirt and 7-gauge formed and welded spindle mounting locations for improved strength and reduced weight with wide-flange cutter housings. 4-point suspension, full-floating deck with 4 adjustable, anti-scalp rollers.

**CUTTING HEIGHTS**

1.5" (3.81 cm) to 4.5" (11.4 cm) in 0.25" (0.64 cm) increments adjustable from the operator's seat.

**BLADES**

0.20"-thick (5.1 mm) alloy steel.

**BLADE SPINDLES**

No maintenance, sealed and non-greasable spindles. 7.75"-diameter cutter housing with 1.0"-diameter spindle shaft and hex blade driver can handle tough mowing conditions.

**BLADE-TIP SPEED**

Approximately 18,500 fpm.

**TRACTOR FRAME**

Unibody, welded, heavy-duty 1.5" x 3" tubular steel.

**STEERING & MOTION CONTROL**

Hydraulically dampened twin levers, adjust fore and aft. Adjustable dampeners (3 positions) to customize drive responsiveness. Also adjustable to 2 height positions.

**CASTER TIRES**

0.50"-thick, double-yoke, smooth-tread caster wheel assembly with pre-installed bearing cups.

**FRONT CASTER TIRES**

12 x 5.0-6, smooth-tread, pneumatic front caster tires.

**DRIVE TIRES**

23 x 10.5-12 Turf Master® drive tires.

**TURNING RADIUS**

True zero-turn.

**PARKING BRAKE**

Lever-actuated disc and caliper.

**SEAT**

High-back with adjustment fore and aft.

**ENGINE AVAILABLE**

Choice of 25 hp Kohler® Command™ without a heavy-duty air cleaner\* or 27 hp Kohler Command with a heavy-duty air cleaner.

**ENGINE HOURMETER**

Standard.

**DRIVE SYSTEM**

Two Exmark exclusive Parker unitized pump and wheel motor systems with no hoses, 1.7-quart integrated reservoir, spin-on filter and heavy-duty components.

**SPEED**

Infinitely variable speed selection from 0-8.0 mph (12.9 kmph) forward, 0-5.0 mph (8.0 kmph) reverse.

**PTO ENGAGEMENT**

MagStop Electromagnetic 200 ft-lbs clutch with spot brake.

**DRIVE-WHEEL RELEASE**

Allows unit movement without engine running.

**SAFETY PACKAGE**

Operator Presence Controls (OPC) and drive system interlock.

**ROLLOVER PROTECTION SYSTEM (ROPS)**

Standard with 2-post foldable ROPS. Includes retractable seat belt and seat latch.

**FUEL CAPACITY**

8-gallon (30.3 L), single fuel tank with single fill location.

**HYDRO FLUID**

Exmark Premium Hydro Oil.



MODEL	ENGINE	CUTTING WIDTH
LZA25KC604	25 hp Kohler Command*	60" (152 cm)
LZA27KC604	27 hp Kohler Command	60" (152 cm)

\*25 hp Kohler Command engine is equipped with a standard air cleaner. Heavy-duty canister air cleaner kits are available for purchase from Kohler.

**BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL**

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
 Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® and Lazer Z® are registered trademarks and UltraCut™ is a trademark of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2010.



[exmark.com](http://exmark.com)



**LAZER Z ADVANTAGE SERIES X**

**AN EVOLUTION OF THE INDUSTRY-DEFINING ZERO-TURN MOWER.**

An evolution of the industry-defining zero-turn mower, the Lazer Z® Advantage Series X features an Exmark® exclusive Parker unitized 12 cc pump and wheel motor system for improved performance and reduced maintenance. It is also equipped with a welded, heavy-duty 1.5" x 3" tubular steel unibody for increased durability and a heavy-duty canister air filtration system that boosts overall productivity. To experience what you've helped us built, go to [nextlazer.com](http://nextlazer.com)

**DECKS**

STYLE — Full-floating UltraCut™ Series 4. Side-discharge standard the with option to bag or mulch.

**WIDTHS AVAILABLE**

48", 52", 60" or 72" 10-gauge top that is formed and continuously seam welded, 7-gauge side skirt and 7-gauge formed and welded spindle mounting reinforcements for improved strength and reduced weight. 4-point suspension, full-floating deck with 4 adjustable anti-scalp rollers on 60" & 72" models; 3 adjustable anti-scalp rollers on 48" & 52" models.

**CUTTING HEIGHTS**

1.0" (2.5 cm) to 5.5" (11.8 cm) in 0.25" (0.64 cm) increments adjustable from operator's seat.

**BLADES**

0.20"-thick (5.1 mm) alloy steel.

**BLADE SPINDLES**

No maintenance, sealed and non-greasable spindles. 5.40" diameter cutter housing with 1.75" diameter splined blade driver and 1.0" diameter spindle shaft.

**BLADE-TIP SPEED**

Approximately 18,500 fpm.

**TRACTOR FRAME**

Unibody, welded, heavy-duty 1.5" x 3" tubular steel.

**STEERING & MOTION CONTROL**

Hydraulically dampened twin levers, adjust fore and aft. Adjustable dampeners (3 positions) to customize drive responsiveness. Also adjustable to 2 height positions.

**FRONT CASTER TIRES**

13 x 5.0-6; smooth-tread, pneumatic on 48", 52" & 60" models; 13 x 6.5-6; smooth-tread, pneumatic on 72" model.

**DRIVE TIRES**

23 x 9.5-12, Turf Master® on 48" & 52" models; 24 x 12.0-12, Turf Master on 60" & 72" models.

**TURNING RADIUS**

True zero-turn.

**PARKING BRAKE**

Lever-actuated disc and caliper.

**SEAT**

High-back, bolstered seat with Elastomeric Vibration Control material.

**ENGINES AVAILABLE**

23, 25 and 27 hp Kohler® Command™ V-Twin; 22 & 29 hp Kawasaki® V-twin; 26 hp liquid-cooled Kawasaki engines; all governed to 3750 rpm.

**ENGINE HOURMETER**

Standard.

**DRIVE SYSTEM**

Two Exmark exclusive Parker unitized pump and wheel motor systems with no hoses, integrated cooling fans, 1.7-quart integrated reservoir, spin-on filter and heavy-duty components. 12 cc pumps and 14.5 cubic inch motors on 48" & 52" models. 12 cc pumps and 14.5 cubic inch motors with integrated shock valve on 60" & 72" models.

**SPEED**

Infinitely variable speed selection from 0–10.0 mph (16 kmph) forward, 0–6.0 mph (9.6 kmph) reverse.

**PTO ENGAGEMENT**

MagStop electromagnetic 200-ft-lbs clutch with spot brake.

**DRIVE-WHEEL RELEASE**

Allows unit movement without engine running.

**SAFETY PACKAGE**

Operator Presence Controls (OPC) and drive system interlock.

**ROLLOVER PROTECTION SYSTEM (ROPS)**

Standard with 2-post foldable ROPS. Includes retractable seat belt and seat latch.

**FUEL CAPACITY**

High-capacity, 12-gallon, single fuel tank with single fill location.

**HYDRO FLUID**

Exmark Premium Hydro Oil.



MOWS UP TO **7.3**  
ACRES PER HOUR  
GROUND SPEEDS UP  
TO **10.0 MPH**



MODEL	ENGINE	CUTTING WIDTH
LZAS22KA484	22 hp Kawasaki FX	48" (122 cm)
LZAS23KC524	23 hp Kohler Command	52" (132 cm)
LZAS25KC604	25 hp Kohler Command FX	60" (152 cm)
LZAS26LKA604	26 hp Liquid-Cooled Kawasaki	60" (152 cm)
LZAS27KC524	27 hp Kohler Command	52" (132 cm)
LZAS27KC604	27 hp Kohler Command	60" (152 cm)
LZAS29KA724	29 hp Kawasaki FX	72" (183 cm)

**BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL.**

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
 Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® and Lazer Z® are registered trademarks and UltraCut™ is a trademark of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2010.





# LAZER Z

## AN INDUSTRY STANDARD COMES FULLY LOADED WITH ALL KIND OF POWER, INCLUDING STAYING POWER.

Last year, you may have witnessed the evolution of the Next Lazer Z, the mower that quickly became the industry standard in commercial-grade riders. Now to attest to its staying power, we're dropping the word Next from its name. The Next Lazer Z will be simply known as the Lazer Z®. With its redesigned frame, deck, seat, drive system and other thoughtfully crafted enhancements, it is truly the ultimate mower. And on that will continue to be the standard for a long time. To experience what you've helped us build, go to [nextlazer.com](http://nextlazer.com)

### DECKS

**STYLE** — Full-floating UltraCut™ Series 6 featuring the heavy-duty Tritone spindle. Side discharge standard with the option to bag or mulch.

### WIDTHS AVAILABLE

48," 52," 60" or 72." 10-gauge top that is formed and continuously seam-welded, 7-gauge side skirt and 7-gauge formed and welded spindle mounting locations for improved strength and reduced weight. 4-point suspension, full floating deck with 4 adjustable, cone-shaped, anti-scalp rollers on 60" & 72" models. 4-point suspension, full floating deck with 3 adjustable, cone-shaped, anti-scalp rollers on 48" & 52" models.

### CUTTING HEIGHTS

1.0" (2.5 cm) to 5.5" (14.0 cm) in 0.25" (0.64 cm) increments adjustable from operator's seat.

### TRACTOR FRAME

Unibody, welded, heavy-duty 1.5" x 3.0" tubular steel.

### STEERING & MOTION CONTROL

Hydraulically dampened twin levers adjust fore and aft. Adjustable dampers (3 positions) to customize drive responsiveness. Also adjustable to two height positions.

### FRONT CASTER TIRES

13 x 5.0-6, smooth tread, semi-pneumatic tires on 48" & 52" models; 13 x 6.5-6, smooth tread, semi-pneumatic tires on 60" & 72" models.

### DRIVE TIRES

24 x 9.5-12, 4-ply Multi-Trac® on 48" and 52" models; 24 x 12.0-12, 4-ply Multi-Trac on 60" & 72" models.

### TURNING RADIUS

True zero-turn.

### PARKING BRAKE

Lever-actuated disc and caliper.

### SEAT

High-back, two tone, bolstered seat with Elastomeric Vibration Control material. Mounted on innovative Seat Isolation System that provides operator isolation in all three planes of motion as well as fore-aft slide and seat flip-up.

### ENGINES AVAILABLE

24, 29, and 34 hp Kawasaki® V-Twin; 23, 27 and 38 hp Kohler® Command™ V-Twin; 29 hp Kohler Fuel Injection; all governed to 3750 rpm.

### DRIVE SYSTEM

Two Exmark exclusive Parker unitized pump and wheel motor systems with no hoses, integrated cooling fans, 1.7-quart integrated reservoir, spin on filter and heavy-duty components.

12 cc pumps and 14.5 cui motors on 48" and 52" models; 16 cc pumps and 17.1 cui motors on 60" and 72" models.

### SPEED

Infinitely variable speed selection from 0-11.5 mph (18.4 kmph) forward, 0-7 mph (11.2 kmph) reverse (60" & 72" models). 0-10.0 mph (16.0 kmph) forward, 0-6 mph (9.6 kmph) reverse. (48" & 52" models).

### PTO ENGAGEMENT

MagStop Electromagnetic 250-ft-lbs clutch with spot brake (60" & 72" model with engines larger than 31 hp). MagStop Electromagnetic 200-ft-lbs clutch with spot brake (48," 52," 60" & 72" models with engines less than 31 hp).

### FUEL CAPACITY

High-capacity, 12 gallon (45.4 L), single fuel tank with single fill location.



MOWS UP TO **8.4**  
ACRES PER HOUR

GROUND SPEEDS UP  
TO **11.5** MPH



MODEL	ENGINE	CUTTING WIDTH
LZZ23KC486	23 hp Kohler Command	48" (122 cm)
LZZ24KA526	24 hp Kawasaki FX	52" (132 cm)
LZZ27KC526	27 hp Kohler Command	52" (132 cm)
LZZ27KC606	27 hp Kohler Command	52" (132 cm)
LZZ29KCE606	29 hp Kohler EFI	60" (152 cm)
LZZ29KA606	29 hp Kawasaki FX	60" (152 cm)
LZZ34KA606	34 hp Kawasaki FX	60" (152 cm)
LZZ34KA726	34 hp Kawasaki FX	72" (183 cm)
LZZ38KC606	38 hp Kohler Command	60" (152 cm)
LZZ38KC726	38 hp Kohler Command	72" (183 cm)

### BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL.

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark® and Lazer Z® are registered trademarks and UltraCut™ is a trademark of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2010.



[exmark.com](http://exmark.com)



# LAZER Z XS

## HIGH HORSEPOWER PERFORMANCE IN THE TOP-OF-THE-LINE, HEAVY-DUTY COMMERCIAL Z.

Since opening our doors, we've been busy making high-quality, professional-grade mowers. And the Lazer Z® XS is no exception. We take pride in the fact that anything bearing the Exmark® name is an exceptional piece of equipment. You can feel confident knowing that it's the brand landscape pros choose 2 to 1 over any other. Visit [exmark.com](http://exmark.com)

### DECK

STYLE — Triton® High-Capacity Cutting Platform. side-discharge standard with option to bag or mulch.

### WIDTHS AVAILABLE

60", 66" or 72" 10-gauge top that is formed and continuously seam welded, with 10-gauge top reinforcement plate, 7-gauge side skirt and 7-gauge reinforcement rings at spindle assembly. 6" deep, 4-point suspension, full-floating deck with 6 adjustable cone-shaped anti-scalp rollers.

### CUTTING HEIGHTS

1.0" (2.5 cm) to 5.0" (12.7 cm) in 0.25" (0.64 cm) increments and adjustable from operator's seat.

### BLADE

0.20" (5.1 mm) thick alloy steel.

### BLADE SPINDLE

No maintenance, sealed and non-greasable spindles; 7.75"-diameter cutter housing with 1.75" diameter splined blade driver and 1.18" diameter spindle shaft.

### BLADE-TIP SPEED

Approximately 18,500 fpm.

### TRACTOR FRAME

Welded, heavy-duty tubular steel.

### STEERING & MOTION CONTROL

Hydraulically dampened twin levers, adjustable fore and aft. Adjustable dampeners (3 positions) to customize drive responsiveness. Also adjustable to two height positions.

### FRONT CASTER TIRES

13 x 6.50-6, smooth tread, semi-pneumatic tires.

### DRIVE TIRES

26 x 12.0-12, 4-ply Multi-Trac®

### TURNING RADIUS

True zero-turn.

### PARKING BRAKE

Lever-actuated drum and band integrated with transmission-neutral interlock.

### SEAT

Deluxe, low-profile, full-suspension seat adjusts to individual operator weight and features padded, height-adjustable armrests.

### ENGINES AVAILABLE

35 hp air-cooled Vanguard™ V-Twin, governed to 3,750 rpm; 25 hp Kubota® 3-Cylinder Liquid-Cooled Diesel, governed to 3,850 rpm.

### ENGINE HOURMETER

Standard.

### DRIVE SYSTEM

Two Hydro-Gear 21 cc/rev pumps with integral SCR (System Check Relief) valves (in forward), powering two Hydro Gear wheel motors with 1.25"-diameter (3.18 cm) tapered shafts. Poly V-belt pump drive with reduced hydro-pump speed.

### SPEED

Infinitely variable speed selection from 0-12.0 mph (19.3 kmph) forward, 0-8.0 mph (12.9 kmph) reverse.

### PTO ENGAGEMENT

MagStop Electromagnetic 250-ft-lbs clutch with spot brake. 2-year warranty.

### FUEL CAPACITY

15.5-gallons (58.7-L) twin fuel tanks.

### HYDRO FLUID

Exmark Premium Hydro Oil.



\*Shown with a 25 hp Kubota® 3-Cylinder Liquid-Cooled Diesel



MODEL	ENGINE	CUTTING WIDTH
LXS25KD605	25 hp Kubota Diesel	60" (152 cm)
LXS25KD665	25 hp Kubota Diesel	66" (168 cm)
LXS25KD725	25 hp Kubota Diesel	72" (183 cm)
LXS35BV605	35 hp Vanguard	60" (152 cm)
LXS35BV665	35 hp Vanguard	66" (168 cm)
LXS35BV725	35 hp Vanguard	72" (183 cm)

### BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL.

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 908 • Beatrice, NE 68310-0908 Call 402.223.6300 • Fax 402.223.6384  
Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark®, Lazer Z® and Triton® are registered trademarks of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2010.





**PROPANE POWERED**

**PROFESSIONAL PERFORMANCE  
+ ENVIRONMENTALLY FRIENDLY**

We're constantly working on finding better, more environmentally friendly solutions for landscape professionals as they navigate around today's landscape. Part of that is being both environmentally responsible while at the same time maximizing the performance of our mowers. As more pros and their customers look to reduce their impact on the environment, we're helping them do so with more environmentally conscious mowing options. To learn more about Exmark's eco-friendly units, go to [exmark.com](http://exmark.com)

- All models are EPA certified.
- Cleaner burning results in reduced carbon deposits, reduced engine maintenance costs, and longer engine life.
- Fully sealed fuel system; no evaporative emissions, no fuel contamination, no fuel theft, no fuel spillage.
- Propane is an inherently stable fuel, allowing long term storage without going "stale" or varnishing within the carburetor.
- DOT approved aluminum propane tanks are durable and puncture resistant.
- Run-time is similar to gasoline powered mowers.
- Based on a study done by the Propane Education & Research Council (PERC), on average propane powered mowers, result in 48% less greenhouse gas emissions (GHG) than gasoline.
- Provides smooth running operation, with excellent load pick-up.
- Vapor withdrawal system for simplicity and reliability.
- Fuel System designed to conform to NFPA58-2008 Liquefied Petroleum Gas Code for safe operation.



MODEL	ENGINE	CUTTING WIDTH
THP20KAE483LP	20 hp Kawasaki®	48" Series 3 (122 cm)
THP20KAE523LP	20 hp Kawasaki	52" Series 3 (132 cm)
TT24KAELP	24 hp Kawasaki	52" UltraCut™ Series 3 (132 cm)
TT24KAELP	24 hp Kawasaki	60" UltraCut Series 3 (152 cm)
LZAS29KA604LP	29 hp Kawasaki	60" UltraCut Series 4 (152 cm)
LZAS29KA724LP	29 hp Kawasaki	72" UltraCut Series 4 (183 cm)
LZZ29KA606LP	24 hp Kawasaki	60" UltraCut Series 6 (152 cm)

**BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL**

EXMARK MANUFACTURING COMPANY INC. • 2101 Ashland Avenue • P.O. Box 808 • Beatrice, NE 68310-0808 Call 402.223.6300 • Fax 402.223.6384  
 Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations. See your dealer for details on all of our warranties. Exmark®, Lazer Z® and Turf Tracer® is a registered trademark and UltraCut™ is a trademark of Exmark Mfg. Co., Inc. ©2010 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2010.





# New EXMARK ACCESSORY



## OPERATOR CONTROLLED DISCHARGE<sup>2</sup> (OCD02)

QUICK AND EFFECTIVE CONTROL OF DISCHARGE WHEN MOWING AROUND MULCH BEDS, PARKED CARS, HOUSES & OTHER OBJECTS.

- Fits all 2009 Model Year Lazer®s.
- Quick attach and removal to more easily make room for your UltraVac.
- Full-open door position won't interfere with mower discharge, ensuring high cut-quality.
- Rugged, commercial design and durable blocker door enhance reliability.
- Innovative foot control keeps operator's hands safely on drive levers.
- Infinitely adjustable blocker door enables greater discharge management.
- Improved, more comfortable foot pedal position.
- Patented design operates in conjunction with the discharge chute in the down position for safe, controlled discharge. Made under U.S. Patent 6,874,309.

\*Discharge chute shown in up position for illustration purposes. OCD02 is designed to safely mow with the discharge chute only in the down position.



BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL

[WWW.EXMARK.COM](http://WWW.EXMARK.COM)

EXMARK MANUFACTURING COMPANY INC. • 2101 ASHLAND AVENUE • P.O. BOX 806 • BEATRICE, NE 68310-0806 • CALL 402.223.6300 • FAX 402.223.6384

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without

incurring obligations. See your dealer for details on all of our warranties. Exmark® is a registered trademark of Exmark Mfg. Co., Inc. ©2009 Exmark Manufacturing Company, Inc. All Rights Reserved. Printed in the U.S.A. 2009



# THE POWER YOU NEED.

RedMax's line of heavy-duty, commercial-grade trimmers can clear, trim or edge multiple acreage estates with ease. RedMax trimmers include solid-steel drive shafts that are splined on both ends. This reduces vibration and improves acceleration, creating a much higher load-carrying capacity. The result is an efficient, low-friction, smooth-running machine that is comfortable to use. Solid-steel drive shaft systems deliver trouble-free operation with no maintenance and downtime with compared to flex-cable or flex-shaft units.

**The Strato-Charged 2-stroke engine:**

- Pure 2-stroke technology which is ideal for commercial application.
- Minimum moving parts which reduces chance of problems.
- Requires no valve adjustments, oil changes or daily oil reservoir level checks.
- Produces extremely low emissions that meet clean air regulations without the need for a heated, heavy catalytic converter.
- Achieves up to 20% better fuel efficiency than standard 2-stroke engines.
- Generates 15 to 20% more horsepower than a typical 4-stroke or 4-stroke hybrid engine of the same engine displacement size.



**Model BCZ2650T**

Engine Size	Drive Shaft	Engine Type	Horse-Power	Dry Weight	Fuel Capacity	Warranty
25.4	Solid Steel	Strato	1.2 HP	11.5 Lbs.	22.0 Fl. Oz.	2 Yrs Consumer 2 Yrs Commercial





PED Specs 3

# Spreaders

Whether you need to start, feed or weed turf, TurfEx has a tailgate-mounted broadcast spreader to distribute anything from seed to fertilizer. It can even handle ice melt for winter maintenance applications. And all TurfEx spreaders are constructed of corrosion-resistant polyethylene.

TurfEx spreaders are versatile. Mounting options will let you mount a spreader on almost any equipment that you have.

Dimensions:	
Empty (weight)	112 lbs.
Overall length	26"
Overall height	29"
Overall width	35"
Operational:	
Capacity*	7.0 Cu. Ft.
Flow gate	Manual
Spreading width	Up to 30'
Material	Small pearl size free flowing material and seed
Electrical:	
Speed control	PTO drive
Wiring harness	N/A
Construction:	
Frame	Heavy gauge steel
Hopper/Tank	One piece LLDPE
Spinner Drive Assembly	PTO Driven
Spinner	12" adjustable stainless steel
Mounting	Class 0/1 3-point mount
Standard Equipment:	
	Cover

\*Material weights range from 45-80 lbs. per Cu. Ft.



**Model TS700P**  
7.0 Cu. Ft., PTO Drive  
Spreader, Manual Gate

Dimensions:	
Empty (weight)	120 lbs.
Overall length	30"
Overall height	30"
Overall width	44"
Operational:	
Capacity*	12.0 Cu. Ft.
Flow gate	Manual
Spreading width	Up to 30'
Material	Small pearl size free flowing material and seed
Electrical:	
Speed control	PTO drive
Wiring harness	N/A
Construction:	
Frame	Heavy gauge steel
Hopper/Tank	One piece LLDPE
Spinner Drive Assembly	PTO Driven
Spinner	12" adjustable stainless steel
Mounting	Class 0/1 3-point mount
Standard Equipment:	
	Cover



**Model TS1200P**  
12.0 Cu. Ft., PTO Drive  
Spreader, Manual Gate

TurfEx is a division of Trynex International.  
Quality Made In Warren, Michigan.  
[www.turfexproducts.com](http://www.turfexproducts.com)

