



Attachment A, Pricing

CNH America Agricultural, Grounds, and Roadside Equipment List			
CNH's Equipment Category Titles	Manuf. Name	Model #	Unit Purchase Price
Commercial Mowers	New Holland	G5030 w/54" deck	\$10,135.00
Commercial Mowers	New Holland	G5030 w/60" deck	\$10,558.00
Commercial Mowers	New Holland	G5035	\$11,297.00
Commercial Mowers	New Holland	G6030	\$19,704.00
Commercial Mowers	New Holland	G6030	\$19,704.00
Commercial Mowers	New Holland	G6035	\$21,352.00
Commercial Mowers	New Holland	G5030 w/54" deck	\$10,135.00
Commercial Mowers	New Holland	G5030	\$10,135.00
Commercial Mowers	New Holland	G5030	\$10,135.00
Commercial Mowers	New Holland	G5030	\$10,558.00
Commercial Mowers	New Holland	G5035	\$10,558.00
Commercial Mowers	New Holland	G5035	\$11,297.00
Commercial Mowers	New Holland	G5030 w/60" deck	\$10,558.00
Commercial Mowers	New Holland	G5035 w/66" deck	\$11,297.00
Commercial Mowers	New Holland	G5030	\$10,135.00
Commercial Mowers	New Holland	G5030	\$10,558.00
Compact Tractors - Boomer 1000 series	New Holland	Boomer 1025	\$12,351.00
Compact Tractors - Boomer 1000 series	New Holland	Boomer 1025	\$12,351.00
Compact Tractors - Boomer 1000 series	New Holland	Boomer 1030	\$14,055.00
Compact Tractors - Boomer 2000 series	New Holland	Boomer 2030	\$20,556.00
Compact Tractor - T1500 series	New Holland	T1510 - 2wd	\$12,929.00
Compact Tractors - Boomer 3000 series	New Holland	Boomer 3040 -rops 2WD gear	\$19,976.00
Compact Tractors - Boomer 4000 series	New Holland	Boomer 4055 rops	\$28,565.00
Compact Tractor - T1500 series	New Holland	T1510 - 4wd	\$15,331.00
Compact Tractor - T1500 series	New Holland	T1520	\$18,763.00
Workmaster Series	New Holland	Work Master 45 - 2wd	\$15,558.00
Implement	New Holland	716G economy	\$1,514.00
Implement	New Holland	736GC standard	\$2,178.00
Implement	New Holland	717GC	\$1,849.00
Implement	New Holland	737GC	\$2,833.00
Implement	New Holland	757GC	\$3,085.00
Commercial Mowers	New Holland	G5030	\$10,135.00
Commercial Mowers	New Holland	G5035	\$11,297.00
Implements	New Holland	757GC	\$3,085.00
Implements	New Holland	758GC	\$4,223.00
Implements	New Holland	769GC	\$6,901.00
Implements	New Holland	780GC	\$16,475.00
T5000 Series	New Holland	T5050 - cab	\$52,082.00

Contract No. 071B0200332



T5000 Series	New Holland	T5050 - cab	\$52,082.00
T5000 Series	New Holland	T5060 - cab	\$54,330.00
T5000 Series	New Holland	T5060 - cab	\$54,330.00
T5000 Series	New Holland	T5070 - cab	\$57,891.00
T5000 Series	New Holland	T5070 - cab	\$57,891.00
T6000 Series	New Holland	T6050 Plus cab 4wd	\$79,600.00
T6000 Series	New Holland	T6050 Elite cab 4WD	\$90,525.00
T6000 Series	New Holland	T6070 Elite cab 4wd	\$98,025.00
T6000 Series	New Holland	T6070 Elite cab 4wd	\$98,025.00
T6000 Series	New Holland	T6070 Elite cab 4wd	\$98,025.00
T6000 Series	New Holland	T6070 Elite cab 4wd	\$98,025.00
TS6000 Series	New Holland	TS6020 - rops 2wd	\$36,540.00
TS6000 Series	New Holland	Ts6030 - rops 2wd	\$40,162.00
T6000 Series	New Holland	T6050 Elite cab 4WD	\$90,525.00
T6000 Series	New Holland	T6070 Elite cab 4wd	\$98,025.00
Bidirectional	New Holland	TV6070	\$118,923.00
Compact Tractors Boomer 2000 series	New Holland	Boomer 2030	\$20,556.00
Compact Tractors Boomer 3000 series	New Holland	Bommer 3040 - rops 2wd	\$19,976.00
Compact Tractors Boomer 3000 series	New Holland	Boomer 3045 rops	\$26,857.00
Workmaster Series	New Holland	Workmaster 45 2wd	\$15,558.00
Workmaster Series	New Holland	Workmaster 45 2wd	\$15,558.00
Compact Tractors Boomer 3000 series	New Holland	Boomer 3045	\$26,857.00
Compact Tractors Boomer 4000 series	New Holland	Boomer 4060 - rops	\$30,400.00
Compact Tractors Boomer 4000 series	New Holland	Boomer 4060 - rops	\$30,400.00
Workmaster Series	New Holland	Workmaster 45 2wd	\$15,558.00
Workmaster Series	New Holland	Workmaster 45 - 4wd	\$21,476.00
Workmaster Series	New Holland	Workmaster 55 - 2WD	\$16,931.00
Workmaster Series	New Holland	Workmaster 55 - 4Wd	\$22,998.00
TTA - Series	New Holland	TT60 4wd	\$24,884.00
TTA - Series	New Holland	TT75 - 4wd	\$27,039.00
T4000 Series	New Holland	T4030 -cab	\$46,481.00
T4000 Series	New Holland	T4050 -cab	\$53,873.00
T4000 Series	New Holland	T4050 -cab	\$53,873.00
T4000 Series	New Holland	T4040 -cab	\$49,769.00
T4000 Series	New Holland	T4050 -cab	\$53,873.00
T4000 Series	New Holland	T4050 -cab	\$53,873.00
T5000 Series	New Holland	T5060 cab	\$54,333.00
Utility Vehicle	New Holland	Ruslter 115 4x4	\$8,003.00
Utility Vehicle	New Holland	Rustler 125 - 2 passenger	\$10,225.00
Utility Vehicle	New Holland	Rustler 120 - 2 passenger	\$11,825.00
Utility Vehicle	New Holland	Rustler 115 4x2	\$7,089.00
Utility Vehicle	New Holland	Rustler 125 - 2 passenger	\$10,225.00
Implements	New Holland	780GC	\$18,874.00
Implements	New Holland	430GM	\$16,269.00

Contract No. 071B0200332



Implements	New Holland	716D	\$4,374.00
------------	-------------	------	------------



Attachment B, Additional Pricing

New Holland Products	Description	Discount off List price	Date of Price & Data Pages
Boomer 1000 series	Compact tractors	22%	Jan. 5, 2010
Boomer 2000 series	Compact tractors	22%	Jan. 5, 2010
Boomer 3000 series	Compact tractors	22%	Jan. 5, 2010
Boomer 4000 series	Compact tractors	22%	Jan. 5, 2010
T1500 Series	Compact tractors	25%	Jan. 5, 2010
T1530	Compact tractors	25%	Jan. 22, 2010
G5000 series	Commercial zero-turn mowers	19%	Jan. 5, 2010
G6000 series	Commercial mowers	27%	Jan. 5, 2010
TD series	Tractors	25%	April, 15, 2010
TTA Series	Tractors	23%	Nov. 1, 2009
Work Master series	Tractors	23%	Nov. 1, 2009
T4000 Series	Tractors	29%	Jan. 12, 2010
T5000 Series	Tractors	29%	Jan. 11, 2010
T6000 Series	Tractors	30%	Jan. 22, 2010
T7000 Series	Tractors	29%	Feb. 5, 2010
T8000 Series	Tractors	31%	Jan. 12, 2010
T9000 Series	Tractors	29%	Jan. 12, 2010
TS6000 series	Tractors	20%	Jan. 11, 2010
Bi-Di Tractor	Bi-directional tractor	25%	Nov. 1, 2009
Telehandler	Telehandlers	21%	Nov. 1, 2009
Implements	Tractor implements	15%	Jan. 11, 2010
Work EZ Loaders	Tractor loaders	15%	Nov. 1, 2009
Compact Loaders	Compact loaders	15%	March, 1 2010
Lg Loaders	Tractor loaders	15%	April, 1 2010



Attachment C, New Holland Authorized Dealers

Dealer Listing for Michigan Contract - Subcontractors

Used for Section 4.021

DC	Dealer Name	Address				Phone #		Contact Name
02512	Munn Tractor Sales, Inc.	3700 Lapeer Road	Auburn Hills	MI	48326	248	3735000	GIL MUNN
04891	J & R Tractor, LLC	15330 S. Dixie Highway	Monroe	MI	48161	734	2413232	Mark Faske
07102	J & R Tractor, LLC	14137 Plank Rd.	Milan	MI	48160	734	4390800	Jim Marl
05767	Sell Equipment, Inc.	19815 West Road	Woodhaven	MI	48183	734	6925100	JEFF GEFTOS
07179	Purdy Tractor & Equipment Inc.	P O Box 772	Hillsdale	MI	49242	517	5232185	Nick Purdy
01389	Flint New Holland, Inc.	3266 E. Bristol Road	Burton	MI	48529	810	7442030	ROBERT BISHOP
09379	RICHMOND NEW HOLLAND	68295 OAK ST	RICHMOND	MI	48062	586	7273515	ROBERT BISHOP
01629	Maple Valley Implement, Inc.	735 Sherman Street	Nashville	MI	49073	517	8521910	RUSS FURLONG
01713	GRANDVILLE TRAC & EQUIP CO INC	3710 CHICAGO DR SW	GRANDVILLE	MI	49418	616	5322347	PAUL WARNER
01751	Lloyd Miller & Sons, Inc.	3695 E M-21	Corunna	MI	48817	989	7434049	Lloyd
01838	WILLIAMS FARM MACHRY INC	P. O. BOX D	CHARLOTTE	MI	48813	517	5434770	BOB SIMON
02245	LOUIS GELDER & SONS CO INC	1769 DEWEY AVENUE	BENTON HARBOR	MI	49022	269	9349900	BRUCE GELDER
02825	Burnips Equipment Company	3260 142nd Avenue	Dorr	MI	49323	616	8969190	CARL VANDERKOLK
04770	Burnips Equipment Company	7353 State Road	Coopersville	MI	49404	616	9979190	CARL VANDERKOLK
09740	Burnips Equipment Company	18612 Northland Drive	Big Rapids	MI	49307	231	5921200	CARL VANDERKOLK
03091	GINOP SALES INC	11274 M-68 W	ALANSON	MI	49706	231	5482272	LARRY GINOP
09357	GINOP SALES INC	9040 M-72 EAST	WILLIAMSBURG	MI	49690	231	2675400	LAWRENCE GINOP
03303	Ellens Equipment Inc.	104 W. Maple-Box 157	McBain	MI	49657	231	8252416	SIETSE JR. ELLENS
03597	Tilman Hardware Inc.	1963 N. Winn Road	Mount Pleasant	MI	48858	989	6442252	GARY TILMANN
03729	Willards Equipment Company	255 S M-33	West Branch	MI	48661	989	3453128	GERALD WANGLER
03919	DICK COULTER INCORPORATED	6672 LAKE PLEASANT	NORTH BRANCH	MI	48461	810	6884398	THOMAS BATES
03921	TNT Equipment, Inc.	800 W. Sanilac	Sandusky	MI	48471	810	6484050	TOM TAEGE
04751	Bates Tractor & Equipment, Inc.	461 East Fenn Road	Coldwater	MI	49036	517	2799179	CHARLES BATES
06323	DON'S TRACTOR & EQUIPMENT SALES, INC.	2516 M-32 WEST	ALPENA	MI	49707	989	3566317	DONALD THOMAS
07921	WELLS EQUIP SALES INC	PO BOX 208	LITCHFIELD	MI	49252	517	5422376	CLIFTON WELLS
09651	Foote Tractor, Inc.	P. O. Box 2178	Howell	MI	48844	517	5454322	Tom
07319	LINSMEIER IMPLEMENT INC.	N3522 US 41	MENOMINEE	MI	49858	906	8634479	RICH LINSMEIER

Description of work:

If agency purchases from any of the above New Holland dealers, then dealer will order, deliver, perform warranty work, service equipment, train agency on equipment, and bill the state for the equipment and receive payment for the equipment.

Abilities:

New Holland dealers have the ability of do warranty and service work. Our service technicians receive extensive Service Training. New Holland also has approx. 50 Service Managers located through out the US and Canada. New Holland dealers also have the ability to sell New Holland equipment and New Holland also offers training for our New Holland dealers on New Holland products.



Attachment D, Warranties

CNH AMERICA LLC AND CNH CANADA, LTD.



WARRANTY AND LIMITATION OF LIABILITY AGREEMENT - AGRICULTURAL PRODUCTS

COVERAGE PROVIDED

CNH America LLC or CNH Canada, Ltd., hereinafter called "Company" or "New Holland" warrants to the retail purchaser of each new Product (as listed below) that the Selling Dealer or authorized New Holland dealer will repair or replace any part thereof found to be defective in materials or workmanship within the following periods. This warranty is for the benefit of the original or subsequent purchaser.

BASIC WARRANTY

Table with 2 columns: Product and Warranty Period (whichever comes first). Rows include Harvesting, Materials Handling Equipment and Implements (12 Months), Extended New Holland Engine Warranty for Harvesting Products (An Additional 12 Months or 2000 hours max), 2300 Series Sickle Hay Headers for Windrowers, BiDirectional Adapter Frames and 1475 Mower-Conditioners (24 Months), Self Propelled Forage Harvester Models (24 Months or 2000 Cutterhead Hours), Compact Tractor Models TC & TZ (24 Months or 2000 Hours), Extended Power Train Warranty (An Additional 12 Months (No Additional Hours)), Agricultural and Compact Tractors (except as noted) Including BiDirectional (24 Months or 2000 Hours), NH IntelliSteer (24 Months), Sprayers (12 Months), Replacement Parts (180 days or to end of Basic Warranty).

*Effective Jan. 1 2003

**The components covered by extended Power Train warranty consists of the following:

ENGINE - All internal lubricated parts, cylinder block, cylinder head, oil pan, oil pump, seals & gaskets, head gasket, fuel injection pump and lines, turbocharger unit (factory installed), timing gear cover, timing gears, and valve cover.

TRANSMISSION - Transmission case and all internal lubricated parts, torque converter, auxiliary drive axle transfer case, seals and gaskets.

MAIN DRIVE AXLE(S) - Center & drive axle housing and all internal lubricated parts, axle shafts, bearings (wheel and axle hub), final drive housing and all internal lubricated parts, auxiliary drive axle transfer case, PTO-clutch, internal shafts and bearings, seals and gaskets.

AUXILIARY DRIVE AXLE - Axle housing and all internal lubricated parts, axle shafts, bearings (wheel and axle hub), final drive housing and all internal lubricated parts, seals and gaskets, drive shaft and universal joints.

LIMITATIONS, INCLUDING DISCLAIMER OF IMPLIED WARRANTIES AND CONSEQUENTIAL DAMAGES

New Holland does not authorize any person or dealer to create for it any other obligation or liability in connection with these products. TO THE EXTENT ALLOWED BY LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, APPLICABLE TO THIS PRODUCT IS LIMITED TO THE STATED DURATION OF THIS WRITTEN WARRANTY. NEITHER COMPANY NOR THE SELLING DEALER SHALL BE LIABLE FOR LOSS OF THE USE OF THE PRODUCT, LOSS OF TIME, INCONVENIENCE, COMMERCIAL LOSS OR CONSEQUENTIAL DAMAGES.

The remedy of repair or replacement of a defective part during the warranty period herein specified shall be the purchaser's exclusive remedy. This warranty does not cover delivery charges or travel time.

PROTECTIVE EQUIPMENT

Rollover protective structure (ROPS) and seat belts are provided as standard equipment on all New Holland agricultural tractors and we strongly recommend their use. Customers who elect to remove or not use this protection do so at their own risk.

- I acknowledge the existence of OSHA regulations pertaining to ROPS/FOPS.
The correct Operator's Manual has been furnished to me.
The correct Operator's Manual has been reviewed with me by the selling dealer and will be furnished to me upon delivery of the product.
Safety precautions were explained to me by the selling dealer.
Safety features of the product were explained to me by the selling dealer.
The dealer has reviewed any applicable Federal Emissions Warranty and I understand its provisions.

ACKNOWLEDGMENT (check one)

Owner Transfer New Equipment Sale

APPLICATION (check one)

Scraper Non-Scraper

The blank spaces under "Protective Equipment" have been filled in and are correct, and I acknowledge that I have read and I accept this Warranty and Limitation of Liability Agreement.

Purchaser Dealer Code
Address Address
City State Zip City State Zip
Model Serial No. Retail Date
Attachment Model SN
Attachment Model SN
Purchaser Date Dealer Signature Date



LIMITATIONS AND EXCLUSIONS

The warranty period will begin on date of original retail sale or date of original use, whichever is earlier.

- The obligation of Company to the purchaser under this warranty is limited to the repair or replacement of defective parts by an authorized New Holland dealer and will be done free of charge for both parts and labor using genuine New Holland replacement parts. Repair or replacement in accordance with this warranty shall constitute fulfillment of all liabilities of Company and the Selling Dealer in respect to such Products.
- Repairs or replacements will be performed by the Selling Dealer, following delivery of the Product by the purchaser to the Dealer's place of business. At the customer's request, any New Holland dealer authorized to sell and service the described Products shall perform the repair at its dealership.
- The Selling Dealer shall review these warranty provisions with the purchaser prior to retail sale, secure his acknowledgment of delivery of this warranty and record the date of original retail sale or date of original use.
- To obtain warranty service, the purchaser must (1) report the product defect to an authorized New Holland dealer and request repair within the applicable warranty term and (2) present evidence of the warranty start date.

DEFINITION OF COMMERCIAL AND/OR SCRAPER APPLICATION

1. A commercial and/or scraper application is defined as any agricultural tractor that is used in a scraper, earthmoving, other commercial (see #2), or non-agricultural application, for which the owner receives compensation. The only exception is a customer using a scraper on his or her own farm to level land for agricultural crop production and is limited to 50% or less of annual accumulated hours of operation.
2. Other uses of agricultural tractors that are considered Commercial include, but are not limited to: site preparation, excavation, pond building and forestry applications.
3. Misrepresenting the intended application on the Warranty and Limitation of Liability form will void Base Warranty and Extended Service Plan coverage. No refunds will be issued.
4. Any tractor used in a commercial scraper application is ineligible for agricultural Extended Service Plan.

ITEMS NOT COVERED BY WARRANTY

1. Labor, which is part of pre-delivery or scheduled inspection service.
2. Repairs arising from storage deterioration, failure to maintain the equipment, negligence, alteration, improper use of the equipment, collision or other accident, vandalism, or other casualty, or operation beyond rated capacity or specification.
3. Repairs arising from abuse or neglect including, but not limited to: operation without adequate coolant or lubricants, adjustments to the fuel system outside equipment specifications, improper storage, starting, warm-up, or shutdown practices, incorrect fuel or contaminated fuel, oil or other fluids.
4. Normal maintenance services, such as engine fuel system cleaning.
5. Replacement of wear items including, but not limited to: filters, light bulbs, flasher switches, spark plugs, ignition points, brake or clutch linings, fuses, belts, chains, knives, bucket cutting edges and teeth, crawler track pads and track components, crop processing and cutting components, drive sprockets and chains, soil engaging tools and accessories, or items replaced due to customer demand.
6. Labor charges performed by anyone except an authorized New Holland dealer, unless they qualify under special provisions, i.e. outside labor.
7. Incidental claims for items such as towing, service calls, or transporting a unit to and from the place where the warranty service is performed.
8. Claims involving a unit that was damaged in transit or handling and was subsequently sold as a "salvage" unit.
9. Units which were purchased from the Company's used equipment inventory when such units are sold on an "as is" basis, unless otherwise specified in writing at the time of sale.
10. Lost or stolen equipment.
11. Normal maintenance parts and labor including, but not limited to: replenishment of oils, lubricants, coolants, fluids, thermostats or filters. Exceptions include: received low level from the factory found during pre-delivery inspection, or where loss or contamination is directly caused by failure of component, i.e., engine, transmission, and rear axle, acknowledged by the company to be defective in material or workmanship.
12. Inspection or reconditioning of units.
13. Claims involving original equipment repair of an OEM unit, which is covered by warranty to the OEM customer.
14. Components or items that are separately warranted to the purchaser by the manufacturer, such as engines, transmissions, tires, batteries, fuel injection, etc., shall be warranted directly by their respective manufacturer.
15. Repairs arising from any unauthorized modification to the product or the use of non-New Holland parts, implements or attachments.
16. Removal and replacement of non-New Holland attachments and components.
17. Premiums charged for overtime or out of shop expenses.
18. Economic loss including lost profits, crop loss, equipment rental, or other expense.
19. Unauthorized modification or "field fixes", i.e., updating machines based on Service Bulletin information, or running production changes.
20. Dealer shop supplies including consumable items used for repairs including, but not limited to: solvents, cleaners, anti-seize lubricants, oil-dry, shop towels and special tools.
21. Warranty shall NOT apply to any product normally operated outside of the United States and/or Canada. Likewise, any unit purchased outside of the U.S. or Canada and imported in for any reason other than a customer relocation/personal move will not be covered by warranty in the U.S. or Canada.
22. Failure of machine, its implement or attachments caused by improper field application or loading.

RIGHT TO MAKE DESIGN CHANGES

Company reserves the right to make changes in the design and other changes in its products at any time and from time to time without notice and without incurring any obligation with respect to any product previously ordered from it, sold or shipped by it.



CNH AMERICA LLC AND CNH CANADA, LTD.

WARRANTY AND LIMITATION OF LIABILITY AGREEMENT - CONSUMER PRODUCTS

COVERAGE PROVIDED

CNH America LLC or CNH Canada, Ltd., hereinafter called "Company" or "New Holland" warrants to the retail purchaser of each new Product (as listed below) that the Selling Dealer or authorized New Holland dealer will repair or replace any part thereof found to be defective in materials or workmanship within the following periods. This warranty is for the benefit of the original or subsequent purchaser.

BASIC WARRANTY

Table with 2 columns: Product and Warranty Period. Lists items like Lawn and Garden Tractors, Yard Tractor, Rotary Tillers, Snow Throwers, G5000 & G6000 Series Commercial Mowers and Attachments, MZ Zero-Turn Radius Mower, G4000 Series Zero-Turn Radius Mower, and Replacement Parts with their respective warranty durations.

LIMITATIONS, INCLUDING DISCLAIMER OF IMPLIED WARRANTIES AND CONSEQUENTIAL DAMAGES

CNH America LLC or CNH Canada, Ltd. does not authorize any person or dealer to create for it any other obligation or liability in connection with these products. TO THE EXTENT ALLOWED BY LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, APPLICABLE TO THIS PRODUCT IS LIMITED TO THE STATED DURATION OF THIS WRITTEN WARRANTY. NEITHER COMPANY NOR THE SELLING DEALER SHALL BE LIABLE FOR LOSS OF THE USE OF THE PRODUCT, LOSS OF TIME, INCONVENIENCE, COMMERCIAL LOSS OR CONSEQUENTIAL DAMAGES.

The remedy of repair or replacement of a defective part during the warranty period herein specified shall be the purchaser's exclusive remedy. This warranty does not cover delivery charges or travel time.

PROTECTIVE EQUIPMENT

Protective shielding is provided as standard equipment on all New Holland Consumer Products and we strongly recommend its use. Rollover protective structure (ROPS) and seatbelts are provided as standard equipment on all New Holland commercial mowers and we strongly recommend their use. Customers who elect to remove or not use this protection do so at their own risk.

- The correct Operator's Manual has been furnished to me.
• The correct Operator's Manual has been reviewed with me by the selling dealer and will be furnished to me upon delivery of the product.
• Safety precautions were explained to me by the selling dealer.
• Safety features of the product were explained to me by the selling dealer.

ACKNOWLEDGMENT/WARRANTY TRANSFER

Owner Transfer or New Equipment checkboxes.

The blank spaces under "Protective Equipment" have been filled in and are correct, and I acknowledge that I have read and I accept this Warranty and Limitation of Liability Agreement.

Form fields for Purchaser and Dealer information including Name, Address, City, State, Zip, Model, Serial No., Attachment Model, SN, Date, and Signature.



LIMITATIONS AND EXCLUSIONS

The warranty period will begin on date of original retail sale or date of original use, whichever is earlier.

- The obligation of Company to the purchaser under this warranty is limited to the repair or replacement of defective parts by an authorized New Holland dealer and will be done free of charge for both parts and labor using genuine New Holland replacement parts. Repair or replacement in accordance with this warranty shall constitute fulfillment of all liabilities of Company and the Selling Dealer in respect to such Products.
- Repairs or replacements will be performed by the Selling Dealer, following delivery of the Product by the purchaser to the Dealer's place of business. At the customer's request, any New Holland dealer authorized to sell and service the described Products shall perform the repair at its dealership.
- The Selling Dealer shall review these warranty provisions with the purchaser prior to retail sale, secure his acknowledgment of delivery of this warranty and record the date of original retail sale or date of original use.
- To obtain warranty service, the purchaser must (1) report the product defect to an authorized New Holland dealer and request repair within the applicable warranty term and (2) present evidence of the warranty start date.

ITEMS NOT COVERED BY WARRANTY

1. Labor, which is part of pre-delivery or scheduled inspection service.
2. Repairs arising from storage deterioration, failure to maintain the equipment, negligence, alteration, improper use of the equipment, collision or other accident, vandalism, or other casualty, or operation beyond rated capacity or specification.
3. Repairs arising from abuse or neglect including, but not limited to: operation without adequate coolant or lubricants, adjustments to the fuel system outside equipment specifications, improper storage, starting, warm-up, or shutdown practices, incorrect fuel or contaminated fuel, oil or other fluids.
4. Normal maintenance services, such as engine fuel system cleaning.
5. Replacement of wear items including, but not limited to: filters, light bulbs, flasher switches, spark plugs, ignition points, brake or clutch linings, fuses, belts, chains, knives, bucket cutting edges and teeth, crawler track pads and track components, crop processing and cutting components, drive sprockets and chains, soil engaging tools and accessories, or items replaced due to customer demand.
6. Labor charges performed by anyone except an authorized New Holland dealer, unless they qualify under special provisions, i.e. outside labor.
6. Incidental claims for items such as towing, service calls, or transporting a unit to and from the place where the warranty service is performed.
7. Claims involving a unit that was damaged in transit or handling and was subsequently sold as a "salvage" unit.
8. Units which were purchased from the Company's used equipment inventory when such units are sold on an "as is" basis, unless otherwise specified in writing at the time of sale.
9. Lost or stolen equipment.
10. Normal maintenance parts and labor including, but not limited to: replenishment of oils, lubricants, coolants, fluids, thermostats or filters. Exceptions include: received low level from the factory found during pre-delivery inspection, or where loss or contamination is directly caused by failure of component, i.e., engine, transmission, and rear axle, acknowledged by the company to be defective in material or workmanship.
11. Inspection or reconditioning of units.
12. Claims involving original equipment repair of an OEM unit, which is covered by warranty to the OEM customer.
13. Components or items that are separately warranted to the purchaser by the manufacturer, such as engines, transmissions, tires, batteries, fuel injection, etc., shall be warranted directly by their respective manufacturer.
14. Repairs arising from any unauthorized modification to the product or the use of non-New Holland parts, implements or attachments.
15. Removal and replacement of non-New Holland attachments and components.
16. Premiums charged for overtime or out of shop expenses.
17. Economic loss including lost profits, crop loss, equipment rental, or other expense.
18. Unauthorized modification or "field fixes", i.e., updating machines based on Service Bulletin information, or running production changes.
19. Dealer shop supplies including consumable items used for repairs including, but not limited to: solvents, cleaners, anti-seize lubricants, oil-dry, shop towels and special tools.
20. Warranty shall NOT apply to any product normally operated outside of the United States and/or Canada. Likewise, any unit purchased outside of the U.S. or Canada and imported in for any reason other than a customer relocation/personal move will not be covered by warranty in the U.S. or Canada.
21. Failure of machine, its implement or attachments caused by improper field application or loading.

RIGHT TO MAKE DESIGN CHANGES

Company reserves the right to make changes in the design and other changes in its products at any time and from time to time without notice and without incurring any obligation with respect to any product previously ordered from it, sold or shipped by it.



**TD5050 HIGH CLEARANCE TRACTOR
US PRICE LIST**

(Port of Entry)

Standard Equipment

ENGINE

95 Engine hp @ 2500 rpm
80 PTO hp @ 2500 rpm
4 Cylinder Turbocharged Intercooled Diesel Engine
274 cu. in. (4.5 L) Displacement
Tier III Emissions Compliant
Air Cleaner: Dry-type with safety element
Antifreeze Solution -33° F
Fuel Sedimentation Filter
Hand and Foot Accelerator
Key Start/Stop Ignition
Grid Heater Starting Aid
23.8 gallon (full tank)
Verticle Exhaust with under hood muffler

TRANSMISSION

20 Forward and 12 Reverse Speeds
8 Creeper Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
Floor Mounted LH Side Synchronized Mechanical Shuttle
Constant Mesh Gearbox
2WD and FWD - 19 mph (30 kph)
Speed varies with tire selection

AXLES

2WD FRONT AXLE
Inverted U-section Type
Adjustable Tread Width from 61.4 in. to 78.7 in.

FWD FRONT AXLE

Mechanical FWD Engagement
Adjustable Tread Width from 61.4 in. to 78.7 in.
Limited Slip Differential Lock

REAR AXLE

Flange Type
Adjustable Tread Width:
59.9 in. to 79.5 in. (standard track)
72.2 in. to 83.8 in. spacers (wide track)

Rear Differential Lock - 2WD and FWD
Mechanically Engaged
Ground Clearance Under Drawbar Support: minimum 25 in.

STEERING/BRAKES

Hydrostatic Power Steering
Brakes: Mechanically Actuated Wet
Parking Brake - hand lever controlled

HYDRAULIC SYSTEM

Open Center System
(1) Open Center Remote Valve with kickout
Dual Gear Pumps
Implement Pump: 16.1 gpm (61 L)
Steering Pump: 9.5 gpm (36 L)
Total Flow: 25.6 gpm (97 L)

PTO

540 rpm Mechanical PTO
(1-3/8 in. 6 splines)
540/1000 rpm - Optional
Fully Independent, dry clutch
Mechanical Engagement
Flip-up PTO Shaft Guard

HITCH

3-point Category II with flex lower links
telescopic stabilizers (standard track models)
sway block stabilizers (wide track models)
5025 lbs. Lift Capacity (SAE)
Swinging Drawbar
Fast Raise/Lower Control
Mechanical Draft Control

INSTRUMENTATION

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam and parking brake



**TD5050 HIGH CLEARANCE TRACTOR
US PRICE LIST**

**(Port of Entry)
Standard Equipment**

Gauges for fuel level, engine temperature, tachometer (mechanical) and hour meter
Horn

ELECTRICAL

(1) 800 cca Heavy-duty Battery
Alternator - 120 amp
7-pin Outlet for trailer/implement lighting and signals
4-pin Power Outlet (40 amp)

LIGHTING:

CAB
Front: (2) Halogen Headlights and (2) worklights
Rear: (2) Worklights
Turn Signals/Flashers/Rear Lights

ROPS

Front: (2) Halogen Headlights
Rear: (1) Worklight
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE

STRUCTURE:
ROPS MODELS
2-Post Foldable ROPS with ISO-mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts and arm rests

Suspended Pedals

CAB MODELS

ROPS protected, flat deck platform with heat and air, tinted windshield, retractable sun screen, front wiper and washer, two doors with locks, interior mirror, two external mirrors, partially opening side windows, hinged rear window (fully opens), radio ready (speakers, wiring, antenna)
Steering Wheel- adjustable tilt
Seat- cloth covered with mechanical suspension, operator's presence sensor, retractable seat belts and arm rests

Suspended Pedals

FRONT WEIGHTS

2WD:
Front Carrier (176 lbs.) and (10) Weights (88 lbs. each) = 1056 lbs. Total Weight

FWD:

Front Carrier (176 lbs.) and (8) Weights (88 lbs. each) = 880 lbs. Total Weight

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies



**TD5050 HIGH CLEARANCE TRACTOR
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TD5050HC	Rops	2 WD	8.888 LB		\$35,269.00
Includes the following Equipment Wider track rear axle \$1,074.00 7.50-18 8PR F1 \$409.00 320/80R42 R1W \$2,796.00					
TD5050HC	Rops	4 WD	7.848 LB		\$43,055.00
Includes the following Equipment Wider track rear axle \$1,074.00 9.5R48 R1W Wide Track \$3,218.00 9.5R48 R1W Wide Track \$3,218.00					
TD5050HC	Cab	2 WD	8.888 LB		\$44,018.00
Includes the following Equipment Wider track rear axle \$1,074.00 7.50-18 8PR F1 \$409.00 320/80R42 R1W \$2,796.00					
TD5050HC	Cab	4 WD	8.888 LB		\$51,804.00
Includes the following Equipment Wider track rear axle \$1,074.00 9.5R48 R1W Wide Track \$3,218.00 9.5R48 R1W Wide Track \$3,218.00					

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
COMPLETING PACKAGES				
ROW SPACING				
SD T4810 REAR AXLE				
	333330	Wider track rear axle		\$1,074.00
	XT4810X	Standard rear axle		No Charge
TIRES AND WHEELS				
TRACTOR TIRES AND WHEELS				



**TD5050 HIGH CLEARANCE TRACTOR
US PRICE LIST**

(Port of Entry)

SD_T4940 FRONT WHEELS AND TIRES

2WD Standard Track					
	8100000	Less front wheels and tires			\$341.00
2WD Standard and Wide Track					
	8118704	7.50-18 8PR F1			\$409.00
4WD Standard Track					
	8200000	Less front wheels/tires MFD			\$341.00
	8226404	9.5R44 R1W			\$3,451.00
	8272604	13.6R38 R1W			\$1,838.00
	8898404	320/80R42 A8			\$2,796.00
4WD Wide Track					
	8215404	9.5R48 R1W Wide Track			\$3,218.00
	8227404	9.5R44 R1W Wide Track			\$3,451.00
	8272804	13.6R38 R1W Wide track			\$1,838.00
	8898504	320/80R42 R1W Wide track			\$2,796.00

SD_T4950 REAR WHEELS AND TIRES

Standard Track					
	8300000	Less rear wheels and tires			\$341.00
Standard and Wide Track					
	8302404	9.5R44 R1W			\$3,451.00
	8372604	13.6R38 R1W8372604			\$1,838.00
	8930504	320/80R42 R1W			\$2,796.00
Wide Track					
	8322704	9.5R48 R1W Wide Track			\$3,218.00

FACTORY INSTALLED OPTIONS

P. T. O. OPTIONS

SD_T8010 PTO

	335959	540/1,000 RPM Mech PTO (With two PTO ends - 1-3/8 in. 6 and 21 splines)			\$464.00
--	--------	--	--	--	----------

HYDRAULICS GROUP

SD_T8270 REAR REMOTES

	335417	2 open center valves (First valve with kickout. Second valve with kickout and float.)			\$596.00
	335103	3 open center valves (First valve with kickout. Second and third valve with kickout and float.)			\$1,190.00
	335085	3 open center valves & flow ctrl (First valve with kickout, float, and flow control. Second valve with kickout and float. Third valve is double acting)			\$1,190.00

WEIGHT GROUP



**TD5050 HIGH CLEARANCE TRACTOR
US PRICE LIST**

(Port of Entry)

SD_T4961 REAR BALLAST				
	330471	6 rear wheel weights		\$731,00
MISCELLANEOUS				
SD_T1400 FUEL TANK				
	335042	Std Tank plus aux 7 gal tank		\$70,00
SD_T7430 BATTERY ISOLATOR SW				
	335798	Mechanical battery isolator		\$110,00
SD_T7520 ROTARY BEACON				
	335755	Beacon light		\$120,00
SD_T8110 LOADER BRACKETS				
	335522	Rear loader mounting brackets		\$349,00
MISCELLANEOUS - CAB UNITS ONLY				
SD_T8500 SEAT				
	333850	Deluxe fabric seat w/air susp		\$983,00
SD_T9130 WORK LAMPS				
	335709	2Front/ 4Rear work lights-cab		\$91,00
SD_T9233 CARBON FILTERS				
	330645	Carbon Filters for Cab in addition to standard cab air filters		\$99,00
SD_T9260 REAR WIPER & WASHER				
	335642	Rear window wiper & washer		\$228,00
SD_T9360 RR MIRRORS				
	330879	2 telescoping rearview mirrors		\$188,00
LANGUAGE KITS				
SD_T9802 OPERATORS MANUAL				
	333986	Spanish operator's manual;		No Charge
SD_T9803 FRENCH OPERATOR MANUAL				
	330472	French operator's manual		No Charge



**SUB-COMPACT TRACTORS
US PRICE LIST**

(Dublin, GA)

Standard Equipment

DIESEL ENGINE

Boomer™ 1020
S753 Engine
20.0 Gross Engine hp @ 3000 rpm
15.5 PTO hp @ 3000 rpm
58.2 cu. in. (0.95 L) Displacement

Boomer 1025
S753L Engine
26.0 Gross Engine hp @ 3000 rpm
19.7 PTO hp @ 3000 rpm
69.0 cu. in. (1.1 L) Displacement

Boomer 1030
S773L Engine
28.0 Gross Engine hp @ 3100 rpm
21.7 PTO hp @ 3100 rpm
69.0 cu. in. (1.1 L) Displacement

ALL MODELS

3 Cylinders
Naturally Aspirated
Under Hood Exhaust
Single Element Air Filter
Full-flow, Spin-on Oil Filter
7.1 gallon (26.9 L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood

INSTRUMENT PANEL

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light

TRANSMISSION

2-Range Hydrostatic
(2) Pedal Controls for forward and reverse

HYDRAULIC SYSTEM

Open Center Hydraulic System
Single Gear-type Pump
Total Hydraulic Pump Capacity
5.6 gpm (21.2 L/min) -
Boomer 1020/1025
6.5 gpm (24.6 L/min) - Boomer 1030
Implement Hydraulic Flow Rating
3.75 gpm (14.2 L/min) -
Boomer 1020/1025
4.65 gpm (17.6 L/min) - Boomer 1030
Steering Priority Flow Rating
1.85 gpm (7.0 L/min)

3-POINT LIFT SYSTEM

Lift Capacity @ 24 in. behind link ends:
700 lb. (318 kg) - Boomer 1020/1025
1000 lb. (454 kg) - Boomer 1030
Category I, 3-point Linkage
Raise/Lower Lever
Drop Rate Control Knob
Turnbuckle-type Leveling Mechanism
Adjustable Stabilizers
Fixed Link Ends

ROPS

2-Post, Foldable Roll Bar
Retractable Seat Belt

ELECTRICAL

12-volt, 325 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
40 amp Alternator
Operator Presence System
12-volt DC (10 amp) Accessory Power
Outlet

LIGHTING

(2) Halogen Corner Work Lights
(2) Halogen Headlights
(2) Taillights
(2) Flashing Warning Lights/Turn
Signals



**SUB-COMPACT TRACTORS
US PRICE LIST**

(Dublin, GA)

Standard Equipment

PTO

Rear

- Independent 540 rpm
- Flip-up Shield
- Shaft Cap

Mid PTO

- Independent 2200 rpm

DRAWBAR

- Fixed, Plate Type with drawbar extension

REAR DIFFERENTIAL LOCK

STEERING

- Hydrostatic Power Steering
- Fixed Steering Column

BRAKES

- Wet Disc
- Left Side Mounted, Single Brake Pedal
- Hand-engaged Parking Brake Lock

FRONT AXLE

- Four Wheel Drive (FWD)
- Fixed Position Rims
- 37.0 in. (940 mm) Tread Setting with R3 and R4 tires - Boomer 1020/1025
- 40.4 in. (1027 mm) Tread Setting with R3 and R4 tires - Boomer 1030

REAR AXLE

- Flange Type Axle
- Fixed Position Rims
- 34.2 in. (870 mm) Tread Setting with R3 and R4 tires - Boomer 1020/1025
- 39.8 in. (1027 mm) Tread Setting with R3 and R4 tires - Boomer 1030

OPERATOR'S AREA

- Contoured Cushion Seat
- Fore/Aft/Height Compensating Adjustment with inclined track
- Spring Suspension
- Textured floor surface
- Cup Holder

SLOW MOVING VEHICLE EMBLEM

TOOLBOX

WARRANTY

- Full Coverage - 24 months or 2000 hours
- Powertrain - 36 months or 2000 hours
- Shipped in crate, approx. 2 hours assembly required



**SUB-COMPACT TRACTORS
US PRICE LIST**

(Dublin, GA)
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
BOOMER 1020	1,500 LB		\$11,556,00
Includes the following Equipment			
18X8.50 8 4PR R4		\$184,00	
26X12.00 12 4PR R4		\$496,00	
BOOMER 1025	1,500 LB		\$12,351,00
Includes the following Equipment			
18X8.50 8 4PR R4		\$184,00	
26X12.00 12 4PR R4		\$496,00	
BOOMER 1030	1,350 LB		\$14,055,00
Includes the following Equipment			
20X10.00-10 4PR R4		\$333,00	
29X12.5-15 4PR R4		\$551,00	

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD T3330 FRONT AXLE/DRIVE ENGAGE

729354	4wd Fr.Axl F/Hst			No Charge
729587	4WD SensiTrack™			\$313,00

SD T4940 FRONT WHEELS AND TIRES

For Models 1020 and 1025				
8112604	18X8.50 8 4PR R4	50 LB		\$184,00
8207704	18X8.5-8 4PR R3	35 LB		\$184,00
For Model 1030				
8201804	20X10.00-10 4PR R4	35 LB		\$333,00
8201404	20X10.00-10 4PR R3	35 LB		\$333,00

SD T4950 REAR WHEELS AND TIRES

For Models 1020 and 1025				
8312604	26X12.00 12 4PR R4	97 LB		\$496,00
8306704	26X12-12 4PR R3	88 LB		\$496,00
For Model 1030				
8301304	29X12.5-15 4PR R4	97 LB		\$551,00
8301904	29X12.5-15 4PR R3	88 LB		\$551,00



T1510 ECONOMY COMPACT TRACTORS
US PRICE LIST

(Dublin, GA)

Standard Equipment

DIESEL ENGINE

T1510
N843 Engine
30.0 Gross Engine hp @ 2600 rpm
25.5 PTO hp @ 2600 rpm (gear)
24.0 PTO hp @ 2600 rpm (hydro)
91.3 cu. in. (1.5 L) Displacement
3 Cylinders
Naturally Aspirated
Under Hood Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
7.1 gallon (27.0 L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Tilt Hood with removable side shields

INSTRUMENT PANEL

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Air Cleaner Restriction Warning Light
Turn Indicator Lights
Hazard Flasher Indicator Lights

TRANSMISSION OPTIONS

2WD
9 x 3 Non-synchro Gear with
single stage clutch (STD)
FWD
9 x 3 Non-synchro Gear with
dual stage clutch (STD)
3-Range Hydrostatic with single rocker
pedal direction control

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
6.2 gpm (23.3 L/min)
Steering Pump Capacity:
3.8 gpm (14.2 L/min)
Mid-mount Hydraulic Ports

3-POINT LIFT SYSTEM

Lift Capacity @ 24 in. behind link ends:
1635 lb. (743 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Turnbuckle-type Leveling Mechanism
Adjustable Stabilizers
Fixed Link Ends

ROPS

2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL

12-volt, 420 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
40 amp Alternator
Operator Presence System

LIGHTING

(2) Headlights
(2) Taillights
(2) Flashing Warning Lights/Turn
Signals

REAR PTO

Transmission 540 rpm - 2WD gear
Live 540 rpm - FWD gear and hydrostatic
Flip-up Shield
Shaft Cap

Mid PTO

Transmission 2000 rpm -2WD gear
(optional)



T1510 ECONOMY COMPACT TRACTORS
US PRICE LIST

(Dublin, GA)

Standard Equipment

Live 2000 rpm - FWD gear (optional)
Live 2000 rpm - hydrostatic (standard)

DRAWBAR
2 position adjustable

REAR DIFFERENTIAL LOCK

STEERING
Hydrostatic Power Steering
Fixed Steering Column

BRAKES
Wet Disc
Right Side Mounted, Dual Brake Pedals
Parking Brake Lock Lever

FRONT AXLE
Two Wheel Drive (2WD)
Non-adjustable axle
Fixed tread setting with R3 tires,
reversible wheels with R1 tires
Four Wheel Drive (FWD)
Fixed Position Rims
45.3 in. (1151 mm) Tread Setting with
R4 tires

REAR AXLE
Flange Type Axle
Reversible Position Rims, R1 and R3
tires only
Fixed Position Rims, R4 tires
46.6 in. (1184 mm) Tread Setting with
R4 tires

OPERATOR'S AREA
Contoured Cushion Seat
Fore/Aft/Height Compensating
Adjustment with inclined track
Spring Suspension
Rubber Mat on Footboards
Foot Throttle (gear models only)
Cup holder

SLOW MOVING VEHICLE EMBLEM

WARRANTY
Full Coverage - 24 months or 2000
hours
Powertrain - 36 months or 2000 hours
Shipped in crate, approx. 4.5 hours
assembly required



**T1510 ECONOMY COMPACT TRACTORS
US PRICE LIST**

(Dublin, GA)
Models

COMMERCIAL MODEL	TRACTION	Weight	Factory Data	List Price
T1510	2 WD	2,195 LB		\$12,929.00
Includes the following Equipment				
	5.50X16 4PR F2 8108610	\$261.00		
	11.2 x 24 4PR R1 Ag Bar	\$780.00		
T1510	4 WD	2,195 LB		\$15,331.00
Includes the following Equipment				
	25 x 8.50-14 6PR R4	\$398.00		
	15x19.5 4PR R4,	\$1,034.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPACT TRACTOR COMPLETING PACKAGES

TRANSMISSION GROUP

SD T2810 TRANSMISSION

Order Code	Description	Weight	Factory Data	List Price
728376	9x3 Pwr Fixed L			
728378	Hst 4wd Pwr Fixed L (only for 4WD units)			\$1,921.00

COMPACT TRACTOR TIRES AND WHEELS

FRONT TIRES AND WHEELS

SD T4940 FRONT WHEELS AND TIRES

Four Wheel Drive				
8266304	25 x 8.50-14 6PR R4	460 LB		\$398.00
8204604	7 x 14 6PR R1 Ag Bar	366 LB		\$305.00
8251604	24 x 8.50-14 4PR R3 Turf	304 LB		\$305.00
Two Wheel Drive				
8108610	5.50X16 4PR F2 8108610	76 LB		\$261.00
8151600	23X8.50-12 4PR TURF	70 LB		\$261.00
Less Tire Option				
8199907	Less front wheels and tires			No Charge

REAR TIRES AND WHEELS



**T1510 ECONOMY COMPACT TRACTORS
US PRICE LIST**

(Dublin, GA)

SD T4950 REAR WHEELS AND TIRES

	8312304	15x19.5 4PR R4,	460 LB		\$1,034.00
	8332604	11.2 x 24 4PR R1 Ag Bar	356 LB		\$780.00
	8302604	13.6 x 16 4PR R3 Turf	298 LB		\$780.00
	8399907	Less rear wheels and tires			No Charge



**T1520 ECONOMY COMPACT TRACTORS
US PRICE LIST**

(Dublin, GA)

Standard Equipment

DIESEL ENGINE

T1520
N843L Engine
35.0 Gross Engine hp @ 2600 rpm
29.5 PTO hp @ 2600 rpm (gear)
28.0 PTO hp @ 2600 rpm (hydro)
101.4 cu. in. (1.7 L) Displacement
3 Cylinders
Naturally Aspirated
Under Hood Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
7.1 gallon (27.0 L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Tilt Hood with removable side shields

INSTRUMENT PANEL

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Air Cleaner Restriction Warning Light
Turn Indicator Lights
Hazard Flasher Indicator Lights

TRANSMISSION OPTIONS

9 x 3 Non-synchro Gear with
dual stage clutch
3-Range Hydrostatic with single rocker
pedal direction control (STD)

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
6.2 gpm (23.3 L/min)
Steering Pump Capacity:
3.8 gpm (14.2 L/min)
Mid-mount Hydraulic Ports

3-POINT LIFT SYSTEM

Lift Capacity @ 24 in. behind link ends:
1635 lb. (743 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Turnbuckle-type Leveling Mechanism
Adjustable Stabilizers
Fixed Link Ends

ROPS

2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL

12-volt, 420 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
40 amp Alternator
Operator Presence System

LIGHTING

(2) Headlights
(2) Taillights
(2) Flashing Warning Lights/
Turn Signals

PTO

Rear
Live 540 rpm
Flip-up Shield
Shaft Cap
Mid
Live 2000 rpm - gear (optional)
Live 2000 rpm - hydrostatic (standard)

DRAWBAR

2-Position Adjustable

REAR DIFFERENTIAL LOCK



T1520 ECONOMY COMPACT TRACTORS
US PRICE LIST

(Dublin, GA)

Standard Equipment

STEERING

Hydrostatic Power Steering
Fixed Steering Column

BRAKES

Wet Disc
Right Side Mounted, Dual Brake Pedals
Parking Brake Lock Lever

FRONT AXLE

Four Wheel Drive (FWD)
Fixed Position Rims
45.3 in. (1151 mm) Tread Setting with
R4 tires

REAR AXLE

Flange Type Axle
Reversible Position Rims, R1 and R3
tires only
Fixed Position Rims, R4 tires
46.6 in. (1184 mm) Tread Setting with
R4 tires

OPERATOR'S AREA

Contoured Cushion Seat
Fore/Aft/Height Compensating
Adjustment with inclined track
Spring Suspension
Rubber Mat on footboards
Foot Throttle (gear models only)
Cup holder

SLOW MOVING VEHICLE EMBLEM

WARRANTY

Full Coverage - 24 months or 2000
hours
Powertrain - 36 months or 2000 hours
Shipped in crate, approx. 4.5 hours
assembly required



**T1520 ECONOMY COMPACT TRACTORS
US PRICE LIST**

(Dublin, GA)
Models

COMMERCIAL MODEL	TRACTION	Weight	Factory Data	List Price
T1520	4 WD	2,195 LB		\$18,763.00
Includes the following Equipment				
25 x 8.50-14 6PR R4				\$398,00
15x19.5 4PR R4,				\$1,034,00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPACT TRACTOR COMPLETING PACKAGES

TRANSMISSION GROUP

SD T2810 TRANSMISSION

728376	9x3 Pwr Fixed L			(\$1,958.00)
728378	Hst 4wd Pwr Fixed L (only for 4WD units)			No Charge

COMPACT TRACTOR TIRES AND WHEELS

FRONT TIRES AND WHEELS

SD T4940 FRONT WHEELS AND TIRES

Four Wheel Drive				
8266304	25 x 8.50-14 6PR R4	460 LB		\$398.00
8204604	7 x 14 6PR R1 Ag Bar	366 LB		\$305.00
8251604	24 x 8.50-14 4PR R3 Turf	304 LB		\$305.00
Less Tire Option				
8199907	Less front wheels and tires			No Charge

REAR TIRES AND WHEELS

SD T4950 REAR WHEELS AND TIRES

8312304	15x19.5 4PR R4,	460 LB		\$1,034.00
8332604	11.2 x 24 4PR R1 Ag Bar	356 LB		\$780.00
8302604	13.6 x 16 4PR R3 Turf	298 LB		\$780.00
8399907	Less rear wheels and tires			No Charge



**BOOMER™ 2030 & 2035 COMPACT TRACTORS
US PRICE LIST**

(Dublin, GA)

Standard Equipment

DIESEL ENGINE

Boomer 2030
 N843 Engine
 31.0 Gross Engine hp @ 2600 rpm
 26.5 PTO hp @ 2600 rpm (gear)
 24.9 PTO hp @ 2600 rpm (hydro)
 91.3 cu. in. (1.5 L) Displacement

Boomer 2035
 N843L Engine
 35.0 Gross Engine hp @ 2600 rpm
 28.9 PTO hp @ 2600 rpm (hydro)
 101.4 cu. in. (1.66 L) Displacement

ALL MODELS

3 Cylinders
 Naturally Aspirated
 Under Hood Exhaust
 Two-stage Dual Element Air Cleaner
 Full-flow, Spin-on Oil Filter
 7.3 gallon (27.6 L) Fuel Tank
 Fuel Filter with water separator
 Quick Glow Plug Starting Aid
 Flip-up Hood

INSTRUMENT PANEL

Analog Tachometer
 Fuel Gauge
 Coolant Temperature Gauge
 Hour Meter
 Engine Oil Pressure Warning Light
 Battery Charge Warning Light
 Cold Starting Aid Indicator Light
 PTO ON Indicator Light
 Parking Brake Indicator Light
 Turn Indicator Lights
 Hazard Flasher Indicator Lights
 High Beam Headlights Indicator

TRANSMISSION OPTIONS

Boomer 2030
 9 x 3 Non-synchro Gear with
 dual stage clutch
 3-Range Hydrostatic with cruise control
 and single rocker pedal direction
 control (STD)

Boomer 2035
 3-Range Hydrostatic with cruise control
 and single rocker pedal direction
 control (STD)

HYDRAULIC SYSTEM

Open Center Hydraulic System
 Dual Gear-type Pumps
 Implement Pump Capacity:
 7.2 gpm (27.1 L/min)
 Steering Pump Capacity:
 5.1 gpm (19.4 L/min)
 Mid-mount Hydraulic Ports

3-POINT LIFT SYSTEM

Lift Capacity @ 24 in. behind link ends:
 1635 lb. (743 kg)
 Category I, 3-point Linkage
 Position Control Lever
 Drop Rate Control Knob
 Crank-type Leveling Mechanism
 Telescoping Stabilizers
 Flexible Link Ends

ROPS

2-Post, Foldable Roll Bar
 Retractable Seat Belt

ELECTRICAL

12-volt, 420 CCA Battery
 Safety Start Switch
 Key Start/Fuel Shutoff
 40 amp Alternator
 Operator Presence System
 12-volt DC (15 amp) Auxiliary Power
 outlet



**BOOMER™ 2030 & 2035 COMPACT TRACTORS
US PRICE LIST**

(Dublin, GA)

Standard Equipment

LIGHTING

- (2) Halogen Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights
- (2) Flashing Warning Lights/
Turn Signals

PTO

- Rear
- Live 540 rpm
- Flip-up Shield
- Shaft Cap
- Mid PTO
- Live 2000 rpm - gear (optional)
- Live 2000 rpm - hydrostatic (standard)

DRAWBAR

- Swinging
- 2-Position Extendable

REAR DIFFERENTIAL LOCK

BRAKES

- Wet Disc
- Right Side Mounted, Dual Brake Pedal
- Parking Brake Lock Lever

STEERING

- Hydrostatic Power Steering
- Tilt and Telescoping Steering Column

FRONT AXLE

- Four Wheel Drive (FWD)
- Fixed Position Rims

- 45.3 in. (1151 mm) Tread Setting with
R4 tires
- SuperSteer™ Axle with Sensitrak™
Auto FWD (optional)

REAR AXLE

- Flange Type Axle
- Reversible Position Rims, R1 and R3
tires only
- Fixed Position Rims, R4 and Galaxy®
Turf Tires
- 46.6 in. (1184 mm) Tread Setting with
R4 tires

OPERATOR'S AREA

- Contoured Cushion Seat
- Fore/Aft/Height Compensating
Adjustment with inclined track
- Weight Adjustable Suspension
- Swivel Seat Adjustment
- Deluxe Floor Mat
- Foot Throttle (gear models only)

SLOW MOVING VEHICLE EMBLEM

TOOLBOX

WARRANTY

- Full Coverage - 24 months or 2000
hours
- Powertrain - 36 months or 2000 hours



**BOOMER™ 2030 & 2035 COMPACT TRACTORS
US PRICE LIST**

(Dublin, GA)
Models

COMMERCIAL MODEL	TRACTION	Weight	Factory Data	List Price
BOOMER 2030	4 WD	3.500 LB		\$20.556,00
Includes the following Equipment 25 x 8.50-14 6PR R4 \$398,00 15x19.5 4PR R4, \$1.034,00				
BOOMER 2035	4 WD	3.500 LB		\$21.321,00
Includes the following Equipment 25 x 8.50-14 6PR R4 \$398,00 15x19.5 4PR R4, \$1.034,00				

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPACT TRACTOR COMPLETING PACKAGES

TRANSMISSION GROUP

SD T2810 TRANSMISSION

	729289	9x3 Non-Synchro transmission (2030 only)			(\$1.684,00)
	729290	Hydrostatic w/cruise			No Charge

SD T3330 FRONT AXLE/DRIVE ENGAGE

	720416	SuperSteer™ (only with hydrostatic cruise transmission)	144 LB		\$1.375,00
--	--------	--	--------	--	------------

LOADER READY GROUP

SD T7600 LOADER BRACKETS

	729102	Loader Ready	350 LB		\$1.610,00
--	--------	--------------	--------	--	------------

COMPACT TRACTOR TIRES AND WHEELS

FRONT TIRES AND WHEELS

SD T4940 FRONT WHEELS AND TIRES

Four Wheel Drive					
	8266304	25 x 8.50-14 6PR R4	460 LB		\$398,00
	8204604	7 x 14 6PR R1 Ag Bar	366 LB		\$305,00



**BOOMER™ 2030 & 2035 COMPACT TRACTORS
US PRICE LIST**

(Dublin, GA)

	8216704	25/1050LLx15 6PR R3 Galaxy®	114 LB		\$584.00
	8251604	24 x 8.50-14 4PR R3 Turf	304 LB		\$305.00
	8278604	27 x 10.50-15 4PR R3 Turf	118 LB		\$435.00
Less Tire Option					
	8199907	Less front wheels and tires			No Charge

REAR TIRES AND WHEELS

SD_T4950 REAR WHEELS AND TIRES

	8312304	15x19.5 4PR R4,	460 LB		\$1,034.00
	8332604	11.2 x 24 4PR R1 Ag Bar	356 LB		\$780.00
	8302604	13.6 x 16 4PR R3 Turf	298 LB		\$780.00
	8304704	41/18LL x 16.1 6PR R3 Galaxy®	295 LB		\$2,044.00
	8304804	41X14.00-20 4PR R3	286 LB		\$1,194.00
	8399907	Less rear wheels and tires			No Charge

SD_T4931 SHIPPING WHEELS

Shipping Wheels					
	720457	Shipping wheel kit	350 LB		\$1,251.00



**BOOMER™ 3000 SERIES ROPS COMPACT TRACTOR
US PRICE LIST**

(Dublin, GA)

Standard Equipment

DIESEL ENGINE

Boomer 3040
N844 Engine
40.0 Gross Engine hp @ 2600 rpm
35.0 PTO hp @ 2600 rpm (Gear)
33.2 PTO hp @ 2600 rpm (Hydro)
121.7 cu. in. (2.0 L) Displacement
4 Cylinders

Boomer 3045
N844L Engine
45.0 Gross Engine hp @ 2600 rpm
39.6 PTO hp @ 2600 rpm (Gear)
37.8 PTO hp @ 2600 rpm (Hydro)
135.2 cu. in. (2.2 L) Displacement
4 Cylinders

Boomer 3050
N844L Engine
50.0 Gross Engine hp @ 2800 rpm
43.0 PTO hp @ 2800 rpm (Gear)
135.2 cu. in. (2.2 L) Displacement
4 Cylinders

ALL MODELS

Naturally Aspirated
Under Hood Muffler
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
13.0 gallon (49.2 L) Fuel Tank
Single Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood

INSTRUMENT PANEL

Analogue Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Parking Brake Indicator Light

Turn Indicator Lights
Hazard Flasher Indicator Lights

TRANSMISSION

12 x 12 SSS - Synchro Shuttle Shift
Left hand synchronized shuttle
(4) Synchronized gears
(3) Non-synchronized ranges
Dash Mounted Gear and Shuttle Controls

2- Range Hydrostatic High/Low with Powershift in each range
Cruise Control
(2) Pedal controls for forward and reverse

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
9.8 gpm (37.1 L/min)
Steering Pump Capacity:
5.1 gpm (19.4 L/min)
Mid-mount Hydraulic Ports

3-POINT LIFT SYSTEM

Lift Capacity @ 24 in. behind link ends:
2330 lb. (1057 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ROPS

2-Post Foldable Roll Bar
Seat Belt (Gear)
Retractable Seat Belt (Hydro)

ELECTRICAL

12-volt, 600 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff



**BOOMER™ 3000 SERIES ROPS COMPACT TRACTOR
US PRICE LIST**

(Dublin, GA)

Standard Equipment

<p>40 amp Alternator Operator Presence System</p> <p>LIGHTING (2) Halogen Corner Work Lights (2) Halogen Headlights (2) Taillights (2) Flashing Warning Lights/Turn Signals</p> <p>PTO Rear Independent 540 rpm Flip-up Shield Shaft Cap</p> <p>DRAWBAR Swinging 2-Position Extendable</p> <p>REAR DIFFERENTIAL LOCK</p> <p>STEERING Hydrostatic Power Steering Fixed Steering Column (Gear) Tilt Telescoping Steering Column (Hydro)</p> <p>BRAKES Wet Disc Right Side Mounted, Dual Brake Pedals (Gear) Left Side Mounted, Dual Brake Pedals (Hydro) Parking Brake Lock Lever</p> <p>FRONT AXLE Two Wheel Drive (2WD) -</p>	<p>(Boomer™ 3040 only) 5-position adjustable axle Reversible position rims 45.1 in. to 61.6 in. (1144 to 1564 mm) Tread Setting with R3 tires Four Wheel Drive (FWD) Fixed position rims 49.3 in. (1252 mm) Tread Setting with R4 tires</p> <p>REAR AXLE Flange Type Axle Adjustable Position Rims (except Galaxy® turf) 55.3 in. to 67.4 in. (1404 - 1712 mm) Tread Setting with R4 tires</p> <p>OPERATOR'S AREA Contoured Cushion Seat Fore/Aft/Height Compensating Adjustment with inclined track Spring Suspension (Gear) Weight Adjustable Suspension with Swivel (Hydro) Left Side Step Right Side Step (Hydro) Foot Throttle Deluxe Floor Mat (Hydro) Toolbox with cup holder (Hydro)</p> <p>SLOW MOVING VEHICLE EMBLEM</p> <p>WARRANTY Full Coverage - 24 months or 2000 hours Powertrain - 36 months or 2000 hours</p>
--	---



**BOOMER™ 3000 SERIES ROPS COMPACT TRACTOR
US PRICE LIST**

(Dublin, GA)
Models

COMMERCIAL MODEL	VERSION	MODEL	TRACTION	Weight	Factory Data	List Price
BOOMER 3040	Rops	Boomer Gear	2 WD	3,600 LB	9015980P80	\$19,976.00
Includes the following Equipment 7.50-15 6PR F2 \$919.00 14.9-24 4PR R1 Ag Bar \$2,198.00						
BOOMER 3040	Rops	Boomer Gear/HST	4 WD	3,600 LB	9019765P60	\$24,707.00
Includes the following Equipment Hydrostatic w/cruise \$2,600.00 10-16.5 6PR R4 Ind. Bar \$693.00 17.5 x 24 8PR R4 Ind Bar \$1,563.00						
BOOMER 3045	Rops	Boomer Gear/HST	4 WD	3,600 LB	9021484P80	\$26,856.00
Includes the following Equipment Hydrostatic w/cruise \$2,600.00 10-16.5 6PR R4 Ind. Bar \$693.00 17.5 x 24 8PR R4 Ind Bar \$1,563.00						
BOOMER 3050	Rops	Boomer Gear	4 WD	3,600 LB	9020683P20	\$25,854.00
Includes the following Equipment 10-16.5 6PR R4 Ind. Bar \$693.00 17.5 x 24 8PR R4 Ind Bar \$1,563.00						

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPACT TRACTOR COMPLETING PACKAGES

TRANSMISSION GROUP

SD T2810 TRANSMISSION

728299	12 x 12 Synchro shuttle Please note: For Boomer 3040/3045 4WD, deduct \$2,600 US list (\$3,510 Canada list) from above package pricing			No Charge
--------	---	--	--	-----------

SD T3330 FRONT AXLE/DRIVE ENGAGE

720416	SuperSteer™	144 LB	9001269P60	\$1,587.00
--------	-------------	--------	------------	------------

LOADER READY GROUP



**BOOMER™ 3000 SERIES ROPS COMPACT TRACTOR
US PRICE LIST**

(Dublin, GA)

SD_T7600 LOADER BRACKETS

	729633	Loader Ready 729633	310 LB	9001480P00	\$1,850,00
--	--------	---------------------	--------	------------	------------

COMPACT TRACTOR TIRES AND WHEELS

FRONT TIRES AND WHEELS

SD_T4940 FRONT WHEELS AND TIRES

Four Wheel Drive					
	8275704	10-16.5 6PR R4 Ind. Bar	160 LB	9000554P40	\$693,00
	8229704	8-16 6PR R1(Ag Bar) 8229704	178 LB	9000724P80	\$906,00
	8278604	27 x 10.50-15 4PR R3 Turf	118 LB	9000754P40	\$943,00
	8224704	27/12LL x 15 6PR Galaxy® Tires	148 LB	9000647P20	\$809,00
	8199907	Less front wheels and tires			No Charge
Two Wheel Drive					
	8152604	25X8.50-14 4PR R3 T	77 LB	9000655P20	\$819,00
	8146304	7.50-15 6PR F2		9000735P20	\$919,00

REAR TIRES AND WHEELS

SD_T4950 REAR WHEELS AND TIRES

	8396604	17.5 x 24 8PR R4 Ind Bar	456 LB		
		if TRACTION is 4 WD	456 LB	9001250P40	\$1,563,00
	8342604	14.9-24 4PR R1 Ag Bar	395 LB	9001758P40	\$2,198,00
	8303604	44 x 18-20 4PR R3 Turf	396 LB	9001239P20	\$1,549,00
	8310704	22.5LL x 16.1 6PR R3 Galaxy®	372 LB	9002108P80	\$2,636,00
	8399907	Less rear wheels and tires			No Charge

SHIPPING WHEELS

SD_T4931 SHIPPING WHEELS

	720457	Shipping wheel kit	350 LB	9001000P80	\$1,251,00
--	--------	--------------------	--------	------------	------------



**BOOMER™ 3000 SERIES CAB CVT COMPACT
US PRICE LIST**

(Dublin, GA)

Standard Equipment

DIESEL ENGINE

Boomer 3040
N844 Engine
40.0 Gross Engine hp @ 2600 rpm
32.0 PTO hp @ 2600 rpm
121.7 cu. in. (2.0L) Displacement

Boomer 3045
N844L Engine
45.0 Gross Engine hp @ 2600 rpm
36.0 PTO hp @ 2600 rpm
135.2 cu. in. (2.2L) Displacement

Boomer 3050
N844L Engine
50.0 Gross Engine hp @ 2800 rpm
40 PTO hp @ 2800 rpm
135.2 cu. in. (2.2L) Displacement

ALL MODELS

4 Cylinders
Naturally Aspirated
Under Hood Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
13 gallon (49.2 L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-Up Hood

INSTRUMENT PANEL

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Status Indicator Lights
Digital display panel w/ programmable set-up menu

TRANSMISSION

EasyDrive™ Continuously Variable Transmission (CVT)
Cruise Control

Steering Column mounted shuttle lever for FWD/REV directional control
Single pedal for speed control
Electronic Adjustable Speed & Reactivity settings

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
9.8 gpm (37.1 L/min)
Steering Pump Capacity:
5.1 gpm (19.4 L/min)
Mid-mount Hydraulic Ports

3-POINT LIFT SYSTEM

Lift Capacity @ 24 in. behind link ends:
2800 lb. (1057 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ELECTRICAL

12-volt, 600 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
55 amp Alternator
Operator Presence System
12-volt DC (10 amp) Auxiliary Power outlet

LIGHTING

(2) Halogen Corner Work Lights
(2) Halogen Headlights (high/low beam)
(2) Taillights
(2) Flashing Warning Lights/Turn Signals
(2) Front-mounted Cab Work Lights
(2) Rear-mounted Cab Work Lights

PTO

Rear



**BOOMER™ 3000 SERIES CAB CVT COMPACT
US PRICE LIST**

(Dublin, GA)

Standard Equipment

Independent 540 rpm
Flip-up Shield
Shaft Cap

DRAWBAR
Swinging
2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING
Hydrostatic Power Steering
Tilt and Telescoping Steering Column

BRAKES
Wet Disc
Parking Brake Lock Lever
Left Side Mounted Suspended Brake
Pedals

FRONT AXLE
Four Wheel Drive (FWD)
Fixed Position Rims
49.3 in. (1253 mm) Tread Setting with R4
tires
SuperSteer™ Front Axle with
Sensitrak™ Auto
FWD (optional)

REAR AXLE
Flange-type Axle
Adjustable Position Rims (except
Galaxy® turf)
55.3 in. to 67.4 in. (1404 - 1712 mm)
Tread Setting with R4 tires

CAB
(2) Doors
Rear Window Opens 35 degrees
High Visibility Panel in Roof above
Windshield
Air Conditioning
Heater
3-speed Fan Control for heat and A/C
Single Cab Air Filter
Radio-ready with (2) speakers, wiring
and antenna
Deluxe Cloth Covered Seat
Full suspension with weight
adjustability
Fore/Aft/ Swivel adjustment
Floor Mat
Cloth Covered Headliner
Adjustable Sun Visor
Interior Rearview Mirror
Left and Right External Mounted Mirrors
Removable Plug in rear of cab to route
harness
Front Windshield Wiper and Washer
Cup Holder
Left and Right Side Steps
Toolbox
Slow Moving Vehicle Emblem

WARRANTY
Full Coverage - 24 months or 2000
hours
Powertrain - 36 months or 2000 hours



**BOOMER™ 3000 SERIES CAB CVT COMPACT
US PRICE LIST**

(Dublin, GA)
Models

COMMERCIAL MODEL	VERSION	MODEL	TRACTION	Weight	Factory Data	List Price
BOOMER 3040	Cab	Boomer CVT	4 WD	3.600 LB	9026052P80	\$32,566,00
Includes the following Equipment						
10-16.5 6PR R4 Ind. Bar		\$693,00				
17.5 x 24 8PR R4 Ind Bar		\$1,563,00				
BOOMER 3045	Cab	Boomer CVT	4 WD	3.600 LB	9027549P60	\$34,437,00
Includes the following Equipment						
10-16.5 6PR R4 Ind. Bar		\$693,00				
17.5 x 24 8PR R4 Ind Bar		\$1,563,00				
BOOMER 3050	Cab	Boomer CVT	4 WD	4.180 LB	9028863P20	\$36,079,00
Includes the following Equipment						
10-16.5 6PR R4 Ind. Bar		\$693,00				
17.5 x 24 8PR R4 Ind Bar		\$1,563,00				

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPACT TRACTOR COMPLETING PACKAGES

TRANSMISSION GROUP

SD T2810 TRANSMISSION

728092	CVT with factory mid PTO		9000288P00	\$360,00
--------	--------------------------	--	------------	----------

SD T3330 FRONT AXLE/DRIVE ENGAGE

720416	SuperSteer™	144 LB	9001269P60	\$1,587,00
--------	-------------	--------	------------	------------

LOADER READY GROUP

SD T7600 LOADER BRACKETS

729633	Loader Ready 729633	310 LB	9001480P00	\$1,850,00
--------	---------------------	--------	------------	------------

COMPACT TRACTOR TIRES AND WHEELS

FRONT TIRES AND WHEELS

SD_T4940 FRONT WHEELS AND TIRES



**BOOMER™ 3000 SERIES CAB CVT COMPACT
US PRICE LIST**

(Dublin, GA)

Four Wheel Drive					
	8275704	10-16.5 6PR R4 Ind. Bar	160 LB	9000554P40	\$693.00
	8229704	8-16 6PR R1(Ag Bar) 8229704	178 LB	9000724P80	\$906.00
	8278604	27 x 10.50-15 4PR R3 Turf	118 LB	9000754P40	\$943.00
	8224704	27/12LL x 15 6PR Galaxy® Tires	148 LB	9000647P20	\$809.00
	8199907	Less front wheels and tires			No Charge

REAR TIRES AND WHEELS

SD T4950 REAR WHEELS AND TIRES					
	8396604	17.5 x 24 8PR R4 Ind Bar	456 LB		
		if TRACTION is 4 WD	456 LB	9001250P40	\$1,563.00
	8342604	14.9-24 4PR R1 Ag Bar	395 LB	9001758P40	\$2,198.00
	8303604	44 x 18-20 4PR R3 Turf	396 LB	9001239P20	\$1,549.00
	8310704	22.5LL x 16.1 6PR R3 Galaxy®	372 LB	9002108P80	\$2,636.00
	8399907	Less rear wheels and tires			No Charge

SHIPPING WHEELS

SD T4931 SHIPPING WHEELS					
	720457	Shipping wheel kit	350 LB	9001000P80	\$1,251.00

COMPACT TRACTOR FACTORY INSTALLED OPTIONS

MISCELLANEOUS

SD T1010 ENGINE OPTIONS					
	743243	75 Amp alternator	3 LB	9000132P00	\$165.00

SD T9800 OPERATORS MANUAL					
	729187	French Canadian - Deluxe	1 LB		No Charge



**MODEL T1530 ECONOMY COMPACT TRACTOR
US PRICE LIST**

(Dublin, GA)

Standard Equipment

DIESEL ENGINE

T1530
N844L Engine
45.0 Gross Engine hp @ 2600 rpm
38 PTO hp @ 2600 rpm (gear)
36 PTO hp @ 2600 rpm (hydro)
135.2 cu. in. (2.2 L) Displacement
4 Cylinders
Naturally Aspirated
Under Hood Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
10.0 gallon (39.0 L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Tilt Hood with removable side shields

INSTRUMENT PANEL

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights

TRANSMISSION OPTIONS

12 x 12 Gear Transmission
(NOTE: Current Inventory Only)
 Left hand Synchronized Shuttle
 4 Non-synchronized Gears
 3 Non-synchronized Ranges
 Dash Mounted Gear and Shuttle Controls
3-Range Hydrostatic
 2-pedal Controls for Forward and Reverse

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
 9.8 gpm (37.1 L/min)
Steering Pump Capacity:
 5.1 gpm (19.4 L/min)
Mid-mount Hydraulic Ports

3-POINT LIFT SYSTEM

Lift Capacity @ 24 in. behind link ends:
 2330 lb. (1057 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Turnbuckle-type Leveling Mechanism
Telescopic Stabilizers
Fixed Link Ends

ROPS

2-Post, Foldable Roll Bar
Seat Belt, non-retractable

ELECTRICAL

12-volt, 600 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
40 amp Alternator
Operator Presence System

LIGHTING

(2) Headlights
(2) Taillights
(2) Flashing Warning Lights/Turn Signals

REAR PTO

Independent 540 rpm (Gear)
 - Serial #Z9NBA1263 & Higher
Independent 540 rpm (Hydro)
Flip-up Shield
Shaft Cap



MODEL T1530 ECONOMY COMPACT TRACTOR
US PRICE LIST

(Dublin, GA)

Standard Equipment

DRAWBAR

Swinging
2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING

Hydrostatic Power Steering
Fixed Steering Column

BRAKES

Wet Disc
Right Side Mounted, Dual Brake Pedals
(Gear)
Left Side Mounted, Dual Brake Pedals
(Hydro)
Parking Brake Lock Lever

FRONT AXLE

Four Wheel Drive (FWD)
Fixed Position Rims
49.3 in. (1252 mm) Tread Setting with
R4 tires

REAR AXLE

Flange Type Axle
Adjustable Position Rims
55.3 in. (1404 mm) to 67.4 (1712 mm)
Tread Setting with R4 tires

OPERATOR'S AREA

Contoured Cushion Seat
Fore/Aft/Height Compensating
adjustment with inclined track
Spring Suspension
Rubber Mat on footboards
Foot Throttle (gear models only)
Cup holder
Left Side Step

SLOW MOVING VEHICLE EMBLEM

WARRANTY

Full Coverage - 24 months or 2000
hours
Powertrain - 36 months or 2000 hours

SHIPPING INFO

Shipped in crate, approx. 4.5 hours
assembly



**MODEL T1530 ECONOMY COMPACT TRACTOR
US PRICE LIST**

(Dublin, GA)

Models

COMMERCIAL MODEL	VERSION	MODEL	TRACTION	Weight	Factory Data	List Price
T1530	Rops	Econ CLS 3	4 WD	3.600 LB	9017392P00	\$21,740.00
Includes the following Equipment						
10-16.5 6PR R4 Ind. Bar				\$693.00		
17.5 x 24 8PR R4 Ind Bar				\$1,563.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPACT TRACTOR COMPLETING PACKAGES

TRANSMISSION GROUP

SD T2810 TRANSMISSION

	729290	Hydrostatic w/cruise		9001297P60	\$1,622.00
--	--------	----------------------	--	------------	------------

COMPACT TRACTOR TIRES AND WHEELS

FRONT TIRES AND WHEELS

SD_T4940 FRONT WHEELS AND TIRES

Four Wheel Drive					
	8275704	10-16.5 6PR R4 Ind. Bar	160 LB	9000554P40	\$693.00
	8229704	8-16 6PR R1(Ag Bar) 8229704	178 LB	9000724P80	\$906.00
	8278604	27 x 10.50-15 4PR R3 Turf	118 LB	9000754P40	\$943.00
	8199907	Less front wheels and tires			No Charge

REAR TIRES AND WHEELS

SD T4950 REAR WHEELS AND TIRES

	8396604	17.5 x 24 8PR R4 Ind Bar	456 LB	9001250P40	\$1,563.00
	8342604	14.9-24 4PR R1 Ag Bar	395 LB	9001758P40	\$2,198.00
	8303604	44 x 18-20 4PR R3 Turf	396 LB	9001239P20	\$1,549.00
	8399907	Less rear wheels and tires			No Charge



**BOOMER™ 8N ROPS COMPACT TRACTOR
US PRICE LIST**

(Dublin, GA)

Standard Equipment

DIESEL ENGINE

Boomer 8N
N844L Engine
50.0 Gross Engine hp @ 2800 rpm
40.0 PTO hp @ 2800 rpm
135.2 cu. in. (2.2 L) Displacement
4 Cylinders
Naturally Aspirated
Under Hood Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
13.0 gallon (49.2 L) Fuel Tank
Fuel Filter with Water Separator
Quick Glow Plug Starting Aid
Flip-up Hood

INSTRUMENT PANEL

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Status Indicator Lights
Digital Display Panel with
 Programmable Setup Menu

TRANSMISSION

EasyDrive™
Continuously Variable
Transmission (CVT)
Cruise Control
Steering Column mounted Shuttle Lever
 for Forward and Reverse Direction
 Control
Single Pedal for Speed Control
Electronically Adjustable Speed and
 Reactivity Settings

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
 9.8 gpm (37.1 L/min)
Steering Pump Capacity:
 5.1 gpm (19.4 L/min)
Mid-mount Hydraulic Ports

3-POINT LIFT SYSTEM

Lift Capacity @ 24 in. behind link ends:
2800lb. (1270 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ROPS

2-Post Foldable Roll Bar
Retractable Seat Belt

ELECTRICAL

12-volt, 600 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
55 amp Alternator
Operator Presence System
12 volt DC (10 amp) Auxiliary Power
 outlet

LIGHTING

(2) Halogen Headlights (High/Low
 Beam)
(2) Taillights
(2) Flashing Warning Lights/Turn
 Signals

PTO

Rear
Independent 540 rpm
Flip-up Shield
Shaft Cap



**BOOMER™ 8N ROPS COMPACT TRACTOR
US PRICE LIST**

(Dublin, GA)

Standard Equipment

DRAWBAR

Swinging
2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING

Hydrostatic Power Steering
Tilt & Telescoping Steering Column

BRAKES

Wet Disc
Right Side Mounted, Single Brake Pedal
Parking Brake Lock Lever

FRONT AXLE

Four Wheel Drive (FWD)
Fixed position rims
49.3 in. (1253 mm) Tread Setting with
R4 tires

REAR AXLE

Flange Type Axle
Adjustable Position Rims R1 & R3, Fixed
Position Rims R4
53.0 in. (1346 mm) Tread Setting with
R4 tires

OPERATOR'S AREA

Contoured Cushion Seat
Fore/Aft/Height Compensating
Adjustment with inclined track
Weight Adjustable Suspension
Swivel Seat Adjustment
Deluxe Floormat
Left and Right Side Steps

SLOW MOVING VEHICLE EMBLEM

TOOLBOX WITH CUPHOLDER

WARRANTY

Full Coverage - 24 months or 2000
hours
Powertrain - 36 months or 2000 hours



**BOOMER™ 8N ROPS COMPACT TRACTOR
US PRICE LIST**

(Dublin, GA)
Models

COMMERCIAL MODEL	VERSION	MODEL	TRACTION	Weight	Factory Data	List Price
BOOMER 8N	Rops	8N CVT	4 WD	3,600 LB	9026177P60	\$32,722.00
Includes the following Equipment						
10-16.5 6PR R4 Ind. Bar				\$693.00		
17.5 x 24 8PR R4 Ind Bar				\$1,563.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPACT TRACTOR COMPLETING PACKAGES

TRANSMISSION GROUP

SD T2810 TRANSMISSION				
	728092	CVT with factory mid PTO		9000288P00 \$360.00

LOADER READY GROUP

SD T7600 LOADER BRACKETS				
	729633	Loader Ready 729633	310 LB	9001480P00 \$1,850.00

COMPACT TRACTOR TIRES AND WHEELS

FRONT TIRES AND WHEELS

SD T4940 FRONT WHEELS AND TIRES				
Four Wheel Drive				
	8275704	10-16.5 6PR R4 Ind. Bar	160 LB	9000554P40 \$693.00
	8229704	8-16 6PR R1(Ag Bar) 8229704	178 LB	9000724P80 \$906.00
	8278604	27 x 10.50-15 4PR R3 Turf	118 LB	9000754P40 \$943.00
	8199907	Less front wheels and tires		No Charge

REAR TIRES AND WHEELS

SD T4950 REAR WHEELS AND TIRES				
	8396604	17.5 x 24 8PR R4 Ind Bar	456 LB	9001250P40 \$1,563.00
	8342604	14.9-24 4PR R1 Ag Bar	395 LB	9001758P40 \$2,198.00
	8303604	44 x 18-20 4PR R3 Turf	396 LB	9001239P20 \$1,549.00
	8399907	Less rear wheels and tires		No Charge



-T0CF 04

**BOOMER™ 8N ROPS COMPACT TRACTOR
US PRICE LIST**

(Dublin, GA)



SD_T9200 OPERATOR STRUCTURE #1

	720874	Chrome Foldable ROPS		9000350P40	\$438,00
--	--------	----------------------	--	------------	----------



**BOOMER™ 4055 & 4060 ROPS TRACTORS
US PRICE LIST**

(Dublin, GA)

Standard Equipment

DIESEL ENGINE

Boomer 4055
N844L-T Engine
55.0 Gross Engine hp @ 2700 rpm
47.0 PTO hp @ 2700 rpm - 12 x 12 SSS
46.0 PTO hp @ 2700 rpm - 12 x 12 EHSS
135.2 cu. in. (2.2 L) Displacement

Boomer 4060

N844L-T Engine
60.0 Gross Engine hp @ 2800 rpm
51.0 PTO hp @ 2800 rpm - 12 x 12 SSS
50.0 PTO hp @ 2800 rpm - 12 x 12 EHSS

ALL MODELS

4 Cylinders
Turbocharged
Under Hood Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
13.5 gallon (51.1 L) Fuel Tank
Single Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood

INSTRUMENT PANEL

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator

TRANSMISSION OPTIONS

12 x 12 SSS (Synchro Shuttle Shift)
 Left-hand synchronized shuttle
12 x 12 EHSS (Electrohydraulic Shuttle
 Shift) Left-hand clutchless shuttle

(4) Synchronized Gears, (3) Non-synchronized Ranges
Dash Mounted Gear and Shuttle Controls

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
 11.6 gpm (43.9 L/min) - Boomer 4055
 12.0 gpm (45.4 L/min) - Boomer 4060
Steering Pump Capacity:
 5.5 gpm (20.8 L/min)
Mid-mount Hydraulic Ports

3-POINT LIFT SYSTEM

Lift Capacity @ 24 in. behind link ends:
 3465 lb. (1571 kg)
Category II, 3-point Linkage
 Includes Category I/II ball ends
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ROPS

2-Post Foldable Roll Bar
Retractable Seat Belt

ELECTRICAL

12-volt, 750 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
55 amp Alternator
Operator Presence System
12-volt DC (10 amp) Auxiliary Power Outlet
7-pin Outlet for Trailer and Implement Lighting

LIGHTING

(2) Halogen Corner Work Lights
(2) Halogen Headlights (high/low beam)
(2) Taillights/Brake Lights



**BOOMER™ 4055 & 4060 ROPS TRACTORS
US PRICE LIST**

(Dublin, GA)

Standard Equipment

(2) Flashing Warning Lights/Turn
Signals

56.4 in. (1432 mm) Tread Setting
with R4 tires

REAR PTO
Independent 540 rpm
Flip-up Shield
Shaft Cap

REAR AXLE
Flange Type Axle
Adjustable Position Rims (except R3 turf)
52.8 in. (1341 mm) to 76.4 in. (1939 mm)
Tread Setting with R4 tires

DRAWBAR
Swinging
2-Position Extendable

OPERATOR'S AREA
Contoured Cushion Seat
Fore/Aft/Height Compensating
adjustment with inclined track
Weight Adjustable Suspension

REAR DIFFERENTIAL LOCK

Deluxe Floor Mat
Left Side Step
Foot Throttle
Cup Holder

STEERING
Hydrostatic Power Steering
Tilt and Telescoping Steering Column

BRAKES
Wet Disc
Right Side Mounted, Dual Brake Pedals
Parking Brake Lock Lever

SLOW MOVING VEHICLE EMBLEM

FRONT AXLE
Four Wheel Drive (FWD)
Fixed Position Rims

TOOLBOX

WARRANTY
Full Coverage - 24 mths or 2000 hrs
Powertrain - 36 mths or 2000 hrs



**BOOMER™ 4055 & 4060 ROPS TRACTORS
US PRICE LIST**

(Dublin, GA)
Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
BOOMER 4055	Rops	4.740 LB		\$28,565.00
Includes the following Equipment				
12-16.5 8PR R4 Ind Bar	\$943.00			
18.4-24 8PR R4 Ind. bar	\$1,651.00			
BOOMER 4060	Rops	4.740 LB		\$30,400.00
Includes the following Equipment				
12-16.5 8PR R4 Ind Bar	\$943.00			
18.4-24 8PR R4 Ind. bar	\$1,651.00			

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPACT TRACTOR COMPLETING PACKAGES

TRANSMISSION GROUP

SD T2810 TRANSMISSION

720110	12 x 12 Synchro-shuttle			No Charge
--------	-------------------------	--	--	-----------

SD T2817 CLUTCHLESS SHUTTLE

728268	12 x 12 Clutchless shuttle (EHSS)			\$1,185.00
--------	-----------------------------------	--	--	------------

LOADER READY GROUP

SD T7600 LOADER BRACKETS

729102	Loader Ready	350 LB		\$2,170.00
--------	--------------	--------	--	------------

COMPACT TRACTOR TIRES AND WHEELS

FRONT TIRES AND WHEELS

SD T4940 FRONT WHEELS AND TIRES

8276604	12-16.5 8PR R4 Ind Bar	220 LB		\$943.00
8129604	8-16 6PR R1 Ag Bar	178 LB		\$906.00
8221404	9.5 x 16 6PR R1 Ag Bar	156 LB		\$770.00
8224704	27/12LL x 15 6PR Galaxy® Tires	148 LB		\$809.00
8278604	27 x 10.50-15 4PR R3 Turf	118 LB		\$943.00



**BOOMER™ 4055 & 4060 ROPS TRACTORS
US PRICE LIST**

(Dublin, GA)

	8199907	Less front wheels and tires			No Charge
--	---------	-----------------------------	--	--	-----------

REAR TIRES AND WHEELS

SD T4950 REAR WHEELS AND TIRES

	8340804	18.4-24 8PR R4 Ind. bar	632 LB		\$1,651,00
	8342604	14.9-24 4PR R1 Ag Bar	395 LB		\$1,269,00
	8351304	14.9-28 6PR R1	478 LB		\$1,423,00
	8304304	44-18.00-20 6PR R3 Turf	428 LB		\$1,549,00
	8310704	22.5LL x 16.1 6PR R3 Galaxy®	372 LB		\$2,636,00
	8399907	Less rear wheels and tires			No Charge

SHIPPING WHEELS

SD T4931 SHIPPING WHEELS

	720457	Shipping wheel kit	350 LB		\$1,251,00
--	--------	--------------------	--------	--	------------

COMPACT TRACTOR FACTORY INSTALLED OPTIONS

MISCELLANEOUS

SD T9800 OPERATORS MANUAL

	729187	French Canadian - Deluxe	1 LB		No Charge
--	--------	--------------------------	------	--	-----------



**BOOMER™ 4055 & 4060 CAB TRACTORS
US PRICE LIST**

(Dublin, GA)

Standard Equipment

DIESEL ENGINE

Boomer 4055
N844L-T Engine
55 Gross Engine hp @ 2700 rpm
47 PTO hp @ 2700 rpm - 12 x 12 SSS
46 PTO hp @ 2700 rpm - 12 x 12 EHSS
135.2 cu. in. (2.2 L) Displacement

Boomer 4060
N844L-T Engine
60 Gross Engine hp @ 2800 rpm
51 PTO hp @ 2800 rpm - 12 x 12 SSS
50 PTO hp @ 2800 rpm - 12 x 12 EHSS
135.2 cu. in. (2.2 L) Displacement

ALL MODELS

4 Cylinders
Turbocharged
Under Hood Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
16.0 gallon (60.6 L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood

INSTRUMENT PANEL

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator

TRANSMISSION OPTIONS

12 x 12 SSS (Synchro Shuttle Shift)
Left-hand synchronized shuttle
12 x 12 EHSS (Electrohydraulic Shuttle Shift) Left-hand clutchless shuttle
(4) Synchronized Gears, (3) Non-synchronized Ranges
Dash Mounted Gear and Shuttle Controls

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
11.6 gpm (43.9 L/min) - Boomer 4055
12.0 gpm (45.4 L/min) - Boomer 4060
Steering Pump Capacity:
5.5 gpm (20.8 L/min)
Mid-mount Hydraulic Ports

3-POINT LIFT SYSTEM

Lift Capacity @ 24 in. behind link ends:
3465 lb. (1571 kg)
Category II, 3-point Linkage
Includes Category I/II ball ends
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ELECTRICAL

12-volt, 750 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
55 amp Alternator
Operator Presence System
12-volt DC (10 amp) Auxiliary Power Outlet
7-pin outlet for trailer and implement lighting



**BOOMER™ 4055 & 4060 CAB TRACTORS
US PRICE LIST**

(Dublin, GA)

Standard Equipment

<p>LIGHTING (2) Halogen Corner Work Lights (2) Halogen Headlights (high/low beam) (2) Taillights/ Brake lights (2) Flashing Warning Lights/Turn Signals (2) Front mounted cab Work Lights (2) Rear mounted cab Work Lights</p> <p>REAR PTO Independent 540 rpm Flip-up Shield Shaft Cap</p> <p>DRAWBAR Swinging 2-Position Extendable</p> <p>REAR DIFFERENTIAL LOCK</p> <p>STEERING Hydrostatic Power Steering Tilt and Telescoping Steering Column</p> <p>BRAKES Wet Disc Right Side Mounted, Dual Brake Pedals Hand Lever Parking Brake</p> <p>FRONT AXLE Four Wheel Drive (FWD) Fixed Position Rims 56.4 in. (1432 mm) Tread Setting with R4 tires</p> <p>REAR AXLE Flange Type Axle Adjustable Position Rims (except Galaxy® turf)</p>	<p>52.8 in. (1341 mm) to 76.4 in. (1939 mm) Tread Setting with R4 tires</p> <p>CAB 2 doors Rear window opens 35 degrees High Visibility panel in roof above windshield Air Conditioning Heater 3 Speed Fan control for Heat and A/C Single Cab air filter Radio - ready with (2) speakers, wiring and antenna Deluxe Cloth covered Seat Full suspension with weight adjustability Fore/Aft/Swivel Adjustment Floor Mat Cloth covered headliner Adjustable sun visor Interior rear view mirror Left and Right external mounted mirrors Removable plug in rear of cab to route harness Front windshield wiper and washer Cup Holders Left and Right Side Steps Toolbox Foot Throttle Slow Moving Vehicle Emblem</p> <p>WARRANTY Full Coverage - 24 months or 2000 hours Powertrain - 36 months or 2000 hours</p>
---	--



**BOOMER™ 4055 & 4060 CAB TRACTORS
US PRICE LIST**

(Dublin, GA)
Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
BOOMER 4055	Cab	4.740 LB		\$35,873,00
Includes the following Equipment				
12-16.5 8PR R4 Ind Bar	\$943,00			
18.4-24 8PR R4 Ind. bar	\$1.651,00			
BOOMER 4060	Cab	4.300 LB		\$37,708,00
Includes the following Equipment				
12-16.5 8PR R4 Ind Bar	\$943,00			
18.4-24 8PR R4 Ind. bar	\$1.651,00			

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPACT TRACTOR COMPLETING PACKAGES

TRANSMISSION GROUP

SD T2810 TRANSMISSION

720110	12 x 12 Synchro-shuttle			No Charge
--------	-------------------------	--	--	-----------

SD T2817 CLUTCHLESS SHUTTLE

728268	12 x 12 Clutchless shuttle (EHSS)			\$1,185,00
--------	--------------------------------------	--	--	------------

LOADER READY GROUP

SD T7600 LOADER BRACKETS

729102	Loader Ready	350 LB		\$2,170,00
--------	--------------	--------	--	------------

COMPACT TRACTOR TIRES AND WHEELS

FRONT TIRES AND WHEELS

SD T4940 FRONT WHEELS AND TIRES

8276604	12-16.5 8PR R4 Ind Bar	220 LB		\$943,00
8129604	8-16 6PR R1 Ag Bar	178 LB		\$906,00
8221404	9.5 x 16 6PR R1 Ag Bar	156 LB		\$770,00
8224704	27/12LL x 15 6PR Galaxy® Tires	148 LB		\$809,00
8278604	27 x 10.50-15 4PR R3 Turf	118 LB		\$943,00



**BOOMER™ 4055 & 4060 CAB TRACTORS
US PRICE LIST**

(Dublin, GA)

	8199907	Less front wheels and tires			No Charge
--	---------	-----------------------------	--	--	-----------

REAR TIRES AND WHEELS

SD T4950 REAR WHEELS AND TIRES

	8340804	18.4-24 8PR R4 Ind. bar	632 LB		\$1.651,00
	8342604	14.9-24 4PR R1 Ag Bar	395 LB		\$1.269,00
	8351304	14.9-28 6PR R1	478 LB		\$1.423,00
	8304304	44-18.00-20 6PR R3 Turf	428 LB		\$1.549,00
	8310704	22.5LL x 16.1 6PR R3 Galaxy®	372 LB		\$2.636,00
	8399907	Less rear wheels and tires			No Charge

SHIPPING WHEELS

SD T4931 SHIPPING WHEELS

	720457	Shipping wheel kit	350 LB		\$1.251,00
--	--------	--------------------	--------	--	------------

COMPACT TRACTOR FACTORY INSTALLED OPTIONS

MISCELLANEOUS

SD T9800 OPERATORS MANUAL

	729187	French Canadian - Deluxe	1 LB		No Charge
--	--------	--------------------------	------	--	-----------



**MODEL 708D DEBRIS BLOWER
US PRICE LIST**

Standard Equipment

Model 708D Debris Blower

Manual Air Nozzle Deflector - Standard
Adjustable Wheel (13 in.) - Standard

Attachment for Commercial Mower
G6030 and G6035

NOTE: Requires 710215016 rear weights (3 recommended) and 716795006 rear weight bracket from the Extra Equipment Section and remote valve 716792006.

SPECIFICATIONS:

Air Velocity (mph) - 254
No. of Fan Blades - 12
Fan Diameter - 20 in.
Air Nozzle Rotation - 220 Degrees

Models

COMMERCIAL MODEL	MID PTO DRIVE KIT	Weight	Factory Data	List Price
708D	MID PTO Drive Kit-III	350 LB		\$3,052.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ATTACHMENT SECTION

REQUIRED OPTIONS

SD 03007 MID PTO DRIVE KIT

	717155	MID PTO Drive Kit-III	7 LB		\$193.00
--	--------	-----------------------	------	--	----------

SD N5701 HITCH AND SUBFRAME

	715422	Quick Hitch -Com mwr/class .75	195 LB		\$303.00
--	--------	--------------------------------	--------	--	----------

OPTIONAL EQUIPMENT

SD 20125 SINGLE REMOTE VALVE

	716792	Remote Hydraulic Valve Kit not required if valve is/was ordered with base unit	13 LB		\$525.00
--	--------	---	-------	--	----------



**MODEL 906 POST HOLE DIGGER
US PRICE LIST**

(Sioux Falls, SD)

Standard Equipment

906 Post Hole Digger (Current Inventory Only)

42in

The Model 906 Post Hole Digger is 3-pt. hitch mounted, PTO driven and available with 6 inch to 24 inch augers.

TRUCK LOADING PATTERN
48 Units with Augers
Basic digger crated as individual unit less auger
Dealer pickup permitted

SPECIFICATIONS:

Hitch Category

- Light Duty - I
- Medium Duty - I or II
- Heavy Duty - I or II

Order the following to make up a complete unit:

- Basic Digger
 - Light duty digger complete with shear bolt, PTO and safety shields, less auger
 - Medium duty digger complete with shear bolt, PTO and safety shields, less auger
 - Heavy duty digger complete with shear bolt, PTO and safety shields, less auger
- Auger(s) as required

Input rpm on PTO

- Light Duty - 540
- Medium Duty - 540
- Heavy Duty - 540

Max. Tractor PTO Horsepower

- Light Duty - 35 HP
- Medium Duty - 55 HP
- Heavy Duty - 90 HP

An optional down pressure kit is available for the heavy duty model.

Drive Protection

Shear Bolt

Output Shaft Diameter

2in

WARRANTY

New Holland
Standard Warranty Applies

Maximum Digging Deepth (less extension)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
906PHD	Light Duty Digger	235 LB		\$1,017.00



**MODEL 906 POST HOLE DIGGER
US PRICE LIST**

(Sioux Falls, SD)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPLETING PACKAGES

COMPLETING PACKAGES

SD 01001 BASE UNIT

	715563 Medium Duty Digger			\$353.00
	715564 Heavy Duty Digger			\$836.00

AUGERS (AS REQUIRED)

SD_N5601 6 IN SEMI-DBL FLIGH

	715565 6 in. Semi-Double Flight Auger	39 LB		\$235.00
--	---------------------------------------	-------	--	----------

SD_N5602 9 IN DBL FLIGHT AUG

	715567 9 in. Double Flight Auger	64 LB		\$279.00
--	----------------------------------	-------	--	----------

SD_N5603 9 IN SEMI-DBL FLIGH

	715566 9 in. Semi-Double Flight Auger	53 LB		\$249.00
--	---------------------------------------	-------	--	----------

SD_N5604 12 IN DBL FLIGHT AU

	715569 12 in. Double Flight Auger For Medium and Heavy only	77 LB		\$338.00
--	--	-------	--	----------

SD_N5605 12 IN SEMI-DBL FLIG

	715568 12 in Semi-Double Flight Auger For Medium and Heavy only	64 LB		\$249.00
--	--	-------	--	----------

SD_N5606 14 IN DBL FLIGHT AU

	716649 14 in. Double Flight Auger For Medium and Heavy only	82 LB		\$422.00
--	--	-------	--	----------

SD_N5607 18 IN DBL FLIGHT AU

	715570 18 in. Double Flight Auger For Medium and Heavy only	93 LB		\$458.00
--	--	-------	--	----------

SD_N5608 24 IN DBL FLIGHT AU

	715571 24 in. Double Flight Auger For Heavy only	132 LB		\$586.00
--	---	--------	--	----------

EXTRA EQUIPMENT

POST HOLE DIGGER OPTIONS



**MODEL 906 POST HOLE DIGGER
US PRICE LIST**

(Sioux Falls, SD)

SD_05075 PARKING STAND					
	715574	Parking Stand	42 LB		\$169,00
SD_50027 DOWN PRESSURE KIT					
	715572	Down Pressure Kit Includes 2in x 8in cylinder and hoses from tractor valve (for heavy duty only, not compatible with Compact tractors)	31 LB		\$535,00
SD_N5609 AUGER POSITION HANDLE					
	715573	Auger Positioning Handle	12 LB		\$65,00



910GH BACKHOE
US PRICE LIST

(Sioux Falls, SD)

Standard Equipment

TRACTOR APPLICATION: Boomer™
1020, 1025, Boomer™ 1030, T1010,
T1030, TZ18DA, TZ22DA, TZ24DA,
TZ25DA, T1110, TC23DA, TC24DA,
TC26DA, TC18, TC21D/DA.

*SPECIFICATIONS:

Digging Depth 75.8 in.
Reach from Swing Pivot 102 in.
Transport Height 65 in.
Bucket Rotation 180°
Stabilizer Spread - Transport 45.9 in.
Stabilizer Spread - Operating 78 in.
Loading Height 68.2 in.
Swing Arc 140°
Bucket Digging Forces 2003 lb.
Dipper Stick Digging Forces 1150 lb.
Operating Pressure 1800 psi
Boom Cylinder 2.50 x 12.37 in.
Dipperstick Cylinder 2.25 x 12.0 in.
Bucket Cylinder 2.25 x 13.87 in.
Swing Cylinder 2.50 x 8.00 in.
Stabilizer Cylinder 2.25 x 10.66 in.
Shipping Weight 630 lb.

*Specifications vary with tractor model,
hydraulic system, tire size, etc.

Note: For TC30 and T1520 with fixed,
clevis-type drawbar, the optional

swinging/adjustable or extension
drawbar is required in order to mount a
backhoe.

TRUCK LOADING PATTERN

28 Units (depending on size with
buckets)
Can be combined with other
products from source
Dealer pickup permitted

WARRANTY

New Holland
Standard Warranty Applies

IMPORTANT INFORMATION

The tractor must be equipped with a front
end loader or front mount blade when
installing a 900 Series backhoe.

Note: Mid-mount mower is not
compatible with backhoe installed.

The following items are required to make
up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment



**910GH BACKHOE
US PRICE LIST**

(Sioux Falls, SD)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
910GBH	640 LB		\$6,419,00
910GCH	645 LB		\$6,419,00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ATTACHMENT SECTION

REQUIRED OPTIONS

SD_20102 HYDRAULIC KIT

	716395	Hyd Kit 716395 910GH - Boomer™ 1020, 1025, 1030, T1010, T1030, T1110, TZ18DA, TZ22DA, TZ24DA, TZ25DA. All other backhoes - T1510, T1520, TC30, 1720.	41 LB		\$238,00
	716964	Hyd Kit 716964 910GH - TC23DA, TC24DA, TC26DA, TC18, TC21D/DA. 756 - TC18 above serial no. UD33666, TC21/21D/21DA above serial no. UF33357, TC23DA, TC24D/DA and TC26DA.	12 LB		\$238,00

SD_N5701 HITCH AND SUBFRAME

	715423	Front Quick Hitch/Subframe For TC23DA, TC24DA, TC26DA, TC18, TC21D/DA	510 LB		\$693,00
	715454	Front Quick Hitch/Subframe For Boomer™ 1020, 1025 & 1030, T1010, T1110, T1030, TZ18DA, TZ22DA, TZ24DA, TZ25DA.	510 LB		\$693,00
	715651	Front mounting brackets-715651 910GH - Boomer™ 1030, T1110. 756C - TC18, TC21/21D/21DA, TC23DA, TC24D/24DA, and TC26DA (includes center mount adapter kit).	493 LB		\$693,00

BUCKETS - MUST CHOOSE AT LEAST ONE

SD_N5401 9 IN STD BUCKET

	716398	9 in./229mm standard bucket	74 LB		\$308,00
--	--------	-----------------------------	-------	--	----------



**910GH BACKHOE
US PRICE LIST**

(Sioux Falls, SD)

SD N5403 12 IN STD BUCKET

		716399	12 in./305mm standard bucket	107 LB		\$450.00
--	--	--------	------------------------------	--------	--	----------

SD N5405 16 IN STD BUCKET

		716400	16 IN Std Bucket	119 LB		\$483.00
--	--	--------	------------------	--------	--	----------

OPTIONAL EQUIPMENT

SD 50005 BIG FOOT DIRT PADS

		716525	Big foot dirt pads	65 LB		\$145.00
--	--	--------	--------------------	-------	--	----------

SD 50092 RUBBER STREET PADS

		716410	Rubber street pads	18 LB		\$209.00
--	--	--------	--------------------	-------	--	----------



920GH BACKHOE
US PRICE LIST

(Sioux Falls, SD)

Standard Equipment

TRACTOR APPLICATION: Boomer™
2030, Boomer™ 2035, T2210, T2220,
TC25-TC34DA, T1510, T1520, TC30,
T1530, Boomer™ 3040, Boomer™
3045, Boomer™ 3050, T2310, T2320,
T2330, TC35-TC45DA, Boomer™ 4055,
Boomer™ 4060, T2410, T2420,
TC48DA, TC55DA

BACKHOE MODEL: 920GH

*SPECIFICATIONS:

Digging Depth 89.9 in.
Reach from Swing Pivot 123 in.
Transport Height 79 in.
Bucket Rotation 180°
Stabilizer Spread - Transport 54 in.
Stabilizer Spread - Operating 79 in.
Loading Height ---
Swing Arc 180°
Bucket Digging Forces 2785 lb.
Dipper Stick Digging Forces 2020 lb.
Operating Pressure 2150 psi
Boom Cylinder 2.75 x 16.75 in.
Dipperstick Cylinder 3.00 x 14.00 in.
Bucket Cylinder 2.00 x 19.25 in.
Swing Cylinder 2.25 x 8.97 in.
Stabilizer Cylinder 2.25 x 10.66 in.
Shipping Weight 875 lb.

*Specifications vary with tractor model,
hydraulic system, tire size, etc.

Note: For TC30 and T1520 with fixed,

clevis-type drawbar, the optional
swinging/adjustable or extension
drawbar is required in order to mount a
backhoe. For T1530, must install
additional Drawbar Kit SBA370020610 in
order to mount backhoe.

TRUCK LOADING PATTERN

28 Units (depending on size with
buckets)

Can be combined with other
products from source
Dealer pickup permitted

WARRANTY

New Holland
Standard Warranty Applies

IMPORTANT INFORMATION

The tractor must be equipped with a front
end loader or front mount blade when
installing a 900 Series backhoe.

Note: Mid-mount mower is not
compatible with backhoe installed.

The following items are required to make
up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment



**920GH BACKHOE
US PRICE LIST**

(Sioux Falls, SD)
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
920GBH	872 LB		\$6,978.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ATTACHMENT SECTION

REQUIRED OPTIONS

SD 20102 HYDRAULIC KIT

	715392	Hydraulic kit 920GH/930GH - Boomer™ 4055 & 4060, TC48DA, TC55DA, T2410, T2420. 940 GH - For TNA/TN, TL/TL, 30/35 Series, TD Series order either 715743 or 716411. Do NOT order both.	20 LB		\$238,00
	715396	Hydraulic kit For Boomer™ 2030 & 2035, T2210, T2220, TC29DA, TC31DA, TC33DA, TC34DA.	18 LB		\$238,00
	715431	Hydraulic valve kit For Boomer™ 3040/3045/3050, Boomer 8N, T1530, T2310, T2320, T2330, TC35/35D/35DA, TC40/40D/40DA, TC45/45D/45DA. Fits all Gear, HST, and CVT Models.	37 LB		\$238,00
	716395	Hyd Kit 716395 910GH - Boomer™ 1020, 1025, 1030, T1010, T1030, T1110, TZ18DA, TZ22DA, TZ24DA, TZ25DA. All other backhoes - T1510, T1520, TC30, 1720.	41 LB		\$238,00
	716397	Hyd Kit 716397 For TC25/25D, TC29/29D, TC33/33D.	41 LB		\$238,00

SD N5701 HITCH AND SUBFRAME

	715451	Front mounting brackets-715451 For Boomer™ 3040/3045/3050, T1530, T2310, T2320, T2330, TC35/35D, TC45/45D/45DA, . Fits Gear and HST models.	1,200 LB		\$726,00
--	--------	--	----------	--	----------



**920GH BACKHOE
US PRICE LIST**

(Sioux Falls, SD)

	716394	Subframe For Boomer™ 4055 & 4060, TC48DA, TC55DA, T2410, T2420. 940GH - choose subframe OR 3-point link, not both.	659 LB		\$745,00
	716437	Front quick hitch - Class 3 For Boomer™ 2030/2035, TC25/25D, TC29/29D29DA, TC31DA, TC33/33D/33DA, TC34DA, TC30, T1510, T1520, T2210, T2220. TC30 & T1520 w/ fixed clevis type drawbar requires swinging/extendable drawbar kit SBA370020610 or adjustable drawbar kit SBA370020970 available through service parts.	385 LB		\$629,00
	717751	Front quick hitch - Class 3 AT For Boomer™ 3040, 3045, 3050, and Boomer 8N with EasyDrive™ CVT Transmission.			\$726,00

BUCKETS - MUST CHOOSE AT LEAST ONE

SD_N5401 9 IN STD BUCKET					
	716398	9 in./229mm standard bucket	74 LB		\$308,00
SD_N5403 12 IN STD BUCKET					
	716399	12 in./305mm standard bucket	107 LB		\$450,00
SD_N5404 16 IN HD BUCKET					
	716494	16 in./406mm heavy-duty bucket	171 LB		\$497,00
SD_N5407 18 IN STD BUCKET					
	716434	18 in./457mm standard bucket	128 LB		\$518,00
SD_N5408 24 IN HD BUCKET					
	716493	24 in./609mm heavy-duty bucket	214 LB		\$581,00
SD_N5410 36 IN GRAVE BUCKET					
	716435	36 in./914 mm grave bucket	181 LB		\$605,00
SD_N5411 36 IN MUCK BUCKET					
	716436	36 in./914 mm muck bucket	178 LB		\$605,00

OPTIONAL EQUIPMENT

SD_03008 PTO PUMP AND RESERV					
	716411	PTO pump and reservoir	133 LB		\$1,240,00
SD_50005 BIG FOOT DIRT PADS					
	716525	Big foot dirt pads	65 LB		\$145,00



-CP1N 02

920GH BACKHOE
US PRICE LIST

(Sioux Falls, SD)

SD 50092 RUBBER STREET PADS

	716410	Rubber street pads	18 LB		\$209,00
--	--------	--------------------	-------	--	----------



930GH BACKHOE
US PRICE LIST

(Sioux Falls, SD)

Standard Equipment

TRACTOR APPLICATION: Boomer™
2030, Boomer 2035, T2210, T2220,
TC25-TC34DA, T1510, T1520, TC30,
T1530, Boomer 3040, Boomer 3045,
Boomer 3050, Boomer 8N, T2310,
T2320, T2330, TC35-TC45DA, Boomer
4055, Boomer 4060, T2410, T2420,
TC48DA, TC55DA

BACKHOE MODEL: 930GH

Boomer 8N CONFIGURATION:
930GEN - Boomer 8N ONLY

*SPECIFICATIONS:

Digging Depth 102 in.
Reach from Swing Pivot 134 in.
Transport Height 84.7 in.
Bucket Rotation 180°
Stabilizer Spread - Transport 53 in.
Stabilizer Spread - Operating 91 in.
Loading Height ---
Swing Arc 180°
Bucket Digging Forces 4100 lb.
Dipper Stick Digging Forces 2130 lb.
Operating Pressure 2500 psi
Boom Cylinder 2.75 x 16.75 in.
Dipperstick Cylinder 2.75 x 16.75 in.
Bucket Cylinder 2.25 x 19.25 in.
Swing Cylinder 2.25 x 8.97 in.
Stabilizer Cylinder 2.25 x 14.00 in.
Shipping Weight 980 lb.

*Specifications vary with tractor model,
hydraulic system, tire size, etc.

Note: For TC30 and T1520 with fixed,
clevis-type drawbar, the optional
swinging/adjustable or extension
drawbar is required in order to mount a
backhoe. For T1530, must install
additional Drawbar Kit SBA370020610 in
order to mount backhoe.

TRUCK LOADING PATTERN

28 Units (depending on size with
buckets)

Can be combined with other
products from source
Dealer pickup permitted

WARRANTY

New Holland
Standard Warranty Applies

IMPORTANT INFORMATION

The tractor must be equipped with a front
end loader or front mount blade when
installing a 900 Series backhoe.

Note: Mid-mount mower is not
compatible with backhoe installed.

The following items are required to make
up a complete backhoe:

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- Bucket

Optional Equipment can be added as
desired



**930GH BACKHOE
US PRICE LIST**

(Sioux Falls, SD)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
930GBH	900 LB		\$8,418.00
930GNH	900 LB		\$9,382.00
Includes the following Equipment			
Hydraulic valve kit		\$238.00	
Front quick hitch - Class		\$726.00	

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ATTACHMENT SECTION

REQUIRED OPTIONS

SD 20102 HYDRAULIC KIT

	715392	Hydraulic kit 920GH/930GH - Boomer™ 4055 & 4060, TC48DA, TC55DA, T2410, T2420. 940 GH - For TNA/TN, TL/TL, 30/35 Series, TD Series order either 715743 or 716411. Do NOT order both.	20 LB		\$238.00
	715396	Hydraulic kit For Boomer™ 2030 & 2035, T2210, T2220, TC29DA, TC31DA, TC33DA, TC34DA.	18 LB		\$238.00
	715431	Hydraulic valve kit For Boomer™ 3040/3045/3050, Boomer 8N, T1530, T2310, T2320, T2330, TC35/35D/35DA, TC40/40D/40DA, TC45/45D/45DA. <u>Fits all Gear, HST, and CVT Models.</u>	37 LB		\$238.00
	716395	Hyd Kit 716395 910GH - Boomer™ 1020, 1025, 1030, T1010, T1030, T1110, TZ18DA, TZ22DA, TZ24DA, TZ25DA. All other backhoes - T1510, T1520, TC30, 1720.	41 LB		\$238.00
	716397	Hyd Kit 716397 For TC25/25D, TC29/29D, TC33/33D.	41 LB		\$238.00



**930GH BACKHOE
US PRICE LIST**

(Sioux Falls, SD)

SD_N5701 HITCH AND SUBFRAME

	715451	Front mounting brackets-715451 For Boomer™ 3040/3045/3050, T1530, T2310, T2320, T2330, TC35/35D, TC45/45D/45DA, . Fits Gear and HST models.	1.200 LB		\$726,00
	716394	Subframe For Boomer™ 4055 & 4060, TC48DA, TC55DA, T2410, T2420. 940GH - choose subframe OR 3-point link, not both.	659 LB		\$745,00
	716437	Front quick hitch - Class 3 For Boomer™ 2030/2035, TC25/25D, TC29/29D29DA, TC31DA, TC33/33D/33DA, TC34DA, TC30, T1510, T1520, T2210, T2220. TC30 & T1520 w/ fixed clevis type drawbar requires swinging/extendable drawbar kit SBA370020610 or adjustable drawbar kit SBA370020970 available through service parts.	385 LB		\$629,00
	717751	Front quick hitch - Class 3 AT For Boomer™ 3040, 3045, 3050, and Boomer 8N with EasyDrive™ CVT Transmission.			\$726,00

BUCKETS - MUST CHOOSE AT LEAST ONE

SD_N5403 12 IN STD BUCKET

	716399	12 in./305mm standard bucket	107 LB		\$450,00
--	--------	------------------------------	--------	--	----------

SD_N5404 16 IN HD BUCKET

	716494	16 in./406mm heavy-duty bucket	171 LB		\$497,00
--	--------	--------------------------------	--------	--	----------

SD_N5407 18 IN STD BUCKET

	716434	18 in./457mm standard bucket	128 LB		\$518,00
--	--------	------------------------------	--------	--	----------

SD_N5408 24 IN HD BUCKET

	716493	24 in./609mm heavy-duty bucket	214 LB		\$581,00
--	--------	--------------------------------	--------	--	----------

SD_N5410 36 IN GRAVE BUCKET

	716435	36 in./914 mm grave bucket	181 LB		\$605,00
--	--------	----------------------------	--------	--	----------

SD_N5411 36 IN MUCK BUCKET

	716436	36 in./914 mm muck bucket	178 LB		\$605,00
--	--------	---------------------------	--------	--	----------

OPTIONAL EQUIPMENT

SD_03008 PTO PUMP AND RESERV

	716411	PTO pump and reservoir	133 LB		\$1,240,00
--	--------	------------------------	--------	--	------------

SD_50005 BIG FOOT DIRT PADS

	716525	Big foot dirt pads	65 LB		\$145,00
--	--------	--------------------	-------	--	----------



-CP1N 03

930GH BACKHOE
US PRICE LIST

(Sioux Falls, SD)

SD_50092 RUBBER STREET PADS

	716410	Rubber street pads	18 LB		\$209.00
--	--------	--------------------	-------	--	----------



940GH BACKHOE
US PRICE LIST

(Sioux Falls, SD)

Standard Equipment

TRACTOR APPLICATION: Boomer™
4055, Boomer 4060, T2410, TC2420,
TC48DA, TC55DA, T4000, TNA/DA/SA,
TN/D/S, 30 Series, T5000, TLA/TL, 35
Series, TD Series

Note: For TC30 and T1520 with fixed,
clevis-type drawbar, the optional
swinging/adjustable or extension
drawbar is required in order to mount a
backhoe.

BACKHOE MODEL: 940GH

TRUCK LOADING PATTERN
28 Units (depending on size with
buckets)
Can be combined with other
products from source
Dealer pickup permitted

*SPECIFICATIONS:
Digging Depth 113.5 in.
Reach from Swing Pivot 149 in.
Transport Height 96 in.
Bucket Rotation 180°
Stabilizer Spread - Transport 53 in.
Stabilizer Spread - Operating 91 in.
Loading Height ---
Swing Arc 180°
Bucket Digging Forces 4100 lb.
Dipper Stick Digging Forces 2670 lb.
Operating Pressure 2500 psi
Boom Cylinder 3.00 x 18.5 in.
Dipperstick Cylinder 3.00 x 19.75 in.
Bucket Cylinder 2.25 x 19.25 in.
Swing Cylinder 2.25 x 8.97 in.
Stabilizer Cylinder 2.25 x 14.00 in.
Shipping Weight 1100 lb.

WARRANTY
New Holland
Standard Warranty Applies

*Specifications vary with tractor model,
hydraulic system, tire size, etc.

IMPORTANT INFORMATION
The tractor must be equipped with a front
end loader or front mount blade when
installing a 900 Series backhoe.

The following items are required to make
up a complete backhoe:
- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- Bucket
Optional Equipment can be added as
desired



**940GH BACKHOE
US PRICE LIST**

(Sioux Falls, SD)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
940GBH	1.468 LB		\$11,589.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ATTACHMENT SECTION

REQUIRED OPTIONS

SD 20078 HOSE KIT

715743	Hydraulic hose kit Required when using tractor rear remote valve to power the 940BH OR 759C backhoe.	55 LB		\$142,00
--------	---	-------	--	----------

SD 20102 HYDRAULIC KIT

715392	Hydraulic kit 920GH/930GH - Boomer™ 4055 & 4060, TC48DA, TC55DA, T2410, T2420. 940 GH - For TNA/TN, TL/TL, 30/35 Series, TD Series order either 715743 or 716411. Do NOT order both.	20 LB		\$238,00
--------	--	-------	--	----------

SD 39024 UPPER LINK CAT I OR

716495	Upper link for Cat I & II Must be ordered for TNA/TN, TLA/TL, 35/30 Series, TD Series.	145 LB		\$500,00
--------	---	--------	--	----------

SD N5701 HITCH AND SUBFRAME

716394	Subframe For Boomer™ 4055 & 4060, TC48DA, TC55DA, T2410, T2420. 940GH - choose subframe OR 3-point link, not both.	659 LB		\$745,00
--------	--	--------	--	----------

BUCKETS - MUST CHOOSE AT LEAST ONE

SD N5403 12 IN STD BUCKET

716399	12 in./305mm standard bucket	107 LB		\$450,00
--------	------------------------------	--------	--	----------

SD_N5404 16 IN HD BUCKET



**940GH BACKHOE
US PRICE LIST**

(Sioux Falls, SD)

	716494	16 in./406mm heavy-duty bucket	171 LB		\$497,00
--	--------	--------------------------------	--------	--	----------

SD N5407 18 IN STD BUCKET

	716434	18 in./457mm standard bucket	128 LB		\$518,00
--	--------	------------------------------	--------	--	----------

SD N5408 24 IN HD BUCKET

	716493	24 in./609mm heavy-duty bucket	214 LB		\$581,00
--	--------	--------------------------------	--------	--	----------

SD N5410 36 IN GRAVE BUCKET

	716435	36 in./914 mm grave bucket	181 LB		\$605,00
--	--------	----------------------------	--------	--	----------

SD N5411 36 IN MUCK BUCKET

	716436	36 in./914 mm muck bucket	178 LB		\$605,00
--	--------	---------------------------	--------	--	----------

OPTIONAL EQUIPMENT

SD 03008 PTO PUMP AND RESERV

	716411	PTO pump and reservoir	133 LB		\$1,240,00
--	--------	------------------------	--------	--	------------

SD 50005 BIG FOOT DIRT PADS

	716525	Big foot dirt pads	65 LB		\$145,00
--	--------	--------------------	-------	--	----------

SD 50092 RUBBER STREET PADS

	716410	Rubber street pads	18 LB		\$209,00
--	--------	--------------------	-------	--	----------



**756C BACKHOE
US PRICE LIST**

(Sioux Falls, SD)
Standard Equipment

TRACTOR APPLICATION: Boomer™
2030, Boomer 2035, T2210, T2220,
T2210, T2220, TC31DA, TC34DA,
T29DA, TC33DA, T25/D, TC2/D, TC33/D,
T1510, T1520, TC30, TC18, TC21/D/DA,
TC23DA, TC24D/DA, TC26DA, 1720,
1920

BACKHOE MODEL: 756C (Current
Inventory Only)

***SPECIFICATIONS:**

Digging Depth 72 in.
Reach from Swing Pivot 107 in.
Transport Height 68.5 in.
Bucket Rotation 171°
Stabilizer Spread - Transport 41 in.
Stabilizer Spread - Operating 78 in.
Loading Height 57 in.
Swing Arc 180°
Bucket Digging Forces 2875 lb.
Dipper Stick Digging Forces 1744 lb.
Operating Pressure 2150 psi
Boom Cylinder 2.50 x 16.75 in.
Dipperstick Cylinder 2.25 x 16.75 in.
Bucket Cylinder 2.25 x 16.75 in.
Swing Cylinder 2.25 x 6.85 in.
Stabilizer Cylinder 2.25 x 10.25 in.
Shipping Weight 785 lb.

*Specifications vary with tractor model,
hydraulic system, tire size, etc.

Note: For TC30 and T1520 with fixed,
clevis-type drawbar, the optional
swinging/adjustable or extension
drawbar is required in order to mount a
backhoe.

TRUCK LOADING PATTERN

28 Units (depending on size with
buckets)
Can be combined with other
products from source
Dealer pickup permitted

WARRANTY

New Holland
Standard Warranty Applies

IMPORTANT INFORMATION

The tractor must be equipped with a front
end loader or front mount blade when
installing a 900 Series backhoe.

The following items are required to make
up a complete backhoe:

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- Bucket

Optional Equipment can be added as
desired



**756C BACKHOE
US PRICE LIST**

(Sioux Falls, SD)
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
756C	700 LB		\$6,115.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ATTACHMENT SECTION

REQUIRED OPTIONS

SD 20102 HYDRAULIC KIT

	715396	Hydraulic kit For Boomer™ 2030 & 2035, T2210, T2220, TC29DA, TC31DA, TC33DA, TC34DA.	18 LB		\$238,00
	715429	Hyd Valve Kit For TC18 below serial no. UD33666, TC21/21D/21DA below serial no. UF33357.	37 LB		\$238,00
	716395	Hyd Kit 716395 910GH - Boomer™ 1020, 1025, 1030, T1010, T1030, T1110, TZ18DA, TZ22DA, TZ24DA, TZ25DA. All other backhoes - T1510, T1520, TC30, 1720.	41 LB		\$238,00
	716396	Hyd Kit 716396 756C - 1920 757C/758C - 1920, 2120, 3415 759C - 2120, 3415	12 LB		\$238,00
	716397	Hyd Kit 716397 For TC25/25D, TC29/29D, TC33/33D.	41 LB		\$238,00
	716964	Hyd Kit 716964 910GH - TC23DA, TC24DA, TC26DA, TC18, TC21D/DA. 756 - TC18 above serial no. UD33666, TC21/21D/21DA above serial no. UF33357, TC23DA, TC24D/DA and TC26DA.	12 LB		\$238,00

SD_N5701 HITCH AND SUBFRAME



**756C BACKHOE
US PRICE LIST**

(Sioux Falls, SD)

	715651	Front mounting brackets-715651 910GH - Boomer™ 1030, T1110. 756C - TC18, TC21/21D/21DA, TC23DA, TC24D/24DA, and TC26DA (includes center mount adapter kit).	493 LB		\$660,00
	716437	Front quick hitch - Class 3 For Boomer™ 2030/2035, TC25/25D, TC29/29D29DA, TC31DA, TC33/33D/33DA, TC34DA, TC30, T1510, T1520, T2210, T2220. TC30 & T1520 w/ fixed clevis type drawbar requires swinging/extendable drawbar kit SBA370020610 or adjustable drawbar kit SBA370020970 available through service parts.	385 LB		\$600,00
	716438	Front mounting brackets-716438 756C subframe for 1720 and 1920	555 LB		\$571,00

BUCKETS - MUST CHOOSE AT LEAST ONE

SD N5401 9 IN STD BUCKET					
	716398	9 in./229mm standard bucket	74 LB		\$293,00

SD N5402 12 IN HD BUCKET					
	716433	12 in HD Bucket	86 LB		\$427,00

SD N5404 16 IN HD BUCKET					
	716494	16 in./406mm heavy-duty bucket	171 LB		\$460,00

OPTIONAL EQUIPMENT

SD 20126 STAB HYDRAULIC LOCK					
	716849	Stab Hyd Lockout Valve Kit	10 LB		\$408,00

SD 45031 CENTER MOUNT ADAPTE					
	716566	Center Mount Adapter	16 LB		\$88,00

SD 50005 BIG FOOT DIRT PADS					
	716525	Big foot dirt pads	65 LB		\$145,00

SD 50092 RUBBER STREET PADS					
	716410	Rubber street pads	18 LB		\$209,00



**757C BACKHOE
US PRICE LIST**

(Sioux Falls, SD)

Standard Equipment

TRACTOR APPLICATION: TC25/25D-
TC55DA, TC30, 1720, 1920, 2120, 3415

Can be combined with other
products from source
Dealer pickup permitted

BACKHOE MODEL: 757C (Current
Inventory Only)

WARRANTY
New Holland
Standard Warranty Applies

***SPECIFICATIONS:**
Digging Depth 90 in.
Reach from Swing Pivot 119 in.
Transport Height 75 in.
Bucket Rotation 170°
Stabilizer Spread - Transport 50 in.
Stabilizer Spread - Operating 78 in.
Loading Height 66 in.
Swing Arc 180°

IMPORTANT INFORMATION
The tractor must be equipped with a front
end loader* when installing a 700 Series
backhoe.

*The following front blade/tractor
combination may be used in lieu of a
loader when installing a 700 Series
backhoe: TC25-TC33DA/34DA plus
72CBH or 84CBH TC48-TC55DA plus
702D

*Specifications vary with tractor model,
hydraulic system, tire size, etc.

The following items are required to make
up a complete 7.5 ft. backhoe:

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- Bucket

Optional Equipment can be added as
desired

Note: For TC30, the optional
swinging/adjustable or extension
drawbar is required in order to mount a
backhoe.

TRUCK LOADING PATTERN
28 Units (depending on size with
buckets)



**757C BACKHOE
US PRICE LIST**

(Sioux Falls, SD)
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
757C	872 LB		\$7,029.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ATTACHMENT SECTION

REQUIRED OPTIONS

SD 20102 HYDRAULIC KIT				
	715396	Hydraulic kit For Boomer™ 2030 & 2035, T2210, T2220, TC29DA, TC31DA, TC33DA, TC34DA.	18 LB	\$238,00
	715431	Hydraulic valve kit For Boomer™ 3040/3045/3050, Boomer 8N, T1530, T2310, T2320, T2330, TC35/35D/35DA, TC40/40D/40DA, TC45/45D/45DA. Fits all Gear, HST, and CVT Models.	37 LB	\$238,00
	716395	Hyd Kit 716395 910GH - Boomer™ 1020, 1025, 1030, T1010, T1030, T1110, TZ18DA, TZ22DA, TZ24DA, TZ25DA. All other backhoes - T1510, T1520, TC30, 1720.	41 LB	\$238,00
	716396	Hyd Kit 716396 756C - 1920 757C/758C - 1920, 2120, 3415 759C - 2120, 3415	12 LB	\$238,00
	716397	Hyd Kit 716397 For TC25/25D, TC29/29D, TC33/33D.	41 LB	\$238,00
SD N5701 HITCH AND SUBFRAME				
	715451	Front mounting brackets-715451 For Boomer™ 3040/3045/3050, T1530, T2310, T2320, T2330, TC35/35D, TC45/45D/45DA, . Fits Gear and HST models.	1,200 LB	\$672,00



**757C BACKHOE
US PRICE LIST**

(Sioux Falls, SD)

	716394	Subframe For Boomer™ 4055 & 4060, TC48DA, TC55DA, T2410, T2420. 940GH - choose subframe OR 3-point link, not both.	659 LB		\$689,00
	716437	Front quick hitch - Class 3 For Boomer™ 2030/2035, TC25/25D, TC29/29D29DA, TC31DA, TC33/33D/33DA, TC34DA, TC30, T1510, T1520, T2210, T2220. TC30 & T1520 w/ fixed clevis type drawbar requires swinging/extendable drawbar kit SBA370020610 or adjustable drawbar kit SBA370020970 available through service parts.	385 LB		\$600,00
	716438	Front mounting brackets-716438 756C subframe for 1720 and 1920	555 LB		\$571,00
	716439	Front mounting brackets-716439 For 2120, 3415	564 LB		\$602,00

BUCKETS - MUST CHOOSE AT LEAST ONE

SD_N5401 9 IN STD BUCKET					
	716398	9 in./229mm standard bucket	74 LB		\$293,00
SD_N5402 12 IN HD BUCKET					
	716433	12 in HD Bucket	86 LB		\$427,00
SD_N5404 16 IN HD BUCKET					
	716494	16 in./406mm heavy-duty bucket	171 LB		\$460,00
SD_N5409 24 IN STD BUCKET					
	716401	24 IN Std Bucket	149 LB		\$426,00
SD_N5410 36 IN GRAVE BUCKET					
	716435	36 in./914 mm grave bucket	181 LB		\$560,00
SD_N5411 36 IN MUCK BUCKET					
	716436	36 in./914 mm muck bucket	178 LB		\$560,00

OPTIONAL EQUIPMENT

SD_20126 STAB HYDRAULIC LOCK					
	716849	Stab Hyd Lockout Valve Kit	10 LB		\$408,00
SD_50005 BIG FOOT DIRT PADS					
	716525	Big foot dirt pads	65 LB		\$145,00
SD_50092 RUBBER STREET PADS					
	716410	Rubber street pads	18 LB		\$209,00



**758C BACKHOE
US PRICE LIST**

(Sioux Falls, SD)

Standard Equipment

TRACTOR APPLICATION: TC25/25D-
TC55DA, TC30, 1720, 1920, 2120, 3415

Can be combined with other
products from source
Dealer pickup permitted

BACKHOE MODEL: 758C (Current
Inventory Only)

WARRANTY
New Holland
Standard Warranty Applies

***SPECIFICATIONS:**
Digging Depth 102 in.
Reach from Swing Pivot 132 in.
Transport Height 81 in.
Bucket Rotation 170°
Stabilizer Spread - Transport 50 in.
Stabilizer Spread - Operating 78 in.
Loading Height 76 in.
Swing Arc 180°

IMPORTANT INFORMATION
The tractor must be equipped with a front
end loader* when installing a 700 Series
backhoe.
*The following front blade/tractor
combination may be used in lieu of a
loader when installing a 700 Series
backhoe: TC25-TC33DA/34DA plus
72CBH or 84CBH TC48-TC55DA plus
702D

*Specifications vary with tractor model,
hydraulic system, tire size, etc.

Note: For TC30, the optional
swinging/adjustable or extension
drawbar is required in order to mount a
backhoe.

The following items are required to make
up a complete 8.5 ft. backhoe:
- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- Bucket
Optional Equipment can be added as
desired

TRUCK LOADING PATTERN
28 Units (depending on size with
buckets)



**758C BACKHOE
US PRICE LIST**

(Sioux Falls, SD)
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
758C	900 LB		\$7,671,00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ATTACHMENT SECTION

REQUIRED OPTIONS

SD 20102 HYDRAULIC KIT

	715392	Hydraulic kit 920GH/930GH - Boomer™ 4055 & 4060, TC48DA, TC55DA, T2410, T2420. 940 GH - For TNA/TN, TL/TL, 30/35 Series, TD Series order either 715743 or 716411. Do NOT order both.	20 LB		\$238,00
	715396	Hydraulic kit For Boomer™ 2030 & 2035, T2210, T2220, TC29DA, TC31DA, TC33DA, TC34DA.	18 LB		\$238,00
	715431	Hydraulic valve kit For Boomer™ 3040/3045/3050, Boomer 8N, T1530, T2310, T2320, T2330, TC35/35D/35DA, TC40/40D/40DA, TC45/45D/45DA. Fits all Gear, HST, and CVT Models.	37 LB		\$238,00
	716395	Hyd Kit 716395 910GH - Boomer™ 1020, 1025, 1030, T1010, T1030, T1110, TZ18DA, TZ22DA, TZ24DA, TZ25DA. All other backhoes - T1510, T1520, TC30, 1720.	41 LB		\$238,00
	716396	Hyd Kit 716396 756C - 1920 757C/758C - 1920, 2120, 3415 759C - 2120, 3415	12 LB		\$238,00
	716397	Hyd Kit 716397 For TC25/25D, TC29/29D, TC33/33D.	41 LB		\$238,00

SD_N5701 HITCH AND SUBFRAME



**758C BACKHOE
US PRICE LIST**

(Sioux Falls, SD)

	715451	Front mounting brackets-715451 For Boomer™ 3040/3045/3050, T1530, T2310, T2320, T2330, TC35/35D, TC45/45D/45DA, . Fits Gear and HST models.	1.200 LB		\$672,00
	716394	Subframe For Boomer™ 4055 & 4060, TC48DA, TC55DA, T2410, T2420. 940GH - choose subframe OR 3-point link, not both.	659 LB		\$689,00
	716437	Front quick hitch - Class 3 For Boomer™ 2030/2035, TC25/25D, TC29/29D29DA, TC31DA, TC33/33D/33DA, TC34DA, TC30, T1510, T1520, T2210, T2220. TC30 & T1520 w/ fixed clevis type drawbar requires swinging/extendable drawbar kit SBA370020610 or adjustable drawbar kit SBA370020970 available through service parts.	385 LB		\$600,00
	716438	Front mounting brackets-716438 756C subframe for 1720 and 1920	555 LB		\$571,00
	716439	Front mounting brackets-716439 For 2120, 3415	564 LB		\$602,00

BUCKETS - MUST CHOOSE AT LEAST ONE

SD_N5402 12 IN HD BUCKET					
	716433	12 in HD Bucket	86 LB		\$427,00
SD_N5404 16 IN HD BUCKET					
	716494	16 in./406mm heavy-duty bucket	171 LB		\$460,00
SD_N5406 18 IN HD BUCKET					
	716407	18 IN HD Bucket	109 LB		\$494,00
SD_N5408 24 IN HD BUCKET					
	716493	24 in./609mm heavy-duty bucket	214 LB		\$538,00

OPTIONAL EQUIPMENT

SD_20126 STAB HYDRAULIC LOCK					
	716849	Stab Hyd Lockout Valve Kit	10 LB		\$408,00
SD_50005 BIG FOOT DIRT PADS					
	716525	Big foot dirt pads	65 LB		\$145,00
SD_50092 RUBBER STREET PADS					
	716410	Rubber street pads	18 LB		\$209,00



759C BACKHOE
US PRICE LIST

(Sioux Falls, SD)

Standard Equipment

TRACTOR APPLICATION: TC48DA-
TC55DA, 2120, 3415, TNA/TN, TLA/TL,
35 Series, 30 Series

Can be combined with other
products from source
Dealer pickup permitted

BACKHOE MODEL: 759C (Current
Inventory Only)

WARRANTY
New Holland
Standard Warranty Applies

*SPECIFICATIONS:
Digging Depth 114 in.
Reach from Swing Pivot 149 in.
Transport Height 95 in.
Bucket Rotation 180°
Stabilizer Spread - Transport 74 in.
Stabilizer Spread - Operating 117 in.
Loading Height 92 in.
Swing Arc 180°

IMPORTANT INFORMATION
The tractor must be equipped with a front
end loader* when installing a 700 Series
backhoe.

*The following front blade/tractor
combination may be used in lieu of a
loader when installing a 700 Series
backhoe: TC25-TC33DA/34DA plus
72CBH or 84CBH TC48-TC55DA plus
702D

*Specifications vary with tractor model,
hydraulic system, tire size, etc.

The following items are required to make
up a complete 9.5 ft. backhoe:

Note: For TC30, the optional
swinging/adjustable or extension
drawbar is required in order to mount a
backhoe.

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- Bucket

TRUCK LOADING PATTERN
28 Units (depending on size with
buckets)

Optional Equipment can be added as
desired



**759C BACKHOE
US PRICE LIST**

(Sioux Falls, SD)
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
759C	1.468 LB		\$8.617,00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ATTACHMENT SECTION

REQUIRED OPTIONS

SD 20078 HOSE KIT

715743	Hydraulic hose kit Required when using tractor rear remote valve to power the 940BH OR 759C backhoe.	55 LB		\$142,00
--------	---	-------	--	----------

SD 20102 HYDRAULIC KIT

715392	Hydraulic kit 920GH/930GH - Boomer™ 4055 & 4060, TC48DA, TC55DA, T2410, T2420. 940 GH - For TNA/TN, TL/TL, 30/35 Series, TD Series order either 715743 or 716411. Do NOT order both.	20 LB		\$238,00
716396	Hyd Kit 716396 756C - 1920 757C/758C - 1920, 2120, 3415 759C - 2120, 3415	12 LB		\$238,00

SD 39024 UPPER LINK CAT I OR

716495	Upper link for Cat I & II Must be ordered for TNA/TN, TLA/TL, 35/30 Series, TD Series.	145 LB		\$500,00
--------	---	--------	--	----------

SD N5701 HITCH AND SUBFRAME

716394	Subframe For Boomer™ 4055 & 4060, TC48DA, TC55DA, T2410, T2420. 940GH - choose subframe OR 3-point link, not both.	659 LB		\$745,00
716439	Front mounting brackets-716439 For 2120, 3415	564 LB		\$602,00



**759C BACKHOE
US PRICE LIST**

(Sioux Falls, SD)

BUCKETS - MUST CHOOSE AT LEAST ONE

SD N5403 12 IN STD BUCKET				
	716399	12 in./305mm standard bucket	107 LB	\$492,00

SD N5404 16 IN HD BUCKET				
	716494	16 in./406mm heavy-duty bucket	171 LB	\$620,00

SD N5407 18 IN STD BUCKET				
	716434	18 in./457mm standard bucket	128 LB	\$547,00

SD N5408 24 IN HD BUCKET				
	716493	24 in./609mm heavy-duty bucket	214 LB	\$732,00

OPTIONAL EQUIPMENT

SD 03008 PTO PUMP AND RESERV				
	716411	PTO pump and reservoir	133 LB	\$1,240,00

SD 20126 STAB HYDRAULIC LOCK				
	716849	Stab Hyd Lockout Valve Kit	10 LB	\$408,00

SD 50005 BIG FOOT DIRT PADS				
	716525	Big foot dirt pads	65 LB	\$145,00

SD 50092 RUBBER STREET PADS				
	716410	Rubber street pads	18 LB	\$209,00



DRAFT: FOR INTERNAL USE ONLY



-CP9B 01

**MODEL 110TL FARM LOADER
US PRICE LIST**

**(Port of Entry)
Standard Equipment**

*Please use Model Breakdown Chart to ensure proper loader choice.

TRACTOR COMPATIBILITY

1520, 1530, 1620, 1630,
1715, 1725, 1925, 1920,
TC25/25D, TC29/29D, TC33/33D
T1510, T1520, TC30

NOTE:

Important Compatibility Information

- Not compatible with prior 1000 series tractors.
- When ordering a 110TL loader a fast pick option is only compatible with 1510, T1520, TC30, 1520, 1620 and 1715 tractors. If a 110TL loader is needed for a 1530, 1725, 1925, 1920, TC25/25D, TC29/29D or a TC33/33D the standard version option (loader arms only) must be ordered and the appropriate mounting kit and mid mount valves must be ordered from service parts. The applicable parts numbers are listed in the "Parts division supplied accessories" section.
- To assure proper performance, see Operator's Manual for recommended counterweighting.

SPECIFICATIONS:

T1510, T1520, TC30, 1520, 1620, 1720

Maximum Lift Height (inches) 100.5
Dump Clearance (inches) 84
Digging Depth (inches) 4
Lift Capacity @ bucket
pivot point (lbs.) 875
Breakout Force @ bucket
pivot point (lbs.) 1602
Reach @ Maximum Lift (inches) 12.75
Bucket Rollback (degrees) 20
Bucket Dump Angle (degrees) 38

1530,1630,1725,1925,
TC25/25D-TC33/33D

Maximum Lift Height (inches) 100.75
Dump Clearance (inches) 83.3
Digging Depth (inches) 4
Lift Capacity @ bucket
pivot point (lbs.) 875
Breakout Force @ bucket
pivot point (lbs.) 2344
Reach @ Maximum Lift (inches) 23.5
Bucket Rollback (degrees) 20
Bucket Dump Angle (degrees) 39

1920

Maximum Lift Height (inches) 101.75
Dump Clearance (inches) 84.75
Digging Depth (inches) 2
Lift Capacity @ bucket
pivot point (lbs.) 1020
Breakout Force @ bucket
pivot point (lbs.) 2075
Reach @ Maximum Lift (inches) 15
Bucket Rollback (degrees) 18
Bucket Dump Angle (degrees) 39

*Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

WARRANTY

New Holland Standard Warranty Applies

* "Fast Pick" packages are fully configured loaders.

Note: Base Loaders are immediately available for factory shipment.



DRAFT: FOR INTERNAL USE ONLY



-CP9B 01

MODEL 110TL FARM LOADER
US PRICE LIST

(Port of Entry)

Standard Equipment

The following completing items must
be ordered individually as Dealer
Installed Accessories from SERVICE
PARTS to configure a complete loader:
-Mounting Kit
-Mid-mount Hydraulic Valve & Joystick

-Skid-steer Style Quick-Attach Face Plate
(required for Quick-Attach Buckets)
-Pin-on or Quick Attach Bucket

NOTE:



DRAFT: FOR INTERNAL USE ONLY



-CP9B 01

**MODEL 110TL FARM LOADER
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	VERSION	PACKAGED KIT	SPECIALITY	Weight	Factory Data	List Price
110TL	Fast Pick	Complete Loader Kit:Pin-On Bkt	Loader Ready	875 LB		\$4,758.00
110TL	Fast Pick	Complete Loader Kit:Pin-On Bkt	ROPS	875 LB		\$5,291.00
Includes the following Equipment 68" QA Bucket \$533.00						
110TL	Standard	Loader Arms Only	ROPS	516 LB		\$2,977.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_PK PACKAGED KIT

	LDARMS	Loader Arms Only		No Charge
	PINONB	Complete Loader Kit:Pin-On Bkt		No Charge

SD_SY SPECIALITY

	ROPSA	ROPS		No Charge
	LDRRDY	Loader Ready		
		Loader Ready		No Charge

SD_VE VERSION

	FSTPK	Fast Pick		\$1,781.00
		if PACKAGED KIT is Loader Arms Only		\$2,331.00
	STD	Standard		

SD_01001 BASE UNIT

	717270	Base Loader w/ Pin On Bucket		No Charge
	717275	68" Bucket Pin On		\$81.00
	717273	60" QA Bucket		\$451.00
	717272	68" QA Bucket		\$533.00



DRAFT: FOR INTERNAL USE ONLY



-CP9B 01

**MODEL 110TL FARM LOADER
US PRICE LIST**

(Port of Entry)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
715100006	Pallet Fork Mount for Quick Coupler ONLY Pallet fork mount and fork set must be ordered to have a functional fork set.	230 LB		\$486,67
715102006	42" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	160 LB		\$501,33
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



DRAFT: FOR INTERNAL USE ONLY



-CP9B 02

**MODEL 210TL FARM LOADER
US PRICE LIST**

**(Port of Entry)
Standard Equipment**

*Please use Model Breakdown Chart to ensure proper loader choice.

Tractor Compatibility:
Boomer™ 1020/1025/1030, T1010, T1030, T1110, TZ18DA, TZ22DA, TZ24DA, TZ25DA

NOTE: Important Compatibility Information. To assure proper performance, see Operator's Manual for recommended counterweighting.

SPECIFICATIONS:

Boomer™ 1020/1025, T1010, T1030, TZ18DA, TZ22DA, TZ24DA, TZ25DA

Maximum Lift Height (inches) 69.6
Dump Clearance (inches) 49.4
Digging Depth (inches) 6.1
Lift Capacity (lbs.)
 @ bucket pivot point 650
 @ 19.7 in. (500mm) from bucket pivot point 464
Breakout Force (lbs.)
 @ bucket pivot point 1357
 @ 19.7 in. (500mm) from bucket pivot point 953
Reach @ Maximum Lift (inches) 29.9
Bucket Rollback (degrees) 23
Bucket Dump Angle (degrees) 43

Boomer™ 1030, T1110

Maximum Lift Height (inches) 72.6
Dump Clearance (inches) 52.2
Digging Depth (inches) 2
Lift Capacity (lbs.)

 @ bucket pivot point 900
 @ 19.7 in. (500mm) from bucket pivot point 537
Breakout Force (lbs.)
 @ bucket pivot point 1492
 @ 19.7 in. (500mm) from bucket pivot point 1084
Reach @ Maximum Lift (inches) 27.8
Bucket Rollback (degrees) 23
Bucket Dump Angle (degrees) 43

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

"Fast Pick" loaders are complete and fully configured loaders.

Note:
210TL Fast Pick with 48in. bucket is only compatible with Boomer™ 1020/1025, T1010, T1030, TZ18DA, TZ22DA, TZ24DA, & TZ25DA

210TL with 54in. bucket is recommended for models Boomer™ 1030 and T1110 only.

Base Loaders are immediately available for factory shipment. The following completing items must be ordered individually as Dealer Installed Accessories from SERVICE PARTS to configure a complete loader:

- Mounting Kit
- Mid-mount Hydraulic Valve & Joystick
- Pin-on Bucket

WARRANTY:
New Holland Standard Warranty Applies



DRAFT: FOR INTERNAL USE ONLY



-CP9B 02

**MODEL 210TL FARM LOADER
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	VERSION	PACKAGED KIT	SPECIALITY	Weight	Factory Data	List Price
210TL	Standard	Complete Loader Kit:Pin-On Bkt	48 in. Bucket	700 LB		\$4.052,00
210TL	Standard	Complete Loader Kit:Pin-On Bkt	54 in. Bucket	700 LB		\$4.067,00
210TL	Standard	Loader Arms Only	MFD	700 LB		\$2.363,00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD PK PACKAGED KIT

	LDARMS	Loader Arms Only			No Charge
	PINONB	Complete Loader Kit:Pin-On Bkt			No Charge

SD SY SPECIALITY

	48IN	48 in. Bucket			\$1.689,00
	54IN	54 in. Bucket			
		if MODEL is 210TL			\$1.704,00
	MFD	MFD			No Charge

SD VE VERSION

	STD	Standard			
--	-----	----------	--	--	--



DRAFT: FOR INTERNAL USE ONLY



-CP9B 02

MODEL 210TL FARM LOADER
US PRICE LIST

(Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



DRAFT: FOR INTERNAL USE ONLY



-CP9B 03

MODEL 230TL FARM LOADER
US PRICE LIST

(Port of Entry)
Standard Equipment

*Please use Model Breakdown Chart to ensure proper loader choice.

TRACTOR COMPATIBILITY: TC18, TC21D/21DA, TC23DA, TC24D/24DA, TC26DA with Conventional FWD Axle

NOTE:
Important Compatibility Information

- Not compatible with TC18 with 2WD front axle.
- Not compatible with TC18 below S/N US33666 or TC21 below S/N UF33357.
- Prior Model 12LA loader (725787026) and mounting kit (715782056) are not compatible with Models TC21DA, TC23DA, TC24DA or TC26DA.

To assure proper performance, see Operator's Manual for recommended counterweighting.

SPECIFICATIONS:

Maximum Lift Height (inches) 85.5
 Dump Clearance (inches) 65
 Digging Depth (inches) 2.5
 Lift Capacity (lbs.)
 @ bucket pivot point 1090
 @ 19.7 in. (500mm) from bucket pivot point 750

Breakout Force (lbs.)
 @ bucket pivot point 1720
 @ 19.7 in. (500mm) from bucket pivot point 1220
 Reach @ Maximum Lift (inches) 23.5
 Bucket Rollback (degrees) 28
 Bucket Dump Angle (degrees) 38

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

"Fast Pick" packages are fully configured loaders.

Base Loaders are immediately available for factory shipment. The following completing items must be ordered individually as Dealer Installed Accessories from SERVICE PARTS to configure a complete loader:

- Mounting Kit
- Mid-mount Hydraulic Valve & Joystick
- Pin-on Bucket

WARRANTY
 New Holland Standard Warranty Applies



DRAFT: FOR INTERNAL USE ONLY



-CP9B 03

**MODEL 230TL FARM LOADER
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	VERSION	PACKAGED KIT	SPECIALITY	Weight	Factory Data	List Price
230TL	Fast Pick	Complete Loader Kit:Pin-On Bkt	ROPS	840 LB		\$4.818,00
230TL	Standard	Loader Arms Only	ROPS	840 LB		\$2.879,00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD PK PACKAGED KIT

	LDARMS	Loader Arms Only			No Charge
	PINONB	Complete Loader Kit:Pin-On Bkt			No Charge

SD SY SPECIALITY

	ROPSA	ROPS			No Charge
--	-------	------	--	--	-----------

SD VE VERSION

	FSTPK	Fast Pick			
		if PACKAGED KIT is Loader Arms Only			\$2.331,00
	STD	Standard			



DRAFT: FOR INTERNAL USE ONLY



-CP9B 03

MODEL 230TL FARM LOADER
US PRICE LIST

(Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



DRAFT: FOR INTERNAL USE ONLY



-CP9B 04

**MODEL 240TL FARM LOADER
US PRICE LIST**

**(Port of Entry)
Standard Equipment**

*Please use Model Breakdown Chart to ensure proper loader choice.

TRACTOR COMPATIBILITY:

Boomer™ 2030/2035, T2210, T2220, TC29DA, TC31DA, TC33DA, TC34DA with Standard FWD Axle

Boomer™ 2030/2035, T2210, T2220, TC29DA, TC31DA, TC33DA, TC34DA with SuperSteer™ FWD Axle

NOTE:

Important Compatibility Information

-Model 240TL is NOT compatible with prior model tractors: (1725/1925/1530/1630/TC25/TC25D/TC29/TC29D/TC33/TC33D)

-To assure proper performance, see Operator's Manual for recommended counterweighting

SPECIFICATIONS:

Conventional FWD Axle

Maximum Lift Height (inches) 98.4
Dump Clearance (inches) 75.3
Digging Depth (inches) 8
Lift Capacity (lbs.)
 @ bucket pivot point 1250
 @ 19.7 in. (500mm) from bucket pivot point 890
Breakout Force (lbs.)
 @ bucket pivot point 2700
 @ 19.7 in. (500mm) from bucket pivot point 1900
Reach @ Maximum Lift (inches) 31
Bucket Rollback (degrees) 32
Bucket Dump Angle (degrees) 39

SuperSteer™ FWD Axle

Maximum Lift Height (inches) 98.4
Dump Clearance (inches) 75.7
Digging Depth (inches) 8
Lift Capacity (lbs.)
 @ bucket pivot point 1250
 @ 19.7 in. (500mm) from bucket pivot point 1183
Breakout Force (lbs.)
 @ bucket pivot point 2700
 @ 19.7 in. (500mm) from bucket pivot point 1900

Reach @ Maximum Lift (inches) 39
Bucket Rollback (degrees) 32
Bucket Dump Angle (degrees) 39

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

"Fast Pick" packages are fully configured loaders.

Base Loaders are immediately available for factory shipment. The following completing items must be ordered individually as Dealer Installed Accessories from SERVICE PARTS to configure a complete loader:
-Mounting Kit
-Mid-mount Hydraulic Valve & Joystick
-Pin-on Bucket

WARRANTY

New Holland Standard Warranty Applies



DRAFT: FOR INTERNAL USE ONLY



-CP9B 04

**MODEL 240TL FARM LOADER
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	VERSION	PACKAGED KIT	SPECIALITY	Weight	Factory Data	List Price
240TL	Fast Pick	Complete Loader Kit: QA Bkt	68 in. Bucket	960 LB		\$5,834,00
Includes the following Equipment 68" Bucket \$103,00						
240TL	Fast Pick	Complete Loader Kit: QA Bkt	SuperSteer(TM) w/68 IN	980 LB		\$5,834,00
Includes the following Equipment 68" Bucket \$103,00						
240TL	Fast Pick	Complete Loader Kit: Pin-On Bkt	60 in. Bucket	880 LB		\$5,295,00
240TL	Fast Pick	Complete Loader Kit: Pin-On Bkt	SuperSteer(TM) w/60 IN	900 LB		\$5,295,00
240TL	Standard	Complete Loader Kit: QA Bkt	60 in. Bucket	950 LB		\$5,731,00
240TL	Standard	Complete Loader Kit: QA Bkt	SuperSteer(TM) w/60 IN	970 LB		\$5,731,00
240TL	Standard	Loader Arms Only	ROPS	650 LB		\$3,242,00
240TL	Standard	Loader Arms Only	SuperSteer(TM)	860 LB		\$3,242,00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

--	--	--	--	--

SD PK PACKAGED KIT

Order Code	Description	Weight	Factory Data	List Price
LDARMS	Loader Arms Only			No Charge
PINONB	Complete Loader Kit: Pin-On Bkt			No Charge
QKATTB	Complete Loader Kit: QA Bkt			\$437,00

SD SY SPECIALITY

Order Code	Description	Weight	Factory Data	List Price
60IN	60 in. Bucket			\$114,00
68IN	68 in. Bucket			\$113,00
SS	SuperSteer(TM)			No Charge
SS60IN	SuperSteer(TM) w/60 IN			\$114,00
SS68IN	SuperSteer(TM) w/68 IN			\$113,00
ROPSA	ROPS			No Charge



DRAFT: FOR INTERNAL USE ONLY



-CP9B 04

MODEL 240TL FARM LOADER
US PRICE LIST

(Port of Entry)

SD_VE		VERSION			
	FSTPK	Fast Pick			
		if PACKAGED KIT is Loader Arms Only			\$2.331,00
	STD	Standard			
		if PACKAGED KIT is Complete Loader Kit: QA Bkt			\$1.938,00



DRAFT: FOR INTERNAL USE ONLY



-CP9B 04

MODEL 240TL FARM LOADER
US PRICE LIST

(Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
715100006	Pallet Fork Mount for Quick Coupler ONLY Pallet fork mount and fork set must be ordered to have a functional fork set.	230 LB		\$486,67
715102006	42" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	160 LB		\$501,33
715103006	48" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	220 LB		\$553,33
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



DRAFT: FOR INTERNAL USE ONLY



-CP9B 05

**MODEL 240TL FARM LOADER (LOADER READY)
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	VERSION	PACKAGED KIT	SPECIALITY	Weight	Factory Data	List Price
240TL	Ready	Loader Arms Only	ROPS	454 LB		\$3,244,00
240TL	Ready	Loader Arms Only	SuperSteer(TM)	454 LB		\$3,244,00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_PK PACKAGED KIT

	LDARMS	Loader Arms Only			No Charge
	PINONB	Complete Loader Kit:Pin-On Bkt			No Charge

SD_SY SPECIALITY

	SS	SuperSteer(TM)			No Charge
	ROPSA	ROPS			No Charge

SD_VE VERSION

	READY	Ready			
		Ready			\$2,00

SD_N5230 60 INCH HD MATERIAL

	715719	60 in. HD mat bucket pin-on	400 LB		\$577,00
	715729	60 in. HD mat bucket q/c	410 LB		\$525,00

SD_N5237 68 IN HVY DUTY MATERIAL BUCKET

	716425	68 in. HD material bucket Quick Attach	262 LB		\$666,00
--	--------	---	--------	--	----------

SD_N5801 QCK ATT IMP FACEPLA

	716653	Quick coupler	150 LB		\$451,00
--	--------	---------------	--------	--	----------



DRAFT: FOR INTERNAL USE ONLY



-CP9B 05

**MODEL 240TL FARM LOADER (LOADER READY)
US PRICE LIST**

(Port of Entry)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
715100006	Pallet Fork Mount for Quick Coupler ONLY Pallet fork mount and fork set must be ordered to have a functional fork set.	230 LB		\$486,67
715102006	42" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	160 LB		\$501,33
715103006	48" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	220 LB		\$553,33
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



**MODEL 250TL FARM LOADER
US PRICE LIST**

**(Port of Entry)
Standard Equipment**

*Please use Model Breakdown Chart to ensure proper loader choice.

TRACTOR COMPATIBILITY:

Boomer™ 3040/3045/3050, T1530, T2310, T2320, T2330, TC35/35A, TC40/40A, TC45/45A, ROPS Gear Transmission with 2WD or Standard FWD Front Axle.

Boomer™ 3040/3045/3050, T2310, T2320, TC40DA - TC45DA with Cab with Conventional FWD axle.

Boomer™ 8N

To assure proper performance, see Operator's Manual for recommended counterweighting.

SPECIFICATIONS:

TC35-35DA

Maximum Lift Height (inches) 105
Dump Clearance (inches) 81.5
Digging Depth (inches) 6.5
Lift Capacity (lbs.)
 @ bucket pivot point 1800
 @ 19.7 in. (500mm) from bucket pivot point 1336
Breakout (lbs.)
 @ bucket pivot point 3186
 @ 19.7 in (500mm) from bucket pivot point 2376
Reach @ Maximum Lift (inches) 32.5
Bucket Rollback (degrees) 30
Bucket Dump Angle (degrees) 58

Boomer™ 8N/3040/3045/3050, T1530, T2310, T2320, T2330, TC40-TC45DA

Maximum Lift Height (inches) 105
Dump Clearance (inches) 81.5
Digging Depth (inches) 6.5
Lift Capacity (lbs.)
 @ bucket pivot point 2000
 @ 19.7 in. (500mm) from bucket pivot point 1540
Breakout (lbs.)
 @ bucket pivot point 3540
 @ 19.7 in (500mm) from bucket pivot point 2640
Reach @ Maximum Lift (inches) 33
Bucket Rollback (degrees) 30
Bucket Dump Angle (degrees) 58

Loader specifications are subject to change and may vary based on tractor model and tire size.

"Fast Pick" packages are fully configured loaders.

Base Loaders are immediately available for factory shipment. The following completing items must be ordered individually as Dealer Installed Accessories from SERVICE PARTS to configure a complete loader:
-Mounting Kit
-Mid-mount Hydraulic Valve & Joystick
-Pin-on Bucket

NOTE: Please refer to the Model Breakdown Chart to see which loader for the T1530 ships from Dublin with the tractor (Listed as "LOADER WITH") and which ships from Mexico (Listed as "Fast Pick").

WARRANTY

New Holland Standard Warranty Applies



DRAFT: FOR INTERNAL USE ONLY



-CP9B 06

**MODEL 250TL FARM LOADER
US PRICE LIST**

(Port of Entry)
Models

COMMERCIAL MODEL	VERSION	PACKAGED KIT	SPECIALITY	Weight	Factory Data	List Price
250TL	Dlx	Complete Loader Kit: QA Bkt	Cab	516 LB		\$6.496,00
250TL	Dlx	Complete Loader Kit: QA Bkt	ROPS	1.205 LB		\$6.540,00
250TL	Fast Pick	Complete Loader Kit: QA Bkt	72 in. Bucket	1.205 LB		\$6.496,00
250TL	Fast Pick	Complete Loader Kit: QA Bkt	Cab	1.205 LB		\$6.496,00
250TL	Fast Pick	Complete Loader Kit: QA Bkt	Gear Drive Transmission	1.205 LB		\$6.432,00
250TL	Fast Pick	Complete Loader Kit: QA Bkt	HST Transmission	1.205 LB		\$6.496,00
250TL	Fast Pick	Complete Loader Kit: QA Bkt	Loader Ready	564 LB		\$6.496,00
250TL	Fast Pick	Complete Loader Kit: Pin-On Bkt	72 in. Bucket	564 LB		\$6.103,00
250TL	Fast Pick	Complete Loader Kit: Pin-On Bkt	Loader Ready	564 LB		\$6.103,00
250TL	Fast Pick	Loader Arms Only	72 in. Bucket	564 LB		\$6.495,00
250TL	Standard	Loader Arms Only	72 in. Bucket	1.205 LB		\$3.630,00
250TL	Standard	Loader Arms Only	ROPS	1.205 LB		\$3.630,00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

--	--	--	--	--

SD PK PACKAGED KIT

	LDARMS	Loader Arms Only			No Charge
	PINONB	Complete Loader Kit: Pin-On Bkt			No Charge
	QKATTB	Complete Loader Kit: QA Bkt			\$437,00

SD SY SPECIALITY

	ATCAB	Advanced Trans F/CA			\$490,00
	SS	SuperSteer(TM)			No Charge
	ROPSA	ROPS			\$107,00
	CABIN	Cab			\$63,00
	72IN	72 in. Bucket			

-CP9B 06 0009 000 01-MAR-10



DRAFT: FOR INTERNAL USE ONLY



-CP9B 06

**MODEL 250TL FARM LOADER
US PRICE LIST**

(Port of Entry)

		if PACKAGED KIT is Complete Loader Kit: QA Bkt and VERSION is Fast Pick			\$63,00
	GEAR	Gear Drive Transmission			(\$1,00)
	HST	HST Transmission			\$63,00
	LDRRDY	Loader Ready			
		if PACKAGED KIT is Complete Loader Kit: QA Bkt			\$63,00

SD VE VERSION

	DLX	Dlx			\$1.939,00
	FSTPK	Fast Pick			
		if PACKAGED KIT is Loader Arms Only			\$2.331,00
	STD	Standard			
		Standard			(\$534,00)
		if PACKAGED KIT is Complete Loader Kit: QA Bkt			\$1.938,00