



DRAFT: FOR INTERNAL USE ONLY



-CP9B 06

**MODEL 250TL FARM LOADER  
US PRICE LIST**

(Port of Entry)  
**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715100006	Pallet Fork Mount for Quick Coupler ONLY Pallet fork mount and fork set must be ordered to have a functional fork set.	230 LB		\$486,67
715102006	42" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	160 LB		\$501,33
715103006	48" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	220 LB		\$553,33
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



DRAFT: FOR INTERNAL USE ONLY



-CP9B 07

**MODEL 260TL FARM LOADER  
US PRICE LIST**

**(Port of Entry)  
Standard Equipment**

\*Please use Model Breakdown Chart to ensure proper loader choice.

**TRACTOR COMPATIBILITY:**

Boomer™ 3040/3045/3050, TC2310, T2320, TC35/35A/35D/35DA-TC45/45A/45D/45DA with SuperSteer™ FWD axle

Boomer™ 3040/3045/3050, TC2310, T2320, TC40DA - TC45DA with Cab with SuperSteer™ FWD axle

To assure proper performance, see Operator's Manual for recommended counterweighting.

**SPECIFICATIONS:  
TC35-35DA**

Maximum Lift Height (inches) 106  
Dump Clearance (inches) 82  
Digging Depth (inches) 7  
Lift Capacity (lbs.)  
    @ bucket pivot point 1760  
    @ 19.7 in. (500mm) from bucket pivot point 1391  
Breakout (lbs.)  
    @ bucket pivot point 2929  
    @ 19.7 in (500mm) from bucket pivot point 2223  
Reach @ Maximum Lift (inches) 43  
Bucket Rollback (degrees) 32  
Bucket Dump Angle (degrees) 60

Boomer™ 3040/3045/3050, T2310, 2320, T2330, TC40-TC45DA

Maximum Lift Height (inches) 106  
Dump Clearance (inches) 82  
Digging Depth (inches) 7  
Lift Capacity (lbs.)  
    @ bucket pivot point 1955  
    @ 19.7 in. (500mm) from bucket pivot point 1545  
Breakout (lbs.)  
    @ bucket pivot point 3254  
    @ 19.7 in (500mm) from bucket pivot point 2470  
Reach @ Maximum Lift (inches) 43  
Bucket Rollback (degrees) 32  
Bucket Dump Angle (degrees) 60

Loader specifications are subject to change and may vary based on tractor model and tire size.

"Fast Pick" packages are fully configured loaders.

Base Loaders are immediately available for factory shipment. The following completing items must be ordered individually as Dealer Installed Accessories from SERVICE PARTS to configure a complete loader:  
-Mounting Kit  
-Mid-mount Hydraulic Valve & Joystick  
-Pin-on Bucket

**WARRANTY**  
New Holland Standard Warranty Applies



DRAFT: FOR INTERNAL USE ONLY



-CP9B 07

**MODEL 260TL FARM LOADER  
US PRICE LIST**

(Port of Entry)  
**Models**

COMMERCIAL MODEL	VERSION	PACKAGED KIT	SPECIALITY	Weight	Factory Data	List Price
260TL	Dlx	Complete Loader Kit: QA Bkt	Advanced Trans F/CA	1.255 LB		\$6.497,00
260TL	Fast Pick	Complete Loader Kit: QA Bkt	Cab	1.255 LB		\$6.496,00
260TL	Fast Pick	Complete Loader Kit: QA Bkt	SuperSteer(TM)	1.255 LB		\$6.496,00
260TL	Standard	Loader Arms Only	SuperSteer(TM)	1.255 LB		\$3.631,00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

--	--	--	--	--

SD PK PACKAGED KIT

	LDARMS	Loader Arms Only			No Charge
	QKATTB	Complete Loader Kit: QA Bkt			\$437,00

SD SY SPECIALITY

	ATCAB	Advanced Trans F/CA			\$490,00
	SS	SuperSteer(TM)			No Charge
	CABIN	Cab			No Charge

SD VE VERSION

	DLX	Dlx			\$1.939,00
	FSTPK	Fast Pick			
		Fast Pick			\$2.428,00
		if PACKAGED KIT is Loader Arms Only			\$2.331,00
	STD	Standard			
		if PACKAGED KIT is Complete Loader Kit: QA Bkt			\$1.938,00



DRAFT: FOR INTERNAL USE ONLY



-CP9B 07

**MODEL 260TL FARM LOADER  
US PRICE LIST**

(Port of Entry)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715100006	Pallet Fork Mount for Quick Coupler ONLY Pallet fork mount and fork set must be ordered to have a functional fork set.	230 LB		\$486,67
715102006	42" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	160 LB		\$501,33
715103006	48" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	220 LB		\$553,33
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



DRAFT: FOR INTERNAL USE ONLY



-CP9B 08

**MODEL 250TL/260TL (LOADER READY)  
US PRICE LIST**

(Port of Entry)  
**Models**

COMMERCIAL MODEL	VERSION	PACKAGED KIT	SPECIALITY	Weight	Factory Data	List Price
250TL	Fast Pick	Complete Loader Kit: QA Bkt	72 in. Bucket	1,205 LB		\$6,496,00
250TL	Fast Pick	Complete Loader Kit: Pin-On Bkt	72 in. Bucket	564 LB		\$6,103,00
250TL	Fast Pick	Loader Arms Only	72 in. Bucket	564 LB		\$6,495,00
250TL	Ready	Complete Loader Kit: QA Bkt	72 in. Bucket	496 LB		\$4,817,00
250TL	Ready	Loader Arms Only	MFD	496 LB		\$3,631,00
260TL	Fast Pick	Complete Loader Kit: QA Bkt	SuperSteer(TM)	1,255 LB		\$6,496,00
260TL	Ready	Loader Arms Only	SuperSteer(TM)	546 LB		\$3,631,00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD PK PACKAGED KIT

	LDARMS	Loader Arms Only		No Charge
	PINONB	Complete Loader Kit: Pin-On Bkt		No Charge
	QKATTB	Complete Loader Kit: QA Bkt		\$437,00

SD SY SPECIALITY

	SS	SuperSteer(TM)		No Charge
	72IN	72 in. Bucket		
		if PACKAGED KIT is Complete Loader Kit: QA Bkt and VERSION is Fast Pick		\$63,00
	MFD	MFD		

SD VE VERSION

	FSTPK	Fast Pick		
		if PACKAGED KIT is Loader Arms Only		\$2,331,00
		if MODEL is 260TL		\$2,428,00
	READY	Ready		
		if SPECIALITY is 72 in. Bucket		\$216,00



DRAFT: FOR INTERNAL USE ONLY



-CP9B 08

**MODEL 250TL/260TL (LOADER READY)  
US PRICE LIST**

(Port of Entry)

SD N5241 72 INCH HD MATERIAL

	715720	72 in. HD mat pin-on bucket <b>For Loader Arms Only</b>	460 LB		\$793,00
	715730	72 in. HD mat bucket q/c	476 LB		\$734,00

SD N5801 QCK ATT IMP FACEPLA

	716653	Quick coupler	150 LB		\$451,00
--	--------	---------------	--------	--	----------



DRAFT: FOR INTERNAL USE ONLY



-CP9B 08

**MODEL 250TL/260TL (LOADER READY)  
US PRICE LIST**

(Port of Entry)  
**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715100006	Pallet Fork Mount for Quick Coupler ONLY Pallet fork mount and fork set must be ordered to have a functional fork set.	230 LB		\$486,67
715102006	42" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	160 LB		\$501,33
715103006	48" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	220 LB		\$553,33
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



DRAFT: FOR INTERNAL USE ONLY



-CP9B 09

**MODEL 270TL FARM LOADER  
US PRICE LIST**

**(Port of Entry)  
Standard Equipment**

\*Please use Model Breakdown Chart to ensure proper loader choice.

TRACTOR COMPATIBILITY: Boomer™ 4055/4060, T2410, T2420, TC48DA and TC55DA with 2WD or Conventional FWD Axle, ROPS

Boomer™ 4055/4060, T2410, T2420 with Cab

To assure proper performance, see Operator's Manual for recommended counterweighting.

**SPECIFICATIONS:**

- Maximum Lift Height (inches) 112.3
- Dump Clearance (inches) 85.2
- Digging Depth (inches) 4.9
- Lift Capacity to maximum lift height (lbs.)
  - @ bucket pivot point 2500
  - @ 19.7 in. (500mm) from bucket pivot point 1830
- Lift Capacity to 59 in. (1.5m) (lbs.)
  - @ bucket pivot point 3500
  - @ 19.7 in. (500mm) from bucket pivot point 2213

- Breakout Force (lbs.)
  - @ bucket pivot point 5000
  - @ 19.7 in. (500mm) from bucket pivot point 3114
- Reach @ Maximum Lift (inches) 32
- Bucket Rollback (degrees) 39
- Bucket Dump Angle (degrees) 49

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

"Fast Pick" packages are fully configured loaders.

Base Loaders are immediately available for factory shipment. The following completing items must be ordered individually as Dealer Installed Accessories from SERVICE PARTS to configure a complete loader:

- Mounting Kit
- Mid-mount Hydraulic Valve & Joystick
- Pin-on Bucket

**WARRANTY**  
New Holland Standard Warranty Applies



DRAFT: FOR INTERNAL USE ONLY



-CP9B 09

**MODEL 270TL FARM LOADER  
US PRICE LIST**

(Port of Entry)  
**Models**

COMMERCIAL MODEL	VERSION	PACKAGED KIT	SPECIALITY	Weight	Factory Data	List Price
270TL	Fast Pick	Complete Loader Kit: QA Bkt	Cab	1.280 LB		\$7.409,00
270TL	Fast Pick	Complete Loader Kit: QA Bkt	ROPS	1.280 LB		\$7.409,00
270TL	Standard	Loader Arms Only	ROPS	750 LB		\$4.117,00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

--	--	--	--	--

SD\_PK PACKAGED KIT

Order Code	Description	Weight	Factory Data	List Price
LDARMS	Loader Arms Only			No Charge
QKATTB	Complete Loader Kit: QA Bkt			\$437,00

SD\_SY SPECIALITY

Order Code	Description	Weight	Factory Data	List Price
ROPSA	ROPS			No Charge
CABIN	Cab			No Charge

SD\_VE VERSION

Order Code	Description	Weight	Factory Data	List Price
FSTPK	Fast Pick			
	Fast Pick			\$2.836,00
	if PACKAGED KIT is Loader Arms Only			\$2.331,00
STD	Standard			
	Standard			(\$19,00)
	if PACKAGED KIT is Complete Loader Kit: QA Bkt			\$1.938,00



DRAFT: FOR INTERNAL USE ONLY



-CP9B 09

**MODEL 270TL FARM LOADER  
US PRICE LIST**

(Port of Entry)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715100006	Pallet Fork Mount for Quick Coupler ONLY Pallet fork mount and fork set must be ordered to have a functional fork set.	230 LB		\$486,67
715102006	42" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	160 LB		\$501,33
715103006	48" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	220 LB		\$553,33
715655026	Ballasting Box For 3-point hitch (Category II) capacity of 1825 lbs., for total maximum weight of 2200 lbs.	375 LB		\$1,053,25



DRAFT: FOR INTERNAL USE ONLY



-CP9B 10

**MODEL 270TL FARM LOADER (LOADER READY)  
US PRICE LIST**

(Port of Entry)  
**Models**

COMMERCIAL MODEL	VERSION	PACKAGED KIT	SPECIALITY	Weight	Factory Data	List Price
270TL	Ready	Loader Arms Only	ROPS	1.310 LB		\$5.321,00
Includes the following Equipment						
72 in. HD Hi cap mat bucke		\$734,00				
Quick coupler		\$451,00				

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
SD_SY SPECIALITY				
	ROPSA ROPS			No Charge
SD_VE VERSION				
	READY Ready			No Charge
SD_N5241 72 INCH HD MATERIAL				
	717222 72 in. HD Hi cap mat bucket	297 LB		\$734,00
SD_N5801 QCK ATT IMP FACEPLA				
	716653 Quick coupler	150 LB		\$451,00



DRAFT: FOR INTERNAL USE ONLY



-CP9B 10

**MODEL 270TL FARM LOADER (LOADER READY)  
US PRICE LIST**

(Port of Entry)  
**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715100006	Pallet Fork Mount for Quick Coupler ONLY Pallet fork mount and fork set must be ordered to have a functional fork set.	230 LB		\$486,67
715102006	42" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	160 LB		\$501,33
715103006	48" Pallet Fork Set Pallet fork mount and fork set must be ordered to have a functional fork set.	220 LB		\$553,33
715655026	Ballasting Box For 3-point hitch (Category II) capacity of 1825 lbs., for total maximum weight of 2200 lbs.	375 LB		\$1.053,25



**300 SERIES REAR-MOUNTED FINISH MOWERS  
US PRICE LIST**

(Shipment from Depots)  
**Standard Equipment**

The 300 series are 3-pt. mounted finishing mowers for use on tractors equipped with 540 rpm PTO. Prices include solid rubber gauge wheels.

**MODEL:**

310GM, 320GM, 330GM

**SIZE:**

310GM - 60"  
320GM - 72"  
330GM - 90"

**Boomer™ 8N Configuration:**

330GM-8N - Boomer 8N ONLY

**SPECIFICATIONS:**

Cutting Height Range 1 to 4"  
3 Pt Mounted (floating hitch) Category 1  
Rear Discharge  
Discharge Safety Chain Standard  
V Belt Drive Standard  
Solid Rubber Gauge Wheels (fully rotating) 4  
Standard PTO (RPM) 540

**PTO HP Rating up to:**

310GM - 30  
320GM - 40  
330GM - 60

**Number of Blades**

310GM - 3  
320GM - 3  
330GM - 5

**Blade Speed (RPM)**

310GM - 2,630  
320GM - 2,230  
330GM - 2,630

**Weight (lbs)**

310GM - 435  
320GM - 500  
330GM - 683



**300 SERIES REAR-MOUNTED FINISH MOWERS  
US PRICE LIST**

(Shipment from Depots)

**Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
310GM	60 in. Rear Discharge	435 LB		\$2,164.00
320GM	72 in. Rear Discharge	500 LB		\$2,351.00
330GM	90 in. Rear Discharge	683 LB		\$3,675.00
330GM-8N	330GMN 90in RR Fin	683 LB		\$3,675.00



400 SERIES FLEX-WING FINISH MOWERS  
US PRICE LIST

(Shipment from Depots)  
Standard Equipment

The 400 series are heavy-duty flex-wing finishing mowers.

MODEL:

410GM 420GM 430GM

SPECIFICATIONS:

Cutting Height Range 1" to 5"  
 Blade Tip Speed (FPM) 16,000  
 Caster Wheels (12) 15x6.00-6  
 Transport Tires (2) 26x12.00-12  
 Approx. Weight (lbs) 2,600 2,800 3,100

Overall Cutting Width  
 410GM - 12' Flex  
 420GM - 15' Flex  
 430GM - 17' Flex

Center Deck Cutting Width  
 410GM - 5'  
 420GM - 6'  
 430GM - 7.5'

Wing Deck Cutting Width  
 410GM - 4'  
 420GM - 5'  
 430GM - 6'

Deck Overlap  
 410GM - 6"  
 420GM - 6"  
 430GM - 12"

Overall Width  
 410GM - 146"  
 420GM - 182"  
 430GM - 207"

Transport Width  
 410GM - 100"  
 420GM - 101"  
 430GM - 102"

Maximum Overall Length  
 410GM - 182"  
 420GM - 185"  
 430GM - 196"

Transport Length  
 410GM - 177"  
 420GM - 180"  
 430GM - 188"

Transport Height  
 410GM - 90"  
 420GM - 100"  
 430GM - 110"

Min. HP  
 410GM - 30  
 420GM - 35  
 430GM - 40



**400 SERIES FLEX-WING FINISH MOWERS  
US PRICE LIST**

(Shipment from Depots)

**Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
410GM	12 ft. 3 Section Finish	2.600 LB		\$13.852,00
420GM	15 ft. 3 Section Finish	2.800 LB		\$14.943,00
430GM	17 ft. 3 Section Finish	3.100 LB		\$16.269,00



**MODEL 918L (LIGHT DUTY) FLAIL MOWERS  
US PRICE LIST**

(New Holland Depots-Dealer Pickup Allowed)

**Standard Equipment**

The Model 918L is a 3-pt hitch-mounted, 540 rpm, PTO driven, flail mower suitable for mowing lawn grass up to 6 inches high.

MODEL: 918LFM

SIZE: 50IN 60IN

**SPECIFICATIONS:**

PTO HP Rating 30  
 Rated Speed (rpm) 540  
 Nominal Cutting Width (in inches) 50 60  
 Offset Adjustment to Right (in inches) N/A  
 Offset Adjustment to Left (in inches) N/A  
 Cutting Height Range (in inches) 3/4 to 3  
 Cutting Height Adjustment Increments (in inches) 3/4  
 Rotor Diameter (tip-to-tip, in inches) 13.5  
 Rotor Rotation No  
 Gauge Roller Diameter (in inches) 3.5  
 Blade Mounting Single Hinge  
 Blade Type Fine  
 Number of Blades 80 96

Blade Tip Speed (fpm) 7522  
 Rotor Shaft Speed (rpm) 2137  
 Thickness of Flail Deck (in inches) 0.0985  
 Thickness of Flail Ends (in inches) 0.1968  
 Lift Linkage Fixed  
 3-pt. Hitch Category I

It includes the following:

- Basic Flail Mower with Blades
- Category I, 3-pt. Hitch Frame
- Steel Gauge
- PTO Shaft and Safety Shield
- Parking Stand

Note: It is recommended that the tractor on which the Model 918L is installed is equipped with front end weights for maximum stability

**WARRANTY**

New Holland Standard Warranty Applies



**MODEL 918L (LIGHT DUTY) FLAIL MOWERS  
US PRICE LIST**

(New Holland Depots-Dealer Pickup Allowed)

**Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
918L	60 in. Light with Steel Roller	348 LB		\$2,864.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**COMPLETING PACKAGES**

COMPLETING PACKAGES

SD 01001 BASE UNIT				
	715589	50 in. with Steel Roller		(\$112.00)



**MODEL 918H (HEAVY DUTY) FLAIL MOWERS  
US PRICE LIST**

**(New Holland Depots-Dealer Pickup Allowed)  
Standard Equipment**

The Model 918H is a 3-pt. hitch mounted, 540 rpm, PTO driven, flail mower suitable for commercial mowing applications.

MODEL: 918HFM

SIZE: 60IN 71IN 91IN

**SPECIFICATIONS:**

PTO HP Rating 70  
 Rated Speed (rpm) 540  
 Nominal Cutting Width (in inches)  
 60 72 88  
 Offset Adjustment to Right (in inches)  
 0 or 14.5 14.5 14.5  
 Offset Adjustment to Left (in inches)  
 N/A  
 Cutting Height Range (in inches)  
 1/2 to 5 1/2 to 5 3/4 to 5  
 Cutting Height Adjustment Increments  
 (in inches) 1  
 Rotor Diameter (tip-to-tip, in inches)  
 15.8 15.8 16.5  
 Rotor Rotation No  
 Gauge Roller Diameter (in inches) 5.2  
 Blade Mounting Single Hinge  
 Blade Type Standard

Number of Blades  
 80 96 128  
 Blade Tip Speed (fpm)  
 9237 9237 9659  
 Rotor Shaft Speed (rpm) 2236  
 Thickness of Flail Deck (in inches)  
 0.1575  
 Thickness of Flail Ends (in inches)  
 0.2362  
 Lift Linkage Flexible  
 3-pt. Hitch Category I or II

It includes the following:  
 -Basic Flail Mower with Blades  
 -Category I, 3-pt. Hitch Frame  
 -Steel Gauge  
 -PTO Shaft and Safety Shield  
 -Parking Stand

Note: It is recommended that the tractor on which the Model 918H is installed is equipped with front end weights for maximum stability

**WARRANTY**  
 New Holland Standard Warranty Applies



**MODEL 918H (HEAVY DUTY) FLAIL MOWERS  
US PRICE LIST**

(New Holland Depots-Dealer Pickup Allowed)

**Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
918H	60 in. Heavy with Steel Roller	697 LB		\$4,352.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**COMPLETING PACKAGES**

COMPLETING PACKAGES

SD 01001 BASE UNIT

	715592	71 in. with Steel Roller			\$205.00
	715593	91 in. with Steel Roller			\$1,149.00



**54CB/60CB FRONT MOUNT BLADES  
US PRICE LIST**

(Thetford Mines, Quebec - Sioux Falls, SD)  
**Standard Equipment**

Front Mount Blade - Quick Hitch

**WARRANTY**

New Holland Standard Warranty Applies

Hydraulic Valve Kit Shipping Point  
Service Parts

54CB Front Mount Blade

**Tractor Applications:**

Boomer™ 1020/1025, T1010, T1030,  
TZ18DA, TZ22DA, TZ24DA, TZ25DA

**SPECIFICATIONS:**

Moldboard Width - 54 in.  
Moldboard Height - 17 in.  
Reversible Cutting Edge - Standard  
Cutting Edge Thickness - 3/8 in.  
Manual Angling - Standard  
Hydraulic Angling - N/A  
Angling Range - 0 to 30 degrees  
Adjustable Skid Shoes - Standard

60CB Front Mount Blade

**Tractor Applications:**

Boomer 1020/1025/1030, T1110, T1010,  
T1030, TZ18DA, TZ22DA, TZ24DA,  
TZ25DA

**SPECIFICATIONS:**

Moldboard Width - 60 in.  
Moldboard Height - 19 in.  
Reversible Cutting Edge - Standard  
Cutting Edge Thickness - 1/2 in.  
Manual Angling - N/A  
Hydraulic Angling - Standard  
Angling Range - 0 to 30 degrees  
Adjustable Skid Shoes - Standard

The following items are required to make  
up a complete front mount snowblower:

- Packaged Front Mount Blade
- Quick Hitch and Subframe
- Hydraulic Valve Kit for tractor

Optional Equipment can be added as  
desired.

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
54CBLA	120 LB		\$746,00
60CBLA	311 LB		\$1,641,00



**54CB/60CB FRONT MOUNT BLADES  
US PRICE LIST**

(Theftord Mines, Quebec - Sioux Falls, SD)  
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**ATTACHMENT SECTION**

REQUIRED OPTIONS

SD N5701 HITCH AND SUBFRAME				
	715422	Quick Hitch -Com mwr/class .75 60CB - For Boomer™ 1030, T1110	195 LB	\$1,277,00
	715423	Front Quick Hitch/Subframe 60CB/60CBH - For TC18, TC21D/21DA, TC23DA, TC24D/24DA, TC26DA	510 LB	\$1,255,00
	715451	Front mounting brackets-715451 54CB/60CB - For Boomer™ 1020/1025/1030, T1110, T1010, T1030, TZ18DA, TZ22DA, TZ24DA, TZ25DA  72CB - for units with SuperSteer™ axle	1,200 LB	\$679,00
	715457	Quick Hitch-TC30/T1510/T1520 60CB/60CBH/72CB - For TC30, T1510, T1520	222 LB	\$1,255,00

OPTIONAL EQUIPMENT

SD 40002 BALLAST BOX				
	717746	Balasting box - 500 lbs.	100 LB	\$233,00

SD 50091 RUBBER BLADE EDGE				
	715679	Rubber cutting edge for 60CB, 60CBH, 72CB, or 72CBH	61 LB	\$231,00



54CB/60CB FRONT MOUNT BLADES  
US PRICE LIST

(Thetford Mines, Quebec - Sioux Falls, SD)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



**60CBH FRONT MOUNT BLADES  
US PRICE LIST**

(Thetford Mines, Quebec - Sioux Falls, SD)

**Standard Equipment**

Front Mount Blade - Quick Hitch

Reversible Cutting Edge - Standard

Cutting Edge Thickness - 1/2 in.

**WARRANTY**

New Holland Standard Warranty Applies

Manual Angling - N/A

Hydraulic Angling - Standard

Hydraulic Valve Kit Shipping Point  
Service Parts

Angling Range - 0 to 30 degrees

Adjustable Skid Shoes - Standard

60CBH Front Mount Blade

The following items are required to make up a complete front mount snowblower:

**Tractor Applications:**

T1510, T1520, TC30, TC26DA,  
TC24D/DA, TC23DA, TC21D/DA, TC18,

- Packaged Front Mount Blade
- Quick Hitch and Subframe
- Hydraulic Valve Kit for tractor

**SPECIFICATIONS:**

Moldboard Width - 60 in.

Moldboard Height - 22 in.

Optional Equipment can be added as desired.

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
60CBHA	311 LB		\$1,858.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**ATTACHMENT SECTION**

**REQUIRED OPTIONS**

SD_20078 HOSE KIT				
	715743	Hydraulic hose kit Required when installing 60CBHA or 72CBLA on T1510, T1520 or TC30	55 LB	\$112,00

SD\_N5701 HITCH AND SUBFRAME



**60CBH FRONT MOUNT BLADES  
US PRICE LIST**

(Thetford Mines, Quebec - Sioux Falls, SD)

	715423	Front Quick Hitch/Subframe 60CB/60CBH - For TC18, TC21D/21DA, TC23DA, TC24D/24DA, TC26DA	510 LB		\$1.255,00
	715457	Quick Hitch-TC30/T1510/T1520 60CB/60CBH/72CB - For TC30, T1510, T1520	222 LB		\$1.255,00

OPTIONAL EQUIPMENT

SD\_40002 BALLAST BOX

	717746	Balasting box - 500 lbs.	100 LB		\$233,00
--	--------	--------------------------	--------	--	----------

SD\_50091 RUBBER BLADE EDGE

	715879	Rubber cutting edge for 60CB, 60CBH, 72CB, or 72CBH	61 LB		\$231,00
--	--------	--	-------	--	----------



60CBH FRONT MOUNT BLADES  
US PRICE LIST

(Thetford Mines, Quebec - Sioux Falls, SD)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



**72CB FRONT MOUNT BLADES  
US PRICE LIST**

(Theftford Mines, Quebec - Sioux Falls, SD)

**Standard Equipment**

Front Mount Blade - Quick Hitch

Reversible Cutting Edge - Standard

**WARRANTY**

New Holland Standard Warranty Applies

Cutting Edge Thickness - 1/2 in.

Manual Angling - N/A

Hydraulic Valve Kit Shipping Point  
Service Parts

Hydraulic Angling - Standard

Angling Range - 0 to 30 degrees

Adjustable Skid Shoes - Standard

72CB Front Mount Blade

The following items are required to make up a complete front mount snowblower:

**Tractor Applications:**

Boomer™ 2030/2035, T1510, T1520,  
TC30, T2210, T2220, TC31DA, TC34DA,  
TC29D/DA, TC33D/DA

- Packaged Front Mount Blade

- Quick Hitch and Subframe

- Hydraulic Valve Kit for tractor

Optional Equipment can be added as desired.

**SPECIFICATIONS:**

Moldboard Width - 72 in.

Moldboard Height - 22 in.

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
72CBLA	535 LB		\$2,089.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**ATTACHMENT SECTION**

**REQUIRED OPTIONS**

SD_20078 HOSE KIT				
	715743	Hydraulic hose kit Required when installing 60CBHA or 72CBLA on T1510, T1520 or TC30	55 LB	\$112.00

SD\_N5701 HITCH AND SUBFRAME



**72CB FRONT MOUNT BLADES  
US PRICE LIST**

(Theftford Mines, Quebec - Sioux Falls, SD)

	715425	Front quick hitch - Class 2 For Boomer™ 2030/2035, T2210, T2220, TC29D/DA, TC31DA, TC33D/33DA, or TC34DA with conventional FWD axle	318 LB		\$1,365,00
	715451	Front mounting brackets-715451 54CB/60CB - For Boomer™ 1020/1025/1030, T1110, T1010, T1030, TZ18DA, TZ22DA, TZ24DA, TZ25DA  72CB - for units with SuperSteer™ axle	1,200 LB		\$1,365,00
	715457	Quick Hitch-TC30/T1510/T1520 60CB/60CBH/72CB - For TC30, T1510, T1520	222 LB		\$1,255,00

**OPTIONAL EQUIPMENT**

<b>SD_40002 BALLAST BOX</b>					
	717746	Balasting box - 500 lbs.	100 LB		\$233,00

<b>SD_50091 RUBBER BLADE EDGE</b>					
	715679	Rubber cutting edge for 60CB, 60CBH, 72CB, or 72CBH	61 LB		\$231,00



72CB FRONT MOUNT BLADES  
US PRICE LIST

(Thetford Mines, Quebec - Sioux Falls, SD)  
**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



**72CBH/84CBH FRONT MOUNT BLADES  
US PRICE LIST**

(Theftord Mines, Quebec - Sioux Falls, SD)  
**Standard Equipment**

Front Mount Blade - Quick Attach

**WARRANTY**

New Holland Standard Warranty Applies

Hydraulic Valve Kit Shipping Point  
Service Parts

72CBH Front Mount Blade

**Tractor Applications:**

Boomer™ 3040/3045/3050, T2310,  
T2320, T2330, TC35D/A/DA,  
TC40D/A/DA, TC45D/A/DA

**SPECIFICATIONS:**

Moldboard Width - 72 in.  
Moldboard Height - 22 in.  
Reversible Cutting Edge - Standard  
Cutting Edge Thickness - 1/2 in.  
Manual Angling - N/A  
Hydraulic Angling - Standard  
Angling Range - 0 to 30 degrees  
Adjustable Skid Shoes - Standard

84CBH Front Mount Blade

**Tractor Applications:**

Boomer™ 3040/3045/3050, T2310,  
T2320, T2330, TC35D/A/DA,  
TC40D/A/DA, TC45D/A/DA

**SPECIFICATIONS:**

Moldboard Width - 84 in.  
Moldboard Height - 22 in.  
Reversible Cutting Edge - Standard  
Cutting Edge Thickness - 1/2 in.  
Manual Angling - N/A  
Hydraulic Angling - Standard  
Angling Range - 0 to 30 degrees  
Adjustable Skid Shoes - Standard

The following items are required to make  
up a complete front mount snowblower:

- Packaged Front Mount Blade
- Quick Hitch and Subframe
- Hydraulic Valve Kit for tractor

Optional Equipment can be added as  
desired.

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
72CBHA	535 LB		\$2,464.00
84CBHA	600 LB		\$2,954.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------



**72CBH/84CBH FRONT MOUNT BLADES  
US PRICE LIST**

(Thetford Mines, Quebec - Sioux Falls, SD)

**ATTACHMENT SECTION**

**REQUIRED OPTIONS**

**SD\_N5701 HITCH AND SUBFRAME**

	715454	Front Quick Hitch/Subframe for units with SuperSteer™ FWD axle, HST	510 LB		\$1.790,00
	716437	Front quick hitch - Class 3 for units with 2WD or conventional FWD axle, Gear and HST	385 LB		\$1.790,00
	717751	Front quick hitch - Class 3 AT for units with EasyDrive™ CVT			\$1.790,00

**OPTIONAL EQUIPMENT**

**SD\_40002 BALLAST BOX**

	717746	Ballasting box - 500 lbs.	100 LB		\$233,00
--	--------	---------------------------	--------	--	----------

**SD\_50091 RUBBER BLADE EDGE**

	715679	Rubber cutting edge for 60CB, 60CBH, 72CB, or 72CBH	61 LB		\$231,00
--	--------	--	-------	--	----------



72CBH/84CBH FRONT MOUNT BLADES  
US PRICE LIST

(Thetford Mines, Quebec - Sioux Falls, SD)  
**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



**702C/702D FRONT BLADES  
US PRICE LIST**

(Theftford Mines, Quebec - Sioux Falls, SD)

**Standard Equipment**

Model 702C and 702D Front Blade

Tractor Application:

Boomer™ 4055/4060, T2410, T2420  
TC48DA, TC55DA, 2120, 3415

702C SPECIFICATIONS:

Moldboard Width - 78 in.  
Moldboard Height - 20 in.  
Moldboard Thickness - 1/4 in.  
Cutting Edge - 1/2 in. x 6 in. Rvrs.  
Blade Lift Height - 10 in.  
Digging Depth - 4-1/4 in.  
Max. Angle Blade - 30°  
Hydraulic Angle Blade Kit - Standard

702D SPECIFICATIONS:

Moldboard Width - 84 in.  
Moldboard Height - 20 in.  
Moldboard Thickness - 1/4 in.  
Cutting Edge - 1/2 in. x 6 in. Rvrs.  
Blade Lift Height - 10 in.  
Digging Depth - 4-1/4 in.  
Max. Angle Blade - 30°  
Hydraulic Angle Blade Kit - Standard

WARRANTY

New Holland Standard Warranty Applies

Hydraulic Valve Kit Shipping Point  
Service Parts

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
702CFB	700 LB		\$2,725,00
Includes the following Equipment			
6-1/2 FT Moldboard		\$711,00	
Front Quick Hitch/Subframe		\$1,255,00	
702DFB	350 LB		\$2,847,00
Includes the following Equipment			
7 Ft. Moldboard		\$733,00	
Front Quick Hitch/Subframe		\$1,255,00	

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
SD_01001 BASE UNIT				
One Required				
715427	6-1/2 FT Moldboard			\$711,00
715428	7 Ft. Moldboard			\$733,00



FRONT MOUNT BLADES FOR COMMERCIAL MOWERS  
US PRICE LIST

(Theftford Mines, Quebec - Sioux Falls, SD)

**Standard Equipment**

Front Blade for Commercial Mowers

Mower Application: G6030, G6035, and  
MC series

Requires:  
Quick hitch  
Rear Weight Bracket  
Rear Weights (3 Recommended)  
Remote Valve

702D Blade - QUICK ATTACH

SPECIFICATIONS:  
Moldboard Width - 60 in.  
Moldboard Height - 22 in.  
Reversible Cutting Edge - Standard  
Cutting Edge Thickness - 1/2 in.  
Hydraulic Angling - Standard  
Angling Range - 0 to 30 degrees  
Adjustable Skid Shoes - Standard

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
702DM6	450 LB		\$1,543.00



**700 SERIES ROTARY CUTTERS  
US PRICE LIST**

(Distribution Center)

**Standard Equipment**

**"Value" Series**

Designed to compliment Compact and Utility tractors equipped with 3-point hitch and 540 rpm PTO.

Models:

714      716      177

Size (inches):

48      60      72

**SPECIFICATIONS**

Tractor Horsepower (max.): 48

Cutting Width (inches):

48      60      72

Overall Width (inches):

53      65      75

Overall Length (inches):

83      100      106

Hitch: 3-point

Driveline Category: Cat. I

Gearbox Rating (horsepower): 48

Gearbox Warranty (years): 5

Slip Protection: Shear Bolt

Deck Gauge (gauge):

10      7      7

Side Panel Depth: 8 in. x 7 gauge

Blade Carrier: Pan

Blade Size: 3/8 in. x 3 in. Updraft

Blade Tip Speed (540):

13,215 fpm    16,519 fpm    14,995 fpm

Minimum Cutting Height (inch): 1

Tire & Wheel: Laminated

Safety Deflectors: Rear Rubber Belting

Weight (pounds):

538      728      882

**VALUE SERIES ACCESSORIES**

(Order through Service Parts)

MAG010D3590 4 ft. Front Chain Guards

MAG010D3591 4 ft. Rear Chain Guards

MAG010D6798 5 ft. Front Chain Guards

MAG010D6799 5 ft. Rear Chain Guards

MAG010D1598 6 ft. Front Chain Guards

MAG010D1599 6 ft. Rear Chain Guards

MAG125D801D01 Slip Clutch

**"Standard-Duty" Series**

Designed to compliment Compact and Utility tractors equipped with 3-point hitch, 540 rpm PTO, and provide rugged performance to maintain larger acreages and estates.

Models:

736      737      738

Size (inches):

60      72      84

Boomer™ 8N Configuration:

738GCN: Boomer 8N ONLY

**SPECIFICATIONS**

Tractor Horsepower (max.):

60      65      65

Cutting Width (inches):

60      72      84

Overall Width (inches):

65      75      90

Overall Length (inches):

100      106      122

Hitch: 3-point

Driveline Category: Cat. I

Gearbox Rating (horsepower): 65

Gearbox Warranty (years): 5

Slip Protection: Slip Clutch

Deck Gauge (gauge): 7

Side Panel Depth:

8 in. x 7 gauge

8 in. x 7 gauge

8 in. x 1/4 in.

Blade Carrier: Pan

Output Shaft Diameter (inches): 2

Blade Size:

3/8 in. x 3 in. Updraft

1/2 in. x 4 in. Updraft

1/2 in. x 4 in. Updraft

Blade Tip Speed (540):

16,519 fpm    14,995 fpm    17,300 fpm

Minimum Cutting Height (inch): 2

Tire & Wheel: Laminated

Safety Deflectors: Rear Rubber Belting

Weight (pounds): 731      907      1,189



**700 SERIES ROTARY CUTTERS  
US PRICE LIST**

(Distribution Center)

**Standard Equipment**

STANDARD "MEDIUM" DUTY  
ACCESSORIES  
(Order through Service Parts)  
MAG010D6798 5 ft. Front Chain Guards  
MAG010D6799 5 ft. Rear Chain Guards  
MAG010D1598 6 ft. Front Chain Guards  
MAG010D1599 6 ft. Rear Chain Guards  
MAG010D3990 7 ft. Front Chain Guards  
MAG010D3991 7 ft. Rear Chain Guards  
MAG401DSKID8HWY Skid Shoes

"Heavy-Duty" Series  
Designed for Utility and Mid-Range tractors equipped with 3-point hitch, 540 rpm PTO, and provide rugged performance for maintenance of large farms or ranch operations.  
Models:  
757 758 768 769  
Size (inches):  
72 84 84 96

SPECIFICATIONS  
Tractor Horsepower (max.):  
95 95 140 150  
Cutting Width (inches):  
72 84 84 96  
Overall Width (inches):  
79 90 90 102  
Overall Length (inches):  
106 122 100 97  
Hitch: 3-point  
Driveline Category:  
Cat. I Cat. I Cat. II Cat. II  
Gearbox Rating (horsepower):  
95 95 140 150/95  
Gearbox Warranty (years): 5  
Slip Protection: Slip Clutch  
Deck Gauge (gauge): 7  
Side Panel Depth: 8 in. x 1/4 in.  
Blade Carrier: Pan  
Output Shaft Diameter (inches): 2  
Blade Size: 1/2 in. x 4 in. Updraft

Blade Tip Speed (540):  
14,995 fpm  
17,495 fpm  
17,494 fpm  
15,282 fpm  
Minimum Cutting Height (inch): 2  
Tail Wheel:  
Single Spindle  
Single Spindle  
Single Spindle  
Dual Spindle  
Tire & Wheel: Laminated  
Safety Deflectors: Front/Rear Chains  
Weight (pounds):  
1,284 1,599 1,648 1,744

HEAVY DUTY ACCESSORIES  
(Order through Service Parts)  
MAG010d3992B 7 ft. (758GC) Dual Spindle Tail Wheel

"Heavy-Duty" Full-Type Series  
Designed for Mid-Range and High-Horsepower tractors providing rugged performance for maintenance of large farms or ranch operations.  
Models:  
770GC  
780GCA  
780GCB  
780GCC  
Size:  
10 ft. Rigid  
15 ft. Triple Flex  
15 ft. Triple Flex  
15 ft. Triple Flex

SPECIFICATIONS  
Tractor Horsepower (max.):  
150 210 210 210  
Cutting Width (inches):  
120 180 180 180  
Overall Width (inches):  
126 187 187 187



**700 SERIES ROTARY CUTTERS  
US PRICE LIST**

(Distribution Center)

**Standard Equipment**

Overall Length (inches):	3 Spindle
114 180 180 180	3 Spindle
Hitch: Pull-Type	3 Spindle
Driveline Category: PT/CV Joint	Tire & Wheel:
Gearbox Rating (horsepower):	Laminated
150/95 255/210 255/210 255/210	Laminated
Gearbox Warranty (years): 5	6 tires -25.75 x 6.75 x 14 (used Aircraft tires)
Slip Protection: Slip Clutch	6 tires - 25.75 x 6.75 x14 (used Aircraft tires)
Deck Gauge (gauge): 7	Hydraulic Level Lift:
Side Panel Depth:	N/A Optional Standard Standard
8 in. x 1/4 in.	Safety Deflectors: Front/Rear Chains
10.5 in. x 1/4 in.	Weight (pounds):
10.5 in. x 1/4 in.	2,293 5,397 5,500 5,500
10.5 in. x 1/4 in.	PTO Shaft:
Blade Carrier: Pan	540
Output Shaft Diameter (inches):	540
2 2 or 2-3/8 2 or 2-3/8 2 or 2 3/8	1000 - 1 3/8 in. shaft
Blade Size:	1000 - 1 3/4 in. shaft
1/2 in. x 3 in. Updraft	
1/2 in. x 4 in. Updraft	
1/2 in. x 4 in. Updraft	
1/2 in. x 4 in. Updraft	
Blade Tip Speed (center/out):	<b>PULL TYPE ACCESSORIES</b>
14,995 fpm	(Order through Service Parts)
15,238/14,821	MAG415D0060 15 ft. Hydraulic Level Lift
15,238/14,821	
15,238/14,821	<b>WARRANTY</b>
Minimum Cutting Height (inch): 2	New Holland
Tail Wheel:	Standard Warranty Applies
Dual Spindle	



**700 SERIES ROTARY CUTTERS  
US PRICE LIST**

(Distribution Center)

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
714GCA	519 LB		\$1,308.00
716GCA	781 LB		\$1,514.00
717GCA	885 LB		\$1,849.00
736GCA	985 LB		\$2,178.00
737GCA	1,005 LB		\$2,457.00
738GCA	1,305 LB		\$2,833.00
738GCN	903 LB		\$2,457.00
757GCA	1,153 LB		\$3,085.00
758GCA	1,604 LB		\$4,223.00
768GCA	1,725 LB		\$6,232.00
769GCA	1,749 LB		\$6,901.00
770GCA	2,425 LB		\$9,476.00
780GCA	5,894 LB		\$16,475.00
780GCB	5,894 LB		\$18,874.00
780GCC	5,894 LB		\$18,874.00



**836GS FRONT MOUNT SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)  
**Standard Equipment**

836GS  
FRONT MOUNT SNOW BLOWER

TRACTOR APPLICATION:  
Boomer™ 1030, T1110

WARRANTY  
New Holland Standard Warranty Applies

SHIPPING POINT:  
HYDRAULIC VALVE KITS  
Service Parts

SPECIFICATIONS:  
Overall Width - 60 in.  
Cutting Width - 60 in.  
Cutting Height - 20 in.  
Number of Fan Blades - 3  
Fan Diameter - 16 in.

Auger Diameter - 13 in.  
Fan Drive - #40 HD Chain  
Auger Drive: Mechanical Gearbox with  
shear pin protection  
Two-Part Chute with:  
Manual Chute Rotation - Standard  
Hydraulic Chute Rotation - Optional  
Electric Chute Rotation - Optional  
Shearbolt Protection - Standard  
Skid Shoe-Std. Adjustment - Standard

The following items are required to make  
up a complete front mount snow blower:  
- Packaged front mount snow blower  
- Quick Hitch and Subframe  
- Hydraulic Valve Kit for Tractor

Optional equipment can be added as  
desired

**Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
836GS	836GSA 60in F Mt Snowblower	308 LB		\$2,935,00



**836GS FRONT MOUNT SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)  
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**ATTACHMENT SECTION**

REQUIRED OPTIONS

SD_03007 MID PTO DRIVE KIT				
	715584	Drive completion kit 715584 Includes mid drive shaft, support and tractor half of front driveline. Used for the following: 836GS Boomer™ 1030, T1110 51CS/63CS TC18, TC21D/DA, TC23DA, TC24D/DA, TC26DA T1510, T1520, TC30 63CSH Boomer™ 2030/2035, T2210, T2220, TC31DA, TC34DA, TC29D/DA, TC33DA with conventional FWD axle 72CSH Boomer™ 3040/3045/3050, T2310, T2320, TC35D/DA, TC40D/DA, TC45 with conventional FWD axle	35 LB	\$731,00

SD_N5701 HITCH AND SUBFRAME				
	715422	Quick Hitch -Com mwr/class .75	195 LB	\$1,277,00

OPTIONAL EQUIPMENT

SD_20088 HYDRAULIC CHUTE ROT				
	717172	Hydraulic chute rotation Includes motor, flow restrictors, hose and quick couplers.	11 LB	\$734,00

SD_40002 BALLAST BOX				
	717746	Balasting box - 500 lbs.	100 LB	\$233,00

SD_50033 ELECTRIC CHUTE ROTA				
	716102	Electric Chute Rotation Includes motor, switch and wiring.	5 LB	\$449,00

SD_50034 ELECTRIC DEFLECTOR				
	716103	Electric ChuteDeflect-836/50CS Includes actuator, switch and wiring.	3 LB	\$605,00



836GS FRONT MOUNT SNOW BLOWER  
US PRICE LIST

(Thetford Mines, Quebec, Canada)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



50CS FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST

(Thetford Mines, Quebec, Canada)  
**Standard Equipment**

50CS  
FRONT MOUNT SNOW BLOWER

TRACTOR APPLICATION:

Boomer™ 1020  
Boomer™ 1025  
T1010  
T1030  
TZ18DA  
TZ22DA  
TZ24DA  
TZ25DA

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

HYDRAULIC VALVE KITS  
Service Parts

SPECIFICATIONS:

Overall Width - 50 in.

Cutting Width - 50 in.  
Cutting Height - 20 in.  
Number of Fan Blades - 3  
Fan Diameter - 16 in.  
Auger Diameter - 13 in.  
Fan Drive - #40 HD Chain  
Two-Part Chute with:  
    Manual Chute Rotation - Standard  
    Hydraulic Chute Rotation - Optional  
    Electric Chute Rotation - Optional  
Shearbolt Protection - Standard  
Skid Shoe-Std. Adjustment - Standard

The following items are required to make up a complete front mount snow blower:

- Packaged front mount snow blower
- Quick Hitch and Subframe
- Mid PTO Drive Kit
- Hydraulic Valve Kit for Tractor

optional equipment can be added as desired

**Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
50CS	50CSBA 50IN F Mt Snowblower	297 LB		\$2,238,00



**50CS FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)  
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**ATTACHMENT SECTION**

**REQUIRED OPTIONS**

SD_03007 MID PTO DRIVE KIT				
	715585	MID PTO Drive Kit (.5) Includes mid drive shaft, support and tractor half of front driveline.  Used for the following: 50CS Boomer™ 1020/1025, T1010, T1030, TZ18DA, TZ22DA, TZ24DA, TZ25DA	21 LB	\$700,00

SD_N5701 HITCH AND SUBFRAME				
	715451	Front mounting brackets-715451 50CS - for Boomer™ 1020/1025, T1010, T1030, TZ18A, TZ22DA, TZ24DA, TZ25DA  63CSH - for Boomer™ 2030, Boomer™ 2035, T2210, T2220, TC31DA, TC34DA, TC29D/DA, TC33D/DA with SuperSteer™ FWD axle.	1.200 LB	\$679,00

**OPTIONAL EQUIPMENT**

SD_20088 HYDRAULIC CHUTE ROT				
	717172	Hydraulic chute rotation Includes motor, flow restrictors, hose and quick couplers.	11 LB	\$734,00

SD_40002 BALLAST BOX				
	717746	Balasting box - 500 lbs.	100 LB	\$233,00

SD_50033 ELECTRIC CHUTE ROTA				
	716102	Electric Chute Rotation Includes motor, switch and wiring.	5 LB	\$449,00

SD_50034 ELECTRIC DEFLECTOR				
	716103	Electric ChuteDeflect-836/50CS Includes actuator, switch and wiring.	3 LB	\$605,00



50CS FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST

(Thetford Mines, Quebec, Canada)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



**51CS/63CS FRONT MOUNT 2 STG SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)  
**Standard Equipment**

51CS/63CS  
FRONT MOUNT SNOW BLOWER

**TRACTOR APPLICATION:**

- T1510
- T1520
- TC30
- TC23DA
- TC24D/DA
- TC26DA
- TC18
- TC21D/DA

**WARRANTY**

New Holland Standard Warranty Applies

**SHIPPING POINT:**

- HYDRAULIC VALVE KITS
- Service Parts

**51CS SPECIFICATIONS:**

- Overall Width - 51 in.
- Cutting Width - 51 in.
- Cutting Height - 22 in.
- Number of Fan Blades - 4
- Fan Diameter - 18 in.
- Auger Diameter - 14 in.
- Fan Drive - #50 HD Chain
- Two-Part Chute with:
  - Manual Chute Rotation - Standard

- Hydraulic Chute Rotation - Optional
- Electric Chute Rotation - Optional
- Shearbolt Protection - Standard
- Skid Shoe-Std. Adjustment - Standard

**63CS SPECIFICATIONS:**

- Overall Width - 63 in.
- Cutting Width - 63 in.
- Cutting Height - 22 in.
- Number of Fan Blades - 4
- Fan Diameter - 18 in.
- Auger Diameter - 14 in.
- Fan Drive - #50 HD Chain
- Two-Part Chute with:

- Manual Chute Rotation - Standard
- Hydraulic Chute Rotation - Optional
- Electric Chute Rotation - Optional
- Shearbolt Protection - Standard
- Skid Shoe-Std. Adjustment - Standard

- The following items are required to make up a complete front mount snow blower:
- Packaged front mount snow blower
  - Quick Hitch and Subframe
  - Mid PTO Drive Kit
  - Hydraulic Valve Kit for Tractor

Optional equipment can be added as desired

**Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
51CS	51CSBA 51IN F MT Snowblower	415 LB		\$3,309,00
63CSBA	63CSBA 63In F Mt Snowblower	440 LB		\$3,549,00





-CP1M 03

51CS/63CS FRONT MOUNT 2 STG SNOW BLOWER  
US PRICE LIST

(Thetford Mines, Quebec, Canada)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



**63CSH FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST**

(Theftford Mines, Quebec, Canada)  
**Standard Equipment**

63CSH  
FRONT MOUNT SNOW BLOWER

**TRACTOR APPLICATION:**

Boomer™ 2030  
Boomer™ 2035  
T2210  
T2220  
TC31DA  
TC34DA  
TC29D/DA  
TC33D/DA

**WARRANTY**

New Holland Standard Warranty Applies

**SHIPPING POINT:**

HYDRAULIC VALVE KITS  
Service Parts

**SPECIFICATIONS:**

Overall Width - 63 in.  
Cutting Width - 63 in.

Cutting Height - 22 in.  
Number of Fan Blades - 4  
Fan Diameter - 18 in.  
Auger Diameter - 14 in.  
Fan Drive - Gear box reduction  
Two-Part Chute with  
Manual Chute Rotation - Standard  
Hydraulic Chute Rotation - Optional  
Electric Chute Rotation - Optional  
Shearbolt Protection - Standard  
Skid Shoe-Std. Adj. - Standard

The following items are required to make up a complete front mount snow blower:

- Packaged front mount snow blower
- Quick Hitch and Subframe
- Mid PTO Drive Kit
- Hydraulic Valve Kit for Tractor

Optional equipment can be added as desired

**Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
63CSHA	63CSHA 63In F Mt Snowblower	678 LB		\$3,798,00



**63CSH FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)  
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**ATTACHMENT SECTION**

**REQUIRED OPTIONS**

SD_03007 MID PTO DRIVE KIT					
	715584	Drive completion kit 715584 Includes mid drive shaft, support and tractor half of front driveline. Used for the following: 836GS Boomer™ 1030, T1110 51CS/63CS TC18, TC21D/DA, TC23DA, TC24D/DA, TC26DA T1510, T1520, TC30 63CSH Boomer™ 2030/2035, T2210, T2220, TC31DA, TC34DA, TC29D/DA, TC33DA with conventional FWD axle 72CSH Boomer™ 3040/3045/3050, T2310, T2320, TC35D/DA, TC40D/DA, TC45 with conventional FWD axle	35 LB		\$745,00
	715586	MID PTO Drive Kit-II SuprSteer Includes mid drive shaft, support and tractor half of front driveline. Used for the following: Boomer™ 2030/2035, T2210, T2220, TC31DA, TC34DA, TC29D/DA, TC33DA with SuperSteer™ FWD axle	28 LB		\$745,00

SD_N5701 HITCH AND SUBFRAME					
	715425	Front quick hitch - Class 2 for Boomer™ 2030, Boomer 2035, T2210, T2220, TC31DA, TC34DA, TC29D/DA, TC33D/DA with conventional FWD axle.	318 LB		\$1.365,00
	715451	Front mounting brackets-715451 50CS - for Boomer™ 1020/1025, T1010, T1030, TZ18A, TZ22DA, TZ24DA, TZ25DA  63CSH - for Boomer™ 2030, Boomer™ 2035, T2210, T2220, TC31DA, TC34DA, TC29D/DA, TC33D/DA with SuperSteer™ FWD axle.	1.200 LB		\$1.365,00

**OPTIONAL EQUIPMENT**



**63CSH FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST**

(Theftord Mines, Quebec, Canada)

SD_20088 HYDRAULIC CHUTE ROT					
	717172	Hydraulic chute rotation Includes motor, flow restrictors, hose and quick couplers.	11 LB		\$887,00
SD_20101 HYDRAULIC CHUTE DEF					
	716864	Hydraulic chute deflector Includes one cylinder, brackets and mounting hardware.	16 LB		\$397,00
SD_29036 3 PART CHUTE					
	715345	3 Part chute Replaces 2-part chute for additional adjustment.	49 LB		\$382,00
SD_29038 ELEC CHUTE DEFLECT					
	715344	Electric chute deflector Includes acuator, switch and wiring	8 LB		\$873,00
SD_40002 BALLAST BOX					
	717746	Balasting box - 500 lbs.	100 LB		\$233,00



63CSH FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST

(Thetford Mines, Quebec, Canada)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



**72CSH FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)  
**Standard Equipment**

72CSH  
FRONT MOUNT SNOW BLOWER

**TRACTOR APPLICATION:**

Boomer™ 3040  
Boomer™ 3035  
Boomer™ 3050  
T2310  
T2320  
TC35D/DA  
TC40D/DA  
TC45DA

**WARRANTY**

New Holland Standard Warranty Applies

**SHIPPING POINT:**

HYDRAULIC VALVE KITS  
Service Parts

**SPECIFICATIONS:**

Overall Width - 72 in.  
Cutting Width - 72 in.

Cutting Height - 26 in.  
Number of Fan Blades - 4  
Fan Diameter - 24 in.  
Auger Diameter - 15 in.  
Fan Drive - Gear box reduction  
Auger Drive - #60 HD chain  
Two-Part Chute with  
    Manual Chute Rotation - Standard  
    Hydraulic Chute Rotation - Optional  
    Electric Chute Rotation - Not Avail.  
Shearbolt Protection - Standard  
Skid Shoe-Std. Adj. - Standard

The following items are required to make up a complete front mount snow blower:

- Packaged front mount snow blower
- Quick Hitch and Subframe
- Mid PTO Drive Kit
- Hydraulic Valve Kit for Tractor

Optional equipment can be added as desired

**Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
72CSHA	72CSHA 72in F Mt Snowblower	678 LB		\$4,482.00



**72CSH FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)  
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**ATTACHMENT SECTION**

**REQUIRED OPTIONS**

SD_03007 MID PTO DRIVE KIT				
	715584	Drive completion kit 715584 Includes mid drive shaft, support and tractor half of front driveline. Used for the following: 836GS Boomer™ 1030, T1110 51CS/63CS TC18, TC21D/DA, TC23DA, TC24D/DA, TC26DA T1510, T1520, TC30 63CSH Boomer™ 2030/2035, T2210, T2220, TC31DA, TC34DA, TC29D/DA, TC33DA with conventional FWD axle 72CSH Boomer™ 3040/3045/3050, T2310, T2320, TC35D/DA, TC40D/DA, TC45 with conventional FWD axle	35 LB	\$634,00
	715587	MID PTO Drive Kit-III SprSteer Used for the following: Boomer™ 3040/3045/3050, T2310, T2320, TC35D/DA, TC40D/DA, TC45 with SuperSteer™ FWD axle	30 LB	\$634,00
	717155	MID PTO Drive Kit-III HST Only	7 LB	\$634,00
	717761	MID PTO Drive Kit-III AT Used for the following: Boomer™ 3040/3045/3050 units with EasyDrive™ CVT		\$722,00

SD_N5701 HITCH AND SUBFRAME				
	715454	Front Quick Hitch/Subframe for units with SuperSteer™ FWD axle	510 LB	\$1.790,00
	716437	Front quick hitch - Class 3 for units with conventional FWD axle	385 LB	\$1.790,00
	717751	Front quick hitch - Class 3 AT for EasyDrive™ CVT models only		\$1.790,00

**OPTIONAL EQUIPMENT**

SD_20088 HYDRAULIC CHUTE ROT				
	717172	Hydraulic chute rotation Includes motor, flow restrictors, hose and quick couplers.	11 LB	\$887,00



72CSH FRONT MOUNT 2 STAGE SNOW BLOWER  
US PRICE LIST

(Theftford Mines, Quebec, Canada)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715655006	BALLAST BOX (RAD-R)	100 LB		\$215,58



64CSR/74CSR/84CSR REAR MOUNT SNOW BLOWER  
US PRICE LIST

(Thetford Mines, Quebec, Canada)  
**Standard Equipment**

64CSR, 74CSR, 84CSR  
REAR MOUNT  
2-STAGE SNOW BLOWER

WARRANTY  
New Holland Standard Warranty Applies

SHIPPING POINT:  
HYDRAULIC VALVE KITS  
Service Parts

64CSR  
TRACTOR APPLICATION:  
Boomer™ 1030  
T1110, TC24D/DA, TC26DA  
T1510, T1520, TC30  
Boomer™ 2030  
Boomer™ 2035  
T2210, T2220  
T31DA, TC34DA  
TC29D/DA, TC33D/DA  
T1530

SPECIFICATIONS:  
Overall Width - 64 in.  
Cutting Width - 64 in.  
Cutting Height - 26 in.  
Number of Fan Blades - 4  
Fan Diameter - 24 in.  
Auger Diameter - 15 in.  
Auger Drive - #60 Chain  
Two-Part Chute:  
Manual Rotation\* - Optional  
Hydraulic Rotation\*\* - Optional  
Shearbolt Protection - Standard  
Adjustable Skid Shoes - Standard  
Hitch, Driveline, Chute (less rotation) -  
Yes

74CSR  
TRACTOR APPLICATION:  
Boomer™ 2030  
Boomer™ 2035  
T2210, T2220  
TC31DA, TC34DA

TC29D/DA, TC33D/DA  
T1510, T1520, TC30, T1530  
Boomer™ 3040  
Boomer™ 3045  
Boomer™ 3050  
T2310, T2320, T2330  
TC35/D/A/DA  
TC40/D/A/DA  
TC45/D/A/DA  
Boomer™ 4055  
Boomer™ 4060  
T2410, T2420  
TC48DA, TC55DA

SPECIFICATIONS:  
Overall Width - 74 in.  
Cutting Width - 74 in.  
Cutting Height - 26 in.  
Number of Fan Blades - 4  
Fan Diameter - 24 in.  
Auger Diameter - 15 in.  
Auger Drive - #60 Chain  
Two-Part Chute:  
Manual Rotation\* - Optional  
Hydraulic Rotation\*\* - Optional  
Shearbolt Protection - Standard  
Adjustable Skid Shoes - Standard  
Hitch, Driveline, Chute (less rotation) -  
Yes

84CSR  
TRACTOR APPLICATION:  
T1530  
Boomer™ 3040  
Boomer™ 3045  
Boomer™ 3050  
T2310, T2320, T2330  
TC35/D/A/DA  
TC40/D/A/DA  
TC45/D/A/DA  
Boomer™ 4055  
Boomer™ 4060  
T2410, T2420  
TC48DA, TC55DA  
T4020



**64CSR/74CSR/84CSR REAR MOUNT SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)  
**Standard Equipment**

TN60A/DA/SA  
TN55/D/S, TN65/D/S

**SPECIFICATIONS:**

Overall Width - 84 in.  
Cutting Width - 84 in.  
Cutting Height - 34 in.  
Number of Fan Blades - 4  
Fan Diameter - 28 in.  
Auger Diameter - 20 in.  
Auger Drive - #60 Chain  
Two-Part Chute:

Manual Rotation\* - Optional  
Hydraulic Rotation\*\* - Optional  
Shearbolt Protection - Standard  
Adjustable Skid Shoes - Standard  
Hitch, Driveline, Chute (less rotation) -  
Yes

\*Required if hydraulic rotation is not selected.

\*\*Required if manual rotation is not selected.

**Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
64CS	64CSRA 64In R Mt Snowblower Ca	455 LB		\$2.844,00
74CS	74CSRA 74in R Mt Snowblower Ca	590 LB		\$3.774,00
84CS	84CSRA 84in R Mt Snowblower Ca	958 LB		\$4.563,00



**64CSR/74CSR/84CSR REAR MOUNT SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**ATTACHMENT SECTION**

REQUIRED OPTIONS

SD_29042 SNOW BLR CONFIG PKG				
	715342	Hydraulic chute rotation kit Required if manual chute rotation is not selected. Includes hydraulic cylinder. Hoses not included.  *one tractor rear remote valve is required for operation.	80 LB	\$450,00
	715343	Manual chute rotation kit Required if hydraulic chute is not selected.	26 LB	\$187,00



**877GS COMMERCIAL SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)  
**Standard Equipment**

877GS  
COMMERCIAL SNOW BLOWER

TRACTOR APPLICATION:  
T4050F - front mount  
T4000/TN - rear mount

WARRANTY  
New Holland Standard Warranty Applies

SHIPPING POINT:  
HYDRAULIC VALVE KITS  
Service Parts

SPECIFICATIONS:  
Recommended PTO HP: 35 - 60  
3-PT Hitch Category: I and II  
Overall Width - 74 in.  
Cutting Width - 74 in.  
Cutting Height - 30 in.  
Number of Fan Blades - 4  
Fan Diameter - 26 in.  
Auger Diameter - 20 in.  
Auger Drive - #60 Chain

Two-Part Chute with:  
Hydraulic Chute Rotation - Standard  
Hydraulic Chute Deflector - Standard  
Steel Cutting Edge - Optional  
Skid Shoe-Std. Adj. - Optional  
Driveline Shearbolt Protection - Standard

The following items are required to make up a complete front mount snow blower:  
- Packaged snow blower  
- PTO Reduction Kit for front mount

Optional equipment can be added as desired

NOTE: Series 6 PTO shaft (84280323).  
New Holland will offer as an option for Rear Mount only, sourced through service parts. The Series 6 PTO drive shaft will only be compatible when the snowblower is used as a rear 3 point hitch mount. Not compatible when used as a front mount.

**Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
877GS	877GSA	1.005 LB		\$6,480.00



**877GS COMMERCIAL SNOW BLOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)  
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**ATTACHMENT SECTION**

REQUIRED OPTIONS

SD_03007 MID PTO DRIVE KIT				
		717765	FR DR CONVERSION KIT PTO Gearbox Reduction Kit - reduce from 1000 rpm to 555 rpm REQUIRED one time to mount on T4050F	\$1,495,00

OPTIONAL EQUIPMENT

SD_50028 DRIFT CUTTER KIT				
		716248	Drift cutter Yields an extra 5 inches in cutting width.	\$132,00

OPTIONAL EQUIPMENT

SD_C5832 SKID SHOE				
		717933	SKID SHOE F/SS CUT	\$312,00
		717934	SKID SHOE F/CHT400	\$200,00

SD_D5105 CUTTING EDGE				
		717931	STAINLESS STL CUT ED	\$460,00
		717932	CHT400 STL CUT EDGE	\$280,00

SD_N6418 EXTENSION				
		717935	60IN DSCHG CHUTE EXT	\$990,00



716D SNOW BLOWER  
US PRICE LIST

(Thetford Mines, Quebec, Canada)  
**Standard Equipment**

716D  
COMMERCIAL MOWER Two-Stage  
FRONT MOUNT SNOW BLOWER

Fan Diameter - 24 in.  
Auger Diameter - 15 in.  
Auger Drive - # 60 HD Chain  
Hydraulic Chute Rotation - Standard  
Shearbolt Protection - Standard  
Adjustable Skid Shoes - Standard

SPECIFICATIONS:  
Cutting Width - 52 in.  
Cutting Height - 26 in.  
Number of Fan Blades - 4

**Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
716D	716D52 52in F Mt Snowblower	450 LB		\$4,374,00



**SNOWCM FRONT BLADE FOR COMMERCIAL MOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

**Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
SNOWCM	MWRW EQUIP/COMM MWR	300 LB		\$1.040,00



**SNOWCM FRONT BLADE FOR COMMERCIAL MOWER  
US PRICE LIST**

(Thetford Mines, Quebec, Canada)  
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

--	--	--	--	--

SD\_01001 BASE UNIT

	716800	60" Front Blade - Com. mwr Attaches to Lift Arms with 6 in. replaceable cutting edge and moldboard extension. Moldboard is 22 in. high. Angling Kit required.			No Charge
--	--------	--	--	--	-----------

SD\_20087 HYDRAULIC FRAME ANGLING KIT

	715677	Hydraulic angling kit Infinite 0-30 degrees left or right angling positions. This options requires 716792 Remote Hydraulic Valve Kit.	26 LB		\$328,00
--	--------	--	-------	--	----------



SNOWCM FRONT BLADE FOR COMMERCIAL MOWER  
US PRICE LIST

(Thetford Mines, Quebec, Canada)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715676001	MANUAL ANGLE KIT (2139)	9 LB		\$109.09
715678001	SKID SHOE KIT (2124)	21 LB		\$174.03
715679006	RUBBER BLADE EDGE (RAD-N)	45 LB		\$229.87



**WORK EZ™ REAR BLADES  
US PRICE LIST**

(Distribution Center)  
**Standard Equipment**

WORK EZ™ Rear Blades are designed to compliment compact, utility and higher H.P. tractors equipped with 3-point hitch. These rear blades are offered as Light Duty for the estate and homeowner; Standard Duty for the landscaper, farm or ranch operation and Heavy Duty, Heavy Duty Plus for the contractor or high horsepower owner/operator.

**WARRANTY**  
New Holland Standard Warranty Applies

MODEL: 60SL  
Application: Light Duty  
Moldboard Width: 60"  
Tractor Horsepower (max.): 30 HP  
Hitch: Cat. I  
Cutting Edge: 1/2" X 6" Rev.  
Tilt Adjustment: N/A  
Offset Adjustment: 12"  
Angle Adjustment: 5F/3R  
Weight (lbs.): 163

MODEL: 72SL  
Application: Light Duty  
Moldboard Width: 72"  
Tractor Horsepower (max.): 30 HP  
Hitch: Cat. I  
Cutting Edge: 1/2" X 6" Rev.  
Tilt Adjustment: N/A  
Offset Adjustment: 12"  
Angle Adjustment: 5F/3R  
Weight (lbs.): 177

MODEL: 60SM  
Application: Standard Duty  
Moldboard Width: 60"  
Tractor Horsepower (max.): 40 HP  
Hitch: Cat. I  
Cutting Edge: 1/2" X 6" Rev.  
Tilt Adjustment: 45 Degr./ E side  
Offset Adjustment: 12"  
Angle Adjustment: 5F/3R

Weight (lbs.): 256  
MODEL: 72SM  
Application: Standard Duty  
Moldboard Width: 72"  
Tractor Horsepower (max.): 40 HP  
Hitch: Cat. I  
Cutting Edge: 1/2" X 6" Rev.  
Tilt Adjustment: 45 Degr./ E side  
Offset Adjustment: 12"  
Angle Adjustment: 5F/3R  
Weight (lbs.): 278

MODEL: 84SM  
Application: Standard Duty  
Moldboard Width: 84"  
Tractor Horsepower (max.): 40 HP  
Hitch: Cat. I  
Cutting Edge: 1/2" X 6" Rev.  
Tilt Adjustment: 45 Degr./ E side  
Offset Adjustment: 12"  
Angle Adjustment: 5F/3R  
Weight (lbs.): 297

MODEL: 84SH  
Application: Heavy Duty  
Moldboard Width: 84"  
Tractor Horsepower (max.): 65 HP  
Hitch: Cat. I/II  
Cutting Edge: 1/2" X 6" Rev.  
Tilt Adjustment: 30 Degr.  
Offset Adjustment: 12"  
Angle Adjustment: 5F/5R  
Weight (lbs.): 584

MODEL: 96SH  
Application: Heavy Duty  
Moldboard Width: 96"



**WORK EZ™ REAR BLADES  
US PRICE LIST**

(Distribution Center)  
**Standard Equipment**

Tractor Horsepower (max.): 65 HP  
 Hitch: Cat. I/II  
 Cutting Edge: 1/2" X 6" Rev.  
 Tilt Adjustment: 30 Degr.  
 Offset Adjustment: 12"  
 Angle Adjustment: 5F/5R  
 Weight (lbs.): 679

MODEL: 96SI  
 Application: Heavy Duty Plus  
 Moldboard Width: 96"  
 Tractor Horsepower (max.): 100 HP  
 Hitch: Cat. II  
 Cutting Edge: 1/2" X 6" Rev.  
 Tilt Adjustment: 15 Degr.

Offset Adjustment: 12"  
 Angle Adjustment: 30 Degr.  
 Weight (lbs.): 1074

MODEL: 108SI  
 Application: Heavy Duty Plus  
 Moldboard Width: 108"  
 Tractor Horsepower (max.): 100 HP  
 Hitch: Cat. II  
 Cutting Edge: 1/2" X 6" Rev.  
 Tilt Adjustment: 15 Degr.  
 Offset Adjustment: 12"  
 Angle Adjustment: 30 Degr.  
 Weight (lbs.): 1113

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
108SI	1,213 LB		\$4,115.00
60SL	213 LB		\$561.00
60SM	305 LB		\$669.00
72SL	227 LB		\$602.00
72SM	328 LB		\$783.00
84SH	684 LB		\$1,133.00
84SM	347 LB		\$885.00
96SH	779 LB		\$1,236.00
96SI	1,174 LB		\$3,605.00



DRAFT: FOR INTERNAL USE ONLY



-CP9A 01

**MODEL 610TL MOUNTED FARM LOADER  
US PRICE LIST**

(Sioux Falls, SD)

**Standard Equipment**

**STANDARD EQUIPMENT**

Bucket Level Indicator  
Tractor Grill Guard

NOTE: Loader price includes Mounting Kit and Two Spool, Single Lever Hydraulic Valve mounted on loader mounting frame (includes joystick).

For installation on tractor models TT45A and TT50A.

**SPECIFICATIONS (Per ASAE S301.3):  
TT45A**

Maximum Lift Height - 108.0 in.  
Dump Clearance - 90.3 in.  
Digging Depth - 6.0 in.  
Lift Capacity @ 500 mm from bucket pivot pin - 1,320 lbs.  
Breakout Force @ 500 mm from bucket pivot point - 3,400 lbs.  
Reach @ Maximum Lift - 24.3 in.  
Bucket Rollback - 20°  
Bucket Dump Angle - 42°

**TT50A**

Maximum Lift Height - 111.7 in.  
Dump Clearance - 93.0 in.  
Digging Depth - 5.5 in.  
Lift Capacity @ 500 mm from bucket pivot pin - 1,320 lbs  
Breakout Force @ 500 mm from bucket pivot point - 3,400 lbs.  
Reach @ Maximum Lift - 24.3 in.  
Bucket Rollback - 20°  
Bucket Dump Angle - 42°

Loader specifications may vary with tractor model, hydraulic system, tire size, etc.

**WARRANTY**

New Holland Standard Warranty Applies

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
610TL	750 LB		\$4,383.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**600 SERIES LOADER OPTIONS**

**BUCKETS**

SD\_N5237 68 IN HVY DUTY MATERIAL BUCKET



DRAFT: FOR INTERNAL USE ONLY



-CP9A 01

**MODEL 610TL MOUNTED FARM LOADER  
US PRICE LIST**

(Sioux Falls, SD)

"PIN-ON"					
	716369	68 in. HD Material <b>With holes for bolt on cutting edge.</b>	265 LB		\$739,00
"QUICK-ATTACH"					
	716425	68 in. HD material bucket	262 LB		\$813,00
SD_N5238 68 INCH MATERIAL BU					
	715715	68 in. Material Bucket Q/A <b>Snow and Light Duty High Volume Bucket</b>	302 LB		\$763,00
OTHER LOADER ATTACHMENTS					
SD_40002 BALLAST BOX					
	715655	Ballasting Box	375 LB		\$1.053,00
SD_45038 UNIV ADAPTER PLATE					
	715750	Universal Adapting Plate Q/A	120 LB		\$350,00
SD_N5501 BALE SPEAR					
	715106	Bale spear SSL style	197 LB		\$729,00



DRAFT: FOR INTERNAL USE ONLY



-CP9A 02

**MODEL 620TL MOUNTED FARM LOADER  
US PRICE LIST**

(Sioux Falls, SD)

**Standard Equipment**

**STANDARD EQUIPMENT**

Bucket Level Indicator  
Tractor Grill Guard

NOTE: Loader price includes Mounting Kit and Two Spool, Single Lever Hydraulic Valve mounted on loader mounting frame (includes joystick).

For installation on tractor models TT60A and TT75A (2WD or FWD)

**SPECIFICATIONS (Per ASAE S301.3):**

TT60A & TT75A 2WD  
Maximum Lift Height - 114.5 in.  
Dump Clearance - 92.5 in.  
Digging Depth - 5.0 in.  
Lift Capacity @ 800 mm from bucket pivot pin - 2,210 lbs.  
Breakout Force @ 800 mm from bucket pivot point - 4,971 lbs.  
Reach @ Maximum Lift - 34 in.

Bucket Rollback - 23°  
Bucket Dump Angle - 45°

TT60A and TT75A FWD  
Maximum Lift Height - 118.0 in.  
Dump Clearance - 93.0 in.  
Digging Depth - 5.5 in.  
Lift Capacity @ 800 mm from bucket pivot pin - 2,150 lbs  
Breakout Force @ 800 mm from bucket pivot point - 4,520 lbs.  
Reach @ Maximum Lift - 26 in.  
Bucket Rollback - 26°  
Bucket Dump Angle - 47°

Loader specifications may vary with tractor model, hydraulic system, tire size

**WARRANTY**

New Holland Standard Warranty Applies

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
620TL	800 LB		\$5,001.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**600 SERIES LOADER OPTIONS**

BUCKETS

SD_N5241 72 INCH HD MATERIAL				
Order Code	Description	Weight	Factory Data	List Price
715730	72 in. HD mat bucket q/c	476 LB		\$1,118.00



DRAFT: FOR INTERNAL USE ONLY



-CP9A 02

**MODEL 620TL MOUNTED FARM LOADER  
US PRICE LIST**

(Sioux Falls, SD)

SD\_N5242 72 INCH MATERIAL BUCKET

"PIN-ON"				
	715717	72 in. High Volume Material	400 LB	\$783,00
"QUICK-ATTACH"				
	715727	72 in. Material Q/A	476 LB	\$876,00

SD\_N5262 84 INCH HD MATERIAL

"PIN-ON"				
	715725	84 in. HD Material	510 LB	\$1,445,00
"QUICK-ATTACH"				
	715737	84 in. HD Material Q/A	555 LB	\$1,291,00

SD\_N5264 84 INCH LIGHT MATL

	716652	84 in. Light Material Q/A	540 LB	\$1,158,00
--	--------	---------------------------	--------	------------

OTHER LOADER ATTACHMENTS

SD\_40002 BALLAST BOX

	715655	Ballasting Box	375 LB	\$1,053,00
--	--------	----------------	--------	------------

SD\_45038 UNIV ADAPTER PLATE

	715750	Universal Adapting Plate Q/A	120 LB	\$350,00
--	--------	------------------------------	--------	----------

SD\_N5501 BALE SPEAR

	715106	Bale spear SSL style	197 LB	\$893,00
--	--------	----------------------	--------	----------

SD\_N5801 QCK ATT IMP FACEPLA

	716653	Quick coupler	150 LB	\$922,00
--	--------	---------------	--------	----------



DRAFT: FOR INTERNAL USE ONLY



-CP9G 01

**615TL/625TL LOADER  
US PRICE LIST**

**(NIAGARA FALLS, CANADA)  
Standard Equipment**

Model 615TL Tractor Mounted Farm  
Loader - For installation on the  
Workmaster™ 45/55.

**SPECIFICATIONS - 615TL:**

Maximum lift Height - in(mm) 111 (2820)  
Dump Clearance - in(mm) 82 (2090)  
Digging depth - in(mm) 4 (110)  
Lift Capacity to max height at pivot pin -  
lb (kg) 2624 (1190)  
Lift Capacity to 59in. (1.5m) at pivot pin -  
lb (kg) 3461 (1570)  
Breakout Force at pivot point - lb (kg)  
4299 (1950)  
Reach @ maximum lift - in(mm)  
43 (1100)  
Bucket Rollback 23°  
Bucket Dump Angle 43°

Model 625TL Tractor Mounted Farm  
Loader - For installation on the  
Workmaster™ 75, TT60A  
and TT75A

**SPECIFICATIONS - 625TL:**

Maximum lift Height - in(mm) 126 (3190)  
Dump Clearance - in(mm) 99 (2510)  
Digging depth - in(mm) 4 (100)  
Lift Capacity to max height at pivot pin -  
lb (kg) 3250 (1474)  
Lift Capacity to 59in. (1.5m) at pivot pin -

lb (kg) 3450 (1606)  
Breakout Force at pivot point - lb (kg)  
4670 (2118)  
Reach @ maximum lift - in(mm)  
31 (780)  
Bucket Rollback 24°  
Bucket Dump Angle 37°

Loader specifications may vary with  
tractor model, hydraulic system, tire  
size, etc.

**STANDARD EQUIPMENT:**  
Bucket Level Indicator

**WARRANTY:**  
New Holland Standard Warranty Applies

Complete FAST PICK Loader includes  
the following:  
-Mounting Kit  
-Hydraulic Joystick/Valve Package  
-72" QA standard bucket

Base loader orders (NON-Fast Pick)  
must be ordered with the following  
components to be complete:  
-Mounting Kit  
-Hydraulic Joystick/Valve Package  
-Bucket



DRAFT: FOR INTERNAL USE ONLY



-CP9G 01

**615TL/625TL LOADER  
US PRICE LIST**

(NIAGARA FALLS, CANADA)  
**Models**

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
615TL	Fast Pick	1.250 LB		\$5,895,00
615TL	Standard	500 LB		\$2,950,00
625TL	Fast Pick	1.300 LB		\$6,445,00
625TL	Standard	560 LB		\$3,500,00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**SD VE VERSION**

Order Code	Description	Weight	Factory Data	List Price
	FSTPK Fast Pick			\$2,945,00
	STD Standard Base Loader Arms			No Charge

**SD 20007 2 FUNCTION HYDRAULIC KIT**

Order Code	Description	Weight	Factory Data	List Price
	730415 2 Spool Single Lever Valve			\$903,00
	730424 2 Spool Single Lever Valve.			\$903,00
	X20007X No 2 remote mid-mt w/joystick			No Charge

**SD 39006 GRILL GUARDS**

Order Code	Description	Weight	Factory Data	List Price
	715624 Grill Guard			\$105,00

**SD 39016 MOUNTING KITS**

Order Code	Description	Weight	Factory Data	List Price
	715788 Loader Mounting Bracket <b>Workmaster(TM) 45/55</b>			\$1,330,00
	730420 Mounting Kit <b>TT60A/75A</b>			\$1,330,00
	X39016X No Mounting Kit			No Charge

**SD K5230 BUCKET**

Order Code	Description	Weight	Factory Data	List Price
	730417 84" Std Material Bucket Q/A <b>625 Only</b>			\$830,00

**SD\_N5242 72 INCH MATERIAL BUCKET**



DRAFT: FOR INTERNAL USE ONLY



-CP9G 01

615TL/625TL LOADER  
US PRICE LIST

(NIAGARA FALLS, CANADA)

	715727	72 in. Material Q/A 615 Only			\$712,00
--	--------	---------------------------------	--	--	----------



DRAFT: FOR INTERNAL USE ONLY



-CP9G 01

**615TL/625TL LOADER  
US PRICE LIST**

(NIAGARA FALLS, CANADA)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
715727026	72" UTILITY BUCKET 0.58yd <sup>3</sup> struck capacity, 0.72yd <sup>3</sup> heaped capacity Includes holes for bolt-on cutting edge.	476 LB		\$876,62
715824116	GRILLE GUARD TT3000	35 LB		No Charge
715824126	GRILLE GUARD TT75A	37 LB		No Charge



DRAFT: FOR INTERNAL USE ONLY



-CP9D 01

**MODEL 810TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

**Standard Equipment**

**LOADER SPECIFICATIONS**

TD Series  
2WD only  
Standard Axle  
Maximum Lift Height (inches):  
MSL/NSL - 122  
Dump Clearance (inches):  
MSL/NSL - 85  
Digging Depth (inches):  
MSL/NSL - 8  
Lift Capacity @ 800mm from bucket pivot point (lbs.):  
MSL - 2500    NSL - 2100  
Breakout Force @ 800mm from bucket pivot point (lbs.):  
MSL - 3200    NSL -2650  
Reach @ Maximum Lift (inches):  
MSL/NSL - 30  
Reach @ Ground Level (inches):  
MSL/NSL - 86  
Bucket Rollback Angle (degrees):  
MSL/NSL - 45  
Bucket Dump Angle (degrees):  
MSL - 64    NSL - 65

T4000  
TN-A Series  
Non-SuperSteer™ Axle  
Maximum Lift Height (inches):  
MSL/NSL - 125  
Dump Clearance (inches):  
MSL/NSL - 87  
Digging Depth (inches):  
MSL/NSL - 8  
Lift Capacity @ 800mm from bucket pivot point (lbs.):  
MSL - 2500    NSL - 2100  
Breakout Force @ 800mm from bucket pivot point (lbs.):  
MSL - 3200    NSL -2650  
Reach @ Maximum Lift (inches):  
MSL/NSL - 43  
Reach @ Ground Level (inches):  
MSL/NSL - 86  
Bucket Rollback Angle (degrees):

MSL/NSL - 41  
Bucket Dump Angle (degrees):  
MSL - 65    NSL - 67  
  
T4000F  
TNF-A Series  
Standard Axle  
Maximum Lift Height (inches):  
MSL/NSL - 125  
Dump Clearance (inches):  
MSL/NSL - 87  
Digging Depth (inches):  
MSL/NSL - 6  
Lift Capacity @ 800mm from bucket pivot point (lbs.):  
MSL - 2450    NSL - 2000  
Breakout Force @ 800mm from bucket pivot point (lbs.):  
MSL - 3100    NSL -2550  
Reach @ Maximum Lift (inches):  
MSL/NSL - 38  
Reach @ Ground Level (inches):  
MSL/NSL - 85  
Bucket Rollback Angle (degrees):  
MSL/NSL - 46  
Bucket Dump Angle (degrees):  
MSL - 60    NSL - 61

T5000 Series  
2WD only  
Standard Axle  
Maximum Lift Height (inches):  
MSL/NSL - 136  
Dump Clearance (inches):  
MSL/NSL - 98  
Digging Depth (inches):  
MSL/NSL - 5  
Lift Capacity @ 800mm from bucket pivot point (lbs.):  
MSL - 2650    NSL - 2500  
Breakout Force @ 800mm from bucket pivot point (lbs.):  
MSL - 3300    NSL -3100  
Reach @ Maximum Lift (inches):  
MSL/NSL - 33



DRAFT: FOR INTERNAL USE ONLY



-CP9D 01

**MODEL 810TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)  
**Standard Equipment**

Reach @ Ground Level (inches):  
MSL/NSL - 90  
Bucket Rollback Angle (degrees):  
MSL/NSL - 46  
Bucket Dump Angle (degrees):  
MSL - 56    NSL - 57

- (B) Mounting Kit
- (C) Hydraulic Components: Mid-mount loader valve (ordered as FIO on tractor or as DIA kit) and hydraulic hose package.
- (D) Bucket(s) and Attachments
- (E) Extra Equipment
- (F) Miscellaneous

\*Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

**NOTE: IMPORTANT ORDERING INFORMATION**  
- T4000, T5000, TD, TN-A, TND-A Series tractors offer factory rear loader mount bracket option (front required to complete installation).  
- The following front and rear loader mounting brackets will support your loader installation.

**LOADER COMPONENTS**

Order the following to make up a complete Model 810TL Quick-Attach Loader:

- (A) Basic Packaged Loader NonSelf-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stand.
- Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stand.

**WARRANTY**  
New Holland  
Standard Warranty Applies

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
810TL	952 LB		\$3,087.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**800 SERIES BASE LOADERS**

COMPLETING PACKAGES

SD\_01001    BASE UNIT



DRAFT: FOR INTERNAL USE ONLY



-CP9D 01

**MODEL 810TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

	726385	ES Ldr less mech self-leveling Includes "Euro Style" quick-attach device - Standard. For TN-A, TN, TND-A, TND (3-cylinder), T4020-T4050 (2WD or FWD), T4030F-T4050F, TD5030, TD5050, TD75, TD80, TD95 (2WD only), T5040-T5070 (2WD only).			No Charge
	726386	ES Ldr with mech self-leveling Includes "Euro Style" quick-attach device - Standard. For TN-A, TN, TND-A, TND (3-cylinder), T4020-T4050 (2WD or FWD), T4030F-T4050F, TD5030, TD5050, TD75, TD80, TD95 (2WD only), T5040-T5070 (2WD only).			\$1,839.00
Less Mechanical Self-Leveling					
	726616	SS Ldr less mech self-leveling Includes "Skid-Steer Style" quick attach device - standard. For TN, TN-A, TND, TND-A (2WD or FWD) 3-cylinder, T4020 - T4050 (2WD or FWD), T4030F - T4050F, TD5030, TD5050, TD75, TD80, TD95 (2WD only), T5040-T5070 (2WD only).			No Charge
	726660	Base_Ag_Loader 726660 Includes "Skid-Steer Style" quick attach device - standard. For TN65F, TN75F, TN90F and TN75F-A, TN85F-A, TN95F-A (900mm width between boom).			No Charge
With Mechanical Self-Leveling					
	726617	SS Ldr with mech self-leveling Includes "Skid-Steer Style" quick attach device - standard. For TN, TN-A, TND, TND-A (2WD or FWD) 3-cylinder, T4020 - T4050 (2WD or FWD), T4030F - T4050F, TD5030, TD5050, TD75, TD80, TD95 (2WD only), T5040-T5070 (2WD only).			\$1,839.00
	726661	Base_Ag_Loader 726661 Includes "Skid-Steer Style" quick attach device - standard. For TN65F, TN75F, TN90F and TN75F-A, TN85F-A, TN95F-A (900mm width between boom).			\$1,839.00

**800 SERIES MOUNTING KITS**

REAR LOADER MOUNTING BRACKETS

SD\_N5802 REAR BRACKETS

	715687	Rear mounting brackets -715687 810: For TN-A, TN, TND-A, TND (3 cylinder). 820: For TNS-A, TNS (3 cylinder). 840: For T6030, T6050, T6070 (6 cylinder) Elite, Plus or Delta and TS115A, TS125A, TS130A, TS135A (6 cylinder). 850: For T6030, T6050, T6070 (6 cylinder) Elite, Plus or Delta. 860: For TM175, TM190 (including CVT).	265 LB		\$469.00
	717682	Rear mounting brackets -717682 810: For TD5030, TD5050. 820: For TD5030, TD5050 (FWD only) 830: For TD5050.	100 LB		\$469.00

-CP9D 01 0009 000 15-MAR-10



DRAFT: FOR INTERNAL USE ONLY



-CP9D 01

**MODEL 810TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

	717685	Rear mounting brackets -717685 810: For T4020, T4030. 820: For T4020-T4030, T4020-T4030 with SuperSteer™.	75 LB		\$469,00
--	--------	---	-------	--	----------

**FRONT LOADER MOUNTING BRACKETS**

SD\_N5701 HITCH AND SUBFRAME

	715451	Front mounting brackets-715451 810: For TN, TND, TN-A, TND-A (3 cylinder models) 850: For T7030, T7040 (6 cylinder) (including CVT). 860: For T7030, T7040, T7050, T7060 (6 cylinder).	1.200 LB		\$1.728,00
	715651	Front mounting brackets-715651 For TN85A/85DA, TN95A/95DA (4 cylinder models).	493 LB		\$1.728,00
	716394	Subframe For TN75FA, TN85FA, TN95FA, TN65F, TN75F, TN90F. (One Piece)	659 LB		\$1.728,00
	716439	Front mounting brackets-716439 For TD75 and TD80.	564 LB		\$1.728,00
	717414	Front Bracket717414 For TD95	397 LB		\$1.728,00
	717681	Front mounting brackets-717681 810 and 830: For TD5050 820: For TD5050 (FWD only)	588 LB		\$1.728,00
	717683	Front mounting brackets-717683 For T4040, T4050	435 LB		\$1.728,00
	717684	Front mounting brackets-717684 For T4020, T4030	435 LB		\$1.728,00
	717688	Front mounting brackets-717688 For T5040, T5070	653 LB		\$1.728,00
	730408	Front mounting brackets-730408 810: For TD5030 820: For TD5030 (FWD only)	650 LB		\$1.728,00
	730409	T4050 Subframe Assy For T4050F	90 LB		\$1.728,00
	730410	Subframe Assy For T4030F, T4040F	490 LB		\$1.728,00

**800 SERIES HYDRAULIC COMPONENTS**

**2-FUNCTION MECH VALVE AND JOYSTICK DIA KITS**

SD\_20005 2 RMT MID VALVE

	718761	2-Function mech mid-mt valve 2 function mid mount valve and joystick kit for TD75, TD80, TD90, TD5030, & TD5050.			\$1.317,00
--	--------	--	--	--	------------

SD\_20007 2 FUNCTION HYDRAULIC KIT



DRAFT: FOR INTERNAL USE ONLY



-CP9D 01

**MODEL 810TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

	717540	Hyd Kit 717540 For TN75FA, TN85FA, TN95FA, TN65F, TN75F, TN90F (includes Hose Kit).	80 LB		\$1,083.00
	717541	Hyd Kit 717541 For TN (includes Hose Kit)	67 LB		\$1,083.00

SD 20078 HOSE KIT

	717513	Hydraulic hose kit 810: For T4000 Series ROPS/CAB, TN-A, TND-A, TND (ROPS & CAB) Requires appropriate T4000, TN-A, TND-A, TND, Mid-Mount Valve Kit. 820: For TN85A/85DA, TN95A/95DA (4 cylinder) and T4000 Series ROPS/CAB. * For all T4000 Standard ROPS the following parts must be ordered from parts and field installed: Hydraulic tube 87471041, Bracket 87471040, and tube clamp 87326640.	22 LB		\$411.00
	717517	Hydraulic hose kit 810: For T5000 Series Requires appropriate T5000 Mid-Mount Valve Kit. 820: For TL80A/TL80, TL90A/TL90, TL100A/TL100, T5000 Series. 830: For T5000, TL80A/TL80, TL90A/TL90, TL100A/TL100	20 LB		\$411.00

SD 20129 JOYSTICK/VALVE KIT

	717542	Joystick/Valve Kit For TD75, TD80, TD95 (includes Hose Kit)	62 LB		\$1,317.00
	730411	Joystick Valve Kit For T4030F-T4050F (includes Hose kit)	65 LB		\$1,317.00

HYDRAULIC HOSE PACKAGES (ONE REQUIRED)

SD\_N6004 4 COUPLE FAST SNAP-LOADER



DRAFT: FOR INTERNAL USE ONLY



-CP9D 01

**MODEL 810TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

	717526	4 Coupler quick connect ldr 810: For Installation with 2 function Mid-Mount Valve DIA Kits which include Hose Kit #71754006, #7175410006, #717542006, or #715842116. 820: For TD75, TD80, TD95, TD5030, TD5050. For installation with 2 function mid-mount valve DIA kits which include Hose Kit #717542006 or #715842116. 830: For TD5050 (FWD only). For installation with 2-function mid-mount valve DIA kits which include Hose Kit #717542006 or #715842116. 840: Requires Electrohydraulic Mid-Mount Valve Kit no. 717543006. 850: Requires Electrohydraulic Mid-Mount Valve Kit no. 717543006 or 717543016. 860: Requires Electrohydraulic Mid-Mount Valve Kit no. 717543016. 870: Requires Electrohydraulic Kit no. 717519006.	20 LB		\$423,00
--	--------	---	-------	--	----------

**OTHER HYDRAULIC OPTIONS**

SD\_05022 CAB JOYSTICK CONTROL

	717565	Cab joystick control Joystick Adapter Kit includes New Knob/Push button and required wiring. Electrical Options: -3rd Function Electro Hydraulic Kit #717698006 -Soft Ride Electric Shutoff Kit #717521006 -Reference Joystick Adapter Kit Description for DIA kits which include the Joystick Adapter Kit. NOTE: Not required when 2 function Mid-Mount Valve DIA Kit #717540006, #717541006, #717542006 or #715842116 is installed on the tractor (Joystick Adapter included in DIA kit).	2 LB		\$143,00
--	--------	--	------	--	----------

SD\_20017 3RD MID MNT REMOTE

	717698	3rd func electro-hydraul kit 3rd Function Electrohydraulic Kit - Solenoid Valve controlled by joystick mounted button which diverts oil flow from the bucket circuit to front mounted implements. Requires Joystick adapter Kit. #717565006-EXCEPTION- Reference Joystick Adapter Kit description for DIA kits which include the Joystick Adapter Kit.	12 LB		\$641,00
--	--------	---	-------	--	----------

SD\_N6003 HYD FACEPLATE IMP LOCK EURO

-CP9D 01 0009 000 15-MAR-10



DRAFT: FOR INTERNAL USE ONLY



-CP9D 01

**MODEL 810TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

	717524	Hyd attach disconnect/lock <b>Hydraulic Attachment Disconnect/Lock (Euro Style Quick Attach only) Includes separate push and hold button that works with 3rd function Electrohydraulic Kit (# 717522006)</b>	20 LB		\$408,00
--	--------	---	-------	--	----------

**SD\_N6013 SOFTRIDE ELECTRIC SHUTOFF**

	717521	Soft ride electric shutoff kit <b>Soft Ride Electric Shutoff Kit (requires Joystick Adapter Kit no. 717565006- EXCEPTION-Reference Joystick Adapter Kit description for DIA kits which include the Joystick Adapter Kit</b>	3 LB		\$337,00
--	--------	--	------	--	----------

**SD\_N6014 SOFTRIDE OPTION**

	717520	Soft ride option	12 LB		\$600,00
--	--------	------------------	-------	--	----------

**800 SERIES BUCKETS**

**SKID-STEER STYLE**

**SD\_29016 BALLAST BOX**

	717506	Ballast box- 2200 lbs. <b>For 3-point hitch Category II/III capacity of 1924 lbs. for total maximum weight of 2200 lbs.</b>	280 LB		\$816,00
--	--------	--	--------	--	----------

**SD\_29021 BOLT ON GRAPPLE KIT SSL STYLE**

	716983	Bolt-on grapple kit - SS style <b>Standard Duty Grapple Assembly Kit (weld/bolt on to bucket) For 73" #717417006, 83" #717419006 Skid Steer Style Buckets requires 3rd function to operate (Handles up to 5" diameter Round Bale).</b>	475 LB		\$1,845,00
--	--------	---	--------	--	------------

**EURO STYLE**

**SD\_N5233 63" STD BUCKET EURO STYLE QA**

	717416	63 in. Std bucket - Euro style <b>(.71 yd struck, .85 yd heaped)</b>	370 LB		\$852,00
--	--------	---	--------	--	----------

**SD\_N5244 73 STD QA BUCKETS**

	717417	73" Std bucket - Euro Style <b>(.63 yd struck, .78 yd heaped)</b>	401 LB		\$926,00
	730403	73" Std Bkt SSL style QA <b>(.63 yd struck, .78 yd heaped)</b>	401 LB		\$926,00

**SD\_N5247 73" STD BKT EUROSTYLE**

	717418	73" Std mat bucket -Euro style <b>High Capacity (.79 yd struck, .94 yd heaped)</b>	455 LB		\$926,00
--	--------	---	--------	--	----------

-CP9D 01 0009 000 15-MAR-10



DRAFT: FOR INTERNAL USE ONLY



-CP9D 01

**MODEL 810TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

SD\_N5252 83" MATERIAL BUCKET QA

	717419	83" Std mat bucket -Euro style (.72 yd struck, .89 yd heaped)	496 LB		\$1,050.00
	730404	83" Std Material bkt SSL style (.72 yd struck, .89 yd heaped)	433 LB		\$1,050.00

SD\_N5255 83" Mat Bkt High Cap Euro

	717420	83" HC mat bucket - Euro style High Capacity (.90 yd struck, 1.07 yd heaped)	560 LB		\$1,050.00
--	--------	---	--------	--	------------

STANDARD HIGH-VOLUME LIGHT MATERIAL

SD\_N5251 79" HV LIGHT MATERIAL BUCKET

	717431	79" HC mat bucket - Euro style (1.27 yd struck, 1.52 yd heaped)	605 LB		\$1,238.00
--	--------	--	--------	--	------------

HEAVY-DUTY MATERIAL

SD\_N5253 82" HD MAT BUCKET EUROSTYLE

	717424	83" HD mat bucket - Euro style (.90 yd struck, 1.07 yd heaped)	630 LB		\$1,314.00
--	--------	---	--------	--	------------

HEAVY-DUTY GRADING

SD\_N5266 85" HD GRADING BUCKET

	717436	85" HD grade bucket-Euro style (.79 yd struck, .85 yd heaped)	745 LB		\$1,300.00
--	--------	--	--------	--	------------

HEAVY-DUTY MATERIAL W/ CONSTRUCTION TEETH

SD\_N5232 63" HD BUCKET W/ TEETH

	717428	63" HD bucket w/teeth-Euro sty (.71 yd struck, .85 yd heaped)	380 LB		\$1,103.00
--	--------	--	--------	--	------------

SD\_N5246 73" HD BUCKET W/ TEETH

	717429	73" HD bucket w/teeth - Euro (.78 yd struck, .94 yd heaped)	465 LB		\$1,216.00
--	--------	--	--------	--	------------

HEAVY-DUTY ROUND BALE KING

SD\_N5258 83"HD BUCKET ONLY RDBL KING

	717503	83" HD Bucket Only RDBL King (.90 yd struck, 1.07 yd heaped)	715 LB		\$1,711.00
--	--------	---	--------	--	------------

HEAVY-DUTY BUCKET AND GRAPPLE ASSEMBLY

SD\_N5261 83 HD BUCKET W/ GRAPPLE



DRAFT: FOR INTERNAL USE ONLY



-CP9D 01

**MODEL 810TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

	717500	83 in. HD bucket w/grap - Euro (.90yd struck, 1.07 yd heaped)	1,335 LB		\$3,265,00
--	--------	--	----------	--	------------

**HEAVY-DUTY BUCKET, GRAPPLE, AND BUCKET TINES**

SD\_N5259 83" HD BUCKET W/ GRAPPLE/TINES

	717494	83 in. HD bucket w/grap/tines (.90yd struck, 1.07 yd heaped)	1,370 LB		\$3,375,00
--	--------	---	----------	--	------------

**800 SERIES EXTRA EQUIPMENT**

**BALE MOVING ATTACHMENTS**

SD\_29001 3-POINT LINKAGE F/A

	717507	3-Point linkage Connect front loader tools to tractor 3-point, (i.e. bale spear, etc.)	175 LB		\$660,00
--	--------	---	--------	--	----------

SD\_29008 BALE SPIKE

	717485	Bale spike Euro style Bale Spike . (1) long tine and (1) short tine. Maintains bale control.	135 LB		\$616,00
--	--------	---	--------	--	----------

SD\_29009 BALE SUPPORT

	717479	Bale support Bale Support for combo Bale/Pallet Fork. Requires no. 717478016.	100 LB		\$630,00
--	--------	--	--------	--	----------

SD\_29030 HD BALE GRIP 63 INCH FL

	717474	63 in. Heavy-duty bale grip HD Bale Grip - 63 in. maximum bale size. Includes back stop extension.	610 LB		\$2,198,00
--	--------	---	--------	--	------------

SD\_29031 BALE GRIP 63 INCH UNI

	717477	63 in. Universal bale grip 63 in. maximum bale size. Includes back stop extension.	529 LB		\$1,997,00
--	--------	---	--------	--	------------

SD\_29032 COMBO BALE/PALLET FORK 71"

	717478	Combo bale/pallet fork 71" 71 in. maximum bale size.	430 LB		\$2,079,00
--	--------	---	--------	--	------------

SD\_29041 STD BALE SPLIT ATTACHMENT

	717483	Standard bale split attachment Hydraulic	190 LB		\$883,00
--	--------	---	--------	--	----------

SD\_N5317 75" SQBL FORK 5 LONG TINES

	717489	75" Sq bale fork 5 long tines 75 in. (5) long tines	370 LB		\$2,060,00
--	--------	--	--------	--	------------

-CP9D 01 0009 000 15-MAR-10



DRAFT: FOR INTERNAL USE ONLY



-CP9D 01

**MODEL 810TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

**SD\_N5326 ROUND/LGSQ BALE FORK**

		717486	Bale fork w/2 tines Euro style <b>Round Bale and Large Square Bale Fork (2) long tines.</b>	293 LB		\$804,00
		730405	Bale fork w/ 2 tines SSL style <b>Square Bale Fork - 55 in. (two long tines)</b>	169 LB		\$1,398,00

**SD\_N5327 BIG BAG LIFTER FOR SQBALE FORK**

		717491	Big bag lifter for sqbale fork <b>Handling large fertilizer bags</b>	70 LB		\$218,00
--	--	--------	---	-------	--	----------

**SD\_N5328 BALE FORK BACK EXTENSION SET**

		717487	Bale fork back extension set <b>Requires no. 717486006.</b>	95 LB		\$267,00
		717490	Sq bale fork back extension <b>Requires no. 717488006 or 717489006.</b>	50 LB		\$218,00

**SD\_N5501 BALE SPEAR**

		715106	Bale spear SSL style <b>Bale Spike (one long tine and one short tine maintains bale control).</b>	197 LB		\$870,00
--	--	--------	--	--------	--	----------

**SILAGE HANDLING ATTACHMENTS**

**SD\_N5223 59" SILAGE FORK/GRAPPLE 28CUFT**

		717463	59" Silage fork/grapple <b>(1.03 yd. volume)</b>	595 LB		\$2,232,00
--	--	--------	---	--------	--	------------

**SD\_N5308 51" SILAGEKING FORK AND GRAPPL**

		717462	51" Silage fork/grapple <b>(.90 yd. volume)</b>	555 LB		\$2,149,00
--	--	--------	--	--------	--	------------

**MANURE MANAGEMENT ATTACHMENTS**

**SD\_N5220 59 INCH 8 TINES MANURE FORK**

		717438	59 in. manure fork 8 tines	295 LB		\$810,00
--	--	--------	----------------------------	--------	--	----------

**SD\_N5310 67" MANURE FORK 9 TINES**

		717439	67 in. manure fork 9 tines	320 LB		\$988,00
--	--	--------	----------------------------	--------	--	----------

**SD\_N5314 75" MANURE FORK 10 TINES**

		717440	75 in. manure fork 10 tines	390 LB		\$1,211,00
--	--	--------	-----------------------------	--------	--	------------

**MULTI-USE FORKS**

**SD\_N5219 59 INCH 14 TINE MULTI USE FORK**

		717442	59" multi-use fork 14 tines	540 LB		\$2,101,00
--	--	--------	-----------------------------	--------	--	------------



DRAFT: FOR INTERNAL USE ONLY



-CP9D 01

**MODEL 810TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

SD_N5318 79" MULTI USE FORK 18 TINES				
	717443	79" multi-use fork 18 tines	650 LB	\$2,232.00

**PALLET FORKS AND ATTACHMENTS**

SD_N5301 38" FORK (55"WIDE 2200LB)				
	717446	38 in. fork 55" wide 2200 lb	270 LB	\$834.00

SD_N5302 38" FORK (55"WIDE 3500LB)				
	717447	38 in. fork 55" wide 3500 lb	355 LB	\$1,376.00

SD_N5303 47" FORK (55"WIDE 5500LB)				
	717448	47 in. fork 55" wide 5500 lb	375 LB	\$1,824.00

SD_N5331 PALLET FORK LIFT ARM FOR BAGS				
	717451	Pallet fork lift arm for bags Requires no. 717446006, 717447006 or 717448006.	260 LB	\$1,008.00

SD_N5332 LOG GRAPPLE FOR PALLET FORKS				
	717449	Log grapple f/all pallet forks Requires no. 717446006, 717447006 or 717448006.	190 LB	\$1,482.00

**SPECIALTY**

SD_N5221 59 INCH ROCK FORK 3" SPACING				
	717444	59 in. rock fork 3 in. spacing	475 LB	\$1,801.00

SD_N5319 79" ROCK FORK 3" SPACING				
	717445	79 in. rock fork 3 in. spacing	590 LB	\$2,275.00

**800 SERIES MISCELLANEOUS**

**DEPOST STOCK**

SD_29005 BACK SCREEN F/ROUND BALE KING				
	717509	Back screen F/round bale For "Round Bale King" buckets and grapple.	60 LB	\$180.00

SD_29013 BUCKET TINE SET 1 TINE				
	717512	Bucket tine w/holder	25 LB	\$87.00

SD_29019 BOLT ON GRAPPLE KIT EURO STYLE				
	717548	Bolt-on grapple kit Euro style Heavy-Duty Grapple Assembly Kit (Weld/Bolt on to Bucket). For Euro Style 83" or 95" "Round Bale King" bucket. Requires 3rd Function to operate Grapple (Handle up to 6' Diameter Round Bale).	600 LB	\$1,845.00

-CP9D 01 0009 000 15-MAR-10



DRAFT: FOR INTERNAL USE ONLY



-CP9D 01

MODEL 810TL QUICK-ATTACH FARM LOADER  
US PRICE LIST

(ALO)

**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
424991006	83" Wide 60 Cu.Ft. HD High Cap 1.62 yd struck, 1.96 yd heaped	932 LB		No Charge



MODEL 820TL QUICK-ATTACH FARM LOADER  
US PRICE LIST

(ALO)  
**Standard Equipment**

LOADER SPECIFICATIONS

T4000, TN-A (4-cylinder)  
Non-SuperSteer™ Axle  
Maximum Lift Height (inches):  
MSL/NSL - 133  
Dump Clearance (inches):  
MSL/NSL - 96  
Digging Depth (inches):  
MSL/NSL - 7  
Lift Capacity @ 800mm from bucket pivot point (lbs.):  
MSL - 2650    NSL - 2500  
Breakout Force @ 800mm from bucket pivot point (lbs.):  
MSL - 3300    NSL -3100  
Reach @ Maximum Lift (inches):  
MSL/NSL - 25  
Reach @ Ground Level (inches):  
MSL/NSL - 93  
Bucket Rollback Angle (degrees):  
MSL/NSL - 50  
Bucket Dump Angle (degrees):  
MSL - 53    NSL - 55

TD Series

Standard Axle  
Maximum Lift Height (inches):  
MSL/NSL - 136  
Dump Clearance (inches):  
MSL/NSL - 98  
Digging Depth (inches):  
MSL/NSL - 5  
Lift Capacity @ 800mm from bucket pivot point (lbs.):  
MSL - 2650    NSL - 2500  
Breakout Force @ 800mm from bucket pivot point (lbs.):  
MSL - 3300    NSL -3100  
Reach @ Maximum Lift (inches):  
MSL/NSL - 36  
Reach @ Ground Level (inches):  
MSL/NSL - 88  
Bucket Rollback Angle (degrees):  
MSL/NSL - 45  
Bucket Dump Angle (degrees):

MSL - 57    NSL - 58

T5000

TL-A Series  
Standard Axle  
Maximum Lift Height (inches):  
MSL/NSL - 136  
Dump Clearance (inches):  
MSL/NSL - 98  
Digging Depth (inches):  
MSL/NSL - 5  
Lift Capacity @ 800mm from bucket pivot point (lbs.):  
MSL - 2650    NSL - 2500  
Breakout Force @ 800mm from bucket pivot point (lbs.):  
MSL - 3300    NSL -3100  
Reach @ Maximum Lift (inches):  
MSL/NSL - 33  
Reach @ Ground Level (inches):  
MSL/NSL - 90  
Bucket Rollback Angle (degrees):  
MSL/NSL - 46  
Bucket Dump Angle (degrees):  
MSL - 56    NSL - 57

T4000

TNS-A Series  
SuperSteer™ Axle  
Maximum Lift Height (inches):  
MSL/NSL - 135  
Dump Clearance (inches):  
MSL/NSL - 97  
Digging Depth (inches):  
MSL/NSL - 6  
Lift Capacity @ 800mm from bucket pivot point (lbs.):  
MSL - 2650    NSL - 2500  
Breakout Force @ 800mm from bucket pivot point (lbs.):  
MSL - 3300    NSL -3100  
Reach @ Maximum Lift (inches):  
MSL/NSL - 47  
Reach @ Ground Level (inches):  
MSL/NSL - 92



DRAFT: FOR INTERNAL USE ONLY



-CP9D 02

**MODEL 820TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

**Standard Equipment**

Bucket Rollback Angle (degrees):  
MSL/NSL - 46  
Bucket Dump Angle (degrees):  
MSL - 56    NSL - 57

\*Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

**LOADER COMPONENTS**

Order the following to make up a complete Model 820TL Quick-Attach Loader:

- (A) Basic Packaged Loader NonSelf-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stand.
- Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stand.
- (B) Mounting Kit

- (C) Hydraulic Components: Mid-mount loader valve (ordered as FIO on tractor or as DIA kit) and hydraulic hose package.
- (D) Bucket(s) and Attachments
- (E) Extra Equipment
- (F) Miscellaneous

**NOTE: IMPORTANT ORDERING INFORMATION**

- T4000, T5000, TD, TN-A, TND-A Series tractors offer factory rear loader mount bracket option (front required to complete installation).
- The following front and rear loader mounting brackets will support your loader installation.

**WARRANTY**

New Holland  
Standard Warranty Applies

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
820TL	983 LB		\$3,478,00
Includes the following Equipment			
ES Ldr_less mech self-level	\$391,00		

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**800 SERIES BASE LOADERS**

**COMPLETING PACKAGES**

SD\_01001 BASE UNIT



DRAFT: FOR INTERNAL USE ONLY



-CP9D 02

**MODEL 820TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

726387	ES Ldr_less mech self-leveling Includes "Euro Style" Quick -Attach Device Standard TN85A/85DA ,TN95A/95DA (4-cylinder), T4020 - T4050, TD75, TD80, TD95, TD5030, TD5050 (FWD only), TL80A/TL80, TL90A/TL90, TL100A/TL100, T5040 - T5070. Standard Axles Less Mechanical Self-Leveling			\$391,00
726388	ES Ldr_with mech self-leveling Includes "Euro Style" Quick -Attach Device Standard TN85A/85DA ,TN95A/95DA (4-cylinder), T4020 - T4050, TD75, TD80, TD95, TD5030, TD5050 (FWD only), TL80A/TL80, TL90A/TL90, TL100A/TL100, T5040 - T5070. Standard Axles With Mechanical Self-Leveling			\$2,783,00
726457	Base Ldr Q30/726457 Includes "Euro Style" Quick -Attach Device Standard TN75SA/75S, TN70SA/70S, TN65S, TN60SA, TN55S, T4020 - T4050. SuperSteer™ Axles Less Mechanical Self-Leveling			\$391,00
726459	Base Ldr Q30/726459 Includes "Euro Style" Quick -Attach Device Standard TN75SA/75S, TN70SA/70S, TN65S, TN60SA, TN55S, T4020 - T4050. SuperSteer™ Axles With Mechanical Self-Leveling			\$2,783,00
726618	SS Ldr less mec. self-leveling Includes "Skid-Steer Style" Quick -Attach Device Standard Standard Axles - SSL Device TN85A/85DA ,TN95A/95DA (4-cylinder), T4020 - T4050, TD75, TD80, TD95, TD5030, TD5050 (FWD only), TL80A/TL80, TL90A/TL90, TL100A/TL100, T5040 - T5070.			\$391,00
726619	Loader with mec. self-leveling Includes "Skid-Steer Style" Quick -Attach Device Standard Standard Axles - SSL Device TN85A/85DA ,TN95A/95DA (4-cylinder), T4020 - T4050, TD75, TD80, TD95, TD5030, TD5050 (FWD only), TL80A/TL80, TL90A/TL90, TL100A/TL100, T5040 - T5070.			\$2,783,00

**800 SERIES MOUNTING KITS**

REAR LOADER MOUNTING BRACKETS

SD\_N5802 REAR BRACKETS

-CP9D 02 0009 000 15-MAR-10



DRAFT: FOR INTERNAL USE ONLY



-CP9D 02

**MODEL 820TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

715687	Rear mounting brackets -715687 810: For TN-A, TN, TND-A, TND (3 cylinder). 820: For TNS-A, TNS (3 cylinder). 840: For T6030, T6050, T6070 (6 cylinder) Elite, Plus or Delta and TS115A, TS125A, TS130A, TS135A (6 cylinder). 850: For T6030, T6050, T6070 (6 cylinder) Elite, Plus or Delta. 860: For TM175, TM190 (including CVT).	265 LB		\$469,00
717682	Rear mounting brackets -717682 810: For TD5030, TD5050. 820: For TD5030, TD5050 (FWD only) 830: For TD5050.	100 LB		\$469,00
717685	Rear mounting brackets -717685 810: For T4020, T4030. 820: For T4020-T4030, T4020-T4030 with SuperSteer™.	75 LB		\$469,00

**FRONT LOADER MOUNTING BRACKETS**

SD\_N5701 HITCH AND SUBFRAME

715455	Front mounting brackets-715455 For TL80A, TL90A, TL100A	441 LB		\$1,728,00
715651	Front mounting brackets-715651 For TN85A/85DA, TN95A/95DA (4 cylinder models).	493 LB		\$1,728,00
716439	Front mounting brackets-716439 For TD75 and TD80.	564 LB		\$1,728,00
717414	Front Bracket717414 For TD95	397 LB		\$1,728,00
717539	Subframe 717539 (one piece) For TL80, TL90, TL100	800 LB		\$1,728,00
717681	Front mounting brackets-717681 810 and 830: For TD5050 820: For TD5050 (FWD only)	588 LB		\$1,728,00
717683	Front mounting brackets-717683 For T4040, T4050	435 LB		\$1,728,00
717684	Front mounting brackets-717684 For T4020, T4030	435 LB		\$1,728,00
717686	Front_Frame 717686 For T4040-T4050 with SuperSteer™ Axle	435 LB		\$1,728,00
717687	Front_Frame 717687 For T4020-T4030 with SuperSteer™ Axle	435 LB		\$1,728,00
717688	Front mounting brackets-717688 For T5040, T5070	653 LB		\$1,728,00
730408	Front mounting brackets-730408 810: For TD5030 820: For TD5030 (FWD only)	650 LB		\$1,728,00

**800 SERIES HYDRAULIC COMPONENTS**

**2-FUNCTION MECH VALVE AND JOYSTICK DIA KITS**

SD\_20005 2 RMT MID VALVE

-CP9D 02 0009 000 15-MAR-10



DRAFT: FOR INTERNAL USE ONLY



-CP9D 02

**MODEL 820TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

	718761	2-Function mech mid-mt valve 2 function mid mount valve and joystick kit for TD75, TD80, TD90, TD5030, & TD5050.			\$1,317.00
--	--------	--	--	--	------------

SD\_20078 HOSE KIT

	715743	Hydraulic hose kit <b>TRACTOR REMOTE VALVE OPERATION</b> Hose Kit for Plumbing from the Loader to the T8000 and TG's Rear Remotes. 2-Function Hose Kit with mid-mount quick couplers.	55 LB		\$411.00
	717513	Hydraulic hose kit 810: For T4000 Series ROPS/CAB, TN-A, TND-A, TND (ROPS & CAB) Requires appropriate T4000, TN-A, TND-A, TND, Mid- Mount Valve Kit. 820: For TN85A/85DA, TN95A/95DA (4 cylinder) and T4000 Series ROPS/CAB. * For all T4000 Standard ROPS the following parts must be ordered from parts and field installed: Hydraulic tube 87471041, Bracket 87471040, and tube clamp 87326640.	22 LB		\$411.00
	717517	Hydraulic hose kit 810: For T5000 Series Requires appropriate T5000 Mid- Mount Valve Kit. 820: For TL80A/TL80, TL90A/TL90, TL100A/TL100, T5000 Series. 830: For T5000, TL80A/TL80, TL90A/TL90, TL100A/TL100	20 LB		\$411.00

SD\_20129 JOYSTICK/VALVE KIT

	717542	Joystick/Valve Kit For TD75, TD80, TD95 (includes Hose Kit)	62 LB		\$1,317.00
--	--------	--	-------	--	------------

HYDRAULIC HOSE PACKAGES (ONE REQUIRED)

SD\_45024 4 COUPLE FAST SNAP



DRAFT: FOR INTERNAL USE ONLY



-CP9D 02

**MODEL 820TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

	717527	4 Coupler quick connect 820: For TN85A/85DA, TN95A/95DA (4 cylinder)For TN75SA, TNS (SuperSteer™ FWD Axles), T4000, T5000 Series, TL80A/TL80, TL90A/TL90, TL100A/TL100. 830: For T5000, TL80A/TL80, TL90A/TL90, TL100A/TL100, T6010, T6020, T6040, T6060 Delta, Plus, Elite (4 cyl.), TS100A Plus and Deluxe, TS110A Standard. 840: T6010, T6020, T6030, T6040, T6050, T6060, T6070, T6080 (4 and 6 cylinder) Elite, Plus or Delta, TS100A (4 cylinder), TS115A, TS125A, TS130A, TS135A (6 cylinder) Standard, Plus, Deluxe. 850:For T7030, T7040 (6 cylinder) For installation with 2 function mid-mount valve DIA kits which do not include the Host Kit (Requires 2-function hose kit #717513006, #715743076, #717517006, #717518006, #716848046, #717544006 -based on series and configuration).	25 LB		\$423,00
--	--------	---	-------	--	----------

**SD\_N6004 4 COUPLE FAST SNAP-LOADER**

	717526	4 Coupler quick connect ldr 810: For Installation with 2 function Mid-Mount Valve DIA Kits which include Hose Kit #71754006, #7175410006, #717542006, or #715842116. 820: For TD75, TD80, TD95, TD5030, TD5050. For installation with 2 function mid-mount valve DIA kits which include Hose Kit #717542006 or #715842116. 830: For TD5050 (FWD only). For installation with 2-function mid-mount valve DIA kits which include Hose Kit #717542006 or #715842116. 840: Requires Electrohydraulic Mid-Mount Valve Kit no. 717543006. 850: Requires Electrohydraulic Mid-Mount Valve Kit no. 717543006 or 717543016. 860: Requires Electrohydraulic Mid-Mount Valve Kit no. 717543016. 870: Requires Electrohydraulic Kit no. 717519006.	20 LB		\$423,00
--	--------	---	-------	--	----------

**OTHER HYDRAULIC OPTIONS**

SD\_05022 CAB JOYSTICK CONTRO



DRAFT: FOR INTERNAL USE ONLY



-CP9D 02

**MODEL 820TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

	717565	Cab joystick control Joystick Adapter Kit includes New Knob/Push button and required wiring. Electrical Options: -3rd Function Electro Hydraulic Kit #717698006 -Soft Ride Electric Shutoff Kit #717521006 -Reference Joystick Adapter Kit Description for DIA kits which include the Joystick Adapter Kit. NOTE: Not required when 2 function Mid-Mount Valve DIA Kit #717540006, #717541006, #717542006 or #715842116 is installed on the tractor (Joystick Adapter included in DIA kit).	2 LB		\$143,00
--	--------	--	------	--	----------

**SD\_20017 3RD MID MNT REMOTE**

	717698	3rd func electro-hydraul kit 3rd Function Electrohydraulic Kit - Solenoid Valve controlled by joystick mounted button which diverts oil flow from the bucket circuit to front mounted implements. Requires Joystick adapter Kit. #717565006-EXCEPTION- Reference Joystick Adapter Kit description for DIA kits which include the Joystick Adapter Kit.	12 LB		\$641,00
--	--------	---	-------	--	----------

**SD\_N6003 HYD FACEPLATE IMP LOCK EURO**

	717524	Hyd attach disconnect/lock Hydraulic Attachment Disconnect/Lock (Euro Style Quick Attach only) Includes separate push and hold button that works with 3rd function Electrohydraulic Kit (# 717522006)	20 LB		\$408,00
--	--------	--	-------	--	----------

**SD\_N6013 SOFTRIDE ELECTRIC SHUTOFF**

	717521	Soft ride electric shutoff kit Soft Ride Electric Shutoff Kit (requires Joystick Adapter Kit no. 717565006- EXCEPTION-Reference Joystick Adapter Kit description for DIA kits which include the Joystick Adapter Kit	3 LB		\$337,00
--	--------	---	------	--	----------

**SD\_N6014 SOFTRIDE OPTION**

	717520	Soft ride option	12 LB		\$600,00
--	--------	------------------	-------	--	----------

**800 SERIES BUCKETS**

**SKID-STEER STYLE**

**SD\_29016 BALLAST BOX**

	717506	Ballast box- 2200 lbs. For 3-point hitch Category II/III capacity of 1924 lbs. for total maximum weight of 2200 lbs.	280 LB		\$816,00
--	--------	---	--------	--	----------



DRAFT: FOR INTERNAL USE ONLY



-CP9D 02

**MODEL 820TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

**SD\_29021 BOLT ON GRAPPLE KIT SSL STYLE**

	716983	Bolt-on grapple kit - SS style <b>Standard Duty Grapple Assembly Kit (weld/bolt on to bucket)</b> For 73" #717417006, 83" #717419006 Skid Steer Style Buckets requires 3rd function to operate (Handles up to 5" diameter Round Bale).	475 LB		\$1,845,00
--	--------	---	--------	--	------------

**EURO STYLE**

**SD\_N5233 63" STD BUCKET EURO STYLE QA**

	717416	63 in. Std bucket - Euro style (.71 yd struck, .85 yd heaped)	370 LB		\$852,00
--	--------	--	--------	--	----------

**SD\_N5244 73 STD QA BUCKETS**

	717417	73" Std bucket - Euro Style (.63 yd struck, .78 yd heaped)	401 LB		\$926,00
	730403	73" Std Bkt SSL style QA (.63 yd struck, .78 yd heaped)	401 LB		\$926,00

**SD\_N5247 73" STD BKT EUROSTYLE**

	717418	73" Std mat bucket -Euro style High Capacity (.79 yd struck, .94 yd heaped)	455 LB		\$926,00
--	--------	--	--------	--	----------

**SD\_N5252 83" MATERIAL BUCKET QA**

	717419	83" Std mat bucket -Euro style (.72 yd struck, .89 yd heaped)	496 LB		\$1,050,00
	730404	83" Std Material bkt SSL style (.72 yd struck, .89 yd heaped)	433 LB		\$1,050,00

**SD\_N5255 83" Mat Bkt High Cap Euro**

	717420	83" HC mat bucket - Euro style High Capacity (.90 yd struck, 1.07 yd heaped)	560 LB		\$1,050,00
--	--------	---	--------	--	------------

**STANDARD HIGH-VOLUME LIGHT MATERIAL**

**SD\_N5251 79" HV LIGHT MATERIAL BUCKET**

	717431	79" HC mat bucket - Euro style (1.27 yd struck, 1.52 yd heaped)	605 LB		\$1,238,00
--	--------	--	--------	--	------------

**HEAVY-DUTY MATERIAL**

**SD\_N5253 82" HD MAT BUCKET EUROSTYLE**

	717424	83" HD mat bucket - Euro style (.90 yd struck, 1.07 yd heaped)	630 LB		\$1,314,00
--	--------	---	--------	--	------------

**HEAVY-DUTY GRADING**

**SD\_N5266 85" HD GRADING BUCKET**



DRAFT: FOR INTERNAL USE ONLY



-CP9D 02

**MODEL 820TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

	717436	85" HD grade bucket-Euro style (.79 yd struck, .85 yd heaped)	745 LB		\$1,300.00
--	--------	--	--------	--	------------

**HEAVY-DUTY MATERIAL W/ CONSTRUCTION TEETH**

SD\_N5232 63" HD BUCKET W/ TEETH

	717428	63" HD bucket w/teeth-Euro sty (.71 yd struck, .85 yd heaped)	380 LB		\$1,103.00
--	--------	--	--------	--	------------

SD\_N5246 73" HD BUCKET W/ TEETH

	717429	73" HD bucket w/teeth - Euro (.78 yd struck, .94 yd heaped)	465 LB		\$1,216.00
--	--------	--	--------	--	------------

**HEAVY-DUTY ROUND BALE KING**

SD\_N5258 83"HD BUCKET ONLY RDBL KING

	717503	83" HD Bucket Only RDBL King (.90 yd struck, 1.07 yd heaped)	715 LB		\$1,711.00
--	--------	---	--------	--	------------

**HEAVY-DUTY BUCKET AND GRAPPLE ASSEMBLY**

SD\_N5261 83 HD BUCKET W/ GRAPPLE

	717500	83 in. HD bucket w/grap - Euro (.90yd struck, 1.07 yd heaped)	1,335 LB		\$3,265.00
--	--------	--	----------	--	------------

**HEAVY-DUTY BUCKET, GRAPPLE, AND BUCKET TINES**

SD\_N5259 83" HD BUCKET W/ GRAPPLE/TINES

	717494	83 in. HD bucket w/grap/tines (.90yd struck, 1.07 yd heaped)	1,370 LB		\$3,375.00
--	--------	---	----------	--	------------

**800 SERIES EXTRA EQUIPMENT**

**BALE MOVING ATTACHMENTS**

SD\_29001 3-POINT LINKAGE F/A

	717507	3-Point linkage Connect front loader tools to tractor 3-point, (i.e. bale spear, etc.)	175 LB		\$660.00
--	--------	---	--------	--	----------

SD\_29008 BALE SPIKE

	717485	Bale spike Euro style Bale Spike . (1) long tine and (1) short tine. Maintains bale control.	135 LB		\$616.00
--	--------	---	--------	--	----------

SD\_29009 BALE SUPPORT



DRAFT: FOR INTERNAL USE ONLY



-CP9D 02

**MODEL 820TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

	717479	Bale support Bale Support for combo Bale/Pallet Fork. Requires no. 717478016.	100 LB		\$630,00
SD_29030 HD BALE GRIP 63 INCH FL					
	717474	63 in. Heavy-duty bale grip HD Bale Grip - 63 in. maximum bale size. Includes back stop extension.	610 LB		\$2,198,00
SD_29031 BALE GRIP 63 INCH UNI					
	717477	63 in. Universal bale grip 63 in. maximum bale size. Includes back stop extension.	529 LB		\$1,997,00
SD_29032 COMBO BALE/PALLET FORK 71"					
	717478	Combo bale/pallet fork 71" 71 in. maximum bale size.	430 LB		\$2,079,00
SD_29041 STD BALE SPLIT ATTACHMENT					
	717483	Standard bale split attachment Hydraulic	190 LB		\$883,00
SD_N5317 75" SQBL FORK 5 LONG TINES					
	717489	75" Sq bale fork 5 long tines 75 in. (5) long tines	370 LB		\$2,060,00
SD_N5326 ROUND/LGSQ BALE FORK					
	717486	Bale fork w/2 tines Euro style Round Bale and Large Square Bale Fork (2) long tines.	293 LB		\$804,00
	730405	Bale fork w/ 2 tines SSL style Square Bale Fork - 55 in. (two long tines)	169 LB		\$1,398,00
SD_N5327 BIG BAG LIFTER FOR SQBALE FORK					
	717491	Big bag lifter for sqbale fork Handling large fertilizer bags	70 LB		\$218,00
SD_N5328 BALE FORK BACK EXTENSION SET					
	717487	Bale fork back extension set Requires no. 717486006.	95 LB		\$267,00
	717490	Sq bale fork back extension Requires no. 717488006 or 717489006.	50 LB		\$218,00
SD_N5501 BALE SPEAR					
	715106	Bale spear SSL style Bale Spike (one long tine and one short tine maintains bale control).	197 LB		\$870,00

SILAGE HANDLING ATTACHMENTS



DRAFT: FOR INTERNAL USE ONLY



-CP9D 02

**MODEL 820TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

SD_N5223 59" SILAGE FORK/GRAPPLE 28CUFT				
	717463	59" Silage fork/grapple (1.03 yd. volume)	595 LB	\$2,232,00

SD_N5308 51" SILAGEKING FORK AND GRAPPL				
	717462	51" Silage fork/grapple (.90 yd. volume)	555 LB	\$2,149,00

**MANURE MANAGEMENT ATTACHMENTS**

SD_N5220 59 INCH 8 TINES MANURE FORK				
	717438	59 in. manure fork 8 tines	295 LB	\$810,00

SD_N5310 67" MANURE FORK 9 TINES				
	717439	67 in. manure fork 9 tines	320 LB	\$988,00

SD_N5314 75" MANURE FORK 10 TINES				
	717440	75 in. manure fork 10 tines	390 LB	\$1,211,00

**MULTI-USE FORKS**

SD_N5219 59 INCH 14 TINE MULTI USE FORK				
	717442	59" multi-use fork 14 tines	540 LB	\$2,101,00

SD_N5318 79" MULTI USE FORK 18 TINES				
	717443	79" multi-use fork 18 tines	650 LB	\$2,232,00

**PALLET FORKS AND ATTACHMENTS**

SD_N5301 38" FORK (55"WIDE 2200LB)				
	717446	38 in. fork 55" wide 2200 lb	270 LB	\$834,00

SD_N5302 38" FORK (55"WIDE 3500LB)				
	717447	38 in. fork 55" wide 3500 lb	355 LB	\$1,376,00

SD_N5303 47" FORK (55"WIDE 5500LB)				
	717448	47 in. fork 55" wide 5500 lb	375 LB	\$1,824,00

SD_N5331 PALLET FORK LIFT ARM FOR BAGS				
	717451	Pallet fork lift arm for bags Requires no. 717446006, 717447006 or 717448006.	260 LB	\$1,008,00

SD_N5332 LOG GRAPPLE FOR PALLET FORKS				
	717449	Log grapple f/all pallet forks Requires no. 717446006, 717447006 or 717448006.	190 LB	\$1,482,00

**SPECIALTY**

-CP9D 02 0009 000 15-MAR-10



DRAFT: FOR INTERNAL USE ONLY



-CP9D 02

**MODEL 820TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

SD_29014 BKT TINE SET F/BKT W/ HOLDER					
		717511	Bucket tine - 1 tine Bucket Tine (one Tine) (Euro Style). For buckets equipped with tine holders.	20 LB	\$73,00
SD_29017 BALE HANDLING LOADER EXT					
		717481	Bale handling loader extension Adds 45 in. extra height for stacking bales (includes back stop extension).	445 LB	\$2,343,00
SD_N5245 73" HD BUCKET EUROSTYLE QA					
		717423	73" HD mat bucket - Euro style (.78 yd struck, .94 yd heaped)	520 LB	\$1,157,00
SD_N5254 83" HD BUCKET W/ HD TEETH					
		717430	83" HD bucket w/teeth - Euro (.90 yd struck, 1.07 yd heaped)	575 LB	\$1,398,00
SD_N5268 87" HIGH CAP MAT BUCKET					
		717432	87" HC mat bucket - Euro style (1.39 yd struck, 1.67 yd heaped)	650 LB	\$1,358,00
SD_N5311 67" SILAGE KING FORK/GRAPPLE					
		717464	67" Silage fork/grapple (1.18 yd. volume)	650 LB	\$2,790,00
SD_N5315 75" SILAGE KING FORK/GRAPPLE					
		717465	75" Silage fork/grapple (1.32 yd. volume)	695 LB	\$3,189,00
SD_N5320 90" MANURE FORK 12 TINES					
		717441	90" Manure fork 12 tines	475 LB	\$1,282,00
SD_N5325 BALE SPIKE ATTACHMENT					
		717450	Bale Spike Attachment	55 LB	\$550,00
SD_N5335 PALLET FORK FRAME/GUARD ASMBLY					
		715100	Pallet fork frame/guard asmbly	375 LB	\$1,824,00

-CP9D 02 0009 000 15-MAR-10



DRAFT: FOR INTERNAL USE ONLY



-CP9D 03

**MODEL 830TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)  
**Standard Equipment**

loader installation.

New Holland

Standard Warranty Applies

WARRANTY

**Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
830TL	1.200 LB		\$4.797,00
Includes the following Equipment			
ES Ldr less_mech self-level	\$1.710,00		

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**800 SERIES BASE LOADERS**

COMPLETING PACKAGES

SD 01001 BASE UNIT

	726389	ES Ldr less_mech self-leveling Includes "Euro Style" quick-attach device - Standard TL80A/TL80, TL90A/TL90, TL100A/TL100, TD5050 (FWD only). T6010, T6020, T6040, T6060 Delta, Plus, Elite (4 cyl.) TS100A (4 cylinder) Plus or Deluxe, TS110A (4 cylinder) Standard. T5040 - T5070 with 2WD, TerraGlide™ or Conventional FWD Axle.			\$1.710,00
	726390	ES Ldr with_mech self-leveling Includes "Euro Style" quick-attach device - Standard TL80A/TL80, TL90A/TL90, TL100A/TL100, TD5050 (FWD only). T6010, T6020, T6040, T6060 Delta, Plus, Elite (4 cyl.) TS100A (4 cylinder) Plus or Deluxe, TS110A (4 cylinder) Standard. T5040 - T5070 with 2WD, TerraGlide™ or Conventional FWD Axle.			\$3.266,00



DRAFT: FOR INTERNAL USE ONLY



-CP9D 03

**MODEL 830TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

726410	Base Ldr Q40/726410 Includes "Euro Style" quick-attach device - Standard T6010, T6020, T6040, T6060 Delta, Plus, Elite (4 cyl.). TS100A (4 cylinder) Plus or Deluxe, TS110A (4 cylinder) Standard with 2WD, TerraGlide™ or Conventional FWD Axle Less Mechanical Self-Leveling			\$2,444.00
726412	Base Ldr Q40/726412 Includes "Euro Style" quick-attach device - Standard T6010, T6020, T6040, T6060 Delta, Plus, Elite (4 cyl.). TS100A (4 cylinder) Plus or Deluxe, TS110A (4 cylinder) Standard with 2WD, TerraGlide™ or Conventional FWD Axle With Mechanical Self-Leveling			\$4,001.00
726620	SS Ldr_less mech self-leveling Includes "Skid-Steer Style" Quick-Attach Device - Standard TL80A/TL80, TL90A/TL90, TL100A/TL100, TD5050 (FWD only). T6010, T6020, T6040, T6060 Delta, Plus, Elite (4 cyl.) TS100A (4 cylinder) Plus or Deluxe, TS110A (4 cylinder) Standard. T5040 - T5070 with 2WD, TerraGlide™ or Conventional FWD Axle.			\$1,710.00

**800 SERIES MOUNTING KITS**

REAR LOADER MOUNTING BRACKETS

SD\_N5802 REAR BRACKETS

717682	Rear mounting brackets -717682 810: For TD5030, TD5050. 820: For TD5030, TD5050 (FWD only) 830: For TD5050.	100 LB		\$469.00
--------	---	--------	--	----------

FRONT LOADER MOUNTING BRACKETS

SD\_N5701 HITCH AND SUBFRAME

715455	Front mounting brackets-715455 For TL80A, TL90A, TL100A	441 LB		\$1,728.00
715456	Front mounting brackets-715456 830: For T6010, T6020, T6040, T6060 (4 cylinder, non- SuperSteer™ axle) and TS100A, TS110A (4 cylinder, non- SuperSteer™ axle). 840: For T6010, T6020, T6040, T6060 (4 cylinder) Plus, Elite and TS100A Plus or Deluxe (4 cylinder). (Includes grille guard and oscillation stops if required.)	643 LB		\$2,022.00
717539	Subframe 717539 (one piece) For TL80, TL90, TL100	800 LB		\$1,728.00
717681	Front mounting brackets-717681 810 and 830: For TD5050 820: For TD5050 (FWD only)	588 LB		\$1,728.00
717688	Front mounting brackets-717688 For T5040, T5070	653 LB		\$1,728.00

-CP9D 03 0009 000 15-MAR-10



DRAFT: FOR INTERNAL USE ONLY



-CP9D 03

**MODEL 830TL QUICK-ATTACH FARM LOADER  
US PRICE LIST**

(ALO)

	730412	TS6000 Subframe Assy 1 piece subframe assembly for TS6000.	570 LB		\$1,728,00
--	--------	---	--------	--	------------

**800 SERIES HYDRAULIC COMPONENTS**

**2-FUNCTION MECH VALVE AND JOYSTICK DIA KITS**

**SD\_20007 2 FUNCTION HYDRAULIC KIT**

	716848	2 Remote mid-mount hose kit 2-Function Mid-Mount Valve Hose Kit for Elec. Hyd. Valve 840: For T6010, T6020, T6030, T6040, T6050, T6060, T6070, T6080 (4 and 6 cylinder) Elite, Plus or Delta, TS100A (4 cylinder), TS115A, TS125A, TS130A, TS135A (6 cylinder) Standard, Plus, Deluxe. 850: For T6030, T6050, T6070, T6080 Delta, Plus, Elite and TM120-TM155, TM115-TM165, T7030, T7040 (6 cylinder)	22 LB		\$496,00
	717543	2 Remote mid-mt w/joystick	112 LB		\$3,584,00

**SD\_20078 HOSE KIT**

	716847	3 Remote mid-mount hose kit 3-Function Mid-Mount Valve Hose Kit for Elec. Hyd. Valve 840: For T6010, T6020, T6030, T6040, T6050, T6060, T6070, T6080 (4 and 6 cylinder) Elite, Plus or Delta, TS100A (4 cylinder), TS115A, TS125A, TS130A, TS135A (6 cylinder) Standard, Plus, Deluxe. (Require 3rd function slice no. 718918014 or 718918024) 850: For T7030, T7040 (6 cylinder) (Requires 3rd function slice no. 718756014 and 3rd function "Live" Hose Kit no. 717695006. 860: For T7030, T7040, T7050, T7060 (6 cylinder)	23 LB		\$496,00
	717517	Hydraulic hose kit 810: For T5000 Series Requires appropriate T5000 Mid-Mount Valve Kit. 820: For TL80A/TL80, TL90A/TL90, TL100A/TL100, T5000 Series. 830: For T5000, TL80A/TL80, TL90A/TL90, TL100A/TL100	20 LB		\$411,00
	717518	Hydraulic hose kit 2-Function Mid-Mount Valve Hose Kit for Mech. Valve 860: For TM175, TM190	22 LB		\$411,00
	717693	3rd function "Live" hose kit 3rd Function "Live" Hose Kit. Required to utilize 3rd slice and operate grapples, etc.	18 LB		\$135,00

**SD\_20129 JOYSTICK/VALVE KIT**

	730413	Joy Stick Val730413 T6000 Series joystick valve kit	90 LB		\$1,786,00
--	--------	--	-------	--	------------

-CP9D 03 0009 000 15-MAR-10