

Prepared For:
MiDeal Spec# 3905-0008H-T02

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 Hybrid 4WD Crew Cab 143.5" 3HA

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail TK10543 4WD Crew Cab 143.5" 3HA

<u>Code</u>	<u>Description</u>
TK10543	2011 GMC Sierra 1500 Hybrid 4WD Crew Cab 143.5" 3HA

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail TK10543 4WD Crew Cab 143.5" 3HA

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail TK10543 4WD Crew Cab 143.5" 3HA

CATEGORY

<u>Code</u>	<u>Description</u>
EMISSIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	
LZ1	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI, LIVC
TRANSMISSION	
M99	TRANSMISSION, 2-MODE STRONG HYBRID, AUTOMATIC, ELECTRONIC.
AXLE RATIO	
GU4	REAR AXLE, 3.08 RATIO
PREFERRED EQUIPMENT GROUP	
3HA	HYBRID PREFERRED EQUIPMENT GROUP
PAINT	
50U	SUMMIT WHITE
PAINT SCHEME	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3905-0008H-T02

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 Hybrid 4WD Crew Cab 143.5" 3HA

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail TK10543 4WD Crew Cab 143.5" 3HA

CATEGORY

<u>Code</u>	<u>Description</u>
PAINT SCHEME	
—	STANDARD PAINT
SEAT TYPE	
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER
SEAT TRIM	
19C	EBONY, PREMIUM CLOTH SEAT TRIM
RADIO	
US8	AUDIO SYSTEM, AM/FM STEREO
ADDITIONAL EQUIPMENT	
U2J	XM RADIO, DELETE
UE0	ONSTAR, DELETE.
VQ1	FLEET PROCESSING OPTION

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3905-0008H-T02

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 Hybrid 4WD Crew Cab 143.5" 3HA

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TK10543 4WD Crew Cab 143.5" 3HA

ENTERTAINMENT

- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- XM Radio is standard on nearly all 2011 GM models and includes 3 months of trial service. Get over 170 channels, including: commercial-free music, sports, news, talk, entertainment, comedy, family and kids' channels, and much more. With XM's incredible range of programming, everything worth listening to is on XM (Requires a subscription sold separately by XM after the first 90 days. Available only in the 48 contiguous United States and District of Columbia. Visit gm.xmradio.com for details.)
- Audio system feature, speaker system includes 6 speakers
- Steering wheel controls, mounted audio controls
- Bluetooth for phone personal cell phone connectivity to vehicle audio system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3905-0008H-T02

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 Hybrid 4WD Crew Cab 143.5" 3HA

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TK10543 4WD Crew Cab 143.5" 3HA

EXTERIOR

- Wheels, 4 - 18" x 8" (45.7 cm x 20.3 cm) chrome-clad aluminum (spare wheel will not cosmetically match the other 4 wheels) ((R08) 4 - 18" x 8" (45.7 cm x 20.3 cm) chrome-clad aluminum wheels replaced by (QF8) 4 - 18" x 8" (45.7 cm x 20.3 cm) polished aluminum wheels when SEO (1TR) Base Appearance for Hybrid is ordered.)
- Wheel, 17" (43.2 cm) aluminum spare (spare wheel will not cosmetically match the other 4 wheels) (Requires TK10543 models.)
- Tires, P265/65R18 all-season, blackwall
- Spare tire lock keyed cylinder lock that utilizes same key as ignition and door
- Bumper, front chrome (Includes body-color bumper top caps. Chrome bumper replaced with Black bumper bar when SEO (1TR) Base Appearance for Hybrid is ordered.)
- Bumper, rear chrome, step-style with pad
- Moldings, bodyside, body-colored
- Grille, chrome surround (Chrome grille replaced with black surround grille when SEO (1TR) Base Appearance for Hybrid is ordered.)
- Mirrors, outside heated power-adjustable Black, manual-folding
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass) (Includes rear and rear quarter windows.)
- Tailgate, locking
- Tailgate, EZ-Lift
- LPO, Tonneau cover, soft (dealer installed) with integrated support bows that roll up with the cover and can be stowed in behind the cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3905-0008H-T02

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 Hybrid 4WD Crew Cab 143.5" 3HA

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TK10543 4WD Crew Cab 143.5" 3HA

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartment in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets
- Seat trim, Premium Cloth
- Seat adjuster, manual lumbar control on the driver-side
- Seat, rear full-width folding bench, 3-passenger (includes child seat top tether anchor)
- Floor covering, color-keyed carpeting with rubberized vinyl floor mats (includes rear floor mats)
- Steering wheel, leather-wrapped with theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Includes 8-point compass and outside temperature.)
- Windows, power with driver Express-Down
- Door locks, power
- Remote vehicle starter prep package includes Remote Keyless Entry (To enable remote start capability, new key fobs and vehicle reprogramming are required. Please see dealer for details.)
- Cruise control, electronic with set and resume speed, located on steering wheel
- Air conditioning dual-zone automatic climate control with individual climate settings for driver and right-front passenger
- Power outlets 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, sliding with clip and illuminated vanity mirror on driver and passenger-side, Opal Gray-colored

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3905-0008H-T02

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 Hybrid 4WD Crew Cab 143.5" 3HA

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TK10543 4WD Crew Cab 143.5" 3HA

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI, LIVC with Active Fuel Management and late intake valve closing, aluminum (332 hp [247.5 kW] @ 5100 rpm, 367 lb-ft of torque [495.4 N-m] @ 4100 rpm)
- Transmission, 2-mode strong hybrid, automatic, electronic.
- Rear axle, 3.08 ratio
- Transfer case, electronic Autotrac with rotary dial controls (Requires 4WD models.)
- Differential, heavy-duty automatic locking rear
- Four wheel drive
- Hybrid Propulsion Electric, 2-mode
- Battery, heavy-duty 600 cold-cranking amps maintenance-free with rundown protection and retained accessory power
- Alternator delete
- Recovery hooks, front, frame-mounted (4WD models only.)
- Trailering equipment, heavy-duty includes trailering hitch platform and 2-inch receiver, 7-wire harness (harness includes wires for: park lamps, backup lamps, right turn, left turn, electric brake lead, battery and ground) with independent fused trailering circuits mated to a 7-way sealed connector and wiring harness for aftermarket trailer brake controller (located in the instrument panel harness)
- Pickup box, Wideside
- GVWR, 7300 lbs. (3311 kg) (Requires TK10543 models.)
- Suspension Package, Handling/Trailering, heavy-duty includes 46 mm piston monotube shocks and 36mm front stabilizer bar
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs semi-elliptic
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, 4-wheel disc electro-hydraulic power with StabiliTrak, regenerative system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3905-0008H-T02

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 Hybrid 4WD Crew Cab 143.5" 3HA

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TK10543 4WD Crew Cab 143.5" 3HA

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control
- Daytime Running Lamps, with automatic exterior lamp control.
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact front and rear outboard seating positions with rollover sensor (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, seat-mounted side-impact, driver and right-front passenger for thorax and pelvic protection (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Tire Pressure Monitor System (does not apply to spare tire)
- OnStar, 6 months of Directions and Connections plan includes Automatic Crash Response, Emergency Services, Crisis Assist, Stolen Vehicle Assistance including Stolen Vehicle Slowdown and Remote Ignition Block, Remote Door Unlock, Turn-by-Turn Navigation with Destination Download (requires navigation radio) and OnStar eNav (where available), OnStar Vehicle Diagnostics, Roadside Assistance, Remote Horn and Lights, and Hands Free Calling. (Visit onstar.com for details and system limitations.)
- Automatic Crash Response (Deleted when (UE0) OnStar delete is ordered.)
- Stolen Vehicle Assistance (Deleted when (UE0) OnStar delete is ordered.)
- OnStar Turn-by-Turn Navigation (Deleted when (UE0) OnStar delete is ordered.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: