

Prepared For:
 Vehicle Confirmation Sheet
 Spec #3905-0040

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Passenger RWD 3500 155" 1LS C

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail CG33706 RWD 3500 155" 1LS

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CG33706	2011 Chevrolet Express Passenger RWD 3500 155" 1LS	W/A

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail CG33706 RWD 3500 155" 1LS

<u>Code</u>	<u>Description</u>
-	Interior: Medium Pewter
-	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG33706 RWD 3500 155" 1LS

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
L96	ENGINE, VORTEC 6.0L V8 SFI FLEXFUEL (324 hp [241.6 kW] @ 4700 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) (STD) (Standard on *G33406 or *G33706 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability. Available to order with *G23406.) (STD)	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode and internal transmission oil cooler (STD) (Standard on *G23406, *G33406 or *G33706 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)	\$0.00
AXLE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 Vehicle Confirmation Sheet
 Spec #3905-0040

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Passenger RWD 3500 155" 1LS C

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG33706 RWD 3500 155" 1LS

CATEGORY

Code	Description	MSRP
AXLE		
GU6	REAR AXLE, 3.42 RATIO (Standard on **13406, *G23*06, and *G33*06 models. Reference the Engine/Axle page for availability.)	\$0.00
PREFERRED EQUIPMENT GROUP		
1LS	LS PREFERRED EQUIPMENT GROUP Includes Standard Equipment	\$0.00
PAINT SCHEME		
ZY1	PAINT, SOLID (STD)	\$0.00
PRIMARY PAINT		
50U	SUMMIT WHITE	\$0.00
SEATING ARRANGEMENT		
ZP3	SEATING, 15-PASSENGER, (2-3-3-3-4 SEATING CONFIGURATION) 4-passenger seat is a 50/50 split, 2-piece configuration (Available on *G33706 model only.)	\$475.00
SEAT TYPE		
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM and outboard head restraints, includes inboard armrests (STD) (Requires (**W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.)	\$0.00
SEAT TRIM		
93W	MEDIUM PEWTER, CUSTOM VINYL	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO with seek-and-scan, digital clock and 2 front door speakers (STD)	\$0.00
ADDITIONAL EQUIPMENT		
C49	DEFOGGER, REAR-WINDOW ELECTRIC	\$155.00
UE0	ONSTAR, DELETE (Requires a Fleet or Government order type.) *CREDIT*	-\$85.00
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3905-0040

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Passenger RWD 3500 155" 1LS C

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG33706 RWD 3500 155" 1LS

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
OPTIONS TOTAL		W/A

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3905-0040

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Passenger RWD 3500 155" 1LS C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG33706 RWD 3500 155" 1LS

ENTERTAINMENT

- Audio system, AM/FM stereo with seek-and-scan, digital clock and 2 front door speakers

EXTERIOR

- Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Gray center caps and steel spare (Standard on *G23406, *G33406, and *G33706 models only.)
- Tires, front LT245/75R16E all-season, blackwall (Standard on *G23406, *G33406 and *G33706 models.)
- Tires, rear LT245/75R16E all-season, blackwall (Standard on *G23406, *G33406 and *G33706 models.)
- Tire, spare LT245/75R16E all-season, blackwall located at rear underbody of vehicle (Standard on *G23406, *G33406 and *G33706 models.)
- Body, standard
- Bumpers, front and rear painted Black with step-pad (Not available when ordered with (V37) front and rear chrome bumpers.)
- Grille, Black composite with single rectangular halogen headlamps
- Headlamps, halogen
- Mirrors, outside manual, Black
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Glass, swing-out side door windows
- Glass, swing-out rear cargo door windows
- Glass, enhanced-technology, rearmost side windows. 3-layer special glass is designed to help reduce the risk of ejection during a crash (Standard on *G23406, *G33406, and *G33706 models with 12- and 15- passenger seating. Not available with 8-passenger seating.)
- Glass, full-body window package (Includes (A18) swing-out rear cargo door window glass and (A19) swing-out side door window glass.)
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front
- Door, swing-out passenger-side, 60/40 split

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3905-0040

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Passenger RWD 3500 155" 1LS C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG33706 RWD 3500 155" 1LS

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints, includes inboard armrests (Requires (**W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.)
- Seating, 12-passenger, (2-3-3-4 seating configuration) 4-passenger seat is a 50/50 split, 2-piece configuration (Standard on *G23406, *G33406, and *G33706 models only.)
- Console, engine cover with open storage bin
- Cup holders, 3 on the engine console cover
- Power outlets 2 auxiliary on engine console cover with covers, 12-volt
- Floor covering, full-length Black rubberized-vinyl (Included and only available with (Y3H) Paratransit Package.)
- Steering wheel steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Compass, 8-point digital located in the Driver Information Center (Included and only available with (C69) rear air conditioning.)
- Convenience Package, Tilt-Wheel and cruise control (Standard on the *G33406 and *G33706 models.)
- Cruise control (Included and only available with (ZQ3) Convenience Package, tilt-wheel and cruise control.)
- Theft-deterrent system, vehicle, PASS-Key III
- Air conditioning, single-zone manual
- Air conditioning, rear (Requires (TR9) auxiliary lighting. Includes (C36) rear heater, (U80) digital compass and (KG3) 145-amp alternator. Standard on *G33706 models only. Included with (Y3H) Paratransit Package.)
- Heater, rear auxiliary (Included with (C69) rear air conditioning. Standard on *G33706 models only.)
- Defogger, front and side windows

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3905-0040

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Passenger RWD 3500 155" 1LS C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG33706 RWD 3500 155" 1LS

- Mirror, inside rearview manual day/night
- Headliner, cloth
- Visors, driver and front passenger, padded with cloth trim and dual vanity mirrors, illuminated on passenger-side (Included and only available with (TR9) auxiliary lighting. Standard on *G33706.)
- Assist handle, front passenger
- Lighting, interior with 2 dome lights defeat switch and door handle-activated switches
- Lighting, auxiliary with reading and underhood lights (Requires (C69) rear air conditioning. Includes (DH6) driver and front passenger visor vanity mirrors. Standard on *G33706 models only.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3905-0040

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Passenger RWD 3500 155" 1LS C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG33706 RWD 3500 155" 1LS

MECHANICAL

- Engine, Vortec 6.0L V8 SFI FlexFuel (324 hp [241.6 kW] @ 4700 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) (Standard on *G33406 or *G33706 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability. Available to order with *G23406.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler (Standard on *G23406, *G33406 or *G33706 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Rear axle, 3.42 ratio (Standard on **13406, *G23*06, and *G33*06 models. Reference the Engine/Axle page for availability.)
- Tow/haul mode selector, instrument panel-mounted
- Rear-wheel drive
- Transmission oil cooler, external (Standard on *G23406, *G33406 or *G33706 models. Requires (L96) Vortec 6.0L V8 SFI FlexFuel engine or (LGH) Duramax 6.6L Turbo Diesel V8 engine.)
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps (Included with (C69) rear air conditioning.)
- Frame, ladder-type
- Suspension, front independent with coil springs and stabilizer bar (Standard and only available on *G***06 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- GVWR, 9600 lbs. (4354 kg) (Standard on *G33*06 models. Reference the Engine/Axle page for availability.)
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3905-0040

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Passenger RWD 3500 155" 1LS C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG33706 RWD 3500 155" 1LS

SAFETY

- StabiliTrak, traction assistance and vehicle stability enhancement system
- Brake/transmission shift interlock for automatic transmissions
- Door beams, steel-side
- Daytime Running Lamps
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch for models with (C6P) 8600 lbs. (3901 kg) GVWR and above. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, head/side-curtain provides coverage for first 3-rows only. Enhanced-technology glass is provided for the fourth and fifth rows when equipped with 12- and 15-passenger seating. (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- OnStar, 6 months of Directions and Connections plan includes Automatic Crash Response, Emergency Services, Crisis Assist, Stolen Vehicle Assistance including Remote Ignition Block, Remote Door Unlock, Turn-by-Turn Navigation with Destination Download (requires navigation radio) and OnStar eNav (where available), OnStar Vehicle Diagnostics, Roadside Assistance, Remote Horn and Lights, and Hands Free Calling. (Also includes Stolen Vehicle Slowdown. Visit onstar.com for details and system limitations.)
- Automatic Crash Response (Deleted when (UE0) OnStar delete is ordered.)
- Stolen Vehicle Assistance (Deleted when (UE0) OnStar delete is ordered.)
- OnStar Turn-by-Turn Navigation (Deleted when (UE0) OnStar delete is ordered.)
- Child seat anchors all three passenger rear seats have four anchors and two tethers
- Tire Pressure Monitor System (does not apply to spare tires)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: