

Prepared For:
MiDeal Spec# 3958-0108

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Commercial Cutaway RWD 3500 177"

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail TG33903 RWD 3500 177" WB Work Van

<u>Code</u>	<u>Description</u>
TG33903	2011 GMC Savana Commercial Cutaway RWD 3500 177" WB Work Van

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail TG33903 RWD 3500 177" WB Work Van

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail TG33903 RWD 3500 177" WB Work Van

CATEGORY

<u>Code</u>	<u>Description</u>
BODY CODE	
ZW9	BODY, STANDARD
REAR WHEEL CONFIGURATION	
R05	WHEEL CONFIGURATION, REAR, DUAL
EMISSIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	
L96	ENGINE, VORTEC 6.0L V8 SFI FLEXFUEL
TRANSMISSION	
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY
AXLE	
GT4	REAR AXLE, 3.73 RATIO
PREFERRED EQUIPMENT GROUP	
1WT	1WT PREFERRED EQUIPMENT GROUP

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0108

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Commercial Cutaway RWD 3500 177"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail TG33903 RWD 3500 177" WB Work Van

CATEGORY

<u>Code</u>	<u>Description</u>
FRONT TIRES	
XEC	TIRES, FRONT LT215/85R16E, HIGHWAY, BLACKWALL
REAR TIRES	
YEC	TIRES, REAR LT215/85R16E HIGHWAY, BLACKWALL
PAINT SCHEME	
ZY1	PAINT, SOLID
PAINT	
50U	SUMMIT WHITE
SEAT TYPE	
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM AND OUTBOARD HEAD RESTRAINTS
SEAT TRIM	
93W	MEDIUM PEWTER, VINYL SEAT TRIM
SEATING ARRANGEMENT	
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGHBACK BUCKET, ADJUSTABLE
GVWR	
C7N	GVWR, 12,300 LBS. (5579 KG)
AIR CONDITIONING	
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL
RADIO	
UM7	AUDIO SYSTEM, AM/FM STEREO
ADDITIONAL EQUIPMENT	
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL
DHC	MIRRORS, OUTSIDE WIDE-STANCE SAIL PANEL MOUNTED (VELVAC).
K34	CRUISE CONTROL
D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT
AJ3	AIR BAG, FRONTAL, DRIVER-SIDE ONLY

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0108

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Commercial Cutaway RWD 3500 177"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail TG33903 RWD 3500 177" WB Work Van

CATEGORY

<u>Code</u>	<u>Description</u>
--------------------	---------------------------

ADDITIONAL EQUIPMENT

VQ1	FLEET PROCESSING OPTION
-----	-------------------------

SPECIAL EQUIPMENT OPTIONS

8R3	TIRE VALVE STEMS, BRASS IN LIEU OF STANDARD
-----	---

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0108

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Commercial Cutaway RWD 3500 177"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TG33903 RWD 3500 177" WB Work Van

ENTERTAINMENT

- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers (Not available with (UM7) AM/FM stereo, (U1C) AM/FM stereo with CD player or (UL5) radio delete.)

EXTERIOR

- Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel heavy duty (Only available with (R05) dual rear wheel configuration.)
- Tires, front LT215/85R16E, highway, blackwall (Required with (C7A) 10,000 lbs. (4536 kg.) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR when ordered on *G33503 models and *G33803 models. Required with (C7N) 12,300 lbs. (5579 kg.) GVWR when ordered on *G33903 models. Not available with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package.)
- Tires, rear LT215/85R16E highway, blackwall (Required with (C7A) 10,000 lbs. (4536 kg.) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR when ordered on *G33503 models and *G33803 models. Required with (C7N) 12,300 lbs. (5579 kg.) GVWR when ordered on *G33903 models. Not available with (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package.)
- Wheel configuration, rear, dual (Standard on the *G33803 and *G33903 models. On the *G33503 model, included and only available with (C7A) 10,000 lbs. (4536 kg.) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR.
- Bumper, front painted Black with step-pad (Not available with (ZR7) Appearance Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- Flasher, heavy duty light emitting diode (LED), formerly known as SEO (8H9)
- Mirrors, outside delete
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0108

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Commercial Cutaway RWD 3500 177"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TG33903 RWD 3500 177" WB Work Van

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints includes inboard armrests (Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)
- Seating arrangement, driver and front passenger highback bucket, adjustable includes head restraints and vinyl or cloth trim
- Air conditioning, single-zone manual
- Cup holders, 3 on the engine console cover
- Power outlets 2 auxiliary on engine console cover with covers, 12-volt
- Floor covering, Black rubberized-vinyl front
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Warning tones, headlamp on and key-in-ignition
- Oil life monitor
- Theft-deterrent system, vehicle, PASS-Key III
- Heater and defogger with front and side window defoggers
- Defogger, side windows
- Headliner, cloth, over driver and passenger
- Visors, driver and front passenger, cloth padded
- Assist handle, front passenger
- Lighting, interior with dome light and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0108

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Commercial Cutaway RWD 3500 177"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TG33903 RWD 3500 177" WB Work Van

MECHANICAL

- Engine, Vortec 6.0L V8 SFI FlexFuel (324 hp [241.6 kW] @ 4700 rpm, 373 lb-ft [503.6 N-m] @ 4400 rpm) (Standard on the *G33903 models. Available on *G33503 or *G33803 model. Includes external oil cooler. Reference the Engine/Axle page for availability.)
- Transmission, 6-speed automatic, heavy-duty electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler (Reference the Engine/Axle page for availability.)
- Rear Axle, 3.73 Ratio (Standard on *G33803 model and *G33903 model. With *G33503 model, requires (C7A) 10,000 lbs. (4536 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR or (YF2) Ambulance Package. Reference the Engine/Axle page for availability.)
- Body, standard
- Brake/transmission shift interlock for automatic transmissions
- Tow/haul mode selector, instrument panel-mounted
- Transmission oil cooler, external
- Rear wheel drive
- Battery, 600 cold-cranking amps maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, ladder-type
- Incomplete vehicle certification
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear hypoid drive axle with multi-leaf springs
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Fuel tank capacity, mid-frame and approximately 33 gallons (124.9L)
- Exhaust aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0108

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Commercial Cutaway RWD 3500 177"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TG33903 RWD 3500 177" WB Work Van

SAFETY

- Air bags, frontal, driver and right-front passenger (Not available with (ZX1) driver only high-back bucket seat. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Air bag deactivation switch, frontal, passenger-side (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: