

Prepared For:
MiDeal Spec# 3958-0026

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

<u>Code</u>	<u>Description</u>
TC10903	2011 GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>
SUSPENSION PKG	
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE
EMISSIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	
LU3	ENGINE, VORTEC 4.3L V6 MFI
TRANSMISSION	
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED
GVWR	
C7H	GVWR, 6400 LBS. (2903 KG)
AXLE	
GU5	REAR AXLE, 3.23 RATIO
PREFERRED EQUIPMENT GROUP	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0026

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>
PREFERRED EQUIPMENT GROUP	
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP
WHEELS	
NX7	WHEELS, 4 - 17" X 7.5" (43.2 CM X 19.1 CM) STEEL, 6-LUG PAINTED
TIRES	
QU1	TIRES, P245/70R17 ALL-SEASON, BLACKWALL
PAINT SCHEME	
ZY1	SOLID PAINT
PAINT	
50U	SUMMIT WHITE
SEAT TYPE	
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH
SEAT TRIM	
88V	DARK TITANIUM, VINYL SEAT TRIM
RADIO	
UM7	AUDIO SYSTEM, AM/FM STEREO WITH SEEK-AND-SCAN AND DIGITAL CLOCK
ADDITIONAL EQUIPMENT	
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR
K34	CRUISE CONTROL, ELECTRONIC
VQ1	FLEET PROCESSING OPTION

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0026

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

ENTERTAINMENT

- Audio system, AM/FM stereo with seek-and-scan and digital clock (Not available with (U2K) XM Radio.)
- XM Radio, delete
- Audio system feature, 4-speaker system (Requires Regular Cab models.)

EXTERIOR

- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Tires, P245/70R17 all-season, blackwall includes a blackwall spare tire (Requires 2WD models.)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Tire carrier outside spare, winch-type mounted under frame at rear
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap
- Door handles, black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0026

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat trim, Dark Titanium vinyl
- Floor covering, Graphite-colored rubberized-vinyl
- Steering wheel includes theft-deterrent locking feature
- Steering column Tilt-Wheel, adjustable with brake/transmission shift interlock
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered. On 3SA, 3SF and 4SA, includes 8-point compass and outside temperature.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Air conditioning, single-zone manual front climate control
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0026

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

MECHANICAL

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Requires T*10*03 or TC10753 models. Standard with T*10*03 or TC10753 models. Not available with (VYU) Snow Plow Prep Package or (Z82) Trailering package.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode (On Crew Cab models, requires (L20) Vortec 4.8L V8 SFI Flex-Fuel engine. Not available on T*10953 models.)
- Suspension Package, Solid Smooth Ride includes 35 mm piston twin tube shocks and 36mm front stabilizer bar
- GVWR, 6400 lbs. (2903 kg) (Standard on T*10703, T*10903 and TC10753 models.)
- Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0026

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 2WD Reg Cab 133.0" Work Truck T

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC10903 2WD Reg Cab 133.0" Work Truck

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, front and rear outboard seating positions with rollover sensor (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, seat-mounted side-impact, driver and right-front passenger for thorax and pelvic protection (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- OnStar, delete
- Tire Pressure Monitor System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: