

**Prepared For:**  
 Vehicle Order Confirmation Sheet  
 Spec # 3958-0030A

**Prepared By:**  
 Brian Strong  
 Garber Automotive Group-Fleet  
 1700 North Saginaw Rd.  
 Midland, MI 48640  
 Phone: (989) 839-9944  
 Fax: (989) 633-1092  
 Email:  
 bstrong@garberchevrolet.com

## 2011 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Ext Cab 157.5" Work

### **SELECTED MODEL & OPTIONS**

#### **SELECTED MODEL - 2011 Fleet/Non-Retail CC10953 2WD Ext Cab 157.5" Work Truck**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CC10953	2011 Chevrolet Silverado 1500 2WD Ext Cab 157.5" Work Truck	\$27,435.00

#### **SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail CC10953 2WD Ext Cab 157.5" Work Truck**

<u>Code</u>	<u>Description</u>
-	Interior: Dark Titanium
-	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

#### **SELECTED OPTIONS - 2011 Fleet/Non-Retail CC10953 2WD Ext Cab 157.5" Work Truck**

##### **CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SUSPENSION PKG		
Z85	SUSPENSION PACKAGE, HANDLING/TRAILERING, HEAVY-DUTY includes 46 mm piston monotube shocks and 36mm front stabilizer bar	\$95.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMG	ENGINE, VORTEC 5.3L VARIABLE VALVE TIMING V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT capable of running on unleaded or up to 85% ethanol (with gas - 315 hp [234.8 kW] @ 5200 rpm, 335 lb-ft of torque [452.2 N-m] @ 4000 rpm, with E85 ethanol - 326 hp [243.1 kW] @ 5300 rpm, 348 lb-ft of torque [469.8 N-m] @ 4400 rpm), iron block (STD) (Not available with CK10543 or CK10753 models.)	\$0.00
TRANSMISSION		
MYC	TRANSMISSION, 6-SPEED AUTOMATIC (STD) (Included and only available with (LMG) or (LC9) Vortec 5.3L engines or (L9H) Vortec 6.2L V8 SFI engine.)	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
 Vehicle Order Confirmation Sheet  
 Spec # 3958-0030A

**Prepared By:**  
 Brian Strong  
 Garber Automotive Group-Fleet  
 1700 North Saginaw Rd.  
 Midland, MI 48640  
 Phone: (989) 839-9944  
 Fax: (989) 633-1092  
 Email:  
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Ext Cab 157.5" Work

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2011 Fleet/Non-Retail CC10953 2WD Ext Cab 157.5" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>AXLE</b>		
GU6	REAR AXLE, 3.42 RATIO (Refer to Engine/Axle chart for availability.) (With (LMG) Vortec 5.3L V8 Engine, Requires (K5L) heavy-duty cooling package)	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP includes standard equipment	\$0.00
<b>WHEELS</b>		
NX7	WHEELS, 4-17" X 7.5" (43.2 CM X 19.1 CM) STEEL, 6-LUG PAINTED includes painted center caps (spare wheel will not cosmetically match the other 4 wheels) (STD)	\$0.00
<b>TIRES</b>		
QU1	TIRES, P245/70R17 ALL-SEASON, BLACKWALL includes a blackwall spare tire (Requires 2WD models.) (STD)	\$0.00
<b>PAINT SCHEME</b>		
ZY1	PAINT, SOLID	\$0.00
<b>PAINT</b>		
50U	SUMMIT WHITE	\$0.00
<b>SEAT TYPE</b>		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING with outboard head restraints and center fold-down armrest with storage (STD)	\$0.00
<b>SEAT TRIM</b>		
88V	DARK TITANIUM, VINYL SEAT TRIM (Vinyl seats require (BG9) Black rubberized vinyl floor covering.)	\$0.00
<b>RADIO</b>		
UM7	AUDIO SYSTEM, AM/FM STEREO with seek-and-scan and digital clock (Not available with (U2K) XM Radio.) (STD)	\$0.00
<b>ADDITIONAL EQUIPMENT</b>		
KC4	COOLING, EXTERNAL ENGINE OIL COOLER heavy-duty air-to-oil, integral to driver side of radiator tank (Included and only available with (L9H) Vortec 6.2L V8 SFI engine or (K5L) Heavy Duty Cooling Package.)	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
 Vehicle Order Confirmation Sheet  
 Spec # 3958-0030A

**Prepared By:**  
 Brian Strong  
 Garber Automotive Group-Fleet  
 1700 North Saginaw Rd.  
 Midland, MI 48640  
 Phone: (989) 839-9944  
 Fax: (989) 633-1092  
 Email:  
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Ext Cab 157.5" Work

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2011 Fleet/Non-Retail CC10953 2WD Ext Cab 157.5" Work Truck**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ADDITIONAL EQUIPMENT		
K5L	HEAVY DUTY COOLING PACKAGE, HEAVY-DUTY includes (KC4) external engine oil cooler, (KNP) auxiliary external transmission oil cooler, electric fan and heavy-duty radiator (Requires (MYC) 6-speed automatic transmission.)	\$230.00
KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER, HEAVY-DUTY AIR-TO-OIL (Included and only available with (Z82) Trailering Package, (VYU) Snow Plow Prep package or (K5L) Heavy Duty Cooling Package.)	INC
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR (Included with (Z82) Trailering Package on Retail Orders only.)	\$325.00
K34	CRUISE CONTROL, ELECTRONIC with set and resume speed, located on steering wheel (Included with (UPF) Bluetooth for phone.)	\$250.00
VQ1	FLEET PROCESSING OPTION	\$0.00
<b>OPTIONS TOTAL</b>		<b>\$900.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
Vehicle Order Confirmation Sheet  
Spec # 3958-0030A

**Prepared By:**  
Brian Strong  
Garber Automotive Group-Fleet  
1700 North Saginaw Rd.  
Midland, MI 48640  
Phone: (989) 839-9944  
Fax: (989) 633-1092  
Email:  
bstrong@garberchevrolet.com

## 2011 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Ext Cab 157.5" Work ***STANDARD EQUIPMENT***

---

### **STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CC10953 2WD Ext Cab 157.5" Work Truck**

---

#### *ENTERTAINMENT*

- Audio system, AM/FM stereo with seek-and-scan and digital clock (Not available with (U2K) XM Radio.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers.)
- XM Radio, delete

#### *EXTERIOR*

- Wheels, 4-17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Tires, P245/70R17 all-season, blackwall includes a blackwall spare tire (Requires 2WD models.)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Bumper, front Black (Includes Black bumper end caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black
- Pickup box, Fleetside

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
Vehicle Order Confirmation Sheet  
Spec # 3958-0030A

**Prepared By:**  
Brian Strong  
Garber Automotive Group-Fleet  
1700 North Saginaw Rd.  
Midland, MI 48640  
Phone: (989) 839-9944  
Fax: (989) 633-1092  
Email:  
bstrong@garberchevrolet.com

## 2011 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Ext Cab 157.5" Work **STANDARD EQUIPMENT**

---

### STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CC10953 2WD Ext Cab 157.5" Work Truck

---

#### *INTERIOR*

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Air conditioning, single-zone manual front climate control
- Seat Trim, Vinyl
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only.)
- Floor covering, Black rubberized-vinyl
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, odometer, fuel level, engine temperature, and tachometer
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip odometer button unless (UK3) steering wheel mounted audio controls is ordered. On 1LT, 1SF and 1LZ, includes 8-point compass and outside temperature.)
- Warning tones headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, fixed, rear access door (Requires Extended Cab Models.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab Models.)
- Coat hooks, rear driver and passenger side
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
Vehicle Order Confirmation Sheet  
Spec # 3958-0030A

**Prepared By:**  
Brian Strong  
Garber Automotive Group-Fleet  
1700 North Saginaw Rd.  
Midland, MI 48640  
Phone: (989) 839-9944  
Fax: (989) 633-1092  
Email:  
bstrong@garberchevrolet.com

## 2011 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Ext Cab 157.5" Work

### ***STANDARD EQUIPMENT***

---

#### **STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CC10953 2WD Ext Cab 157.5" Work Truck**

---

##### *MECHANICAL*

- Engine, Vortec 5.3L Variable Valve Timing V8 SFI FlexFuel with Active Fuel Management capable of running on unleaded or up to 85% ethanol (with gas - 315 hp [234.8 kW] @ 5200 rpm, 335 lb-ft of torque [452.2 N-m] @ 4000 rpm, with E85 ethanol - 326 hp [243.1 kW] @ 5300 rpm, 348 lb-ft of torque [469.8 N-m] @ 4400 rpm), iron block (Not available with CK10543 or CK10753 models.)
- Transmission, 6-speed automatic (Included and only available with (LMG) or (LC9) Vortec 5.3L engines or (L9H) Vortec 6.2L V8 SFI engine.)
- Rear axle, 3.08 ratio (Refer to Engine/Axle chart for availability.)
- Suspension Package, Solid Smooth Ride includes 35 mm piston twin tube shocks and 36mm front stabilizer bar
- GVWR, 6900 lbs. (3130 kg) (Requires CC10953 models.)
- Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
Vehicle Order Confirmation Sheet  
Spec # 3958-0030A

**Prepared By:**  
Brian Strong  
Garber Automotive Group-Fleet  
1700 North Saginaw Rd.  
Midland, MI 48640  
Phone: (989) 839-9944  
Fax: (989) 633-1092  
Email:  
bstrong@garberchevrolet.com

## 2011 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Ext Cab 157.5" Work

### **STANDARD EQUIPMENT**

---

#### **STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CC10953 2WD Ext Cab 157.5" Work Truck**

---

#### *SAFETY*

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Daytime Running Lamps, with automatic exterior lamp control
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, front outboard seating positions with rollover sensor (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, seat-mounted side-impact, driver and right-front passenger for thorax and pelvic protection (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- OnStar, delete
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: