

Prepared For:
MiDeal Spec# 3958-0030A

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>
TC10953	2011 GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>
SUSPENSION PKG	
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE
EMISSIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	
LMG	ENGINE, VORTEC 5.3L VARIABLE VALVE TIMING V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT
TRANSMISSION	
MYC	TRANSMISSION, 6-SPEED AUTOMATIC
GVWR	
C5H	GVWR, 6900 LBS. (3130 KG)
AXLE	
GU4	REAR AXLE, 3.08 RATIO
PREFERRED EQUIPMENT GROUP	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0030A

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>
PREFERRED EQUIPMENT GROUP	
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP
WHEELS	
NX7	WHEELS, 4 - 17" X 7.5" (43.2 CM X 19.1 CM) STEEL, 6-LUG PAINTED
TIRES	
QU1	TIRES, P245/70R17 ALL-SEASON, BLACKWALL
PAINT SCHEME	
ZY1	SOLID PAINT
PAINT	
50U	SUMMIT WHITE
SEAT TYPE	
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH
SEAT TRIM	
88V	DARK TITANIUM, VINYL SEAT TRIM
RADIO	
UM7	AUDIO SYSTEM, AM/FM STEREO WITH SEEK-AND-SCAN AND DIGITAL CLOCK
ADDITIONAL EQUIPMENT	
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR
K34	CRUISE CONTROL, ELECTRONIC
VQ1	FLEET PROCESSING OPTION

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0030A

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

ENTERTAINMENT

- Audio system, AM/FM stereo with seek-and-scan and digital clock (Not available with (U2K) XM Radio.)
- XM Radio, delete
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers.)

EXTERIOR

- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Tires, P245/70R17 all-season, blackwall includes a blackwall spare tire (Requires 2WD models.)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Tire carrier outside spare, winch-type mounted under frame at rear
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap
- Door handles, black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0030A

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat trim, Dark Titanium vinyl
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering wheel includes theft-deterrent locking feature
- Steering column Tilt-Wheel, adjustable with brake/transmission shift interlock
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered. On 3SA, 3SF and 4SA, includes 8-point compass and outside temperature.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, fixed, rear access door (Standard with Extended Cab models only.)
- Air conditioning, single-zone manual front climate control
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0030A

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

MECHANICAL

- Engine, Vortec 5.3L Variable Valve Timing V8 SFI FlexFuel with Active Fuel Management capable of running on unleaded or up to 85% ethanol (with gas - 315 hp [234.8 kW] @ 5200 rpm, 335 lb-ft of torque [452.2 N-m] @ 4000 rpm, with E85 ethanol - 326 hp [243.1 kW] @ 5300 rpm, 348 lb-ft of torque [469.8 N-m] @ 4400 rpm), iron block (Not available with TK10543 or TK10753 models.)
- Transmission, 6-speed automatic (Included and only available with (LMG) or (LC9) Vortec 5.3L engines or (L9H) Vortec 6.2L V8 SFI engine.)
- Suspension Package, Solid Smooth Ride includes 35 mm piston twin tube shocks and 36mm front stabilizer bar
- GVWR, 6900 lbs. (3130 kg) (Requires TC10953 models.)
- Rear wheel drive
- Cooling, auxiliary external transmission oil cooler heavy-duty air-to-oil (Included and only available with (Z82) Trailing Package, (VYU) Snow Plow Prep package or (K5L) Heavy Duty Cooling Package.)
- Battery, heavy-duty 600 cold-cranking amps maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0030A

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, front and rear outboard seating positions with rollover sensor (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, seat-mounted side-impact, driver and right-front passenger for thorax and pelvic protection (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- OnStar, delete
- Tire Pressure Monitor System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: