

Prepared For:
 Vehicle Order Confirmation Sheet
 Spec # 3958-0032

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 1500 135" CG13

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail CG13405 RWD 1500 135"

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CG13405	2011 Chevrolet Express Cargo Van RWD 1500 135"	W/A

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail CG13405 RWD 1500 135"

<u>Code</u>	<u>Description</u>
-	Interior: Neutral
-	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG13405 RWD 1500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
ZW9	BODY, STANDARD (STD)	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMF	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL (310 hp [231.1 kW] @ 5200 rpm, 334 lb-ft of torque [450.9 N-m] @ 4500 rpm) (Available on *G13405 model. Standard on *H13405 models. Reference the Engine/Axle page for availability.)	\$995.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED with overdrive, tow/haul mode and internal transmission oil cooler (STD) (Required and standard when ordered with (LU3) Vortec 4.3L V6 MFI engine or (LMF) Vortec 5.3L V8 SFI engine. Reference the Engine/Axle page for availability.)	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 Vehicle Order Confirmation Sheet
 Spec # 3958-0032

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 1500 135" CG13

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG13405 RWD 1500 135"

CATEGORY

Code	Description	MSRP
AXLE		
GU6	REAR AXLE, 3.42 RATIO (Standard on **13405 models, *G23*05 models, and *G33*05 models. Required with (LU3) Vortec 4.3L V6 MFI engine, (L20) Vortec 4.8L V8 SFI FlexFuel engine, (L96) Vortec 6.0L V8 SFI FlexFuel or (LC8) Gaseous 6.0L V8 SFI engine. Available with (LMF) Vortec 5.3L V8 SFI FlexFuel engine. Reference the Engine/Axle page for availability.)	\$0.00
SIDE DOOR		
E24	DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT (STD)	\$0.00
PREFERRED EQUIPMENT GROUP		
1WT	PREFERRED EQUIPMENT GROUP includes Standard Equipment	\$0.00
SPARE TIRE		
ZPR	TIRE, SPARE P245/70R17 ALL-SEASON, BLACKWALL (STD) (Requires **13405 models standard tire.)	\$0.00
PAINT SCHEME		
ZY1	PAINT, SOLID	\$0.00
PAINT		
50U	SUMMIT WHITE	\$0.00
SEAT TYPE		
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM and outboard head restraints, includes inboard armrests. (STD) (Requires (**W) interior trim.)	\$0.00
SEAT TRIM		
52W	NEUTRAL, CUSTOM VINYL SEAT TRIM	\$0.00
SEATING ARRANGEMENT		
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGH-BACK BUCKETS, ADJUSTABLE with head restraints and vinyl or cloth trim (STD)	\$0.00
AIR CONDITIONING		
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL (STD)	\$0.00
RADIO		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 Vehicle Order Confirmation Sheet
 Spec # 3958-0032

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 1500 135" CG13

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG13405 RWD 1500 135"

CATEGORY

Code	Description	MSRP
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO with seek-and-scan, digital clock and 2 front door speakers	\$150.00
REQUIRED OPTION		
PPC	TRIM PANELS, HINGED REAR SIDE DOORS AND HINGED REAR DOORS (STD)	\$0.00
ADDITIONAL EQUIPMENT		
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL (Included with (PCH) Hotel Shuttle Package.)	\$395.00
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR (Included with (YF2) Ambulance Package.)	\$325.00
A12	GLASS, FIXED REAR DOORS WINDOWS (Included and only available when (ZW*) is ordered. Included with (YF2) Ambulance Package)	INC
ZW3	GLASS, FIXED REAR DOORS AND SIDE CARGO DOORS (May upgrade fixed glass to swing-out glass, see (A18) rear cargo door windows swing-out glass. Upgrade requires (A19) rear side door and rear door window swing-out glass. Included with (PCH) Hotel Shuttle Package.)	\$130.00
K34	CRUISE CONTROL (Included and only available with (ZQ3) Convenience Package.)	INC
D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT (Included and only available with (A12) fixed rear door window glass or (A18) rear cargo door window swing-out glass.)	INC
VQ1	FLEET PROCESSING OPTION	W/A
OPTIONS TOTAL		W/A

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Order Confirmation Sheet
Spec # 3958-0032

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 1500 135" CG13

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG13405 RWD 1500 135"

ENTERTAINMENT

- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers (Not available with (UE1) OnStar or (U2K) XM Radio.)

EXTERIOR

- Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel, includes steel spare (Requires **13405 models.)
- Tires, front P245/70R17 all-season, blackwall (Requires **13405 models standard tire. Available with (ZX9) spare tire delete.)
- Tires, rear P245/70R17 all-season, blackwall (Requires **13405 models standard tire.)
- Tire, spare P245/70R17 all-season, blackwall (Requires **13405 models standard tire.)
- Door, swing-out passenger-side, 60/40 split
- Bumpers, front and rear painted Black with step-pad (Not available with (ZR7) Chrome Appearance Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- Headlamps, single halogen (Not available with (ZR7) Chrome Appearance Package.)
- Mirrors, outside manual, Black
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Order Confirmation Sheet
Spec # 3958-0032

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 1500 135" CG13

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG13405 RWD 1500 135"

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints, includes inboard armrests. (Requires (**W) interior trim.)
- Seating arrangement, driver and front passenger high-back buckets, adjustable with head restraints and vinyl or cloth trim
- Air conditioning, single-zone manual
- Console, engine cover with open storage bin
- Floor covering, full-length Black rubberized-vinyl (Not available with (YF2) Ambulance Package or (RFM) rear floor covering delete.)
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Compass, 8-point digital located in the Driver Information Center (Included and only available with (TR9) auxiliary lighting.)
- Tow/haul mode selector, instrument panel-mounted
- Theft-deterrent system, vehicle, PASS-Key III
- Defogger, side windows
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Headliner, cloth, over driver and passenger
- Visors, driver and front passenger, cloth, padded
- Assist handle, front passenger

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Order Confirmation Sheet
Spec # 3958-0032

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 1500 135" CG13

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG13405 RWD 1500 135"

- Lighting, auxiliary with reading and underhood lights (Standard on **13405 models. Includes (U80) 8-point digital compass. Included with (PCR) Express Access Plus Package. Not available with (YF2) Ambulance Package.)
- Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches

MECHANICAL

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Standard and only available on *G13405 model. Reference the Engine/Axle page for availability.)
- Transmission, 4-speed automatic, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Required and standard when ordered with (LU3) Vortec 4.3L V6 MFI engine or (LMF) Vortec 5.3L V8 SFI engine. Reference the Engine/Axle page for availability.)
- Rear axle, 3.42 ratio (Standard on **13405 models, *G23*05 models, and *G33*05 models. Required with (LU3) Vortec 4.3L V6 MFI engine, (L20) Vortec 4.8L V8 SFI FlexFuel engine, (L96) Vortec 6.0L V8 SFI FlexFuel or (LC8) Gaseous 6.0L V8 SFI engine. Available with (LMF) Vortec 5.3L V8 SFI FlexFuel engine. Reference the Engine/Axle page for availability.)
- Body, standard
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps (Standard on **13405 models. Not available with (LU3) Vortec 4.3L V6 MFI engine.)
- Frame, full-length box ladder-type
- GVWR, 7300 lbs. (3311 kg) (Standard on **13405 models. Reference the Engine/Axle page for availability.)
- Suspension, front independent with coil springs and stabilizer bar (Requires *G***05 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Order Confirmation Sheet
Spec # 3958-0032

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 1500 135" CG13

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG13405 RWD 1500 135"

SAFETY

- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Door beams, steel-side
- Daytime Running Lamps
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch on models **23*05 and **33*05. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver-side only frontal air bag. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, head/side-curtain (Standard on **13405 Models. Requires (AK5) driver and right-front passenger air bags and (TR9) auxiliary lighting. Not available with (AJ3) driver-side only frontal air bag and SEO option (5L3) interior trim panels. Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: