

Prepared For:
MiDeal Spec# 3958-0038

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

<u>Code</u>	<u>Description</u>
TC20906	2011 GMC Yukon XL 2WD 4dr 2500 Commercial

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

CATEGORY

<u>Code</u>	<u>Description</u>
EMISSIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI
TRANSMISSION	
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED WITH OVERDRIVE AND TOW/HAUL MODE
AXLE	
GT4	REAR AXLE, 3.73 RATIO
PREFERRED EQUIPMENT GROUP	
1SA	COMMERCIAL PREFERRED EQUIPMENT GROUP
WHEEL TYPE	
QB5	WHEELS, 4 - 16" X 6.5" (40.6 CM X 16.5 CM) STEEL DISC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0038

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

CATEGORY

<u>Code</u>	<u>Description</u>
TIRES	
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL
PAINT SCHEME	
ZY1	SOLID PAINT
PAINT	
50U	SUMMIT WHITE
SEAT TYPE	
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER
SEAT TRIM	
19V	EBONY, VINYL SEAT TRIM
RADIO	
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER
ADDITIONAL EQUIPMENT	
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR
G63	LUGGAGE RACK, DELETE
ANJ	GLASS, NON-DEEP TINTED
UE0	ONSTAR, DELETE
VQ1	FLEET PROCESSING OPTION

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0038

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

ENTERTAINMENT

- Audio system, AM/FM stereo with MP3 compatible CD player seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 6-speaker system
- XM Radio, delete
- Antenna, integral in rear quarter glass

EXTERIOR

- Wheels, 4 - 16" X 6.5" (40.6 cm x 16.5 cm) steel disc (3/4 ton models only.)
- Tires, LT245/75R16E all-season, blackwall (Requires 3/4 ton models. Upgradeable to (QIW) LT245/75R16E on-/off-road blackwall tires.)
- Wheel, 16" (40.6 cm) full-size spare (3/4 ton models only.)
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Luggage rack side rails, roof-mounted, Black
- Fascia, front color-keyed
- Fascia, rear color-keyed
- Air dam, Gray
- Grille, chrome surround
- Assist steps, body-color, mounted between front and rear wheels
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Mirrors, outside heated power-adjustable, manual-folding (Mirrors are black.)
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver and front passenger-side glass)
- Wipers, front intermittent wet-arm with flat blade and pulse washers
- Liftgate with liftglass, rear door system with rear-window wiper/washer
- Wiper, rear intermittent with washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0038

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger (AM1) driver manual lumbar control, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets With Premium Cloth includes (AG1) 6-way power driver seat adjuster. (With vinyl seats requires (19V) Ebony vinyl and (BG9) Black rubberized-vinyl floor covering.)
- Seats, third row 50/50 split-bench, 3-passenger, removable, all-belts-to-seats (With vinyl seats included and only available with (AZ3) front 40/20/40 split-bench with vinyl or (9SI) vinyl front bucket seats.)
- Seats, second row 60/40 split-folding bench, 3-passenger with center armrest and storage tray (Vinyl seats included and only available with (AZ3) front 40/20/40 split-bench with vinyl or (9SI) vinyl front bucket seats.)
- Seat adjuster, driver 6-way power (Not available with vinyl seats.)
- Cup holders, in front seating area
- Cup holders, driver and passenger-side in third row side trim
- Floor covering, Black rubberized vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, vinyl
- Steering wheel controls, mounted cruise controls
- Tow/haul mode selector, button located at end of shift lever
- Driver Information Center, full-functionality included with temperature and compass
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure, tachometer, compass and outside temperature gauge
- Warning tones headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Cruise control, electronic with set and resume speed
- Remote vehicle starter prep package (Remote vehicle starter fob available as a GMC accessory.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0038

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

- Air conditioning, tri-zone manual HVAC controls with individual climate settings for driver, right-front passenger and rear seat with rear controls located in floor console with front bucket seats and in the roof console with front bench seat
- Air conditioning, rear auxiliary
- Heater, rear auxiliary with rear passenger heating ducts
- Defogger, rear-window electric
- Theft-deterrent system, vehicle, PASS-Key III
- Power outlets, 3 auxiliary, 12-volt includes 2 on the instrument panel and 1 in the cargo area
- Door trim, side reflectors on rear doors
- Armrests, driver and passenger doors, padded
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Mirror, inside rearview manual day/night
- Console, overhead mini with map lights
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod, includes corner storage pockets on back of visors, Shale-colored
- Assist handles, front passenger and second row outboard
- Coat hooks, driver- and passenger-side rear seat and cargo area
- Storage bin, behind driver-side rear quarter panel
- Fleet Package

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0038

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (352 hp [262.5 kW] @ 5400 rpm, 382 lb-ft of torque [515.7 N-m] @ 4200 rpm) (Requires 3/4 ton models.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires 3/4 ton models.)
- Rear axle, 3.73 ratio (Requires 3/4 ton models.)
- Suspension Package, Handling/Trailer, heavy-duty (3/4 ton models only.)
- Rear wheel drive
- Trailing equipment, heavy-duty includes trailing hitch platform, 7-wire harness with independent fused trailing circuits mated to a 7-way sealed connector and (VR4) 2" trailing receiver
- Trailer brake controller, integrated (Available on Manufacturer ton models, standard on ModelPermID ton models. Requires (K5L) Heavy-Duty Trailing Package.)
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator (Included and only available with (K5L) Heavy Duty Trailing Package on 1/2 ton models. Included on all 3/4 ton models.)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil (Included and only available with (K5L) Heavy Duty Trailing Package on 1/2 ton models. Included on all 3/4 ton models.)
- Recovery hooks, 2 front, frame-mounted (Standard on 4WD 1/2 ton models and all 3/4 ton models.)
- Alternator, 145 amps (Requires 3/4 ton models. Not available with (VYU) Snow Plow Prep Package.)
- GVWR, 8600 lbs. (3901 kg) (Requires 3/4 ton models.)
- Suspension, front independent with torsion bar (3/4 ton models only.)
- Suspension, rear multi-stage leaf springs (3/4 ton models only.)
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench, stored in rear quarter trim

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0038

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

SAFETY

- StabiliTrak, stability control system with traction control
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor includes third row seating positions with (AS3) 3-passenger third row 50/50 split-bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, seat-mounted side-impact, driver and right-front passenger for thorax and pelvic protection (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- OnStar, 6 months of Directions and Connections plan includes Automatic Crash Response, Emergency Services, Crisis Assist, Stolen Vehicle Assistance including Stolen Vehicle Slowdown and Remote Ignition Block, Remote Door Unlock, Turn-by-Turn Navigation with Destination Download (requires navigation radio) and OnStar eNav (where available), OnStar Vehicle Diagnostics, Roadside Assistance, Remote Horn and Lights, and Hands Free Calling. (Visit onstar.com for details and system limitations.)
- Automatic Crash Response (Deleted when (UE0) OnStar delete is ordered.)
- Stolen Vehicle Assistance (Deleted when (UE0) OnStar delete is ordered.)
- OnStar Turn-by-Turn Navigation (Deleted when (UE0) OnStar delete is ordered.)
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
- Tire Pressure Monitoring System air pressure sensors in each tire with pressure display in Driver Information Center (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: