

Prepared For:
MiDeal Spec# 3958-0039TA

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Cargo Van RWD 3500 135" TG33405

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail TG33405 RWD 3500 135"

<u>Code</u>	<u>Description</u>
TG33405	2011 GMC Savana Cargo Van RWD 3500 135"

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail TG33405 RWD 3500 135"

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail TG33405 RWD 3500 135"

CATEGORY

<u>Code</u>	<u>Description</u>
BODY CODE	
ZW9	BODY, STANDARD
EMISSIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	
L20	ENGINE, VORTEC 4.8L V8 SFI FLEXFUEL
TRANSMISSION	
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED
AXLE	
GU6	REAR AXLE, 3.42 RATIO
SIDE DOOR	
E24	DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT
PREFERRED EQUIPMENT GROUP	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0039TA

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Cargo Van RWD 3500 135" TG33405

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail TG33405 RWD 3500 135"

CATEGORY

<u>Code</u>	<u>Description</u>
PREFERRED EQUIPMENT GROUP	
1WT	PREFERRED EQUIPMENT GROUP
SPARE TIRE	
ZHH	TIRE, SPARE LT245/75R16E ALL-SEASON, BLACKWALL, LOCATED AT REAR UNDERBODY OF VEHICLE
PAINT SCHEME	
ZY1	PAINT, SOLID
PAINT	
50U	SUMMIT WHITE
SEAT TYPE	
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM
SEAT TRIM	
93W	MEDIUM PEWTER, CUSTOM VINYL SEAT TRIM
SEATING ARRANGEMENT	
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGH-BACK BUCKETS, ADJUSTABLE
AIR CONDITIONING	
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL
RADIO	
UM7	AUDIO SYSTEM, AM/FM STEREO
REQUIRED OPTION	
PPC	TRIM PANELS, HINGED REAR SIDE DOORS AND HINGED REAR DOORS
ADDITIONAL EQUIPMENT	
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR
A12	GLASS, FIXED REAR DOORS WINDOWS
ZW3	GLASS, FIXED REAR DOORS AND SIDE CARGO DOORS
K34	CRUISE CONTROL

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0039TA

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Cargo Van RWD 3500 135" TG33405

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail TG33405 RWD 3500 135"

CATEGORY

<u>Code</u>	<u>Description</u>
ADDITIONAL EQUIPMENT	
D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT
AJ3	AIR BAG, FRONTAL, DRIVER-SIDE ONLY
VQ1	FLEET PROCESSING OPTION

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0039TA

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Cargo Van RWD 3500 135" TG33405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TG33405 RWD 3500 135"

ENTERTAINMENT

- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers (Not available with (UE1) OnStar or (U2K) XM Radio.)

EXTERIOR

- Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Gray center caps and steel spare (Standard on *G23*05 and *G33*05 models.)
- Tires, front LT245/75R16E all-season, blackwall (Standard on the *G23*05 and *G33*05 models.)
- Tires, rear LT245/75R16E all-season, blackwall (Standard on the *G23*05 and *G33*05 models.)
- Tire, spare LT245/75R16E all-season, blackwall, located at rear underbody of vehicle (Standard on the *G23*05 and *G33*05 models.)
- Door, swing-out passenger-side, 60/40 split
- Bumpers, front and rear painted Black with step-pad (Not available with (ZR7) Chrome Appearance Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- Headlamps, single halogen (Not available with (ZR7) Chrome Appearance Package.)
- Mirrors, outside manual, Black
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0039TA

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Cargo Van RWD 3500 135" TG33405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TG33405 RWD 3500 135"

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints, includes inboard armrests. (Requires (**W) interior trim.)
- Seating arrangement, driver and front passenger high-back buckets, adjustable with head restraints and vinyl or cloth trim
- Air conditioning, single-zone manual
- Console, engine cover with open storage bin
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Tow/haul mode selector, instrument panel-mounted
- Theft-deterrent system, vehicle, PASS-Key III
- Defogger, side windows
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Headliner, cloth, over driver and passenger
- Visors, driver and front passenger, cloth, padded
- Assist handle, front passenger
- Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0039TA

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Cargo Van RWD 3500 135" TG33405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TG33405 RWD 3500 135"

MECHANICAL

- Engine, Vortec 4.8L V8 SFI FlexFuel (280 hp [208.8 kW] @ 5200 rpm, 295 lb-ft of torque [398.3 N-m] @ 4600 rpm) (Includes external engine oil cooler. Standard on *G23*05 models and *G33*05 models. Reference the Engine/Axle page for availability.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive tow/haul mode and internal transmission oil cooler (Standard on *G23*05 models and *G33*05 models. Requires (L20) Vortec 4.8L V8 SFI FlexFuel engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine or (LC8) Gaseous 6.0L V8 SFI engine. Reference the Engine/Axle page for availability.)
- Rear axle, 3.42 ratio (Standard on **13405 models, *G23*05 models, and *G33*05 models. Required with (LU3) Vortec 4.3L V6 MFI engine, (L20) Vortec 4.8L V8 SFI FlexFuel engine, (L96) Vortec 6.0L V8 SFI FlexFuel or (LC8) Gaseous 6.0L V8 SFI engine. Available with (LMF) Vortec 5.3L V8 SFI FlexFuel engine. Reference the Engine/Axle page for availability.)
- Body, standard
- Transmission oil cooler, external (Included and only available with (L20) Vortec 4.8L V8 SFI FlexFuel engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine.)
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 105 amps (Not available with **13405 models.)
- Frame, full-length box ladder-type
- GVWR, 9600 lbs. (4354 kg) (Standard on *G33*05 Models. Reference the Engine/Axle page for availability.)
- Suspension, front independent with coil springs and stabilizer bar (Requires *G***05 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0039TA

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Savana Cargo Van RWD 3500 135" TG33405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TG33405 RWD 3500 135"

SAFETY

- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Door beams, steel-side
- Daytime Running Lamps
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch on models **23*05 and **33*05. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver-side only frontal air bag. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bag deactivation switch, frontal, passenger-side (Requires (C6P) 8600 lbs. (3901 kg) GVWR or (C6Y) 9600 lbs. (4354 kg) GVWR. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. See the Owner's Manual and child safety seat instructions for more safety information.)
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: