

**Prepared For:**  
 Vehicle Order Confirmation Sheet  
 Spec # 3958-0039

**Prepared By:**  
 Brian Strong  
 Garber Automotive Group-Fleet  
 1700 North Saginaw Rd.  
 Midland, MI 48640  
 Phone: (989) 839-9944  
 Fax: (989) 633-1092  
 Email:  
 bstrong@garberchevrolet.com

## 2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

### **SELECTED MODEL & OPTIONS**

#### **SELECTED MODEL - 2011 Fleet/Non-Retail CG23405 RWD 2500 135"**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CG23405	2011 Chevrolet Express Cargo Van RWD 2500 135"	W/A

#### **SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail CG23405 RWD 2500 135"**

<u>Code</u>	<u>Description</u>
-	Interior: Neutral
-	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

#### **SELECTED OPTIONS - 2011 Fleet/Non-Retail CG23405 RWD 2500 135"**

##### **CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
<b>BODY CODE</b>		
ZW9	BODY, STANDARD (STD)	\$0.00
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
L20	ENGINE, VORTEC 4.8L V8 SFI FLEXFUEL (280 hp [208.8 kW] @ 5200 rpm, 295 lb-ft of torque [398.3 N-m] @ 4600 rpm) (STD) (Includes external engine oil cooler. Standard on *G23*05 models and *G33*05 models. Reference the Engine/Axle page for availability.)	\$0.00
<b>TRANSMISSION</b>		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED with overdrive tow/haul mode and internal transmission oil cooler (STD) (Standard on *G23*05 models and *G33*05 models. Requires (L20) Vortec 4.8L V8 SFI FlexFuel engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine or (LC8) Gaseous 6.0L V8 SFI engine. Reference the Engine/Axle page for availability.)	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
 Vehicle Order Confirmation Sheet  
 Spec # 3958-0039

**Prepared By:**  
 Brian Strong  
 Garber Automotive Group-Fleet  
 1700 North Saginaw Rd.  
 Midland, MI 48640  
 Phone: (989) 839-9944  
 Fax: (989) 633-1092  
 Email:  
 bstrong@garberchevrolet.com

## 2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

### **SELECTED MODEL & OPTIONS**

#### **SELECTED OPTIONS - 2011 Fleet/Non-Retail CG23405 RWD 2500 135"**

#### **CATEGORY**

<b>Code</b>	<b>Description</b>	<b>MSRP</b>
<b>AXLE</b>		
GU6	REAR AXLE, 3.42 RATIO (Standard on **13405 models, *G23*05 models, and *G33*05 models. Required with (LU3) Vortec 4.3L V6 MFI engine, (L20) Vortec 4.8L V8 SFI FlexFuel engine, (L96) Vortec 6.0L V8 SFI FlexFuel or (LC8) Gaseous 6.0L V8 SFI engine. Available with (LMF) Vortec 5.3L V8 SFI FlexFuel engine. Reference the Engine/Axle page for availability.)	\$0.00
<b>SIDE DOOR</b>		
E24	DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT (STD)	\$0.00
<b>PREFERRED EQUIPMENT GROUP</b>		
1WT	PREFERRED EQUIPMENT GROUP includes Standard Equipment	\$0.00
<b>SPARE TIRE</b>		
ZHH	TIRE, SPARE LT245/75R16E ALL-SEASON, BLACKWALL, LOCATED AT REAR UNDERBODY OF VEHICLE (STD) (Standard on the *G23*05 and *G33*05 models.)	\$0.00
<b>PAINT SCHEME</b>		
ZY1	PAINT, SOLID	\$0.00
<b>PAINT</b>		
50U	SUMMIT WHITE	\$0.00
<b>SEAT TYPE</b>		
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM and outboard head restraints, includes inboard armrests. (STD) (Requires (**W) interior trim.)	\$0.00
<b>SEAT TRIM</b>		
52W	NEUTRAL, CUSTOM VINYL SEAT TRIM	\$0.00
<b>SEATING ARRANGEMENT</b>		
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGH-BACK BUCKETS, ADJUSTABLE with head restraints and vinyl or cloth trim (STD)	\$0.00
<b>AIR CONDITIONING</b>		
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL (STD)	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
 Vehicle Order Confirmation Sheet  
 Spec # 3958-0039

**Prepared By:**  
 Brian Strong  
 Garber Automotive Group-Fleet  
 1700 North Saginaw Rd.  
 Midland, MI 48640  
 Phone: (989) 839-9944  
 Fax: (989) 633-1092  
 Email:  
 bstrong@garberchevrolet.com

## 2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

### **SELECTED MODEL & OPTIONS**

#### SELECTED OPTIONS - 2011 Fleet/Non-Retail CG23405 RWD 2500 135"

#### **CATEGORY**

<b>Code</b>	<b>Description</b>	<b>MSRP</b>
<b>RADIO</b>		
UM7	AUDIO SYSTEM, AM/FM STEREO with seek-and-scan, digital clock and 2 front door speakers	\$150.00
<b>REQUIRED OPTION</b>		
PPC	TRIM PANELS, HINGED REAR SIDE DOORS AND HINGED REAR DOORS (STD)	\$0.00
<b>ADDITIONAL EQUIPMENT</b>		
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL (Included with (PCH) Hotel Shuttle Package.)	\$395.00
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR (Included with (YF2) Ambulance Package.)	\$325.00
A12	GLASS, FIXED REAR DOORS WINDOWS (Included and only available when (ZW*) is ordered. Included with (YF2) Ambulance Package)	INC
ZW3	GLASS, FIXED REAR DOORS AND SIDE CARGO DOORS (May upgrade fixed glass to swing-out glass, see (A18) rear cargo door windows swing-out glass. Upgrade requires (A19) rear side door and rear door window swing-out glass. Included with (PCH) Hotel Shuttle Package.)	\$130.00
K34	CRUISE CONTROL (Included and only available with (ZQ3) Convenience Package.)	INC
D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT (Included and only available with (A12) fixed rear door window glass or (A18) rear cargo door window swing-out glass.)	INC
VQ1	FLEET PROCESSING OPTION	W/A
<b>OPTIONS TOTAL</b>		<b>W/A</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
Vehicle Order Confirmation Sheet  
Spec # 3958-0039

**Prepared By:**  
Brian Strong  
Garber Automotive Group-Fleet  
1700 North Saginaw Rd.  
Midland, MI 48640  
Phone: (989) 839-9944  
Fax: (989) 633-1092  
Email:  
bstrong@garberchevrolet.com

## 2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

### ***STANDARD EQUIPMENT***

---

#### **STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG23405 RWD 2500 135"**

---

##### *ENTERTAINMENT*

- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers (Not available with (UE1) OnStar or (U2K) XM Radio.)

##### *EXTERIOR*

- Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Gray center caps and steel spare (Standard on \*G23\*05 and \*G33\*05 models.)
- Tires, front LT245/75R16E all-season, blackwall (Standard on the \*G23\*05 and \*G33\*05 models.)
- Tires, rear LT245/75R16E all-season, blackwall (Standard on the \*G23\*05 and \*G33\*05 models.)
- Tire, spare LT245/75R16E all-season, blackwall, located at rear underbody of vehicle (Standard on the \*G23\*05 and \*G33\*05 models.)
- Door, swing-out passenger-side, 60/40 split
- Bumpers, front and rear painted Black with step-pad (Not available with (ZR7) Chrome Appearance Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- Headlamps, single halogen (Not available with (ZR7) Chrome Appearance Package.)
- Mirrors, outside manual, Black
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
Vehicle Order Confirmation Sheet  
Spec # 3958-0039

**Prepared By:**  
Brian Strong  
Garber Automotive Group-Fleet  
1700 North Saginaw Rd.  
Midland, MI 48640  
Phone: (989) 839-9944  
Fax: (989) 633-1092  
Email:  
bstrong@garberchevrolet.com

## 2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

### ***STANDARD EQUIPMENT***

---

#### **STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG23405 RWD 2500 135"**

---

#### *INTERIOR*

- Seats, front bucket with vinyl trim and outboard head restraints, includes inboard armrests. (Requires (\*\*W) interior trim.)
- Seating arrangement, driver and front passenger high-back buckets, adjustable with head restraints and vinyl or cloth trim
- Air conditioning, single-zone manual
- Console, engine cover with open storage bin
- Floor covering, full-length Black rubberized-vinyl (Not available with (YF2) Ambulance Package or (RFM) rear floor covering delete.)
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Tow/haul mode selector, instrument panel-mounted
- Theft-deterrent system, vehicle, PASS-Key III
- Defogger, side windows
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Headliner, cloth, over driver and passenger
- Visors, driver and front passenger, cloth, padded
- Assist handle, front passenger
- Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
Vehicle Order Confirmation Sheet  
Spec # 3958-0039

**Prepared By:**  
Brian Strong  
Garber Automotive Group-Fleet  
1700 North Saginaw Rd.  
Midland, MI 48640  
Phone: (989) 839-9944  
Fax: (989) 633-1092  
Email:  
bstrong@garberchevrolet.com

## 2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

### **STANDARD EQUIPMENT**

---

#### **STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG23405 RWD 2500 135"**

---

##### *MECHANICAL*

- Engine, Vortec 4.8L V8 SFI FlexFuel (280 hp [208.8 kW] @ 5200 rpm, 295 lb-ft of torque [398.3 N-m] @ 4600 rpm) (Includes external engine oil cooler. Standard on \*G23\*05 models and \*G33\*05 models. Reference the Engine/Axle page for availability.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive tow/haul mode and internal transmission oil cooler (Standard on \*G23\*05 models and \*G33\*05 models. Requires (L20) Vortec 4.8L V8 SFI FlexFuel engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine or (LC8) Gaseous 6.0L V8 SFI engine. Reference the Engine/Axle page for availability.)
- Rear axle, 3.42 ratio (Standard on \*\*13405 models, \*G23\*05 models, and \*G33\*05 models. Required with (LU3) Vortec 4.3L V6 MFI engine, (L20) Vortec 4.8L V8 SFI FlexFuel engine, (L96) Vortec 6.0L V8 SFI FlexFuel or (LC8) Gaseous 6.0L V8 SFI engine. Available with (LMF) Vortec 5.3L V8 SFI FlexFuel engine. Reference the Engine/Axle page for availability.)
- Body, standard
- Transmission oil cooler, external (Included and only available with (L20) Vortec 4.8L V8 SFI FlexFuel engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine.)
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 105 amps (Not available with \*\*13405 models.)
- Frame, full-length box ladder-type
- GVWR, 8600 lbs. (3901 kg) (Standard on \*G23\*05 models. Reference the Engine/Axle page for availability.)
- Suspension, front independent with coil springs and stabilizer bar (Requires \*G\*\*\*05 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
Vehicle Order Confirmation Sheet  
Spec # 3958-0039

**Prepared By:**  
Brian Strong  
Garber Automotive Group-Fleet  
1700 North Saginaw Rd.  
Midland, MI 48640  
Phone: (989) 839-9944  
Fax: (989) 633-1092  
Email:  
bstrong@garberchevrolet.com

## 2011 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG23

### ***STANDARD EQUIPMENT***

---

#### **STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG23405 RWD 2500 135"**

---

##### *SAFETY*

- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Door beams, steel-side
- Daytime Running Lamps
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch on models \*\*23\*05 and \*\*33\*05. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver-side only frontal air bag. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bag deactivation switch, frontal, passenger-side (Requires (C6P) 8600 lbs. (3901 kg) GVWR or (C6Y) 9600 lbs. (4354 kg) GVWR. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. See the Owner's Manual and child safety seat instructions for more safety information.)
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: