

Prepared For:
Vehicle Order Confirmation Sheet
Spec #3958-0047D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Reg Cab 133.7" D

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail CK30903 4WD Reg Cab 133.7" DRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CK30903	2011 Chevrolet Silverado 3500HD 4WD Reg Cab 133.7" DRW Work Truck	\$32,215.00

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail CK30903 4WD Reg Cab 133.7" DRW Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: Dark Titanium
-	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail CK30903 4WD Reg Cab 133.7" DRW Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
REAR WHEEL CONFIGURATION		
___	DUAL REAR WHEELS	\$0.00
BODY CODE		
E63	PICKUP BOX, FLEETSIDE (STD)	\$0.00
SUSPENSION PKG		
Z85	SUSPENSION PACKAGE, HANDLING/TRAILERING, HEAVY-DUTY includes 35mm monotube shocks and 34mm front stabilizer bar (STD)	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 Vehicle Order Confirmation Sheet
 Spec #3958-0047D

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Reg Cab 133.7" D

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CK30903 4WD Reg Cab 133.7" DRW Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ENGINE		
LML	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B20-DIESEL COMPATIBLE (397 hp [296.0 kW] @ 3000 rpm, 765 lb-ft of torque [1032.8 N-m] @ 1600 rpm) (Requires (G80) heavy-duty automatic locking rear differential and (MW7) Allison 1000 6-speed automatic transmission. Includes (K40) exhaust brake, (TUV) heavy-duty dual, 730 cold-cranking-amp battery and (K05) engine block heater. Not available on CC30903 models. Not available with (ZW9) pickup box delete.)	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED with overdrive, electronic engine grade braking and tow/haul mode (Requires (LML/LGH) Duramax 6.6L Turbo Diesel V8 engine)	\$1,200.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO (Not available with (L96) Vortec 6.0L V8 SFI engine on CC30903 with Single Rear Wheels.)	\$0.00
PREFERRED EQUIPMENT GROUP		
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP includes standard equipment	\$0.00
WHEELS		
PYW	WHEELS, 17" (43.2 CM) PAINTED STEEL includes painted center caps and a steel spare (spare wheel will not cosmetically match the other 6 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Requires (9F6) 12,800 lbs. GVWR or (C7J) 13,000 lbs. GVWR (dual rear wheel).) (STD)	\$0.00
TIRES		
QQO	TIRES, LT235/80R17E ALL-SEASON HIGHWAY, BLACKWALL (STD) (Requires (9F6) 12,800 lbs. GVWR or (C7J) 13,000 lbs. GVWR (dual rear wheel). Includes 7 tires with (E63) Fleetside pickup box. Includes 6 tires with (ZW9) pickup box delete.)	\$0.00
PAINT SCHEME		
ZY1	PAINT, SOLID	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 Vehicle Order Confirmation Sheet
 Spec #3958-0047D

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Reg Cab 133.7" D

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CK30903 4WD Reg Cab 133.7" DRW Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
PAINT		
50U	SUMMIT WHITE	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING with outboard head restraints and center fold-down armrest with storage (STD)	\$0.00
SEAT TRIM		
88V	DARK TITANIUM, VINYL SEAT TRIM (STD) (Vinyl seats require (BG9) Black rubberized vinyl floor covering)	\$0.00
GVWR		
C7J	GVWR, 13,000 LBS. (5897 KG) with dual rear wheels (Requires CC30903 with (LGH) Duramax 6.6L Turbo Diesel V8 engine or CK30903 with (LML/LGH) Duramax 6.6L Turbo Diesel V8 engine or C*30943 or C*30953.)	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO with seek-and-scan and digital clock (Not available with (U2K) XM Radio) (STD)	\$0.00
ADDITIONAL EQUIPMENT		
K05	ENGINE BLOCK HEATER	INC
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR (Required with (LML) or (LGH) Duramax 6.6L Turbo Diesel V8 engine. Included with (Z82) trailering equipment on Retail Orders only. Standard with single rear wheel GVWR.)	W/A
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE with rundown protection and retained accessory power (Included and only available with (LML/LGH) Duramax 6.6L Turbo Diesel V8 engine.)	INC
K40	EXHAUST BRAKE (Included and only available with (LML) or (LGH) Duramax 6.6L Turbo Diesel V8 engine.)	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 Vehicle Order Confirmation Sheet
 Spec #3958-0047D

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Reg Cab 133.7" D

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CK30903 4WD Reg Cab 133.7" DRW Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ADDITIONAL EQUIPMENT		
V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS for diesel engines in winter weather (Requires (LML/LGH) Duramax 6.6L Turbo Diesel V8 engine and is required on orders with "Ship To" locations within the following states: Maine, New Hampshire, Vermont, Minnesota, North Dakota, South Dakota, Montana, Alaska, Idaho, Wisconsin, Wyoming, Michigan, Colorado and New York.)	\$55.00
U01	LAMPS, SMOKED AMBER ROOF MARKER (Standard on (9F6) 12,800 lbs. GVWR or (C7J) 13,000 lbs. GVWR (dual rear wheel) only. With single rear wheel GVWR not available with (YF5) California state emissions requirements.)	INC
K34	CRUISE CONTROL, ELECTRONIC with set and resume speed, located on steering wheel (Included with (UPF) Bluetooth for phone)	\$250.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		W/A

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Order Confirmation Sheet
Spec #3958-0047D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Reg Cab 133.7" D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CK30903 4WD Reg Cab 133.7" DRW Work Truck

ENTERTAINMENT

- Audio system, AM/FM stereo with seek-and-scan and digital clock (Not available with (U2K) XM Radio)
- XM Radio, delete
- Audio system feature, 4-speaker system (Requires Regular Cab models)

EXTERIOR

- Wheels, 17" (43.2 cm) painted steel includes painted center caps and a steel spare (spare wheel will not cosmetically match the other 6 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Requires (9F6) 12,800 lbs. GVWR or (C7J) 13,000 lbs. GVWR (dual rear wheel).)
- Tires, LT235/80R17E all-season highway, blackwall (Requires (9F6) 12,800 lbs. GVWR or (C7J) 13,000 lbs. GVWR (dual rear wheel). Includes 7 tires with (E63) Fleetside pickup box. Includes 6 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)
- Bumper, front chrome
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Lamps, Smoked Amber roof marker (Standard on (9F6) 12,800 lbs. GVWR or (C7J) 13,000 lbs. GVWR (dual rear wheel) only. With single rear wheel GVWR not available with (YF5) California state emissions requirements.)
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Order Confirmation Sheet
Spec #3958-0047D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Reg Cab 133.7" D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CK30903 4WD Reg Cab 133.7" DRW Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat trim, Vinyl
- Floor covering, Black rubberized vinyl
- Steering wheel includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered. On 1LT and 1LZ, includes 8-point compass and outside temperature.)
- Warning tones headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Air conditioning, single-zone manual front climate control
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Order Confirmation Sheet
Spec #3958-0047D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Reg Cab 133.7" D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CK30903 4WD Reg Cab 133.7" DRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [513.0 N-m] @ 4200 rpm)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (L96) Vortec 6.0L V8 SFI engine.)
- Rear axle, 3.73 ratio (Not available with (L96) Vortec 6.0L V8 SFI engine on CC30903 with Single Rear Wheels.)
- Pickup box, Fleetside
- Air cleaner, high-capacity
- Transfer case, with floor-mounted shifter (Requires 4WD models)
- Four wheel drive
- Cooling, auxiliary external transmission oil cooler heavy-duty air-to-oil
- Cooling, external engine oil cooler heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, fully boxed, hydroformed front section
- Recovery hooks, front, frame-mounted
- Suspension, front independent, torsion bar with increased front GAWR
- Suspension, rear 4+1+2 multi-leaf springs for single rear wheel and 3+1+2 multi-leaf springs for dual rear wheel
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc with dual rear wheels
- Exhaust, aluminized stainless-steel muffler and tailpipe

PACKAGE

- Suspension Package, Handling/Trailering, heavy-duty includes 35mm monotube shocks and 34mm front stabilizer bar

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Order Confirmation Sheet
Spec #3958-0047D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Reg Cab 133.7" D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CK30903 4WD Reg Cab 133.7" DRW Work Truck

SAFETY

- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- OnStar, delete

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: