

Prepared For:
MiDeal Spec# 3958-0050D

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 158.2" DRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail TC30953 2WD Ext Cab 158.2" DRW Work Truck

| <u>Code</u> | <u>Description</u> |
|-------------|---|
| TC30953 | 2011 GMC Sierra 3500HD 2WD Ext Cab 158.2" DRW Work Truck |

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail TC30953 2WD Ext Cab 158.2" DRW Work Truck

| <u>Code</u> | <u>Description</u> |
|-------------|---|
| - | Interior: No color has been selected. |
| - | Exterior 1: No color has been selected. |
| - | Exterior 2: No color has been selected. |

SELECTED OPTIONS - 2011 Fleet/Non-Retail TC30953 2WD Ext Cab 158.2" DRW Work Truck

CATEGORY

| <u>Code</u> | <u>Description</u> |
|---------------------------|--|
| REAR WHEEL CONFIGURATION | |
| ___ | DUAL REAR WHEELS |
| BODY CODE | |
| E63 | PICKUP BOX, WIDESIDE |
| EMISSIONS | |
| FE9 | EMISSIONS, FEDERAL REQUIREMENTS |
| ENGINE | |
| LML | ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B20-DIESEL COMPATIBLE |
| TRANSMISSION | |
| MW7 | TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED |
| AXLE | |
| GT4 | REAR AXLE, 3.73 RATIO |
| PREFERRED EQUIPMENT GROUP | |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0050D

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 158.2" DRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail TC30953 2WD Ext Cab 158.2" DRW Work Truck

CATEGORY

| <u>Code</u> | <u>Description</u> |
|---------------------------|---|
| PREFERRED EQUIPMENT GROUP | |
| 1SA | WORK TRUCK PREFERRED EQUIPMENT GROUP |
| WHEELS | |
| PYW | WHEELS, 17" (43.2 CM) PAINTED STEEL |
| TIRES | |
| QQO | TIRES, LT235/80R17E ALL-SEASON HIGHWAY, BLACKWALL |
| PAINT SCHEME | |
| ZY1 | PAINT, SOLID |
| PAINT | |
| 50U | SUMMIT WHITE |
| SEAT TYPE | |
| AE7 | SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING |
| SEAT TRIM | |
| 88V | DARK TITANIUM, VINYL SEAT TRIM |
| GVWR | |
| C7J | GVWR, 13,000 LBS. (5897 KG) |
| RADIO | |
| UM7 | AUDIO SYSTEM, AM/FM STEREO |
| ADDITIONAL EQUIPMENT | |
| K05 | ENGINE BLOCK HEATER |
| G80 | DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR |
| TUV | BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE |
| K40 | EXHAUST BRAKE |
| U01 | LAMPS, SMOKED AMBER ROOF MARKER |
| K34 | CRUISE CONTROL, ELECTRONIC |
| VQ1 | FLEET PROCESSING OPTION |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0050D

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 158.2" DRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail TC30953 2WD Ext Cab 158.2" DRW Work Truck

CATEGORY

| <u>Code</u> | <u>Description</u> |
|-------------|--------------------|
|-------------|--------------------|

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0050D

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 158.2" DRW Work **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC30953 2WD Ext Cab 158.2" DRW Work Truck

ENTERTAINMENT

- Audio system, AM/FM stereo with seek-and-scan and digital clock (Not available with (U2K) XM Radio)
- XM Radio, delete
- Audio system feature, speaker system (Requires Extended or Crew Cab models. Included with (5B5) power windows, doors and locks, SEO on Regular Cab models. Includes 4 speakers on Regular Cab models and 6 speakers on Extended and Crew Cab models.)

EXTERIOR

- Wheels, 17" (43.2 cm) painted steel includes painted center caps and a steel spare (spare wheel will not cosmetically match the other 6 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Requires (9F6) 12,800 lbs. GVWR or (C7J) 13,000 lbs. GVWR (dual rear wheel).)
- Tires, LT235/80R17E all-season highway, blackwall (Requires (9F6) 12,800 lbs. GVWR or (C7J) 13,000 lbs. GVWR (dual rear wheel). Includes 7 tires with (E63) Fleetside pickup box. Includes 6 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Lamps, Smoked Amber roof marker (Standard on (9F6) 12,800 lbs. GVWR or (C7J) 13,000 lbs. GVWR (dual rear wheel) only. With single rear wheel GVWR not available with (YF5) California state emissions requirements.)
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0050D

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 158.2" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC30953 2WD Ext Cab 158.2" DRW Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Recovery hooks, front, frame-mounted
- Seat trim, Vinyl
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered. On 3SA and 4SA, includes 8-point compass and outside temperature.)
- Warning tones headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- Air conditioning, single-zone manual front climate control
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0050D

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 158.2" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC30953 2WD Ext Cab 158.2" DRW Work Truck

- Coat hooks, rear driver and passenger side

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [513.0 N-m] @ 4200 rpm)
- Transmission, 6-speed automatic, heavy-duty electronically controlled with overdrive and tow/haul mode (Requires (L96) Vortec 6.0L V8 SFI engine.)
- Pickup box, Wideside
- Air cleaner, high-capacity
- Rear wheel drive
- Cooling, auxiliary external transmission oil cooler heavy-duty air-to-oil
- Cooling, external engine oil cooler heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, fully-boxed, hydroformed front section
- Suspension, front independent, torsion bar with increased front GAWR
- Suspension, rear 4+1+2 multi-leaf springs for single rear wheel and 3+1+2 multi-leaf springs for dual rear wheel
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc with dual rear wheels
- Exhaust aluminized stainless-steel muffler and tailpipe

PACKAGE

- Suspension Package, Handling/Trailer, heavy-duty includes 35mm monotube shocks and 34mm front stabilizer bar

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0050D

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 158.2" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TC30953 2WD Ext Cab 158.2" DRW Work Truck

SAFETY

- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- OnStar, delete

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: