

Prepared For:
 Vehicle Confirmation Sheet
 Spec #3958-0077D

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 162" WB,
SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail CC31403 2WD Reg Cab 162" WB, 84.3" CA WT

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CC31403	2011 Chevrolet Silverado 3500HD 2WD Reg Cab 162" WB, 84.3" CA WT	\$28,850.00

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail CC31403 2WD Reg Cab 162" WB, 84.3" CA WT

<u>Code</u>	<u>Description</u>
-	Interior: Dark Titanium
-	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail CC31403 2WD Reg Cab 162" WB, 84.3" CA WT

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [513.0 N-m] @ 4200 rpm)	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY electronically controlled with overdrive and tow/haul mode (Requires (L96) Vortec 6.0L V8 SFI engine.)	\$0.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP includes Standard Equipment	\$0.00
TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0077D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 162" WB,
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CC31403 2WD Reg Cab 162" WB, 84.3" CA WT

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TIRES		
QQO	TIRES, LT235/80R17E ALL-SEASON HIGHWAY, BLACKWALL	\$0.00
PAINT SCHEME		
ZY1	PAINT, SOLID (STD)	\$0.00
PAINT		
50U	SUMMIT WHITE	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage	\$0.00
SEAT TRIM		
88V	DARK TITANIUM, VINYL (Vinyl seats require (BG9) Black rubberized vinyl floor covering.)	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO with seek-and-scan and digital clock (Not available with (U2K) XM Radio.)	\$0.00
ADDITIONAL EQUIPMENT		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR (Required with (LGH) Duramax 6.6L Turbo Diesel V8 engine.)	\$325.00
K34	CRUISE CONTROL electronic with set and resume speed, located on steering wheel (Included with (UPF) Bluetooth for phone.)	\$250.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$575.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0077D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 162" WB,
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CC31403 2WD Reg Cab 162" WB, 84.3" CA WT

ENTERTAINMENT

- Audio system, AM/FM stereo with seek-and-scan and digital clock (Not available with (U2K) XM Radio.)
- Audio system feature, 4-speaker system (Requires Regular Cab models.)
- XM Radio, delete

EXTERIOR

- Tires, LT235/80R17E all-season highway, blackwall
- Wheels, 17" (43.2 cm) painted steel
- Bumper, front chrome
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, Smoked Amber roof marker
- Mirrors, outside manual, Black manual folding
- Glass, Solar-Ray light-tinted all windows
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0077D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 162" WB, **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CC31403 2WD Reg Cab 162" WB, 84.3" CA WT

INTERIOR

- Seats, front 40/20/40 split-bench 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Dark Titanium, Vinyl (Vinyl seats require (BG9) Black rubberized vinyl floor covering.)
- Floor covering, Black rubberized-vinyl
- Steering column, Tilt-Wheel adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered. On 1LT includes 8-point compass and outside temperature.)
- Warning tones headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Air conditioning, single-zone manual climate control
- Cup holders, front
- Mirror, inside rearview manual day/night
- Coat hooks, rear driver and passenger side
- Visors, driver and front passenger sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger
- Lighting, interior with dome and reading lights, backlit instrument panel switches and door handle-activated illuminated entry
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0077D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 162" WB, **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CC31403 2WD Reg Cab 162" WB, 84.3" CA WT

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [513.0 N-m] @ 4200 rpm)
- Transmission, 6-speed automatic, heavy-duty electronically controlled with overdrive and tow/haul mode (Requires (L96) Vortec 6.0L V8 SFI engine.)
- Rear axle, 3.73 ratio
- Air cleaner, high-capacity
- Rear wheel drive
- Cooling, external engine oil cooler heavy-duty air-to-oil, integral to driver-side of radiator tank
- Cooling, auxiliary external transmission oil cooler heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps maintenance-free with rundown protection and retained accessory power (Not standard with (LGH) Duramax 6.6L Turbo Diesel V8 engine.)
- Alternator, 125 amps
- Recovery hooks, front, frame-mounted
- Body, Chassis Cab includes (VF7) bumper delete, (9L3) spare tire delete and (5Z4) spare tire carrier delete
- Frame, fully-boxed, hydroformed front section
- GVWR, 13,200 lbs. (5988 kg)
- Suspension, front independent torsion bar with increased front GAWR
- Suspension, rear 7+1 multi-leaf springs
- Suspension Package, Handling/Trailering, heavy-duty includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Steering, power recirculating ball
- Fuel tank, front and rear, 63.5 gallon (240 liters)
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0077D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 162" WB,
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CC31403 2WD Reg Cab 162" WB, 84.3" CA WT

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right-front passenger with passenger-side deactivation switch (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- OnStar, delete

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: