

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0087A

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Ext Cab 143.5" Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail CK10753 4WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CK10753	2011 Chevrolet Silverado 1500 4WD Ext Cab 143.5" Work Truck	\$29,475.00

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail CK10753 4WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: Dark Titanium
-	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail CK10753 4WD Ext Cab 143.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SUSPENSION PKG		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE includes 35 mm piston twin tube shocks and 36mm front stabilizer bar (STD)	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
L20	ENGINE, VORTEC 4.8L VARIABLE VALVE TIMING V8 SFI FLEXFUEL capable of running on unleaded or up to 85% ethanol (302 hp [225.2 kW] @ 5600 rpm, 305 lb-ft torque [411.8 N-m] @ 4600 rpm), iron block (STD) (Standard with CK10753 and C*10543 models only. Not available on C*10953 models.)	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode (STD) (On Crew Cab models, requires (L20) Vortec 4.8L V8 SFI Flex-Fuel engine. Not available on C*10953 models.)	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0087A

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Ext Cab 143.5" Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CK10753 4WD Ext Cab 143.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
AXLE		
GU6	REAR AXLE, 3.42 RATIO (Refer to Engine/Axle chart for availability.) (With (LC9) Vortec 5.3L V8 Engine, Requires (K5L) heavy-duty cooling package)	\$0.00
PREFERRED EQUIPMENT GROUP		
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP includes standard equipment	\$0.00
WHEELS		
NX7	WHEELS, 4-17" X 7.5" (43.2 CM X 19.1 CM) STEEL, 6-LUG PAINTED includes painted center caps (spare wheel will not cosmetically match the other 4 wheels) (STD)	\$0.00
TIRES		
QVL	TIRES, P265/70R17 ALL-SEASON, BLACKWALL includes a blackwall spare tire (STD) (Requires 4WD models.)	\$0.00
PAINT SCHEME		
ZY1	PAINT, SOLID	\$0.00
PAINT		
50U	SUMMIT WHITE	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING with outboard head restraints and center fold-down armrest with storage (STD)	\$0.00
SEAT TRIM		
88V	DARK TITANIUM, VINYL SEAT TRIM (Vinyl seats require (BG9) Black rubberized vinyl floor covering.)	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO with seek-and-scan and digital clock (Not available with (U2K) XM Radio.) (STD)	\$0.00
ADDITIONAL EQUIPMENT		
K34	CRUISE CONTROL, ELECTRONIC with set and resume speed, located on steering wheel (Included with (UPF) Bluetooth for phone.)	\$250.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0087A

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Ext Cab 143.5" Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CK10753 4WD Ext Cab 143.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ADDITIONAL EQUIPMENT		
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$250.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0087A

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Ext Cab 143.5" Work **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CK10753 4WD Ext Cab 143.5" Work Truck

ENTERTAINMENT

- Audio system, AM/FM stereo with seek-and-scan and digital clock (Not available with (U2K) XM Radio.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers.)
- XM Radio, delete

EXTERIOR

- Wheels, 4-17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Tires, P265/70R17 all-season, blackwall includes a blackwall spare tire (Requires 4WD models.)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Bumper, front Black (Includes Black bumper end caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black
- Pickup box, Fleetside

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0087A

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Ext Cab 143.5" Work ***STANDARD EQUIPMENT***

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CK10753 4WD Ext Cab 143.5" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Air conditioning, single-zone manual front climate control
- Seat Trim, Vinyl
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only.)
- Floor covering, Black rubberized-vinyl
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, odometer, fuel level, engine temperature, and tachometer
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip odometer button unless (UK3) steering wheel mounted audio controls is ordered. On 1LT, 1SF and 1LZ, includes 8-point compass and outside temperature.)
- Warning tones headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, fixed, rear access door (Requires Extended Cab Models.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab Models.)
- Coat hooks, rear driver and passenger side
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0087A

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Ext Cab 143.5" Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CK10753 4WD Ext Cab 143.5" Work Truck

MECHANICAL

- Engine, Vortec 4.8L Variable Valve Timing V8 SFI FlexFuel capable of running on unleaded or up to 85% ethanol (302 hp [225.2 kW] @ 5600 rpm, 305 lb-ft torque [411.8 N-m] @ 4600 rpm), iron block (Standard with CK10753 and C*10543 models only. Not available on C*10953 models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode (On Crew Cab models, requires (L20) Vortec 4.8L V8 SFI Flex-Fuel engine. Not available on C*10953 models.)
- Rear axle, 3.42 ratio (Refer to Engine/Axle chart for availability.) (With (LC9) Vortec 5.3L V8 Engine, Requires (K5L) heavy-duty cooling package)
- Suspension Package, Solid Smooth Ride includes 35 mm piston twin tube shocks and 36mm front stabilizer bar
- GVWR, 7000 lbs. (3175 kg) (Requires CK10753, CK10953 or CK10543 models.)
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Four wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Recovery hooks, front, frame-mounted (Standard on 4WD Models.)
- Frame, fully-boxed, hydroformed front section
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0087A

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Ext Cab 143.5" Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CK10753 4WD Ext Cab 143.5" Work Truck

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Daytime Running Lamps, with automatic exterior lamp control
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, front outboard seating positions with rollover sensor (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, seat-mounted side-impact, driver and right-front passenger for thorax and pelvic protection (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- OnStar, delete
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: