

Prepared For:
MiDeal Spec# 3958-0089D

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 144.2" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail TK20753 4WD Ext Cab 144.2" Work Truck

<u>Code</u>	<u>Description</u>
TK20753	2011 GMC Sierra 2500HD 4WD Ext Cab 144.2" Work Truck

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail TK20753 4WD Ext Cab 144.2" Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail TK20753 4WD Ext Cab 144.2" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>
EMISSIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	
LML	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B20-DIESEL COMPATIBLE
TRANSMISSION	
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED
GVWR	
C7A	GVWR, 10,000 LBS. (4536 KG)
AXLE	
GT4	REAR AXLE, 3.73 RATIO
PREFERRED EQUIPMENT GROUP	
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP
WHEELS	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
MiDeal Spec# 3958-0089D

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 144.2" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail TK20753 4WD Ext Cab 144.2" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>
WHEELS	
PYN	WHEELS, 17" (43.2 CM) STEEL
TIRES	
QHQ	TIRES, LT245/75R17 ALL-SEASON, BLACKWALL
PAINT SCHEME	
ZY1	PAINT, SOLID
PAINT	
50U	SUMMIT WHITE
SEAT TYPE	
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING
SEAT TRIM	
88V	DARK TITANIUM, VINYL SEAT TRIM
RADIO	
UM7	AUDIO SYSTEM, AM/FM STEREO
ADDITIONAL EQUIPMENT	
K05	ENGINE BLOCK HEATER
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE
K40	EXHAUST BRAKE
K34	CRUISE CONTROL, ELECTRONIC
VQ1	FLEET PROCESSING OPTION

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0089D

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 144.2" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TK20753 4WD Ext Cab 144.2" Work Truck

ENTERTAINMENT

- Audio system, AM/FM stereo with seek-and-scan and digital clock (Not available with (U2K) XM Radio)
- XM Satellite Radio, delete
- Audio system feature, speaker system (Requires Extended or Crew Cab models. Included with (5B5) power windows, doors and locks, SEO on Regular Cab models. Includes 4 speakers on Regular Cab models and 6 speakers on Extended and Crew Cab models.)

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered
- Tires, LT245/75R17 all-season, blackwall
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Recovery hooks, front, frame-mounted
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0089D

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 144.2" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TK20753 4WD Ext Cab 144.2" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel includes theft-deterrent locking feature
- Floor covering, Black rubberized vinyl
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered. On 3SA and 4SA, includes 8-point compass and outside temperature.)
- Warning tones headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- Air conditioning, single-zone manual front climate control
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0089D

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 144.2" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TK20753 4WD Ext Cab 144.2" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [513.0 N-m] @ 4200 rpm) with (E63) wideside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [513.0 N-m] @ 4200 rpm) with (ZW9) pickup box delete (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [513.0 N-m] @ 4200 rpm)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (L96) Vortec 6.0L V8 SFI engine.)
- Rear axle, 3.73 ratio
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine. Not available on TC20903 or TK20943 models.)
- Air cleaner, high-capacity
- Transfer case, with floor-mounted shifter (Requires 4WD models)
- Four wheel drive
- Cooling, external engine oil cooler heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, fully-boxed, hydroformed front section
- Suspension, front independent, torsion bar with increased front GAWR
- Suspension, rear 4+1 multi-leaf springs
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust aluminized stainless-steel muffler and tailpipe

PACKAGE

- Suspension Package, Handling/Trailering, heavy-duty includes 35mm twin tube shock absorbers and 36mm front stabilizer bar

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MiDeal Spec# 3958-0089D

Prepared By:
Albert Li
Red Holman Buick GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2011 Fleet/Non-Retail GMC Sierra 2500HD 4WD Ext Cab 144.2" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail TK20753 4WD Ext Cab 144.2" Work Truck

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance includes electronic trailer sway control, intelligent brake assist and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- OnStar, delete
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.0, Data updated 8/31/2010 11:11:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: