

Prepared For:
 Vehicle Confirmation Sheet
 Spec #3958-0101

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 3500 1

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail CG33803 RWD 3500 159" WB Work Van

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CG33803	2011 Chevrolet Express Commercial Cutaway RWD 3500 159" WB Work Van	W/A

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail CG33803 RWD 3500 159" WB Work Van

<u>Code</u>	<u>Description</u>
-	Interior: Medium Pewter
-	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG33803 RWD 3500 159" WB Work Van

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
ZW9	BODY, STANDARD (STD)	W/A
REAR WHEEL CONFIGURATION		
R05	WHEEL CONFIGURATION, REAR, DUAL (Standard on the *G33803 and *G33903 models. On the *G33503 model, included and only available with (C7A) 10,000 lbs. (4536 kg.) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR.)	W/A
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	W/A
ENGINE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 Vehicle Confirmation Sheet
 Spec #3958-0101

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 3500 1

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG33803 RWD 3500 159" WB Work Van

CATEGORY

Code	Description	MSRP
ENGINE		
L20	ENGINE, VORTEC 4.8L V8 SFI (280 hp [208.8 kW] @ 5200 rpm, 295 lb-ft of torque [398.3 N-m] @ 4600 rpm) (STD) (Standard on the *G33503 and *G33803 models. With *G33503 requires (C4M) 9900 lbs. (4490 kg) GVWR or (C7A) 10,000 lbs. (4536 kg) GVWR. With *G33803 model requires (C7A) 10,000 lbs. (4536 kg) GVWR. Not available on the *G33903 model. Not available with (YF1) RV Package, (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (ANC) Shuttle Bus Package or (ENC) HVAC system auxiliary rear heat provisions on *G33803 model. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)	W/A
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler (STD) (Reference the Engine/Axle page for availability.)	W/A
AXLE		
GT4	REAR AXLE, 3.73 RATIO (Standard on *G33803 model and *G33903 model. With *G33503 model, requires (C7A) 10,000 lbs. (4536 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR or (YF2) Ambulance Package. Reference the Engine/Axle page for availability.)	W/A
PREFERRED EQUIPMENT GROUP		
1WT	1WT PREFERRED EQUIPMENT GROUP Includes Standard Equipment	W/A
WHEELS		
QT4	WHEELS, 6 - 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL HEAVY DUTY (STD) (Only available with (R05) dual rear wheel configuration)	W/A
FRONT TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 Vehicle Confirmation Sheet
 Spec #3958-0101

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 3500 1

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG33803 RWD 3500 159" WB Work Van

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
FRONT TIRES		
XEC	TIRES, FRONT LT215/85R16E, HIGHWAY, BLACKWALL (Required with (C7A) 10,000 lbs. (4536 kg.) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR when ordered on *G33503 models and *G33803 models. Required with (C7N) 12,300 lbs. (5579 kg.) GVWR when ordered on *G33903 models. Not available with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package.)	W/A
REAR TIRES		
YEC	TIRES, REAR LT215/85R16E HIGHWAY, BLACKWALL (STD) (Required with (C7A) 10,000 lbs. (4536 kg.) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR when ordered on *G33503 models and *G33803 models. Required with (C7N) 12,300 lbs. (5579 kg.) GVWR when ordered on *G33903 models. Not available with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package.)	W/A
PAINT SCHEME		
ZY1	PAINT, SOLID	W/A
PAINT		
50U	SUMMIT WHITE	W/A
SEAT TYPE		
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM AND OUTBOARD HEAD RESTRAINTS includes inboard armrests (STD) (Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)	W/A
SEAT TRIM		
93W	MEDIUM PEWTER, VINYL SEAT TRIM	W/A
SEATING ARRANGEMENT		
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGHBACK BUCKET includes head restraints and vinyl or cloth trim (STD)	W/A
GVWR		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 Vehicle Confirmation Sheet
 Spec #3958-0101

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 3500 1

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG33803 RWD 3500 159" WB Work Van

CATEGORY

Code	Description	MSRP
GVWR		
C7A	GVWR, 10,000 LBS. (4536 KG) (Standard on the *G33803 model. Available on the *G33503 model. Not available on the *G33903 model. Includes (R05) dual rear wheel configuration on the *G33503 model. Not available with (YF1) RV Package or (R04) single rear wheel configuration. Reference the Engine/Axle page for availability.)	W/A
AIR CONDITIONING		
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL (STD)	W/A
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO WITH SEEK-AND-SCAN, DIGITAL CLOCK AND 2 FRONT DOOR SPEAKERS (Not available with (YF1) RV Package.)	W/A
ADDITIONAL EQUIPMENT		
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL (Included with (YF1) RV Package or (ANC) Shuttle Bus Package. Required with (UF3) High idle switch on models not ordered with (YF2) Ambulance Package.)	W/A
DHC	MIRRORS, OUTSIDE WIDE-STANCE SAIL PANEL MOUNTED (VELVAC). Provides Velvac convex combination RH and LH outside rear view mirrors that are sail panel mounted with arms that provide a wide stance. Mirrors can be utilized with bodies that are up to 96 inch width. Mirrors provide a 63.3 sq. inch flat glass positioned over a 30.1 sq. inch convex glass within a common head. Mirrors are shipped loose in vehicle (Not available with (B3D) School Bus Package.)	W/A
K34	CRUISE CONTROL (Included and only available with (ZQ3) Convenience Package or (YF2) Ambulance Package or (YF1) RV Package or (UF3) High idle switch.)	W/A
D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT (Included with (B3D) School Bus Package.)	W/A
VQ1	FLEET PROCESSING OPTION	W/A

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0101

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 3500 1

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG33803 RWD 3500 159" WB Work Van

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
OPTIONS TOTAL		W/A

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0101

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 3500 1

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG33803 RWD 3500 159" WB Work Van

ENTERTAINMENT

- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers (Not available with (UM7) AM/FM stereo, (U1C) AM/FM stereo with CD player, (US8) AM/FM stereo with CD/MP3 player, or (UL5) radio delete)

EXTERIOR

- Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel heavy duty (Only available with (R05) dual rear wheel configuration)
- Tires, front LT215/85R16E, highway, blackwall (Required with (C7A) 10,000 lbs. (4536 kg.) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR when ordered on *G33503 models and *G33803 models. Required with (C7N) 12,300 lbs. (5579 kg.) GVWR when ordered on *G33903 models. Not available with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package.)
- Tires, rear LT215/85R16E highway, blackwall (Required with (C7A) 10,000 lbs. (4536 kg.) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR when ordered on *G33503 models and *G33803 models. Required with (C7N) 12,300 lbs. (5579 kg.) GVWR when ordered on *G33903 models. Not available with (YF2) Ambulance Package, (YF1) RV Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package.)
- Wheel configuration, rear, dual (Standard on the *G33803 and *G33903 models. On the *G33503 model, included and only available with (C7A) 10,000 lbs. (4536 kg.) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR.)
- Bumper, front painted Black with step-pad (Not available with (ZR7) Appearance Package or (YF1) RV Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- Flasher, heavy duty light emitting diode (LED), formerly known as SEO (8H9)
- Mirrors, outside delete
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0101

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 3500 1

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG33803 RWD 3500 159" WB Work Van

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints includes inboard armrests (Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)
- Seating arrangement, driver and front passenger highback bucket includes head restraints and vinyl or cloth trim
- Air conditioning, single-zone manual
- Cup holders, 3 on the engine console cover
- Power outlets 2 auxiliary on engine console cover with covers, 12-volt
- Floor covering, Black rubberized-vinyl front
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Warning tones, headlamp on and key-in-ignition
- Oil life monitor
- Theft-deterrent system, vehicle, PASS-Key III
- Heater and defogger with front and side window defoggers
- Defogger, side windows
- Headliner, cloth, over driver and passenger
- Visors, driver and front passenger, cloth, padded
- Assist handle, front passenger
- Lighting, interior with dome light and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0101

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 3500 1

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG33803 RWD 3500 159" WB Work Van

MECHANICAL

- Engine, Vortec 4.8L V8 SFI (280 hp [208.8 kW] @ 5200 rpm, 295 lb-ft of torque [398.3 N-m] @ 4600 rpm) (Standard on the *G33503 and *G33803 models. With *G33503 requires (C4M) 9900 lbs. (4490 kg) GVWR or (C7A) 10,000 lbs. (4536 kg) GVWR. With *G33803 model requires (C7A) 10,000 lbs. (4536 kg) GVWR. Not available on the *G33903 model. Not available with (YF1) RV Package, (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (ANC) Shuttle Bus Package or (ENC) HVAC system auxiliary rear heat provisions on *G33803 model. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Transmission, 6-speed automatic, heavy-duty electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler (Reference the Engine/Axle page for availability.)
- Rear Axle, 3.73 Ratio (Standard on *G33803 model and *G33903 model. With *G33503 model, requires (C7A) 10,000 lbs. (4536 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR or (YF2) Ambulance Package. Reference the Engine/Axle page for availability.)
- Body, standard
- GVWR, 10,000 lbs. (4536 kg) (Standard on the *G33803 model. Available on the *G33503 model. Not available on the *G33903 model. Includes (R05) dual rear wheel configuration on the *G33503 model. Not available with (YF1) RV Package or (R04) single rear wheel configuration. Reference the Engine/Axle page for availability.)
- Brake/transmission shift interlock for automatic transmissions
- Tow/haul mode selector, instrument panel-mounted
- Transmission oil cooler, external
- Rear wheel drive
- Battery, 600 cold-cranking amps maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, ladder-type
- Incomplete vehicle certification
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear hypoid drive axle with multi-leaf springs
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0101

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 3500 1

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG33803 RWD 3500 159" WB Work Van

- Fuel tank capacity, mid-frame and approximately 33 gallons (124.9L)
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Air bags, frontal, driver and right-front passenger (Not available with (ZX1) driver only high-back bucket seat. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Air bag deactivation switch, frontal, passenger-side (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: