

Prepared For:
 Vehicle Confirmation Sheet
 Spec #3958-0109D

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 4500 1

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2011 Fleet/Non-Retail CG33803 RWD 4500 159" WB Diesel

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CG33803	2011 Chevrolet Express Commercial Cutaway RWD 4500 159" WB Diesel	W/A

SELECTED VEHICLE COLORS - 2011 Fleet/Non-Retail CG33803 RWD 4500 159" WB Diesel

<u>Code</u>	<u>Description</u>
-	Interior: Medium Pewter
-	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG33803 RWD 4500 159" WB Diesel

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
ZW9	BODY, STANDARD (STD)	W/A
REAR WHEEL CONFIGURATION		
R05	WHEEL CONFIGURATION, REAR, DUAL	W/A
EMISSIONS		
CEJ	EMISSIONS, FEDERAL DIESEL REQUIREMENTS. (Requires (LGH) Duramax 6.6L Turbo Diesel V8 engine and (C7I) 14,200 lbs. (6441 kg) GVWR.)	W/A
ENGINE		
LGH	ENGINE, DURAMAX 6.6L V8 TURBO DIESEL (260 hp [193.9 kW] @ 3100 rpm, 525 lb-ft of torque [708.7 N-m] @ 1600 rpm) with B20 Bio-Diesel capability (see owner's manual for details) (Includes (GT4) 3.73 rear axle ratio, (MYD) heavy-duty, 6-speed automatic transmission, (V14) external transmission oil cooler, dual 770 cold-cranking amp batteries and engine oil cooler. Included with (YF2) Ambulance Package. Reference the Engine/Axle page for availability.)	W/A

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 Vehicle Confirmation Sheet
 Spec #3958-0109D

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 4500 1

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG33803 RWD 4500 159" WB Diesel

CATEGORY

Code	Description	MSRP
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler (STD) (Reference the Engine/Axle page for availability.)	W/A
AXLE		
GT4	REAR AXLE, 3.73 RATIO	W/A
PREFERRED EQUIPMENT GROUP		
2SD	2SD PREFERRED EQUIPMENT GROUP Includes Standard Equipment	W/A
WHEELS		
QT4	WHEELS, 6 - 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL HEAVY DUTY (STD) (Only available with (R05) dual rear wheel configuration)	W/A
FRONT TIRES		
XHF	TIRES, FRONT LT225/75R16E ALL-SEASON, BLACKWALL	W/A
REAR TIRES		
YHF	TIRES, REAR LT225/75R16E ALL-SEASON, BLACKWALL	W/A
PAINT SCHEME		
ZY1	PAINT, SOLID	W/A
PAINT		
50U	SUMMIT WHITE	W/A
SEAT TYPE		
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM AND OUTBOARD HEAD RESTRAINTS includes inboard armrests (STD) (Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)	W/A
SEAT TRIM		
93W	MEDIUM PEWTER, VINYL SEAT TRIM	W/A
SEATING ARRANGEMENT		
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGHBACK BUCKET includes head restraints and vinyl or cloth trim (STD)	W/A

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 Vehicle Confirmation Sheet
 Spec #3958-0109D

Prepared By:
 Brian Strong
 Garber Automotive Group-Fleet
 1700 North Saginaw Rd.
 Midland, MI 48640
 Phone: (989) 839-9944
 Fax: (989) 633-1092
 Email:
 bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 4500 1

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG33803 RWD 4500 159" WB Diesel

CATEGORY

Code	Description	MSRP
GVWR		
C71	GVWR 14,200 LBS. (6441 KG) (Requires *G33803 model, (NE7) 57 gallon (215.7L) (approximate) fuel tank except when (B3D) Shuttle Bus Package is ordered, (LGH) Duramax 6.6L Turbo Diesel V8 engine, (GT4) 3.73 rear axle ratio, (XHF) front LT225/75R16E all-season blackwall tires and (YHF) rear LT225/75R16E all-season blackwall tires. In CA, CT, DE, GA, ME, NJ, NY, PA, and TX, GVWR will be reduced to (C8V) 13,980 (6341 kg) GVWR unless either (YF1) RV Package, (YF2) Ambulance Package, (B3D) School Bus Package or (ANC) Shuttle Bus Package is ordered with (LGH) engine.)	W/A
AIR CONDITIONING		
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL (STD)	W/A
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO WITH SEEK-AND-SCAN, DIGITAL CLOCK AND 2 FRONT DOOR SPEAKERS (Not available with (YF1) RV Package.)	W/A
ADDITIONAL EQUIPMENT		
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL (Included with (YF1) RV Package or (ANC) Shuttle Bus Package. Required with (UF3) High idle switch on models not ordered with (YF2) Ambulance Package.)	W/A
DHC	MIRRORS, OUTSIDE WIDE-STANCE SAIL PANEL MOUNTED (VELVAC). Provides Velvac convex combination RH and LH outside rear view mirrors that are sail panel mounted with arms that provide a wide stance. Mirrors can be utilized with bodies that are up to 96 inch width. Mirrors provide a 63.3 sq. inch flat glass positioned over a 30.1 sq. inch convex glass within a common head. Mirrors are shipped loose in vehicle (Not available with (B3D) School Bus Package.)	W/A
K34	CRUISE CONTROL (Included and only available with (ZQ3) Convenience Package or (YF2) Ambulance Package or (YF1) RV Package or (UF3) High idle switch.)	W/A

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0109D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 4500 1

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2011 Fleet/Non-Retail CG33803 RWD 4500 159" WB Diesel

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ADDITIONAL EQUIPMENT		
D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT (Included with (B3D) School Bus Package.)	W/A
VQ1	FLEET PROCESSING OPTION	W/A
OPTIONS TOTAL		W/A

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0109D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 4500 1

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG33803 RWD 4500 159" WB Diesel

ENTERTAINMENT

- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers (Not available with (UM7) AM/FM stereo, (U1C) AM/FM stereo with CD player, (US8) AM/FM stereo with CD/MP3 player, or (UL5) radio delete)

EXTERIOR

- Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel heavy duty (Only available with (R05) dual rear wheel configuration)
- Tires, front LT225/75R16E all-season, blackwall
- Tires, rear LT225/75R16E all-season, blackwall
- Wheel configuration, rear, dual
- Bumper, front painted Black with step-pad (Not available with (ZR7) Appearance Package or (YF1) RV Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- Flasher, heavy duty light emitting diode (LED), formerly known as SEO (8H9)
- Mirrors, outside delete
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0109D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 4500 1

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG33803 RWD 4500 159" WB Diesel

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints includes inboard armrests (Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)
- Seating arrangement, driver and front passenger highback bucket includes head restraints and vinyl or cloth trim
- Air conditioning, single-zone manual
- Cup holders, 3 on the engine console cover
- Power outlets 2 auxiliary on engine console cover with covers, 12-volt
- Floor covering, Black rubberized-vinyl front
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Warning tones, headlamp on and key-in-ignition
- Oil life monitor
- Theft-deterrent system, vehicle, PASS-Key III
- Heater and defogger with front and side window defoggers
- Defogger, side windows
- Headliner, cloth, over driver and passenger
- Visors, driver and front passenger, cloth, padded
- Assist handle, front passenger
- Lighting, interior with dome light and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0109D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 4500 1

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG33803 RWD 4500 159" WB Diesel

MECHANICAL

- Engine, Duramax 6.6L V8 Turbo Diesel (260 hp [193.9 kW] @ 3100 rpm, 525 lb-ft of torque [708.7 N-m] @ 1600 rpm) with B20 Bio-Diesel capability (see owner's manual for details) (Includes (GT4) 3.73 rear axle ratio, (MYD) heavy-duty, 6-speed automatic transmission, (V14) external transmission oil cooler, dual 770 cold-cranking amp batteries and engine oil cooler. Included with (YF2) Ambulance Package. Reference the Engine/Axle page for availability.)
- Transmission, 6-speed automatic, heavy-duty electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler (Reference the Engine/Axle page for availability.)
- Rear Axle, 3.73 Ratio
- Body, standard
- Brake/transmission shift interlock for automatic transmissions
- Tow/haul mode selector, instrument panel-mounted
- Transmission oil cooler, external
- Rear wheel drive
- Batteries, dual heavy-duty 770 cold-cranking amps maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, ladder-type
- Incomplete vehicle certification
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear hypoid drive axle with multi-leaf springs
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Fuel tank capacity, mid-frame and approximately 33 gallons (124.9L)
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
Vehicle Confirmation Sheet
Spec #3958-0109D

Prepared By:
Brian Strong
Garber Automotive Group-Fleet
1700 North Saginaw Rd.
Midland, MI 48640
Phone: (989) 839-9944
Fax: (989) 633-1092
Email:
bstrong@garberchevrolet.com

2011 Fleet/Non-Retail Chevrolet Express Commercial Cutaway RWD 4500 1

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2011 Fleet/Non-Retail CG33803 RWD 4500 159" WB Diesel

SAFETY

- Air bags, frontal, driver and right-front passenger (Not available with (ZX1) driver only high-back bucket seat. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Air bag deactivation switch, frontal, passenger-side (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 164.1, Data updated 9/7/2010 3:23:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: