


STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

APPENDIX A

SPECIFICATIONS AND PRICING
INFORMATION
FOR
PASSENGER VEHICLES & TRUCKS
2008 MODEL YEAR



Bill Snethkamp Dodge - MiDEAL

Contract # 071B8200125

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INDEX TO

SPECIFICATIONS FOR
2008 PASSENGER VEHICLES & TRUCKS

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>	<u>PAGE NO</u>
Passenger Vehicle Equipment	Preface	A
Truck Equipment	Preface	B-B1
Pre-Delivery Service	Preface	C-C1
Receiving Procedure	Preface	D

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

The dealer's vehicle order confirmation sheet listing all the standard options provided with the vehicle in accordance with the State of Michigan Specification shall be provided at each of these steps in the process:

- With dealers bid submittal to the State of Michigan**
- With original quote from the dealer to the customer**
- Upon delivery of the vehicle from the dealer to the customer**
- Customer shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**Diesel Vehicles are indicated with a “D” at the end of the specification number.
Alternative Fuel vehicles are indicated with a “A” at the end of the specification number.**

PASSENGER VEHICLES

Small, 4-Door Sedan, Auto. Trans.	3905-0002
Large-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0003
Alt Fuel - 4-Door Sedan, Auto. Trans.	3905-0003A
Mid-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0004
Large, Administrator Series, 4 -Door Sedan, Auto. Trans.	3905-0005

STATION WAGONS

5-Passenger, Auto. Trans., 4 door	3905-0017
-----------------------------------	-----------

Multi Functional Utility Vehicle,

5 Passenger, 4-Door, Auto. Trans., 4 door	3905-0018
Alt Fuel - 5 Passenger, Auto. Trans., 4 door	3905-0018A
6-7 Passenger, 4-Door, Auto. Trans.	3905-0019

TRUCKS, LIGHT DUTY

Pick-Up, 7 Ft. Box, Standard Cab, Payload – 1,000 lbs., min.	3958-0020
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,260 lbs., min.	3958-0023
Pick-Up, 6 Ft. Box, Payload - 1,600 lbs., min., “Work Truck”	3958-0025
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026
Alt Fuel -Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min	3958-0027
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min.	3958-0027A
Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028
Alt Fuel - Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028A

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029D
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0030
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030A
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031D

VANS, PASSENGER AND UTILITY

Panel Van, Payload - 1,700 lbs., min.	3958-0032
Utility Vehicle, 4 Door, 5-6 Passenger, Payload 1,500 lbs., min.	3905-0034
Sport Van, 8 Passenger, Payload - 1,600 lbs., min.	3905-0035
Utility Vehicle, Large, 6-Passenger, Payload - 1,940 lbs., min.	3905-0036
Sport-Van, 12-Passenger, Payload - 2,649 lbs., min.	3905-0037
Panel Van, Payload - 3,100 lbs., min.	3958-0039
Van, 15-Passenger	3905-0040
Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042
Alt Fuel -Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042A
Van, Cargo, Compact, Front Wheel Drive	3958-0044
Van, 7 Passenger, Compact, Long Wheel Base, Front Wheel Drive	3905-0045
Alt Fuel -Van, 7 Passenger, Compact, Extended Body, Front Wheel Drive	3905-0045A

TRUCKS, LIGHT DUTY

Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046
Diesel - Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046D

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047D
Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payload - 4,200 lbs., min.	3958-0048
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payld - 4,200 lbs.	3958-0048D
Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049
Diesel - Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051D
 <u>VANS, COMMERCIAL</u>	
Van, Commercial, 10-Passenger, Raised Roof, Payload - 3,200 lbs., min.	3905-0057
Van, Commercial, Cargo, Raised Roof, Payload - 4,800 lbs., min.	3905-0058
 <u>TRUCKS AND BODIES, MEDIUM DUTY</u>	
Cab and Chassis, approx. 137" W.B., G.V.W.R. 10,000 lbs., Gas	3958-0072
Cab and Chassis, approx. 128" W.B., G.V.W.R. 12,500 lbs., Diesel	3958-0073
Dump Body and Hoist, 2 cu. yd.	3958-0074
Stake Body, 9 Ft.	3958-0075
Stake Body and Hydraulic Hoist, 9 Ft.	3958-0076
Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077
Diesel - Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077D
Cab and Chassis, approx. 152" W.B., Payload 6,675 lbs., min. Diesel	3958-0078
Stake Body, 12 Ft.	3958-0079

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0080
<u>TRUCKS, LIGHT DUTY, 4X4</u>	
Utility Vehicle, 4 Door, Payload 900 lbs., min.	3958-0083
Alt Fuel - Utility Vehicle, 4 Door, 2 Wheel Drive, Payload – 900 lbs., min.	3958-0083A
Pick-Up, 7 Ft. Box, Standard Cab, Payload 1,000 lbs., min.	3958-0084
Utility Vehicle, 4 Door, 6 Passenger, Payload 1,480 lbs., min.	3958-0085
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086A
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087
Alt Fuel -Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089D
Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090
Alt Fuel - Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090A
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091
Alt Fuel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091A
Pick-Up, 8 Ft. Box, Standard Cab, Payload – 2,800 lbs., min.	3958-0092
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 2,800 lbs., min.	3958-0092D
Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093
Diesel - Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093D
Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Alt Fuel - Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094A
 <u>TRUCKS, MEDIUM DUTY, 4X4</u>	
Cab and Chassis, Body and Payload - approx. 13,000 lbs., min. 25,950 lbs. Min. G.V.W.R., Diesel engine	3958-0096
Cab and Chassis, approx. 137" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,800 lbs., min.	3958-0098
Cab and Chassis, approx. 161" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,930 lbs., min.	3958-0099
 <u>TRUCK, CUT-AWAY AND VAN BODY</u>	
Truck, Cut-Away, 8,900 lbs. G.V.W.R.	3958-0100
Truck, Cut-Away, 10,000 lbs. G.V.W.R	3958-0101
Van Body, Cut-Away Aluminum	3958-0102
Van Body, Cut-Away, Fiberglass Reinforced Plastic (F.R.P.)	3958-0103
Van, Full Body, Aluminum	3958-0104
Van, Full Body, Fiberglass Reinforced Plastic F.R.P.	3958-0105
Truck, Cut-Away, 11,000 lbs. G.V.W.R	3958-0108
Truck, Cut-Away, 14,000 lbs. G.V.W.R	3958-0109
 <u>TRUCKS AND BODIES, HEAVY DUTY</u>	
Cab and Chassis, approx. 128" W.B., G.V.W.R 14,500 lbs., Gas	3958-0110
Cab and Chassis, approx. 128" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0111
Cab and Chassis, approx. 140" W.B., G.V.W.R 14,000 lbs. Gas, (4 x 4)	3958-0112
Cab and Chassis, approx 140" W.B., G.V.W.R 14,500 lbs., Diesel, (4 x 4)	3958-0113
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Gas	3958-0114
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0115
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Gas, (4 x 4)	3958-0116

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Diesel, (4 x 4)	3958-0117
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.. Low Pro	3958-0134
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.	3958-0135
Cab and Chassis, approx. 152" W.B., G.V.W.R 23,500 lbs., Diesel	3958-0136
Stake Body, 12 Ft.	3958-0137
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0141
Dump Body and Hydraulic Hoist, 5-6 Yd.	3958-0158
Cab and Chassis, approx. 169" W.B., G.V.W.R 33,000 lbs. Diesel, 170 HP	3958-0160
Stake Body, 14 Ft.	3958-0161

TRUCKS AND BODIES, HEAVY DUTY

Cab and Chassis, approx. 217" W.B., G.V.W.R 27,000 lbs. Diesel, 210 HP	3958-0164
Van Body, 20 Ft., Aluminum	3958-0165
Van Body, 20 Ft., Fiberglass Reinforced Plastic, F.R.P.	3958-0167
Cab and Chassis, approx. 112" W.B., G.V.W.R 44,000 lbs., Diesel Single Axle	3958-0170
Dump Body and Hydraulic Hoist, 6.5 cu. yd.	3958-0171
Cab and Chassis, approx. 211" W.B., G.V.W.R 64,000 lbs., Diesel Tandem Axle	3958-0172
Cab and Chassis, approx. 177" W.B., G.V.W.R 52,000 lbs., Diesel Tandem Axle	3958-0173
Dump Body and Hydraulic Hoist, 10-12 cu. yd.	3958-0174

TRACTORS

70,000 lbs. G.C.W.R., Diesel Engine	3958-0178
-------------------------------------	-----------

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
<u>TAIL GATES</u>	
Hydraulic Power Tail Gate, 2,000 lbs. Capacity, 15,000 G.V.W.R., Conventional Type	3958-0215
Hydraulic Power Tail Gate, 3,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0216
Hydraulic Power Tail Gate, 4,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0217
Hydraulic Power Tail Gate, Various Capacities, 15,000 G.V.W.R., Stow Away Type	3958-0218
Hydraulic Tailgate, approx. 1,000 Lb. Capacity, 10,000 G.V.W.R. or less, (Step Van, Parcel Vans or Pick-Ups)	3958-0219
Hydraulic Tailgate, approx. 1,500 Lb. Capacity, (10,000 G.V.W.R. and smaller, stake body) Fold-Up Type Or Tuck-Away Type	3958-0220
Hydraulic Tailgate, 1,250 to 4,000 lb. Capacities, Rail Type	3958-0221

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PASSENGER VEHICLE EQUIPMENT

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

Air Bag, Dual

Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)

Air Conditioning.

Anti-freeze protection-to -30°F.

Battery-Maximum CCA available.

Brakes-Anti Locking System (ABS)

Color-Manufacturers Standard Color to be selected.

Defroster-Electric, rear window.

Floor Mats-Mfg. Stnd. , front and rear, color coordinated.

Glass-Tinted, all around.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

Lights, Daytime Running (If available from manufacturer as standard equipment)

Mirror-Right-hand, outside (factory installed).

Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.

Pre-delivery inspection and servicing.

Radio-AM/FM mfg. standard, factory installed.

Rear Axle Ratio for maximum mileage in highway driving.

Seats; Front, Split Bench or Bucket Type

Speed Control, factory installed

Steering-Power, Tilt Wheel.

Tires, Radial, Manufacturers Standard

Upholstery, Seats - Cloth or Cloth and Vinyl.

Wipers, Windshield - dual, intermittent, electric with automatic type washers.

**ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE
FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.**

Note: No dealer advertising decals are to be on vehicle.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

12 Volt auxiliary outlet

Air Conditioning - All trucks

Anti-freeze protection, to -30°F.

Arm Rest-Driver's side.

Color-Manufacturers Standard to be selected.

Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

Dome Light.

Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT)

Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT (Continued)

Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.

Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.

Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.

Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.

Pre-delivery inspection and servicing.

Radio - AM/FM Manufacturers Standard, Factory Installed

Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)

Seats-Split Bench type, unless otherwise specified

Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.

Speed Control, Factory Installed

Steering-Power, Tilt Wheel

Sun visors-dual.

Jack-Furnish on trucks up to and including 12,000 G.V.W.R.

Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

1. General appearance of body both interior and exterior for completeness and quality of workmanship.
2. Lubrication and fluid levels and correcting any leaks:
 - a. Radiator
 - b. Windshield Washer
 - c. Battery
 - d. Power steering pump
 - e. Brake master cylinder
 - f. Engine oil
 - g. Transmission fluid level.
3. Mechanical operation of vehicle:
 - a. Steering gear and linkage
 - b. Suspension assembly, front and rear
 - c. Proper tire pressure to normal rated road requirements
 - d. Hood latch
 - e. Head lights, aim and adjust
 - f. Front wheel toe in and torque wheel nuts
 - g. Seat and shoulder belts operative
 - h. All locks and latches to be operative
 - i. Windshield wiper and washer to be operative
 - j. Proper adjustment to all drive belts
4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.
5. **Miscellaneous items to be furnished:**
 - a. **Manufacturers Window Sticker shall not be removed from vehicle**
 - b. **Odometer Certification, and Vehicle Curb Weight at time of delivery**
 - c. **Manufacturers or Dealers Pre-Delivery Check Sheet**
 - d. **Vehicle shall have a Minimum of (4) Gallons of Fuel in tank when delivered**
 - e. **Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE (Continued)

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

It is intended that vehicles delivered in accordance with the Michigan specifications will be complete, including mechanical details, general workmanship and appearance, and shall be delivered complete with all warranty service books and identification plate.

Failure to adhere to specifications may be reason to delay payment.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

RECEIVING PROCEDURE

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the vendor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the receiving agency.

It is recommended that the following items be checked prior to signing the Freight Bill:

1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.
2. Visually inspect under hood for the following items:
 - a. Air cleaner
 - b. Battery and caps
 - c. Radiator cap
 - d. Windshield washer container.
3. Check for cracked or broken windows.
4. Check trunk compartment for the following:
 - a. Spare tire and wheel
 - b. Jack
 - c. Wheel wrench
 - d. Four hub caps
 - e. Trunk mat.
5. Check interior of vehicle for the following items:
 - a. Owner's manual and warranty material
 - b. Cigarette lighter
 - c. Two sets of keys (Three sets for MDOT)
 - d. Make sure all seat belts are installed
 - e. Sun visors
 - f. Upholstery damage or excessive soil.

It is the responsibility of the agency to check for any other items that could possibly have been missing in accordance with the purchase order and the specification data.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0002
August 2007

PASSENGER VEHICLES: SMALL-SIZE (Front Wheel Drive)
4-Door Sedan -(Automatic Transmission)

MODEL-2008 CURRENT NEW

<u>MAKE</u>	<u>W.B.</u>	<u>ENGINE</u>	<u>CYL.</u>
Chevrolet Cobalt	103.3	2.2L	4
Dodge Caliber	103.7	1.8L	4
Dodge Avenger	108.9	2.4L	4
Ford Focus	103.0	2.0L	4

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- Air Bag, Dual
- Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- Air Conditioning.
- Anti-freeze protection-to -30°F.
- Battery-Maximum CCA available.
- Brakes-Anti Locking System (ABS)
- Color-Manufacturers Standard Color to be selected.
- Defroster-Electric, rear window.
- Floor Mats-Mfg. Std. , front and rear, color coordinated.
- Glass-Tinted, all around.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Lights, Daytime Running (If available from manufacturer as standard equipment)
- Mirror-Right-hand, outside (factory installed).
- Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

STANDARD FACTORY EQUIPMENT CONTINUED

- Pre-delivery inspection and servicing.
- Radio-AM/FM mfg. standard, factory installed.
- Rear Axle Ratio for maximum mileage in highway driving.
- Seats; Front, Split Bench or Bucket Type
- Speed Control, factory installed
- Steering-Power, Tilt Wheel.
- Tires, Radial, Manufacturers Standard
- Upholstery, Seats - Cloth or Cloth and Vinyl.
- Wipers, Windshield - dual, intermittent, electric with automatic type washers.

Delete: On GM vehicles, OnStar and XM radio are deleted.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE
FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:
(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and shall be included on all MDOT passenger vehicles.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Locks; power with remote
- Traction Control

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>PASSENGER VEHICLES: SMALL-SIZE (Front Wheel Drive)</u>		
Mich. Spec. #3905-0002		
Standard Equipped Per above Specification	Standard Equipped Cost	
Make: Dodge Model: Caliber SE F.O.B. - Dealership Delivery Cost Per Mile \$2.00	\$14,256.95*	
Final Point of Assembly: Belvidere, IL		
<u>Dealer Information</u>		
Dealer Name:		
Bill Snethkamp Dodge, Inc.		
Street Address:		
6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 12:28
Estimated Ship Date:

VIN: - 0002
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

PMDL49 2008 Dodge CALIBER SE

	Equipment	Description
Model:	PMDL49	Dodge CALIBER SE
Package:	24A	Customer Preferred Package 24A
	ECN	2.0L 4 Cyl DOHC 16V Dual VVT Engine
	DAV	Continuously Variable Transaxle II
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*E7	Cloth Low-Back Bucket Seats
	-DV	Dark Slate Gray
Options:	HAA	A/C with Chill Zone (TM) Storage
	NHM	Speed Control
	CLX	Luxury Front & Rear Floor Mats
	K37	Body Color Bodyside Molding
	4FT	Fleet Sales Order
Discounts:	YG6	6.2 Additional Gallons of Gas
	NAA	Federal Emissions
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221010

Purchase Order:

PSP Week(month/week):

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>PASSENGER VEHICLES: SMALL-SIZE (Front Wheel Drive)</u>		
Mich. Spec. #3905-0002		
Standard Equipped Per above Specification	Standard Equipped Cost	
Make: Dodge Model: Avenger SE <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$2.00	\$14,968.95*	
Final Point of Assembly: Sterling Heights, MI		
<u>Dealer Information</u>		
Dealer Name:		
Bill Snethkamp Dodge, Inc.		
Street Address:		
6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 12:29
Estimated Ship Date:

VIN: -0002
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

JSDH41 2008 Dodge AVENGER SE

	Equipment	Description
Model:	JSDH41	Dodge AVENGER SE
Package:	24Y	Customer Preferred Package 24Y
	ED3	2.4L 4 Cyl DOHC 16V Dual VVT Engine
	DFP	4-Speed Automatic VLP 41TE Trans
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*N8	Cloth Low-Back Bucket Seats
	-DB	Dk/Lt Slate Gray
Options:	CLX	Luxury Front & Rear Floor Mats
	K37	Body Color Molding
	BRJ	Anti-Lock Frt Disc/Rr Drum Brakes
	4FT	Fleet Sales Order
Discounts:	YGH	10 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221008

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

Purchase Order:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0003
August 2007

PASSENGER VEHICLES: LARGE-SIZE (Front Wheel Drive)
4-Door Sedan -(Automatic Transmission)

MODEL-2008 CURRENT NEW

<u>MAKE</u>	<u>W.B.</u>	<u>ENGINE</u>	<u>CYL.</u>
Buick Lacrosse	110.5	3.8L	6
Chevrolet Impala	110.5	3.5L	6
Dodge Avenger	108.9	2.7L	6
Ford Fusion	107.4	3.0L	6
Ford Taurus	112.9	3.5L	6

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- Air Bag, Dual
- Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- Air Conditioning.
- Anti-freeze protection-to -30°F.
- Battery-Maximum CCA available.
- Brakes-Anti Locking System (ABS)
- Color-Manufacturers Standard Color to be selected.
- Defroster-Electric, rear window.
- Floor Mats-Mfg. Stnd. , front and rear, color coordinated.
- Glass-Tinted, all around.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Lights, Daytime Running (If available from manufacturer as standard equipment)
- Mirror-Right-hand, outside (factory installed).
- Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

STANDARD FACTORY EQUIPMENT CONTINUED

- Pre-delivery inspection and servicing.
 - Radio-AM/FM mfg. standard, factory installed.
 - Rear Axle Ratio for maximum mileage in highway driving.
 - Seats; Front, Split Bench or Bucket Type
 - Speed Control, factory installed
 - Steering-Power, Tilt Wheel.
 - Tires, Radial, Manufacturers Standard
 - Upholstery, Seats - Cloth or Cloth and Vinyl.
 - Wipers, Windshield - dual, intermittent, electric with automatic type washers.
- Delete: On GM vehicles, OnStar and XM radio are deleted.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included all MDOT passenger vehicles.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Locks; power with remote
- Traction Control

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>PASSENGER VEHICLES: LARGE-SIZE (Front Wheel Drive)</u>		
4-Door Sedan -(Automatic Transmission)		
Mich. Spec. #3905-0003		
Standard Equipped Per above Specification	Standard Equipped Cost	
Make: Dodge Model: Avenger SE F.O.B. - Dealership Delivery Cost Per Mile \$2.00	\$16,339.95*	
Final Point of Assembly: Sterling Heights, MI		
<u>Dealer Information</u>		
Dealer Name:		
Bill Snethkamp Dodge, Inc.		
Street Address:		
6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 12:37
Estimated Ship Date:

VIN: **-0003-VK**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

JSDH41

2008 Dodge AVENGER SE

	Equipment	Description
Model:	JSDH41	Dodge AVENGER SE
Package:	28Z	Customer Preferred Package 28Z
	EER	2.7L V6 DOHC 24 Valve MPI Engine
	DFP	4-Speed Automatic VLP 41TE Trans
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*C7	Premium Cloth Bucket Seats
	-DB	Dk/Lt Slate Gray
Options:	K37	Body Color Molding
	CLX	Luxury Front & Rear Floor Mats
	4FT	Fleet Sales Order
Discounts:	3UB	Customer Preferred Discount
	YGH	10 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221008

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0003A
August 2007

PASSENGER VEHICLES
ALTERNATE FUEL VEHICLES
4-Door Sedan -(Automatic Transmission)

MODEL-2008 CURRENT NEW

<u>MAKE</u>	<u>W.B.</u>	<u>ENGINE</u>	<u>CYL.</u>	<u>TYPE OF FUEL</u>
Chevrolet Impala	110.5	3.5L/3.9L	6	E-85
Chevrolet Malibu	112.3	2.4L	I-4	Hybrid
Dodge Avenger	108.9	2.7L	6	E-85
Chrysler Sebring	108.9	2.7L	6	E-85
Ford Crown Victoria	114.4	4.6L	V-8	E-85
Mercury Grand Marquis	114.4	4.6L	V-8	E-85

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- Air Bag, Dual
- Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- Air Conditioning.
- Anti-freeze protection-to -30°F.
- Battery-Maximum CCA available.
- Brakes-Anti Locking System (ABS)
- Color-Manufacturers Standard Color to be selected.
- Defroster-Electric, rear window.
- Floor Mats-Mfg. Std. , front and rear, color coordinated.
- Glass-Tinted, all around.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Lights, Daytime Running (If available from manufacturer as standard equipment)
- Mirror-Right-hand, outside (factory installed).

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

STANDARD FACTORY EQUIPMENT CONTINUED

- Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
- Pre-delivery inspection and servicing.
- Radio-AM/FM mfg. standard, factory installed.
- Rear Axle Ratio for maximum mileage in highway driving.
- Seats; Front, Split Bench or Bucket Type
- Speed Control, factory installed
- Steering-Power, Tilt Wheel.
- Tires, Radial, Manufacturers Standard
- Upholstery, Seats - Cloth or Cloth and Vinyl.
- Wipers, Windshield - dual, intermittent, electric with automatic type washers.

Delete: On GM vehicles, OnStar and XM radio are deleted.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE
FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on all MDOT passenger vehicles.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Locks; power with remote
- Traction Control

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>ALTERNATIVE FUEL PASSENGER VEHICLES:</u>		
4-Door Sedan -(Automatic Transmission)		
Mich. Spec. #3905-0003A		
Standard Equipped Per above Specification	Standard Equipped Cost	
Make: Dodge Model: Avenger SE F.O.B. - Dealership Delivery Cost Per Mile \$2.00	\$16,339.95*	
Final Point of Assembly: Sterling Heights, MI		
<u>Dealer Information</u>		
Dealer Name:		
Bill Snethkamp Dodge, Inc.		
Street Address:		
6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 12:37
Estimated Ship Date:

VIN: **-0003A**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

JSDH41

2008 Dodge AVENGER SE

	Equipment	Description
Model:	JSDH41	Dodge AVENGER SE
Package:	28Z	Customer Preferred Package 28Z
	EER	2.7L V6 DOHC 24 Valve MPI Engine
	DFP	4-Speed Automatic VLP 41TE Trans
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*C7	Premium Cloth Bucket Seats
	-DB	Dk/Lt Slate Gray
Options:	K37	Body Color Molding
	CLX	Luxury Front & Rear Floor Mats
	4FT	Fleet Sales Order
Discounts:	3UB	Customer Preferred Discount
	YGH	10 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221008

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0004
August 2007

PASSENGER VEHICLES: MID-SIZE (Front Wheel Drive)
4-Door Sedan -(Automatic Transmission)

MODEL-2008 CURRENT NEW

<u>MAKE</u>	<u>W.B.</u>	<u>ENGINE</u>	<u>CYL.</u>
Chevrolet Malibu	112.3	2.4L	4
Chrysler Sebring Sedan	108.9	2.7L	6
Dodge Avenger	108.9	2.4L	4
Ford Fusion	107.4	2.3L	4
Pontiac G6	112.3	2.4L	4

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- Air Bag, Dual
- Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- Air Conditioning.
- Anti-freeze protection-to -30°F.
- Battery-Maximum CCA available.
- Brakes-Anti Locking System (ABS)
- Color-Manufacturers Standard Color to be selected.
- Defroster-Electric, rear window.
- Floor Mats-Mfg. Std. , front and rear, color coordinated.
- Glass-Tinted, all around.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Lights, Daytime Running (If available from manufacturer as standard equipment)
- Mirror-Right-hand, outside (factory installed).
- Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Pre-delivery inspection and servicing.
 - Radio-AM/FM mfg. standard, factory installed.
 - Rear Axle Ratio for maximum mileage in highway driving.
 - Seats; Front, Split Bench or Bucket Type
 - Speed Control, factory installed
 - Steering-Power, Tilt Wheel.
 - Tires, Radial, Manufacturers Standard
 - Upholstery, Seats - Cloth or Cloth and Vinyl.
 - Wipers, Windshield - dual, intermittent, electric with automatic type washers.
- Delete: On GM vehicles, OnStar and XM radio are deleted.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:
(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on all MDOT passenger vehicles.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Locks; power with remote
- Seats-Bucket type, front
- Traction Control

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>PASSENGER VEHICLES: MID-SIZE (Front Wheel Drive)</u>		
4-Door Sedan -(Automatic Transmission)		
Mich. Spec. #3905-0004		
Standard Equipped Per above Specification	Standard Equipped Cost	
Make: Dodge Model: Avenger <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$2.00	\$14,968.95*	
Final Point of Assembly: Sterling Heights, MI		
<u>Dealer Information</u>		
Dealer Name:		
Bill Snethkamp Dodge, Inc.		
Street Address:		
6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 12:29
Estimated Ship Date:

VIN: -0004
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

JSDH41 2008 Dodge AVENGER SE

	Equipment	Description
Model:	JSDH41	Dodge AVENGER SE
Package:	24Y	Customer Preferred Package 24Y
	ED3	2.4L 4 Cyl DOHC 16V Dual VVT Engine
	DFP	4-Speed Automatic VLP 41TE Trans
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*N8	Cloth Low-Back Bucket Seats
	-DB	Dk/Lt Slate Gray
Options:	CLX	Luxury Front & Rear Floor Mats
	K37	Body Color Molding
	BRJ	Anti-Lock Frt Disc/Rr Drum Brakes
	4FT	Fleet Sales Order
Discounts:	YGH	10 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221008

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

Purchase Order:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0005
August 2007

PASSENGER VEHICLES: LARGE- ADMINISTRATOR SERIES
4-Door Sedan - (Automatic Transmission)

MODEL-2008 CURRENT NEW

<u>MAKE</u>	<u>W.B.</u>	<u>ENGINE</u>	<u>CYL.</u>
Buick Lucerne	115.6	3.8L	V-6
Chrysler 300	120.0	3.5L	V-6
Chevrolet Impala LT	110.5	3.5L	V-6
Dodge Charger	120.0	3.5L	V-6
Ford Crown Victoria	114.7	4.6L	V-8
Mercury Grand Marquis	114.7	4.6L	V-8

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- Air Bag, Dual
- Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- Air Conditioning.
- Anti-freeze protection-to -30°F.
- Battery-Maximum CCA available.
- Brakes-Anti Locking System (ABS)
- Color-Manufacturers Standard Color to be selected.
- Defroster-Electric, rear window.
- Floor Mats-Mfg. Std. , front and rear, color coordinated.
- Glass-Tinted, all around.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Lights, Daytime Running (If available from manufacturer as standard equipment)
- Mirror-Right-hand, outside (factory installed).

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

STANDARD FACTORY EQUIPMENT CONTINUED

- Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
 - Pre-delivery inspection and servicing.
 - Radio-AM/FM mfg. standard, factory installed.
 - Rear Axle Ratio for maximum mileage in highway driving.
 - Seats; Front, Split Bench or Bucket Type
 - Speed Control, factory installed
 - Steering-Power, Tilt Wheel.
 - Tires, Radial, Manufacturers Standard
 - Upholstery, Seats - Cloth or Cloth and Vinyl.
 - Wipers, Windshield - dual, intermittent, electric with automatic type washers.
- Delete: On GM vehicles, OnStar and XM radio are deleted.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:
(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on all MDOT passenger vehicles.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Locks; power with remote
- Traction Control

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>PASSENGER VEHICLES: LARGE- ADMINISTRATOR SERIES</u>		
4-Door Sedan - (Automatic Transmission) Mich. Spec. #3905-0005		
Standard Equipped Per above Specification	Standard Equipped Cost	
Make: Dodge Model: Charger RWD F.O.B. - Dealership Delivery Cost Per Mile: \$2.00	\$17,345.50*	
Final Point of Assembly: Brampton, Ontario, CAN		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 26, 2007 16:50
Estimated Ship Date:

VIN: -0005
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

LXDH48

2008 Dodge CHARGER RWD

	Equipment	Description
Model:	LXDH48	Dodge CHARGER RWD
Package:	26C	Customer Preferred Package 26C
	EGG	3.5L High Output V6 24V MPI Engine
	DGV	4-Spd. Automatic VLP 42RLE Trans
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*E7	Cloth Low-Back Bucket Seats
	-DV	Dark Slate Gray
Options:	CLZ	Front & Rear Floor Mats
	K77	Bodyside Body Color Narrow Molding
	4FT	Fleet Sales Order
Discounts:	YGF	8 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221005

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0018
August 2007

Multi-Functional Utility Vehicle, Front Wheel Drive,
5 Passenger, 4 Door, Automatic Transmission

MODEL-2008 CURRENT NEW

<u>MAKE</u>	<u>W.B.</u>	<u>ENGINE</u>	<u>CYL.</u>
Chevrolet HHR	103.5	2.2L	I-4
Ford Escape	103.1	2.3L	I-4
Jeep Liberty	104.2	2.8L	I-4
Jeep Patriot	103.7	2.4L	I-4
Pontiac Vibe	102.4	1.8L	I-4
Dodge Nitro	108.8	3.7L	V-6

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- Air Bag, Dual
- Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- Air Conditioning.
- Anti-freeze protection-to -30°F.
- Battery-Maximum CCA available.
- Brakes-Anti Locking System (ABS)
- Color-Manufacturers Standard Color to be selected.
- Defroster-Electric, rear window.
- Floor Mats-Mfg. Std. , front and rear, color coordinated.
- Glass-Tinted, all around.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Lights, Daytime Running (If available from manufacturer as standard equipment)
- Mirror-Right-hand, outside (factory installed).

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

STANDARD FACTORY EQUIPMENT CONTINUED

- Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
 - Pre-delivery inspection and servicing.
 - Radio-AM/FM mfg. standard, factory installed.
 - Rear Axle Ratio for maximum mileage in highway driving.
 - Seats; Front, Split Bench or Bucket Type
 - Speed Control, factory installed
 - Steering-Power, Tilt Wheel.
 - Tires, Radial, Manufacturers Standard
 - Upholstery, Seats - Cloth or Cloth and Vinyl.
 - Wipers, Windshield - dual, intermittent, electric with automatic type washers.
- Delete: On GM vehicles, OnStar and XM radio are deleted.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:
(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on all MDOT passenger vehicles.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Locks; power with remote
- Traction Control

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>Multi-Functional Utility Vehicle, Front Wheel Drive</u> 5 Passenger, 4 Door, Automatic Transmission Mich. Spec. #3905-0018		
Standard Equipped Per above Specification	Standard Equipped Cost	
Make: Dodge Model: Nitro SXT 4x2 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$2.00	\$17,439.95*	
Final Point of Assembly: Toledo, OH		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 14:51
Estimated Ship Date:

VIN: **-0018**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

KA1L74 2008 Dodge NITRO SXT 4X2

	Equipment	Description
Model:	KA1L74	Dodge NITRO SXT 4X2
Package:	24B	Customer Preferred Package 24B
	EKG	3.7L V6 Engine
	DGV	4-Spd. Automatic VLP 42RLE Trans
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*A7	Cloth Low-Back Bucket Seats
	-DV	Dark Slate Gray
Options:	AWQ	Fleet Comm Safety/Convenience Grp II
	4FT	Fleet Sales Order
Discounts:	YGE	5 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221013

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0020
August 2007

TRUCK: PICK-UP BODY MIDSIZE
(Approx. 7' Box) (Payload-1,000 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>FORD RANGER</u>	<u>DODGE DAKOTA</u>	<u>GMC CANYON CHEV COLORADO</u>
G.V.W.R. (lbs.)	4,720	5,000	4,850
Wheelbase (inches)	117.5	112.0	111.3
Engine: Gasoline	3.0L	3.7L	3.7L
Type & No. of Cylinders	6	V-6	I-5
Net H.P.-S.A.E.	148	210	242
Transmission: Automatic			
Axle, Min. Cap., Rear-lbs.	2,750	3,166	2,900
Springs, Cap. at Ground			
Front-lbs. each	1,200	1,500	1,266
Rear-lbs. each	1,375	1,625	1,450

Cab-Full width rear window.

Tires, Mfg. Standard, radial, tubeless, All Season or On/Off Road.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

STANDARD FACTORY EQUIPMENT CONTINUED

- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-60 amp. min.
- Axle, rear-limited slip
- Battery-12, Volt, 475 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY MIDSIZE</u> (Approx. 7' Box) (Payload-1,000 lbs., min.) Mich. Spec. #3958-0020	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Dodge Model: Dakota ST Ext. Cab 4x2 F.O.B. - Dealership Delivery Cost Per Mile: \$2.00	\$14,229.95*
Final Point of Assembly: Warren, MI	
<u>Dealer Information</u>	
Dealer Name: Bill Snethkamp Dodge, Inc.	
Street Address: 6131 S. Pennsylvania Ave.	
City: Lansing	State: MI
Zip: 48911	
Contact Name: Tony Sasso	
Telephone: (517) 394-1200	
Fax: (517) 394-1282	
Cell: (517) 490-7095	
E-mail: tsasso@snethkamp.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 15:17
Estimated Ship Date:

VIN: -0020
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

ND1L33 2008 Dodge DAKOTA ST EXTENDED CAB 4X2

	Equipment	Description
Model:	ND1L33	Dodge DAKOTA ST EXTENDED CAB 4X2
Package:	22A	Customer Preferred Package 22A
	EKG	"Magnum" 3.7L V6 Engine
	DGV	4-Spd. Automatic VLP 42RLE Trans
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*G5	Cloth Bucket Seats
	-DD	Dk Slate Gray/Med Slate Gray
Options:	AJK	Convenience Group
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Discounts:	NAA	Federal Emissions
	YGS	3 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221016

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0020

MAKE OF TRUCK: DODGE MODEL: ND1L33 GVWR 6010 lbs. ✓

PAYLOAD: 1720 ✓ W.B. 131.3 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 3.7 ✓ SAE H.P. 210 ✓

FUEL TANK(S) CAPACITY: 22 (GALS. TOTAL) TRANSMISSION: AUTO-4 ✓

SPRING CAP. @ GROUND EACH: FRONT 1500 ✓ lbs. REAR 1625 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 3100 lbs. REAR 3806 ✓ lbs. REAR RATIO 3.55

ALTERNATOR: 136 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P245/70R16 BSW - 0N/OFF 12D MFG. CODE _____ TVF ✓

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0023
August 2007

TRUCK: PICK-UP BODY MIDSIZE, EXTENDED CAB
(Approx. 6' Box) (Payload-1,260 lbs., min.)

MODEL-2008 CURRENT NEW

	DODGE DAKOTA ND1L33	<u>GMC CANYON CHEV. COLORADO</u>	<u>FORD RANGER</u>
G.V.W.R. (lbs.)	5,350	5,000	4,760
Wheelbase (inches)	130.9	126.0	125.9
Engine: Gasoline	3.7L	3.7L	3.0L
Type & No. of Cylinders	V-6	I-5	V-6
Net H.P.-S.A.E.	210	242	148
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	3,166	2,900	2,750
Springs, Cap. at Ground			
Front-lbs. each	1,500	1,267	1,200
Rear-lbs. each	1,625	1,450	1,300

Cab-Full width rear window.

Tires, Tubeless, Radial, to meet G.V.W.R. All Season or On/Off Road.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

STANDARD FACTORY EQUIPMENT CONTINUED

- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip
- Battery-12, Volt, 475 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-rear-View inside. Outside R.H. and L. H. below eye level, 34 sq. in. minimum, swing away type. Installed.
- Seats-Rear
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY MIDSIZE, EXTENDED CAB</u> (Approx. 6' Box) (Payload-1,260 lbs., min.) Mich. Spec. #3958-0023		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Dakota ST Ext Cab 4x2 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$14,551.95*	
Final Point of Assembly: Warren, MI		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 15:55
Estimated Ship Date:

VIN: **-0023**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

ND1L33 2008 Dodge DAKOTA ST EXTENDED CAB 4X2

	Equipment	Description
Model:	ND1L33	Dodge DAKOTA ST EXTENDED CAB 4X2
Package:	22A	Customer Preferred Package 22A
	EKG	"Magnum" 3.7L V6 Engine
	DGV	4-Spd. Automatic VLP 42RLE Trans
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*G5	Cloth Bucket Seats
	-DD	Dk Slate Gray/Med Slate Gray
Options:	DSA	Anti-Spin Differential Rear Axle
	AJK	Convenience Group
	CFR	Rear 40/40 Folding Split Seat
	CUC	Floor Console
	4FT	Fleet Sales Order
Discounts:	NAA	Federal Emissions
	YGS	3 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221016

Purchase Order:

PSP Week(month/week):

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0023

MAKE OF TRUCK: DODGE MODEL: ND1L33 GVWR 6010 lbs. ✓

PAYLOAD: 1720 ✓ W.B. 131.3 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 3.7 ✓ SAE H.P. 210. ✓

FUEL TANK(S) CAPACITY: 22 (GALS. TOTAL) TRANSMISSION: AUTO-4

SPRING CAP. @ GROUND EACH: FRONT 1500 ✓ lbs. REAR 1625 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 3100 ✓ lbs. REAR 3806 ✓ lbs. REAR RATIO 3.55

ALTERNATOR: 136 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR P245/70R216 BSW - ON/OFF ROAD. PR SINGLE _____ DUAL _____ M&S ✓

TIRE: MAKE _____ STYLE NO. _____ MFG. CODE TVF

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0025
August 2007

TRUCK: PICK-UP BODY
(6' Box) (Payload-1,600 lbs., min.)

(This vehicle may be considered to be a Manufacturers "WORK TRUCK" specification, which may not allow for addition or deletion of factory optional equipment, and paint colors may be limited.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>C10703</u>	DODGE DR1L61	FORD <u>F150</u>
G.V.W.R. (lbs.)	6,400	6,350	6,500
Wheelbase (inches)	119.0	120.5	126.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	4.3L	3.7L	4.2L
Type & No. of Cylinders	V-6	V-6	V-6
Net H.P.-S.A.E.	195	215	202
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	3,750	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,600	1,825	1,700
Rear-lbs. each	1,875	1,950	1,925

Cab-Full width rear window.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Seats, cloth
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY</u> (6' Box) (Payload-1,600 lbs., min.) Mich. Spec. #3958-0025		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$ 15,346.95*	
Final Point of Assembly: St. Louis, MO		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0025

MAKE OF TRUCK: DODGE MODEL: DR1L61 GVWR (4025 lbs) ?

PAYLOAD: (1470) ? W.B. 120.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 3.7 SAE H.P. 215 ✓

FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: AUTO-4L ✓

SPRING CAP. @ GROUND EACH: FRONT 1825 ✓ lbs. REAR 1950 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 3700 lbs. REAR 3900 ✓ lbs. REAR RATIO 3.92

ALTERNATOR: 136 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P265/70R17 BSW A/S MFG. CODE TTM

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0026
August 2007

TRUCK: PICK-UP BODY
(8 Foot Box) (Payload-1,600 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>C10903</u>	DODGE <u>DR1L62</u>	FORD <u>F150</u>
G.V.W.R. (lbs.)	6,400	6,550	6,800
Wheelbase (inches)	133.0	140.5	144.5
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	4.3L	4.7L	4.6L
Type & No. of Cylinders	V-6	V-8	V-8
Net H.P.-S.A.E.	195	235	248
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	3,750	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,650	1,825	1,650
Rear-lbs. each	1,875	1,950	1,900

Cab-Full width rear window.

Tires, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-75 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY</u> (8 Foot Box) (Payload-1,600 lbs., min.) Mich. Spec. #3958-0026	
Standard Equipped Per above Specification (including options as specified above)	Standard Equipped Cost
Make: Dodge Model: Ram 1500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$2.00	\$16,362.95*
Final Point of Assembly: St. Louis, MO	
<u>Dealer Information</u>	
Dealer Name: Bill Snethkamp Dodge, Inc.	
Street Address: 6131 S. Pennsylvania Ave.	
City: Lansing	State: MI
	Zip: 48911
Contact Name: Tony Sasso	
Telephone: (517) 394-1200	
Fax: (517) 394-1282	
Cell: (517) 490-7095	
E-mail: tsasso@snethkamp.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 16:44
Estimated Ship Date:

VIN: **-0026**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR1L62 2008 Dodge RAM 1500 ST / SXT (140.5 in WB 8 ft Box)

	Equipment	Description
Model:	DR1L62	Dodge RAM 1500 ST / SXT (140.5 in WB 8 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	DMD	3.55 Axle Ratio
	6FD	Paint Order Code
	NHM	Speed Control
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221020

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0026

MAKE OF TRUCK: DODGE MODEL: DR1L6Z GVWR 6600 lbs. ✓

PAYLOAD: 1810 ✓ W.B. 140.5 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4.7 SAE H.P. 310 ✓

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-5 ✓

SPRING CAP. @ GROUND EACH: FRONT 1825 lbs. REAR 1950 lbs. AUX. _____ lbs.

AXLES: FRONT 3700 lbs. REAR 3900. ✓ lbs. REAR RATIO 3.55

ALTERNATOR: 136 ✓ amps. BATTERY 600. ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE P245/70R17 BSW -A/S STYLE NO. _____ MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0026A
August 2007

TRUCK: PICK-UP BODY
ALTERNATE FUEL VEHICLES
(8 Foot Box) (Payload-1,500 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>FORD</u> <u>F150</u>	<u>CHEV/GMC</u> <u>C10903</u>	<u>DODGE</u> <u>DR1L62</u>
G.V.W.R. (lbs.)	7,050	6,400	6,600
Wheelbase (inches)	144.5	133	140.5
Type & Size of Body	Styleside	Fleetside	
Engine: Alternate Fuel	5.4L	5.3L	4.7L
Type of Fuel	E-85 FFV	E-85 FFV	E-85 FFV
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E. J1349	300	315	310
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	4,200	3,750	3,900
Springs, Min. Cap. at Ground			
Front-lbs. each	1,650	1,650	1,825
Rear-lbs. each	1,900	1,875	1,950

Cab-Full width rear window.

Tires, Tubeless, P235/75R15 minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-75 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Seats, cloth

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>ALTERNATIVE FUEL - TRUCK: PICK-UP BODY</u> (8 Foot Box) (Payload-1,600 lbs., min.) Mich. Spec. #3958-0026A		
Standard Equipped Per above Specification (including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$2.00	\$16,362.95*	
Final Point of Assembly: St. Louis, MO		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 16:44
Estimated Ship Date:

VIN: **-0026A**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR1L62 2008 Dodge RAM 1500 ST / SXT (140.5 in WB 8 ft Box)

	Equipment	Description
Model:	DR1L62	Dodge RAM 1500 ST / SXT (140.5 in WB 8 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	DMD	3.55 Axle Ratio
	6FD	Paint Order Code
	NHM	Speed Control
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221020

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

Purchase Order:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027
-------------------------------	-----------------------------------

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0026 A

MAKE OF TRUCK: DODGE MODEL: DR1262 GVWR 6600 lbs.

PAYLOAD: 1810 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4.7 SAE H.P. 310

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT 1825 lbs. REAR 1950 lbs. AUX. _____ lbs.

AXLES: FRONT 3700 lbs. REAR 3900. lbs. REAR RATIO 3.55

ALTERNATOR: 136 amps. BATTERY 600. cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE P245/70R17 BSW - A/S STYLE NO. _____ MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0027
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
(8 Foot Box, Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>FORD</u> <u>F150</u>	<u>CHEV/GMC</u> <u>C10953</u>	<u>DODGE</u> <u>DR1L42</u>
G.V.W.R. (lbs.)	8,200	6,900	6,700
Wheelbase (inches)	163.0	157.5	160.5
Type & Size of Body	Styleside	Fleetside/ Wideside	Sweptline
Engine: Gasoline	5.4L	5.3L	4.7L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	300	315	310
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,150	3,700	3,700
Rear	5,300	3,950	3,900
Springs, Min. Cap. at Ground			
Front-lbs. each	1,875	1,850	1,825
Rear-lbs. each	2,400	1,975	1,950

Tires, Tubeless, Radial, to meet G.V.W.R. All season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

STANDARD FACTORY EQUIPPED continued

- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Doors-Rear
- Fuel capacity - largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (8 Foot Box, Payload-1,400 lbs., min.) Mich. Spec. #3958-0027		
Standard Equipped Per above Specification (Including options specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$18,800.95*	
Final Point of Assembly: St. Louis, MO		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 17:16
Estimated Ship Date:

VIN: - 0027
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR1L42 2008 Dodge Ram 1500 ST / SXT (160.5 in WB 8 ft Box)

	Equipment	Description
Model:	DR1L42	Dodge Ram 1500 ST / SXT (160.5 in WB 8 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	DMH	3.92 Axle Ratio
	6FD	Paint Order Code
	NHM	Speed Control
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TF221022

PSP Week(month/week):

Customer Name:

Address:

Purchase Order:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0027

MAKE OF TRUCK: DODGE MODEL: DR142 GVWR 6700 lbs.

PAYLOAD: 1440 W.B. 160.5 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4.7 ✓ SAE H.P. 310 ✓

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-5 ✓

SPRING CAP. @ GROUND EACH: FRONT 1825 lbs. REAR 1950 lbs. AUX. _____ lbs.

AXLES: FRONT 3700 lbs. REAR 3900 lbs. REAR RATIO 3.92

ALTERNATOR: 136 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P245/70R17-A/S MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0027A
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
ALTERNATE FUEL VEHICLES
(8 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>C10953</u>	DODGE DR1L42
G.V.W.R. (lbs.)	6,900	6,700
Wheelbase (inches)	157.5	160.5
Type & Size of Body	Fleetside	TBD
Engine: Alternate Fuel	5.3L	4.7L
Type of Fuel	E-85	E-85 FFV
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E. J1349	315	310
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	3,950	3,900
Springs, Min. Cap. at Ground		
Front-lbs. each	1,850	1,825
Rear-lbs. each	1,975	1,950

Cab-Full width rear window.

Tires, Tubeless, P235/75R15 minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-75 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Seats, cloth

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> ALTERNATE FUEL VEHICLES (8 Foot Box) (Payload-1,500 lbs., min.) Mich. Spec. #3958-0027A		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT F.O.B. - Dealership Delivery Cost Per Mile: \$2.00	\$18,800.95*	
Final Point of Assembly: St. Louis, MO		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 17:16
Estimated Ship Date:

VIN: **-00274**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR1L42 2008 Dodge Ram 1500 ST / SXT (160.5 in WB 8 ft Box)

	Equipment	Description
Model:	DR1L42	Dodge Ram 1500 ST / SXT (160.5 in WB 8 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	DMH	3.92 Axle Ratio
	6FD	Paint Order Code
	NHM	Speed Control
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221022

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0027A

MAKE OF TRUCK: DODGE MODEL: D121L42 GVWR 6700 lbs. ✓

PAYLOAD: 1440 ✓ W.B. 160.5 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4.7 ✓ SAE H.P. 310 ✓

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT 1825 ✓ lbs. REAR 1950 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 3700 lbs. REAR 3900 ✓ lbs. REAR RATIO 3.92

ALTERNATOR: 136 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____
P245/70R17-A/S ✓

TIRE: MAKE _____ STYLE NO. _____ MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0028
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
(6 Foot Box, Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>FORD</u> <u>F150</u>	<u>CHEV/GMC</u> <u>C10753</u>	<u>DODGE</u> <u>DR1L41</u>
G.V.W.R. (lbs.)	6,700	6,400	6,700
Wheelbase (inches)	144.5	143.5	140.5
Type & Size of Body	Styleside	Fleetside/ Wideside	Sweptline
Engine: Gasoline	4.6L	4.3L	4.7L
Type & No. of Cylinders	V-8	V-6	V-8
Net H.P.-S.A.E.	248	195	310
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,150	3,600	3,650
Rear	3,800	3,750	3,900
Springs, Min. Cap. at Ground			
Front-lbs. each	1,725	1,800	1,850
Rear-lbs. each	1,900	1,875	1,950

Tires, Tubeless, Radial, to meet G.V.W.R.. All season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear
- Fuel capacity - largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (6 Foot Box, Payload-1,400 lbs., min.) Mich. Spec. #3958-0028		
Standard Equipped Per above Specification (Including options specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$18,610.95*	
Final Point of Assembly: St. Louis, MO Or Warren, MI		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 12:10
Estimated Ship Date:

VIN: **-0028**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR1L41 2008 Dodge Ram 1500 ST / SXT (140.5 in WB 6.3 ft Box)

	Equipment	Description
Model:	DR1L41	Dodge Ram 1500 ST / SXT (140.5 in WB 6.3 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	DMD	3.55 Axle Ratio
	6FD	Paint Order Code
	NHM	Speed Control
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221022

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0028

MAKE OF TRUCK: DODGE MODEL: DR1L41 GVWR 6700 lbs.

PAYLOAD: 1770 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4.7 SAE H.P. 310

FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT 1850 lbs. REAR 1950 lbs. AUX. _____ lbs.

AXLES: FRONT 3700 lbs. REAR 3900 lbs. REAR RATIO 3.55

ALTERNATOR: 136 amps. BATTERY 600 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE P245/70R17-ATS STYLE NO. _____ MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0028A
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
ALTERNATE FUEL VEHICLES
(6 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>C10953</u>	DODGE <u>DR1L42</u>	FORD <u>F150</u>
G.V.W.R. (lbs.)	6,900	6,700	7050
Wheelbase (inches)	157.5	140.5	145
Type & Size of Body	Fleetside	TBD	Styleside
Engine: Alternate Fuel	5.3L	4.7L	5.4L
Type of Fuel	E-85	E-85 FFV	E-85
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E. J1349	315	310	TBD
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	3,950	3,900	4,200
Springs, Min. Cap. at Ground			
Front-lbs. each	1,850	1,825	1,725
Rear-lbs. each	1,975	1,950	1,925

Cab-Full width rear window.

Tires, Tubeless, P235/75R15 minimum. All Season. P235/70R17 BSW (F-150)

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-75 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Seats, cloth

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> ALTERNATE FUEL VEHICLES (6 Foot Box) (Payload-1,500 lbs., min.) Mich. Spec. #3958-0028A		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT F.O.B. - Dealership Delivery Cost Per Mile: \$2.00	\$18,610.95*	
Final Point of Assembly: St. Louis, MO or Warren, MI		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snetkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 12:10
Estimated Ship Date:

VIN: -0028A
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR1L41 2008 Dodge Ram 1500 ST / SXT (140.5 in WB 6.3 ft Box)

	Equipment	Description
Model:	DR1L41	Dodge Ram 1500 ST / SXT (140.5 in WB 6.3 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	DMD	3.55 Axle Ratio
	6FD	Paint Order Code
	NHM	Speed Control
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221022

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0028-A

MAKE OF TRUCK: DODGE MODEL: DR1L41 GVWR 6700 lbs.

PAYLOAD: 1770 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 47 SAE H.P. 310

FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: A4D-5

SPRING CAP. @ GROUND EACH: FRONT 1850 lbs. REAR 1950 lbs. AUX. _____ lbs.

AXLES: FRONT 3700 lbs. REAR 3900 lbs. REAR RATIO 3.55

ALTERNATOR: 136 amps. BATTERY 300 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P245/70R17-14/S MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0029
August 2007

TRUCK: PICK-UP BODY
(8' Box) (Payload-3,240 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>C20903</u>	DODGE DH2L62	FORD <u>F250</u>
G.V.W.R. 8,600.(lbs.), minimum	9,200	8,650	8,800
Wheelbase (inches)	133	140.5	137.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	345	300
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	6,900	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,250	1,825
Rear-lbs. each	3,042	3,000	3,050

Cab-Full width rear window.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

Ford: This configuration of F-250 (wheelbase/regular cab/GVWR) results in a payload capacity of 3060 lbs.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Hood latch interior operated, factory installed.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price).

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY</u> (8' Box) (Payload-3,240 lbs., min.) Mich. Spec. #3958-0029		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 2500 ST/SXT F.O.B. - Dealership Delivery Cost Per Mile: \$2.00	\$17,513.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 12:38

VIN: -0029

VON:

Estimated Ship Date:

Order Status: BA

Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DH2L62 2008 Dodge Ram 2500 ST / SXT (140.5 in WB 8 ft Box)

	Equipment	Description
Model:	DH2L62	Dodge Ram 2500 ST / SXT (140.5 in WB 8 ft Box)
Package:	26A	Customer Preferred Package 26A
	EZA	5.7L Hemi V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	NHM	Speed Control
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Discounts:	YG2	5.2 Additional Gallons of Gas
	YGN	4 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221024

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0029

MAKE OF TRUCK: DODGE MODEL: D172L62 GVWR 8650 lbs.

PAYLOAD: 3240 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 5.7 SAE H.P. 345

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT 2250 lbs. REAR 3000 lbs. AUX. _____ lbs.

AXLES: FRONT 4410 lbs. REAR 6000 lbs. REAR RATIO 3.73

ALTERNATOR: 136 amps. BATTERY 600 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT245/70R17E-14/S MFG. CODE TWD

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0029D
August 2007

TRUCK: PICK-UP BODY
(8' Box) (Payload-3,240 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>C20903</u>	DODGE DH2L62	FORD <u>F250</u>
G.V.W.R. 8,600.(lbs.), minimum	9,200	8,650	8,800
Wheelbase (inches)	133	140.5	137.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Diesel	6.0L	6.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	350	300
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	6,900	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,250	1,825
Rear-lbs. each	3,042	3,000	3,050

Cab-Full width rear window.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

Ford: This configuration of F-250 (wheelbase/regular cab/GVWR) results in a payload capacity of 3060 lbs.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Hood latch interior operated, factory installed.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY</u> (8' Box) (Payload-3,240 lbs., min.) Mich. Spec. #3958-0029D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 2500 ST/SXT F.O.B. - Dealership Delivery Cost Per Mile \$2.00	\$24,102.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 20, 2007 11:35
Estimated Ship Date:

VIN: **-0029D**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DH2L62 2008 Dodge Ram 2500 ST / SXT (140.5 in WB 8 ft Box)

	Equipment	Description
Model:	DH2L62	Dodge Ram 2500 ST / SXT (140.5 in WB 8 ft Box)
Package:	2FA	Customer Preferred Package 2FA
	ETJ	6.7L Cummins Turbo Diesel Engine
	DG7	6-Spd Automatic 68RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	NHM	Speed Control
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Discounts:	3A1	BLUETEC Diesel System
	YG4	5.5 Additional Gallons of Diesel
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221024

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0029 D

MAKE OF TRUCK: DODGE MODEL: DH2L62 GVWR 9000 ✓ lbs.

PAYLOAD: 2650 lbs exact W.B. 140.5 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) DIESEL MAKE: CUMMINS MODEL: 4.7 ✓ SAE H.P. 350 ✓

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO - 6 ✓

SPRING CAP. @ GROUND EACH: FRONT 2250 ✓ lbs. REAR 3000 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 4410 lbs. REAR 6000 ✓ lbs. REAR RATIO 3.73

ALTERNATOR: 136 ✓ amps. BATTERY 750 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT245/70R17E-A/S ✓ MFG. CODE TWD

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. #3958-0030
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
(8 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD F-250 "XL"	CHEV/GMC CC20953	DODGE DR2500 DH2L42
G.V.W.R. 8,600 (lbs.), minimum	9,200	9,200	8,800
Wheelbase (inches)	158.0	157.5	160.5
Type & Size of Body	Styleside	Fleetside/ Wideside	Sweptline
Engine: Gasoline			
Type & No. of Cylinders	5.4L V-8	6.0L V-8	5.7L V-8
Net H.P.-S.A.E.	300	353	345
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,850	4,800	4,000
Rear	6,200	6,900	6,000
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	2,400	2,000
Rear-lbs. each	3,050	3,042	3,000

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats, cloth, split bench
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (8 Foot Box) (Payload-3,000 lbs., min.) Mich. Spec. #3958-0030		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 2500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$20,307.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 13:36
Estimated Ship Date:

VIN: -0030
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DH2L42 2008 Dodge Ram 2500 ST / SXT (160.5 in WB 8 ft Box)

	Equipment	Description
Model:	DH2L42	Dodge Ram 2500 ST / SXT (160.5 in WB 8 ft Box)
Package:	26A	Customer Preferred Package 26A
	EZA	5.7L Hemi V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	DSA	Anti-Spin Differential Rear Axle
	NHM	Speed Control
	AHC	Trailer Tow Group
	4FT	Fleet Sales Order
Discounts:	YGN	4 Additional Gallons of Gas
	YG2	5.2 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221026

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0030

MAKE OF TRUCK: DODGE MODEL: DH2L42 GVWR 8800 lbs.

PAYLOAD: 3130 ✓ W.B. 160.5 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS ✓ MAKE: DODGE MODEL: 5.7 ✓ SAE H.P. 345 ✓

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-5 ✓

SPRING CAP. @ GROUND EACH: FRONT 2000 lbs. REAR 3000 lbs. AUX. _____ lbs.

AXLES: FRONT 4410 ✓ lbs. REAR 6000 ✓ lbs. REAR RATIO 3.73

ALTERNATOR: 136 ✓ amps. BATTERY 750 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT245/70R17-E-A/S ✓ MFG. CODE TWD

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0030A
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
ALTERNATE FUEL VEHICLES
(8 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>C10953</u>	DODGE <u>DR1L42</u>
G.V.W.R. (lbs.)	6,900	6,650
Wheelbase (inches)	157.5	160.5
Type & Size of Body	Fleetside	
Engine: Alternate Fuel	5.3L	4.7L
Type of Fuel	<u>E-85</u>	<u>E-85 FFV</u>
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E. J1349	315	310
Transmission: Automatic		
Axle, Min. Cap.-lbs.		
Front	3,700	3,650
Rear	3,950	3,900
Springs, Min. Cap. at Ground		
Front-lbs. each	1,850	1,825
Rear-lbs. each	1,975	1,950

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-75 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Locks; power with remote
- Seats, cloth

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> ALTERNATE FUEL VEHICLES (8 Foot Box) (Payload-1,400 lbs., min.) Mich. Spec. #3958-0030A		
Standard Equipped Per above Specification (including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT F.O.B. - Dealership Delivery Cost Per Mile: \$2.00	\$18,800.95*	
Final Point of Assembly: St. Louis, MO		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snetkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 17:16
Estimated Ship Date:

VIN: **- 0030A**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR1L42 2008 Dodge Ram 1500 ST / SXT (160.5 in WB 8 ft Box)

	Equipment	Description
Model:	DR1L42	Dodge Ram 1500 ST / SXT (160.5 in WB 8 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	DMH	3.92 Axle Ratio
	6FD	Paint Order Code
	NHM	Speed Control
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221022

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0030A

MAKE OF TRUCK: DODGE MODEL: DR1L42 GVWR 6700 lbs.

PAYLOAD: 1440 W.B. 160.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4.7 SAE H.P. 310

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT 1825 lbs. REAR 1950 lbs. AUX. _____ lbs.

AXLES: FRONT 3700 lbs. REAR 3900 lbs. REAR RATIO 3.92

ALTERNATOR: 136 amps. BATTERY 600 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P245/70R17-A/S MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0030D
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
(8 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD F-250 "XL"	CHEV/GMC CC20953	DODGE DR2500 DH2L42
G.V.W.R. 8,600 (lbs.), minimum	9,200	9,200	8,800
Wheelbase (inches)	158.0	157.5	160.5
Type & Size of Body	Styleside	Fleetside/ Wideside	Sweptline
Engine: Diesel			
Type & No. of Cylinders	6.4L V-8	6.0L V-8	6.7L V-8
Net H.P.-S.A.E.	300	353	350
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,850	4,800	4,000
Rear	6,200	6,900	6,000
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	2,400	2,000
Rear-lbs. each	3,050	3,042	3,000

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats, cloth, split bench
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (8 Foot Box) (Payload-3,000 lbs., min.) Mich. Spec. #3958-0030D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 2500 ST/SXT F.O.B. - Dealership Delivery Cost Per Mile: \$2.00	\$26,844.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 14:05
Estimated Ship Date:

VIN: - 0030D
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DH2L42 2008 Dodge Ram 2500 ST / SXT (160.5 in WB 8 ft Box)

	Equipment	Description
Model:	DH2L42	Dodge Ram 2500 ST / SXT (160.5 in WB 8 ft Box)
Package:	2FA	Customer Preferred Package 2FA
	ETJ	6.7L Cummins Turbo Diesel Engine
	DG7	6-Spd Automatic 68RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	DSA	Anti-Spin Differential Rear Axle
	NHM	Speed Control
	AHC	Trailer Tow Group
	4FT	Fleet Sales Order
Discounts:	3A1	BLUETEC Diesel System
	YG4	5.5 Additional Gallons of Diesel
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EE-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221026

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0030D

MAKE OF TRUCK: DODGE MODEL: DH2L42 GVWR 9000 lbs. ✓

PAYLOAD: 2410 ✓ W.B. 160.5 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) DIESEL ✓ MAKE: CUMMINS MODEL: 6.7 SAE H.P. 350 ✓

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-6 ✓

SPRING CAP. @ GROUND EACH: FRONT 2000 ✓ lbs. REAR 3000 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 4410 ✓ lbs. REAR 6000 ✓ lbs. REAR RATIO 3.73

ALTERNATOR: 136 ✓ amps. BATTERY 750 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____
LT245/70R17-E-A/S ✓

TIRE: MAKE _____ STYLE NO. _____ MFG. CODE TWD

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0031
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
(6 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD F-250	DODGE DR2500 DH2L41	CHEV/GMC C20753
G.V.W.R. 8,800 (lbs.), minimum	9,000	8,800	9,200
Wheelbase (inches)	141.8	140.5	143.5
Type & Size of Body	Styleside	Sweptline	Fleetside
Engine: Gasoline	5.4L	5.7L	6.0L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	300	345	353
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,850	4,000	4,800
Rear	6,200	6,000	6,900
Springs, Min. Cap. at Ground			
Front-lbs. each	1,825	2,000	2,400
Rear-lbs. each	3,050	3,000	3,042

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Mfg. Std.
- Bumper-Mfg. Std
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Seats, Cloth, Split Bench
- Spare tire and wheel. Full size. Mfg. Stnd. mounting.
- Steering-Power
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats, cloth, split bench
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (6 Foot Box) (Payload-3,000 lbs., min.) Mich. Spec. #3958-0031		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 2500 ST/SXT F.O.B. - Dealership Delivery Cost Per Mile: \$2.00	\$20,329.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 14:28
Estimated Ship Date:

VIN: **-0031**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DH2L41 2008 Dodge Ram 2500 ST / SXT (140.5 in WB 6.3 ft Box)

	Equipment	Description
Model:	DH2L41	Dodge Ram 2500 ST / SXT (140.5 in WB 6.3 ft Box)
Package:	26A	Customer Preferred Package 26A
	EZA	5.7L Hemi V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*P9	Cloth 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	DSA	Anti-Spin Differential Rear Axle
	AHC	Trailer Tow Group
	ALW	Popular Equipment Group
	4FT	Fleet Sales Order
Discounts:	YG2	5.2 Additional Gallons of Gas
	YGN	4 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221026

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0031

MAKE OF TRUCK: DODGE MODEL: DH2L41 GVWR 8800 lbs.

PAYLOAD: 3270 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 5-7 SAE H.P. 345

FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: 4170-5

SPRING CAP. @ GROUND EACH: FRONT 2000 lbs. REAR 3000 lbs. AUX. _____ lbs.

AXLES: FRONT 4410 lbs. REAR 6000 lbs. REAR RATIO 3.73

ALTERNATOR: 130 amps. BATTERY 600 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____
LT245/70R17-E - ON/OFF RD

TIRE: MAKE _____ STYLE NO. _____ MFG. CODE TWE

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0031D
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB

(6 Foot Box) (Payload-3,000 lbs., min.)

Dodge Payload: 2,520

MODEL-2008 CURRENT NEW

	FORD	DODGE DR2500 DH2L41	CHEV/GMC C20753
	<u>F-250</u>		
G.V.W.R. 8,800 (lbs.), minimum	9,000	9,000	9,200
Wheelbase (inches)	141.8	140.5	143.5
Type & Size of Body	Styleside	Sweptline	Fleetside
Engine: Diesel	6.4L	6.7L	6.0L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	300	350	353
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,850	4,000	4,800
Rear	6,200	6,000	6,900
Springs, Min. Cap. at Ground			
Front-lbs. each	1,825	2,000	2,400
Rear-lbs. each	3,050	3,000	3,042

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Mfg. Std.
- Bumper-Mfg. Std
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Seats, Cloth, Split Bench
- Spare tire and wheel. Full size. Mfg. Stnd. mounting.
- Steering-Power
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats, cloth, split bench
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (6 Foot Box) (Payload-3,000 lbs., min.) Mich. Spec. #3958-0031D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 2500 ST/SXT F.O.B. - Dealership Delivery Cost Per Mile: \$2.00	\$26,866.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 14:34
Estimated Ship Date:

VIN: -0031D
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DH2L41 2008 Dodge Ram 2500 ST / SXT (140.5 in WB 6.3 ft Box)

	Equipment	Description
Model:	DH2L41	Dodge Ram 2500 ST / SXT (140.5 in WB 6.3 ft Box)
Package:	2FA	Customer Preferred Package 2FA
	ETJ	6.7L Cummins Turbo Diesel Engine
	DG7	6-Spd Automatic 68RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*P9	Cloth 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	DSA	Anti-Spin Differential Rear Axle
	AHC	Trailer Tow Group
	ALW	Popular Equipment Group
	4FT	Fleet Sales Order
Discounts:	3A1	BLUETEC Diesel System
	YG4	5.5 Additional Gallons of Diesel
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221026

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0031 D

MAKE OF TRUCK: DODGE MODEL: DH2L41 GVWR 9000 lbs.

PAYLOAD: 2520 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) DIESEL MAKE: CUMMINS MODEL: 6.7 SAE H.P. 350

FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: AUTO-6

SPRING CAP. @ GROUND EACH: FRONT 2000 lbs. REAR 3000 lbs. AUX. _____ lbs.

AXLES: FRONT 4630 lbs. REAR 6000 lbs. REAR RATIO 3.73

ALTERNATOR: 136 amps. BATTERY 750 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT245/70R17-E-ON/OFF RD MFG. CODE TWE

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0034
August 2007

TRUCK: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE
(Payload-1,500 lbs., min.)

MODEL-2008 CURRENT NEW

	JEEP GRAND CHEROKEE/ COMMANDER	FORD EXPEDITION	DODGE DURANGO HB1M74	CHEV/GMC TAHOE/YUKON
G.V.W.R. (lbs.)	5,700	7,400	6,450	7,100
Wheelbase (inches)	109.5	119	119.2	116
Engine: Gasoline	4.7L	5.4L	4.7L	4.8L
Type & No. of Cylinders	V-8	V-8	V-8	V-8
Net H.P.-S.A.E.	235	300	303	295
Transmission: Automatic				
Axle, Min. Cap. Rear-lbs.	3,200	4,250	3,686	4,100
Springs, Cap. at Ground				
Front-lbs., ea.	TBD	1,750	1,550	1,600
Rear-lbs., ea.	TBD	2,125	1,950	2,050

Tires, Tubeless-P235/75R15 minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA min.
- Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 54 sq. in. minimum, swing
away type. Installed.
- Seats-Full bench front, & full width seat facing forward back of the front seat.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Stabilizer bar-front.
- Steering-Power.
- Wrench-wheel.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE</u> (Payload-1,500 lbs., min.) Mich. Spec. #3905-0034		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Durango SXT 4x2 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$18,727.50*	
Final Point of Assembly: Newark, NJ		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 14:49
Estimated Ship Date:

VIN: - 0034
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

HB1M74 2008 Dodge DURANGO SXT 4X2

	Equipment	Description
Model:	HB1M74	Dodge DURANGO SXT 4X2
Package:	26C	Customer Preferred Package 26C
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PW7	Bright White Clear Coat
	APA	Monotone Paint
	*AJ	Cloth Bucket Seats
	-DB	Dk/Lt Slate Gray
Options:	4FT	Fleet Sales Order
Discounts:	YHU	3.2 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221014

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0034
 MAKE OF TRUCK: DODGE MODEL: DURANGO HB1M74 GVWR 6450 lbs.
 PAYLOAD: 1650 ✓ W.B. 119.2 ✓ C.A. _____ C.E. _____
 ENGINE: (GAS - DIESEL) GAS ✓ MAKE: DODGE MODEL: 4.7 ✓ SAE H.P. 303 ✓
 FUEL TANK(S) CAPACITY: 27 (GALS. TOTAL) TRANSMISSION: AUTO-5 ✓
 SPRING CAP. @ GROUND EACH: FRONT 1550 ✓ lbs. REAR 1950 ✓ lbs. AUX. _____ lbs.
 AXLES: FRONT 3100 lbs. REAR 3900 ✓ lbs. REAR RATIO 3.55
 ALTERNATOR: 136 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____
 TIRE: MAKE _____ STYLE NO. P245/70R17 - A/S ON-OFF RD. ✓ MFG. CODE TY8
 HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
 BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____
 POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0044
August 2007

TRUCK: COMPACT VAN, CARGO, FRONT WHEEL DRIVE

(Payload 1,580 lb., min.)

Dodge Payload: 1,500 lbs

MODEL-2008 CURRENT NEW

	<u>DODGE/CHRY TOWN & COUNTRY GRAND CARAVAN</u>	CHEVROLET <u>UPLANDER</u>
G.V.W.R. (lbs.)	6,050	5,622
Wheelbase	121.2	121.1
Engine: Gasoline	3.3L	3.9L
Type & No. of Cylinders	V-6	V-6
Net H.P.-S.A.E.	175	240
Transmission: Automatic		
Axle Min. Cap.		
Front-lbs.	TBD	2,866
Rear-lbs.	TBD	2,756
Springs, Min. Cap. at Ground		
Front-lbs. each	TBD	1,433
Rear- lbs. each	TBD	1,378

Tires, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Battery-12 Volt, 500 CCA, Min.
- Brakes-power.
- Bumper-Front and rear, Mfg. standard finish.
- Doors, Dual Sliding, Right and Left Side
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 25 sq. in. minimum.
- Installed. Mfg. standard finish.
- Spare tire and wheel, Limited Service. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: COMPACT VAN, CARGO, FRONT WHEEL DRIVE</u> (Payload 1,580 lb., min.) Mich. Spec. #3958-0044		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Grand Caravan C/V FWD F.O.B. - Dealership Delivery Cost Per Mile: \$2.00	\$19,160.50*	
Final Point of Assembly: St. Louis, MO or Windsor, Ontario, CAN		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0044

MAKE OF TRUCK: DODGE MODEL: RTKE53 GVWR 6050 lbs. ✓

PAYLOAD: 1500 ✓ W.B. 121.2 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS ✓ MAKE: DODGE MODEL: 3.3 ✓ SAE H.P. 175 ✓

FUEL TANK(S) CAPACITY: 20 (GALS. TOTAL) TRANSMISSION: A-10-4

SPRING CAP. @ GROUND EACH: FRONT _____ lbs. REAR _____ lbs. AUX. _____ lbs.

AXLES: FRONT _____ lbs. REAR _____ lbs. REAR RATIO _____

ALTERNATOR: 140 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE ✓ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P225/65R10- A/S ✓ MFG. CODE TUM

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. #3905-0045
August 2007

TRUCK: COMPACT VAN PASSENGER, LONG WHEEL BASE WITH EXTENDED BODY
FRONT WHEEL DRIVE, 7 Passenger, Minimum
(Payload-1,100 lbs., min.)

MODEL-2008 CURRENT NEW

	CHRYSLER TOWN & COUNTRY DODGE CARAVAN	CHEVY UPLANDER
G.V.W.R. (lbs.), 5,000 min.	6,050	5,357
Wheelbase (inches)	121.2	121.1
Engine: Gasoline	3.3L	3.9L
Type & No. of Cylinders	V-6	V-6
Net H.P.-S.A.E.	175	240
Transmission: Automatic		
Axle, Min. Cap.		
Front-lbs.	TBD	2,866
Rear-lbs.	TBD	2,756
Springs, Min. Cap. at Ground		
Front-lbs. each	TBD	1,433
Rear-lbs. each	TBD	1,378

Tires, Tubeless, Radial, P195/75R14 Minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 500 CCA, Min.
- Brakes-Power.
- Bumper-Front and rear, Mfg. standard finish.
- Defogger-rear window.
- Fuel capacity-largest available from mfg.
- Headliner-Full length, trim panels doors and sidewalls.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., Power Adjustable, below eye level, 25 sq. in. minimum.
- Installed. Mfg. Standard finish.
- Seats-driver and passenger, high back bucket, and seating for additional 5-passengers.
- Spare Tires Limited Service tire and wheel. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Wiper/washer-rear glass
- Wrench-wheel.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: COMPACT VAN PASSENGER, LONG WHEEL BASE WITH EXT BODY FRONT WHEEL DRIVE, 7 Passenger, Minimum(Payload-1,100 lbs., min.) Mich. Spec. #3905-0045</u>		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Grand Caravan SE FWD <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$19,112.50*	
Final Point of Assembly: St. Louis, MO or Windsor, Ontario		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 15:41
Estimated Ship Date:

VIN: -0045
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

RTKH53 2008 Dodge GRAND CARAVAN SE FWD

	Equipment	Description
Model:	RTKH53	Dodge GRAND CARAVAN SE FWD
Package:	24F	Customer Preferred Package 24F
	EGV	3.3L V6 OHV Engine
	DFE	4-Speed Automatic VLP 41TE Trans
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*B7	Cloth Low-Back Bucket Seats
	-VS	Dk Slate/Lt Shale
Options:	CEF	Dark Slate Gray Seats
	NHM	Speed Control
	NMC	Heavy Duty Engine Cooling
	4FT	Fleet Sales Order
Discounts:	YGE	5 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EE-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TB681801

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0045
MAKE OF TRUCK: DODGE MODEL: RTKH53 GVWR 6050 lbs. ✓
PAYLOAD: 1500 ✓ W.B. 121.2 ✓ C.A. _____ C.E. _____
ENGINE: (GAS - DIESEL) GAS ✓ MAKE: DODGE MODEL: 3.3 ✓ SAE H.P. 175 ✓
FUEL TANK(S) CAPACITY: 20 (GALS. TOTAL) TRANSMISSION: AUTO-4 ✓
SPRING CAP. @ GROUND EACH: FRONT _____ lbs. REAR _____ lbs. AUX. _____ lbs.
AXLES: FRONT _____ lbs. REAR _____ lbs. REAR RATIO 2.37
ALTERNATOR: 140 ✓ amps. BATTERY 600V ✓ cca.
TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____
TIRE: MAKE _____ STYLE NO. P225/65R16 AS ✓ MFG. CODE TUG
HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____
POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. #3905-0045A
August 2007

TRUCK: COMPACT VAN PASSENGER, FRONT WHEEL DRIVE, EXTENDED BODY

ALTERNATE FUEL VEHICLES

7 Passenger, Minimum
(Payload-1,100 lbs., min.)

MODEL-2008 CURRENT NEW

	DODGE GRAND CARAVAN	CHEV UPLANDER
G.V.W.R. (lbs.), 5,000 minimum	6,050	5,622
Wheelbase (inches)	121.2	121.1
Engine: Alternate Fuel	3.3L	3.9L
Type of Fuel	E-85	E-85
Type & No. of Cylinders	V-6	V-6
Net H.P.-S.A.E. J1349	175	240
Transmission: Automatic		
Axle, Min. Cap.		
Front-lbs.	TBD	2,866
Rear-lbs.	TBD	2,756
Springs, Min. Cap. at Ground		
Front-lbs. each	TBD	1,433
Rear-lbs. each	TBD	1,378
Tires, Tubeless, Radial, P195/75R14 Minimum. All Season.		

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 500 CCA, Min.
- Brakes-Power.
- Bumper-Front and rear, Mfg. standard finish.
- Defogger-rear window.
- Doors, Dual Sliding, Right and Left Side
- Fuel capacity-largest available from mfg.
- Headliner-Full length, trim panels doors and sidewalls.
- Wiper/washer-rear glass
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 25 sq. in. minimum.
- Installed. Mfg. Standard finish.
- Seats-driver and passenger, high back bucket, and seating for additional 5-passengers.
- Spare tire and wheel, Limited Service. Mfg. Std. mounting.
- Speed Control, Factory Installed
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Floor Mats, in front of all seats
- Glass-GAE Sunscreen, all around, movable side door window(s), fixed or movable rear door
- Locks – Power Doors, keyless entry
- Traction Control
- Windows, power rear vent window (MDOT)

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

TRUCK: COMPACT VAN PASSENGER, FRONT WHEEL DRIVE, EXTENDED BODY ALTERNATE FUEL VEHICLES 7 Passenger, Minimum (Payload-1,100 lbs., min.) Mich. Spec. #3905-0045A		
Standard Equipped Per above Specification	Standard Equipped Cost	
Make: Dodge Model: Grand Caravan SE FWD <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$19,112.50*	
Final Point of Assembly: St. Louis, MO or Windsor, Ontario, CAN		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snetkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 15:41

VIN: - 0045A

VON:

Estimated Ship Date:

Order Status: BA

Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

RTKH53 2008 Dodge GRAND CARAVAN SE FWD

	Equipment	Description
Model:	RTKH53	Dodge GRAND CARAVAN SE FWD
Package:	24F	Customer Preferred Package 24F
	EGV	3.3L V6 OHV Engine
	DFE	4-Speed Automatic VLP 41TE Trans
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*B7	Cloth Low-Back Bucket Seats
	-VS	Dk Slate/Lt Shale
Options:	CEF	Dark Slate Gray Seats
	NHM	Speed Control
	NMC	Heavy Duty Engine Cooling
	4FT	Fleet Sales Order
Discounts:	YGE	5 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TB681801

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0045A

MAKE OF TRUCK: DODGE MODEL: RTKHS3 GVWR 6050 lbs.

PAYLOAD: 1500 W.B. 121.2 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 3.3 SAE H.P. 175

FUEL TANK(S) CAPACITY: 20 (GALS. TOTAL) TRANSMISSION: AUTO-4

SPRING CAP. @ GROUND EACH: FRONT _____ lbs. REAR _____ lbs. AUX. _____ lbs.

AXLES: FRONT _____ lbs. REAR _____ lbs. REAR RATIO 2.37

ALTERNATOR: 140 amps. BATTERY 600 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P225/65R16-14/S MFG. CODE TUG

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0046D
August 2007

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR

(6 Foot Box) (Payload-3,800 lbs., min.)

Dodge Payload: 3,150 lbs

MODEL-2008 CURRENT NEW

	CHEV/GMC	FORD	DODGE
	<u>C20743</u>	F-350 <u>W-30</u>	3500 <u>D13H81</u>
G.V.W.R. (lbs.)	9,200	10,100	10,100
Wheelbase (inches)	153	156	160.5
Type & Size of Body	Fleetside/ Wideside	Styleside	Sweptline
Engine: Diesel	6.0L	6.4L	6.7L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	300	350
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	6,900	7,280	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	1,900	TBD
Rear-lbs. each	3,042	3,500	TBD

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Bumper- Mfg. Std.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., Power Adjustable, below eye level, 40 sq. in.
- minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed.
- Seats-Front Split Bench and rear bench, cloth
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR</u> (6 Foot Box) (Payload-3,800 lbs., min.) Mich. Spec. #3958-0046D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 3500 SXT/SLT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$31,357.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 16:18
Estimated Ship Date:

VIN: -0046D
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

D13H81 2008 Dodge Ram 3500 SXT / SLT (160.5 in WB 6.3 ft Box)

	Equipment	Description
Model:	D13H81	Dodge Ram 3500 SXT / SLT (160.5 in WB 6.3 ft Box)
Package:	2FF	Customer Preferred Package 2FF
	ETJ	6.7L Cummins Turbo Diesel Engine
	DG7	6-Spd Automatic 68RFE Transmission
Color:	PW7	Bright White Clear Coat
	APA	Monotone Paint
	*V9	Cloth 40/20/40 Bench Seat
	-D5	Med Slate Gray
Options:	AR9	Single Rear Wheel Group
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Discounts:	3A1	BLUETEC Diesel System
	YG4	5.5 Additional Gallons of Diesel
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221028

PSP Week(month/week):

Purchase Order:

Customer Name:

Address:

Order Type: Fleet

Instructions:

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0046D
MAKE OF TRUCK: DODGE MODEL: D13H81 GVWR 10100. lbs.
MEGA CAB
PAYLOAD: 3150 W.B. 100.5 C.A. _____ C.E. _____
ENGINE: (GAS - DIESEL) DIESEL MAKE: CUMMINS MODEL: 6.7 SAE H.P. 350
FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: AUTO-6
SPRING CAP. @ GROUND EACH: FRONT TBD lbs. REAR TBD lbs. AUX. _____ lbs.
AXLES: FRONT 4750 lbs. REAR 0200 lbs. REAR RATIO 3.73
ALTERNATOR: 136 amps. BATTERY 750 cca.
TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____
LT265/70R17E-A/S
TIRE: MAKE _____ STYLE NO. _____ MFG. CODE TT3
HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____
POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. #3958-0047
August 2007

TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS
(8 Foot Box) (Payload-5,000 lbs., min.)

MODEL-2008 CURRENT NEW

	Chev/GMC <u>K30903</u>	DODGE DR3500 <u>D13L62</u>	FORD <u>F-350</u>
G.V.W.R. 11,000 (lbs.), minimum	11,400	11,000	11,800
Wheelbase (inches)	133	140.5	137.0
Type & Size of Body	Fleetside	Sweptline	Styleside
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	312	345	300
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,200	9,350	9,000
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	TBD	1,900
Rear-lbs. each	4,100	TBD	4,500
Rear Wheels	Dual	Dual	Dual

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS</u> (8 Foot Box) (Payload-5,000 lbs., min.) Mich. Spec. #3958-0047		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 3500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$19,135.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 16:32
Estimated Ship Date:

VIN: -0047
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

D13L62 2008 Dodge Ram 3500 ST / SXT (140.5 in WB 8 ft Box)

	Equipment	Description
Model:	D13L62	Dodge Ram 3500 ST / SXT (140.5 in WB 8 ft Box)
Package:	26A	Customer Preferred Package 26A
	EZA	5.7L Hemi V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	NHM	Speed Control
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Discounts:	YG2	5.2 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221024

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SWETHKAMP DODGE ITEM NO(s). - 0047

MAKE OF TRUCK: DODGE MODEL: D13L62 GVWR 11000 lbs.

PAYLOAD: 5210 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 5.7 SAE H.P. 345

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT TBD lbs. REAR TBD lbs. AUX. _____ lbs.

AXLES: FRONT 4000 lbs. REAR 9350 lbs. REAR RATIO 4.10

ALTERNATOR: 136 amps. BATTERY 600 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT235/80R17E-A/S MFG. CODE TPY

HOIST: MAKE _____ MODEL _____ INSTALLING CO. 1

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0047D
August 2007

TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS

(8 Foot Box) (Payload-5,000 lbs., min.)

Dodge Payload: 4,790 lbs

MODEL-2008 CURRENT NEW

	Chev/GMC <u>K30903</u>	DODGE DR3500 D13L62	FORD F-350
G.V.W.R. 11,000 (lbs.), minimum	11,400	11,500	11,800
Wheelbase (inches)	133	140.5	137.0
Type & Size of Body	Fleetside	Sweptline	Styleside
Engine: Diesel	6.0L	6.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	312	350	300
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,200	9,350	9,000
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	TBD	1,900
Rear-lbs. each	4,100	TBD	4,500
Rear Wheels	Dual	Dual	Dual

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS</u> (8 Foot Box) (Payload-5,000 lbs., min.) Mich. Spec. #3958-0047D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 3500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$25,724.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 16:42
Estimated Ship Date:

VIN: **-0047D**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

D13L62 2008 Dodge Ram 3500 ST / SXT (140.5 in WB 8 ft Box)

	Equipment	Description
Model:	D13L62	Dodge Ram 3500 ST / SXT (140.5 in WB 8 ft Box)
Package:	2FA	Customer Preferred Package 2FA
	ETJ	6.7L Cummins Turbo Diesel Engine
	DG7	6-Spd Automatic 68RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	NHM	Speed Control
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Discounts:	NAS	50 State Emissions
	3A1	BLUETEC Diesel System
	YG4	5.5 Additional Gallons of Diesel
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221024

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNEHKAMP DODGE ITEM NO(s). -0047D

MAKE OF TRUCK: DODGE MODEL: D13L62 GVWR 11500 lbs.

PAYLOAD: 4790 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) DIESEL MAKE: CUMMINS MODEL: 4.7 SAE H.P. 350

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-6

SPRING CAP. @ GROUND EACH: FRONT TBD lbs. REAR TBD lbs. AUX. _____ lbs.

AXLES: FRONT 4000 lbs. REAR 9350 lbs. REAR RATIO 4.10

ALTERNATOR: 136 amps. BATTERY 750 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____
LT235/80R17E-A/S

TIRE: MAKE _____ STYLE NO. _____ MFG. CODE TPY

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. #3958-0050
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR
DUAL REAR WHEEL
4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>DODGE</u> <u>DR3500</u> <u>D13L42</u>	FORD <u>F-350</u>	CHEV/GMC <u>C30953</u>
G.V.W.R. (lbs.)	11,000	12,000	11,400
Wheelbase (inches)	160.5	158.0	157.5
Type & Size of Body	Sweptline	Styleside	Fleetside
Engine: Gasoline	5.7L	5.4L	6.0L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	345	300	353
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,350	9,000	9,200
Springs, Min. Cap. at Ground			
Front-lbs. each	TBD	2,050	2,400
Rear-lbs. each	TBD	4,500	4,100
Cab-Full width rear window			
Rear Wheels:	Dual	Dual	Dual
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.			

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in.
- minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed
- Seats-Front split bench and rear bench, cloth
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u>		
<u>DUAL REAR WHEEL</u>		
4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)		
Mich. Spec. #3958-0050		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 3500 ST/SXT F.O.B. - Dealership Delivery Cost Per Mile: \$2.00	\$22,179.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snetkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 17:08
Estimated Ship Date:

VIN: - 0050
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

D13L42 2008 Dodge Ram 3500 ST / SXT (160.5 in WB 8 ft Box)

	Equipment	Description
Model:	D13L42	Dodge Ram 3500 ST / SXT (160.5 in WB 8 ft Box)
Package:	26A	Customer Preferred Package 26A
	EZA	5.7L Hemi V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	NHM	Speed Control
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Discounts:	YG2	5.2 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221026

PSP Week(month/week):

Purchase Order:

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0050

MAKE OF TRUCK: DODGE MODEL: D13L42 GVWR 11000 lbs.

PAYLOAD: 4910 ✓ W.B. 140.5 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 5.7 ✓ SAE H.P. 345 ✓

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-5 ✓

SPRING CAP. @ GROUND EACH: FRONT TBD ✓ lbs. REAR TBD ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 4000 lbs. REAR 9350 ✓ lbs. REAR RATIO 4.10

ALTERNATOR: 136 ✓ amps. BATTERY 600 ✓

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL CCA ✓ M&S _____

TIRE: MAKE _____ STYLE NO. LT235/80R17E-A/S ✓ MFG. CODE TPY

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0050D
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR
DUAL REAR WHEEL

4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)

MODEL-2008 CURRENT NEW

	DODGE DR3500 D13L42	FORD <u>F-350</u>	CHEV/GMC <u>C30953</u>
G.V.W.R. (lbs.)	11,500	12,000	11,400
Wheelbase (inches)	160.5	158.0	157.5
Type & Size of Body	Sweptline	Styleside	Fleetside
Engine: Diesel	6.7L	6.4L	6.0L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	350	300	353
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,350	9,000	9,200
Springs, Min. Cap. at Ground			
Front-lbs. each	TBD	2,050	2,400
Rear-lbs. each	TBD	4,500	4,100
Cab-Full width rear window			
Rear Wheels:	Dual	Dual	Dual

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in.
- minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed
- Seats-Front split bench and rear bench, cloth
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u>		
<u>DUAL REAR WHEEL</u>		
4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)		
Mich. Spec. #3958-0050D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 3500 ST/SXT F.O.B. - Dealership Delivery Cost Per Mile: \$2.00	\$28,767.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snetkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 17:13
Estimated Ship Date:

VIN: **-0050D**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

D13L42 2008 Dodge Ram 3500 ST / SXT (160.5 in WB 8 ft Box)

	Equipment	Description
Model:	D13L42	Dodge Ram 3500 ST / SXT (160.5 in WB 8 ft Box)
Package:	2FA	Customer Preferred Package 2FA
	ETJ	6.7L Cummins Turbo Diesel Engine
	DG7	6-Spd Automatic 68RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	NHM	Speed Control
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Discounts:	YG4	5.5 Additional Gallons of Diesel
	3A1	BLUETEC Diesel System
	NAS	50 State Emissions
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221026

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0050D ✓
 MAKE OF TRUCK: DODGE MODEL: D13L42 GVWR 11500 lbs. ✓
 PAYLOAD: 4480 ✓ W.B. 160.5 ✓ C.A. _____ C.E. _____
 ENGINE: (GAS - DIESEL) DIESEL MAKE: CUMMINS MODEL: 6.7 ✓ SAE H.P. 350 ✓
 FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: A170-6 ✓
 SPRING CAP. @ GROUND EACH: FRONT TBD ✓ lbs. REAR TBD ✓ lbs. AUX. _____ lbs.
 AXLES: FRONT 4000 lbs. REAR 9350 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 136 ✓ amps. BATTERY 750 ✓ cca. per email
 TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____
 TIRE: MAKE _____ STYLE NO. LT235/80R17E-M/S ✓ MFG. CODE TPY
 HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
 BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____
 POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
 PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0072
August 2007

TRUCK: CAB AND CHASSIS

G.V.W.R. 10,000 lbs. min., (Payload 4,900 lb. min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC	DODGE DC3L63 3500	FORD
	<u>C31003</u>		<u>F-350</u>
Wheelbase (inches)	137	143.5	140.8
C.A. (inches)	60.4	56	60
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	312	345	300
Transmission: Automatic with Maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.			
Front-lbs	4,800	5,200	4,850
Rear-lbs.	9,200	8,000	9,750
Springs, Min. Cap. at Ground			
Front-1,607 lbs. each	2,400	2,600	1,975
Rear-3,650 lbs. each	4,300	4,000	4,875
Including Aux.			

*SEE Mich. 3958-0074, Mich. 3958-0075, or Mich. 3958-0076 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed.
- Spare tire and wheel. Mfg. Stnd. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Auxiliary Dash Control Switch Package for additional lighting circuits.
 - Trailer Brake Controller, Electric

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS</u> G.V.W.R. 10,000 lbs. min., (Payload 4,900 lb. min.) Mich. Spec. #3958-0072		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 3500 ST/SLT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$18,539.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 20, 2007 18:55
Estimated Ship Date:

VIN: -0072
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DC3L63 2008 Dodge Ram 3500 ST / SLT (143.5 in WB - CA of 60 in)

	Equipment	Description
Model:	DC3L63	Dodge Ram 3500 ST / SLT (143.5 in WB - CA of 60 in)
Package:	26A	Customer Preferred Package 26A
	EZA	5.7L Hemi V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	HAA	Air Conditioning
	NHM	Speed Control
	TBB	Full Size Spare Tire
	DGA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
Destination:		

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT231132

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNEETHKAMP DODGE ITEM NO(s). -0072

MAKE OF TRUCK: DODGE MODEL: DC3L63 GVWR 12500 lbs.

PAYLOAD: 6640. W.B. 143.5 C.A. 60 C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 5.7 SAE H.P. 345

FUEL TANK(S) CAPACITY: 52 (GALS. TOTAL) TRANSMISSION: AUTO - 5

SPRING CAP. @ GROUND EACH: FRONT TBD lbs. REAR TBD lbs. AUX. _____ lbs.

AXLES: FRONT 5200 lbs. REAR 9350 lbs. REAR RATIO 4'10

ALTERNATOR: 136 amps. BATTERY 750 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT235/80R17E A/S MFG. CODE TPY

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0073
August 2007

TRUCK: CAB AND CHASSIS

G.V.W.R. 12,500 lbs. min., (Payload 6,700 lb. min.)
Dodge Payload: 5,720

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>C4C042</u>	FORD <u>F-350</u>	DODGE DC3L63
Wheelbase (inches)	128	140.8	143.5
C.A. (inches)	60	60	60
Engine: Diesel	6.6L	6.4L	6.7L
Type & No. of Cylinders	V-8 Duramax	V-8 Turbo	L-6 Turbo
Net H.P.-S.A.E.	300	350	305
Transmission: Automatic with Maximum capacity transmission oil cooler. Factory installed.	6 speed auto		
Axle, Min. Cap.			
Front-lbs	7,000	4,850	5,200
Rear-lbs.	11,000	9,750	9,350
Springs, Min. Cap. at Ground			
Front-1,607 lbs. each	3,500	1,900	TBD
Rear-3,650 lbs. each	5,500	4,875	TBD
Including Aux.			

*SEE Mich. 3958-0074, Mich. 3958-0075, or Mich. 3958-0076 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing
- away type, 51 sq. in., minimum. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS</u> G.V.W.R. 12,500 lbs. min., (Payload 6,700 lb. min.) Mich. Spec. #3958-0073		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 3500 ST/SLT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$25,746.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 18:03
Estimated Ship Date:

VIN: -0073
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DC3L63 2008 Dodge Ram 3500 ST / SLT (143.5 in WB - CA of 60 in)

	Equipment	Description
Model:	DC3L63	Dodge Ram 3500 ST / SLT (143.5 in WB - CA of 60 in)
Package:	2GA	Customer Preferred Package 2GA
	ETJ	6.7L Cummins Turbo Diesel Engine
	DG3	6-Spd Auto AISIN AS68RC Transmission
Color:	PW7	Bright White Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	HAA	Air Conditioning
	NHM	Speed Control
	TBB	Full Size Spare Tire
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Discounts:	3A1	BLUETEC Diesel System
	NAS	50 State Emissions
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
Destination:		

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221030

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks Invitation to Bid No. 07118200027 

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0073

MAKE OF TRUCK: DODGE MODEL: DC3L63 GVWR 12500 lbs.

PAYLOAD: 5720 W.B. 143.5 ✓ C.A. 60 ✓ C.E. _____

ENGINE: (GAS - DIESEL) DIESEL ✓ MAKE: CUMMINS MODEL: 6.7 ✓ SAE H.P. 305 ✓

FUEL TANK(S) CAPACITY: 52 (GALS. TOTAL) TRANSMISSION: A4170-6

SPRING CAP. @ GROUND EACH: FRONT TBD lbs. REAR TBD lbs. AUX. _____ lbs.

AXLES: FRONT 5200 ✓ lbs. REAR 9350 ✓ lbs. REAR RATIO 4.10 *per email*

ALTERNATOR: 136 amps. BATTERY 750 cca. *per email*

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL M&S

TIRE: MAKE _____ STYLE NO. LT235/80R17E (AIS) MFG. CODE TPY

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0077
August 2007

TRUCK: CAB AND CHASSIS
(Payload-5,500 lbs., min.)*

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>C31403</u>	<u>DODGE</u> <u>DC3L64</u>	<u>FORD</u> <u>F-350</u>
G.V.W.R. (11,000 lbs. min.)	11,400	12,500	13,000
Wheelbase (inches)	152	167.5	164.8
C.A. (inches)	84.9	84	84
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	312	330	300
Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed.	6 speed		
Axle, Min. Cap.			
Front-lbs.	4,800	5,200	4,850
Rear-lbs.	9,200	9,350	9,750
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400		1,900
Rear-lbs. each including aux.	4,300		4,875

*SEE Mich. 3958-0078 or Mich. 3958-0079 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., extended reach, swing away type, 51 sq. in. minimum. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS</u> (Payload-5,500 lbs., min.)* Mich. Spec. #3958-0077		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 3500 ST/SLT F.O.B. - Dealership Delivery Cost Per Mile: \$2.00	\$18,703.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 11:34
Estimated Ship Date:

VIN: -0077
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DC3L64 2008 Dodge Ram 3500 ST / SLT (167.5 in WB - CA of 84 in)

	Equipment	Description
Model:	DC3L64	Dodge Ram 3500 ST / SLT (167.5 in WB - CA of 84 in)
Package:	26A	Customer Preferred Package 26A
	EZA	5.7L Hemi V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	HAA	Air Conditioning
	NHM	Speed Control
	TBB	Full Size Spare Tire
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
Destination:		

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221030

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0077

MAKE OF TRUCK: DODGE MODEL: DC3L64 GVWR 12500 lbs.

PAYLOAD: 4490 ✓ W.B. 147.5 ✓ C.A. 84 ✓ C.E. _____

ENGINE: (GAS - DIESEL) GAS ✓ MAKE: DODGE MODEL: 5.7 ✓ SAE H.P. 330 ✓

FUEL TANK(S) CAPACITY: 52 (GALS. TOTAL) TRANSMISSION: AUTO-5 ✓

SPRING CAP. @ GROUND EACH: FRONT TBD lbs. REAR TBD lbs. AUX. _____ lbs.

AXLES: FRONT 5200 ✓ lbs. REAR 9350 ✓ lbs. REAR RATIO 4.10

ALTERNATOR: 136 ✓ amps. BATTERY 750 ✓ cca. Perennial

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL M&S

TIRE: MAKE _____ STYLE NO. LT235/80R17E (A/S) MFG. CODE TPY

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0077D
August 2007

TRUCK: CAB AND CHASSIS
(Payload-5,500 lbs., min.)*

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>C31403</u>	DODGE DC3L64	FORD <u>F-350</u>
G.V.W.R. (11,000 lbs. min.)	11,400	12,500	13,000
Wheelbase (inches)	152	167.5	164.8
C.A. (inches)	84.9	84	84
Engine: Diesel	6.0L	6.4L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	312	305	300
Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed.	6 speed		
Axle, Min. Cap.			
Front-lbs.	4,800	5,200	4,850
Rear-lbs.	9,200	9,350	9,750
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400		1,900
Rear-lbs. each including aux.	4,300		4,875

*SEE Mich. 3958-0078 or Mich. 3958-0079 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., extended reach, swing away type, 51 sq. in. minimum. Installed.
- Spare tire and wheel. Mfg. Stnd. mounting.
- Steering-Power
- Wrench-wheel.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS</u> (Payload-5,500 lbs., min.)* Mich. Spec. #3958-0077D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 3500 ST/SLT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$2.00	\$25,910.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 11:41 VIN: **-0077D** VON:
 Estimated Ship Date: Order Status: BA Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
 to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
 LANSING, MI 48910 LANSING, MI 48910

DC3L64 2008 Dodge Ram 3500 ST / SLT (167.5 in WB - CA of 84 in)

	Equipment	Description
Model:	DC3L64	Dodge Ram 3500 ST / SLT (167.5 in WB - CA of 84 in)
Package:	2GA	Customer Preferred Package 2GA
	ETJ	6.7L Cummins Turbo Diesel Engine
	DG3	6-Spd Auto AISIN AS68RC Transmission
Color:	PW7	Bright White Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	HAA	Air Conditioning
	NHM	Speed Control
	TBB	Full Size Spare Tire
	DSA	Anti-Spin Differential Rear Axle
	4FT	Fleet Sales Order
Discounts:	3A1	BLUETEC Diesel System
	NAS	50 State Emissions
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
Destination:		

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221030

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks Invitation to Bid No. 07118200027 

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0077D
 MAKE OF TRUCK: DODGE MODEL: DC3L64 GVWR 12500 lbs. ✓
 PAYLOAD: 5590. ✓ W.B. 167.5 ✓ C.A. 84 ✓ G.E. _____
 ENGINE: (GAS - DIESEL) DIESEL MAKE: CUMMINS MODEL: DIESEL SAE H.P. 305 ✓
 FUEL TANK(S) CAPACITY: 52 (GALS. TOTAL) TRANSMISSION: AUTO-6 ✓
 SPRING CAP. @ GROUND EACH: FRONT TBD ✓ lbs. REAR TBD ✓ lbs. AUX. _____ lbs.
 AXLES: FRONT 5200 ✓ lbs. REAR 9350 ✓ lbs. REAR RATIO 4.10
 ALTERNATOR: 136 ✓ amps. BATTERY 750 ✓ cca. Accuracy ✓
 TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE) _____ DUAL M&S ✓
LT235/80R17-E-1415
 TIRE: MAKE _____ STYLE NO. _____ MFG. CODE TPY
 HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
 BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____
 POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0083
August 2007

TRUCK: UTILITY 4-WHEEL DRIVE, 4-DOOR
(Payload-900 lbs., min.)

MODEL-2008 CURRENT

	JEEP LIBERTY <u>KJH74</u>	CHEVROLET/GMC TRAILBLAZER/ENVOY <u>T15506</u>	CHEVROLET <u>EQUINOX</u>	FORD <u>EXPLORER</u>	DODGE NITRO
G.V.W.R. (lbs.)	5,600	5,750	5,070	6,180	5600
Wheelbase (inches)	106.1	113.0	112.5	113.7	108.8
Engine: Gasoline	3.7L	4.2L	3.4L	4.0L OHV	3.7
Type & No. of Cylinders	V-6	V-6	V-6	V-6	V-6
Net H.P.-S.A.E.	210	291	185	210	210

Transmission: Automatic

w/2 speed transfer case, and maximum capacity transmission oil cooler.

Factory installed.

Tires, tubeless radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 500 CCA, minimum.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Defogger-rear window.
- Hubs-automatic locking type
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- swing away type, 24 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power
- Top-Full, hard top.
- Wiper, Rear, w/Washer
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: UTILITY 4-WHEEL DRIVE, 4-DOOR</u> (Payload-900 lbs., min.) Mich. Spec. #3958-0083		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Nitro SXT 4x4 F.O.B. - Dealership Delivery Cost Per Mile \$2.00	\$18,914.95*	
Final Point of Assembly: Toledo, OH		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 12:07
Estimated Ship Date:

VIN: -0083
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

KA5L74

2008 Dodge NITRO SXT 4X4

	Equipment	Description
Model:	KA5L74	Dodge NITRO SXT 4X4
Package:	24B	Customer Preferred Package 24B
	EKG	3.7L V6 Engine
	DGV	4-Spd. Automatic VLP 42RLE Trans
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*A7	Cloth Low-Back Bucket Seats
	-DV	Dark Slate Gray
Options:	AWQ	Fleet Comm Safety/Convenience Grp II
	4FT	Fleet Sales Order
Discounts:	YGE	5 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221013

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0083

MAKE OF TRUCK: DODGE MODEL: KASL74^{NITRO} GVWR 5000 lbs. ✓

PAYLOAD: 1418 ✓ W.B. 108.8 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 3.7L ✓ SAE H.P. 210L

FUEL TANK(S) CAPACITY: 19.5 (GALS. TOTAL) TRANSMISSION: AUTO - 4

SPRING CAP. @ GROUND EACH: FRONT TBD lbs. REAR TBD lbs. AUX. _____ lbs.

AXLES: FRONT _____ lbs. REAR _____ lbs. REAR RATIO 3.21

ALTERNATOR: 160 ✓ amps. BATTERY 400 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P225/75R16-A/S MFG. CODE TRY

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0083A
August 2007

TRUCK: UTILITY 2-WHEEL DRIVE, 4-DOOR
ALTERNATE FUEL VEHICLES
(Payload-900 lbs., min.)

MODEL-2008 CURRENT	(Hybrid)				
	CHEV/ GMC YUKON TAHOE	CHEV/ GMC YUKON TAHOE	DODGE	JEEP	JEEP
			DURANGO	<u>COMMANDER</u>	<u>GRAND CHEROKEE</u>
G.V.W.R. (lbs.)	7,100	7,100	6,450	TBD	TBD
Payload	1,907	1,907	1,650	TBD	TBD
Wheelbase (inches)	116.0	116.0	119.2	TBD	TBD
Engine:	5.3 L E-85	6.0L	4.7L E-85	TBD	TBD
Type & No. of Cylinders	V-8	V-8	V-8	TBD	TBD
Net H.P.-S.A.E.	295	332	303	TBD	TBD

Transmission: Automatic

Tires, tubeless radial to meet G.V.W.R. Tread design shall be All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 500 CCA, minimum.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Defogger-rear window.
- Hubs-automatic locking type
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- swing away type, 24 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power
- Top-Full, hard top.
- Wiper, Rear, w/Washer
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: UTILITY 2-WHEEL DRIVE, 4-DOOR</u> <u>ALTERNATE FUEL VEHICLES</u> (Payload-900 lbs., min.) Mich. Spec. #3958-0083A		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Durango SXT 4x2 F.O.B. - Dealership Delivery Cost Per Mile \$2.00	\$18,726.50*	
Final Point of Assembly: Newark, NJ		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 9, 2007 14:49
Estimated Ship Date:

VIN: **-0083A**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

HB1M74

2008 Dodge DURANGO SXT 4X2

	Equipment	Description
Model:	HB1M74	Dodge DURANGO SXT 4X2
Package:	26C	Customer Preferred Package 26C
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PW7	Bright White Clear Coat
	APA	Monotone Paint
	*AJ	Cloth Bucket Seats
	-DB	Dk/Lt Slate Gray
Options:	4FT	Fleet Sales Order
Discounts:	YHU	3.2 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221014

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0083A

MAKE OF TRUCK: DODGE MODEL: H31M74 ^{DURANGO} GVWR 6450 lbs.

PAYLOAD: 1650 ✓ W.B. 119.2 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4.7 ✓ SAE H.P. 303 ✓

FUEL TANK(S) CAPACITY: 27 (GALS. TOTAL) TRANSMISSION: AUTO - 5

SPRING CAP. @ GROUND EACH: FRONT 1550 lbs. REAR 1950 lbs. AUX. _____ lbs.

AXLES: FRONT 3100 lbs. REAR 3900 lbs. REAR RATIO 3.55

ALTERNATOR: 136 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P245/70R17 - A/S ON-OFF RD. MFG. CODE TY8

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0084
August 2007

TRUCK: PICK-UP BODY MIDSIZE, 4 x 4
(Approx. 7' Box) (Payload-1,000 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/COLORADO GMC/CANYON <u>T15403</u>	FORD <u>RANGER</u>	DODGE DAKOTA <u>ND5L33</u>
G.V.W.R. (lbs.)	5,150	4,840	6,010
Wheelbase (inches)	111.3	117.5	131.3
Engine: Gasoline	2.9L	3.0L	3.7L
Type & No. of Cylinders	I-4	V-6	V-6
Net H.P.-S.A.E.	175	148	210
Transmission: Automatic With 2 speed transfer case, and maximum capacity transmission oil cooler. Factory installed.			
Axle, min. Cap. Rear-lbs.	2,900	2,750	3,806
Springs, Cap. at Ground			
Front-lbs. each	1,377	1,355	1,800
Rear-lbs. each	1,450	1,300	1,375

Cab-Full width rear window.

Tires, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Battery-12 Volt, 500 CCA, minimum.
- Brakes-Power.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Stnd.
- Fuel capacity-largest available from mfg.
- Hubs-automatic locking type or axle shaft disconnect system.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- swing away type, 35 square inch minimum, Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

TRUCK: PICK-UP BODY MIDSIZE, 4 x 4 (Approx. 7' Box) (Payload-1,000 lbs., min.) Mich. Spec. #3958-0084		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Dakota ST Ext Cab 4x4 F.O.B. - Dealership Delivery Cost Per Mile \$2.00	\$17,567.95*	
Final Point of Assembly: Warren, MI		
Dealer Information		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snetkamp.com		

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 12:39
Estimated Ship Date:

VIN: **-0084**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

ND5L33 2008 Dodge DAKOTA ST EXTENDED CAB 4X4

	Equipment	Description
Model:	ND5L33	Dodge DAKOTA ST EXTENDED CAB 4X4
Package:	22A	Customer Preferred Package 22A
	EKG	"Magnum" 3.7L V6 Engine
	DGV	4-Spd. Automatic VLP 42RLE Trans
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*G5	Cloth Bucket Seats
	-DD	Dk Slate Gray/Med Slate Gray
Options:	AJK	Convenience Group
	4FT	Fleet Sales Order
Discounts:	YGS	3 Additional Gallons of Gas
	NAA	Federal Emissions
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221017

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s): -0084

MAKE OF TRUCK: DODGE MODEL: ^{DAKOTA} NDSL33 GVWR 6010 lbs. ✓

PAYLOAD: 1520 ✓ W.B. 131.3 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 3.7 ✓ SAE H.P. 210 ✓

FUEL TANK(S) CAPACITY: 22 (GALS. TOTAL) TRANSMISSION: AUTO-4 ✓

SPRING CAP. @ GROUND EACH: FRONT TBD lbs. REAR TBD lbs. AUX. _____ lbs.

AXLES: FRONT 3100 lbs. REAR 3800 ✓ lbs. REAR RATIO 3.92

ALTERNATOR: 134 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P245/70R16-ON/OFF RD ✓ MFG. CODE TVF

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Mich. Spec. # 3905-0085
August 2007

TRUCK: UTILITY, 4-DOOR, 6-PASSENGER, FULL SIZE, 4 x 4
(Payload-1,480 lbs., min.)

MODEL-2008 CURRENT NEW

	JEEP GRAND CHERROKEE <u>COMMANDER</u>	DODGE DURANGO HB5M74	FORD EXPEDITION	CHEV/GMC TAHOE/YUKON
G.V.W.R. (lbs.)	5,900	6,650	7,000	7,300
Wheelbase (inches)	109.0	119.2	119	116
Engine: Gasoline	4.7L	4.7L	5.4L	5.3L
Type & No. of Cylinders	V-8	V-8	V-8	V-8
Net H.P.-S.A.E.	305	303	300	320
Transmission: Automatic				
Axle, Min. Cap.-lbs.				
Front	TBD	3,600	3,700	3,600
Rear	TBD	3,900	4,250	4,100
Springs, Cap. at Ground				
Front-lbs., ea.	TBD	1,800	1,750	1,800
Rear-lbs., ea.	TBD	1,950	2,125	2,050

Tires, Tubeless-P235/75R15 minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA min.
- Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Hubs-automatic locking type
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 54 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Stabilizer bar-front.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: UTILITY, 4-DOOR, 6-PASSENGER, FULL SIZE, 4 x 4</u> (Payload-1,480 lbs., min.) Mich. Spec. #3958-0085		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Durango SXT 4x4 F.O.B. - Dealership Delivery Cost Per Mile \$2.00	\$20,686.50*	
Final Point of Assembly: Newark, NJ		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 12:21
Estimated Ship Date:

VIN: **-0085**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

HB5M74 2008 Dodge DURANGO SXT 4X4

	Equipment	Description
Model:	HB5M74	Dodge DURANGO SXT 4X4
Package:	26C	Customer Preferred Package 26C
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PW7	Bright White Clear Coat
	APA	Monotone Paint
	*AJ	Cloth Bucket Seats
	-DB	Dk/Lt Slate Gray
Options:	4FT	Fleet Sales Order
Discounts:	YHU	3.2 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221014

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0085
MAKE OF TRUCK: DODGE MODEL: DURANGO HBSM74 GVWR 6050 lbs. ✓
PAYLOAD: 1700 ✓ W.B. 119.2 ✓ C.A. _____ C.E. _____
ENGINE: (GAS - DIESEL) GAS ✓ MAKE: DODGE MODEL: 4.7 ✓ SAE H.P. 303 ✓
FUEL TANK(S) CAPACITY: 27 (GALS. TOTAL) TRANSMISSION: AUTO-5 ✓
SPRING CAP. @ GROUND EACH: FRONT 1800 ✓ lbs. REAR 1950 ✓ lbs. AUX. _____ lbs.
AXLES: FRONT 3600 ✓ lbs. REAR 3900 ✓ lbs. REAR RATIO 3.55
ALTERNATOR: 136 ✓ amps. BATTERY 600 ✓ cca.
TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____
TIRE: MAKE _____ STYLE NO. P245/70R17-ON/OFF RD. MFG. CODE TY8
HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
BODY: MAKE _____ MODEL _____ INSTALLING CO. _____
POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0086

August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (8 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>K10953</u>	<u>DODGE</u> <u>DH6L42</u>	<u>FORD</u> <u>F-150</u>
G.V.W.R. (lbs.)	7,000	6,800	8,200
Wheelbase (inches)	157.5	160.5	163.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	5.3L	4.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	315	310	300
Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	3,950	3,900	5,300
Springs, Min. Cap. at Ground			
Front-lbs. each	1,875	1,925	2,025
Rear-lbs. each	1,875	1,950	2,400

Tires, Tubeless, Radial, to meet G.V.W.R. Tread Design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Hubs-automatic locking type or axle shaft disconnect system.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (8 Foot Box) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0086		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT F.O.B. - Dealership Delivery Cost Per Mile \$2.00	\$21,329.95*	
Final Point of Assembly: St. Louis, MO		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 13:23
Estimated Ship Date:

VIN: **-0086**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR6L42 2008 Dodge Ram 1500 ST / SXT (160.5 in WB 8 ft Box)

	Equipment	Description
Model:	DR6L42	Dodge Ram 1500 ST / SXT (160.5 in WB 8 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	6FD	Paint Order Code
	NHM	Speed Control
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221023

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0086

MAKE OF TRUCK: DODGE MODEL: DR6L42 GVWR 6800 lbs.

PAYLOAD: 1320 ✓ W.B. 160.5 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4.7 ✓ SAE H.P. 310 ✓

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT 1925 ✓ lbs. REAR 1950 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 3900 ✓ lbs. REAR 3900 ✓ lbs. REAR RATIO 3.55

ALTERNATOR: 136 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P245/70R17-415 MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0086A
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (8 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K10953</u>	DODGE DR6L62	FORD F-150
G.V.W.R. (lbs.)	7,000	6,800	8,200
Wheelbase (inches)	157.5	160.5	163.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Alternative Fuel/Flex Fuel	5.3L	4.7L	5.4L
Type & No. of Cylinders	V-8	V-8	
Net H.P.-S.A.E.	315	310	300
Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	3,950	3,900	5,300
Springs, Min. Cap. at Ground			
Front-lbs. each	1,875	1,925	2,025
Rear-lbs. each	1,875	1,950	2,400

Tires, Tubeless, Radial, to meet G.V.W.R. Tread Design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT) or axle shaft disconnect system
- Keys -(1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seat, Rear-front facing bench.
- Skid Plate(s)
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (8 Foot Box) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0086A		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$21,329.95*	
Final Point of Assembly: St. Louis, MO		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 13:23
Estimated Ship Date:

VIN: **-0086A**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR6L42 2008 Dodge Ram 1500 ST / SXT (160.5 in WB 8 ft Box)

	Equipment	Description
Model:	DR6L42	Dodge Ram 1500 ST / SXT (160.5 in WB 8 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	6FD	Paint Order Code
	NHM	Speed Control
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221023

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(S). - 0086A

MAKE OF TRUCK: DODGE MODEL: DR6L42 GVWR 6800 lbs.

PAYLOAD: 1320 W.B. 160.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4.7 SAE H.P. 310

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: 4L70-5

SPRING CAP. @ GROUND EACH: FRONT 1925 lbs. REAR 1950 lbs. AUX. _____ lbs.

AXLES: FRONT 3900 lbs. REAR 3900 lbs. REAR RATIO 3.55

ALTERNATOR: 136 amps. BATTERY 600 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P245/70R17-115 MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0087
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (6 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K10553</u>	DODGE <u>DH6L41</u>	FORD <u>F-150</u>
G.V.W.R. (lbs.)	6,800	6,700	6,950
Wheelbase (inches)	134.0	140.5	144.5
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	4.8L	4.7L	4.6L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	295	310	248
Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,000	3,900	4,400
Rear	3,950	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,875	1,932	1,800
Rear-lbs. each	1,875	1,950	1,900

Tires, Tubeless, Radial, to meet G.V.W.R. Tread Design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Hubs-automatic locking type or axle shaft disconnect system.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (6 Foot Box) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0087		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$2.00	\$21,077.95*	
Final Point of Assembly: St. Louis, MO or Warren, MI		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 14:34
Estimated Ship Date:

VIN: **-0087**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR6L41 2008 Dodge Ram 1500 ST / SXT (140.5 in WB 6.3 ft Box)

	Equipment	Description
Model:	DR6L41	Dodge Ram 1500 ST / SXT (140.5 in WB 6.3 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	6FD	Paint Order Code
	NHM	Speed Control
	4PT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221023

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0087

MAKE OF TRUCK: DODGE MODEL: DR6L41 GVWR 6700 lbs.

PAYLOAD: 1430 ✓ W.B. 140.5 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4-7 ✓ SAE H.P. 310 ✓

FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: AUT-5

SPRING CAP. @ GROUND EACH: FRONT 1932 ✓ lbs. REAR 1950 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 3900 ✓ lbs. REAR 3900 ✓ lbs. REAR RATIO 3.55

ALTERNATOR: 136 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P245/70R17-AIS MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0087A
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (6 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K10553</u>	DODGE DH6L41	FORD <u>F-150</u>
G.V.W.R. (lbs.)	6,800	6,700	7,200
Wheelbase (inches)	134.0	140.5	144.5
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Alternative Fuel/Flex Fuel	5.3L	4.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	315	310	300
Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	4,000	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,875	1,932	1,800
Rear-lbs. each	1,875	1,950	1,925

Tires, Tubeless, Radial, to meet G.V.W.R. Tread Design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power.
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT) or axle shaft disconnect system.
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery
- Seat, Rear-front facing bench.
- Skid Plate(s)
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (6 Foot Box) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0087A		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$21,077.95*	
Final Point of Assembly: St. Louis, MO or Warren, MI		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 14:34
Estimated Ship Date:

VIN: **-0087A**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR6L41 2008 Dodge Ram 1500 ST / SXT (140.5 in WB 6.3 ft Box)

	Equipment	Description
Model:	DR6L41	Dodge Ram 1500 ST / SXT (140.5 in WB 6.3 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	6FD	Paint Order Code
	NHM	Speed Control
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221023

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(S). - 0087A

MAKE OF TRUCK: DODGE MODEL: DR6L41 GVWR 6700 lbs.

PAYLOAD: 1430 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4-7 SAE H.P. 310

FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT 1932 lbs. REAR 1950 lbs. AUX. _____ lbs.

AXLES: FRONT 3900 lbs. REAR 3900 lbs. REAR RATIO 3.55

ALTERNATOR: 136 amps. BATTERY 600 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P245/70R17-A/S MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0088
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (8 Foot Box) (Payload-2,500 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>K20953</u>	<u>DODGE</u> <u>DH7L42</u>	<u>FORD</u> <u>F-250</u>
G.V.W.R. 8,600 (lbs.), minimum	9,200	8,800	9,400
Wheelbase (inches)	157.5	160.5	158
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	345	300
Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,900	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,200
Rear-lbs. each	3,042	3,000	3,050

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Speed Control, Factory Installed
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats, Cloth
- Seat, Rear-front facing bench
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (8 Foot Box) (Payload-2,500 lbs., min.) Mich. Spec. #3958-0088		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 2500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$22,352.95*	
Final Point of Assembly: St. Louis, MO or Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 15:46
Estimated Ship Date:

VIN: **-0088**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DH7L42 2008 Dodge Ram 2500 ST / SXT (160.5 in WB 8 ft Box)

	Equipment	Description
Model:	DH7L42	Dodge Ram 2500 ST / SXT (160.5 in WB 8 ft Box)
Package:	26A	Customer Preferred Package 26A
	EZA	5.7L Hemi V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	NHM	Speed Control
	4FT	Fleet Sales Order
Discounts:	YGN	4 Additional Gallons of Gas
	YG2	5.2 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EE-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221027

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNEHKAMP DODGE ITEM NO(s). - 0088

MAKE OF TRUCK: DODGE MODEL: D177L42 GVWR 8800 lbs.

PAYLOAD: 2670 W.B. 160.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 5.7 SAE H.P. 345

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT TBD lbs. REAR TBD lbs. AUX. _____ lbs.

AXLES: FRONT 5200 lbs. REAR 4010 lbs. REAR RATIO 3.73

ALTERNATOR: 136 amps. BATTERY 600 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT245/70R17E-A/S MFG. CODE TWD

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0088D
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB

4 x 4 (8 Foot Box) (Payload-2,500 lbs., min.)

Dodge Payload: 1,930 lbs

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K20953</u>	DODGE DH7L42	FORD <u>F-250</u>
G.V.W.R. 8,600 (lbs.), minimum	9,200	9,000	9,400
Wheelbase (inches)	157.5	160.5	158
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Diesel	6.0L	6.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	350	300
Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,900	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,200
Rear-lbs. each	3,042	3,000	3,050

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Speed Control, Factory Installed
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats, Cloth
- Seat, Rear-front facing bench
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (8 Foot Box) (Payload-2,500 lbs., min.) Mich. Spec. #3958-0088D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 2500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$2.00	\$28,941.95*	
Final Point of Assembly: St. Louis, MO or Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 16:00
Estimated Ship Date:

VIN: - 0088D
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DH7L42 2008 Dodge Ram 2500 ST / SXT (160.5 in WB 8 ft Box)

	Equipment	Description
Model:	DH7L42	Dodge Ram 2500 ST / SXT (160.5 in WB 8 ft Box)
Package:	2FA	Customer Preferred Package 2FA
	ETJ	6.7L Cummins Turbo Diesel Engine
	DG7	6-Spd Automatic 68RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	NHM	Speed Control
	4FT	Fleet Sales Order
Discounts:	3A1	BLUETEC Diesel System
	YG4	5.5 Additional Gallons of Diesel
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221027

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SWETHKAMP DODGE ITEM NO(s). - 0088D

MAKE OF TRUCK: DODGE MODEL: DM7L42 GVWR 9000 lbs.

PAYLOAD: 1930 W.B. 160.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) DIESEL MAKE: CUMMINS MODEL: 6.7 SAE H.P. 350

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-6

SPRING CAP. @ GROUND EACH: FRONT TBD lbs. REAR TBD lbs. AUX. _____ lbs.

AXLES: FRONT 5200 lbs. REAR 6010 lbs. REAR RATIO 3.73

ALTERNATOR: 136 amps. BATTERY 750 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT245/70R17E-A/S MFG. CODE TWD

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0089
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (6 Foot Box) (Payload-2,500 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K20753</u>	DODGE DH7L41	FORD <u>F250</u>
G.V.W.R. 8,600 (lbs.), minimum	9,200	8,800	9,200
Wheelbase (inches)	143.5	140.5	141.8
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	345	300
Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,084	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,200
Rear-lbs. each	3,042	3,000	3,050

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Speed Control, Factory Installed,
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats, Cloth
- Seat, Rear-front facing bench.
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (6 Foot Box) (Payload-2,500 lbs., min.) Mich. Spec. #3958-0089		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 2500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$2.00	\$22,194.95*	
Final Point of Assembly: St. Louis, MO Or Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 15:00
Estimated Ship Date:

VIN: **-0089**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DH7L41 2008 Dodge Ram 2500 ST / SXT (140.5 in WB 6.3 ft Box)

	Equipment	Description
Model:	DH7L41	Dodge Ram 2500 ST / SXT (140.5 in WB 6.3 ft Box)
Package:	26A	Customer Preferred Package 26A
	EZA	5.7L Hemi V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	NHM	Speed Control
	4FT	Fleet Sales Order
Discounts:	YGN	4 Additional Gallons of Gas
	YG2	5.2 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221027

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0089

MAKE OF TRUCK: DODGE MODEL: DM7L41 GVWR 8800 lbs.

PAYLOAD: 2820 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 5.7 SAE H.P. 345

FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT 2600 lbs. REAR 3000 lbs. AUX. _____ lbs.

AXLES: FRONT 5200 lbs. REAR 6010 lbs. REAR RATIO 3.73

ALTERNATOR: 136 amps. BATTERY 600 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT245/70R17E-A/S MFG. CODE TWD

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0089D
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (6 Foot Box) (Payload-2,500 lbs., min.)
Dodge Payload: 2,070 lbs

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>K20753</u>	DODGE DH7L41	<u>FORD</u> <u>F250</u>
G.V.W.R. 8,600 (lbs.), minimum	9,200	9,000	9,200
Wheelbase (inches)	143.5	140.5	141.8
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Diesel	6.0L	6.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	350	300
Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,084	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,200
Rear-lbs. each	3,042	3,000	3,050

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Speed Control, Factory Installed,
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats, Cloth
- Seat, Rear-front facing bench.
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (6 Foot Box) (Payload-2,500 lbs., min.) Mich. Spec. #3958-0089D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 2500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$28,782.95*	
Final Point of Assembly: St. Louis, MO or Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 16:28
Estimated Ship Date:

VIN: **-0089D**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DH7L41 2008 Dodge Ram 2500 ST / SXT (140.5 in WB 6.3 ft Box)

	Equipment	Description
Model:	DH7L41	Dodge Ram 2500 ST / SXT (140.5 in WB 6.3 ft Box)
Package:	2FA	Customer Preferred Package 2FA
	ETJ	6.7L Cummins Turbo Diesel Engine
	DG7	6-Spd Automatic 68RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	NHM	Speed Control
	4FT	Fleet Sales Order
Discounts:	3A1	BLUETEC Diesel System
	YG4	5.5 Additional Gallons of Diesel
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221027

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNEHKAMP DODGE ITEM NO(s). - 0089D

MAKE OF TRUCK: DODGE MODEL: D177L41 GVWR 9000 lbs.

PAYLOAD: 2070 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) DIESEL MAKE: CUMMINS MODEL: 6.7 SAE H.P. 350

FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: AUTO-6

SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3000 lbs. AUX. _____ lbs.

AXLES: FRONT 5200 lbs. REAR 4010 lbs. REAR RATIO 3.73

ALTERNATOR: 136 amps. BATTERY 750 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT245/70R17E-R/S MFG. CODE TWD

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0090
August 2007

TRUCK: PICK-UP BODY
(6 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K10703</u>	DODGE <u>DR6L61</u>	FORD <u>F-150</u>
G.V.W.R. (lbs.)	6,400	6,350	6,800
Wheelbase (inches)	119.0	120.5	126.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	4300	4.7L	4.6L
Type & No. of Cylinders	V-6	V-8	V-8
Net H.P.-S.A.E.	195	310	248
Transmission: Automatic. with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	3,750	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	1,930	1,700
Rear-lbs. each	1,875	1,950	1,750

Tires, tubeless, radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Hubs-Automatic locking type or axle shaft disconnect system.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, swing away type, 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY</u> (6 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0090		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT F.O.B. - Dealership Delivery Cost Per Mile \$2.00	\$18,270.95*	
Final Point of Assembly: St. Louis, MO		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 16:52
Estimated Ship Date:

VIN: -0090
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR6L61 2008 Dodge RAM 1500 ST / SXT (120.5 in WB 6.3 ft Box)

	Equipment	Description
Model:	DR6L61	Dodge RAM 1500 ST / SXT (120.5 in WB 6.3 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PW7	Bright White Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	6FA	Paint Order Code
	NHM	Speed Control
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221021

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SWETHKAMP DODGE ITEM NO(s). -0090

MAKE OF TRUCK: DODGE MODEL: DR6L41 GVWR 6350 lbs.

PAYLOAD: 1420 ✓ W.B. 120.5 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS ✓ MAKE: DODGE MODEL: 4.7 ✓ SAE H.P. 310

FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: AUTO-5 L

SPRING CAP. @ GROUND EACH: FRONT 1930 lbs. REAR 1950 lbs. AUX. _____ lbs.

AXLES: FRONT 3900 lbs. REAR 3900 lbs. REAR RATIO 3.55

ALTERNATOR: 136 amps. BATTERY 400 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. P245/70R17-**A/S** MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0090A
August 2007

TRUCK: PICK-UP BODY
(6 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K10703</u>	DODGE <u>DR6L61</u>	FORD <u>F-150</u>
G.V.W.R. (lbs.)	6,400	6,350	6,800
Wheelbase (inches)	119.0	120.5	126.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	5.3L	4.7L	4.6L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	315	310	248
Transmission: Automatic. with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	3,750	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	1,930	1,700
Rear-lbs. each	1,875	1,950	1,750

Tires, tubeless, radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- swing away type, 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-Automatic locking type on front (MDOT) or axle shaft disconnect system.
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s)
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

TRUCK: PICK-UP BODY (6 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0090A		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$18,270.95*	
Final Point of Assembly: St. Louis, MO		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 16:52
Estimated Ship Date:

VIN: **-0090A**
Order Status: BA

VON
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR6L61 2008 Dodge RAM 1500 ST / SXT (120.5 in WB 6.3 ft Box)

	Equipment	Description
Model:	DR6L61	Dodge RAM 1500 ST / SXT (120.5 in WB 6.3 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PW7	Bright White Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	6FA	Paint Order Code
	NHM	Speed Control
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221021

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(S). -0090A

MAKE OF TRUCK: DODGE MODEL: DR6L61 GVWR 6350 lbs.

PAYLOAD: 1420 W.B. 120.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4.7 SAE H.P. 310

FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT 1930 lbs. REAR 1950 lbs. AUX. _____ lbs.

AXLES: FRONT 3900 lbs. REAR 3900 lbs. REAR RATIO 3.55

ALTERNATOR: 13p amps. BATTERY 400 cca.

TIRE SIZE: FRONT _____ PR REAR R245/70R17A/S PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. _____ MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0091
August 2007

TRUCK: PICK-UP BODY
(8 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K10903</u>	DODGE <u>DR6L62</u>	FORD <u>F-150</u>
G.V.W.R. (lbs.)	6,400	6,600	6,950
Wheelbase (inches)	133	140.5	144.5
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	4.3L	4.7L	4.6L
Type & No. of Cylinders	V-6	V-8	V-8
Net H.P.-S.A.E.	195	310	248
Transmission: Automatic. with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	4,000	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	1,930	1,725
Rear-lbs. each	2,000	1,950	1,900

Tires, tubeless, radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Hubs-Automatic locking type or axle shaft disconnect system.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, swing away type, 40 square inch minimum, Installed.
- Skid Plate(s)
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Tow hooks-front, frame mounted.
- Wrench-wheel.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

TRUCK: PICK-UP BODY (8 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0091		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$2.00	\$18,675.95*	
Final Point of Assembly: St. Louis, MO		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 17:11
Estimated Ship Date:

VIN: -0091
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR6L62 2008 Dodge RAM 1500 ST / SXT (140.5 in WB 8 ft Box)

	Equipment	Description
Model:	DR6L62	Dodge RAM 1500 ST / SXT (140.5 in WB 8 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PW7	Bright White Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-J3	Khaki
Options:	ADB	Protection Group
	6FA	Paint Order Code
	NHM	Speed Control
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221021

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0091

MAKE OF TRUCK: DODGE MODEL: DR6L62 GVWR 6600 lbs. ✓

PAYLOAD: 1470 ✓ W.B. 140.5 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4.7 ✓ SAE H.P. 310 ✓

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: 410-5L

SPRING CAP. @ GROUND EACH: FRONT 1930 ✓ lbs. REAR 1950 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 3900 ✓ lbs. REAR 3900 ✓ lbs. REAR RATIO 3.55

ALTERNATOR: 136 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. D245/70R17-AIS MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0091A
August 2007

TRUCK: PICK-UP BODY
(8 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K10903</u>	DODGE <u>DR6L62</u>	FORD <u>F-150</u>
G.V.W.R. (lbs.)	6,800	6,600	6,950
Wheelbase (inches)	133	140.5	144.5
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Alt Fuel/Flex Fuel	5.3L	4.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	315	310	300
Transmission: Automatic. with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	4,000	3,900	4,200
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	1,930	1,725
Rear-lbs. each	2,000	1,950	1,925

Tires, tubeless, radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, swing away type, 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-Automatic locking type on front (MDOT) or axle shaft disconnect system.
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s)
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

TRUCK: PICK-UP BODY (8 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0091A		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 1500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$18,555.95*	
Final Point of Assembly: St. Louis, MO		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 17:17
Estimated Ship Date:

VIN: **-0091A**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DR6L62 2008 Dodge RAM 1500 ST / SXT (140.5 in WB 8 ft Box)

	Equipment	Description
Model:	DR6L62	Dodge RAM 1500 ST / SXT (140.5 in WB 8 ft Box)
Package:	24A	Customer Preferred Package 24A
	EVE	4.7L V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PW7	Bright White Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-J3	Khaki
Options:	6FA	Paint Order Code
	NHM	Speed Control
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221021

Purchase Order:

FSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). - 0091 A

MAKE OF TRUCK: DODGE MODEL: DR6L6Z GVWR 6600 lbs.

PAYLOAD: 1470 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 4.7 SAE H.P. 310

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT 1930 lbs. REAR 1950 lbs. AUX. _____ lbs.

AXLES: FRONT 3900 lbs. REAR 3900 lbs. REAR RATIO 3.55

ALTERNATOR: 136 amps. BATTERY 600 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____
D245/70R17-14/S

TIRE: MAKE _____ STYLE NO. _____ MFG. CODE TSB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0092
August 2007

TRUCK: PICK-UP BODY
WITH 8 FT. Box (4 x 4) (Payload 2,800 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K20903</u>	DODGE BR2500 DH7L62	FORD <u>F-250SD</u>
G.V.W.R. 8,600 (lbs.), minimum	9,200	8,650	9,000
Wheelbase (inches)	133.0	140.5	137
Type & Size of Body:	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	6000	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	345	300
Transmission: Automatic with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,900	6,010	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,250	2,600	2,000
Rear-lbs. each	3,042	3,100	2,946

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, min.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- swing away type, 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-Automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY</u> WITH 8 FT. Box (4 x 4) (Payload 2,800 lbs., min.) Mich. Spec. #3958-0092		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 2500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$2.00	\$19,921.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 17:31
Estimated Ship Date:

VIN: -0092
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DH7L62 2008 Dodge Ram 2500 ST / SXT (140.5 in WB 8 ft Box)

	Equipment	Description
Model:	DH7L62	Dodge Ram 2500 ST / SXT (140.5 in WB 8 ft Box)
Package:	26A	Customer Preferred Package 26A
	EZA	5.7L Hemi V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	NHM	Speed Control
	4FT	Fleet Sales Order
Discounts:	YGN	4 Additional Gallons of Gas
	YG2	5.2 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221025

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027
-------------------------------	-----------------------------------



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNEETHKAMP DODGE ITEM NO(s). - 0092

MAKE OF TRUCK: DODGE MODEL: DH7L62 GVWR 8650 lbs.

PAYLOAD: 2820 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 5.7 SAE H.P. 345

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT 2600 lbs. REAR 3100 lbs. AUX. _____ lbs.

AXLES: FRONT 5200 lbs. REAR 6010 lbs. REAR RATIO 3.73

ALTERNATOR: 136 amps. BATTERY 600 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT245/70R17E-A/S MFG. CODE TWD

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0092D
August 2007

TRUCK: PICK-UP BODY

8 FT. Box (4 x 4) (Payload 2,800 lbs., min.)
Dodge Payload: 2,260 lbs

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>K20903</u>	DODGE BR2500 <u>DH7L62</u>	<u>FORD</u> <u>F-250SD</u>
G.V.W.R. 8,600 (lbs.), minimum	9,200	9,000	9,000
Wheelbase (inches)	133.0	140.5	137
Type & Size of Body:	Fleetside/ Wideside	Sweptline	Styleside
Engine: Diesel	6000	6.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	350	300
Transmission: Automatic with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,900	6,010	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,250	2,600	2,000
Rear-lbs. each	3,042	3,100	2,946

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, min.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- swing away type, 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-Automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

TRUCK: PICK-UP BODY		
8 FT. Box (4 x 4) (Payload 2,800 lbs., min.)		
Mich. Spec. #3958-0092D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 2500 ST/SXT <i>F.O.B. - Dealership</i> Delivery Cost Per Mile: \$2.00	\$26,509.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 17:43
Estimated Ship Date:

VIN: - 0092D
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DH7L62 2008 Dodge Ram 2500 ST / SXT (140.5 in WB 8 ft Box)

	Equipment	Description
Model:	DH7L62	Dodge Ram 2500 ST / SXT (140.5 in WB 8 ft Box)
Package:	2FA	Customer Preferred Package 2FA
	ETJ	6.7L Cummins Turbo Diesel Engine
	DG7	6-Spd Automatic 68RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	NHM	Speed Control
	4FT	Fleet Sales Order
Discounts:	3A1	BLUETEC Diesel System
	YG4	5.5 Additional Gallons of Diesel
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221025

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

Purchase Order:

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 0711820027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0092D

MAKE OF TRUCK: DODGE MODEL: DM7L62 GVWR 9000 lbs.

PAYLOAD: 2260 W.B. 140.5 C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) DIESEL MAKE: CUMMINS MODEL: 6.7 SAE H.P. 350

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: AUTO-6

SPRING CAP. @ GROUND EACH: FRONT 2600 lbs. REAR 3100 lbs. AUX. _____ lbs.

AXLES: FRONT 5200 lbs. REAR 6010 lbs. REAR RATIO 3.73

ALTERNATOR: 136 amps. BATTERY 750 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT245/70R17-E-MS MFG. CODE TWD

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0093
August 2007

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)
(4 x 4)

MODEL-2008 CURRENT NEW

	DODGE		FORD
	BR3500	CHEV/GMC	
	DC8L63	<u>K31003</u>	<u>F-350SD</u>
			DRW
Wheelbase (inches)	143.5	137	140.8
Engine: Gasoline	5.7L	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	330	312	300

Transmission: Automatic:
with 2-speed transfer case and maximum capacity transmission oil cooler.
Factory installed.

Axle, Min. Cap.-lbs.			
Front	5,200	4,800	6,000
Rear	9,350	9,200	9,750

Springs, Min. Cap. at Ground			
Front-lbs., each	TBD	2,400	1,975
Rear-lbs., each	TBD	4,300	4,500

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals. Tread design for all tires shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery 12 Volt; 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Outside, R.H. and L.H., below eye level, extended reach, swing away type, 51 square inch minimum, Installed.
- Spare wheel.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Hubs-Automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s).
- Seats-split bench front
- Tow Hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.) (4 x 4) Mich. Spec. #3958-0093		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 3500 ST/SLT F.O.B. - Dealership Delivery Cost Per Mile \$2.00	\$20,314.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 18:03
Estimated Ship Date:

VIN: **-0093**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DC8L63 2008 Dodge Ram 3500 ST / SLT (143.5 in WB - CA of 60 in)

	Equipment	Description
Model:	DC8L63	Dodge Ram 3500 ST / SLT (143.5 in WB - CA of 60 in)
Package:	26A	Customer Preferred Package 26A
	EZA	5.7L Hemi V8 Engine
	DGQ	5-Spd Automatic 545RFE Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	HAA	Air Conditioning
	NHM	Speed Control
	TP8	LT235/80R17E BSW On/Off Rd Tires
	TBB	Full Size Spare Tire
	4FT	Fleet Sales Order
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
Destination:		

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT221031

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0093

MAKE OF TRUCK: DODGE MODEL: DC8L43 GVWR 12500 lbs.

PAYLOAD: 4330 W.B. 143.5 C.A. 40 C.E. _____

ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 5.7 SAE H.P. 330

FUEL TANK(S) CAPACITY: 52 (GALS. TOTAL) TRANSMISSION: AUTO-5

SPRING CAP. @ GROUND EACH: FRONT TBD lbs. REAR TBD lbs. AUX. _____ lbs.

AXLES: FRONT 5200 lbs. REAR 9350 lbs. REAR RATIO 4.10

ALTERNATOR: 136 amps. BATTERY 750 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT235/80R17E-ON/OFFRD MFG. CODE TPB

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0093D
August 2007

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)
(4 x 4)

MODEL-2008 CURRENT NEW

	DODGE BR3500 DC8L63	CHEV/GMC <u>K31003</u>	FORD <u>F-350SD</u> DRW
Wheelbase (inches)	143.5	137	140.8
Engine: Diesel	6.7L	6.0L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	305	312	300

Transmission: Automatic:
with 2-speed transfer case and maximum capacity transmission oil cooler.
Factory installed.

Axle, Min. Cap.-lbs.			
Front	5,200	4,800	6,000
Rear	9,350	9,200	9,750

Springs, Min. Cap. at Ground			
Front-lbs., each	TBD	2,400	1,975
Rear-lbs., each	TBD	4,300	4,500

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals. Tread design for all tires shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery 12 Volt; 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Outside, R.H. and L.H., below eye level, extended reach, swing away type, 51 square inch minimum, Installed.
- Spare wheel.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

- Hubs-Automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s).
- Seats-split bench front
- Tow Hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.) (4 x 4) Mich. Spec. #3958-0093D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Dodge Model: Ram 3500 ST/SLT F.O.B. - Dealership Delivery Cost Per Mile \$2.00	\$27,520.95*	
Final Point of Assembly: Saltillo, Mexico		
<u>Dealer Information</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.		
Street Address: 6131 S. Pennsylvania Ave.		
City: Lansing	State: MI	Zip: 48911
Contact Name: Tony Sasso		
Telephone: (517) 394-1200		
Fax: (517) 394-1282		
Cell: (517) 490-7095		
E-mail: tsasso@snethkamp.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 20, 2007 18:11
Estimated Ship Date:

VIN: **-0093D**
Order Status: BA

VON:
Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I
to: 6131 S PENNSYLVANIA to: 6131 S PENNSYLVANIA
LANSING, MI 48910 LANSING, MI 48910

DC8L63 2008 Dodge Ram 3500 ST / SLT (143.5 in WB - CA of 60 in)

	Equipment	Description
Model:	DC8L63	Dodge Ram 3500 ST / SLT (143.5 in WB - CA of 60 in)
Package:	2GA	Customer Preferred Package 2GA
	ETJ	6.7L Cummins Turbo Diesel Engine
	DG3	6-Spd Auto AISIN AS68RC Transmission
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-D5	Med Slate Gray
Options:	HAA	Air Conditioning
	NHM	Speed Control
	TP8	LT235/80R17E BSW On/Off Rd Tires
	TBB	Full Size Spare Tire
	4FT	Fleet Sales Order
Discounts:	3A1	BLUETEC Diesel System
	NAS	50 State Emissions
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
Destination:		

Total Price(USD):

Priority Code: 99

Fleet Account One:

Fleet Account Two:

Client Code:

Special Bid Number: TT231133

Purchase Order:

PSP Week(month/week):

Customer Name:

Address:

Order Type: Fleet

Instructions:

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: BILL SNETHKAMP DODGE ITEM NO(s). -0093D

MAKE OF TRUCK: DODGE MODEL: DC8L43 GVWR 12500 lbs.

PAYLOAD: 5470 W.B. 143.5 C.A. 40 C.E. _____

ENGINE: (GAS - DIESEL) DIESEL MAKE: CUMMINS MODEL: 6.7 SAE H.P. 305

FUEL TANK(S) CAPACITY: 52 (GALS. TOTAL) TRANSMISSION: AUTO-6

SPRING CAP. @ GROUND EACH: FRONT TBD lbs. REAR TBD lbs. AUX. _____ lbs.

AXLES: FRONT 5200 lbs. REAR 9350 lbs. REAR RATIO 4.10

ALTERNATOR: 136 amps. BATTERY 750 cca.

TIRE SIZE: FRONT _____ PR REAR _____ PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE _____ STYLE NO. LT235/80R17E-ON/OFF RD MFG. CODE TP8

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.