


STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

APPENDIX A

SPECIFICATIONS AND PRICING
INFORMATION
FOR
PASSENGER VEHICLES & TRUCKS
2008 MODEL YEAR



RED HOLMAN (MiDEAL)
Contract# 071B8200126

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INDEX TO

SPECIFICATIONS FOR
2008 PASSENGER VEHICLES & TRUCKS

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>	<u>PAGE NO</u>
Passenger Vehicle Equipment	Preface	A
Truck Equipment	Preface	B-B1
Pre-Delivery Service	Preface	C-C1
Receiving Procedure	Preface	D

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

The dealer's vehicle order confirmation sheet listing all the standard options provided with the vehicle in accordance with the State of Michigan Specification shall be provided at each of these steps in the process:

- With dealers bid submittal to the State of Michigan**
- With original quote from the dealer to the customer**
- Upon delivery of the vehicle from the dealer to the customer**
- Customer shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**Diesel Vehicles are indicated with a “D” at the end of the specification number.
Alternative Fuel vehicles are indicated with a “A” at the end of the specification number.**

PASSENGER VEHICLES

Small, 4-Door Sedan, Auto. Trans.	3905-0002
Large-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0003
Alt Fuel - 4-Door Sedan, Auto. Trans.	3905-0003A
Mid-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0004
Large, Administrator Series, 4 -Door Sedan, Auto. Trans.	3905-0005

STATION WAGONS

5-Passenger, Auto. Trans., 4 door	3905-0017
-----------------------------------	-----------

Multi Functional Utility Vehicle,

5 Passenger, 4-Door, Auto. Trans., 4 door	3905-0018
Alt Fuel - 5 Passenger, Auto. Trans., 4 door	3905-0018A
6-7 Passenger, 4-Door, Auto. Trans.	3905-0019

TRUCKS, LIGHT DUTY

Pick-Up, 7 Ft. Box, Standard Cab, Payload – 1,000 lbs., min.	3958-0020
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,260 lbs., min.	3958-0023
Pick-Up, 6 Ft. Box, Payload - 1,600 lbs., min., “Work Truck”	3958-0025
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026
Alt Fuel -Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min	3958-0027
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min.	3958-0027A
Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028
Alt Fuel - Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028A

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029D
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0030
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030A
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031D

VANS, PASSENGER AND UTILITY

Panel Van, Payload - 1,700 lbs., min.	3958-0032
Utility Vehicle, 4 Door, 5-6 Passenger, Payload 1,500 lbs., min.	3905-0034
Sport Van, 8 Passenger, Payload - 1,600 lbs., min.	3905-0035
Utility Vehicle, Large, 6-Passenger, Payload - 1,940 lbs., min.	3905-0036
Sport-Van, 12-Passenger, Payload - 2,649 lbs., min.	3905-0037
Panel Van, Payload - 3,100 lbs., min.	3958-0039
Van, 15-Passenger	3905-0040
Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042
Alt Fuel -Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042A
Van, Cargo, Compact, Front Wheel Drive	3958-0044
Van, 7 Passenger, Compact, Long Wheel Base, Front Wheel Drive	3905-0045
Alt Fuel -Van, 7 Passenger, Compact, Extended Body, Front Wheel Drive	3905-0045A

TRUCKS, LIGHT DUTY

Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046
Diesel - Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046D

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047D
Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payload - 4,200 lbs., min.	3958-0048
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payld - 4,200 lbs.	3958-0048D
Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049
Diesel - Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051D
<u>VANS, COMMERCIAL</u>	
Van, Commercial, 10-Passenger, Raised Roof, Payload - 3,200 lbs., min.	3905-0057
Van, Commercial, Cargo, Raised Roof, Payload - 4,800 lbs., min.	3905-0058
<u>TRUCKS AND BODIES, MEDIUM DUTY</u>	
Cab and Chassis, approx. 137" W.B., G.V.W.R. 10,000 lbs., Gas	3958-0072
Cab and Chassis, approx. 128" W.B., G.V.W.R. 12,500 lbs., Diesel	3958-0073
Dump Body and Hoist, 2 cu. yd.	3958-0074
Stake Body, 9 Ft.	3958-0075
Stake Body and Hydraulic Hoist, 9 Ft.	3958-0076
Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077
Diesel - Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077D
Cab and Chassis, approx. 152" W.B., Payload 6,675 lbs., min. Diesel	3958-0078
Stake Body, 12 Ft.	3958-0079

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0080
<u>TRUCKS, LIGHT DUTY, 4X4</u>	
Utility Vehicle, 4 Door, Payload 900 lbs., min.	3958-0083
Alt Fuel - Utility Vehicle, 4 Door, 2 Wheel Drive, Payload – 900 lbs., min.	3958-0083A
Pick-Up, 7 Ft. Box, Standard Cab, Payload 1,000 lbs., min.	3958-0084
Utility Vehicle, 4 Door, 6 Passenger, Payload 1,480 lbs., min.	3958-0085
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086A
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087
Alt Fuel -Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089D
Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090
Alt Fuel - Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090A
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091
Alt Fuel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091A
Pick-Up, 8 Ft. Box, Standard Cab, Payload – 2,800 lbs., min.	3958-0092
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 2,800 lbs., min.	3958-0092D
Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093
Diesel - Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093D
Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Alt Fuel - Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094A
 <u>TRUCKS, MEDIUM DUTY, 4X4</u>	
Cab and Chassis, Body and Payload - approx. 13,000 lbs., min. 25,950 lbs. Min. G.V.W.R., Diesel engine	3958-0096
Cab and Chassis, approx. 137" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,800 lbs., min.	3958-0098
Cab and Chassis, approx. 161" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,930 lbs., min.	3958-0099
 <u>TRUCK, CUT-AWAY AND VAN BODY</u>	
Truck, Cut-Away, 8,900 lbs. G.V.W.R.	3958-0100
Truck, Cut-Away, 10,000 lbs. G.V.W.R	3958-0101
Van Body, Cut-Away Aluminum	3958-0102
Van Body, Cut-Away, Fiberglass Reinforced Plastic (F.R.P.)	3958-0103
Van, Full Body, Aluminum	3958-0104
Van, Full Body, Fiberglass Reinforced Plastic F.R.P.	3958-0105
Truck, Cut-Away, 11,000 lbs. G.V.W.R	3958-0108
Truck, Cut-Away, 14,000 lbs. G.V.W.R	3958-0109
 <u>TRUCKS AND BODIES, HEAVY DUTY</u>	
Cab and Chassis, approx. 128" W.B., G.V.W.R 14,500 lbs., Gas	3958-0110
Cab and Chassis, approx. 128" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0111
Cab and Chassis, approx. 140" W.B., G.V.W.R 14,000 lbs. Gas, (4 x 4)	3958-0112
Cab and Chassis, approx 140" W.B., G.V.W.R 14,500 lbs., Diesel, (4 x 4)	3958-0113
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Gas	3958-0114
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0115
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Gas, (4 x 4)	3958-0116

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Diesel, (4 x 4)	3958-0117
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.. Low Pro	3958-0134
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.	3958-0135
Cab and Chassis, approx. 152" W.B., G.V.W.R 23,500 lbs., Diesel	3958-0136
Stake Body, 12 Ft.	3958-0137
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0141
Dump Body and Hydraulic Hoist, 5-6 Yd.	3958-0158
Cab and Chassis, approx. 169" W.B., G.V.W.R 33,000 lbs. Diesel, 170 HP	3958-0160
Stake Body, 14 Ft.	3958-0161

TRUCKS AND BODIES, HEAVY DUTY

Cab and Chassis, approx. 217" W.B., G.V.W.R 27,000 lbs. Diesel, 210 HP	3958-0164
Van Body, 20 Ft., Aluminum	3958-0165
Van Body, 20 Ft., Fiberglass Reinforced Plastic, F.R.P.	3958-0167
Cab and Chassis, approx. 112" W.B., G.V.W.R 44,000 lbs., Diesel Single Axle	3958-0170
Dump Body and Hydraulic Hoist, 6.5 cu. yd.	3958-0171
Cab and Chassis, approx. 211" W.B., G.V.W.R 64,000 lbs., Diesel Tandem Axle	3958-0172
Cab and Chassis, approx. 177" W.B., G.V.W.R 52,000 lbs., Diesel Tandem Axle	3958-0173
Dump Body and Hydraulic Hoist, 10-12 cu. yd.	3958-0174

TRACTORS

70,000 lbs. G.C.W.R., Diesel Engine	3958-0178
-------------------------------------	-----------

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
<u>TAIL GATES</u>	
Hydraulic Power Tail Gate, 2,000 lbs. Capacity, 15,000 G.V.W.R., Conventional Type	3958-0215
Hydraulic Power Tail Gate, 3,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0216
Hydraulic Power Tail Gate, 4,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0217
Hydraulic Power Tail Gate, Various Capacities, 15,000 G.V.W.R., Stow Away Type	3958-0218
Hydraulic Tailgate, approx. 1,000 Lb. Capacity, 10,000 G.V.W.R. or less, (Step Van, Parcel Vans or Pick-Ups)	3958-0219
Hydraulic Tailgate, approx. 1,500 Lb. Capacity, (10,000 G.V.W.R. and smaller, stake body) Fold-Up Type Or Tuck-Away Type	3958-0220
Hydraulic Tailgate, 1,250 to 4,000 lb. Capacities, Rail Type	3958-0221

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PASSENGER VEHICLE EQUIPMENT

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

Air Bag, Dual
Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
Air Conditioning.
Anti-freeze protection-to -30°F.
Battery-Maximum CCA available.
Brakes-Anti Locking System (ABS)
Color-Manufacturers Standard Color to be selected.
Defroster-Electric, rear window.
Floor Mats-Mfg. Stnd. , front and rear, color coordinated.
Glass-Tinted, all around.
Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
Lights, Daytime Running (If available from manufacturer as standard equipment)
Mirror-Right-hand, outside (factory installed).
Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
Pre-delivery inspection and servicing.
Radio-AM/FM mfg. standard, factory installed.
Rear Axle Ratio for maximum mileage in highway driving.
Seats; Front, Split Bench or Bucket Type
Speed Control, factory installed
Steering-Power, Tilt Wheel.
Tires, Radial, Manufacturers Standard
Upholstery, Seats - Cloth or Cloth and Vinyl.
Wipers, Windshield - dual, intermittent, electric with automatic type washers.

**ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE
FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.**

Note: No dealer advertising decals are to be on vehicle.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

12 Volt auxiliary outlet

Air Conditioning - All trucks

Anti-freeze protection, to -30°F.

Arm Rest-Driver's side.

Color-Manufacturers Standard to be selected.

Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

Dome Light.

Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT)

Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT (Continued)

Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.

Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.

Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.

Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.

Pre-delivery inspection and servicing.

Radio - AM/FM Manufacturers Standard, Factory Installed

Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)

Seats-Split Bench type, unless otherwise specified

Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.

Speed Control, Factory Installed

Steering-Power, Tilt Wheel

Sun visors-dual.

Jack-Furnish on trucks up to and including 12,000 G.V.W.R.

Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

1. General appearance of body both interior and exterior for completeness and quality of workmanship.
2. Lubrication and fluid levels and correcting any leaks:
 - a. Radiator
 - b. Windshield Washer
 - c. Battery
 - d. Power steering pump
 - e. Brake master cylinder
 - f. Engine oil
 - g. Transmission fluid level.
3. Mechanical operation of vehicle:
 - a. Steering gear and linkage
 - b. Suspension assembly, front and rear
 - c. Proper tire pressure to normal rated road requirements
 - d. Hood latch
 - e. Head lights, aim and adjust
 - f. Front wheel toe in and torque wheel nuts
 - g. Seat and shoulder belts operative
 - h. All locks and latches to be operative
 - i. Windshield wiper and washer to be operative
 - j. Proper adjustment to all drive belts
4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.
5. **Miscellaneous items to be furnished:**
 - a. **Manufacturers Window Sticker shall not be removed from vehicle**
 - b. **Odometer Certification, and Vehicle Curb Weight at time of delivery**
 - c. **Manufacturers or Dealers Pre-Delivery Check Sheet**
 - d. **Vehicle shall have a Minimum of (4) Gallons of Fuel in tank when delivered**
 - e. **Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE (Continued)

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

It is intended that vehicles delivered in accordance with the Michigan specifications will be complete, including mechanical details, general workmanship and appearance, and shall be delivered complete with all warranty service books and identification plate.

Failure to adhere to specifications may be reason to delay payment.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

RECEIVING PROCEDURE

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the vendor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the receiving agency.

It is recommended that the following items be checked prior to signing the Freight Bill:

1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.
2. Visually inspect under hood for the following items:
 - a. Air cleaner
 - b. Battery and caps
 - c. Radiator cap
 - d. Windshield washer container.
3. Check for cracked or broken windows.
4. Check trunk compartment for the following:
 - a. Spare tire and wheel
 - b. Jack
 - c. Wheel wrench
 - d. Four hub caps
 - e. Trunk mat.
5. Check interior of vehicle for the following items:
 - a. Owner's manual and warranty material
 - b. Cigarette lighter
 - c. Two sets of keys (Three sets for MDOT)
 - d. Make sure all seat belts are installed
 - e. Sun visors
 - f. Upholstery damage or excessive soil.

It is the responsibility of the agency to check for any other items that could possibly have been missing in accordance with the purchase order and the specification data.

TRUCK: PICK-UP BODY, EXTENDED CAB
(6 Foot Box, Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD <u>F150</u>	CHEV/ GMC <u>C10753</u>	DODGE <u>DR1L41</u>
G.V.W.R. (lbs.)	6,700	6,400	6,650
Wheelbase (inches)	144.5	143.5	140.5
Type & Size of Body	Styleside	Fleetside/ Wideside	Sweptline
Engine: Gasoline	4.6L	4.3L	4.7L
Type & No. of Cylinders	V-8	V-6	V-8
Net H.P.-S.A.E.	248	195	235
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,150	3,600	3,650
Rear	3,800	3,750	3,900
Springs, Min. Cap. at Ground			
Front-lbs. each	1,725	1,800	1,850
Rear-lbs. each	1,900	1,875	1,950

Tires, Tubeless, Radial, to meet G.V.W.R.. All season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**
ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.

- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear
- Fuel capacity - largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (6 Foot Box, Payload-1,400 lbs., min.) Mich. Spec. #3958-0028		
Standard Equipped Per above Specification (Including options specified above)	Standard Equipped Cost	
Make: GMC Model: Sierra F.O.B. - Dealership Delivery Cost Per Mile \$1.00	\$16,924.00*	
Final Point of Assembly: Ft. Wayne, IN		
<u>Dealer Information</u>		
Dealer Name: Red Holman Pontiac GMC		
Street Address: 35300 Ford Road		
City: Westland	State: MI	Zip: 48185
Contact Name: Albert Li		
Telephone: (800) 482-3032		
Cell: (734) 637-6643		
E-mail: aclixx@hotmail.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0028

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10753	2008 GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck	\$22,550.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
SUSPENSION PKG		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LU3	ENGINE, VORTEC 4.3L V6 MFI (195 HP [145.4 KW] @ 4600 RPM, 260 LB-FT OF TORQUE [351.0 N-M] @ 2800 RPM)	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
GVWR		
C7H	GVWR, 6400 LBS. (2903 KG)	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:03:14 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
AXLE	GU5	REAR AXLE, 3.23 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP	1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES	QPR	TIRES, P245/70R17 ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE	AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM	_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT	ZY1	PAINT, SOLID	\$0.00
RADIO	UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS	NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS	UE0	ONSTAR, DELETE	-\$85.00
	K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
	U2J	XM SATELLITE RADIO, DELETE	-\$200.00
	VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL			\$290.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 6:03:14 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

EPA FUEL ECONOMY RATINGS

- City 15/hwy 20 (4.3L engine/4-speed auto trans)
- City 14/hwy 19 (4.8L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 15 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:03:14 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only.)
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:03:14 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:03:15 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

MECHANICAL

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Requires T*10*03, TC10553 or TC10753 models. Standard with T*10*03, TC10553 or TC10753 models. Not available with (VYU) Snow Plow Prep Package or (Z82) heavy-duty trailering equipment.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.23 ratio (Refer to Engine/Axle chart for availability.)
- Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- GVWR, 6400 lbs. (2903 kg) (Standard on T*10703, T*10903, TC10553, and TC10753 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P245/70R17 all-season, blackwall (Requires 2WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:03:15 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:03:15 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0028
 MAKE OF TRUCK: Gmc MODEL: Sierra TC10753 GVWR 6400 lbs.
 PAYLOAD: 1620 # W.B. 143.50" C.A. 41.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: L43,4.3 SAE H.P. 195
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydraulic M30 4spd
 SPRING CAP. @ GROUND EACH: FRONT 1800 lbs. REAR 1875 lbs. AUX. N/A lbs.
 AXLES: FRONT 3600 lbs. REAR 3750 lbs. REAR RATIO 3.23
 ALTERNATOR: 145 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT P245/70R17 PR REAR P245/70R17 PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QPR
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
ALTERNATE FUEL VEHICLES
 (6 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC C10953	DODGE DR1L42	FORD F150
G.V.W.R. (lbs.)	6,800	6,350	7050
Wheelbase (inches)	143.5	120.5	145
Type & Size of Body	Fleetside	TBD	Styleside
Engine: Alternate Fuel Type of Fuel	5.3L E-85	4.7L E-85 FFV	5.4L E-85
Type & No. of Cylinders Net H.P.-S.A.E. J1349	V-8 315	V-8 310	V-8 TBD
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	3,750	3,900	4,200
Springs, Min. Cap. at Ground Front-lbs. each Rear-lbs. each	1,800 1,875	1,825 1,950	1,725 1,925

Cab-Full width rear window.

Tires, Tubeless, P235/75R15 minimum. All Season. P235/70R17 BSW (F-150)

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-75 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Seats, cloth

Vehicle Order Confirmation Sheet
 Spec # 3958-0028A

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10753	2008 GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck	\$22,550.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SUSPENSION PKG		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT, CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHANOL, (315 HP [234.9 KW] @ 5200 RPM, 338 LB-FT OF TORQUE [456.3 N-M] @ 4400 RPM), IRON BLOCK	\$1,545.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
GVWR		
C5U	GVWR, 6800 LBS. (3084 KG)	\$0.00
DIFFERENTIAL		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:18:05 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GU6	REAR AXLE, 3.42 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QPR	TIRES, P245/70R17 ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$1,835.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 6:18:05 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

EPA FUEL ECONOMY RATINGS

- City 15/hwy 20 (4.3L engine/4-speed auto trans)
- City 14/hwy 19 (4.8L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 15 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:18:05 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 6:18:05 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:18:05 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

MECHANICAL

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Requires T*10*03, TC10553 or TC10753 models. Standard with T*10*03, TC10553 or TC10753 models. Not available with (VYU) Snow Plow Prep Package or (Z82) heavy-duty trailering equipment.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.23 ratio (Refer to Engine/Axle chart for availability.)
- Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- GVWR, 6400 lbs. (2903 kg) (Standard on T*10703, T*10903, TC10553, and TC10753 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P245/70R17 all-season, blackwall (Requires 2WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:18:05 PM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbxx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 143.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10753 2WD Ext Cab 143.5" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:18:05 PM

Page 8



APPENDIX B

Spec info was incorrect in Bid Truck form correct

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0028A
MAKE OF TRUCK: GMC MODEL: Sierra TC10753 GVWR 6800 lbs.
PAYLOAD: 1888 # W.B. 143.50" C.A. 41.50" C.F. N/A
ENGINE: (GAS - DIESEL) Gas/ERS MAKE: Gm MODEL: LMG SAE H.P. 315
FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4-spd
SPRING CAP. @ GROUND EACH: FRONT 1800 lbs. REAR 1875 lbs. AUX. N/A lbs.
AXLES: FRONT 3600 lbs. REAR 3750 lbs. REAR RATIO 3.42
ALTERNATOR: 145 amps. BATTERY 600 cca.
TIRE SIZE: FRONT P245/70R17 PR REAR P245/70R17 PR SINGLE DUAL M&S
TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QPR
HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

Blank lines for other equipment and comments.

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY
(8' Box) (Payload-3,240 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC <u>C20903</u>	DODGE <u>DH2L62</u>	FORD <u>F250</u>
G.V.W.R. 8,600.(lbs.), minimum	9,200	8,650	8,800
Wheelbase (inches)	133	160.5	137.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	345	300
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	6,900	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,250	1,825
Rear-lbs. each	3,042	3,000	3,050

Cab-Full width rear window.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

Ford: This configuration of F-250 (wheelbase/regular cab/GVWR) results in a payload capacity of 3060 lbs.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Hood latch interior operated, factory installed.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

TRUCK: PICK-UP BODY (8' Box) (Payload-3,240 lbs., min.) Mich. Spec. #3958-0029	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra F.O.B. - Dealership Delivery Cost Per Mile \$1.00	\$16,886.00*
Final Point of Assembly: Pontiac, MI	
Dealer Information	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0029

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20903	2008 GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck	\$23,980.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:27:07 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
__V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$1,160.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:27:07 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:27:07 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:27:07 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, 4-speaker system (Requires Regular Cab models)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 6:27:07 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailering, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:27:07 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 6:27:07 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0029
 MAKE OF TRUCK: Gmc MODEL: Sierra TC20903 GVWR 9200 lbs.
 PAYLOAD: 4024 # W.B. 133" C.A. 55-90" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0SAE H.P. 353
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-spd
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3042 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6900 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT LT245/75R16 PR REAR LT245/75R16 PPR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QIZ
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY
 (8' Box) (Payload-3,240 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC C20903	DODGE DH2L62	FORD F250
G.V.W.R. 8,600.(lbs.), minimum	9,200	8,650	8,800
Wheelbase (inches)	133	160.5	137.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Diesel	6.6L	5.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	345	300
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	6,900	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,250	1,825
Rear-lbs. each	3,042	3,000	3,050

Cab-Full width rear window.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Hood latch interior operated, factory installed.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

Vehicle Order Confirmation Sheet
 Spec # 3958-00290

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20903	2008 GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck	\$23,980.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS	\$55.00
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
OPTIONS TOTAL		\$9,610.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, 4-speaker system (Requires Regular Cab models)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:12:22 PM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Reg Cab 133" Work Truck
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20903 2WD Reg Cab 133" Work Truck

- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 7:12:22 PM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-00290

MAKE OF TRUCK: GMC MODEL: Sierra TC20903 GVWR 9200 lbs.

PAYLOAD: 3321 # ✓ W.B. 133" ✓ C.A. 55.90" C.E. N/A

ENGINE: (GAS - DIESEL) Diesel ✓ MAKE: Gm Duramax MODEL: Lmm, V-8 ✓ SAE H.P. 365 ✓

FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison MW7 1000 6-spd

SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 3042 ✓ lbs. AUX. N/A lbs.

AXLES: FRONT 4800 lbs. REAR 6900 ✓ lbs. REAR RATIO 3.73

ALTERNATOR: 125 ✓ amps. BATTERY Dual 730 ✓ cca.

TIRE SIZE: FRONT LT245/75R16 PR REAR LT245/75R16 PR SINGLE DUAL M&S

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QIZ

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
(8 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD F-250 "XL"	CHEV/GMC TC20903	DODGE DR2500 DH2L42
G.V.W.R. 8,600 (lbs.), minimum	9,200	9,200	8,800
Wheelbase (inches)	158.0	157.5	160.5
Type & Size of Body	Styleside	Fleetside/ Wideside	Sweptline
Engine: Gasoline			
Type & No. of Cylinders	5.4L V-8	6.0L V-8	5.7L V-8
Net H.P.-S.A.E.	300	353	345
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,850	4,800	4,000
Rear	6,200	6,900	6,000
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	2,400	2,000
Rear-lbs. each	3,050	3,042	3,000

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

-

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats, cloth, split bench
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (8 Foot Box) (Payload-3,000 lbs., min.) Mich. Spec. #3958-0030	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$19,314.00*
Final Point of Assembly: Pontiac, MI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0030

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20953	2008 GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck	\$27,275.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:26:08 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
Z82	TRAILERING EQUIPMENT, HEAVY-DUTY,	\$230.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$520.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:26:08 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:26:08 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 7:26:08 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:26:08 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 7:26:08 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

- Steering, power, recirculating ball
 - Brakes, 4-wheel antilock, 4-wheel disc
 - Exhaust, aluminized stainless-steel muffler and tailpipe
- SAFETY*
- Brakes, 4-wheel antilock, 4-wheel disc
 - Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
 - Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:26:08 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0030
 MAKE OF TRUCK: GMC MODEL: Sierra TC20953 GVWR 9200 lbs.
 PAYLOAD: 3637 # ✓ W.B. 157.50 " C.A. 55.50 " C.E. N/A
 ENGINE: (GAS - DIESEL) Gas ✓ MAKE: Gm MODEL: LY6, 6.0SAE H.P. 353 ✓
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-spdl ✓
 SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 3042 per wheel lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 ✓ lbs. REAR 6900 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT LT245/75R16E PR REAR LT245/75R16E PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QIZ
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
ALTERNATE FUEL VEHICLES
(8 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC <u>C10953</u>	DODGE <u>DR1L42</u>
G.V.W.R. (lbs.)	6,900	6,650
Wheelbase (inches)	157.5	160.5
Type & Size of Body	Fleetside	
Engine: Alternate Fuel	5.3L	4.7L
Type of Fuel	<u>E-85</u>	<u>E-85 FFV</u>
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E. J1349	315	TBD
Transmission: Automatic		
Axle, Min. Cap.-lbs.		
Front	3,700	3,650
Rear	3,950	3,900
Springs, Min. Cap. at Ground		
Front-lbs. each	1,850	1,825
Rear-lbs. each	1,975	1,950

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Alternator-75 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Locks; power with remote
- Seats, cloth

Vehicle Order Confirmation Sheet

Spec # 3958-0030A

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10953	2008 GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck	\$24,390.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SUSPENSION PKG		
Z83	SUSPENSION PACKAGE, SOLID SMOOTH RIDE,	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT, CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHANOL, (315 HP [234.9 KW] @ 5200 RPM, 338 LB-FT OF TORQUE [456.3 N-M] @ 4400 RPM), IRON BLOCK	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:35:17 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC
SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
AXLE	GU6	REAR AXLE, 3.42 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP	1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES	QPR	TIRES, P245/70R17 ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE	AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH,	\$0.00
SEAT TRIM	_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT	ZY1	PAINT, SOLID	\$0.00
RADIO	UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS	NX7	WHEELS, 4-17" x 7.5" (43.2 CM x 19.1 CM) STEEL, 6-LUG PAINTED,	\$0.00
ADDITIONAL OPTIONS	UE0	ONSTAR, DELETE	-\$85.00
	K34	CRUISE CONTROL, ELECTRONIC WITH SET AND RESUME SPEED,	\$250.00
	U2J	XM SATELLITE RADIO, DELETE	-\$200.00
	VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL			\$290.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 7:35:17 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

EPA FUEL ECONOMY RATINGS

- City 15/hwy 20 (5.3L engine/4-speed auto trans)
- City 15/hwy 20 (5.3L flexfuel engine/4-speed auto trans w/gas)
- City 11/hwy 15 (5.3L flexfuel engine/4-speed auto trans w/E85 mix)

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Grille, Black surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 7:35:17 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only.)
- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Instrumentation, analog with speedometer, fuel level, engine temperature, and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:35:17 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers.)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models.)
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:35:17 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

MECHANICAL

- Engine, Vortec 5.3L V8 SFI with Active Fuel Management (315 hp [234.9 kW] @ 5200 rpm, 338 lb-ft of torque [456.3 N-m] @ 4400 rpm), iron block (Not available with TK10543 Models. Standard on T*10953 Models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.42 ratio (Refer to Engine/Axle chart for availability.)
- Rear wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, fully-boxed, hydroformed front section
- Pickup box, Wideside
- Tailgate protection, top of tailgate protection cap
- GVWR, 6900 lbs. (3130 kg) (Requires TC10953 models.)
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Solid Smooth Ride, includes 35 mm piston twin tube shocks and 32mm front stabilizer bar
- Tires, P245/70R17 all-season, blackwall (Requires 2WD models.)
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel, 6-lug painted, includes painted center caps (spare wheel will not cosmetically match the other 4 wheels)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench located in back of cab

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:35:17 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 1500 2WD Ext Cab 157.5" Work Truck TC

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10953 2WD Ext Cab 157.5" Work Truck

SAFETY

- Brakes, 4-wheel antilock, front disc/rear drum
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:35:17 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0030A
 MAKE OF TRUCK: GMC MODEL: Sierra TC10953 GVWR 6900 lbs.
 PAYLOAD: 1874 # ✓ W.B. 157.50 ✓ C.A. 55.50 ✓ C.E. N/A
 ENGINE: (GAS - DIESEL) Gas / E85 MAKE: GM MODEL: LM6, S3SAE H.P. 315 ✓
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6 spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 1850 ✓ lbs. REAR 1975 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 3700 ✓ lbs. REAR 3950 ✓ lbs. REAR RATIO 3.42
 ALTERNATOR: 145 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT P245/70R17 PR REAR P245/70R17 PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QPR
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
(8 Foot Box) (Payload-1,400 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD F-250 "XL"	CHEV/GMC CC20953	DODGE DR2500 DH2L42
G.V.W.R. 8,600 (lbs.), minimum	9,200	9,200	8,800
Wheelbase (inches)	158.0	157.5	160.5
Type & Size of Body	Styleside	Fleetside/ Wideside	Sweptline
Engine: Diesel			
Type & No. of Cylinders	6.4L V-8	6.6L V-8	5.7L V-8
Net H.P.-S.A.E.	300	365	345
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,850	4,800	4,000
Rear	6,200	6,900	6,000
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	2,400	2,000
Rear-lbs. each	3,050	3,042	3,000

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats, cloth, split bench
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (8 Foot Box) (Payload-3,000 lbs., min.) Mich. Spec. #3958-0030D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$25,636.00*
Final Point of Assembly: Pontiac, MI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-00300

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20953	2008 GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck	\$27,275.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
Z82	TRAILERING EQUIPMENT, HEAVY-DUTY,	\$230.00
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	\$8,915.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 7:53:30 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 157.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20953 2WD Ext Cab 157.5" Work Truck

- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 7:53:30 PM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0030B
 MAKE OF TRUCK: GMC MODEL: Sierra TC20953 GVWR 9200 lbs.
 PAYLOAD: 2919 # ✓ W.B. 157.50" ✓ C.A. 55.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Diesel ✓ MAKE: Gm Duramax MODEL: Lmm ^{6.6} ✓ SAE H.P. 365 ✓
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison 1000 mw 7 6-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 3042 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 ✓ lbs. REAR 6900 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY Dual 730 ✓ cca.
 TIRE SIZE: FRONT T245/75R16E PR REAR T245/75R16E PR SINGLE ✓ DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QI Z
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
(6 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD F-250 _____	DODGE DR2500 DH2L41	CHEV/GMC C20753
G.V.W.R. 8,800 (lbs.), minimum	9,000	8,800	9,200
Wheelbase (inches)	141.8	140.5	143.5
Type & Size of Body	Styleside	Sweptline	Fleetside
Engine: Gasoline	5.4L	5.7L	6.0L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	300	345	353
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,850	4,000	4,800
Rear	6,200	6,000	6,900
Springs, Min. Cap. at Ground			
Front-lbs. each	1,825	2,000	2,400
Rear-lbs. each	3,050	3,000	3,042

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Mfg. Std.
- Bumper-Mfg. Std
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Seats, Cloth, Split Bench
- Spare tire and wheel. Full size. Mfg. Stnd. mounting.
- Steering-Power
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats, cloth, split bench
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> (6 Foot Box) (Payload-3,000 lbs., min.) Mich. Spec. #3958-0031	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$19,050.00*
Final Point of Assembly: Pontiac, MI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
 Spec # 3958-0031

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20753	2008 GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck	\$26,980.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>
88B	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 8:10:29 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_B	SEAT TRIM, DARK TITANIUM CLOTH	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
AM1	SEAT ADJUSTER, MANUAL LUMBAR CONTROL ON THE DRIVER-SIDE	INC
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
Z82	TRAILERING EQUIPMENT, HEAVY-DUTY,	\$230.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$520.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 13, 2007 8:10:29 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:10:29 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:10:29 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 8:10:29 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:10:29 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:10:29 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0031
 MAKE OF TRUCK: GMC MODEL: Sierra TC20753 GVWR 9200 lbs.
 PAYLOAD: 3722 # ✓ W.B. 143.50" ✓ C.A. 41.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas ✓ MAKE: Gm MODEL: LY6.6.0SAE H.P. 353 ✓
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 3042 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 ✓ lbs. REAR 6900 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT LT245/75R16E PR REAR LT245/75R16E PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QIZ
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB
(6 Foot Box) (Payload-3,000 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD	DODGE	CHEV/ GMC
	<u>F-250</u>	<u>DH2L41</u>	<u>C20753</u>
G.V.W.R. 8,800 (lbs.), minimum	9,000	8,800	9,200
Wheelbase (inches)	141.8	140.5	143.5
Type & Size of Body	Styleside	Sweptline	Fleetside
Engine: Diesel	6.4L	5.7L	6.0L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	300	345	353
Transmission: Automatic			
Axle, Min. Cap.-lbs.			
Front	4,850	4,000	4,800
Rear	6,200	6,000	6,900
Springs, Min. Cap. at Ground			
Front-lbs. each	1,825	2,000	2,400
Rear-lbs. each	3,050	3,000	3,042

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- ~~On GM vehicles, OnStar and XM radio are deleted.~~

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Mfg. Std.
- Bumper-Mfg. Std
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Rear Seat-front facing bench.
- Seats, Cloth, Split Bench
- Spare tire and wheel. Full size. Mfg. Stnd. mounting.
- Steering-Power
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats, cloth, split bench
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

Vehicle Order Confirmation Sheet

Spec # 3958-0031A

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20753	2008 GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck	\$26,980.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>Code</u>	<u>Description</u>
88B	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_B	SEAT TRIM, DARK TITANIUM CLOTH	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
AM1	SEAT ADJUSTER, MANUAL LUMBAR CONTROL ON THE DRIVER-SIDE	INC
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
Z82	TRAILERING EQUIPMENT, HEAVY-DUTY,	\$230.00
V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS	\$55.00
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
	OPTIONS TOTAL	\$8,970.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:36 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Ext Cab 143.5" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20753 2WD Ext Cab 143.5" Work Truck

- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:22:38 PM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-00310
 MAKE OF TRUCK: GMC MODEL: Sierra TC20753 GVWR 9200 lbs.
 PAYLOAD: 3000 # W.B. 143.50" C.A. 41.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Diesel MAKE: GM Duramax MODEL: LMM⁶⁶ SAE H.P. 365
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW 6-Spd
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3042 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6900 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY Dual 730 cca.
 TIRE SIZE: FRONT L1215/75 R16E PR REAR L1215/75 R16E PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE AKZ
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.