STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

APPENDIX A

SPECIFICATIONS AND PRICING INFORMATION FOR

PASSENGER VEHICLES & TRUCKS

2008 MODEL YEAR

RED HOLMAN (MiDEAL)

Contract# 071B8200126

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

DESCRIPTION **MICH. SPEC. NO.**

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

INDEX TO

SPECIFICATIONS FOR
2008 PASSENGER VEHICLES & TRUCKS

DESCRIPTION	MICH. SPEC. NO.	PAGE NO
Passenger Vehicle Equipment	Preface	A
Truck Equipment	Preface	B-B1
Pre-Delivery Service	Preface	C-C1
Receiving Procedure	Preface	D

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

The dealer's vehicle order confirmation sheet listing all the standard options provided with the vehicle in accordance with the State of Michigan Specification shall be provided at each of these steps in the process:

- ☑ **With dealers bid submittal to the State of Michigan**
- ☑ **With original quote from the dealer to the customer**
- ☑ **Upon delivery of the vehicle from the dealer to the customer**
- ☑ **Customer shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle**

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

DESCRIPTION	**MICH. SPEC. NO.**

Diesel Vehicles are indicated with a "D" at the end of the specification number.
Alternative Fuel vehicles are indicated with a "A" at the end of the specification number.

PASSENGER VEHICLES	
Small, 4-Door Sedan, Auto. Trans.	3905-0002
Large-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0003
Alt Fuel - 4-Door Sedan, Auto. Trans.	3905-0003A
Mid-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0004
Large, Administrator Series, 4 -Door Sedan, Auto. Trans.	3905-0005
STATION WAGONS	
5-Passenger, Auto. Trans., 4 door	3905-0017
Multi Functional Utility Vehicle,	
5 Passenger, 4-Door, Auto. Trans., 4 door	3905-0018
Alt Fuel - 5 Passenger, Auto. Trans., 4 door	3905-0018A
6-7 Passenger, 4-Door, Auto. Trans.	3905-0019
TRUCKS, LIGHT DUTY	
Pick-Up, 7 Ft. Box, Standard Cab, Payload – 1,000 lbs., min.	3958-0020
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,260 lbs., min.	3958-0023
Pick-Up, 6 Ft. Box, Payload - 1,600 lbs., min., "Work Truck"	3958-0025
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026
Alt Fuel -Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min	3958-0027
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min.	3958-0027A
Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028
Alt Fuel - Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028A

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

DESCRIPTION	MICH. SPEC. NO.
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029D
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0030
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030A
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031D
VANS, PASSENGER AND UTILITY	
Panel Van, Payload - 1,700 lbs., min.	3958-0032
Utility Vehicle, 4 Door, 5-6 Passenger, Payload 1,500 lbs., min.	3905-0034
Sport Van, 8 Passenger, Payload - 1,600 lbs., min.	3905-0035
Utility Vehicle, Large, 6-Passenger, Payload - 1,940 lbs., min.	3905-0036
Sport-Van, 12-Passenger, Payload - 2,649 lbs., min.	3905-0037
Panel Van, Payload - 3,100 lbs., min.	3958-0039
Van, 15-Passenger	3905-0040
Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042
Alt Fuel -Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042A
Van, Cargo, Compact, Front Wheel Drive	3958-0044
Van, 7 Passenger, Compact, Long Wheel Base, Front Wheel Drive	3905-0045
Alt Fuel -Van, 7 Passenger, Compact, Extended Body, Front Wheel Drive	3905-0045A
TRUCKS, LIGHT DUTY	
Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046
Diesel - Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046D

DESCRIPTION	MICH. SPEC. NO.
Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047D
Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payload - 4,200 lbs., min.	3958-0048
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payld - 4,200 lbs.	3958-0048D
Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049
Diesel - Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051D
VANS, COMMERCIAL	
Van, Commercial, 10-Passenger, Raised Roof, Payload - 3,200 lbs., min.	3905-0057
Van, Commercial, Cargo, Raised Roof, Payload - 4,800 lbs., min.	3905-0058
TRUCKS AND BODIES, MEDIUM DUTY	
Cab and Chassis, approx. 137" W.B., G.V.W.R. 10,000 lbs., Gas	3958-0072
Cab and Chassis, approx. 128" W.B., G.V.W.R. 12,500 lbs., Diesel	3958-0073
Dump Body and Hoist, 2 cu. yd.	3958-0074
Stake Body, 9 Ft.	3958-0075
Stake Body and Hydraulic Hoist, 9 Ft.	3958-0076
Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077
Diesel - Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077D
Cab and Chassis, approx. 152" W.B., Payload 6,675 lbs., min. Diesel	3958-0078
Stake Body, 12 Ft.	3958-0079

DESCRIPTION	**MICH. SPEC. NO.**
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0080
TRUCKS, LIGHT DUTY, 4X4	
Utility Vehicle, 4 Door, Payload 900 lbs., min.	3958-0083
Alt Fuel - Utility Vehicle, 4 Door, 2 Wheel Drive, Payload – 900 lbs., min.	3958-0083A
Pick-Up, 7 Ft. Box, Standard Cab, Payload 1,000 lbs., min.	3958-0084
Utility Vehicle, 4 Door, 6 Passenger, Payload 1,480 lbs., min.	3958-0085
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086A
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087
Alt Fuel -Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089D
Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090
Alt Fuel - Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090A
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091
Alt Fuel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091A
Pick-Up, 8 Ft. Box, Standard Cab, Payload – 2,800 lbs., min.	3958-0092
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 2,800 lbs., min.	3958-0092D
Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093
Diesel - Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093D
Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094

DESCRIPTION	MICH. SPEC. NO.
Alt Fuel - Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094A
TRUCKS, MEDIUM DUTY, 4X4	
Cab and Chassis, Body and Payload - approx. 13,000 lbs., min. 25,950 lbs. Min. G.V.W.R., Diesel engine	3958-0096
Cab and Chassis, approx. 137" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,800 lbs., min.	3958-0098
Cab and Chassis, approx. 161" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,930 lbs., min.	3958-0099
TRUCK, CUT-AWAY AND VAN BODY	
Truck, Cut-Away, 8,900 lbs. G.V.W.R.	3958-0100
Truck, Cut-Away, 10,000 lbs. G.V.W.R	3958-0101
Van Body, Cut-Away Aluminum	3958-0102
Van Body, Cut-Away, Fiberglass Reinforced Plastic (F.R.P.)	3958-0103
Van, Full Body, Aluminum	3958-0104
Van, Full Body, Fiberglass Reinforced Plastic F.R.P.	3958-0105
Truck, Cut-Away, 11,000 lbs. G.V.W.R	3958-0108
Truck, Cut-Away, 14,000 lbs. G.V.W.R	3958-0109
TRUCKS AND BODIES, HEAVY DUTY	
Cab and Chassis, approx. 128" W.B., G.V.W.R 14,500 lbs., Gas	3958-0110
Cab and Chassis, approx. 128" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0111
Cab and Chassis, approx. 140" W.B., G.V.W.R 14,000 lbs. Gas, (4 x 4)	3958-0112
Cab and Chassis, approx 140" W.B., G.V.W.R 14,500 lbs., Diesel, (4 x 4)	3958-0113
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Gas	3958-0114
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0115
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Gas, (4 x 4)	3958-0116

DESCRIPTION	**MICH. SPEC. NO.**
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Diesel, (4 x 4)	3958-0117
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.. Low Pro	3958-0134
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.	3958-0135
Cab and Chassis, approx. 152" W.B., G.V.W.R 23,500 lbs., Diesel	3958-0136
Stake Body, 12 Ft.	3958-0137
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0141
Dump Body and Hydraulic Hoist, 5-6 Yd.	3958-0158
Cab and Chassis, approx. 169" W.B., G.V.W.R 33,000 lbs. Diesel, 170 HP	3958-0160
Stake Body, 14 Ft.	3958-0161
TRUCKS AND BODIES, HEAVY DUTY	
Cab and Chassis, approx. 217" W.B., G.V.W.R 27,000 lbs. Diesel, 210 HP	3958-0164
Van Body, 20 Ft., Aluminum	3958-0165
Van Body, 20 Ft., Fiberglass Reinforced Plastic, F.R.P.	3958-0167
Cab and Chassis, approx. 112" W.B., G.V.W.R 44,000 lbs., Diesel Single Axle	3958-0170
Dump Body and Hydraulic Hoist, 6.5 cu. yd.	3958-0171
Cab and Chassis, approx. 211" W.B., G.V.W.R 64,000 lbs., Diesel Tandem Axle	3958-0172
Cab and Chassis, approx. 177" W.B., G.V.W.R 52,000 lbs., Diesel Tandem Axle	3958-0173
Dump Body and Hydraulic Hoist, 10-12 cu. yd.	3958-0174
TRACTORS	
70,000 lbs. G.C.W.R., Diesel Engine	3958-0178

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

DESCRIPTION	MICH. SPEC. NO.
TAIL GATES	
Hydraulic Power Tail Gate, 2,000 lbs. Capacity, 15,000 G.V.W.R., Conventional Type	3958-0215
Hydraulic Power Tail Gate, 3,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0216
Hydraulic Power Tail Gate, 4,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0217
Hydraulic Power Tail Gate, Various Capacities, 15,000 G.V.W.R., Stow Away Type	3958-0218
Hydraulic Tailgate, approx. 1,000 Lb. Capacity, 10,000 G.V.W.R. or less, (Step Van, Parcel Vans or Pick-Ups)	3958-0219
Hydraulic Tailgate, approx. 1,500 Lb. Capacity, (10,000 G.V.W.R. and smaller, stake body) Fold-Up Type Or Tuck-Away Type	3958-0220
Hydraulic Tailgate, 1,250 to 4,000 lb. Capacities, Rail Type	3958-0221

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

PASSENGER VEHICLE EQUIPMENT

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

Air Bag, Dual
Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)

Air Conditioning.

Anti-freeze protection-to -30°F.

Battery-Maximum CCA available.

Brakes-Anti Locking System (ABS)

Color-Manufacturers Standard Color to be selected.

Defroster-Electric, rear window.

Floor Mats-Mfg. Stnd. , front and rear, color coordinated.

Glass-Tinted, all around.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

Lights, Daytime Running (If available from manufacturer as standard equipment)

Mirror-Right-hand, outside (factory installed).

Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.

Pre-delivery inspection and servicing.

Radio-AM/FM mfg. standard, factory installed.

Rear Axle Ratio for maximum mileage in highway driving.

Seats; Front, Split Bench or Bucket Type

Speed Control, factory installed

Steering-Power, Tilt Wheel.

Tires, Radial, Manufacturers Standard

Upholstery, Seats - Cloth or Cloth and Vinyl.

Wipers, Windshield - dual, intermittent, electric with automatic type washers.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

TRUCK EQUIPMENT

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

12 Volt auxiliary outlet

Air Conditioning - All trucks

Anti-freeze protection, to -30°F.

Arm Rest-Driver's side.

Color-Manufacturers Standard to be selected.

Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

Dome Light.

Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled “Diesel Fuel Only”.

Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT)

Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

TRUCK EQUIPMENT (Continued)

Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.

Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.

Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.

Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.

Pre-delivery inspection and servicing.

Radio - AM/FM Manufacturers Standard, Factory Installed

Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)

Seats-Split Bench type, unless otherwise specified

Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.

Speed Control, Factory Installed

Steering-Power, Tilt Wheel

Sun visors-dual.

Jack-Furnish on trucks up to and including 12,000 G.V.W.R.

Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.
TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

PRE-DELIVERY SERVICE

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

1. General appearance of body both interior and exterior for completeness and quality of workmanship.

2. Lubrication and fluid levels and correcting any leaks:

   a. Radiator
   b. Windshield Washer
   c. Battery
   d. Power steering pump
   e. Brake master cylinder
   f. Engine oil
   g. Transmission fluid level.

3. Mechanical operation of vehicle:

   a. Steering gear and linkage
   b. Suspension assembly, front and rear
   c. Proper tire pressure to normal rated road requirements
   d. Hood latch
   e. Head lights, aim and adjust
   f. Front wheel toe in and torque wheel nuts
   g. Seat and shoulder belts operative
   h. All locks and latches to be operative
   i. Windshield wiper and washer to be operative
   j. Proper adjustment to all drive belts

4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.

5. Miscellaneous items to be furnished:

   a. Manufacturers Window Sticker shall not be removed from vehicle
   b. Odometer Certification, and Vehicle Curb Weight at time of delivery
   c. Manufacturers or Dealers Pre-Delivery Check Sheet
   d. Vehicle shall have a Minimum of (4) Gallons of Fuel in tank when delivered
   e. Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.

PRE-DELIVERY SERVICE (Continued)

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

It is intended that vehicles delivered in accordance with the Michigan specifications will be complete, including mechanical details, general workmanship and appearance, and shall be delivered complete with all warranty service books and identification plate.

Failure to adhere to specifications may be reason to delay payment.

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

RECEIVING PROCEDURE

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the vendor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the receiving agency.

It is recommended that the following items be checked prior to signing the Freight Bill:

1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.

2. Visually inspect under hood for the following items:

   a. Air cleaner
   b. Battery and caps
   c. Radiator cap
   d. Windshield washer container.

3. Check for cracked or broken windows.

4. Check trunk compartment for the following:

   a. Spare tire and wheel
   b. Jack
   c. Wheel wrench
   d. Four hub caps
   e. Trunk mat.

5. Check interior of vehicle for the following items:

   a. Owner's manual and warranty material
   b. Cigarette lighter
   c. Two sets of keys (Three sets for MDOT)
   d. Make sure all seat belts are installed
   e. Sun visors
   f. Upholstery damage or excessive soil.

It is the responsibility of the agency to check for any other items that could possibly have been missing in accordance with the purchase order and the specification data.

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)
(4 x 4)

MODEL-2008 CURRENT NEW

	DODGE BR3500 DC8L63	CHEV/GMC K31003	FORD F-350SD DRW
Wheelbase (inches)	140.5	137	140.8
Engine: Gasoline	5.7L	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	330	312	300
Transmission: Automatic: with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	5,200	4,800	6,000
Rear	9,350	9,200	9,750
Springs, Min. Cap. at Ground			
Front-lbs., each	TBD	2,400	1,975
Rear-lbs., each	TBD	4,300	4,500

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals. Tread design for all tires shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning - All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Battery 12 Volt; 600 CCA, minimum.
- ☑ Brakes-Power.
- ☑ Fuel capacity-largest available from mfg.
- ☑ Mirrors-Outside, R.H. and L.H., below eye level, extended reach, swing away type, 51 square inch minimum, Installed.
- ☑ Spare wheel with tire
- ☑ Steering-Power.
- ☑ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: **(Note: These options are not included in the MiDEAL price)**
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this MDOT vehicle.

- ☑ Hubs-Automatic locking type on front (MDOT)
- ☑ Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- ☑ Skid Plate(s).
- ☑ Seats-split bench front
- ☑ Tow Hooks-front, frame mounted.

PRICING SHEET

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.) **(4 x 4)** **Mich. Spec. #3958-0093**	
Standard Equipped Per above Specification (Including options as specified above)	**Standard Equipped Cost**
Make: GMC Model: Sierra ***F.O.B. - Dealership*** **Delivery Cost Per Mile $1.00**	**$20,362.00***
Final Point of Assembly: Pontiac, MI	
Dealer Information	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland State: MI Zip: 48185	
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0093

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

Code	Description	MSRP
TK31003	2008 GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9" CA WT	$28,225.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

Code	Description
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

CATEGORY	Code	Description	MSRP
EMISSIONS			
	FE9	EMISSIONS, FEDERAL REQUIREMENTS	$0.00
ENGINE			
	LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	$0.00
TRANSMISSION			
	MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED WITH OVERDRIVE AND TOW/HAUL MODE	$0.00
DIFFERENTIAL			
	___	NO LOCKING DIFFERENTIAL	$0.00
AXLE			
	GT4	REAR AXLE, 3.73 RATIO	$0.00
PREFERRED EQUIPMENT GROUP			
	1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP,	$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

CATEGORY	Code	Description	MSRP
TIRES			
	QCV	TIRES, LT225/75R17E ON-/OFF-ROAD, BLACKWALL	$66.00
SPARE TIRE			
	ZCV	TIRE, SPARE LT225/75R17E ON-/OFF-ROAD, BLACKWALL,	$421.00
SEAT TYPE			
	AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	$0.00
SEAT TRIM			
	__V	SEAT TRIM, DARK TITANIUM VINYL	$0.00
PAINT			
	ZY1	PAINT, SOLID	$0.00
AIR CONDITIONING			
	C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	$870.00
RADIO			
	UM7	AUDIO SYSTEM, AM/FM STEREO	$0.00
ADDITIONAL OPTIONS			
	UE0	ONSTAR, DELETE	-$85.00
	DF2	MIRRORS, OUTSIDE HIGH-VISIBILITY VERTICAL CAMPER-STYLE, BLACK	$70.00
	K34	CRUISE CONTROL, ELECTRONIC	$250.00
	U2J	XM SATELLITE RADIO, DELETE	-$200.00
	VQ1	FLEET PROCESSING OPTION	$0.00
OPTIONS TOTAL			**$1,392.00**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

EXTERIOR

- Paint, solid
- Bumper, front chrome
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Daytime Running Lamps, with automatic exterior lamp control
- Lamps, Smoked Amber roof marker
- Lamp delete, LED center high-mounted stop/brake (CHMSL) delete and cargo area, delete (Standard with 4WD models only.)
- Mirrors, outside manual, Black, manual folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM Vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. If the order type is FDR, (UE0) OnStar delete will be forced on. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) Power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 4-speaker system (Requires Regular Cab models.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation. (Available in the 48 contiguous United States. Required $12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Cup holders, front (Also includes rear cupholders on Extended Cab models.)
- Mirror, inside rearview manual day/night
- Coat hooks, rear driver and passenger side
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended Cab Models.)
- Lighting, interior with dome and reading lights, backlit instrument panel switches and door handle-activated illuminated entry
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine.)
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Rear axle, 3.73 ratio
- Four wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power (Not standard with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- Alternator, 125 amps
- Recovery hooks, front, frame-mounted
- Body, Chassis Cab, includes (VF7) bumper delete
- Frame, hydroformed
- GVWR, 12,000 lbs. (5443 kg) (Standard with 4WD models only.)
- Rear axle, 66" (167.6 cm) wide
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailering, heavy-duty includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Includes 6 tires with (ZW9) pickup box delete.)
- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger with passenger-side deactivation switch (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3958-0093

MAKE OF TRUCK: Gmc MODEL: Sierra TK31003 GVWR 12000 lbs.

PAYLOAD: 6115 # W.B. 137" C.A. 59.90" C.E. 111"

ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 312

FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-spd

SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4300 lbs. AUX. N/A lbs.

AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3.73

ALTERNATOR: 125 amps. BATTERY 600 cca.

TIRE SIZE: FRONT LT225/75R17E PR REAR LT225/75R17E PR SINGLE _____ DUAL ✓ M&S ✓

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCV

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)
(4 x 4)

MODEL-2008 CURRENT NEW

	DODGE BR3500 DC8L63	CHEV/GMC K31003	FORD F-350SD DRW
Wheelbase (inches)	140.5	137	140.8
Engine: Diesel	5.7L	6.6L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	330	365	300
Transmission: Automatic: with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	5,200	4,800	6,000
Rear	9,350	9,200	9,750
Springs, Min. Cap. at Ground			
Front-lbs., each	TBD	2,400	1,975
Rear-lbs., each	TBD	4,300	4,500

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals. Tread design for all tires shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning - All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled “Diesel Fuel Only”.
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Battery 12 Volt; 600 CCA, minimum.
- ☑ Brakes-Power.
- ☑ Fuel capacity-largest available from mfg.
- ☑ Mirrors-Outside, R.H. and L.H., below eye level, extended reach, swing away type, 51 square inch minimum, Installed.
- ☑ Spare wheel.
- ☑ Steering-Power.
- ☑ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: **(Note: These options are not included in the MiDEAL price)**
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this MDOT vehicle.

- ☑ Hubs-Automatic locking type on front (MDOT)
- ☑ Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- ☑ Skid Plate(s).
- ☑ Seats-split bench front
- ☑ Tow Hooks-front, frame mounted.

PRICING SHEET

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.) **(4 x 4)** **Mich. Spec. #3958-0093D**	
Standard Equipped Per above Specification (Including options as specified above)	**Standard Equipped Cost**
Make: GMC Model: Sierra ***F.O.B. - Dealership*** **Delivery Cost Per Mile $1.00**	**$26,685.00***
Final Point of Assembly: Pontiac, MI	
Dealer Information	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland State: MI Zip: 48185	
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0093D

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

Code	Description	MSRP
TK31003	2008 GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9" CA WT	$28,225.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

Code	Description
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

CATEGORY	Code	Description	MSRP
EMISSIONS			
	FE9	EMISSIONS, FEDERAL REQUIREMENTS	$0.00
ENGINE			
	LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B5-DIESEL COMPATIBLE	$7,195.00
TRANSMISSION			
	MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, ELECTRONIC ENGINE GRADE BRAKING AND TOW/HAUL MODE.	$1,200.00
DIFFERENTIAL			
	---	NO LOCKING DIFFERENTIAL	$0.00
AXLE			
	GT4	REAR AXLE, 3.73 RATIO	$0.00
PREFERRED EQUIPMENT GROUP			
	1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP,	$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

CATEGORY	Code	Description	MSRP
TIRES			
	QCV	TIRES, LT225/75R17E ON-/OFF-ROAD, BLACKWALL	$66.00
SPARE TIRE			
	ZCV	TIRE, SPARE LT225/75R17E ON-/OFF-ROAD, BLACKWALL,	$421.00
SEAT TYPE			
	AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	$0.00
SEAT TRIM			
	__V	SEAT TRIM, DARK TITANIUM VINYL	$0.00
PAINT			
	ZY1	PAINT, SOLID	$0.00
AIR CONDITIONING			
	C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	$870.00
RADIO			
	UM7	AUDIO SYSTEM, AM/FM STEREO	$0.00
ADDITIONAL OPTIONS			
	TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
	PTO	POWER TAKE OFF, ENGINE CONTROL PROVISIONS	INC
	UE0	ONSTAR, DELETE	-$85.00
	K05	ENGINE BLOCK HEATER	INC
	DF2	MIRRORS, OUTSIDE HIGH-VISIBILITY VERTICAL CAMPER-STYLE, BLACK	$70.00
	K34	CRUISE CONTROL, ELECTRONIC	$250.00
	U2J	XM SATELLITE RADIO, DELETE	-$200.00
	VQ1	FLEET PROCESSING OPTION	$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

CATEGORY Code	Description	MSRP
OPTIONS TOTAL		$9,787.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

EXTERIOR

- **Paint, solid**
- Bumper, front chrome
- Air dam, Black
- Grille, chrome surround
- **Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature**
- Daytime Running Lamps, with automatic exterior lamp control
- Lamps, Smoked Amber roof marker
- **Lamp delete, LED center high-mounted stop/brake (CHMSL) delete and cargo area, delete (Standard with 4WD models only.)**
- **Mirrors, outside manual, Black, manual folding**
- **Glass, Solar-Ray light-tinted, all windows**
- **Wipers, front intermittent wet-arm with pulse washers**
- **Door handles, Black**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM Vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. If the order type is FDR, (UE0) OnStar delete will be forced on. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) Power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 4-speaker system (Requires Regular Cab models.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation. (Available in the 48 contiguous United States. Required $12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Cup holders, front (Also includes rear cupholders on Extended Cab models.)
- Mirror, inside rearview manual day/night
- Coat hooks, rear driver and passenger side
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended Cab Models.)
- Lighting, interior with dome and reading lights, backlit instrument panel switches and door handle-activated illuminated entry
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

MECHANICAL

- **Engine, Vortec 6.0L Variable Valve Timing V8 SFI (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)**
- **Air cleaner, high-capacity**
- **Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine.)**
- **Transfer case, with floor-mounted shifter (Requires 4WD models.)**
- **Rear axle, 3.73 ratio**
- **Four wheel drive**
- **Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator tank**
- **Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil**
- **Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power (Not standard with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)**
- **Alternator, 125 amps**
- **Recovery hooks, front, frame-mounted**
- **Body, Chassis Cab, includes (VF7) bumper delete**
- **Frame, hydroformed**
- **GVWR, 12,000 lbs. (5443 kg) (Standard with 4WD models only.)**
- **Rear axle, 66" (167.6 cm) wide**
- **Suspension, front independent, torsion bar**
- **Suspension, rear 3-stage springs**
- **Suspension Package, Handling/Trailering, heavy-duty includes 46 mm piston monotube shocks and 34mm front stabilizer bar**
- **Tires, LT225/75R17E all-season, blackwall (Includes 6 tires with (ZW9) pickup box delete.)**
- **Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps**
- **Steering, power, recirculating ball**
- **Brakes, 4-wheel antilock, 4-wheel disc**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger with passenger-side deactivation switch (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3958-0093 D

MAKE OF TRUCK: GMC MODEL: Sierra TK31003 GVWR 12000 lbs.

PAYLOAD: 5495 # W.B. 137" C.A. 59.90" C.E. 111"

ENGINE: (GAS - DIESEL) Diesel MAKE: GM Duramax MODEL: LMM, 6.6 SAE H.P. 365

FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7 6-spd

SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4300 lbs. AUX. N/A lbs.

AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3-73

ALTERNATOR: 125 amps. BATTERY Dual 730 cca.

TIRE SIZE: FRONT LT225/75R17E PR REAR LT225/75R17E PR SINGLE _____ DUAL ✓ M&S ✓

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCV

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

_____

_____

_____

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Mich. Spec. # 3905-0094
August 2007

TRUCK: UTILITY VEHICLE, LARGE, 6-PASSENGER-4 x 4
(Payload-1,500 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC K10906 SUBURBAN/YUKON XL	FORD EXPEDITION EL
G.V.W.R. (lbs.)	7,400	7,900
Wheelbase (inches)	130	131
Engine: Gasoline	5.3L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	310	300
Transmission: Automatic: w/2-speed Transfer Case and Auxiliary Oil Cooler		
Axle, min. Cap.-lbs.		
Front	3,925	3,700
Rear	4,200	4,250
Springs, Min. Cap. at Ground		
Front-lbs. each	1,800	1,850
Rear-lbs. each	2,100	2,125

Tires, Tubeless, P235/75R15. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning - All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled “Diesel Fuel Only”.
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Battery-12 Volt; 600 CCA, min.
- ☑ Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- ☑ Brakes-Power.
- ☑ Bumper-Rear, Mfg. Std.
- ☑ Fuel tank-largest single tank available from mfg.
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, swing away
- ☑ type, 54 square in minimum, Installed.
- ☑ Spare tire and wheel. Full size. Mfg. Stnd. mounting.
- ☑ Steering-Power.
- ☑ Wrench-wheel.

PRICING SHEET

TRUCK: UTILITY VEHICLE, LARGE, 6-PASSENGER-4 x 4 **(Payload-1,500 lbs., min.)** **Mich. Spec. #3905-0094**	
Standard Equipped Per above Specification (Including options as specified above)	**Standard Equipped Cost**
Make: GMC Model: Yukon XL ***F.O.B. - Dealership*** **Delivery Cost Per Mile $1.00**	**$28,895.00***
Final Point of Assembly: Arlington, TX or Jamesville, WI	
Dealer Information	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	**State: MI** **Zip: 48185**
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3905-0094

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

Code	Description	MSRP
TK10906	2008 GMC Yukon XL 4WD 4dr 1500 Commercial	$41,080.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

Code	Description
19V	Interior: Ebony
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

CATEGORY	Code	Description	MSRP
EMISSIONS			
	FE9	EMISSIONS, FEDERAL REQUIREMENTS	$0.00
ENGINE			
	LC9	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT,	$0.00
TRANSMISSION			
	M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	$0.00
DIFFERENTIAL			
	___	NO LOCKING REAR DIFFERENTIAL	$0.00
AXLE			
	GT4	REAR AXLE, 3.73 RATIO	$0.00
PREFERRED EQUIPMENT GROUP			
	1SA	COMMERCIAL PREFERRED EQUIPMENT GROUP	-$2,480.00
TIRES			

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

CATEGORY		
Code	**Description**	**MSRP**
TIRES		
QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL	$55.00
SEATING ARRANGEMENT		
___	NO THIRD ROW SEAT	$0.00
SEAT TYPE		
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH	$0.00
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH	$0.00
SEAT TRIM		
__V	VINYL SEAT TRIM	$0.00
PAINT		
___	PAINT, SOLID	$0.00
RADIO		
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER,	$0.00
WHEEL TYPE		
NX7	WHEELS, 4-17" X 7" (43.2 CM X 17.8 CM) STEEL	$0.00
ADDITIONAL OPTIONS		
KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER,	$95.00
ANJ	GLASS, NON-DEEP TINTED	-$295.00
G63	LUGGAGE RACK, DELETE	-$25.00
UE0	ONSTAR, DELETE	-$85.00
VQ1	FLEET PROCESSING OPTION	$0.00
SPECIAL EQUIPMENT OPTIONS		
4JP	TIRE, SPARE P265/70R17 ON-/OFF-ROAD, BLACKWALL	$11.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

CATEGORY Code	Description	MSRP
OPTIONS TOTAL		-$2,724.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

EPA FUEL ECONOMY RATINGS

- City 14/hwy 19 (5.3L flex-fuel engine/4-speed auto trans)
- City 11/hwy 14 (5.3L flex-fuel engine/4-speed auto trans with E85 gas/ethan. mix)

EXTERIOR

- Luggage rack side rails, roof-mounted, Black
- Fascia, front color-keyed
- Fascia, rear color-keyed
- Air dam, Gray
- Grille, chrome surround
- Assist steps, body-color, mounted between front and rear wheels
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Mirrors, outside heated power-adjustable, body-color, manual-folding
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wipers, front intermittent wet-arm with flat blade and pulse washers
- Body, liftgate with liftglass, rear door system with rear-window wiper/washer
- Wiper, rear intermittent with washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

INTERIOR

- Seats, front 40/20/40 split-bench with Custom Cloth, 3-passenger, includes 6-way power driver seat adjuster, driver and front passenger manual reclining, center fold-down storage armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets
- Seat adjuster, driver power (Not available with vinyl seats.)
- Seats, second row 60/40 split-folding bench with Custom Cloth, 3-passenger with center armrest and storage tray
- Cup holders, in front seating area
- Cup holders, driver and passenger-side in third row side trim
- Floor covering, Black rubberized-vinyl (Required with (AZ3) front 40/20/40 split-bench seat with vinyl or SEO (9S1) vinyl bucket seats.)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, vinyl
- Tow/haul mode selector, button located at end of shift lever
- Tire Pressure Monitoring System (does not apply to spare tire)
- Driver Information Center, full-functionality included
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Remote vehicle starter prep package, includes Remote Keyless Entry (Remote vehicle starter fob available through GM Accessories.)
- Cruise control, electronic with set and resume speed
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 8-speaker system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

- XM Satellite Radio, delete
- Antenna, integral in rear quarter glass
- Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger
- Air conditioning, rear auxiliary
- Heater, rear auxiliary with rear passenger heating ducts
- Defogger, rear-window electric
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Theft-deterrent system, vehicle, PASS-Key III
- Power outlets, 3 auxiliary, 12-volt, includes 2 on the instrument panel and 1 in the cargo area
- Door trim, lights on the front doors and side reflectors on the rear doors
- Armrests, driver and passenger doors, padded
- Mirror, inside rearview auto-dimming with 8-point compass and outside temperature display
- Console, overhead mini with map lights
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod, includes corner storage pockets on back of visors, Shale-colored
- Assist handles, front passenger and second row outboard
- Coat hooks, driver- and passenger-side rear seat and cargo area
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Storage bin, behind driver-side rear quarter panel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

- Fleet Package

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

MECHANICAL

- Engine, Vortec 5.3L V8 SFI Flex-Fuel with Active Fuel Management, capable of running on unleaded or up to 85% ethanol (310 hp [231.1 kW] @ 5200 rpm, 335 lb-ft of torque [452.3 N-m] @ 4400 rpm), aluminum block (Requires 4WD 1/2 ton models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode (Requires 1/2 ton models.)
- Transfer case, active, 2-speed with push-button controls (Requires 4WD models.)
- Rear axle, 3.73 ratio
- 4-wheel drive
- Alternator, 160 amps (Requires (VYU) Snow Plow Prep Package on 3/4 ton models.)
- Trailering equipment, heavy-duty, includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and (VR4) 2" trailering receiver
- Recovery hooks, 2 front, frame-mounted (Standard on 4WD models. Standard on 3/4 ton models.)
- GVWR, 7400 lbs. (3357 kg) (Requires 4WD 1/2 ton models.)
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Suspension Package, Premium Smooth Ride (1/2 ton models only.)
- Suspension, front coil-over-shock with stabilizer bar (1/2 ton models only.)
- Suspension, rear multi-link with coil springs (1/2 ton models only.)
- Tires, P265/70R17 all-season, blackwall (Requires 1/2 ton models.)
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Tire, spare P265/70R17 (1/2 ton models only. Upgradeable to (4JP) P265/70R17 on-/off-road, blackwall spare tire.)
- Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel (1/2 ton models only. Upgradeable to (QF7) 4 - 17" x 7.5" (43.2 cm x 19.1 cm) bright aluminum wheels.)
- Wheel, 17" (43.2 cm) full-size, steel spare (1/2 ton models only)
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc (Requires 1/2 ton models.)
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

- Tools, mechanical jack and wheel wrench, stored in rear quarter trim

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your childs age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicles Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) 3-passenger third row 50/50 split-bench seat or (AW2) 2-passenger third row 50/50 split-bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your childs age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicles Owners Manual and child safety seat instructions for more safety information.
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3905-0094

MAKE OF TRUCK: Gmc MODEL: Yukon XL TK10906 GVWR 7400 lbs.

PAYLOAD: 1776 # W.B. 130" C.A. N/A C.E. N/A

ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LC9, 5.3 SAE H.P. 310

FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: GM Hydramatic M30 4-spd

SPRING CAP. @ GROUND EACH: FRONT 1800 lbs. REAR 2100 lbs. AUX. N/A lbs.

AXLES: FRONT 3925 lbs. REAR 4200 lbs. REAR RATIO 3.73

ALTERNATOR: 160 amps. BATTERY 600 cca.

TIRE SIZE: FRONT P265/70R17 PR REAR P265/70R17 PR SINGLE ✓ DUAL ____ M&S ✓

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QJP

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: UTILITY VEHICLE, LARGE, 6-PASSENGER-4 x 4
(Payload-1,500 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC K10906 SUBURBAN/YUKON XL	FORD EXPEDITION EL
G.V.W.R. (lbs.)	7,400	7,900
Wheelbase (inches)	130	131
Engine: E-85	5.3L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	310	300
Transmission: Automatic: w/2-speed Transfer Case and Auxiliary Oil Cooler		
Axle, min. Cap.-lbs.		
Front	3,925	3,700
Rear	4,200	4,250
Springs, Min. Cap. at Ground		
Front-lbs. each	1,800	1,850
Rear-lbs. each	2,100	2,125

Tires, Tubeless, P235/75R15. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning - All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled “Diesel Fuel Only”.
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Battery-12 Volt; 600 CCA, min.
- ☑ Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- ☑ Brakes-Power.
- ☑ Bumper-Rear, Mfg. Std.
- ☑ Fuel tank-largest single tank available from mfg.
- ☑ Hubs-automatic locking type on front (MDOT)
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, swing away
- ☑ type, 54 square in minimum, Installed.
- ☑ Spare tire and wheel. Full size. Mfg. Stnd. mounting.
- ☑ Steering-Power.
- ☑ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: **(Note: These options are not included in the MiDEAL price)**
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this MDOT vehicle.

- ☑ Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- ☑ Seats-Full bench front, with a full width forward facing rear seat. GMC-Front & Rear Split Bench
- ☑ Skid plates-Fuel tank and transfer case.
- ☑ Tow hooks-front, frame mounted.

PRICING SHEET

TRUCK: UTILITY VEHICLE, LARGE, 6-PASSENGER-4 x 4 **(Payload-1,500 lbs., min.)** **Mich. Spec. #3905-0094A**	
Standard Equipped Per above Specification (Including options as specified above)	**Standard Equipped Cost**
Make: GMC Model: Yukon XL ***F.O.B. - Dealership*** **Delivery Cost Per Mile $1.00**	**$28,895.00***
Final Point of Assembly: Arlington, TX or Jamesville, WI	
Dealer Information	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland State: MI Zip: 48185	
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec #3905-0094A

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

Code	Description	MSRP
TK10906	2008 GMC Yukon XL 4WD 4dr 1500 Commercial	$41,080.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

Code	Description
19V	Interior: Ebony
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

CATEGORY	Code	Description	MSRP
EMISSIONS			
	FE9	EMISSIONS, FEDERAL REQUIREMENTS	$0.00
ENGINE			
	LC9	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT,	$0.00
TRANSMISSION			
	M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	$0.00
DIFFERENTIAL			
	___	NO LOCKING REAR DIFFERENTIAL	$0.00
AXLE			
	GT4	REAR AXLE, 3.73 RATIO	$0.00
PREFERRED EQUIPMENT GROUP			
	1SA	COMMERCIAL PREFERRED EQUIPMENT GROUP	-$2,480.00
TIRES			

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

CATEGORY	Code	Description	MSRP
TIRES			
	QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL	$55.00
SEATING ARRANGEMENT			
	___	NO THIRD ROW SEAT	$0.00
SEAT TYPE			
	AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH	$0.00
	AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH	$0.00
SEAT TRIM			
	__V	VINYL SEAT TRIM	$0.00
PAINT			
	___	PAINT, SOLID	$0.00
RADIO			
	US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER,	$0.00
WHEEL TYPE			
	NX7	WHEELS, 4-17" X 7" (43.2 CM X 17.8 CM) STEEL	$0.00
ADDITIONAL OPTIONS			
	KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER,	$95.00
	ANJ	GLASS, NON-DEEP TINTED	-$295.00
	G63	LUGGAGE RACK, DELETE	-$25.00
	UE0	ONSTAR, DELETE	-$85.00
	VQ1	FLEET PROCESSING OPTION	$0.00
SPECIAL EQUIPMENT OPTIONS			
	4JP	TIRE, SPARE P265/70R17 ON-/OFF-ROAD, BLACKWALL	$11.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

CATEGORY		
Code	**Description**	**MSRP**
OPTIONS TOTAL		-$2,724.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

EPA FUEL ECONOMY RATINGS

- **City 14/hwy 19 (5.3L flex-fuel engine/4-speed auto trans)**
- **City 11/hwy 14 (5.3L flex-fuel engine/4-speed auto trans with E85 gas/ethan. mix)**

EXTERIOR

- **Luggage rack side rails, roof-mounted, Black**
- **Fascia, front color-keyed**
- **Fascia, rear color-keyed**
- **Air dam, Gray**
- **Grille, chrome surround**
- **Assist steps, body-color, mounted between front and rear wheels**
- **Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature**
- **Mirrors, outside heated power-adjustable, body-color, manual-folding**
- **Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)**
- **Wipers, front intermittent wet-arm with flat blade and pulse washers**
- **Body, liftgate with liftglass, rear door system with rear-window wiper/washer**
- **Wiper, rear intermittent with washer**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

INTERIOR

- Seats, front 40/20/40 split-bench with Custom Cloth, 3-passenger, includes 6-way power driver seat adjuster, driver and front passenger manual reclining, center fold-down storage armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets
- Seat adjuster, driver power (Not available with vinyl seats.)
- Seats, second row 60/40 split-folding bench with Custom Cloth, 3-passenger with center armrest and storage tray
- Cup holders, in front seating area
- Cup holders, driver and passenger-side in third row side trim
- Floor covering, Black rubberized-vinyl (Required with (AZ3) front 40/20/40 split-bench seat with vinyl or SEO (9S1) vinyl bucket seats.)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, vinyl
- Tow/haul mode selector, button located at end of shift lever
- Tire Pressure Monitoring System (does not apply to spare tire)
- Driver Information Center, full-functionality included
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Remote vehicle starter prep package, includes Remote Keyless Entry (Remote vehicle starter fob available through GM Accessories.)
- Cruise control, electronic with set and resume speed
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 8-speaker system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

- XM Satellite Radio, delete
- Antenna, integral in rear quarter glass
- Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger
- Air conditioning, rear auxiliary
- Heater, rear auxiliary with rear passenger heating ducts
- Defogger, rear-window electric
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Theft-deterrent system, vehicle, PASS-Key III
- Power outlets, 3 auxiliary, 12-volt, includes 2 on the instrument panel and 1 in the cargo area
- Door trim, lights on the front doors and side reflectors on the rear doors
- Armrests, driver and passenger doors, padded
- Mirror, inside rearview auto-dimming with 8-point compass and outside temperature display
- Console, overhead mini with map lights
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod, includes corner storage pockets on back of visors, Shale-colored
- Assist handles, front passenger and second row outboard
- Coat hooks, driver- and passenger-side rear seat and cargo area
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Storage bin, behind driver-side rear quarter panel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

- Fleet Package

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

MECHANICAL

- Engine, Vortec 5.3L V8 SFI Flex-Fuel with Active Fuel Management, capable of running on unleaded or up to 85% ethanol (310 hp [231.1 kW] @ 5200 rpm, 335 lb-ft of torque [452.3 N-m] @ 4400 rpm), aluminum block (Requires 4WD 1/2 ton models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode (Requires 1/2 ton models.)
- Transfer case, active, 2-speed with push-button controls (Requires 4WD models.)
- Rear axle, 3.73 ratio
- 4-wheel drive
- Alternator, 160 amps (Requires (VYU) Snow Plow Prep Package on 3/4 ton models.)
- Trailering equipment, heavy-duty, includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and (VR4) 2" trailering receiver
- Recovery hooks, 2 front, frame-mounted (Standard on 4WD models. Standard on 3/4 ton models.)
- GVWR, 7400 lbs. (3357 kg) (Requires 4WD 1/2 ton models.)
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Suspension Package, Premium Smooth Ride (1/2 ton models only.)
- Suspension, front coil-over-shock with stabilizer bar (1/2 ton models only.)
- Suspension, rear multi-link with coil springs (1/2 ton models only.)
- Tires, P265/70R17 all-season, blackwall (Requires 1/2 ton models.)
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Tire, spare P265/70R17 (1/2 ton models only. Upgradeable to (4JP) P265/70R17 on-/off-road, blackwall spare tire.)
- Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel (1/2 ton models only. Upgradeable to (QF7) 4 - 17" x 7.5" (43.2 cm x 19.1 cm) bright aluminum wheels.)
- Wheel, 17" (43.2 cm) full-size, steel spare (1/2 ton models only)
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc (Requires 1/2 ton models.)
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 4WD 4dr 1500 Commercial TK10906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK10906 4WD 4dr 1500 Commercial

- Tools, mechanical jack and wheel wrench, stored in rear quarter trim

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your childs age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicles Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) 3-passenger third row 50/50 split-bench seat or (AW2) 2-passenger third row 50/50 split-bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your childs age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicles Owners Manual and child safety seat instructions for more safety information.
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec# 3905-0094A

MAKE OF TRUCK: GMC MODEL: Yukon XL TK10906 GVWR 7400 lbs.

PAYLOAD: 1776 # W.B. 130" C.A. N/A C.E. N/A

ENGINE: (GAS - DIESEL) Gas/E85 MAKE: GM MODEL: LC9, 5.3 SAE H.P. 310

FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: GM Hydramatic M30 4-spd

SPRING CAP. @ GROUND EACH: FRONT 1800 lbs. REAR 2100 lbs. AUX. N/A lbs.

AXLES: FRONT 3925 lbs. REAR 4200 lbs. REAR RATIO 3.73

ALTERNATOR: 160 amps. BATTERY 600 cca.

TIRE SIZE: FRONT P265/70R17 PR REAR P265/70R17 PR SINGLE ✓ DUAL ____ M&S ✓

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QJP

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CAB AND CHASSIS
G.V.W.R. 12,500 lbs. min., (Payload 5,800 lb. min.), (4 x 4)
GMC G.V.W.R. 12,000 lbs Payload: 5,487 lbs

MODEL-2008 CURRENT NEW

	CHEV/GMC K31003	FORD F-350	DODGE DC8L63
Wheelbase (inches)	137.0	140.8	143.5
C.A. (inches)	59.9	60	60
Engine: Diesel	6.6L	6.4L	6.7L
Type & No. of Cylinders	V-8 Turbo	V-8 Turbo	L-6 Turbo
Net H.P.-S.A.E.	365	350	305
Transmission: Automatic with Maximum capacity transmission oil cooler with P.T.O. Provision. Factory installed.			
Axle, Min. Cap.			
Front-lbs	4,800	6,000	5,200
Rear-lbs.	9,200	9,750	9,350
Springs, Min. Cap. at Ground			
Front-1,607 lbs. each	2,400	2,600	TBD
Rear-3,650 lbs. each Including Aux.	4,300	4,875	TBD

*SEE Mich. 3958-0074, Mich. 3958-0075, or Mich. 3958-0076 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning - All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Axle, rear-limited slip.
- ☑ Battery-12 Volt, 600 CCA, minimum.
- ☑ Brakes-Power.
- ☑ Fuel capacity-largest available from mfg.
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed.
- ☑ Spare tire and wheel. Mfg. Std. mounting.
- ☑ Steering-Power.
- ☑ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: **(Note: These options are not included in the MiDEAL price)**
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this MDOT vehicle.

- ☑ Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery
- ☑ Hubs autolocking on front (MDOT)

.

PRICING SHEET

TRUCK: CAB AND CHASSIS **G.V.W.R. 12,500 lbs. min., (Payload 5,800 lb. min.), (4 x 4)** **Mich. Spec. #3958-0098**	
Standard Equipped Per above Specification (Including options as specified above)	**Standard Equipped Cost**
Make: GMC Model: Sierra ***F.O.B. - Dealership*** **Delivery Cost Per Mile $1.00**	**$ 26,952.00***
Final Point of Assembly: Pontiac, MI	
Dealer Information	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	**State: MI Zip: 48185**
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0098

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

Code	Description	MSRP
TK31003	2008 GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9" CA WT	$28,225.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

Code	Description
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

CATEGORY	Code	Description	MSRP
EMISSIONS			
	FE9	EMISSIONS, FEDERAL REQUIREMENTS	$0.00
ENGINE			
	LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B5-DIESEL COMPATIBLE	$7,195.00
TRANSMISSION			
	MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, ELECTRONIC ENGINE GRADE BRAKING AND TOW/HAUL MODE.	$1,200.00
DIFFERENTIAL			
	G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	$325.00
AXLE			
	GT4	REAR AXLE, 3.73 RATIO	$0.00
PREFERRED EQUIPMENT GROUP			
	1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP,	$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

CATEGORY	Code	Description	MSRP
TIRES			
	QCV	TIRES, LT225/75R17E ON-/OFF-ROAD, BLACKWALL	$66.00
SPARE TIRE			
	ZCV	TIRE, SPARE LT225/75R17E ON-/OFF-ROAD, BLACKWALL,	$421.00
SEAT TYPE			
	AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	$0.00
SEAT TRIM			
	__V	SEAT TRIM, DARK TITANIUM VINYL	$0.00
PAINT			
	ZY1	PAINT, SOLID	$0.00
AIR CONDITIONING			
	C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	$870.00
RADIO			
	UM7	AUDIO SYSTEM, AM/FM STEREO	$0.00
ADDITIONAL OPTIONS			
	TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
	PTO	POWER TAKE OFF, ENGINE CONTROL PROVISIONS	INC
	UE0	ONSTAR, DELETE	-$85.00
	K05	ENGINE BLOCK HEATER	INC
	V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS	$55.00
	DF2	MIRRORS, OUTSIDE HIGH-VISIBILITY VERTICAL CAMPER-STYLE, BLACK	$70.00
	K34	CRUISE CONTROL, ELECTRONIC	$250.00
	U2J	XM SATELLITE RADIO, DELETE	-$200.00
	VQ1	FLEET PROCESSING OPTION	$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

CATEGORY Code	Description	MSRP
OPTIONS TOTAL		$10,167.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

EXTERIOR

- **Paint, solid**
- **Bumper, front chrome**
- **Air dam, Black**
- **Grille, chrome surround**
- **Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature**
- **Daytime Running Lamps, with automatic exterior lamp control**
- **Lamps, Smoked Amber roof marker**
- **Lamp delete, LED center high-mounted stop/brake (CHMSL) delete and cargo area, delete (Standard with 4WD models only.)**
- **Mirrors, outside manual, Black, manual folding**
- **Glass, Solar-Ray light-tinted, all windows**
- **Wipers, front intermittent wet-arm with pulse washers**
- **Door handles, Black**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM Vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. If the order type is FDR, (UE0) OnStar delete will be forced on. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) Power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 4-speaker system (Requires Regular Cab models.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation. (Available in the 48 contiguous United States. Required $12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Cup holders, front (Also includes rear cupholders on Extended Cab models.)
- Mirror, inside rearview manual day/night
- Coat hooks, rear driver and passenger side
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended Cab Models.)
- Lighting, interior with dome and reading lights, backlit instrument panel switches and door handle-activated illuminated entry
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine.)
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Rear axle, 3.73 ratio
- Four wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power (Not standard with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- Alternator, 125 amps
- Recovery hooks, front, frame-mounted
- Body, Chassis Cab, includes (VF7) bumper delete
- Frame, hydroformed
- GVWR, 12,000 lbs. (5443 kg) (Standard with 4WD models only.)
- Rear axle, 66" (167.6 cm) wide
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailering, heavy-duty includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Includes 6 tires with (ZW9) pickup box delete.)
- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 137.0" WB,59.9"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31003 4WD Reg Cab 137.0" WB,59.9" CA WT

- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger with passenger-side deactivation switch (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0098

MAKE OF TRUCK: GMC MODEL: Sierra TK31003 GVWR 12000 lbs correct per email

PAYLOAD: 5487 # correct per email W.B. 137" C.A. 59.90 correct per email C.E. 111

ENGINE: (GAS - DIESEL) Diesel MAKE: GM Duramax MODEL: LMM, 6.6 SAE H.P. 365

FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7 6-spd

SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4300 lbs. AUX. N/A lbs. correct per email

AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3.73

ALTERNATOR: 125 amps. BATTERY Dual 730 cca.

TIRE SIZE: FRONT LT225/75R17E PR REAR LT225/75R17E PR SINGLE _____ DUAL ✓ M&S ✓

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCV

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Mich. Spec. # 3958-0099
August 2007

TRUCK: CAB AND CHASSIS
(Payload-5,930 lbs., min.)* (4 x 4)
GMC Payload: 5,411

MODEL-2008 CURRENT NEW

	FORD F-350	CHEV/GMC K31403	DODGE DC8L64
G.V.W.R. (12,500 lbs. min.)	13,000	12,000	12,500
Wheelbase (inches)	164.8	161.5	167.5
C.A. (inches)	84	84.4	84.0
Engine: Diesel	6.4L	6.6L	6.7L
Type & No. of Cylinders	V-8 Turbo	V-8	L-6 Turbo
Net H.P.-S.A.E.	350	365	305
Transmission: Automatic with maximum capacity transmission oil cooler with P.T.O. Provision. Factory installed.			
Axle, Min. Cap.			
Front-lbs.	6,000	4,800	5,200
Rear-lbs.	9,750	9,200	9,350
Springs, Min. Cap. at Ground			
Front-lbs. each	2,200	2,400	TBD
Rear-lbs. each including aux.	4,875	4,300	TBD

*SEE Mich. 3958-0078 or Mich. 3958-0079 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning - All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled “Diesel Fuel Only”.
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified

- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.
TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Axle, rear-limited slip.
- ☑ Battery-12 Volt, 600 CCA, minimum.
- ☑ Brakes-Power.
- ☑ Fuel capacity-largest available from mfg.
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended
- ☑ reach, swing away type, 51 sq. in. minimum. Installed.
- ☑ Spare tire and wheel. Mfg. Stnd. mounting.
- ☑ Steering-Power
- ☑ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this MDOT vehicle.

- ☑ Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- ☑ Hubs autolocking (MDOT)

PRICING SHEET

TRUCK: CAB AND CHASSIS **(Payload-5,930 lbs., min.)* (4 x 4)** **Mich. Spec. #3958-0099**	
Standard Equipped Per above Specification (Including options as specified above)	**Standard Equipped Cost**
Make: GMC Model: Sierra ***F.O.B. - Dealership*** **Delivery Cost Per Mile $ 1.00**	**$27,110.00***
Final Point of Assembly: Pontiac, MI	
Dealer Information	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland State: MI Zip: 48185	
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0099

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT

Code	Description	MSRP
TK31403	2008 GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4" CA WT	$28,395.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT

Code	Description
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT

CATEGORY	Code	Description	MSRP
EMISSIONS			
	FE9	EMISSIONS, FEDERAL REQUIREMENTS	$0.00
ENGINE			
	LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B5-DIESEL COMPATIBLE	$7,195.00
TRANSMISSION			
	MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, ELECTRONIC ENGINE GRADE BRAKING AND TOW/HAUL MODE.	$1,200.00
DIFFERENTIAL			
	G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	$325.00
AXLE			
	GT4	REAR AXLE, 3.73 RATIO	$0.00
PREFERRED EQUIPMENT GROUP			
	1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP,	$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT

CATEGORY	Code	Description	MSRP
TIRES			
	QCV	TIRES, LT225/75R17E ON-/OFF-ROAD, BLACKWALL	$66.00
SPARE TIRE			
	ZCV	TIRE, SPARE LT225/75R17E ON-/OFF-ROAD, BLACKWALL,	$421.00
SEAT TYPE			
	AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	$0.00
SEAT TRIM			
	__V	SEAT TRIM, DARK TITANIUM VINYL	$0.00
PAINT			
	ZY1	PAINT, SOLID	$0.00
AIR CONDITIONING			
	C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	$870.00
RADIO			
	UM7	AUDIO SYSTEM, AM/FM STEREO	$0.00
ADDITIONAL OPTIONS			
	TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
	PTO	POWER TAKE OFF, ENGINE CONTROL PROVISIONS	INC
	UE0	ONSTAR, DELETE	-$85.00
	K05	ENGINE BLOCK HEATER	INC
	V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS	$55.00
	DF2	MIRRORS, OUTSIDE HIGH-VISIBILITY VERTICAL CAMPER-STYLE, BLACK	$70.00
	K34	CRUISE CONTROL, ELECTRONIC	$250.00
	U2J	XM SATELLITE RADIO, DELETE	-$200.00
	VQ1	FLEET PROCESSING OPTION	$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT

CATEGORY Code	Description	MSRP
OPTIONS TOTAL		$10,167.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT

EXTERIOR

- Paint, solid
- Bumper, front chrome
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Daytime Running Lamps, with automatic exterior lamp control
- Lamps, Smoked Amber roof marker
- Lamp delete, LED center high-mounted stop/brake (CHMSL) delete and cargo area, delete (Standard with 4WD models only.)
- Mirrors, outside manual, Black, manual folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, includes theft-deterrent locking feature
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered.)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM Vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. If the order type is FDR, (UE0) OnStar delete will be forced on. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) Power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models.)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 4-speaker system (Requires Regular Cab models.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation. (Available in the 48 contiguous United States. Required $12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Cup holders, front (Also includes rear cupholders on Extended Cab models.)
- Mirror, inside rearview manual day/night
- Coat hooks, rear driver and passenger side
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended Cab Models.)
- Lighting, interior with dome and reading lights, backlit instrument panel switches and door handle-activated illuminated entry
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine.)
- Transfer case, with floor-mounted shifter (Requires 4WD models.)
- Rear axle, 3.73 ratio
- Four wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power (Not standard with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- Alternator, 125 amps
- Recovery hooks, front, frame-mounted
- Body, Chassis Cab, includes (VF7) bumper delete
- Frame, hydroformed
- GVWR, 12,000 lbs. (5443 kg) (Standard with 4WD models only.)
- Rear axle, 66" (167.6 cm) wide
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailering, heavy-duty includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Includes 6 tires with (ZW9) pickup box delete.)
- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 161.5" WB,84.4"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK31403 4WD Reg Cab 161.5" WB,84.4" CA WT

- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger with passenger-side deactivation switch (Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3958-0099

MAKE OF TRUCK: Gmc MODEL: Sierra Tk 31403 GVWR 12000 lbs.

PAYLOAD: 5411 # W.B. 161.5" C.A. 84.4" C.E. 135.5"

ENGINE: (GAS - DIESEL) Diesel MAKE: Gm Duramax MODEL: Lmm, 6.6 SAE H.P. 365

FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: Allison 1000 mm 6-spd

SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4300 lbs. AUX. N/A lbs.

AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3.73

ALTERNATOR: 125 amps. BATTERY Dual 730 cca.

TIRE SIZE: FRONT LT225/75 R17E PR REAR LT225/75 R17E PR SINGLE _____ DUAL ✓ M&S ✓

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QCV

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CUT-AWAY VAN AND BODY SINGLE REAR WHEEL
(G.V.W.R. 8,900 lbs., min.)*

MODEL-2008 CURRENT NEW

	CHEV/GMC G33503	FORD E-350
Wheelbase (inches)	139 (10' & 12' Body)	138 (10' & 12' body)
Engine: Gasoline	4.8L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	279	255
Transmission: Automatic		
Axle, Min. Cap.-lbs.		
Front	4,100	5,000
Rear	6,084	8,500 DRW
Springs, Min. Cap. at Ground		
Front-lbs. each	2,050	2,300 DRW
Rear-lbs. each	3,042	4,300 DRW

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Mud and Snow or All Season.

*SEE Mich. #3958-0102 or 3958-0103 for body

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning - All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled “Diesel Fuel Only”.
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified GMC: Bucket Seats
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R. GMC: No Jack Available
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Battery 12 Volt; 600 CCA, minimum.
- ☑ Brakes-Power.
- ☑ Front fender splash guards. GMC: Dealer Installed
- ☑ Fuel capacity-largest available from mfg.
- ☑ Gauges-temperature, oil pressure, and amp meter or volt meter.
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H. shall provide full Vision past body installation. Mirrors shall be duplex head; 1 convex, 1 standard glass, with stainless steel or powder coated steel heads, brackets, and hardware. GMC: Composite Mirrors
- ☑ Spare wheel and tire.
- ☑ Steering-Power.
- ☑ Wrench-wheel. GMC: No wrench available.

PRICING SHEET

TRUCK: CUT-AWAY VAN AND BODY SINGLE REAR WHEEL (G.V.W.R. 8,900 lbs., min.)* Mich. Spec. #3958-0100	
Standard Equipped Per above Specification (Including options as specified above)	**Standard Equipped Cost**
Make GMC Model: Sierra Spl ***F.O.B. - Dealership*** **Delivery Cost Per Mile $1.00**	**$16,864.00***
Final Point of Assembly: Wentzville, MO	
Dealer Information	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	**State: MI Zip: 48185**
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0100

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW

Code	Description	MSRP
TG33503	2008 GMC Savana Cutaway 139" WB C6Y SRW	$24,068.36

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW

Code	Description
93W	Interior: Medium Pewter
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW

CATEGORY	Code	Description	MSRP
BODY CODE			
	ZW9	BODY, STANDARD	$0.00
GVWR			
	C6Y	GVWR, 9600 LBS. (4354 KG)	$0.00
REAR WHEEL CONFIGURATION			
	R04	WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) GRAY-PAINTED STEEL (SINGLE REAR)	$0.00
EMISSIONS			
	FE9	EMISSIONS, FEDERAL REQUIREMENTS	$0.00
ENGINE			
	LY2	ENGINE, VORTEC 4.8L V8 SFI (279 HP [208 KW] @ 5200 RPM, 294 LB-FT OF TORQUE [396.9 N-M] @ 4500 RPM)	$0.00
TRANSMISSION			

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW

CATEGORY	Code	Description	MSRP
TRANSMISSION			
	MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, TOW/HAUL MODE AND INTERNAL TRANSMISSION OIL COOLER	$0.00
DIFFERENTIAL			
	___	NO LOCKING REAR DIFFERENTIAL	$0.00
AXLE			
	GT5	REAR AXLE, 4.10 RATIO	$0.00
PREFERRED EQUIPMENT GROUP			
	1WT	1WT PREFERRED EQUIPMENT GROUP	$0.00
SPARE TIRE			
	ZHH	TIRE, SPARE LT245/75R16E ALL-SEASON, BLACKWALL, LOCATED AT REAR UNDERBODY OF VEHICLE	$300.00
SEATING ARRANGEMENT			
	ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGHBACK BUCKET, ADJUSTABLE,	$0.00
SEAT TYPE			
	AR7	SEATS, FRONT BUCKET WITH VINYL TRIM AND OUTBOARD HEAD RESTRAINTS	$0.00
SEAT TRIM			
	__W	VINYL SEAT TRIM	$0.00
PAINT			
	ZY1	PAINT, SOLID	$0.00
AIR CONDITIONING			
	C60	AIR CONDITIONING, SINGLE ZONE MANUAL	$0.00
RADIO			
	UM7	AUDIO SYSTEM, AM/FM STEREO	$150.00
ADDITIONAL OPTIONS			
	ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL	$395.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW

CATEGORY		
Code	**Description**	**MSRP**
ADDITIONAL OPTIONS		
D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT	$10.00
DAA	VISORS, DRIVER AND FRONT PASSENGER, VINYL in lieu of standard cloth	INC
DE2	MIRRORS, OUTSIDE MANUAL, BLACK	$115.00
VQ1	FLEET PROCESSING OPTION	$0.00
OPTIONS TOTAL		**$970.00**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW

EXTERIOR

- Paint, solid
- Body, standard
- Bumper, front painted Black with step-pad (Not available with (ZR7) Appearance Package or (YF1) RV Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- License plate kit, front
- Daytime Running Lamps
- Mirrors, outside delete
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints (Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)
- Seating arrangement, driver and front passenger highback bucket, adjustable, includes head restraints and vinyl or cloth trim
- Floor covering, Black rubberized-vinyl front
- Theft-deterrent system, vehicle, PASS-Key III
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center, includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Tow/haul mode selector, instrument panel-mounted
- Warning tones, headlamp on and key-in-ignition
- Oil life monitor
- Air conditioning, single-zone manual
- Heater and defogger with front and side window defoggers
- Defogger, side windows
- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Headliner, cloth, over driver and passenger
- Visors, driver and front passenger, padded
- Assist handle, front passenger
- Lighting, interior with dome light and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW

MECHANICAL

- Engine, Vortec 4.8L V8 SFI (279 hp [208 kW] @ 5200 rpm, 294 lb-ft of torque [396.9 N-m] @ 4500 rpm) (Standard on the *G33503 model. Requires (C6Y) 9600 lbs. (4354 kg) GVWR or (C7A) 10,000 lbs. (4536 kg) GVWR. Not available on the *G33803 and *G33903 models. Not available with (YF1) RV Package, (C7N) 12,300 lbs. (5579 kg) GVWR or (C7F) 14,050 lbs. (6373 kg) GVWR. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine or (C7F) 14,050 lbs. (6373 kg.) GVWR. Reference the Engine/Axle page for availability.)
- Brake/transmission shift interlock, for automatic transmissions
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, ladder-type
- Incomplete vehicle certification
- GVWR, 9600 lbs. (4354 kg) (Standard on the *G33503 model. Not available on the *G33803 or *G33903 models or with (R05) dual rear, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels. Reference the Engine/Axle page for availability.)
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear hypoid drive axle with multi-leaf springs
- Rear axle, 4.10 ratio (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine. Reference the Engine/Axle page for availability.)
- Tires, front LT245/75R16E all-season, blackwall (Requires CG33503 model. Not available with (R05) dual rear, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels. Jack and spare tire equipment bracket are not included on G33*03 models.
- Tires, rear LT245/75R16E all-season, blackwall (Requires CG33503 model. Not available with (R05) dual rear, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels. Jack and spare tire equipment bracket are not included on G33*03 models.
- Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) Gray-painted steel (single rear), (Requires (C6Y) 9600 lbs. (4354 kg) GVWR or (C4M) 9900 lbs. (4491 kg) GVWR. Not available with (R05) dual rear, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels, (C7A) 10,000 lbs. (4536 kg) GVWR, (C7N) 12,300 lbs. (5579 kg) GVWR or (C7F) 14,050 lbs. (6373 kg) GVWR.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 139" WB C6Y SRW TG33503

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33503 139" WB C6Y SRW

- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Not available with (ZX1) driver only high-back bucket seat. Always use safety belts and the correct child restraints for your childs age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicles Owners Manual and child safety seat instructions for more safety information.)
- Air bag deactivation switch, frontal, passenger-side (Never place a rear- facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your childs age and size. See the vehicles Owners Manual and child safety seat instructions for more safety information.)
- Brake/transmission shift interlock, for automatic transmissions
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0100

MAKE OF TRUCK: GMC MODEL: Savana TG33503 GVWR 9600 lbs.

PAYLOAD: 5072 W.B. 139" C.A. 80" C.E. 148.50"

ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY2, 4.8 SAE H.P. 279

FUEL TANK(S) CAPACITY: 33 (GALS. TOTAL) TRANSMISSION: Gm Hydramatic MT1 4-spd

SPRING CAP. @ GROUND EACH: FRONT 2050 lbs. REAR 3042 lbs. AUX. N/A lbs.

AXLES: FRONT 4100 lbs. REAR 6084 lbs. REAR RATIO 4.10

ALTERNATOR: 145 amps. BATTERY 600 cca.

TIRE SIZE: FRONT LT245/75R16E PR REAR LT245/75R16E PR SINGLE ✓ DUAL ____ M&S ____

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XHH

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CUT-AWAY VAN AND BODY DUAL REAR WHEEL
(G.V.W.R. 10,000 lbs., min.)*

MODEL-2008 CURRENT NEW

	CHEV/GMC G33803/C7A	FORD E-350
Wheelbase (inches)	159 (14'& 15' body)	158 (14'& 15' body)
Engine: Gasoline	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E. J1349	323	255
Transmission: Automatic		
Axle, Min. Cap.-lbs.		
Front	4,100	5,000
Rear	7,500	8,500
Springs, Min. Cap. at Ground		
Front-lbs. each	2,050	2,300
Rear-lbs. each	3,750	4,300

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, Mud and Snow or All Season.

*SEE Mich. #3958-0102 or 3958-0103 for body

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning - All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled “Diesel Fuel Only”.
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified GMC: Bucket Seats
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R. GMC: Not available from factory
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Battery 12 Volt; 600 CCA, minimum.
- ☑ Brakes-Power.
- ☑ Front fender splash guards. GMC: Dealer Installed
- ☑ Fuel capacity-largest available from mfg.
- ☑ Gauges-temperature, oil pressure, and amp meter or volt meter.
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H. shall provide full Vision
- ☑ past body installation. Mirrors shall be duplex head; 1 convex, 1 standard glass, with stainless steel or powder coated steel heads, brackets, and hardware. GMC: Composite Mirrors
- ☑ Seat-Passenger.
- ☑ Spare wheel and tire.
- ☑ Steering-Power.
- ☑ Wrench-wheel. GMC: Not available from factory

PRICING SHEET

TRUCK: CUT-AWAY VAN AND BODY DUAL REAR WHEEL **(G.V.W.R. 10,000 lbs., min.)*** **Mich. Spec. #3958-0101**	
Standard Equipped Per above Specification (Including options as specified above)	**Standard Equipped Cost**
Make: GMC Model: Savana Spl ***F.O.B. - Dealership*** **Delivery Cost Per Mile $1.00**	**$17,861.00***
Final Point of Assembly: Wentzville, MO	
Dealer Information	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland State: MI Zip: 48185	
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0101

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW

Code	Description	MSRP
TG33803	2008 GMC Savana Cutaway 159" WB C7A DRW	$24,970.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW

Code	Description
93W	Interior: Medium Pewter
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW

CATEGORY	Code	Description	MSRP
BODY CODE	ZW9	BODY, STANDARD	$0.00
GVWR	C7A	GVWR, 10,000 LBS. (4536 KG)	$0.00
EMISSIONS	FE9	EMISSIONS, FEDERAL REQUIREMENTS	$0.00
ENGINE	LY6	ENGINE, VORTEC 6.0L V8 SFI (323 HP [240.8 KW] @ 4600 RPM, 373 LB-FT OF TORQUE [503.6 N-M] @ 4400 RPM)	$0.00
TRANSMISSION	MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, TOW/HAUL MODE AND INTERNAL TRANSMISSION OIL COOLER	$0.00
DIFFERENTIAL	___	NO LOCKING REAR DIFFERENTIAL	$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW

CATEGORY	Code	Description	MSRP
AXLE			
	GT5	REAR AXLE, 4.10 RATIO	$0.00
PREFERRED EQUIPMENT GROUP			
	1WT	1WT PREFERRED EQUIPMENT GROUP	$0.00
SEATING ARRANGEMENT			
	ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGHBACK BUCKET, ADJUSTABLE,	$0.00
SEAT TYPE			
	AR7	SEATS, FRONT BUCKET WITH VINYL TRIM AND OUTBOARD HEAD RESTRAINTS	$0.00
SEAT TRIM			
	__W	VINYL SEAT TRIM	$0.00
PAINT			
	ZY1	PAINT, SOLID	$0.00
AIR CONDITIONING			
	C60	AIR CONDITIONING, SINGLE ZONE MANUAL	$0.00
RADIO			
	UM7	AUDIO SYSTEM, AM/FM STEREO	$150.00
ADDITIONAL OPTIONS			
	ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL	$395.00
	V14	TRANSMISSION OIL COOLER, EXTERNAL	INC
	D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT	$10.00
	DAA	VISORS, DRIVER AND FRONT PASSENGER, VINYL in lieu of standard cloth	INC
	DHC	MIRRORS, OUTSIDE WIDE-STANCE SAIL PANEL MOUNTED (VELVAC).	$250.00
	NE7	FUEL TANK CAPACITY, APPROXIMATELY 57 GALLONS (215.7L)	$165.00
	VQ1	FLEET PROCESSING OPTION	$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW

CATEGORY Code	Description	MSRP
OPTIONS TOTAL		$970.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW

EXTERIOR

- Paint, solid
- Body, standard
- Bumper, front painted Black with step-pad (Not available with (ZR7) Appearance Package or (YF1) RV Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- License plate kit, front
- Daytime Running Lamps
- Mirrors, outside delete
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints (Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)
- Seating arrangement, driver and front passenger highback bucket, adjustable, includes head restraints and vinyl or cloth trim
- Floor covering, Black rubberized-vinyl front
- Theft-deterrent system, vehicle, PASS-Key III
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center, includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Tow/haul mode selector, instrument panel-mounted
- Warning tones, headlamp on and key-in-ignition
- Oil life monitor
- Air conditioning, single-zone manual
- Heater and defogger with front and side window defoggers
- Defogger, side windows
- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Headliner, cloth, over driver and passenger
- Visors, driver and front passenger, padded
- Assist handle, front passenger
- Lighting, interior with dome light and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW

MECHANICAL

- Engine, Vortec 6.0L V8 SFI (323 hp [240.8 kW] @ 4600 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) (Standard on the *G33803 and *G33903 models. Available on *G33503 model. Includes external oil cooler. Reference the Engine/Axle page for availability.)
- Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine or (C7F) 14,050 lbs. (6373 kg.) GVWR. Reference the Engine/Axle page for availability.)
- Transmission oil cooler, external (Included with (LMM) Duramax 6.6L Turbo Diesel V8 engine, (LY6) Vortec 6.0L V8 engine or (YF1) RV Package. On the *G33503, when the (LY6) Vortec 6.0L V8 engine is ordered, (V14) transmission oil cooler is required.)
- Brake/transmission shift interlock, for automatic transmissions
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Frame, ladder-type
- Incomplete vehicle certification
- GVWR, 10,000 lbs. (4536 kg) (Standard on the *G33803 model. Available on the *G33503 model. Not available on the *G33903 model. Includes (R05) dual rear, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels on the *G33503 model. Not available with (YF1) RV Package or (R04) single rear 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels. Reference the Engine/Axle page for availability.)
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear hypoid drive axle with multi-leaf springs
- Rear axle, 4.10 ratio (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine. Reference the Engine/Axle page for availability.)
- Tires, front LT225/75R16E all-season, blackwall (Included and only available with (C7F) 14,050 lbs. (6373 kg) GVWR or (R05) dual rear 6 - 16" x 6.5" Gray-painted steel wheels.)
- Tires, rear LT225/75R16E all-season, blackwall (Included and only available with (C7F) 14,050 lbs. (6373 kg) GVWR or (R05) dual rear 6 - 16" x 6.5" Gray-painted steel wheels.)
- Tire, spare LT225/75R16E all-season blackwall (Requires (C7F) 14,050 lbs. (6373 kg) GVWR or (R05) dual rear 6 - 16" x 6.5" Gray-painted steel wheels.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 159" WB C7A DRW TG33803

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33803 159" WB C7A DRW

- Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) Gray-painted steel (dual rear) (Standard on the *G33803 and *G33903 models. On the *G33503 model, included and only available with (C7A) 10,000 lbs. (4536 kg.) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR. Not available with (C6Y) 9600 lbs. (4354 kg) GVWR, (XHH) front LT245/75R16E all-season blackwall tires, (YHH) rear LT245/75R16E all-season blackwall tires, (ZHH) spare LT245/75R16E all-season blackwall tires or (R04) single rear, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels.)
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Not available with (ZX1) driver only high-back bucket seat. Always use safety belts and the correct child restraints for your childs age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicles Owners Manual and child safety seat instructions for more safety information.)
- Air bag deactivation switch, frontal, passenger-side (Never place a rear- facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your childs age and size. See the vehicles Owners Manual and child safety seat instructions for more safety information.)
- Brake/transmission shift interlock, for automatic transmissions
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Reed Holman Pontiac GMC ITEM NO(s). Spec # 3958-0101

MAKE OF TRUCK: GMC MODEL: Savana T633803 GVWR 10000 lbs.

PAYLOAD: 5148 # W.B. 159" C.A. 100" C.E. 168.50"

ENGINE: (GAS - DIESEL) Gas MAKE: GM MODEL: LY6, 6.0 SAE H.P. 323

FUEL TANK(S) CAPACITY: 57 (GALS. TOTAL) TRANSMISSION: GM Hydramatic MT1 4-spd

SPRING CAP. @ GROUND EACH: FRONT 2050 lbs. REAR 3750 lbs. AUX. N/A lbs.

AXLES: FRONT 4100 lbs. REAR 7500 lbs. REAR RATIO 4.10

ALTERNATOR: 145 amps. BATTERY 600 cca.

TIRE SIZE: FRONT LT225/75R16E PR REAR LT225/75R16E PR SINGLE _____ DUAL ✓ M&S _____

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XHF

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: CUT-AWAY VAN AND BODY DUAL REAR WHEELS
(G.V.W.R. 11,000 lbs., min.)*

MODEL-2008 CURRENT NEW

	CHEV/GMC G33903	FORD E-350 Cut-Away
Wheel base (inches)	177	158 for (14' & 15' body)
Engine: Gasoline	6.0L	6.8L
Type & No. of Cylinders	V-8	V-10
Net H.P.-S.A.E.	323	305
Transmission: Automatic		
Axle, Min. Cap.-lbs.		
Front	TBD	5,000
Rear	TBD	8,500
Springs, Min. Cap. At Ground		
Front-lbs. Each	TBD	2,300
Rear-lbs. Each	TBD	4,300

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, Mud and Snow or All Season.

*See Mich. SPEC. # 3958-0102 or 3958-0103 for body

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning - All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled “Diesel Fuel Only”.
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified GMC: Bucket Seats
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R. GMC: Not Avail
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Battery 12 Volt; 600 CCA, minimum
- ☑ Brakes-Power
- ☑ Front Fender splash guards GMC: Dealer Installed
- ☑ Fuel capacity-largest available from mfg.
- ☑ Gauges-temperature, oil pressure, and amp meter or volt meter.
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H. shall provide full Vision past body installation.
- ☑ Mirror shall be duplex head; 1 convex, 1 standard glass, with stainless steel or powder coated steel heads, brackets, and hardware. GMC: Composite Head
- ☑ Spare Wheel and Tire
- ☑ Steering-Power
- ☑ Wrench-Wheel GMC: No wrench available from factory

ADDITIONAL MDOT OPTIONS: **(Note: These options are not included in the MiDEAL price)**
These options are in addition to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this MDOT vehicle.

- ☑ Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- ☑ Seats-High Back, Driver and Passenger

PRICING SHEET

TRUCK: CUT-AWAY VAN AND BODY DUAL REAR WHEELS **(G.V.W.R. 11,000 lbs., min.)*** **Mich. Spec. #3958-0108**	
Standard Equipped Per above Specification (Including options as specified above)	**Standard Equipped Cost**
Make: GMC Model: Savana Spl ***F.O.B. - Dealership*** **Delivery Cost Per Mile $1.00**	**$18,721.00***
Final Point of Assembly: Wentzville, MO	
Dealer Information	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	**State: MI** **Zip: 48185**
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0108

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 177" WB C7N DRW TG33903

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TG33903 177" WB C7N DRW

Code	Description	MSRP
TG33903	2008 GMC Savana Cutaway 177" WB C7N DRW	$25,915.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG33903 177" WB C7N DRW

Code	Description
93W	Interior: Medium Pewter
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33903 177" WB C7N DRW

CATEGORY	Code	Description	MSRP
BODY CODE	ZW9	BODY, STANDARD	$0.00
GVWR	C7N	GVWR, 12,300 LBS. (5579 KG)	$0.00
EMISSIONS	FE9	EMISSIONS, FEDERAL REQUIREMENTS	$0.00
ENGINE	LY6	ENGINE, VORTEC 6.0L V8 SFI (323 HP [240.8 KW] @ 4600 RPM, 373 LB-FT OF TORQUE [503.6 N-M] @ 4400 RPM)	$0.00
TRANSMISSION	MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, TOW/HAUL MODE AND INTERNAL TRANSMISSION OIL COOLER	$0.00
DIFFERENTIAL	___	NO LOCKING REAR DIFFERENTIAL	$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 177" WB C7N DRW TG33903

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33903 177" WB C7N DRW

CATEGORY	Code	Description	MSRP
AXLE			
	GT5	REAR AXLE, 4.10 RATIO	$0.00
PREFERRED EQUIPMENT GROUP			
	1WT	1WT PREFERRED EQUIPMENT GROUP	$0.00
SEATING ARRANGEMENT			
	ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGHBACK BUCKET, ADJUSTABLE,	$0.00
SEAT TYPE			
	AR7	SEATS, FRONT BUCKET WITH VINYL TRIM AND OUTBOARD HEAD RESTRAINTS	$0.00
SEAT TRIM			
	__W	VINYL SEAT TRIM	$0.00
PAINT			
	ZY1	PAINT, SOLID	$0.00
AIR CONDITIONING			
	C60	AIR CONDITIONING, SINGLE ZONE MANUAL	$0.00
RADIO			
	UM7	AUDIO SYSTEM, AM/FM STEREO	$150.00
ADDITIONAL OPTIONS			
	ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL	$395.00
	V14	TRANSMISSION OIL COOLER, EXTERNAL	INC
	D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT	$10.00
	DAA	VISORS, DRIVER AND FRONT PASSENGER, VINYL in lieu of standard cloth	INC
	DHC	MIRRORS, OUTSIDE WIDE-STANCE SAIL PANEL MOUNTED (VELVAC).	$250.00
	NE7	FUEL TANK CAPACITY, APPROXIMATELY 57 GALLONS (215.7L)	$165.00
	VQ1	FLEET PROCESSING OPTION	$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 177" WB C7N DRW TG33903

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33903 177" WB C7N DRW

CATEGORY Code	Description	MSRP
OPTIONS TOTAL		$970.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 177" WB C7N DRW TG33903

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33903 177" WB C7N DRW

EXTERIOR

- Paint, solid
- Body, standard
- Bumper, front painted Black with step-pad (Not available with (ZR7) Appearance Package or (YF1) RV Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- License plate kit, front
- Daytime Running Lamps
- Mirrors, outside delete
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 177" WB C7N DRW TG33903

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33903 177" WB C7N DRW

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints (Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)
- Seating arrangement, driver and front passenger highback bucket, adjustable, includes head restraints and vinyl or cloth trim
- Floor covering, Black rubberized-vinyl front
- Theft-deterrent system, vehicle, PASS-Key III
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center, includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Tow/haul mode selector, instrument panel-mounted
- Warning tones, headlamp on and key-in-ignition
- Oil life monitor
- Air conditioning, single-zone manual
- Heater and defogger with front and side window defoggers
- Defogger, side windows
- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Headliner, cloth, over driver and passenger
- Visors, driver and front passenger, padded
- Assist handle, front passenger
- Lighting, interior with dome light and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 177" WB C7N DRW TG33903

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33903 177" WB C7N DRW

MECHANICAL

- **Engine, Vortec 6.0L V8 SFI (323 hp [240.8 kW] @ 4600 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) (Standard on the *G33803 and *G33903 models. Available on *G33503 model. Includes external oil cooler. Reference the Engine/Axle page for availability.)**
- **Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine or (C7F) 14,050 lbs. (6373 kg.) GVWR. Reference the Engine/Axle page for availability.)**
- **Transmission oil cooler, external (Included with (LMM) Duramax 6.6L Turbo Diesel V8 engine, (LY6) Vortec 6.0L V8 engine or (YF1) RV Package. On the *G33503, when the (LY6) Vortec 6.0L V8 engine is ordered, (V14) transmission oil cooler is required.)**
- **Brake/transmission shift interlock, for automatic transmissions**
- **Rear wheel drive**
- **Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power**
- **Alternator, 145 amps**
- **Frame, ladder-type**
- **Incomplete vehicle certification**
- **GVWR, 12,300 lbs. (5579 kg) (Includes (R05) dual rear, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels on the *G33503 model. Not available with (R04) single rear 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels. Reference the Engine/Axle page for availability.**
- **Suspension, front independent with coil springs and stabilizer bar**
- **Suspension, rear hypoid drive axle with multi-leaf springs**
- **Rear axle, 4.10 ratio (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine. Reference the Engine/Axle page for availability.)**
- **Tires, front LT225/75R16E all-season, blackwall (Included and only available with (C7F) 14,050 lbs. (6373 kg) GVWR or (R05) dual rear 6 - 16" x 6.5" Gray-painted steel wheels.)**
- **Tires, rear LT225/75R16E all-season, blackwall (Included and only available with (C7F) 14,050 lbs. (6373 kg) GVWR or (R05) dual rear 6 - 16" x 6.5" Gray-painted steel wheels.)**
- **Tire, spare LT225/75R16E all-season blackwall (Requires (C7F) 14,050 lbs. (6373 kg) GVWR or (R05) dual rear 6 - 16" x 6.5" Gray-painted steel wheels.)**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cutaway 177" WB C7N DRW TG33903

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33903 177" WB C7N DRW

- Tire valve stems, brass Brass metal valve stem in lieu of standard. Also included on spare when furnished (Included with RPO (YF1) RV Package and with RPO (C7N) 12,300 lbs. (5443 kg.) GVWR or RPO (C7F) 14,050 lbs. (6373 kg.) GVWR. Not available with RPO (YF1) RV Package when ordered with RPO (C6Y) 9600 lbs. (4354 kg.) GVWR or RPO (C7A) 10,000 lbs. (4536 kg.) GVWR.
- Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) Gray-painted steel (dual rear) (Standard on the *G33803 and *G33903 models. On the *G33503 model, included and only available with (C7A) 10,000 lbs. (4536 kg.) GVWR or (C7N) 12,300 lbs. (5579 kg.) GVWR. Not available with (C6Y) 9600 lbs. (4354 kg) GVWR, (XHH) front LT245/75R16E all-season blackwall tires, (YHH) rear LT245/75R16E all-season blackwall tires, (ZHH) spare LT245/75R16E all-season blackwall tires or (R04) single rear, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels.)
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Not available with (ZX1) driver only high-back bucket seat. Always use safety belts and the correct child restraints for your childs age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicles Owners Manual and child safety seat instructions for more safety information.)
- Air bag deactivation switch, frontal, passenger-side (Never place a rear- facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your childs age and size. See the vehicles Owners Manual and child safety seat instructions for more safety information.)
- Brake/transmission shift interlock, for automatic transmissions
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0108

MAKE OF TRUCK: GMC MODEL: Savana TG 33903 GVWR 12300 lbs.

PAYLOAD: 7401 # W.B. 177" C.A. 118" C.E. 186.50"

ENGINE: (GAS - DIESEL) Gas MAKE: GM MODEL: LY6, 6.0 SAE H.P. 323

FUEL TANK(S) CAPACITY: 57 (GALS. TOTAL) TRANSMISSION: GM Hydramatic MT1 - 4spd

SPRING CAP. @ GROUND EACH: FRONT TBD lbs. REAR TBD lbs. AUX. N/A lbs.

AXLES: FRONT TBD lbs. REAR TBD lbs. REAR RATIO 4.10

ALTERNATOR: 145 amps. BATTERY 600 cca.

TIRE SIZE: FRONT LT225/75R16E PR REAR LT225/75R16E PR SINGLE _____ DUAL ✓ M&S _____

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XHF

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.