


STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

APPENDIX A

SPECIFICATIONS AND PRICING
INFORMATION
FOR

PASSENGER VEHICLES & TRUCKS

2008 MODEL YEAR



Gorno Ford - MiDEAL

Contract # 071B8200138

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INDEX TO

SPECIFICATIONS FOR
2008 PASSENGER VEHICLES & TRUCKS

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>	<u>PAGE NO</u>
Passenger Vehicle Equipment	Preface	A
Truck Equipment	Preface	B-B1
Pre-Delivery Service	Preface	C-C1
Receiving Procedure	Preface	D

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

The dealer's vehicle order confirmation sheet listing all the standard options provided with the vehicle in accordance with the State of Michigan Specification shall be provided at each of these steps in the process:

- With dealers bid submittal to the State of Michigan**
- With original quote from the dealer to the customer**
- Upon delivery of the vehicle from the dealer to the customer**
- Customer shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**Diesel Vehicles are indicated with a “D” at the end of the specification number.
Alternative Fuel vehicles are indicated with a “A” at the end of the specification number.**

PASSENGER VEHICLES

Small, 4-Door Sedan, Auto. Trans.	3905-0002
Large-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0003
Alt Fuel - 4-Door Sedan, Auto. Trans.	3905-0003A
Mid-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0004
Large, Administrator Series, 4 -Door Sedan, Auto. Trans.	3905-0005

STATION WAGONS

5-Passenger, Auto. Trans., 4 door	3905-0017
-----------------------------------	-----------

Multi Functional Utility Vehicle,

5 Passenger, 4-Door, Auto. Trans., 4 door	3905-0018
Alt Fuel - 5 Passenger, Auto. Trans., 4 door	3905-0018A
6-7 Passenger, 4-Door, Auto. Trans.	3905-0019

TRUCKS, LIGHT DUTY

Pick-Up, 7 Ft. Box, Standard Cab, Payload – 1,000 lbs., min.	3958-0020
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,260 lbs., min.	3958-0023
Pick-Up, 6 Ft. Box, Payload - 1,600 lbs., min., “Work Truck”	3958-0025
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026
Alt Fuel -Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min	3958-0027
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min.	3958-0027A
Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028
Alt Fuel - Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028A

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029D
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0030
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030A
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031D

VANS, PASSENGER AND UTILITY

Panel Van, Payload - 1,700 lbs., min.	3958-0032
Utility Vehicle, 4 Door, 5-6 Passenger, Payload 1,500 lbs., min.	3905-0034
Sport Van, 8 Passenger, Payload - 1,600 lbs., min.	3905-0035
Utility Vehicle, Large, 6-Passenger, Payload - 1,940 lbs., min.	3905-0036
Sport-Van, 12-Passenger, Payload - 2,649 lbs., min.	3905-0037
Panel Van, Payload - 3,100 lbs., min.	3958-0039
Van, 15-Passenger	3905-0040
Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042
Alt Fuel -Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042A
Van, Cargo, Compact, Front Wheel Drive	3958-0044
Van, 7 Passenger, Compact, Long Wheel Base, Front Wheel Drive	3905-0045
Alt Fuel -Van, 7 Passenger, Compact, Extended Body, Front Wheel Drive	3905-0045A

TRUCKS, LIGHT DUTY

Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046
Diesel - Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046D

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047D
Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payload - 4,200 lbs., min.	3958-0048
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payld - 4,200 lbs.	3958-0048D
Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049
Diesel - Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051D
 <u>VANS, COMMERCIAL</u>	
Van, Commercial, 10-Passenger, Raised Roof, Payload - 3,200 lbs., min.	3905-0057
Van, Commercial, Cargo, Raised Roof, Payload - 4,800 lbs., min.	3905-0058
 <u>TRUCKS AND BODIES, MEDIUM DUTY</u>	
Cab and Chassis, approx. 137" W.B., G.V.W.R. 10,000 lbs., Gas	3958-0072
Cab and Chassis, approx. 128" W.B., G.V.W.R. 12,500 lbs., Diesel	3958-0073
Dump Body and Hoist, 2 cu. yd.	3958-0074
Stake Body, 9 Ft.	3958-0075
Stake Body and Hydraulic Hoist, 9 Ft.	3958-0076
Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077
Diesel - Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077D
Cab and Chassis, approx. 152" W.B., Payload 6,675 lbs., min. Diesel	3958-0078
Stake Body, 12 Ft.	3958-0079

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0080
<u>TRUCKS, LIGHT DUTY, 4X4</u>	
Utility Vehicle, 4 Door, Payload 900 lbs., min.	3958-0083
Alt Fuel - Utility Vehicle, 4 Door, 2 Wheel Drive, Payload – 900 lbs., min.	3958-0083A
Pick-Up, 7 Ft. Box, Standard Cab, Payload 1,000 lbs., min.	3958-0084
Utility Vehicle, 4 Door, 6 Passenger, Payload 1,480 lbs., min.	3958-0085
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086A
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087
Alt Fuel -Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089D
Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090
Alt Fuel - Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090A
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091
Alt Fuel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091A
Pick-Up, 8 Ft. Box, Standard Cab, Payload – 2,800 lbs., min.	3958-0092
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 2,800 lbs., min.	3958-0092D
Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093
Diesel - Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093D
Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Alt Fuel - Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094A
 <u>TRUCKS, MEDIUM DUTY, 4X4</u>	
Cab and Chassis, Body and Payload - approx. 13,000 lbs., min. 25,950 lbs. Min. G.V.W.R., Diesel engine	3958-0096
Cab and Chassis, approx. 137" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,800 lbs., min.	3958-0098
Cab and Chassis, approx. 161" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,930 lbs., min.	3958-0099
 <u>TRUCK, CUT-AWAY AND VAN BODY</u>	
Truck, Cut-Away, 8,900 lbs. G.V.W.R.	3958-0100
Truck, Cut-Away, 10,000 lbs. G.V.W.R	3958-0101
Van Body, Cut-Away Aluminum	3958-0102
Van Body, Cut-Away, Fiberglass Reinforced Plastic (F.R.P.)	3958-0103
Van, Full Body, Aluminum	3958-0104
Van, Full Body, Fiberglass Reinforced Plastic F.R.P.	3958-0105
Truck, Cut-Away, 11,000 lbs. G.V.W.R	3958-0108
Truck, Cut-Away, 14,000 lbs. G.V.W.R	3958-0109
 <u>TRUCKS AND BODIES, HEAVY DUTY</u>	
Cab and Chassis, approx. 128" W.B., G.V.W.R 14,500 lbs., Gas	3958-0110
Cab and Chassis, approx. 128" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0111
Cab and Chassis, approx. 140" W.B., G.V.W.R 14,000 lbs. Gas, (4 x 4)	3958-0112
Cab and Chassis, approx 140" W.B., G.V.W.R 14,500 lbs., Diesel, (4 x 4)	3958-0113
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Gas	3958-0114
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0115
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Gas, (4 x 4)	3958-0116

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Diesel, (4 x 4)	3958-0117
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.. Low Pro	3958-0134
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.	3958-0135
Cab and Chassis, approx. 152" W.B., G.V.W.R 23,500 lbs., Diesel	3958-0136
Stake Body, 12 Ft.	3958-0137
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0141
Dump Body and Hydraulic Hoist, 5-6 Yd.	3958-0158
Cab and Chassis, approx. 169" W.B., G.V.W.R 33,000 lbs. Diesel, 170 HP	3958-0160
Stake Body, 14 Ft.	3958-0161

TRUCKS AND BODIES, HEAVY DUTY

Cab and Chassis, approx. 217" W.B., G.V.W.R 27,000 lbs. Diesel, 210 HP	3958-0164
Van Body, 20 Ft., Aluminum	3958-0165
Van Body, 20 Ft., Fiberglass Reinforced Plastic, F.R.P.	3958-0167
Cab and Chassis, approx. 112" W.B., G.V.W.R 44,000 lbs., Diesel Single Axle	3958-0170
Dump Body and Hydraulic Hoist, 6.5 cu. yd.	3958-0171
Cab and Chassis, approx. 211" W.B., G.V.W.R 64,000 lbs., Diesel Tandem Axle	3958-0172
Cab and Chassis, approx. 177" W.B., G.V.W.R 52,000 lbs., Diesel Tandem Axle	3958-0173
Dump Body and Hydraulic Hoist, 10-12 cu. yd.	3958-0174

TRACTORS

70,000 lbs. G.C.W.R., Diesel Engine	3958-0178
-------------------------------------	-----------

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
<u>TAIL GATES</u>	
Hydraulic Power Tail Gate, 2,000 lbs. Capacity, 15,000 G.V.W.R., Conventional Type	3958-0215
Hydraulic Power Tail Gate, 3,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0216
Hydraulic Power Tail Gate, 4,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0217
Hydraulic Power Tail Gate, Various Capacities, 15,000 G.V.W.R., Stow Away Type	3958-0218
Hydraulic Tailgate, approx. 1,000 Lb. Capacity, 10,000 G.V.W.R. or less, (Step Van, Parcel Vans or Pick-Ups)	3958-0219
Hydraulic Tailgate, approx. 1,500 Lb. Capacity, (10,000 G.V.W.R. and smaller, stake body) Fold-Up Type Or Tuck-Away Type	3958-0220
Hydraulic Tailgate, 1,250 to 4,000 lb. Capacities, Rail Type	3958-0221

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PASSENGER VEHICLE EQUIPMENT

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

Air Bag, Dual
Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
Air Conditioning.
Anti-freeze protection-to -30°F.
Battery-Maximum CCA available.
Brakes-Anti Locking System (ABS)
Color-Manufacturers Standard Color to be selected.
Defroster-Electric, rear window.
Floor Mats-Mfg. Stnd. , front and rear, color coordinated.
Glass-Tinted, all around.
Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
Lights, Daytime Running (If available from manufacturer as standard equipment)
Mirror-Right-hand, outside (factory installed).
Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
Pre-delivery inspection and servicing.
Radio-AM/FM mfg. standard, factory installed.
Rear Axle Ratio for maximum mileage in highway driving.
Seats; Front, Split Bench or Bucket Type
Speed Control, factory installed
Steering-Power, Tilt Wheel.
Tires, Radial, Manufacturers Standard
Upholstery, Seats - Cloth or Cloth and Vinyl.
Wipers, Windshield - dual, intermittent, electric with automatic type washers.

**ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE
FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.**

Note: No dealer advertising decals are to be on vehicle.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

12 Volt auxiliary outlet

Air Conditioning - All trucks

Anti-freeze protection, to -30°F.

Arm Rest-Driver's side.

Color-Manufacturers Standard to be selected.

Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

Dome Light.

Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT)

Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT (Continued)

Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.

Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.

Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.

Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.

Pre-delivery inspection and servicing.

Radio - AM/FM Manufacturers Standard, Factory Installed

Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)

Seats-Split Bench type, unless otherwise specified

Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.

Speed Control, Factory Installed

Steering-Power, Tilt Wheel

Sun visors-dual.

Jack-Furnish on trucks up to and including 12,000 G.V.W.R.

Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

1. General appearance of body both interior and exterior for completeness and quality of workmanship.
2. Lubrication and fluid levels and correcting any leaks:
 - a. Radiator
 - b. Windshield Washer
 - c. Battery
 - d. Power steering pump
 - e. Brake master cylinder
 - f. Engine oil
 - g. Transmission fluid level.
3. Mechanical operation of vehicle:
 - a. Steering gear and linkage
 - b. Suspension assembly, front and rear
 - c. Proper tire pressure to normal rated road requirements
 - d. Hood latch
 - e. Head lights, aim and adjust
 - f. Front wheel toe in and torque wheel nuts
 - g. Seat and shoulder belts operative
 - h. All locks and latches to be operative
 - i. Windshield wiper and washer to be operative
 - j. Proper adjustment to all drive belts
4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.
5. **Miscellaneous items to be furnished:**
 - a. **Manufacturers Window Sticker shall not be removed from vehicle**
 - b. **Odometer Certification, and Vehicle Curb Weight at time of delivery**
 - c. **Manufacturers or Dealers Pre-Delivery Check Sheet**
 - d. **Vehicle shall have a Minimum of (4) Gallons of Fuel in tank when delivered**
 - e. **Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE (Continued)

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

It is intended that vehicles delivered in accordance with the Michigan specifications will be complete, including mechanical details, general workmanship and appearance, and shall be delivered complete with all warranty service books and identification plate.

Failure to adhere to specifications may be reason to delay payment.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

RECEIVING PROCEDURE

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the vendor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the receiving agency.

It is recommended that the following items be checked prior to signing the Freight Bill:

1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.
2. Visually inspect under hood for the following items:
 - a. Air cleaner
 - b. Battery and caps
 - c. Radiator cap
 - d. Windshield washer container.
3. Check for cracked or broken windows.
4. Check trunk compartment for the following:
 - a. Spare tire and wheel
 - b. Jack
 - c. Wheel wrench
 - d. Four hub caps
 - e. Trunk mat.
5. Check interior of vehicle for the following items:
 - a. Owner's manual and warranty material
 - b. Cigarette lighter
 - c. Two sets of keys (Three sets for MDOT)
 - d. Make sure all seat belts are installed
 - e. Sun visors
 - f. Upholstery damage or excessive soil.

It is the responsibility of the agency to check for any other items that could possibly have been missing in accordance with the purchase order and the specification data.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. #3958-0032

August 2007

TRUCK: PANEL-VAN BODY
(Payload-1,700 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>CHEV/ GMC G13405</u>	FORD ECONOLINE E150
G.V.W.R. (lbs.)	7,200	8,520
Wheelbase (inches), 125 minimum	135	138
Engine: Gasoline	5.3L	4.6L
Type & No. of Cylinders, 8 minimum	V-8	V-8
Net H.P.-S.A.E.	301	225
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	4,000	5,520
Springs, Min. Cap. at Ground		
Front-lbs. each	1,800	1,900
Rear-lbs. each	2,000	2,560

Tires, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip
- Battery-12 Volt, 600 CCA minimum.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Glass-movable side door window(s), fixed or movable rear door windows.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Panel doors, rear-Window in top of each door. Locks on all doors. Door right side, hinged.
- Seats-high back, driver and passenger.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PANEL-VAN BODY</u> (Payload-1,700 lbs., min.) Mich. Spec. #3958-0032	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Ford Model: E150 F.O.B. - Dealership Delivery Cost Per Mile \$3.00	\$14,697.00*
Final Point of Assembly: Avon Lake, OH	
<u>Dealer Information</u>	
Dealer Name: Gorno Ford	
Street Address: 22025 Allen Road	
City: Woodhaven	State: MI
	Zip: 48183
Contact Name: Jim Agney	
Telephone: 734-671-4033	
Cell: 248-227-7445	
Fax: 734-676-7647	
E-mail: jagney@gornoford.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

VEHICLE ORDER CONFIRMATION

01/01/08 23:48:14

Dealer: F48022

Page: 1 of 1

2008 ECONOLINE

Order No: 0001 Priority: C1 Ord FIN: QS040 Order Type: 5B Price Level: 835

Ord PEP: 740A Cust/Flt Name: # 0032 PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
E14	E150 CARGO VAN	\$2	00	JOB #2 ORDER		
	138" WHEELBASE			179 GLS,SO SD/FX RR		
YZ	OXFORD WHITE CC			20K 8520# GVWR	NC	NC
A	STD VNYL BKT ST			525 SPEED CONTROL		
E	MEDIUM FLINT			625 RRVIEW MIRROR	NC	NC
740A	PREF EQUIP PKG			SP DLR ACCT ADJ		(1013.00)
	.STANDARD TRIM			SP FLT ACCT CR		(500.00)
572	.A/C FRONT ONLY			6 U.S. GAL GAS		
587	.ELEC AM/FM CLK			B4A NET INV FLT OPT	NC	7.00
614	.16" SPORT COVER			DEST AND DELIV		
642	.16" STEEL WHEEL			TOTAL BASE AND OPTIONS		
99W	.4.6L EFI V8 ENG			TOTAL		
44Q	ELEC 4-SPD AUTO	NC	NC	*THIS IS NOT AN INVOICE*		
T37	.LT225/75RX16E B					
XB4	3.73 LS XB4					

F1=Help

F2=Return to Order

F3/F12=Veh Ord Menu

F4=Submit

F5=Add to Library

S099 - PRESS F4 TO SUBMIT

QC029672

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s). 3958-0032
MAKE OF TRUCK: FORD MODEL: E150 GVWR 8520 lbs. ✓
PAYLOAD: 1800 ✓ W.B. 138 ✓ C.A. _____ C.E. _____
ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 4.6L SAE H.P. 225 ✓
FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: 4 2nd Auto
SPRING CAP. @ GROUND EACH: FRONT 3800 ✓ lbs. REAR 5120 ✓ lbs. AUX. _____ lbs.
AXLES: FRONT 5000 ✓ lbs. REAR 5520 ✓ lbs. REAR RATIO 3.73
ALTERNATOR: 115 ✓ amps. BATTERY 600 ✓ cca.
TIRE SIZE: FRONT LT225 PR REAR LT225 PR SINGLE 10 DUAL _____ M&S ATS ✓
TIRE: MAKE unbranded STYLE NO. ATS-ATS MFG. CODE unbranded
HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
BODY: MAKE _____ MODEL _____ INSTALLING CO. _____
POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0034
August 2007

TRUCK: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE
(Payload-1,500 lbs., min.)

MODEL-2008 CURRENT NEW

	JEEP GRAND CHEROKEE/ COMMANDER	FORD EXPEDITION	DODGE DURANGO HB1M74	CHEV/GMC TAHOE/YUKON
G.V.W.R. (lbs.)	5,700	7,400	6,450	7,100
Wheelbase (inches)	109.5	119	119.2	116
Engine: Gasoline	4.7L	5.4L	4.7L	4.8L
Type & No. of Cylinders	V-8	V-8	V-8	V-8
Net H.P.-S.A.E.	305	300	303	295
Transmission: Automatic				
Axle, Min. Cap. Rear-lbs.	3,650	4,250	3,686	4,100
Springs, Cap. at Ground				
Front-lbs., ea.	TBD	1,750	1,550	1,600
Rear-lbs., ea.	TBD	2,125	1,950	2,050

Tires, Tubeless-P235/75R15 minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip. Ford: Not Available
- Battery-12 Volt, 600 CCA min.
- Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 54 sq. in. minimum, swing away type. Installed.
- Seats-Full bench front, & full width seat facing forward back of the front seat.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Stabilizer bar-front.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE</u> (Payload-1,500 lbs., min.) Mich. Spec. #3905-0034	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Ford Model: Expedition F.O.B. - Dealership Delivery Cost Per Mile \$3.00	\$21,229.00*
Final Point of Assembly: Wayne, MI	
<u>Dealer Information</u>	
Dealer Name: Gorno Ford	
Street Address: 22025 Allen Road	
City: Woodhaven	State: MI
	Zip: 48183
Contact Name: Jim Agney	
Telephone: 734-671-4033	
Cell: 248-227-7445	
Fax: 734-676-7647	
E-mail: jagney@gornoford.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ORDER CONFIRMATION

12/09/07 18:56:2

Dealer: F4802

Page: 1 of 1

Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 815
 Ord Code: 900A Cust/Flt Name: #0034 PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
U15	4X2 XLT SSV					
	.119" WHEELBASE					
YZ	OXFORD WHITE					
M	CLOTH 40/60 BEN	NC	NC			(1252.00)
L	STONE			8		(125.00)
900A	ORDER CODE			B4A		7.00
	.TUBULAR STP BAR					
	.SAFETY CANOPY					
	.2ND ROW VINYL					
	.LUGG RACK W/RSR					
	.LTHR STRG WHEEL					
	.AUX HTR/AC(RR)					
995	.5.4L-3V SOHC V8	NC	NC			
44C	.6-SPD AUTO O/D	NC	NC			
T5G	.P265/70R17 BSW	NC	NC			
	F1=Help					
	F2=Return to Order					
	F3/F12=Veh Ord Menu					
	F4=Submit					
	F5=Add to Library					
	S099 - PRESS F4 TO SUBMIT					

JOB #2 ORDER
 SP DLR ACCT ADJ (1252.00)
 SP FLT ACCT CR (125.00)
 U.S. GAL GAS
 NET INV FLT OPT 7.00
 DEST AND DELIV
 TOTAL BASE AND OPTIONS
 TOTAL 0
 THIS IS NOT AN INVOICE

QC02967

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-0034

MAKE OF TRUCK: FORD MODEL: Expedition GVWR 7400 lbs.

PAYLOAD: 1500 ✓ W.B. 119 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 5.4L ✓ SAE H.P. 300 ✓

FUEL TANK(S) CAPACITY: 28 (GALS. TOTAL) TRANSMISSION: 6 spd Auto ✓

SPRING CAP. @ GROUND EACH: FRONT 1750 ✓ lbs. REAR 2125 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 3900 lbs. REAR 4250 ✓ lbs. REAR RATIO 3.73

ALTERNATOR: 130 ✓ amps. BATTERY 650 ✓ cca.

TIRE SIZE: FRONT P265 PR REAR P265 PR SINGLE P DUAL _____ M&S MS ✓

TIRE: MAKE Unbranded STYLE NO. MS-M+S MFG. CODE unbranded

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0035
August 2007

TRUCK: SPORT-VAN, 8 PASSENGER
(Payload-1,600 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV. EXPRESS GMC, SAVANA <u>G13406</u>	FORD ECONOLINE WAGON <u>E150</u>
G.V.W.R. (lbs.)	7,200	8,520
Wheelbase (inches)	135	138
Engine: Gasoline	5.3L	4.6L
Type & No. of Cylinders, 8 minimum	V-8	V-8
Net H.P.-S.A.E.	301	225
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	4,000	5,520
Springs, Min. Cap. at Ground		
Front-lbs. each	1,800	1,900
Rear-lbs. each	2,000	2,560

Tires, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip.
- Battery-12 Volts; 600 CCA minimum.
- Body-Finished interior, (no exposed outside body sheet metal), full length Headliner.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Door-Right Side, hinged.
- Fuel capacity-largest available from mfg.
- Glass-movable side door window(s), fixed or movable rear door windows.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: SPORT-VAN, 8 PASSENGER</u> (Payload-1,600 lbs., min.) Mich. Spec. #3905-0035	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Ford Model: Club Wagon E150 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$16,397.00*
Final Point of Assembly: Avon Lake, OH	
<u>Dealer Information</u>	
Dealer Name: Gorno Ford	
Street Address: 22025 Allen Road	
City: Woodhaven	State: MI
	Zip: 48183
Contact Name: Jim Agney	
Telephone: 734-671-4033	
Cell: 248-227-7445	
Fax: 734-676-7647	
E-mail: jagney@gornoford.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

VEHICLE ORDER CONFIRMATION

12/09/07 19:00:21

Dealer: F48022

2008 ECONOLINE

Page: 1 of 1

Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820

Ord PEP: 700A Cust/Flt Name: #0035 PO Number:

		RETAIL	DLR INV			RETAIL	DLR INV
E11	E150 XL WAGON				JOB #2 ORDER		
	138" WHEELBASE				FLR VINYL, FT/RR		
YZ	OXFORD WHITE CC			20K	8520# GVWR	NC	NC
A	STD VNYL BKT ST			425	50 STATE EMISS	NC	NC
E	MEDIUM FLINT	NC	NC	525	SPEED CONTROL		
700A	PREF EQUIP PKG				SP DLR ACCT ADJ		(1088.00)
	.XL TRIM				SP FLT ACCT CR		(500.00)
572	.A/C FRONT ONLY			6	U.S. GAL GAS		
587	.ELEC AM/FM CLK			B4A	NET INV FLT OPT	NC	7.00
614	.16" SPORT COVER				DEST AND DELIV		10
642	.16" STEEL WHEEL				TOTAL BASE AND OPTIONS		
99W	.4.6L EFI V8 ENG				TOTAL		
44Q	ELEC 4-SPD AUTO	NC	NC		*THIS IS NOT AN INVOICE*		
T37	.LT225/75RX16E B						
XB2	4.10 LS XB2						

F1=Help

F2=Return to Order

F3/F12=Veh Ord Menu

F4=Submit

F5=Add to Library

S099 - PRESS F4 TO SUBMIT

QC02967

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958 - 0035

MAKE OF TRUCK: FORD MODEL: E150 GVWR 8520 lbs. ✓

PAYLOAD: 1800 ✓ W.B. 138 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) gas ✓ MAKE: FORD MODEL: 4.6L ✓ SAE H.P. 225 ✓

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: Hard Auto ✓

SPRING CAP. @ GROUND EACH: FRONT 3800 lbs. REAR 5120 lbs. AUX. _____ lbs.

AXLES: FRONT 5000 lbs. REAR 5520 ✓ lbs. REAR RATIO 3.73 to 4.10

ALTERNATOR: 115 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT LT225 PR REAR LT225 PR SINGLE 10 DUAL _____ M&S ACS ✓

TIRE: MAKE unbranded STYLE NO. ACS 4115 MFG. CODE unbranded

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0037
August 2007

TRUCK: SPORT-VAN-12-PASSENGER
(Payload-2,649 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV EXPRESS/ GMC SAVANA <u>G23406</u>	FORD ECONOLINE WAGON E350
G.V.W.R. 8,600 (lbs.), minimum	8,600	8,800
Wheelbase (inches)	135	138
Engine: Gasoline	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	323	255
Transmission: Automatic.		
Axle, Rear Min. Cap. Rear-lb.	5,360	6,340
Springs, Min. Cap. at Ground		
Front-lbs. each	2,050	1,900
Rear-lbs. each	2,680	2,772

Tires, Truck, Tubeless, Radial to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Air Conditioning-Front and Rear
- Alternator-80 amp. min.
- Arm rest-Driver's side and 3 bench seats.
- Battery-12 Volts, 600 CCA min.
- Body-Finished interior (No exposed outside body sheet metal), full length headliner.
- Brakes-Power.
- Bumper-Mfg. Std.
- Door(s)-Right Side, hinged. Rear panel doors with glass.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Seats, Cloth
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Glass-Deep tinted or privacy, all around, movable side door window(s), fixed or movable rear door windows.
- Heater, auxiliary-Passenger compartment.
- Locks – Power Doors, Factory Installed
- Seats-Cloth, Front, Driver and passenger and 3 bench seats. High back driver and passenger.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: SPORT-VAN-12-PASSENGER</u> (Payload-2,649 lbs., min.) Mich. Spec. #3905-0037	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Ford Model: Club Wagon E150 F.O.B. - Dealership Delivery Cost Per Mile \$3.00	\$18,996.00*
Final Point of Assembly: Avon Lake, OH	
<u>Dealer Information</u>	
Dealer Name: Gorno Ford	
Street Address: 22025 Allen Road	
City: Woodhaven	State: MI
	Zip: 48183
Contact Name: Jim Agney	
Telephone: 734-671-4033	
Cell: 248-227-7445	
Fax: 734-676-7647	
E-mail: jagney@gornoford.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

VEHICLE ORDER CONFIRMATION

12/09/07 18:40:31

Dealer: F48022

2008 ECONOLINE

Page: 1 of 1

Order No: 0001 Priority: A4 Ord FIN: QS040 Order Type: 5B Price Level: 820

Ord Code: 710A Cust/Flt Name: #0037 PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
E31	E350 XL SD WGN			JOB #2 ORDER		
	138" WHEELBASE			FLR VINYL, FT/RR		
YZ	OXFORD WHITE CC		20H	8800# GVWR	NC	NC
C	CLOTH BKT SEATS		525	SPEED CONTROL		
E	MEDIUM FLINT		574	A/C, HIGH CAP		
710A	PREF EQUIP PKG			SP DLR ACCT ADJ		(1211.00)
	.XL TRIM			SP FLT ACCT CR		(500.00)
218	.12P BUCKT SEATS		6	U.S. GAL GAS		
587	.ELEC AM/FM CLK		B4A	NET INV FLT OPT	NC	7.00
614	.16" SPORT COVER			DEST AND DELIV		.00
642	.16" STEEL WHEEL			TOTAL BASE AND OPTIONS		
99L	.5.4L EFI V8 ENG			TOTAL		
44Q	.ELEC 4-SPD AUTO			*THIS IS NOT AN INVOICE*		
T37	.LT225/75RX16E B					
X34	.3.73 REG X34					

F1=Help

F2=Return to Order

F3/F12=Veh Ord Menu

F4=Submit

F5=Add to Library

S099 - PRESS F4 TO SUBMIT

QC02967

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s). 3905-0037
MAKE OF TRUCK: FORD MODEL: C15Wag GVWR 8800 lbs. ✓
PAYLOAD: 2649 ✓ W.B. 138 ✓ C.A. _____ C.E. _____
ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 5.4L SAE H.P. 255 ✓
FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: Hand Auto ✓
SPRING CAP. @ GROUND EACH: FRONT 3800 lbs. REAR 5544 lbs. AUX. _____ lbs.
AXLES: FRONT 5000 lbs. REAR 6340 ✓ lbs. REAR RATIO 3.73
ALTERNATOR: 115 ✓ amps. BATTERY 600 ✓ cca.
TIRE SIZE: FRONT 6T225 PR REAR 6T225 PR SINGLE 10 DUAL _____ M&S A/S ✓
TIRE: MAKE Unbranded STYLE NO. A/S MFG. CODE Unbranded
HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
BODY: MAKE _____ MODEL _____ INSTALLING CO. _____
POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0039
August 2007

TRUCK: PANEL-VAN BODY
(Payload-3,100 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV VAN/ GMC SAVANA <u>G23405</u>	FORD ECONOLINE <u>E-250</u>
G.V.W.R. 8,550 (lbs.), minimum	8,600	9,000
Wheelbase (inches)	135	138
Engine: Gasoline	4.8L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	279	255
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	5,360	5,520
Springs, Min. Cap. at Ground		
Front-lbs. each	2,050	1,900
Rear-lbs. each	2,680	2,772

Cab-Standard.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp. min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA min.
- Brakes-Power.
- Bumper Rear, Mfg. Std.
- Doors, Rear, Panel-Window in top of each door, fixed or movable type. Locks on all
- doors. Door Right Side, hinged with movable windows.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed
- Seats-Cloth, Front, Driver and passenger. High back driver and passenger.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PANEL-VAN BODY</u> (Payload-3,100 lbs., min.) Mich. Spec. #3958-0039		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: E250 F.O.B. - Dealership Delivery Cost Per Mile \$3.00	\$16,627.00*	
Final Point of Assembly: Avon Lake, OH		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

12/09/07 15:46:3

Dealer: F4802

Page: 1 of

2008 ECONOLINE

Order No: 0001 Priority: A4 Ord FIN: QS040 Order Type: 5B Price Level: 82
 Order PEP: 750A Cust/Flt Name: #0039 PO Number:

	RETAIL	DLR INV		RETAIL	DLR INV
E24	E250 CARGO VAN	\$			
	138" WHEELBASE				
YZ	OXFORD WHITE CC		179	JOB #2 ORDER	
A	STD VNYL BKT ST		20D	GLS,SO SD/FX RR	
E	MEDIUM FLINT		47Z	9000# GVWR	NC
750A	PREF EQUIP PKG		525	AMB PKG NOT REQ	
	.STANDARD TRIM		625	SPEED CONTROL	
572	.A/C FRONT ONLY			RRVIEW MIRROR	NC
587	.ELEC AM/FM CLK			SP DLR ACCT ADJ	
614	.16" SPORT COVER		6	SP FLT ACCT CR	
642	.16" STEEL WHEEL		B4A	U.S. GAL GAS	
99L	5.4L EFI V8 ENG			NET INV FLT OPT	NC
44Q	ELEC 4-SPD AUTO	NC		DEST AND DELIV	7.00
T38	.LT245/75RX16E B			TOTAL BASE AND OPTIONS	
XB4	3.73 LS XB4			TOTAL	
				THIS IS NOT AN INVOICE	

F1=Help

F2=Return to Order

F3/F12=Veh Ord Menu

F4=Submit

F5=Add to Library

S099 - PRESS F4 TO SUBMIT

QC029671

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958 - 0039
 MAKE OF TRUCK: FORD MODEL: E250 GVWR 9000 lbs. ✓
 PAYLOAD: 3100 ✓ W.B. 138 ✓ C.A. - C.E. -
 ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: S4FL ✓ SAE H.P. 255 ✓
 FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: 4 2nd Auto ✓
 SPRING CAP. @ GROUND EACH: FRONT 3550 lbs. REAR 5545 lbs. AUX. _____ lbs.
 AXLES: FRONT 5000 lbs. REAR 5520 lbs. REAR RATIO 3.23 *per email*
 ALTERNATOR: 115 ✓ amps. BATTERY 650 ✓ cca.
 TIRE SIZE: FRONT LT245 PR REAR LT245 PR SINGLE 10 DUAL _____ M&S ATS ✓
 TIRE: MAKE unknown STYLE NO. ATS MTS MFG. CODE unknown
 HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
 BODY: MAKE _____ MODEL _____ INSTALLING CO. _____
 POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
 PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0040
August 2007

TRUCK: VAN-15 PASSENGER

MODEL-2008 CURRENT NEW

	FORD SUPER DUTY EXT. WAGON E-350	CHEVY/GMC EXTENDED SPORTVAN G33706
G.V.W.R. (lbs.)	9,100	9,600
Wheelbase (inches)	138	155
O.A.L	231.8	244.1
Engine: Gasoline	5.4L	6.0L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	255	323
Transmission: Automatic		
Axle, Min. Cap.		
Front-lbs.	5,000	4,300
Rear-lbs.	6,340	6,084
Springs, Min. Cap. at Ground		
Front-lbs. each	1,700	2,150
Rear-lbs. each	3,097	3,042

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Air Conditioning-Front and Rear
- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA min.
- Brakes- Power.
- Bumper-Front and Rear, Mfg. standard finish.
- Doors-Passenger, right side, double.
- Fuel capacity-largest available from mfg.
- Glass -Swing-out side doors, and fixed or swing-out rear door windows.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Stabilizer bar-front.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Glass-Deep tinted or privacy, all around, movable side door window(s), fixed or movable rear door windows.
- Heater, Auxiliary-Passenger compartment.
- Insulation package-Front floor driver's compartment, side panels. Full-length headlining insulation, full width floor mat passenger compartment. (Deluxe or heavy duty.)
- Locks – Power Doors.
- Seat, driver and passenger, high back bucket, and 4-bench type passenger cloth seats with arm rests.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: VAN-15 PASSENGER</u>		
Mich. Spec. #3905-0040		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: Club Wagon <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$20,199.00*	
Final Point of Assembly: Avon Lake, OH		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

VEHICLE ORDER CONFIRMATION

12/09/07 15:32:51

Dealer: F48022

2008 ECONOLINE

Page: 1 of 1

Order No: 0001 Priority: A4 Ord FIN: QS040 Order Type: 5B Price Level: 820

Ord Code: 721A Cust/Flt Name: #0040

PO Number:

		RETAIL	DLR INV			RETAIL	DLR INV
S31	E350 XL SDE WGN \$		0	X34	.3.73 REG X34		
	138" WHEELBASE				JOB #2 ORDER		
YZ	OXFORD WHITE CC				FLR VINYL, FT/RR		
A	STD VNYL BKT ST			204	9100# GVWR	NC	NC
E	MEDIUM FLINT			47X	NON SCH BUS USE		
721A	PREF EQUIP PKG			525	SPEED CONTROL		
	.XL TRIM				SP DLR ACCT ADJ		
219	.15P BUCKT SEATS				SP FLT ACCT CR		
614	.16" SPORT COVER			6	U.S. GAL GAS		
574	.A/C, HIGH CAP			B4A	NET INV FLT OPT	NC	7.00
587	.ELEC AM/FM CLK				DEST AND DELIV		:0
642	.16" STEEL WHEEL				TOTAL BASE AND OPTIONS		0
99L	.5.4L EFI V8 ENG				TOTAL		
44Q	.ELEC 4-SPD AUTO				*THIS IS NOT AN INVOICE*		
T38	.LT245/75RX16E B						

F1=Help

F2=Return to Order

F3/F12=Veh Ord Menu

F4=Submit

F5=Add to Library

S099 - PRESS F4 TO SUBMIT

QC029671

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s). 3905-0040

MAKE OF TRUCK: FORD MODEL: C16 Wag GVWR 9100 lbs.

PAYLOAD: 3100 W.B. 138 C.A. C.E.

ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 5.4L SAE H.P. 255

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: 4spd Auto

SPRING CAP. @ GROUND EACH: FRONT 3400 lbs. REAR 6195 lbs. AUX. lbs.

AXLES: FRONT 5000 lbs. REAR 6340 lbs. REAR RATIO 3.73

ALTERNATOR: 115 amps. BATTERY 650 cca.

TIRE SIZE: FRONT L7245 PR REAR L7245 PR SINGLE 10 DUAL M&S A/S

TIRE: MAKE unknown STYLE NO. A/S -m/s MFG. CODE unknown

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. #3905-0042
August 2007

TRUCK: COMPACT VAN PASSENGER, FRONT WHEEL DRIVE

7 Passenger, Minimum
(Payload-1,100 lbs., min.)

MODEL-2008 CURRENT NEW

	DODGE/CHRY TOWN&COUNTRY <u>CARAVAN</u>	CHEVY <u>UPLANDER</u>	FORD <u>TAURUS X</u>
G.V.W.R. (lbs.), 5,000 min.	5,400	5,622	5,300
Wheelbase (inches)	113.3	113	113.0
Engine: Gasoline	3.3L	3.9L	3.5L
Type & No. of Cylinders	V-6	V-6	V-6
Net H.P.-S.A.E.	180	240	262
Transmission: Automatic			
Axle, Min. Cap.			
Front-lbs.	2,850	2,866	TBD
Rear-lbs.	2,750	2,756	TBD
Springs, Min. Cap. at Ground			
Front-lbs. each	1,200	1,433	TBD
Rear-lbs. each	1,375	1,378	TBD

Tires, Tubeless, Radial, P195/75R14 Minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 500 CCA, Min.
- Brakes-Power.
- Bumper-Front and rear, Mfg. standard finish.
- Defogger-rear window.
- Doors, Dual Sliding, Right and Left Side.
- Fuel capacity-largest available from mfg.
- Headliner-Full length, trim panels doors and sidewalls.
- Locks – Power Doors, keyless
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 25 sq. in. minimum.
- Installed. Mfg. Standard finish.
- Spare Tires Limited Service tire and wheel. Mfg. Stnd. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Traction Control
- Wiper/washer-rear glass
- Wrench-wheel.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: COMPACT VAN PASSENGER, FRONT WHEEL DRIVE</u>	
7 Passenger, Minimum (Payload-1,100 lbs., min.) Mich. Spec. #3905-0042	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Ford Model: Taurus X F.O.B. - Dealership Delivery Cost Per Mile \$3.00	\$21,042.00*
Final Point of Assembly: Chicago, IL	
<u>Dealer Information</u>	
Dealer Name: Gorno Ford	
Street Address: 22025 Allen Road	
City: Woodhaven	State: MI
	Zip: 48183
Contact Name: Jim Agney	
Telephone: 734-671-4033	
Cell: 248-227-7445	
Fax: 734-676-7647	
E-mail: jagney@gornoford.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

VEHICLE ORDER CONFIRMATION

12/09/07 15:29:45

Dealer: F48022

2008 TAURUS X

Page: 1 of 1

Order No: 0001 Priority: A4 Ord FIN: QS040 Order Type: 5B Price Level: 825
Ord Code: 120A Cust/Flt Name: #0042 PO Number:

RETAIL DLR INV

RETAIL DLR INV

K02	FWD SEL		DEST AND DELIV	\$	
	.113" WHEELBASE		TOTAL BASE AND OPTIONS :		0
YZ	OXFORD WHITE CC		TOTAL		
	SILVER ECLIPSE		*THIS IS NOT AN INVOICE		
B	CLOTH BUCKETS				
L	MED LIGHT STONE				

120A ORDER CODE

99W .3.5L V6 DUR ENG NC NC

44J .6-SPD AUTO TRAN NC NC

JOB #3 ORDER

60D 60/40 2D ROW ST NC NC

SP DLR ACCT ADJ (1123.00)

SP FLT ACCT CR (305.00)

5 U.S. GAL GAS

B4A NET INV FLT OPT NC

F1=Help F2=Return to Order

F3/F12=Veh Ord Menu

F4=Submit F5=Add to Library

S099 - PRESS F4 TO SUBMIT

QC029671

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3905-0042
MAKE OF TRUCK: FORD MODEL: Taurus GVWR 5300 lbs.
PAYLOAD: 1000 W.B. 113 C.A. - C.E. -
ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 3.5L SAE H.P. 262
FUEL TANK(S) CAPACITY: 19 (GALS. TOTAL) TRANSMISSION: 6spd Auto
SPRING CAP. @ GROUND EACH: FRONT _____ lbs. REAR _____ lbs. AUX. _____ lbs.
AXLES: FRONT GAWR-F 2625 lbs. REAR GAWR-R 1180 lbs. REAR RATIO 3.16
ALTERNATOR: 100 amps. BATTERY 540V cca.
TIRE SIZE: FRONT P215 PR REAR P215 PR SINGLE _____ DUAL _____ M&S A/S
TIRE: MAKE unknown STYLE NO. A/S MFG. CODE unknown
HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
BODY: MAKE _____ MODEL _____ INSTALLING CO. _____
POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. #3958-0047
August 2007

TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS
(8 Foot Box) (Payload-5,000 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>Chev/GMC</u> <u>K30903</u>	DODGE DR3500 <u>D13L62</u>	FORD F-350
G.V.W.R. 11,000 (lbs.), minimum	11,400	11,000	11,800
Wheelbase (inches)	133	140.5	137.0
Type & Size of Body	Fleetside	Sweptline	Styleside
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	312	345	300
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,200	9,350	9,000
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	TBD	1,900
Rear-lbs. each	4,100	TBD	4,500
Rear Wheels	Dual	Dual	Dual

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip. Ford: Not available
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS</u> (8 Foot Box) (Payload-5,000 lbs., min.) Mich. Spec. #3958-0047		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$17,699.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/09/07 14:38:39

==>

2008 F-SERIES SD

Dealer: F48022

Page: 1 of 2

Order No: 0001 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 620A Cust/Flt Name: # 0047 , PO Number:

		RETAIL	DLR	INV		RETAIL	DLR	INV
F32	F350 4X2 SD R/C			0	X41 4.10 REG AXLE	NC		NC
	137" WHEELBASE				JOB #3 BUILD			
Z1	OXFORD WHITE CC				11800# GVWR PKG			
T	40/20/40 VINYL				41H ENG BLK HEATER	NC		NC
S	MEDIUM STONE				SPARE TIRE/WHL3	NC		NC
620A	PREF EQUIP PKG				524 TILT WHEEL			
	.XL TRIM				525 CRUISE CONTROL			
47Z	.AMB PKG NOT REQ				54P MANUAL MIRRORS	NC		NC
531	.TRAILER TOW PKG	NC		NC				
55D	.DRIVER AIRBAG	NC		NC	TOTAL BASE AND OPTIONS			
55P	.PASSNGER AIRBAG	NC		NC	TOTAL			
587	.AM/FM STER/CLK	NC		NC	*THIS IS NOT AN INVOICE*			
995	5.4L EFI V8 ENG	NC		NC				
44T	5-SPD AUTOMATIC							
TBK	.LT245 BSW AS 17							

* MORE ORDER INFO NEXT PAGE *

F8=Next

F2=Return to Order

F3/F12=Veh Ord Menu

F1=Help

F4=Submit

CNGP530

VEHICLE ORDER CONFIRMATION

12/09/07 14:39:12

==>

2008 F-SERIES SD

Dealer: F48022

Page: 2 of 2

Order No: 0001 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 620A Cust/Flt Name: # 0047 , PO Number:

		RETAIL	DLR	INV		RETAIL	DLR	INV
572	AIR CONDITIONER							
	JACK							
86T	TRLR HITCH 12.5							

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s). 3958-0047

MAKE OF TRUCK: FORD MODEL: F350 GVWR 11800 lbs.

PAYLOAD: 5000 ✓ W.B. 137 ✓ C.A. 56 C.E. _____

ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 5.4L SAE H.P. 300 ✓

FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: 5spd Auto ✓

SPRING CAP. @ GROUND EACH: FRONT 3800 lbs. REAR 9000 lbs. AUX. _____ lbs.

AXLES: FRONT 4800 lbs. REAR 9000 ✓ lbs. REAR RATIO _____

ALTERNATOR: 115 ✓ amps. BATTERY 650 ✓ cca.

TIRE SIZE: FRONT L245 PR REAR L245 PR SINGLE 10 DUAL ✓ M&S ✓

TIRE: MAKE unbranded STYLE NO. ATS m+s MFG. CODE unbranded

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0047D
August 2007

TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS
(8 Foot Box) (Payload-5,000 lbs., min.)

MODEL-2008 CURRENT NEW

	Chev/GMC <u>K30903</u>	DODGE DR3500 <u>D13L62</u>	FORD F-350
G.V.W.R. 11,000 (lbs.), minimum	11,400	11,500	12,400
Wheelbase (inches)	133	140.5	137.0
Type & Size of Body	Fleetside	Sweptline	Styleside
Engine: Diesel	6.6L	6.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	350	350
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,200	9,350	9,000
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	TBD	1,900
Rear-lbs. each	4,100	TBD	4,500
Rear Wheels	Dual	Dual	Dual

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS</u> (8 Foot Box) (Payload-5,000 lbs., min.) Mich. Spec. #3958-0047D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$23,645.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/09/07 14:29:42

==>

2008 F-SERIES SD

Dealer: F48022

Order No: 0001 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830
 Ord PEP: 620A Cust/Flt Name: # 0047D, PO Number:

		RETAIL	DLR	INV		RETAIL	DLR	INV
F32	F350 4X2 SD R/C				X3L 3.73 LTD SLIP			
	137" WHEELBASE				JOB #3 BUILD			
Z1	OXFORD WHITE CC				12400# GVWR PKG			
T	40/20/40 VINYL				41H ENG BLK HEATER	NC		NC
S	MEDIUM STONE				425 50 STATE EMISS	NC		NC
620A	PREF EQUIP PKG				SPARE TIRE/WHL3	NC		NC
	.XL TRIM				524 TILT WHEEL			
47Z	.AMB PKG NOT REQ				525 CRUISE CONTROL			
531	.TRAILER TOW PKG	NC		NC				
55D	.DRIVER AIRBAG	NC		NC	TOTAL BASE AND OPTIONS			
55P	.PASSNGR AIRBAG	NC		NC	TOTAL			
587	.AM/FM STER/CLK	NC		NC	*THIS IS NOT AN INVOICE*			
99R	6.4L V8 DIESEL							
44B	5-SPEED AUTO							
TBK	.LT245 BSW AS 17							

* MORE ORDER INFO NEXT PAGE *

F8=Next

CNGP530

VEHICLE ORDER CONFIRMATION

12/09/07 14:30:58

==>

2008 F-SERIES SD

Dealer: F48022

Order No: 0001 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830
 Ord PEP: 620A Cust/Flt Name: # 0047D, PO Number:

		RETAIL	DLR	INV		RETAIL	DLR	INV
54P	MANUAL MIRRORS	NC		NC				
572	AIR CONDITIONER							
	JACK							
	FRT GRILLE COVR	NC		NC				
86R	TRLR HITCH RCVR							
949	HYDRO BOOST BRK	NC		NC				

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s): 3958-0047D
 MAKE OF TRUCK: FORD MODEL: F350 GVWR 12400 lbs. ✓
 PAYLOAD: 5000 ✓ W.B. 137 ✓ C.A. 56 C.E. _____
 ENGINE: (GAS DIESEL) MAKE: FORD MODEL: Navistar 6.4L ✓ SAE H.P. 350 ✓
 FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: 5 spd Auto ✓
 SPRING CAP. @ GROUND EACH: FRONT 3800 lbs. REAR 9000 lbs. AUX. _____ lbs.
 AXLES: FRONT 4850 lbs. REAR 9000 lbs. REAR RATIO 3.73
 ALTERNATOR: 130 ✓ amps. BATTERY 750 ✓ cca.
 TIRE SIZE: FRONT L245 PR REAR L245 PR SINGLE 10 DUAL X M&S ✓
 TIRE: MAKE unknown STYLE NO. AS, m+s ✓ MFG. CODE unknown
 HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
 BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____
 POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
 PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. #

3958-0048

August 2007

TRUCK: PICK-UP BODY—STANDARD CAB, SINGLE REAR WHEEL
(8 Foot Box) (Payload-4,200 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>C30903</u>	FORD F-350
G.V.W.R. 9,200 (lbs.), minimum	9,700	10,000
Wheelbase (inches)	133	137.0
Type & Size of Body	Fleetside/ Wideside	Styleside
Engine: Gasoline	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	312	300
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	6,500	7,280
Springs, Min. Cap. at Ground		
Front-lbs. each	2,400	1,900
Rear-lbs. each	3,250	3,500
Rear Wheels	Single	Single

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY—STANDARD CAB, SINGLE REAR WHEEL</u> (8 Foot Box) (Payload-4,200 lbs., min.) Mich. Spec. #3958-0048		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$17,385.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/09/07 14:21:41

==>

Dealer: F48022

2008 F-SERIES SD

Page: 1 of 2

Order No: 0001 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 610A Cust/Flt Name: # 0048 , PO Number:

		RETAIL	DLR INV			RETAIL	DLR INV
F30	F350 4X2SDR/CSR			X3L	3.73 LTD SLIP		
	137" WHEELBASE				JOB #3 BUILD		
Z1	OXFORD WHITE CC				10100# GVWR PKG		
T	40/20/40 VINYL			41H	ENG BLK HEATER	NC	NC
S	MEDIUM STONE				SPARE TIRE/WHLB	NC	NC
610A	PREF EQUIP PKG			524	TILT WHEEL		
	.XL TRIM			525	CRUISE CONTROL		
47Z	.AMB PKG NOT REQ			54P	MANUAL MIRRORS	NC	NC
531	.TRAILER TOW PKG	NC	NC				
55D	.DRIVER AIRBAG	NC	NC		TOTAL BASE AND OPTIONS		
55P	.PASSNGR AIRBAG	NC	NC		TOTAL		
587	.AM/FM STER/CLK	NC	NC		*THIS IS NOT AN INVOICE*		
995	.5.4L EFI V8 ENG	NC	NC				
44T	5-SPD AUTOMATIC				* MORE ORDER INFO NEXT PAGE *		
TCH	LT275/65BSWAS18	NC	NC		F8=Next		

CNGP530

VEHICLE ORDER CONFIRMATION

12/09/07 14:22:12

==>

Dealer: F48022

2008 F-SERIES SD

Page: 2 of 2

Order No: 0001 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 610A Cust/Flt Name: # 0048 , MDOT PO Number:

		RETAIL	DLR INV			RETAIL	DLR INV
57Z	AIR CONDITIONER						
	JACK						
64F	STEEL WHLS-18"	NC	NC				
	SP DLR ACCT ADJ						

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-0048
MAKE OF TRUCK: FORD MODEL: F350 GVWR 10,000 lbs. *Rentail*
PAYLOAD: 4200 ✓ W.B. 137 ✓ C.A. 56 C.E. _____
ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 5.4L SAE H.P. 300 ✓
FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: 5th Auto
SPRING CAP. @ GROUND EACH: FRONT 3800 lbs. REAR 7000 lbs. AUX. _____ lbs.
AXLES: FRONT 4800 lbs. REAR 7200 ✓ lbs. REAR RATIO 3.73
ALTERNATOR: 115 ✓ amps. BATTERY 650 ✓ cca.
TIRE SIZE: FRONT L7275 PR REAR L7275 PR SINGLE _____ DUAL _____ M&S ✓
TIRE: MAKE unknown STYLE NO. ATS mts ✓ MFG. CODE unknown
HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____
POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. #

3958-0048D

August 2007

TRUCK: PICK-UP BODY—STANDARD CAB, SINGLE REAR WHEEL
(8 Foot Box) (Payload-4,200 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>C30903</u>	FORD F-350
G.V.W.R. 9,200 (lbs.), minimum	9,700	10,200
Wheelbase (inches)	133	137.0
Type & Size of Body	Fleetside/ Wideside	Styleside
Engine: Diesel	6.0L	6.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	312	350
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	6,500	7,280
Springs, Min. Cap. at Ground		
Front-lbs. each	2,400	1,900
Rear-lbs. each	3,250	3,500
Rear Wheels	Single	Single

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY—STANDARD CAB, SINGLE REAR WHEEL</u> (8 Foot Box) (Payload-4,200 lbs., min.) Mich. Spec. #3958-0048D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$22,965.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/09/07 14:17:41

==>

Dealer: F48022

2008 F-SERIES SD

Page: 1 of 2

Order No: 0001 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 610A Cust/Flt Name: # 0048D, PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
F30	F350 4X2SDR/CSR			X3J	3.55 LTD SLIP	
	137" WHEELBASE				JOB #3 BUILD	
Z1	OXFORD WHITE CC				10200# GVWR PKG	
T	40/20/40 VINYL			41H	ENG BLK HEATER	NC
S	MEDIUM STONE			425	50 STATE EMISS	NC
610A	PREF EQUIP PKG				SPARE TIRE/WHL3	NC
	.XL TRIM			524	TILT WHEEL	NC
47Z	.AMB PKG NOT REQ			525	CRUISE CONTROL	
531	.TRAILER TOW PKG	NC	NC			
55D	.DRIVER AIRBAG	NC	NC		TOTAL BASE AND OPTIONS	
55P	.PASSNGER AIRBAG	NC	NC		TOTAL	
587	.AM/FM STER/CLK	NC	NC		*THIS IS NOT AN INVOICE*	
99R	6.4L V8 DIESEL					
44B	5-SPEED AUTO					
TBK	.LT245 BSW AS 17					

* MORE ORDER INFO NEXT PAGE *

F8=Next

CNGP530

VEHICLE ORDER CONFIRMATION

12/09/07 14:18:03

==>

Dealer: F48022

2008 F-SERIES SD

Page: 2 of 2

Order No: 0001 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 610A Cust/Flt Name: # 0048D, MDOT PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
54P	MANUAL MIRRORS	NC	NC			
572	AIR CONDITIONER					
	JACK					
64A	STEEL WHLS-17"	NC	NC			
	FRT GRILLE COVR	NC	NC			

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-0048D

MAKE OF TRUCK: FORD MODEL: F350 GVWR 10,200 lbs. ✓

PAYLOAD: 4200 ✓ W.B. 137 ✓ C.A. 56 C.E. _____

ENGINE: (GAS ~~DIESEL~~) ✓ MAKE: FORD Navistar ✓ MODEL: 6.4L SAE H.P. 350 ✓

FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: Spd Auto ✓

SPRING CAP. @ GROUND EACH: FRONT 3800 lbs. REAR 7000 lbs. AUX. _____ lbs.

AXLES: FRONT 4800 lbs. REAR 7280 lbs. REAR RATIO 3.55

ALTERNATOR: 130 ✓ amps. BATTERY 750 ✓ cca.

TIRE SIZE: FRONT LT245 PR REAR LT245 PR SINGLE 10 DUAL _____ M&S ✓

TIRE: MAKE unknown STYLE NO. A/S mts MFG. CODE unknown

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0049
August 2007

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR
(8 Foot Box) (Payload-3,800 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC	FORD
	<u>C30943</u>	F-350
G.V.W.R. (lbs.)	9,900	10,200
Wheelbase (inches)	167	172.0
Type & Size of Body	Fleetside/ Wideside	Styleside
Engine: Gasoline	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	353	300
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	6,500	7,280
Springs, Min. Cap. at Ground		
Front-lbs. each	2,400	2,050
Rear-lbs. each	3,250	3,500
Rear Wheel	Single	Single

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Bumper- Mfg. Std.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in.
- minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed
- Seats-Front Split Bench and rear bench, cloth.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR</u> (8 Foot Box) (Payload-3,800 lbs., min.) Mich. Spec. #3958-0049		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 F.O.B. - Dealership Delivery Cost Per Mile \$3.00	\$ 20,749.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/09/07 14:07:07

==>

2008 F-SERIES SD

Dealer: F48022

Page: 1 of 2

Order No: 0001 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830
 Ord PEP: 610A Cust/Flt Name: # 0049, PO Number:

RETAIL DLR INV

F----- DLR INV

W30	F350 4X2 CREW/C \$:		X3L 3.73 LTD SLIP		
	172" WHEELBASE				
Z1	OXFORD WHITE CC			NC	NC
3	40/20/40		JOB #3 BUILD		
S	MEDIUM STONE		10200# GVWR PKG		
610A	PREF EQUIP PKG		41H ENG BLK HEATER	NC	NC
	.XL TRIM		SPARE TIRE/WHL3	NC	NC
47Z	.AMB PKG NOT REQ		524 TILT WHEEL		
531	.TRAILER TOW PKG	NC			
55D	.DRIVER AIRBAG	NC			
55P	.PASSNGER AIRBAG	NC			
587	.AM/FM STER/CLK	NC			
995	.5.4L EFI V8 ENG	NC			
44T	5-SPD AUTOMATIC				
TBK	.LT245 BSW AS 17				

TOTAL BASE AND OPTIONS
 TOTAL
 THIS IS NOT AN INVOICE

* MORE ORDER INFO NEXT PAGE *
 F8=Next

CNGP530

VEHICLE ORDER CONFIRMATION

12/09/07 14:07:29

==>

2008 F-SERIES SD

Dealer: F48022

Page: 2 of 2

Order No: 0001 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830
 Ord PEP: 610A Cust/Flt Name: # 0049, MDOT PO Number:

RETAIL DLR INV

RETAIL DLR INV

525 CRUISE CONTROL
 572 AIR CONDITIONER
 JACK

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(S): 3958-0049

MAKE OF TRUCK: FORD MODEL: F350 GVWR 10,200 lbs. ✓

PAYLOAD: 3800 ✓ W.B. 172 ✓ C.A. 56 C.E. _____

ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 5.4L ✓ SAE H.P. 300 ✓

FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: 5spd Auto

SPRING CAP. @ GROUND EACH: FRONT 4100 ✓ lbs. REAR 7000 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 4800 lbs. REAR 7280 ✓ lbs. REAR RATIO 3-73

ALTERNATOR: 115 ✓ amps. BATTERY 650 ✓ cca.

TIRE SIZE: FRONT LT245 PR REAR LT245 PR SINGLE 10 ✓ DUAL _____ M&S ✓

TIRE: MAKE unknown STYLE NO. A/S MTS MFG. CODE ?

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0049D
August 2007

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR
(8 Foot Box) (Payload-3,800 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC	FORD
	<u>C30943</u>	F-350
G.V.W.R. (lbs.)	9,900	10,800
Wheelbase (inches)	167	172.0
Type & Size of Body	Fleetside/ Wideside	Styleside
Engine: Diesel	6.6L	6.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	365	350
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	6,500	7,280
Springs, Min. Cap. at Ground		
Front-lbs. each	2,400	2,050
Rear-lbs. each	3,250	3,500
Rear Wheel	Single	Single

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Bumper- Mfg. Std.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Speed Control, Factory Installed.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed
- Seats-Front Split Bench and rear bench, cloth.
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR</u> (8 Foot Box) (Payload-3,800 lbs., min.) Mich. Spec. #3958-0049D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$26,283.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(S). 3958-0049D

MAKE OF TRUCK: FORD MODEL: F350 GVWR 10,800 lbs. ✓

PAYLOAD: 3800 ✓ W.B. 172 ✓ C.A. 56 C.E. _____

ENGINE: (GAS - DIESEL) ✓ MAKE: FORD MODEL: 6.4L SAE H.P. 350 ✓

FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: 5spd Auto ✓

SPRING CAP. @ GROUND EACH: FRONT 4100 lbs. REAR 7000 lbs. AUX. _____ lbs.

AXLES: FRONT 4850 lbs. REAR 7200 lbs. REAR RATIO 3.55

ALTERNATOR: 130 amps. BATTERY 750 ✓ cca.

TIRE SIZE: FRONT L7245 PR REAR L7245 PR SINGLE 10 ✓ DUAL _____ M&S _____

TIRE: MAKE unknown STYLE NO. ATS m+s MFG. CODE unknown

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. #3958-0050
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR
DUAL REAR WHEEL
4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)

MODEL-2008 CURRENT NEW

	DODGE DR3500 <u>D13L42</u>	FORD F-350	CHEV/GMC <u>C30953</u>
G.V.W.R. (lbs.)	11,000	12,200	11,400
Wheelbase (inches)	160.5	158.0	157.5
Type & Size of Body	Sweptline	Styleside	Fleetside
Engine: Gasoline	5.7L	5.4L	6.0L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	345	300	312
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,350	9,000	9,200
Springs, Min. Cap. at Ground			
Front-lbs. each	TBD	2,050	2,400
Rear-lbs. each	TBD	4,500	4,100
Cab-Full width rear window			
Rear Wheels:	Dual	Dual	Dual
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.			

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed
- Seats-Front split bench and rear bench, cloth
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u>		
<u>DUAL REAR WHEEL</u>		
4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)		
Mich. Spec. #3958-0050		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$19,865.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/08/07 14:07:13

==>

2008 F-SERIES SD

Dealer: F48022

Page: 1 of 2

Order No: 0010 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 620A Cust/Flt Name: # 0050 , PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV	
X32	F350 4X2 S/C DR			X41	4.10 REG AXLE	NC	NC
	158" WHEELBASE						
Z1	OXFORD WHITE CC				JP		
3	40/20/40 CLOTH					NC	NC
S	MEDIUM STONE				JOB #3 BUILD		
620A	PREF EQUIP PKG				12200# GVWR PKG		
	.XL TRIM			41H	ENG BLK HEATER	NC	NC
47Z	.AMB PKG NOT REQ				SPARE TIRE/WHL3	NC	NC
531	.TRAILER TOW PKG	NC	NC	524	TILT WHEEL		
55D	.DRIVER AIRBAG	NC	NC		TOTAL BASE AND OPTIONS		
55P	.PASSNGER AIRBAG	NC	NC		TOTAL		
587	.AM/FM STER/CLK	NC	NC		*THIS IS NOT AN INVOICE*		
995	5.4L EFI V8 ENG	NC	NC				
44T	5-SPD AUTOMATIC						
TBK	.LT245 BSW AS 17						

MORE ORDER INFO NEXT PAGE *

F8=Next

CNGP530

VEHICLE ORDER CONFIRMATION

12/08/07 14:08:03

==>

2008 F-SERIES SD

Dealer: F48022

Page: 2 of 2

Order No: 0010 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 620A Cust/Flt Name: # 0050 , MDOT PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
525	CRUISE CONTROL	\$				
572	AIR CONDITIONER					
	JACK					
36T	TRLR HITCH 12.5					
949	HYDRO BOOST BRK	NC	NC			
	SP DLR ACCT ADJ		(1347.00)			

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-0050
MAKE OF TRUCK: FORD MODEL: F350 GVWR 12,200 lbs. ✓
PAYLOAD: 4000 ✓ W.B. 158 ✓ C.A. 56 C.E. _____
ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 5.4L ✓ SAE H.P. 300 ✓
FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: 5spd Auto ✓
SPRING CAP. @ GROUND EACH: FRONT 4100 ✓ lbs. REAR 9000 ✓ lbs. AUX. _____ lbs.
AXLES: FRONT 4850 lbs. REAR 9000 ✓ lbs. REAR RATIO 4:10
ALTERNATOR: 115 ✓ amps. BATTERY 650 ✓ cca.
TIRE SIZE: FRONT T245 PR REAR T245 PR SINGLE 10 ✓ DUAL ✓ M&S ✓
TIRE: MAKE unknown STYLE NO. ATS ✓ M + S MFG. CODE unknown
HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
BODY: MAKE _____ MODEL _____ INSTALLING CO. _____
POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0050D

August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR
DUAL REAR WHEEL

4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)

MODEL-2008 CURRENT NEW

	DODGE DR3500 <u>D13L42</u>	FORD F-350	CHEV/GMC <u>C30953</u>
G.V.W.R. (lbs.)	11,500	12,800	11,400
Wheelbase (inches)	160.5	158.0	157.5
Type & Size of Body	Sweptline	Styleside	Fleetside
Engine: Diesel	6.7L	6.4L	6.6L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	350	350	365
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,350	9,000	9,200
Springs, Min. Cap. at Ground			
Front-lbs. each	TBD	2,050	2,400
Rear-lbs. each	TBD	4,500	4,100
Cab-Full width rear window			
Rear Wheels:	Dual	Dual	Dual

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in.
- minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Locks – Power Doors, Factory Installed
- Seats-Front split bench and rear bench, cloth
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u>	
<u>DUAL REAR WHEEL</u>	
4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)	
Mich. Spec. #3958-0050D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Ford Model: F350 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$25,795.00*
Final Point of Assembly: Louisville, KY	
<u>Dealer Information</u>	
Dealer Name: Gorno Ford	
Street Address: 22025 Allen Road	
City: Woodhaven	State: MI
	Zip: 48183
Contact Name: Jim Agney	
Telephone: 734-671-4033	
Cell: 248-227-7445	
Fax: 734-676-7647	
E-mail: jagney@gornoford.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/08/07 14:04:03

==>

Dealer: F48022

2008 F-SERIES SD

Page: 1 of 2

Order No: 0010 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 620A Cust/Flt Name: # 0050D, PO Number:

		RETAIL	DLR INV	
X32	F350 4X2 S/C DR 158" WHEELBASE			4L 3.73 LTD SLIP
Z1	OXFORD WHITE CC			
3	40/20/40 CLOTH			JOB #3 BUILD
S	MEDIUM STONE			12800# GVWR PKG
620A	PREF EQUIP PKG			41H ENG BLK HEATER
	.XL TRIM			425 50 STATE EMISS
47Z	.AMB PKG NOT REQ			SPARE TIRE/WHL3
531	.TRAILER TOW PKG	NC	NC	
55D	.DRIVER AIRBAG	NC	NC	TOTAL BASE AND OPTIONS
55P	.PASSNGER AIRBAG	NC	NC	TOTAL
587	.AM/FM STER/CLK	NC	NC	*THIS IS NOT AN INVOICE*
99R	6.4L V8 DIESEL			
44B	5-SPEED AUTO			* MORE ORDER INFO NEXT PAGE *
TBK	.LT245 BSW AS 17			F8=Next
F1=Help				F2=Return to Order
				F3/F12=Veh Ord Menu

CNGP530

VEHICLE ORDER CONFIRMATION

12/08/07 14:04:16

==>

Dealer: F48022

2008 F-SERIES SD

Page: 2 of 2

Order No: 0010 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 620A Cust/Flt Name: #0050D, MDOT PO Number:

		RETAIL	DLR INV	
524	TILT WHEEL			THIS IS NOT AN INVOICE*
525	CRUISE CONTROL			
572	AIR CONDITIONER			
	JACK			
	FRT GRILLE COVR	NC	NC	
86R	TRLR HITCH RCVR			
949	HYDRO BOOST BRK	NC	NC	

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s). 3958-00500

MAKE OF TRUCK: FORD MODEL: F350 GVWR 12800 lbs. ✓

PAYLOAD: 4000 ✓ W.B. 158 ✓ C.A. 56 C.E. _____

ENGINE: (GAS - DIESEL) ✓ MAKE: FORD Navistar MODEL: 6.4L ✓ SAE H.P. 350 ✓

FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: 5 Speed Auto ✓

SPRING CAP. @ GROUND EACH: FRONT 4100 ✓ lbs. REAR 9000 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 4800 lbs. REAR 9000 ✓ lbs. REAR RATIO 3.73

ALTERNATOR: 130 ✓ amps. BATTERY 750 ✓ cca.

TIRE SIZE: FRONT T245 PR REAR T245 PR SINGLE 10 DUAL _____ M&S ✓

TIRE: MAKE Cerwin STYLE NO. ALS mts MFG. CODE unknown

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0051
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR
SINGLE REAR WHEEL

4 X 2, (8 Foot Box), (Payload-3,800 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD	CHEV/GMC
	F-350	<u>C30953</u>
G.V.W.R. (lbs.)	10,100	9,900
Wheelbase (inches)	158	157.5
Type & Size of Body	Styleside	Fleetside
Engine: Gasoline	5.4L	6.0L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	300	353
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	7,280	6,500
Springs, Min. Cap. at Ground		
Front-lbs. each	1,975	2,400
Rear-lbs. each	3,500	3,250
Cab-Full width rear window		
Rear Wheels:	Single	Single
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.		

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

-

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in.
- minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats-Front split bench and rear bench, cloth
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u>		
<u>SINGLE REAR WHEEL</u>		
4 X 2, (8 Foot Box), (Payload-3,800 lbs., min.)		
Mich. Spec. #3958-0051		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$19,586.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-0057
MAKE OF TRUCK: FORD MODEL: F350 GVWR 10,000 lbs. ✓
PAYLOAD: 3800 ✓ W.B. 158 ✓ C.A. SB C.E. _____
ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 5.4L ✓ SAE H.P. 300 ✓
FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: 5 spd Auto ✓
SPRING CAP. @ GROUND EACH: FRONT 3950 ✓ lbs. REAR 7000 ✓ lbs. AUX. _____ lbs.
AXLES: FRONT 4850 lbs. REAR 7280 ✓ lbs. REAR RATIO _____
ALTERNATOR: 115 ✓ amps. BATTERY 650 ✓ cca.
TIRE SIZE: FRONT LT245 PR REAR LT245 PR SINGLE 10 DUAL _____ M&S _____ ✓
TIRE: MAKE unknown STYLE NO. AS MTS ✓ MFG. CODE unknown
HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
BODY: MAKE _____ MODEL _____ INSTALLING CO. _____
POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0051D
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR
SINGLE REAR WHEEL
4 X 2, (8 Foot Box), (Payload-3,800 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD	CHEV/GMC
	F-350	<u>C30953</u>
G.V.W.R. (lbs.)	10,600	9,900
Wheelbase (inches)	158	157.5
Type & Size of Body	Styleside	Fleetside
Engine: Diesel	6.4L	6.6L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	350	365
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	7,280	6,500
Springs, Min. Cap. at Ground		
Front-lbs. each	1,975	2,400
Rear-lbs. each	3,500	3,250
Cab-Full width rear window		
Rear Wheels:	Single	Single
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.		

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Seats-Front split bench and rear bench, cloth
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u>		
<u>SINGLE REAR WHEEL</u>		
4 X 2, (8 Foot Box), (Payload-3,800 lbs., min.)		
Mich. Spec. #3958-0051D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 F.O.B. - Dealership Delivery Cost Per Mile \$3.00	\$25,189.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/08/07 13:53:28

==>

Dealer: F48022

2008 F-SERIES SD

Page: 1 of 2

Order No: 0010 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 610A Cust/Flt Name: # 0051D, PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
X30	F350 4X2 S/C		0	X3J 3.55 LTD SLIP	\$	
	158" WHEELBASE			JOB #3 BUILD		
Z1	OXFORD WHITE CC			10600# GVWR PKG		
3	40/20/40			41H ENG BLK HEATER	NC	NC
S	MEDIUM STONE			425 50 STATE EMISS	NC	NC
610A	PREF EQUIP PKG			SPARE TIRE/WHL3	NC	NC
	.XL TRIM			524 TILT WHEEL		
47Z	.AMB PKG NOT REQ			525 CRUISE CONTROL		
531	.TRAILER TOW PKG	NC	NC			
55D	.DRIVER AIRBAG	NC	NC	TOTAL BASE AND OPTIONS :		00
55P	.PASSNGR AIRBAG	NC	NC	TOTAL		
587	.AM/FM STER/CLK	NC	NC	*THIS IS NOT AN INVOICE*		
99R	6.4L V8 DIESEL					
44B	5-SPEED AUTO			* MORE ORDER INFO NEXT PAGE *		
TBK	.LT245 BSW AS 17			F8=Next		

CNGP530

VEHICLE ORDER CONFIRMATION

12/08/07 13:53:42

==>

Dealer: F48022

2008 F-SERIES SD

Page: 2 of 2

Order No: 0010 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 610A Cust/Flt Name: # 0051D, MDOT PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
54P	MANUAL MIRRORS	NC	NC			
572	AIR CONDITIONER					
	JACK					
	FRT GRILLE COVR	NC	NC			
	SP DLR ACCT ADJ		(1526.00)			
	SP FLT ACCT CR		(693.00)			
23	U.S. GAL GAS					
B4A	NET INV FLT OPT	NC	7.00			
	DEST AND DELIV					

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-0051D
MAKE OF TRUCK: FORD MODEL: F350 GVWR 10,600 lbs.
PAYLOAD: 3800 ✓ W.B. 158 ✓ C.A. 656 C.E. _____
ENGINE: (GAS - DIESEL) Diesel ✓ MAKE: FORD MODEL: Nautilus 6.4L SAE H.P. 350 ✓
FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: 5spd Auto ✓
SPRING CAP. @ GROUND EACH: FRONT 3958 ✓ lbs. REAR 7000 ✓ lbs. AUX. _____ lbs.
AXLES: FRONT 4850 lbs. REAR 7280 ✓ lbs. REAR RATIO 3.55
ALTERNATOR: 130 ✓ amps. BATTERY 750 ✓ cca.
TIRE SIZE: FRONT LT245 PR REAR LT245 PR SINGLE 10 ✓ DUAL _____ M&S ✓
TIRE: MAKE unknown STYLE NO. ATS ✓ MFS MFG. CODE unknown
HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
BODY: MAKE _____ MODEL _____ INSTALLING CO. _____
POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.