


STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

APPENDIX A

SPECIFICATIONS AND PRICING
INFORMATION
FOR

PASSENGER VEHICLES & TRUCKS

2008 MODEL YEAR



Gorno Ford - MiDEAL

Contract # 071B8200138

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INDEX TO

SPECIFICATIONS FOR
2008 PASSENGER VEHICLES & TRUCKS

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>	<u>PAGE NO</u>
Passenger Vehicle Equipment	Preface	A
Truck Equipment	Preface	B-B1
Pre-Delivery Service	Preface	C-C1
Receiving Procedure	Preface	D

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

The dealer's vehicle order confirmation sheet listing all the standard options provided with the vehicle in accordance with the State of Michigan Specification shall be provided at each of these steps in the process:

- With dealers bid submittal to the State of Michigan**
- With original quote from the dealer to the customer**
- Upon delivery of the vehicle from the dealer to the customer**
- Customer shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**Diesel Vehicles are indicated with a “D” at the end of the specification number.
Alternative Fuel vehicles are indicated with a “A” at the end of the specification number.**

PASSENGER VEHICLES

Small, 4-Door Sedan, Auto. Trans.	3905-0002
Large-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0003
Alt Fuel - 4-Door Sedan, Auto. Trans.	3905-0003A
Mid-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0004
Large, Administrator Series, 4 -Door Sedan, Auto. Trans.	3905-0005

STATION WAGONS

5-Passenger, Auto. Trans., 4 door	3905-0017
-----------------------------------	-----------

Multi Functional Utility Vehicle,

5 Passenger, 4-Door, Auto. Trans., 4 door	3905-0018
Alt Fuel - 5 Passenger, Auto. Trans., 4 door	3905-0018A
6-7 Passenger, 4-Door, Auto. Trans.	3905-0019

TRUCKS, LIGHT DUTY

Pick-Up, 7 Ft. Box, Standard Cab, Payload – 1,000 lbs., min.	3958-0020
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,260 lbs., min.	3958-0023
Pick-Up, 6 Ft. Box, Payload - 1,600 lbs., min., “Work Truck”	3958-0025
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026
Alt Fuel -Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min	3958-0027
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min.	3958-0027A
Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028
Alt Fuel - Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028A

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029D
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0030
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030A
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031D

VANS, PASSENGER AND UTILITY

Panel Van, Payload - 1,700 lbs., min.	3958-0032
Utility Vehicle, 4 Door, 5-6 Passenger, Payload 1,500 lbs., min.	3905-0034
Sport Van, 8 Passenger, Payload - 1,600 lbs., min.	3905-0035
Utility Vehicle, Large, 6-Passenger, Payload - 1,940 lbs., min.	3905-0036
Sport-Van, 12-Passenger, Payload - 2,649 lbs., min.	3905-0037
Panel Van, Payload - 3,100 lbs., min.	3958-0039
Van, 15-Passenger	3905-0040
Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042
Alt Fuel -Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042A
Van, Cargo, Compact, Front Wheel Drive	3958-0044
Van, 7 Passenger, Compact, Long Wheel Base, Front Wheel Drive	3905-0045
Alt Fuel -Van, 7 Passenger, Compact, Extended Body, Front Wheel Drive	3905-0045A

TRUCKS, LIGHT DUTY

Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046
Diesel - Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046D

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047D
Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payload - 4,200 lbs., min.	3958-0048
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payld - 4,200 lbs.	3958-0048D
Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049
Diesel - Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051D
 <u>VANS, COMMERCIAL</u>	
Van, Commercial, 10-Passenger, Raised Roof, Payload - 3,200 lbs., min.	3905-0057
Van, Commercial, Cargo, Raised Roof, Payload - 4,800 lbs., min.	3905-0058
 <u>TRUCKS AND BODIES, MEDIUM DUTY</u>	
Cab and Chassis, approx. 137" W.B., G.V.W.R. 10,000 lbs., Gas	3958-0072
Cab and Chassis, approx. 128" W.B., G.V.W.R. 12,500 lbs., Diesel	3958-0073
Dump Body and Hoist, 2 cu. yd.	3958-0074
Stake Body, 9 Ft.	3958-0075
Stake Body and Hydraulic Hoist, 9 Ft.	3958-0076
Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077
Diesel - Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077D
Cab and Chassis, approx. 152" W.B., Payload 6,675 lbs., min. Diesel	3958-0078
Stake Body, 12 Ft.	3958-0079

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0080
<u>TRUCKS, LIGHT DUTY, 4X4</u>	
Utility Vehicle, 4 Door, Payload 900 lbs., min.	3958-0083
Alt Fuel - Utility Vehicle, 4 Door, 2 Wheel Drive, Payload – 900 lbs., min.	3958-0083A
Pick-Up, 7 Ft. Box, Standard Cab, Payload 1,000 lbs., min.	3958-0084
Utility Vehicle, 4 Door, 6 Passenger, Payload 1,480 lbs., min.	3958-0085
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086A
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087
Alt Fuel -Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089D
Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090
Alt Fuel - Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090A
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091
Alt Fuel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091A
Pick-Up, 8 Ft. Box, Standard Cab, Payload – 2,800 lbs., min.	3958-0092
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 2,800 lbs., min.	3958-0092D
Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093
Diesel - Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093D
Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Alt Fuel - Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094A
 <u>TRUCKS, MEDIUM DUTY, 4X4</u>	
Cab and Chassis, Body and Payload - approx. 13,000 lbs., min. 25,950 lbs. Min. G.V.W.R., Diesel engine	3958-0096
Cab and Chassis, approx. 137" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,800 lbs., min.	3958-0098
Cab and Chassis, approx. 161" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,930 lbs., min.	3958-0099
 <u>TRUCK, CUT-AWAY AND VAN BODY</u>	
Truck, Cut-Away, 8,900 lbs. G.V.W.R.	3958-0100
Truck, Cut-Away, 10,000 lbs. G.V.W.R	3958-0101
Van Body, Cut-Away Aluminum	3958-0102
Van Body, Cut-Away, Fiberglass Reinforced Plastic (F.R.P.)	3958-0103
Van, Full Body, Aluminum	3958-0104
Van, Full Body, Fiberglass Reinforced Plastic F.R.P.	3958-0105
Truck, Cut-Away, 11,000 lbs. G.V.W.R	3958-0108
Truck, Cut-Away, 14,000 lbs. G.V.W.R	3958-0109
 <u>TRUCKS AND BODIES, HEAVY DUTY</u>	
Cab and Chassis, approx. 128" W.B., G.V.W.R 14,500 lbs., Gas	3958-0110
Cab and Chassis, approx. 128" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0111
Cab and Chassis, approx. 140" W.B., G.V.W.R 14,000 lbs. Gas, (4 x 4)	3958-0112
Cab and Chassis, approx 140" W.B., G.V.W.R 14,500 lbs., Diesel, (4 x 4)	3958-0113
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Gas	3958-0114
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0115
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Gas, (4 x 4)	3958-0116

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Diesel, (4 x 4)	3958-0117
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.. Low Pro	3958-0134
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.	3958-0135
Cab and Chassis, approx. 152" W.B., G.V.W.R 23,500 lbs., Diesel	3958-0136
Stake Body, 12 Ft.	3958-0137
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0141
Dump Body and Hydraulic Hoist, 5-6 Yd.	3958-0158
Cab and Chassis, approx. 169" W.B., G.V.W.R 33,000 lbs. Diesel, 170 HP	3958-0160
Stake Body, 14 Ft.	3958-0161

TRUCKS AND BODIES, HEAVY DUTY

Cab and Chassis, approx. 217" W.B., G.V.W.R 27,000 lbs. Diesel, 210 HP	3958-0164
Van Body, 20 Ft., Aluminum	3958-0165
Van Body, 20 Ft., Fiberglass Reinforced Plastic, F.R.P.	3958-0167
Cab and Chassis, approx. 112" W.B., G.V.W.R 44,000 lbs., Diesel Single Axle	3958-0170
Dump Body and Hydraulic Hoist, 6.5 cu. yd.	3958-0171
Cab and Chassis, approx. 211" W.B., G.V.W.R 64,000 lbs., Diesel Tandem Axle	3958-0172
Cab and Chassis, approx. 177" W.B., G.V.W.R 52,000 lbs., Diesel Tandem Axle	3958-0173
Dump Body and Hydraulic Hoist, 10-12 cu. yd.	3958-0174

TRACTORS

70,000 lbs. G.C.W.R., Diesel Engine	3958-0178
-------------------------------------	-----------

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
<u>TAIL GATES</u>	
Hydraulic Power Tail Gate, 2,000 lbs. Capacity, 15,000 G.V.W.R., Conventional Type	3958-0215
Hydraulic Power Tail Gate, 3,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0216
Hydraulic Power Tail Gate, 4,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0217
Hydraulic Power Tail Gate, Various Capacities, 15,000 G.V.W.R., Stow Away Type	3958-0218
Hydraulic Tailgate, approx. 1,000 Lb. Capacity, 10,000 G.V.W.R. or less, (Step Van, Parcel Vans or Pick-Ups)	3958-0219
Hydraulic Tailgate, approx. 1,500 Lb. Capacity, (10,000 G.V.W.R. and smaller, stake body) Fold-Up Type Or Tuck-Away Type	3958-0220
Hydraulic Tailgate, 1,250 to 4,000 lb. Capacities, Rail Type	3958-0221

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PASSENGER VEHICLE EQUIPMENT

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

Air Bag, Dual
Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
Air Conditioning.
Anti-freeze protection-to -30°F.
Battery-Maximum CCA available.
Brakes-Anti Locking System (ABS)
Color-Manufacturers Standard Color to be selected.
Defroster-Electric, rear window.
Floor Mats-Mfg. Stnd. , front and rear, color coordinated.
Glass-Tinted, all around.
Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
Lights, Daytime Running (If available from manufacturer as standard equipment)
Mirror-Right-hand, outside (factory installed).
Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
Pre-delivery inspection and servicing.
Radio-AM/FM mfg. standard, factory installed.
Rear Axle Ratio for maximum mileage in highway driving.
Seats; Front, Split Bench or Bucket Type
Speed Control, factory installed
Steering-Power, Tilt Wheel.
Tires, Radial, Manufacturers Standard
Upholstery, Seats - Cloth or Cloth and Vinyl.
Wipers, Windshield - dual, intermittent, electric with automatic type washers.

**ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE
FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.**

Note: No dealer advertising decals are to be on vehicle.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

12 Volt auxiliary outlet

Air Conditioning - All trucks

Anti-freeze protection, to -30°F.

Arm Rest-Driver's side.

Color-Manufacturers Standard to be selected.

Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

Dome Light.

Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT)

Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT (Continued)

Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.

Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.

Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.

Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.

Pre-delivery inspection and servicing.

Radio - AM/FM Manufacturers Standard, Factory Installed

Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)

Seats-Split Bench type, unless otherwise specified

Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.

Speed Control, Factory Installed

Steering-Power, Tilt Wheel

Sun visors-dual.

Jack-Furnish on trucks up to and including 12,000 G.V.W.R.

Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

1. General appearance of body both interior and exterior for completeness and quality of workmanship.
2. Lubrication and fluid levels and correcting any leaks:
 - a. Radiator
 - b. Windshield Washer
 - c. Battery
 - d. Power steering pump
 - e. Brake master cylinder
 - f. Engine oil
 - g. Transmission fluid level.
3. Mechanical operation of vehicle:
 - a. Steering gear and linkage
 - b. Suspension assembly, front and rear
 - c. Proper tire pressure to normal rated road requirements
 - d. Hood latch
 - e. Head lights, aim and adjust
 - f. Front wheel toe in and torque wheel nuts
 - g. Seat and shoulder belts operative
 - h. All locks and latches to be operative
 - i. Windshield wiper and washer to be operative
 - j. Proper adjustment to all drive belts
4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.
5. **Miscellaneous items to be furnished:**
 - a. **Manufacturers Window Sticker shall not be removed from vehicle**
 - b. **Odometer Certification, and Vehicle Curb Weight at time of delivery**
 - c. **Manufacturers or Dealers Pre-Delivery Check Sheet**
 - d. **Vehicle shall have a Minimum of (4) Gallons of Fuel in tank when delivered**
 - e. **Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE (Continued)

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

It is intended that vehicles delivered in accordance with the Michigan specifications will be complete, including mechanical details, general workmanship and appearance, and shall be delivered complete with all warranty service books and identification plate.

Failure to adhere to specifications may be reason to delay payment.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

RECEIVING PROCEDURE

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the vendor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the receiving agency.

It is recommended that the following items be checked prior to signing the Freight Bill:

1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.
2. Visually inspect under hood for the following items:
 - a. Air cleaner
 - b. Battery and caps
 - c. Radiator cap
 - d. Windshield washer container.
3. Check for cracked or broken windows.
4. Check trunk compartment for the following:
 - a. Spare tire and wheel
 - b. Jack
 - c. Wheel wrench
 - d. Four hub caps
 - e. Trunk mat.
5. Check interior of vehicle for the following items:
 - a. Owner's manual and warranty material
 - b. Cigarette lighter
 - c. Two sets of keys (Three sets for MDOT)
 - d. Make sure all seat belts are installed
 - e. Sun visors
 - f. Upholstery damage or excessive soil.

It is the responsibility of the agency to check for any other items that could possibly have been missing in accordance with the purchase order and the specification data.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0072
August 2007

TRUCK: CAB AND CHASSIS
G.V.W.R. 10,000 lbs. min., (Payload 4,900 lb. min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC	DODGE	FORD
	<u>C31003</u>	<u>DC3L63</u> <u>3500</u>	<u>F-350</u>
Wheelbase (inches)	137	143.5	140.8
C.A. (inches)	59.9	56	60
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	312	345	300
Transmission: Automatic with Maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.			
Front-lbs	4,500	5,200	4,850
Rear-lbs.	9,200	8,000	9,750
Springs, Min. Cap. at Ground			
Front-1,607 lbs. each	2,400	2,600	1,975
Rear-3,650 lbs. each	4,300	4,000	4,875
Including Aux.			

*SEE Mich. 3958-0074, Mich. 3958-0075, or Mich. 3958-0076 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing away type, 51 sq. in., minimum. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- Auxiliary Dash Control Switch Package for additional lighting circuits.
 - Trailer Brake Controller, Electric

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS</u>		
G.V.W.R. 10,000 lbs. min., (Payload 4,900 lb. min.)		
Mich. Spec. #3958-0072		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$ 18,198.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s). 3958-0072

MAKE OF TRUCK: FORD MODEL: F350 GVWR 13000 lbs.

PAYLOAD: 5900 ✓ W.B. 141 ✓ C.A. 60 ✓ C.E. _____

ENGINE: (GAS - DIESEL) gas ✓ MAKE: FORD MODEL: 5.4L ✓ SAE H.P. 300 ✓

FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: 5spd Auto ✓

SPRING CAP. @ GROUND EACH: FRONT 3950 ✓ lbs. REAR 9750 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 4950 ✓ lbs. REAR 9750 ✓ lbs. REAR RATIO _____

ALTERNATOR: 115 ✓ amps. BATTERY 650 ✓ cca.

TIRE SIZE: FRONT T245 ✓ PR REAR T245 ✓ PR SINGLE 10 ✓ DUAL ✓ M&S ✓

TIRE: MAKE unknown STYLE NO. A/S m/s AT ✓ MFG. CODE unknown

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0073
August 2007

TRUCK: CAB AND CHASSIS

G.V.W.R. 12,500 lbs. min., (Payload 6,700 lb. min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>C4C042</u>	FORD F-350	DODGE <u>DC3L63</u>
Wheelbase (inches)	128	141	143.5
C.A. (inches)	60	60	60
Engine: Diesel	6.6L	6.4L	6.7L
Type & No. of Cylinders	V-8 Duramax	V-8 Turbo	L-6 Turbo
Net H.P.-S.A.E.	300	350	305
Transmission: Automatic with Maximum capacity transmission oil cooler. Factory installed.	6 speed auto		
Axle, Min. Cap.			
Front-lbs	7,000	4,850	5,200
Rear-lbs.	11,000	9,750	9,350
Springs, Min. Cap. at Ground			
Front-1,607 lbs. each	3,500	1,900	TBD
Rear-3,650 lbs. each	5,500	4,875	TBD
Including Aux.			

*SEE Mich. 3958-0074, Mich. 3958-0075, or Mich. 3958-0076 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

GM: GVWR = 12,000, Payload = 6,001

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended reach, swing
- away type, 51 sq. in., minimum. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS</u>		
G.V.W.R. 12,500 lbs. min., (Payload 6,700 lb. min.)		
Mich. Spec. #3958-0073		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$23,834.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/08/07 13:32:41

==>

Dealer: F48022

2008 F-SERIES SD

Page: 1 of 2

Order No: 0010 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 640A Cust/Flt Name: # 0073 PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
F36	F350 4X2 CHAS/C			JOB #3 BUILD		
	141" WHEELBASE			13000# GVWR PKG		
Z1	OXFORD WHITE CC			41H ENG BLK HEATER	NC	NC
T	40/20/40 VINYL			425 50 STATE EMISS	NC	NC
S	MEDIUM STONE			47Z AMB PKG NOT REQ		
640A	PREF EQUIP PKG			SPARE TIRE/WHL5		
	.XL TRIM			524 TILT WHEEL		
	.TELE TT MIR-MAN			525 CRUISE CONTROL		
55D	.DRIVER AIRBAG	NC	NC			
55P	.PASSNGER AIRBAG	NC	NC	TOTAL BASE AND OPTIONS		
587	.AM/FM STER/CLK	NC	NC	TOTAL		
99R	6.4L V8 DIESEL			*THIS IS NOT AN INVOICE*		
44B	5-SPEED AUTO					
TBM	LT245 BSW AT 17			* MORE ORDER INFO NEXT PAGE *		
X4N	4.10 LTD SLIP					
F1=Help				F8=Next		
	F2=Return to Order			F3/F12=Veh Ord Menu		

CNGP530

VEHICLE ORDER CONFIRMATION

12/08/07 13:32:53

==>

Dealer: F48022

2008 F-SERIES SD

Page: 2 of 2

Order No: 0010 Priority: B4 Ord FIN: QS040 Order Type: 5B Price Level: 830

Ord PEP: 640A Cust/Flt Name: # 0073 PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
572	AIR CONDITIONER					
61J	JACK	NC	NC			
652	AFT AXLE TANK	NC	NC			
	FRT GRILLE COVR	NC	NC			
949	HYDRO BOOST BRK	NC	NC			
	SP DLR ACCT ADJ		(1469.00)			
	SP FLT ACCT CR		(693.00)			
31	U.S. GAL GAS					
B4A	NET INV FLT OPT	NC				
	DEST AND DELIV					

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s). 3958-0073

MAKE OF TRUCK: FORD MODEL: F-350 GVWR 13000 lbs.

PAYLOAD: 6700 ✓ W.B. 141 ✓ C.A. 60 ✓ C.E. _____

ENGINE: (GAS DIESEL) ✓ MAKE: FORD *Maxistar* MODEL: 6.4L ✓ SAE H.P. 350 ✓

FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: 5spd Auto

SPRING CAP. @ GROUND EACH: FRONT 3800 ✓ lbs. REAR 9750 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 4850 ✓ lbs. REAR 9750 ✓ lbs. REAR RATIO _____

ALTERNATOR: 130 ✓ amps. BATTERY 750 ✓ cca.

TIRE SIZE: FRONT LT245 PR REAR LT245 PR SINGLE 10 DUAL _____ M&S _____ ✓

TIRE: MAKE unknown STYLE NO. ATS M+S AT ✓ MFG. CODE unknown ✓

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0077

August 2007

TRUCK: CAB AND CHASSIS
(Payload-5,500 lbs., min.)*

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>C31403</u>	<u>DODGE</u> <u>DC3L64</u>	<u>FORD</u> <u>F-350</u>
G.V.W.R. (11,000 lbs. min.)	11,400	12,500	13,000
Wheelbase (inches)	161.5	167.5	165.
C.A. (inches)	84.4	84	84
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	312	330	300
Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed.	6 speed		
Axle, Min. Cap.			
Front-lbs.	4,800	5,200	4,850
Rear-lbs.	9,200	9,350	9,750
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400		1,900
Rear-lbs. each including aux.	4,300		4,875

*SEE Mich. 3958-0078 or Mich. 3958-0079 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., extended reach, swing away type, 51 sq. in. minimum. Installed.
- Spare tire and wheel. Mfg. Std. mounting.
- Steering-Power
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS</u> (Payload-5,500 lbs., min.)* Mich. Spec. #3958-0077		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 F.O.B. - Dealership Delivery Cost Per Mile \$3.00	\$18,386.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagne@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s): 3958-0077
 MAKE OF TRUCK: FORD MODEL: F350 GVWR: 13000 lbs. ✓
 PAYLOAD: 5600 ✓ W.B. 165 ✓ C.A. 84 ✓ C.E. _____
 ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: S.42 ✓ SAE H.P. 300 ✓
 FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: 5spd Auto
 SPRING CAP. @ GROUND EACH: FRONT 3800 ✓ lbs. REAR 9750 ✓ lbs. AUX. _____ lbs.
 AXLES: FRONT 4850 ✓ lbs. REAR 9750 ✓ lbs. REAR RATIO _____
 ALTERNATOR: 115 ✓ amps. BATTERY 650 ✓ cca. ✓
 TIRE SIZE: FRONT L7245 PR REAR L7245 PR SINGLE 10 DUAL ✓ M&S ✓
 TIRE: MAKE unbranded STYLE NO. ATS, mTS, AT MFG. CODE unbranded
 HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
 BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____
 POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
 PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0083
August 2007

TRUCK: UTILITY 4-WHEEL DRIVE, 4-DOOR
(Payload-900 lbs., min.)

MODEL-2008 CURRENT

	JEEP LIBERTY KJH74	CHEVROLET/GMC TRAILBLAZER/ENVOY T15506	CHEVROLET EQUINOX	FORD EXPLORER	DODGE NITRO
G.V.W.R. (lbs.)	5,600	5,750	5,070	6,180	5600
Wheelbase (inches)	106.1	113.0	112.5	114	108.8
Engine: Gasoline	3.7L	4.2L	3.4L	4.0L OHV	3.7
Type & No. of Cylinders	V-6	V-6	V-6	V-6	V-6
Net H.P.-S.A.E.	210	285	185	210	210

Transmission: Automatic
w/2 speed transfer case, and maximum capacity transmission oil cooler.
Factory installed.

Tires, tubeless radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 500 CCA, minimum.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Defogger-rear window.
- Hubs-automatic locking type
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- swing away type, 24 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power
- Top-Full, hard top.
- Wiper, Rear, w/Washer
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: UTILITY 4-WHEEL DRIVE, 4-DOOR</u> (Payload-900 lbs., min.) Mich. Spec. #3958-0083	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Ford Model: Explorer <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$ 20,289.00*
Final Point of Assembly: Louisville, KY	
<u>Dealer Information</u>	
Dealer Name: Gorno Ford	
Street Address: 22025 Allen Road	
City: Woodhaven	State: MI
	Zip: 48183
Contact Name: Jim Agney	
Telephone: 734-671-4033	
Cell: 248-227-7445	
Fax: 734-676-7647	
E-mail: jagne@gornoford.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027
-------------------------------	-----------------------------------

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s). 3958 - 0082

MAKE OF TRUCK: FORD MODEL: Explorer GVWR 6600 lbs. *per exam*

PAYLOAD: 900 ✓ W.B. 114 ✓ C.A. _____ C.E. _____

ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 4.0L SAE H.P. 210 ✓

FUEL TANK(S) CAPACITY: 22 (GALS. TOTAL) TRANSMISSION: 5th Auto ✓

SPRING CAP. @ GROUND EACH: FRONT 2470 lbs. REAR 2200 lbs. AUX. _____ lbs.

AXLES: FRONT 3240 lbs. REAR 3600 lbs. REAR RATIO 3.55

ALTERNATOR: 130 ✓ amps. BATTERY 650 ✓ cca.

TIRE SIZE: FRONT P235 PR REAR P235 PR SINGLE _____ DUAL _____ M&S _____

TIRE: MAKE unknown STYLE NO. AS mts MFG. CODE unknown

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3905-0085
August 2007

TRUCK: UTILITY, 4-DOOR, 6-PASSENGER, FULL SIZE, 4 x 4
(Payload-1,480 lbs., min.)

MODEL-2008 CURRENT NEW

	JEEP GRAND CHERROKEE <u>COMMANDER</u>	DODGE DURANGO <u>HB5M74</u>	FORD <u>EXPEDITION</u>	CHEV/GMC <u>TAHOE/YUKON</u>
G.V.W.R. (lbs.)	5,900	6,650	7,000	7,300
Wheelbase (inches)	109.0	119.2	119	116
Engine: Gasoline	4.7L	4.7L	5.4L	5.3L
Type & No. of Cylinders	V-8	V-8	V-8	V-8
Net H.P.-S.A.E.	305	303	300	320
Transmission: Automatic				
Axle, Min. Cap.-lbs.				
Front	TBD	3,600	3,700	3,600
Rear	TBD	3,900	4,250	4,100
Springs, Cap. at Ground				
Front-lbs., ea.	TBD	1,800	1,750	1,800
Rear-lbs., ea.	TBD	1,950	2,125	2,050

Tires, Tubeless-P235/75R15 minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Axle, rear-limited slip. Ford: Not available
- Battery-12 Volt, 600 CCA min.
- Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- Brakes-Power.
- Bumper-Rear, Mfg. Std.
- Fuel capacity-largest available from mfg.
- Hubs-automatic locking type
- Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 54 sq. in. minimum, swing away type. Installed.
- Spare tire and wheel. Full size. Mfg. Std. mounting.
- Stabilizer bar-front.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: UTILITY, 4-DOOR, 6-PASSENGER, FULL SIZE, 4 x 4</u> (Payload-1,480 lbs., min.) Mich. Spec. #3958-0085	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Ford Model: Expedition F.O.B. - Dealership Delivery Cost Per Mile \$3.00	\$23,765.00*
Final Point of Assembly: Wayne, MI	
<u>Dealer Information</u>	
Dealer Name: Gorno Ford	
Street Address: 22025 Allen Road	
City: Woodhaven	State: MI
	Zip: 48183
Contact Name: Jim Agney	
Telephone: 734-671-4033	
Cell: 248-227-7445	
Fax: 734-676-7647	
E-mail: jagney@gornoford.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/06/07 20:43:08

==>

Dealer: F48022

2008 EXPEDITION

Page: 1 of 1

Order No: 0001 Priority: B2 Ord FIN: QS040 Order Type: 5B Price Level: 815
Ord Code: 910A Cust/Flt Name: 0085 PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
U16	4X4 XLT SSV	\$		SP DLR ACCT ADJ		\$(1339.00)
	.119" WHEELBASE			SP FLT ACCT CR		(385.00)
YZ	OXFORD WHITE			8 U.S. GAL GAS		
M	CLOTH 40/60 BEN	NC	NC	B4A NET INV FLT OPT	NC	1.00
L	STONE			DEST AND DELIV		
910A	ORDER CODE			TOTAL BASE AND OPTIONS		
	.SAFETY CANOPY			TOTAL		
	.AUX HTR/AC(RR)			*THIS IS NOT AN INVOICE*		
	.2ND ROW VINYL					
	.LUGG RACK W/RSR					
	.LTHR STRG WHEEL					
995	.5.4L-3V SOHC V8	NC	NC			
44C	.6-SPD AUTO O/D	NC	NC			
T5N	.P265/70R17 OWL	NC	NC			
	JOB #2 ORDER					

F1=Help

F2=Return to Order

F3/F12=Veh Ord Menu

F4=Submit

F5=Add to Library

S099 - PRESS F4 TO SUBMIT

QC02967

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 0711820027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s). 3905-0085
 MAKE OF TRUCK: FORD MODEL: Expedition GVWR 7000 lbs.
 PAYLOAD: 1500 W.B. 119 C.A. _____ C.E. _____
 ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 5.4L SAE H.P. 300
 FUEL TANK(S) CAPACITY: 28 (GALS. TOTAL) TRANSMISSION: 6 spd Auto
 SPRING CAP. @ GROUND EACH: FRONT 3500 lbs. REAR 4250 lbs. AUX. _____ lbs.
 AXLES: FRONT 3800 lbs. REAR 4250 lbs. REAR RATIO _____
 ALTERNATOR: 130 amps. BATTERY 650 cca.
 TIRE SIZE: FRONT P265 PR REAR P265 PR SINGLE _____ DUAL _____ M&S
 TIRE: MAKE unknown STYLE NO. ATS mts AT MFG. CODE unknown
 HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
 BODY: : MAKE _____ MODEL _____ INSTALLING CO. _____
 POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
 PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0086
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (8 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>K10953</u>	<u>DODGE</u> <u>DH6L42</u>	FORD F-150
G.V.W.R. (lbs.)	7,000	6,800	8,200
Wheelbase (inches)	157.5	160.5	163.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	5.3L	4.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	315	310	300
Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	3,950	3,900	5,300
Springs, Min. Cap. at Ground			
Front-lbs. each	1,875	1,925	2,025
Rear-lbs. each	1,875	1,950	2,400

Tires, Tubeless, Radial, to meet G.V.W.R. Tread Design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Hubs-automatic locking type or axle shaft disconnect system.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u>	
4 x 4 (8 Foot Box) (Payload-1,300 lbs., min.)	
Mich. Spec. #3958-0086	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Ford Model: F150 F.O.B. - Dealership Delivery Cost Per Mile \$3.00	\$20,386.00*
Final Point of Assembly: Dearborn, MI	
<u>Dealer Information</u>	
Dealer Name: Gorno Ford	
Street Address: 22025 Allen Road	
City: Woodhaven	State: MI
	Zip: 48183
Contact Name: Jim Agney	
Telephone: 734-671-4033	
Cell: 248-227-7445	
Fax: 734-676-7647	
E-mail: jagney@gornoford.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/06/07 20:38:08

==>

Dealer: F48022

2008 F-150

Page: 1 of 2

Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820

Ord PEP: 502A Cust/Flt Name: 0086

PO Number:

	RETAIL	DLR	INV		RETAIL	DLR	INV
X14	F150 4X4 SS S/C			52N	CRUISE CONTROL		
	163" WHEELBASE			59H	HEAVY DUTY BATT	NC	NC
YZ	OXFORD WHITE CC			627	HD PAYLOAD PKG		
A	VINYL 40/20/40	NC	NC		.8200# GVWR		
E	FLINT				.LT245 BSW A/T		
502A	PREF EQUIP PKG				.4.10 REG AXLE		
	.XL SERIES				.17" 7-LUG STEEL		
	.CARPET DELETE			655	35.7 GAL TANK		
	.MAN BLK MIRRS						
	.AM/FM STEREO						
995	5.4L EFI V8 ENG				TOTAL BASE AND OPTIONS		
44Q	ELEC 4-SPD AUTO	NC	NC		TOTAL		
	JOB #2 ORDER				*THIS IS NOT AN INVOICE*		
215	ELECT SHIFT				* MORE ORDER INFO NEXT PAGE *		
425	50 STATE EMISS	NC	NC		F8=Next		

F3/F12=Veh Ord Menu

CNGP530

VEHICLE ORDER CONFIRMATION

12/06/07 20:38:18

==>

Dealer: F48022

2008 F-150

Page: 2 of 2

Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820

Ord PEP: 502A Cust/Flt Name: 0086

PO Number:

	RETAIL	DLR	INV		RETAIL	DLR	INV
	SP DLR ACCT ADJ						
	SP FLT ACCT CR						
5	U.S. GAL GAS						
B4A	NET INV FLT OPT	NC	1.00				
	DEST AND DELIV						

TOTAL BASE AND OPTIONS

TOTAL

THIS IS NOT AN INVOICE

F1=Help

F2=Return to Order

F7=Prev

F4=Submit

F5=Add to Library

F3/F12=Veh Ord Menu

3099 - PRESS F4 TO SUBMIT

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07 118200027	
-------------------------------	------------------------------------	--

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-0086

MAKE OF TRUCK: FORD MODEL: F150 GVWR 8200 lbs.

PAYLOAD: 1500 ✓ W.B. 163 ✓ C.A. --- C.E. ---

ENGINE: (GAS - DIESEL) gas ✓ MAKE: FORD MODEL: 5.4L ✓ SAE H.P. 300 ✓

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: 4 spd Auto ✓

SPRING CAP. @ GROUND EACH: FRONT 4050 ✓ lbs. REAR 4800 ✓ lbs. AUX. --- lbs.

AXLES: FRONT 4400 ✓ lbs. REAR 5300 ✓ lbs. REAR RATIO ---

ALTERNATOR: 110 ✓ amps. BATTERY 540 ✓ cca.

TIRE SIZE: FRONT L7245 PR REAR L7245 PR SINGLE 8 ✓ DUAL --- M&S ---

TIRE: MAKE unknow STYLE NO. A/S mts #1 ✓ MFG. CODE unknow

HOIST: MAKE --- MODEL --- INSTALLING CO. ---

BODY: : MAKE --- MODEL --- INSTALLING CO. ---

POWER LIFT GATE: MAKE --- MODEL --- CAPACITY --- lbs.

PLATFORM SIZE: ---

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0086A
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (8 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K10953</u>	DODGE <u>DR6L62</u>	FORD <u>F-150 (Avail '09)</u>
G.V.W.R. (lbs.)	7,000	6,800	8,200
Wheelbase (inches)	157.5	160.5	163.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Alternative Fuel/Flex Fuel	5.3L	4.7L	5.4L
Type & No. of Cylinders	V-8	V-8	
Net H.P.-S.A.E.	315	310	300
Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	3,950	3,900	5,300
Springs, Min. Cap. at Ground			
Front-lbs. each	1,875	1,925	2,025
Rear-lbs. each	1,875	1,950	2,400

Tires, Tubeless, Radial, to meet G.V.W.R. Tread Design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power.
- Bumper- Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT) or axle shaft disconnect system
- Keys -(1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seat, Rear-front facing bench.
- Skid Plate(s)
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (8 Foot Box) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0086A		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F150 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$20,299.00* Not available until MY'09	
Final Point of Assembly: Dearborn, MI or Kansas City, MO		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/06/07 20:34:34

==>

Dealer: F48022

2008 F-150

Page: 1 of 1

Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820

Ord PEP: 502A Cust/Flt Name: 0086A

PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
X14	F150 4X4 SS S/C			59H	HEAVY DUTY BATT	NC
	163" WHEELBASE			627	HD PAYLOAD PKG	NC
YZ	OXFORD WHITE CC				.8200# GVWR	
A	VINYL 40/20/40	NC	NC		.LT245 BSW A/T	
E	FLINT				.4.10 REG AXLE	
502A	PREF EQUIP PKG				.17" 7-LUG STEEL	
	.XL SERIES			655	35.7 GAL TANK)0
	.CARPET DELETE				SP DLR ACCT ADJ	(1195.00)
	MAN BLK MIRRS				SP FLT ACCT CR	(310.00)
	.AM/FM STEREO			5	U.S. GAL GAS	
995	5.4L EFI V8 ENG			B4A	NET INV FLT OPT	NC 7 00
44Q	ELEC 4-SPD AUTO	NC	NC		DEST AND DELIV	
	JOB #2 ORDER				TOTAL BASE AND OPTIONS :	
425	50 STATE EMISS	NC	NC		TOTAL	50
52N	CRUISE CONTROL					

THIS IS NOT AN INVOICE

F1=Help

F2=Return to Order

F3/F12=Veh Ord Menu

F4=Submit

F5=Add to Library

S099 - PRESS F4 TO SUBMIT

QC02967

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

FFV not avail

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-00864

MAKE OF TRUCK: FORD MODEL: F150 GVWR 2000 lbs. *per*

PAYLOAD: 1400 ✓ W.B. 163 ✓ C.A. — C.E. — *email*

ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 5.4L ✓ SAE H.P. 300 ✓

FUEL TANK(S) CAPACITY: 37 (GALS. TOTAL) TRANSMISSION: 4 spd Auto ✓

SPRING CAP. @ GROUND EACH: FRONT 4050 ✓ lbs. REAR 4800 ✓ lbs. AUX. — lbs.

AXLES: FRONT 4400 ✓ lbs. REAR 5300 ✓ lbs. REAR RATIO —

ALTERNATOR: 110 ✓ amps. BATTERY 540 ✓ cca.

TIRE SIZE: FRONT T245 PR REAR T245 PR SINGLE 8 / DUAL — M&S ✓

TIRE: MAKE unknown STYLE NO. ATS, mts, AT ✓ MFG. CODE unknown

HOIST: MAKE — MODEL — INSTALLING CO. —

BODY: : MAKE — MODEL — INSTALLING CO. —

POWER LIFT GATE: MAKE — MODEL — CAPACITY — lbs.

PLATFORM SIZE: —

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0087
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (6 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K10553</u>	DODGE <u>DH6L41</u>	FORD <u>F-150</u>
G.V.W.R. (lbs.)	6,800	6,700	6,950
Wheelbase (inches)	134.0	140.5	145.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	4.8L	4.7L	4.6L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	295	310	248
Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,000	3,900	4,400
Rear	3,950	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,875	1,932	1,800
Rear-lbs. each	1,875	1,950	1,900

Tires, Tubeless, Radial, to meet G.V.W.R. Tread Design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power.
- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Hubs-automatic locking type or axle shaft disconnect system.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (6 Foot Box) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0087	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Ford Model: F150 F.O.B. - Dealership Delivery Cost Per Mile \$3.00	\$18,498.00*
Final Point of Assembly: Dearborn, MI	
<u>Dealer Information</u>	
Dealer Name: Gorno Ford	
Street Address: 22025 Allen Road	
City: Woodhaven	State: MI
	Zip: 48183
Contact Name: Jim Agney	
Telephone: 734-671-4033	
Cell: 248-227-7445	
Fax: 734-676-7647	
E-mail: jagney@gornoford.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/06/07 20:25:30

==>

Dealer: F48022

2008 F-150

Page: 1 of 1

Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820

Ord PEP: 502A Cust/Flt Name: 0087 PO Number:

		RETAIL	DLR INV			RETAIL	DLR INV
X14	F150 4X4 SS S/C :				6950# GVWR		
	145" WHEELBASE				JOB #2 ORDER		
YZ	OXFORD WHITE CC			215	ELECT SHIFT		
A	VINYL 40/20/40	NC	NC	52N	CRUISE CONTROL		
E	FLINT				SP DLR ACCT ADJ		
502A	PREF EQUIP PKG				SP FLT ACCT CR		
	.XL SERIES			5	U.S. GAL GAS		
	.CARPET DELETE			B4A	NET INV FLT OPT	NC	7.00
	.MAN BLK MIRRS				DEST AND DELIV		
	.AM/FM STEREO				TOTAL BASE AND OPTIONS		
64C	.17" GREY STEEL				TOTAL		
99W	4.6L EFI V8 ENG				*THIS IS NOT AN INVOICE*		
44Q	ELEC 4-SPD AUTO	NC	NC				
T7B	.P235 BSW A-T						
X19	3.55 REG AXLE	NC	NC				

F1=Help

F2=Return to Order

F3/F12=Veh Ord Menu

F4=Submit

F5=Add to Library

S099 - PRESS F4 TO SUBMIT

QC02967

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958 20087

MAKE OF TRUCK: FORD MODEL: F150 GVWR 6950 lbs.

PAYLOAD: 1300 W.B. 145 C.A. - C.E. -

ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 4.6L SAE H.P. 249

FUEL TANK(S) CAPACITY: 27 (GALS. TOTAL) TRANSMISSION: 4 spd Auto

SPRING CAP. @ GROUND EACH: FRONT 3600 lbs. REAR 3800 lbs. AUX. - lbs.

AXLES: FRONT 4400 lbs. REAR 3800 lbs. REAR RATIO 3.55

ALTERNATOR: 110 amps. BATTERY 540 cca.

TIRE SIZE: FRONT P235 PR REAR P235 PR SINGLE - DUAL - M&S -

TIRE: MAKE unknown STYLE NO. AS, MTS, AT MFG. CODE unknown

HOIST: MAKE - MODEL - INSTALLING CO. -

BODY: MAKE - MODEL - INSTALLING CO. -

POWER LIFT GATE: MAKE - MODEL - CAPACITY - lbs.

PLATFORM SIZE: -

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0087A
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (6 Foot Box) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K10553</u>	DODGE <u>DH6L41</u>	FORD F-150
G.V.W.R. (lbs.)	6,800	6,700	7,200
Wheelbase (inches)	134.0	140.5	145
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Alternative Fuel/Flex Fuel	5.3L	4.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	315	310	300
Transmission: Automatic with 2 speed Transfer Case, and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	4,000	3,900	3,800
Springs, Min. Cap. at Ground			
Front-lbs. each	1,875	1,932	1,800
Rear-lbs. each	1,875	1,950	1,925

Tires, Tubeless, Radial, to meet G.V.W.R. Tread Design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power.
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT) or axle shaft disconnect system.
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery
- Seat, Rear-front facing bench.
- Skid Plate(s)
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (6 Foot Box) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0087A		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F150 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$19,096.00*	
Final Point of Assembly: Dearborn, MI		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/06/07 20:22:22

==>

Dealer: F48022

2006 F-150

Page: 1 of 1

Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820
 Ord PEP: 502A Cust/Flt Name: 0087A, PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
X14	F150 4X4 SS S/C			7200# GVWR		
	145" WHEELBASE			JOB #2 ORDER		
YZ	OXFORD WHITE CC					
A	VINYL 40/20/40	NC	NC			
E	FLINT			52N CRUISE CONTROL		
502A	PREF EQUIP PKG			SP DLR ACCT ADJ		(1157.00)
	.XL SERIES			SP FLT ACCT CR		(310.00)
	.CARPET DELETE			5 U.S. GAL GAS		
	.MAN BLK MIRRS			B4A NET INV FLT OPT	NC	7.00
	.AM/FM STEREO			DEST AND DELIV		
64C	.17" GREY STEEL			TOTAL BASE AND OPTIONS :		
99V	5.4L FFV V8 ENG			TOTAL		
44Q	ELEC 4-SPD AUTO	NC	NC	*THIS IS NOT AN INVOICE*		
T7B	.F235 BSW A-T					
X19	3.55 REG AXLE	NC	NC			

F1=Help

F2=Return to Order

F3/F12=Veh Ord Menu

F4=Submit

F5=Add to Library

S099 - PRESS F4 TO SUBMIT

QC02967

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-0087A
 MAKE OF TRUCK: FORD MODEL: F150 GVWR 7200 lbs.
 PAYLOAD: 1300 ✓ W.B. 45V ✓ C.A. _____ C.E. _____
 ENGINE: (GAS - DIESEL) gas ✓ MAKE: FORD MODEL: 5.4L ✓ SAE H.P. 300 ✓
 FUEL TANK(S) CAPACITY: 27 (GALS. TOTAL) TRANSMISSION: 4 spd Auto ✓
 SPRING CAP. @ GROUND EACH: FRONT 3600 lbs. REAR 3850 lbs. AUX. _____ lbs.
 AXLES: FRONT 4400 lbs. REAR 3800 lbs. REAR RATIO _____
 ALTERNATOR: 110 ✓ amps. BATTERY 540 ✓ cca.
 TIRE SIZE: FRONT P235 PR REAR P235 PR SINGLE _____ DUAL _____ M&S _____
 TIRE: MAKE unknown STYLE NO. A/S mts AT ✓ MFG. CODE unknown
 HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
 BODY: MAKE _____ MODEL _____ INSTALLING CO. _____
 POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
 PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0088
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (8 Foot Box) (Payload-2,500 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>K20953</u>	<u>DODGE</u> <u>DH7L42</u>	FORD <u>F-250</u>
G.V.W.R. 8,600 (lbs.), minimum	9,200	8,800	9,400
Wheelbase (inches)	157.5	160.5	158
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	345	300
Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,900	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,200
Rear-lbs. each	3,042	3,000	3,050

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Speed Control, Factory Installed
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats, Cloth
- Seat, Rear-front facing bench
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (8 Foot Box) (Payload-2,500 lbs., min.) Mich. Spec. #3958-0088	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Ford Model: F250 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$21,060.00*
Final Point of Assembly: Louisville, KY	
<u>Dealer Information</u>	
Dealer Name: Gorno Ford	
Street Address: 22025 Allen Road	
City: Woodhaven	State: MI
	Zip: 48183
Contact Name: Jim Agney	
Telephone: 734-671-4033	
Cell: 248-227-7445	
Fax: 734-676-7647	
E-mail: jagney@gornoford.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-0088 ✓
 MAKE OF TRUCK: FORD MODEL: F250 GVWR 9400 lbs.
 PAYLOAD: 2500 ✓ W.B. 158 ✓ C.A. 56 C.E. _____
 ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 5.4L SAE H.P. 300 ✓
 FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: 5 speed Auto ✓
 SPRING CAP. @ GROUND EACH: FRONT 4400 lbs. REAR 6100 lbs. AUX. _____ lbs.
 AXLES: FRONT 6000 ✓ lbs. REAR 6200 ✓ lbs. REAR RATIO _____
 ALTERNATOR: 115 ✓ amps. BATTERY 650 ✓ cca.
 TIRE SIZE: FRONT LT245 PR REAR LT245 PR SINGLE 10 DUAL _____ M&S ✓
 TIRE: MAKE unknown STYLE NO. ATS mts AT MFG. CODE unknown
 HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
 BODY: MAKE _____ MODEL _____ INSTALLING CO. _____
 POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
 PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0088D
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (8 Foot Box) (Payload-2,500 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>K20953</u>	<u>DODGE</u> <u>DH7L42</u>	FORD F-250
G.V.W.R. 8,600 (lbs.), minimum	9,200	9,000	10,000
Wheelbase (inches)	157.5	160.5	158
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Diesel	6.6L	6.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	350	350
Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,900	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,200
Rear-lbs. each	3,042	3,000	3,050

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Speed Control, Factory Installed
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats, Cloth
- Seat, Rear-front facing bench
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (8 Foot Box) (Payload-2,500 lbs., min.) Mich. Spec. #3958-0088D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F250 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$ 26,649.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-0088D

MAKE OF TRUCK: FORD MODEL: F250 GVWR 10,000 lbs. ✓

PAYLOAD: 2500 ✓ W.B. 158 ✓ C.A. 56 C.E. _____

ENGINE: (GAS -DIESEL) MAKE: FORD ^{Auxiliary} MODEL: 6.4L SAE H.P. 350 ✓

FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: 5spd Auto ✓

SPRING CAP. @ GROUND EACH: FRONT 4400 ✓ lbs. REAR 6100 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 6000 ✓ lbs. REAR 6200 ✓ lbs. REAR RATIO _____

ALTERNATOR: 130 ✓ amps. BATTERY 750 ✓ cca.

TIRE SIZE: FRONT LT235 PR REAR LT235 PR SINGLE 10 DUAL _____ M&S ✓

TIRE: MAKE unknown STYLE NO. ATS, mts ^{AT} MFG. CODE unknown

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0089
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (6 Foot Box) (Payload-2,500 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K20753</u>	DODGE <u>DH7L41</u>	FORD F250
G.V.W.R. 8,600 (lbs.), minimum	9,200	8,800	9,200
Wheelbase (inches)	143.5	140.5	142
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	345	300
Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,084	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,200
Rear-lbs. each	3,042	3,000	3,050

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN
MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Speed Control, Factory Installed,
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats, Cloth
- Seat, Rear-front facing bench.
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (6 Foot Box) (Payload-2,500 lbs., min.) Mich. Spec. #3958-0089		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F250 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$20,899.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-0089

MAKE OF TRUCK: FORD MODEL: F250 GVWR 9200 lbs.

PAYLOAD: 2500 W.B. 142 C.A. _____ C.E. _____

ENGINE: (GAS DIESEL) gas MAKE: FORD MODEL: 5.4L SAE H.P. 300

FUEL TANK(S) CAPACITY: 30 (GALS. TOTAL) TRANSMISSION: 5spd Auto

SPRING CAP. @ GROUND EACH: FRONT 4400 lbs. REAR 6100 lbs. AUX. _____ lbs.

AXLES: FRONT 6000 lbs. REAR 6200 lbs. REAR RATIO 3.73

ALTERNATOR: 115 amps. BATTERY 650 cca.

TIRE SIZE: FRONT L245 PR REAR L245 PR SINGLE 10 DUAL _____ M&S

TIRE: MAKE unknown STYLE NO. A/S mts +HT MFG. CODE unknown

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0089D
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB
4 x 4 (6 Foot Box) (Payload-2,500 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>K20753</u>	<u>DODGE</u> <u>DH7L41</u>	FORD F250
G.V.W.R. 8,600 (lbs.), minimum	9,200	9,000	9,800
Wheelbase (inches)	143.5	140.5	142.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Diesel	6.6L	6.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	350	350
Transmission: Automatic with 2 speed Transfer Case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,084	6,000	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	2,600	2,200
Rear-lbs. each	3,042	3,000	3,050

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, minimum.
- Brakes-Power
- Bumper- Mfg. Std.
- Doors-Rear, Dual
- Fuel capacity-largest available from mfg.
- Mirrors, Rear View, Inside. Outside, R.H. and L.H. below eye level,
- 40 square inch minimum, installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Speed Control, Factory Installed,
- Steering-Power
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Seats, Cloth
- Seat, Rear-front facing bench.
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB</u> 4 x 4 (6 Foot Box) (Payload-2,500 lbs., min.) Mich. Spec. #3958-0089D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F250 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$26,469.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958 - 0089D
MAKE OF TRUCK: FORD MODEL: F250 GVWR 9800 lbs. ✓
PAYLOAD: 2500 ✓ W.B. 142 ✓ C.A. — C.E. —
ENGINE: (GAS - DIESEL) (DIESEL) MAKE: FORD ^{newer} MODEL: 6.4L SAE H.P. 350
FUEL TANK(S) CAPACITY: 30 (GALS. TOTAL) TRANSMISSION: Spd Auto
SPRING CAP. @ GROUND EACH: FRONT 4400 ✓ lbs. REAR 6100 ✓ lbs. AUX. — lbs.
AXLES: FRONT 6000 ✓ lbs. REAR 6200 ✓ lbs. REAR RATIO —
ALTERNATOR: 130 ✓ amps. BATTERY 750 ✓ cca.
TIRE SIZE: FRONT LT245 PR REAR LT245 PR SINGLE 10 DUAL — M&S ✓
TIRE: MAKE unknown STYLE NO. A/S M+S, AT MFG. CODE unknown
HOIST: MAKE — MODEL — INSTALLING CO. —
BODY: MAKE — MODEL — INSTALLING CO. —
POWER LIFT GATE: MAKE — MODEL — CAPACITY — lbs.
PLATFORM SIZE: —

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0091A
August 2007

TRUCK: PICK-UP BODY
(8 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>K10903</u>	<u>DODGE</u> <u>DR6L62</u>	FORD F-150
G.V.W.R. (lbs.)	6,800	6,600	6,950
Wheelbase (inches)	133	140.5	145.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Alt Fuel/Flex Fuel	5.3L	4.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	315	310	300

Transmission: Automatic.
with 2-speed transfer case and maximum capacity transmission oil cooler.
Factory installed.

Axle, Min. Cap.-lbs.			
Front	3,950	3,900	4,400
Rear	4,000	3,900	4,200
Springs, Min. Cap. at Ground			
Front-lbs. each	1,975	1,930	1,725
Rear-lbs. each	2,000	1,950	1,925

Tires, tubeless, radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 540 CCA, minimum.
- Brakes-Power
- Bumper-Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, swing away type, 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-Automatic locking type on front (MDOT) or axle shaft disconnect system.
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s)
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY</u> (8 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0091A		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F150 F.O.B. - Dealership Delivery Cost Per Mile \$3.00	\$17,231.00*	
Final Point of Assembly: St. Louis, MO		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530

VEHICLE ORDER CONFIRMATION

12/03/07 20:01:54

==>

Dealer: F48022

2008 F-150

Page: 1 of 1

Order No: 0010 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 620

Ord PEP: 502A Cust/Flt Name: # 0091A, PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
F14	F150 4X4 SS R/C			6950#	GVWR	
	145" WHEELBASE			JOB #2	ORDER	
YZ	OXFORD WHITE CC					
A	VINYL 40/20/40	NC	NC		S	
W	TAN			52N	CRUISE CONTROL	
502A	PREF EQUIP PKG			572	AIR CONDITION	
	.XL SERIES			655	35.7 GAL TANK	
	.CARPET DELETE				SP DLR ACCT ADJ	(1098.00)
	MAN BLK MIRRS				SP FLT ACCT CR	(310.00)
	.AM/FM STEREO			5	U.S. GAL GAS	15.50
64C	.17" GREY STEEL			B4A	NET INV FLT OPT	NC 7.00
99V	5.4L FFV V8 ENG				DEST AND DELIV	925 925.00
44Q	ELEC 4-SPD AUTO	NC	NC	TOTAL	BASE AND OPTIONS	26800 23409.50
T7B	P235 BSW A-T			TOTAL		26800 23409.50
X19	3.55 REG AXLE	NC	NC	*THIS IS NOT AN INVOICE*		
F1=	Help	F2=	Return to Order	F3/F12=	Veh Ord Menu	
F4=	Submit	F5=	Add to Library			
S099 - PRESS F4 TO SUBMIT						QC02967

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	--

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s). 3958 - 0091A

MAKE OF TRUCK: FORD MODEL: F150 GVWR 6950 lbs. ✓

PAYLOAD: 1300 ✓ W.B. 145 ✓ C.A. - C.E. -

ENGINE: (GAS) FFV DIESEL FFV MAKE: FORD MODEL: 5.4L SAE H.P. 300 ✓

FUEL TANK(S) CAPACITY: 35 (GALS. TOTAL) TRANSMISSION: 4th d Auto

SPRING CAP. @ GROUND EACH FRONT 3450 lbs. REAR 3850 lbs. AUX. lbs.

AXLES: FRONT 4400 lbs. REAR 4000 lbs. REAR RATIO 3-55

ALTERNATOR: 110 amps. BATTERY 540 ✓ cca.

TIRE SIZE: FRONT P235 PR REAR P285 PR SINGLE DUAL M&S M/S

TIRE: MAKE unknown STYLE NO. AS m+s ATV MFG. CODE unknown

HOIST: MAKE MODEL INSTALLING CO.

BODY: : MAKE MODEL INSTALLING CO.

POWER LIFT GATE: MAKE MODEL CAPACITY lbs.

PLATFORM SIZE:

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0092
August 2007

TRUCK: PICK-UP BODY
WITH 8 FT. Box (4 x 4) (Payload 2,800 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K20903</u>	DODGE BR2500 <u>DH7L62</u>	FORD F-250SD
G.V.W.R. 8,600 (lbs.), minimum	9,200	8,650	9,000
Wheelbase (inches)	133.0	140.5	137
Type & Size of Body:	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline	6.0L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	345	300
Transmission: Automatic with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,900	6,010	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,250	2,600	2,000
Rear-lbs. each	3,042	3,100	2,946

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, min.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- swing away type, 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-Automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY</u> WITH 8 FT. Box (4 x 4) (Payload 2,800 lbs., min.) Mich. Spec. #3958-0092	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Ford Model: F250 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$19,079.00*
Final Point of Assembly: Louisville, KY	
<u>Dealer Information</u>	
Dealer Name: Gorno Ford	
Street Address: 22025 Allen Road	
City: Woodhaven	State: MI
	Zip: 48183
Contact Name: Jim Agney	
Telephone: 734-671-4033	
Cell: 248-227-7445	
Fax: 734-676-7647	
E-mail: jagney@gornoford.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CN6P530

VEHICLE ORDER CONFIRMATION

12/03/07 19:49:36

==>

Dealer: F48022

2008 F-SERIES SD

Page: 1 of 2

Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820

Ord PEP: 600A Cust/Flt Name: # 0092 , PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
F21	F250 4X4 SD R/C			X41		
	137" WHEELBASE			4-10 REG AXLE	NC	NC
Z1	OXFORD WHITE CC			JOB #2 BUILD		
T	40/20/40 VINYL			9000# GVWR PKG		
S	MEDIUM STONE				NC	NC
600A	PREF EQUIP PKG					
	.XL TRIM			SPARE FIRE/WHL5	NC	NC
47Z	.AMB PKG NOT REQ			524 TILT WHEEL		
531	.TRAILER TOW PKG	NC	NC			
55D	.DRIVER AIRBAG	NC	NC	TOTAL BASE AND OPTIONS		
55P	.PASSNGR AIRBAG	NC	NC	TOTAL		
587	.AM/FM STER/CLK	NC	NC	*THIS IS NOT AN INVOICE*		
995	.5.4L EFI V8 ENG	NC	NC			
44T	5-SPD AUTOMATIC			* MORE ORDER INFO NEXT PAGE *		
TBM	LT245 BSW AT 17			F8=Next		
F1=Help				F2=Return to Order		
				F3/F12=Veh Ord Menu		

CN6P530

VEHICLE ORDER CONFIRMATION

12/03/07 19:49:50

==>

Dealer: F48022

2008 F-SERIES SD

Page: 2 of 2

Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820

Ord PEP: 600A Cust/Flt Name: # 0092 , MDOT PO Number:

		RETAIL	DLR INV		RETAIL	DLR INV
525	CRUISE CONTROL		0			
54P	MANUAL MIRRORS	NC	NC			
572	AIR CONDITIONER					
	JACK					
	SP DLR ACCT ADJ					
	SP FLT ACCT CR					
13	U.S. GAL GAS					
B4A	NET INV FLT OPT	NC				
	DEST AND DELIV		0			

TOTAL BASE AND OPTIONS

TOTAL

THIS IS NOT AN INVOICE

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-0092 ✓
MAKE OF TRUCK: FORD MODEL: F250 GVWR 9000 lbs. ✓
PAYLOAD: 2800 ✓ W.B. 137 ✓ C.A. 56 C.E. _____
ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: 5.4L SAE H.P. 300 ✓
FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: 5sp Auto ✓
SPRING CAP. @ GROUND EACH: FRONT 4000 lbs. REAR 5892 lbs. AUX. _____ lbs.
AXLES: FRONT 6000 ✓ lbs. REAR 6200 ✓ lbs. REAR RATIO 3.73 ✓
ALTERNATOR: 115 ✓ amps. BATTERY 650 cca. ✓
TIRE SIZE: FRONT 6T245 PR REAR 6T245 PR SINGLE 10 DUAL _____ M&S MS, AT ✓
TIRE: MAKE unbranded STYLE NO. MS, AT MFG. CODE unbranded ✓
HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____
BODY: MAKE _____ MODEL _____ INSTALLING CO. _____
POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.
PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0092D
August 2007

TRUCK: PICK-UP BODY
8 FT. Box (4 x 4) (Payload 2,800 lbs., min.)

MODEL-2008 CURRENT NEW

	<u>CHEV/GMC</u> <u>K20903</u>	<u>DODGE</u> <u>BR2500</u> <u>DH7L62</u>	<u>FORD</u> <u>F-250SD</u>
G.V.W.R. 8,600 (lbs.), minimum	9,200	9,000	9,600
Wheelbase (inches)	133.0	140.5	137
Type & Size of Body:	Fleetside/ Wideside	Sweptline	Styleside
Engine: Diesel	6.0L	6.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	350	350
Transmission: Automatic with 2-speed transfer case and maximum capacity transmission oil cooler. Factory installed.			
Axle, Min. Cap.-lbs.			
Front	4,800	5,200	6,000
Rear	6,900	6,010	6,200
Springs, Min. Cap. at Ground			
Front-lbs. each	2,250	2,600	2,000
Rear-lbs. each	3,042	3,100	2,946

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery-12 Volt, 600 CCA, min.
- Brakes-Power.
- Bumper- Mfg. Std.
- Fuel capacity-largest available from mfg.
- Gauges-Temperature and ammeter or voltmeter.
- Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- swing away type, 40 square inch minimum, Installed.
- Spare tire and wheel. Full Size. Mfg. Std. mounting.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- Hubs-Automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s)
- Trailer Hitch, Class III receiver type
- Towing Package, Heaviest Duty Available from Manufacturer
- Tow hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: PICK-UP BODY</u>		
8 FT. Box (4 x 4) (Payload 2,800 lbs., min.)		
Mich. Spec. #3958-0092D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F250 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$24,673.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s) 3958-60920

MAKE OF TRUCK: FORD MODEL: F250 GVWR 9600 lbs.

PAYLOAD: 2800 W.B. 137 C.A. 56 C.E. _____

ENGINE: (GAS DIESEL) MAKE: FORD Navistar MODEL: 6.4L SAE H.P. 350

FUEL TANK(S) CAPACITY: 38 (GALS. TOTAL) TRANSMISSION: 5spd Auto

SPRING CAP. @ GROUND EACH: FRONT 4000 lbs. REAR 5892 lbs. AUX. _____ lbs.

AXLES: FRONT 6000 lbs. REAR 6200 lbs. REAR RATIO 3.73

ALTERNATOR: 130 amps. BATTERY 750 cca.

TIRE SIZE: FRONT L7245 PR REAR L7245 PR SINGLE 10 DUAL _____ M&S A/S

TIRE: MAKE Unknown STYLE NO. A-5 m + s + AT MFG. CODE Unknown

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0093
August 2007

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)
(4 x 4)

MODEL-2008 CURRENT NEW

	DODGE BR3500 <u>DC8L63</u>	CHEV/GMC <u>K31003</u>	FORD F-350SD DRW
Wheelbase (inches)	143.5	137	141.0
Engine: Gasoline	5.7L	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	330	312	300

Transmission: Automatic:
with 2-speed transfer case and maximum capacity transmission oil cooler.
Factory installed.

Axle, Min. Cap.-lbs.			
Front	5,200	4,800	6,000
Rear	9,350	9,200	9,750

Springs, Min. Cap. at Ground			
Front-lbs., each	TBD	2,400	1,975
Rear-lbs., each	TBD	4,300	4,500

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals. Tread design for all tires shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery 12 Volt; 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Outside, R.H. and L.H., below eye level, extended reach, swing away type, 51 square inch minimum, Installed.
- Spare wheel.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Hubs-Automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s).
- Seats-split bench front
- Tow Hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)</u>		
(4 x 4)		
Mich. Spec. #3958-0093		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$3.00	\$19,998.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: GORNO FORD ITEM NO(s). ~~3958~~ 3958-0093

MAKE OF TRUCK: FORD MODEL: F350 GVWR 13000 lbs. ✓

PAYLOAD: 6300 W.B. 141 ✓ C.A. 60 C.E. _____

ENGINE: (GAS - DIESEL) gas MAKE: FORD MODEL: S4C ✓ SAE H.P. 300 ✓

FUEL TANK(S) CAPACITY: 40 (GALS. TOTAL) TRANSMISSION: 5th Auto

SPRING CAP. @ GROUND EACH: FRONT 3950 ✓ lbs. REAR 9000 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 6000 ✓ lbs. REAR 9750 ✓ lbs. REAR RATIO 3.73

ALTERNATOR: 115 ✓ amps. BATTERY 650 ✓ cca. ✓

TIRE SIZE: FRONT H245 PR REAR H245 PR SINGLE 10J ✓ DUAL _____ M&S H/S ✓

TIRE: MAKE unknown STYLE NO. H/S mts, AT MFG. CODE unknown

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Mich. Spec. # 3958-0093D
August 2007

TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)
(4 x 4)

MODEL-2008 CURRENT NEW

	DODGE BR3500 <u>DC8L63</u>	CHEV/GMC <u>K31003</u>	FORD F-350SD DRW
Wheelbase (inches)	143.5	137	141.0
Engine: Diesel	6.7L	6.6L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	305	365	325

Transmission: Automatic:
with 2-speed transfer case and maximum capacity transmission oil cooler.
Factory installed.

Axle, Min. Cap.-lbs.			
Front	5,200	4,800	6,000
Rear	9,350	9,200	9,750

Springs, Min. Cap. at Ground			
Front-lbs., each	TBD	2,400	1,975
Rear-lbs., each	TBD	4,300	4,500

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals. Tread design for all tires shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- 12 Volt auxiliary outlet
- Air Conditioning - All trucks
- Anti-freeze protection, to -30°F.
- Arm Rest-Driver's side.
- Color-Manufacturers Standard to be selected.
- Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- Dome Light.
- Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- Pre-delivery inspection and servicing.
- Radio - AM/FM Manufacturers Standard, Factory Installed
- Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- Seats-Split Bench type, unless otherwise specified
- Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- Speed Control, Factory Installed
- Steering-Power, Tilt Wheel
- Sun visors-dual.
- Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- Alternator-80 amp., min.
- Battery 12 Volt; 600 CCA, minimum.
- Brakes-Power.
- Fuel capacity-largest available from mfg.
- Mirrors-Outside, R.H. and L.H., below eye level, extended reach, swing away type, 51 square inch minimum, Installed.
- Spare wheel.
- Steering-Power.
- Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- Hubs-Automatic locking type on front (MDOT)
- Keys – (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- Skid Plate(s).
- Seats-split bench front
- Tow Hooks-front, frame mounted.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS DUAL REAR WHEELS (G.V.W.R. 10,000 lbs., min.)</u>		
(4 x 4)		
Mich. Spec. #3958-0093D		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: Ford Model: F350 F.O.B. - Dealership Delivery Cost Per Mile \$3.00	\$25,631.00*	
Final Point of Assembly: Louisville, KY		
<u>Dealer Information</u>		
Dealer Name: Gorno Ford		
Street Address: 22025 Allen Road		
City: Woodhaven	State: MI	Zip: 48183
Contact Name: Jim Agney		
Telephone: 734-671-4033		
Cell: 248-227-7445		
Fax: 734-676-7647		
E-mail: jagney@gornoford.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

CNGP530 VEHICLE ORDER CONFIRMATION 12/03/07 19:37:20
 ==> 3958-0093D Dealer: F48022
 2008 F-SERIES SD *midcal* Page: 1 of 2
 Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820
 Ord PEP: 640A Cust/Flt Name: # 0093D, PO Number:
 RETAIL DLR INV RETAIL DLR INV

F37	F350 4X4 CHAS/C			JOB #2 BUILD		
	141" WHEELBASE			13000# GVWR PKG		
Z1	OXFORD WHITE CC					
T	40/20/40 VINYL		41H	ENG BLK HEATER	NC	NC
S	MEDIUM STONE		425	50 STATE EMISS	NC	NC
640A	PREF EQUIP PKG		47Z	AMB PKG NOT REQ		
	.XL TRIM		524	TILT WHEEL		0
	.TELE TT MIR-MAN		525	CRUISE CONTROL		0
55D	.DRIVER AIRBAG	NC	NC			
55P	.PASSNGR AIRBAG	NC	NC	TOTAL BASE AND OPTIONS		
587	.AM/FM STER/CLK	NC	NC	TOTAL		
99R	6.4L V8 DIESEL			*THIS IS NOT AN INVOICE*		
44B	5-SPEED AUTO					
TBM	LT245 BSW AT 17			MORE ORDER INFO NEXT PAGE *		
X37	3.73 REG AXLE	NC	NC	F8=Next		
F1=Help		F2=Return to Order		F3/F12=Veh Ord Menu		

CNGP530 VEHICLE ORDER CONFIRMATION 12/03/07 19:37:33
 ==> 3958-0093D Dealer: F48022
 2008 F-SERIES SD Page: 2 of 2
 Order No: 0001 Priority: B3 Ord FIN: QS040 Order Type: 5B Price Level: 820
 Ord PEP: 640A Cust/Flt Name: # 0093D, MDOT PO Number:
 RETAIL DLR INV RETAIL DLR INV

572	AIR CONDITIONER					
65Z	AFT AXLE TANK	NC	NC			
	FRT GRILLE COVR	NC	NC			
	SP DLR ACCT ADJ					
	SP FLT ACCT CR					
31	U.S. GAL GAS					
B4A	NET INV FLT OPT	NC				
	DEST AND DELIV					
	<i>wheel</i>					
	TOTAL BASE AND OPTIONS					
	TOTAL					
	THIS IS NOT AN INVOICE					

F1=Help F2=Return to Order F7=Prev F3/F12=Veh Ord Menu

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: George Ford ITEM NO(S): 3958-00930

MAKE OF TRUCK: Ford MODEL: F350 GVWR 13000 lbs. ✓

PAYLOAD: 5800 ✓ W.B. 141 ✓ C.A. 60 C.F. _____

ENGINE: (~~GAS~~-DIESEL) ✓ MAKE: Ford MODEL: 6.4L SAE H.P. 300 ~~325~~ ✓

FUEL TANK(S) CAPACITY: _____ (GALS. TOTAL) TRANSMISSION: 5spd Auto

SPRING CAP. @ GROUND EACH: FRONT 3950 ✓ lbs. REAR 9000 ✓ lbs. AUX. _____ lbs.

AXLES: FRONT 6000 ✓ lbs. REAR 9750 ✓ lbs. REAR RATIO 3.73

ALTERNATOR: 130 ✓ amps. BATTERY 750 ✓ cca.

TIRE SIZE: FRONT L245 PR REAR L245 PR SINGLE 10 DUAL ✓ M&S ✓

TIRE: MAKE unknown STYLE NO. A/S, MTS, AT ✓ MFG. CODE unknown

HOIST: MAKE _____ MODEL _____ INSTALLING CO. _____

BODY: MAKE _____ MODEL _____ INSTALLING CO. _____

POWER LIFT GATE: MAKE _____ MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE: _____

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.