

STATE OF MICHIGAN
 DEPARTMENT OF MANAGEMENT AND BUDGET
 PURCHASING OPERATIONS
 P.O. BOX 30026, LANSING, MI 48909
 OR
 530 W. ALLEGAN, LANSING, MI 48933

December 22, 2009

CHANGE NOTICE NO. 2
TO
CONTRACT NO. 071B8200147
between
THE STATE OF MICHIGAN
and

Fax: 614-367-7925

NAME & ADDRESS OF CONTRACTOR		TELEPHONE Tom Drobot Cell: 313-410-2397
International Truck and Engine Corp. 37750 Northline Rd. Romulus, MI 48174 Email: tom.drobot@navistar.com		CONTRACTOR NUMBER/MAIL CODE
		BUYER/CA (517) 373-1455 Laura Gyorkos, CPPB
Contract Compliance Inspector: Laura Gyorkos (517) 373-1455 Vehicles, Passenger Cars, Pick-Up Trucks, Vans, for MiDEAL Members ONLY		
CONTRACT PERIOD: From: March 1, 2008 To: September 30, 2010		
TERMS	SHIPMENT	
Net 30 Days	90 – 120 Days A.R.O.	
F.O.B.	SHIPPED FROM	
Dealership	Lansing, MI	
MINIMUM DELIVERY REQUIREMENTS 1 Unit		
MISCELLANEOUS INFORMATION:		

THIS CONTRACT IS EXTENDED TO LOCAL UNITS OF GOVERNMENT

NATURE OF CHANGE(S):

Effective immediately this Contract is hereby EXTENDED through September 30, 2010 with the following price increases:

Spec Number	Spec Description	Model	Old Price	New Price
3958-0096	Cab and Chassis, Body and Payload - approx. 13,000 lbs., min. 25,950 lbs. Min. G.V.W.R., Diesel engine	7300SFA 4X4	\$67,192.27	\$75,829.00
3958-0134	Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.. Low Pro	4300M7 LP	\$47,833.60	\$55,419.00
3958-0135	Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.	4300M7 4x2	\$47,783.00	\$55,321.00
Spec Number	Description and Model #	Model	Old Price	New Price
3958-0136	Cab and Chassis, approx. 152" W.B., G.V.W.R 23,500 lbs., Diesel	4300M7 4x2	\$48,942.61	\$56,519.00

3958-0160	Cab and Chassis, approx. 169" W.B., G.V.W.R 33,000 lbs. Diesel, 170 HP	7400SBA 4x2	\$59,394.06	\$67,818.00
3958-0164	Cab and Chassis, approx. 217" W.B., G.V.W.R 27,000 lbs. Diesel, 210 HP	4300M7	\$50,045.50	\$58,005.00
3958-0170	Cab and Chassis, approx. 112" W.B., G.V.W.R 44,000 lbs., Diesel Single Axle	7600SFA 4X2	\$89,459.74	\$100,186.00
3958-0172	Cab and Chassis, approx. 211" W.B., G.V.W.R 64,000 lbs., Diesel Tandem Axle	7600SFA 6X4	\$96,984.24	\$106,779.00
3958-0173	Cab and Chassis, approx. 177" W.B., G.V.W.R 52,000 lbs., Diesel Tandem Axle	7600SFA 6X4	\$91,057.56	\$102,459.00
3958-0178	70,000 lbs. G.C.W.R., Diesel Engine	7600	\$76,179.25	\$85,949.00

Revised truck questionnaire forms and specification sheets are attached for each model.

All other terms, conditions, and specifications remain unchanged.

AUTHORITY/REASON:

Per Vendor agreement dated December 21, 2009 and DMB Purchasing Operations.

TOTAL ESTIMATED CONTRACT VALUE REMAINS: \$5,032,035.10

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

PRICING SHEET

TRUCK: CAB AND CHASSIS (G.V.W.R. 25,950 lbs., min.) DIESEL ENGINE (Body & Payload-Approx. 13,000 lbs.) (4 x 4) Mich. Spec. #3958-0096		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: International Model: 7300SFA 4X4 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.20	\$75,829.00	
Final Point of Assembly: Garland, TX		
Dealer Information		
Dealer Name: International Truck & Engine Corp		
Street Address: 773 Windmill Dr. Suite C		
City: Pickerington	State: OH	Zip: 43147
Contact Name: Tom Drobot		
Telephone: 614-367-7925		
Cell: 313-410-2397		
Fax: 614-367-7925		
E-mail: tom.drobot@navistar.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	---

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: ITAT'L ITEM NO(s). 3958 - 0096

MAKE OF TRUCK: ITAT'L MODEL: 7300 SFA 4x4 GVWR 29,000 lbs.

PAYLOAD: 29,000 W.B. 177 C.A. 102 C.E. ✓

ENGINE: (GAS - DIESEL) DIESEL MAKE: ITAT'L MODEL: MAX FORCE DT SAE H.P. 775

FUEL TANK(S) CAPACITY: 100 (GALS. TOTAL) TRANSMISSION: FULLER 6 SPEED

SPRING CAP. @ GROUND EACH: FRONT 10,000 lbs. REAR 12,000 lbs. AUX. 4500 lbs.

AXLES: FRONT 10,000 lbs. REAR 19,000 lbs. REAR RATIO 4.88

ALTERNATOR: 130 amps. BATTERY 1300 cca.

TIRE SIZE: FRONT 11R22.5 PR REAR 11R22.5 PR SINGLE _____ DUAL ✓ M&S _____

TIRE: MAKE GOODYEAR STYLE NO. RADIAL MFG. CODE F 6287 / R 6287

HOIST: MAKE ✓ MODEL ✓ INSTALLING CO. ✓

BODY: MAKE ✓ MODEL ✓ INSTALLING CO. ✓

POWER LIFT GATE: MAKE ✓ MODEL ✓ CAPACITY ✓ lbs.

PLATFORM SIZE: ✓


OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Prepared For:
MICHIGAN STATE OF
Laura Gyorkos
530 W Allegan St.
Lansing, MI 48933-1521
(517)373 - 2090
Reference ID: 0096 MI-Deal

Presented By:
INT'L TRK & ENGINE CORP
Tom Drobot
2050 Academy St.
Dearborn MI 48124 -
(313)410-2397

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2011 7300 SFA 4X4 (SR515)

APPLICATION: Front Plow with spreader
MISSION: Requested GVWR: 29000. Calc. GVWR: 29000
 Calc. Start / Grade Ability: 20.70% / 2.66% @ 55 MPH
 Calc. Geared Speed: 64.2 MPH

FUEL ECONOMY: 7.87 MPG @ 55 MPH

DIMENSION: Wheelbase: 177.00, CA: 102.00, Axle to Frame: 63.00

ENGINE, DIESEL: (International MaxxForce DT) EPA 07, 225 HP, @ 2300 RPM, 560 lb-ft Torque @ 1400 RPM, 2600 RPM Governed Speed, # 2 Bell Housing

TRANSMISSION, MANUAL: (Fuller FS-5406N) 6-Speed Manual; Fully Synchronized, Short Shift Stroke

CLUTCH: (Eaton Fuller SAS1402) Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 7+1 Low Rate Damper, With 1.75" Spline, Mechanical Pull Type Control and With Kwik-Adjust(Manual) Feature 860 lb-ft Torque Capacity

AXLE, FRONT DRIVING: (Meritor MX-10-120HR) Single Reduction, 10,000-lb Capacity

AXLE, REAR, SINGLE: (Meritor MS-19-14X-3DFL) Single Reduction, Hypoid Gearing, 19,000-lb Capacity, With 190 Wheel Ends Gear Ratio: 4.88

CAB: Conventional

TIRE, FRONT: (2) 11R22.5 G287 MSA (GOODYEAR) 498 rev/mile, load range H, 16 ply

TIRE, REAR: (4) 11R22.5 G287 MSA (GOODYEAR) 498 rev/mile, load range H, 16 ply

SUSPENSION, RR, SPRING, SINGLE: Vari-Rate; 20,000-lb Capacity

PAINT: Cab schematic 100GM
 Location 1: 3028, Orange (Prem)
 Chassis schematic N/A

Code	Description	List (USA DOLLAR)
SR51500	Base Chassis, Model 7300 SFA 4X4 with 177.00 Wheelbase, 102.00 CA, and 63.00 Axle to Frame.	\$84,313.00
157D	TOW HOOK, FRONT (2) Inside Rail, Frame Mounted.	\$73.00
1C8U	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL	\$318.00
1LLA	BUMPER, FRONT Steel, Swept Back	\$0.00
	<u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color	
1WGE	WHEELBASE RANGE 148" (375cm) Through and Including 179" (455cm)	\$0.00
2ESS	AXLE, FRONT DRIVING (Meritor MX-10-120HR) Single Reduction, 10,000-lb Capacity	\$271.00
	<u>Includes</u> : DRAIN PLUG, DRIVING FRONT AXLE Magnetic	
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
3ADB	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 10,000-lb Capacity; With Shock Absorbers	\$0.00
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free	
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00
	<u>Includes</u> : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4	
	<u>Notes</u> : Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered.	
4722	DRAIN VALVE, AUTOMATIC (Bendix DV-2) With Heater; for Air Tank	\$119.00
	<u>Includes</u> : DRAIN VALVE Mounted in Wet Tank	
4AZJ	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel) With Automatic Traction Control	\$397.00

Code	Description	List (USA DOLLAR)
4EBD	AIR DRYER {Meritor WABCO System Saver 1200} with Heater, Mounted in Standard Location	\$445.00
4ESX	BRAKE CHAMBERS, FRONT AXLE {Haldex} 20 SqIn	\$0.00
4EVR	BRAKE CHAMBERS, REAR AXLE {MGM MJS3028ET} 30/28 Piston Spring Brake	\$288.00
4JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4NCZ	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston-Type Spring Activated Parking Brakes	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
4SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity	\$0.00
5710	STEERING COLUMN Tilting and Telescoping	\$344.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	\$0.00
5PSA	STEERING GEAR {Sheppard M-100} Power	\$0.00
7BDL	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Outside Right Rail Under Cab; Includes Vertical Tail Pipe and Guard	\$0.00
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height) : MUFFLER/TAIL PIPE GUARD Bright Finish	
7WBU	EXHAUST HEIGHT 11' 6"	\$118.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u> : BATTERY BOX Steel with Fiberglass Cover : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted	

Code	Description	List (USA DOLLAR)
	: WIRING, CHASSIS Color Coded and Continuously Numbered	
8518	CIGAR LIGHTER Includes Ash Cup	\$18.00
8GDP	ALTERNATOR (Delco Remy 22-SI) Brush Type, 12 Volt 130 Amp. Capacity, Pad Mounted	\$237.00
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	\$63.00
8MEP	BATTERY SYSTEM (International) Maintenance-Free (2) 12-Volt 1300CCA Total.	\$0.00
8RJV	RADIO (International) AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Dual Cone Speakers	\$338.00
	<u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior	
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	\$0.00
8WMA	SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light	\$42.00
8WPP	ENGINE SHUTDOWN Automatic; With 30 Second Delay, With International Engines	\$147.00
8WTK	STARTING MOTOR (Delco Remy 38MT Type 300) 12 Volt; less Thermal Over-Crank Protection	\$0.00
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	\$0.00
8XBK	SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at PDC and Control in Cab	\$84.00
9585	FENDER EXTENSIONS Rubber	\$0.00
9ANG	HOOD, HATCH (01) for Servicing	\$444.00
9HAN	INSULATION, UNDER HOOD for Sound Abatement	\$187.00
9HBM	GRILLE Stationary, Chrome	\$0.00
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	\$78.00
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 Emissions	\$0.00
10080	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GM"	
10781	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10789	PAINT CLASS Premium Color.	\$110.00
11LEY	CLUTCH (Eaton Fuller SAS1402) Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 7+1 Low Rate Damper, With 1.75" Spline, Mechanical Pull Type Control and With Kwik-Adjust(Manual) Feature 880 lb-ft Torque Capacity	\$177.00
	<u>Includes</u> : CLUTCH RELEASE BEARING Greasable	

Code	Description	List (USA DOLLAR)
12NUB	ENGINE, DIESEL (International MaxxForce DT) EPA 07, 225 HP, @ 2300 RPM, 560 lb-ft Torque @ 1400 RPM, 2600 RPM Governed Speed, # 2 Bell Housing <u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted : GOVERNOR Electronic : OIL FILTER, ENGINE Spin-On Type : WET TYPE CYLINDER SLEEVES	\$671.00
12THT	FAN DRIVE (Horton Drivemaster) Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon	\$241.00
12UWY	RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core and 1167 SqIn Charge Air Cooler <u>Includes</u> : ANTI-FREEZE Red Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	\$0.00
12UXV	FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines	\$0.00
12VBC	AIR CLEANER Single Element <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	\$0.00
12VXU	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel	\$0.00
12VYX	FEDERAL EMISSIONS 2007 for International MaxxForce DT Engines (DT466)	\$0.00
12VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxForce post 2007 Emissions Electronic Engines	\$45.00
12WTH	BLOCK HEATER, ENGINE (Phillips) 120 Volt/1250 Watt; With "Y" Cord From Socket in Standard Location, With Provision in Oil Pan For a Dealer Installed Oil Pan Heater, With Extended Life Coated Oil Pan, for I6 Engines <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	\$82.00
12WYS	EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature Range; Includes Nylon Surge Tank and 15 psi Pressure Cap	\$0.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations	\$0.00
13GNG	TRANSMISSION, MANUAL (Fuller FS-5406N) 6-Speed Manual; Fully Synchronized, Short Shift Stroke	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	<u>Includes</u> : FILL PLUG, MAGNETIC	
13TKL	TRANSFER CASE (Meritor T-4208) 2-Spd, 8,300 lb-ft Total Capacity, Without Provision for PTO, With Electric Over Air Control, With Lube Pump	\$750.00
	<u>Includes</u> : LIGHT, INDIC, ALL-WHEEL DRIVE Illuminates With All Wheel Drive Engaged, Located on Instrument Panel	
13WDB	TRANSFER CASE LUBE (EmGard 50W) Synthetic; 1 thru 14.99 Pints	\$0.00
13WDV	OIL COOLER, TRANSFER CASE Remote Mounted Back of Cab	\$405.00
14ANS	AXLE, REAR, SINGLE (Meritor MS-19-14X-3DFL) Single Reduction, Hypoid Gearing, 19,000-lb Capacity, With 180 Wheel Ends . Gear Ratio: 4.88	\$295.00
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
14SAM	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 20,000-lb Capacity	\$41.00
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
14SZB	SPRINGS, REAR AUXILIARY Multileaf; 4,500-lb Capacity	\$120.00
14WAP	SHOCK ABSORBERS, REAR (2)	\$135.00
15LKG	FUEL/WATER SEPARATOR With Thermostatic Fuel Temperature Controlled Electric Heater, and Filter Restriction/Change Indicator, Includes Standard Equipment Water-in-Fuel Sensor	\$64.00
15SCR	FUEL TANK Top Draw; D Style, Steel, 100 U.S. Gal., 378.5 L Capacity, 19.0" Tank Depth, Mounted Left Side Under Cab	\$335.00
16030	CAB Conventional	\$0.00
	<u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps per Door	
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	\$0.00
	<u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	

Code	Description	List (USA DOLLAR)
16HHE	GAUGE, AIR CLEANER RESTRICTION (Filter-Minder) With Black Bezel Mounted in Instrument Panel	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16JDY	SEAT, DRIVER (Gra-Mag) Non-Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back	\$0.00
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	
16PHJ	SEAT, TWO-MAN PASSENGER (Gra-Mag) Fixed Back, Two Integral Headrest, Vinyl, Less Under Seat Storage Compartment	\$74.00
	<u>Includes</u> : SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position)	
16SDJ	MIRRORS (2) (Lang Mekra) Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Black Heads, Brackets & Arms	\$22.00
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	\$0.00
16WKB	AIR CONDITIONER (International Blend-Air) With Integral Heater & Defroster	\$823.00
	<u>Includes</u> : FRESH AIR FILTER : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A	
16WKY	FRESH AIR FILTER for HVAC	\$0.00
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door	\$0.00
16WRX	CAB INTERIOR TRIM Deluxe	\$0.00
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	
16WSK	CAB REAR SUSPENSION Air Bag Type	\$0.00
26DRA	WHEEL, SPARE, DISC 22.5" Painted Steel, 10 Stud (285.75MM BC Hub Piloted) 8.25 DC Rim	\$153.00
27DMA	WHEELS, FRONT DISC; 22.5" Painted Steel, 2 Hand Hole, 10 Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs.	\$0.00
	<u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White : WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings	
	<u>Notes</u>	

Code	Description	List (USA DOLLAR)
	: Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	\$0.00
	<u>Includes</u> : PAINT IDENTITY, REAR WHEELS White : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings	
	<u>Notes</u> : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5 : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
7382130125	(2) TIRE, FRONT 11R22.5 G287 MSA (GOODYEAR) 498 rev/mile, load range H, 16 ply	\$508.00
7382130125	(4) TIRE, REAR 11R22.5 G287 MSA (GOODYEAR) 498 rev/mile, load range H, 16 ply	\$1,018.00
	Total of Product Features	\$94,399.00
	Total List Price Including Options:	\$94,399.00
	2010 Federal Mandate Emission Charge	\$6,000.00
	Total Goods Purchased:	\$6,000.00

<u>Description</u>	<u>(USA DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$94,399.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$94,399.00
Total Goods Purchased:		\$8,000.00
MI-Deal Administrative Fee	\$752.00	
Total Preparation And Delivery:		\$752.00
Freight Charge	\$1,505.00	
Total Freight:		\$1,505.00
Total Factory List Price Including Freight:		\$102,656.00
Less Customer Allowance:		(\$26,827.00)
Total Vehicle Price:		\$75,829.00
Total Sale Price:		\$75,829.00
Total Per Vehicle Sales Price:		\$75,829.00
Net Sales Price:		\$75,829.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS (G.V.W.R. 21,000 lbs., min.)*</u>	
<u>LOW PROFILE</u>	
Mich. Spec. #3958-0134	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: International Model: 4300M7 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.20	\$55,419.00*
Final Point of Assembly: Springfield, OH	
<u>Dealer Information</u>	
Dealer Name: International Truck & Engine Corp	
Street Address: 773 Windmiller Dr. Suite C	
City: Pickerington	State: OH Zip: 43147
Contact Name: Tom Drobot	
Telephone: 614-367-7925	
Cell: 313-410-2397	
Fax: 614-367-7925	
E-mail: tom.drobot@navistar.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: INT'L ITEM NO(s): 3958-0134

MAKE OF TRUCK: INT'L MODEL: 4300 M7 LP GVWR 25,500 lbs.

PAYLOAD: 25,500 W.B. 152 C.A. 84.9 C.E. _____

ENGINE: (GAS - DIESEL) DIESEL MAKE: INT'L MODEL: M7 SAE H.P. 200

FUEL TANK(S) CAPACITY: 100 (GALS. TOTAL) TRANSMISSION: ALLISON 210D ROS

SPRING CAP. @ GROUND EACH: FRONT 8000 lbs. REAR 10,500 lbs. AUX. NO lbs.

AXLES: FRONT 8000 lbs. REAR 17,500 lbs. REAR RATIO 5.57

ALTERNATOR: 100 amps. BATTERY 1850 cca.

TIRE SIZE: FRONT 245/70R19.5 PR REAR 245/70R19.5 PR SINGLE _____ DUAL M&S

TIRE: MAKE Michelan STYLE NO. RADIAL MFG. CODE F XZE / R XZE

HOIST: MAKE MODEL INSTALLING CO.

BODY: MAKE MODEL INSTALLING CO.

POWER LIFT GATE: MAKE MODEL CAPACITY lbs.

PLATFORM SIZE:


OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Prepared For:
MICHIGAN STATE OF
Laura Gyorkos
425 W Ottawa St.
Lansing, MI 48933-1532
(517)373 - 2090
Reference ID: 0134 MI-Deal

Presented By:
INTL TRK & ENGINE CORP
Tom Drobot
2050 Academy St.
Dearborn MI 48124 -
(313)410-2397

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2011 4300M7 SBA LP 4X2 (MH065)

APPLICATION:	Stake Flat
MISSION:	Requested GVWR: 25500. Calc. GVWR: 25500 Calc. Start / Grade Ability: 26.00% / 2.09% @ 55 MPH Calc. Geared Speed: 68.6 MPH
FUEL ECONOMY:	8.15 MPG @ 55 MPH
DIMENSION:	Wheelbase: 152.00, CA: 84.90, Axle to Frame: 63.00
ENGINE, DIESEL:	{International MaxxForce 7} EPA 07, 200 HP @ 2600 RPM, 560 lb-ft Torque @ 1400 RPM, 2600 RPM Governed Speed, 200 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 2100_RDS_P} 4th Generation Controls; Close Ratio, 5-Speed, With Overdrive; With PTO Provision, Less Retarder, With 28,000-lb GVW & GCW Max., on/off hwy
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Dana Spicer D800-F} I-Beam Type, 8,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer 17080S} Single Reduction, 17,500-lb Capacity, With 190 Wheel Ends Gear Ratio: 5.57
CAB:	Conventional
TIRE, FRONT:	(2) 245/70R19.5 XZE (MICHELIN) 619 rev/mile, load range H, 16 ply
TIRE, REAR:	(4) 245/70R19.5 XZE (MICHELIN) 619 rev/mile, load range H, 16 ply
SUSPENSION, RR, SPRING, SINGLE:	Vari-Rate; 18,500-lb Capacity
PAINT:	Cab schematic 100GA Location 1: 3026, Orange (Prem) Chassis schematic N/A

Code	Description	List (USA DOLLAR)
MH06500	Base Chassis, Model 4300M7 SBA LP 4X2 with 152.00 Wheelbase, 84.90 CA, and 63.00 Axle to Frame.	\$59,289.00
1CAA	FRAME RAILS High Strength Low Alloy Steel (80,000 PSI Yield); 9.125" x 3.062" x 0.312" (231.8mm x 77.8mm x 8.0mm) With Transition to 6.500" x 3.062" x 0.312" (165.1mm x 77.8mm x 8.0mm) 388.4" (9864mm) Maximum OAL; For LP Chassis <u>Notes</u> : 6.50" Web Height in AF Section	\$0.00
1LLD	BUMPER, FRONT Full Width, Aerodynamic, Steel; 0.142" Material Thickness <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color	\$0.00
1WEB	WHEELBASE RANGE 128" (325cm) Through and Including 183" (465cm)	\$0.00
2AEM	AXLE, FRONT NON-DRIVING (Dana Spicer D800-F) I-Beam Type, 8,000-lb Capacity <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	\$198.00
3ADA	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 8,000-lb Capacity; With Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	\$0.00
4085	BRAKE SYSTEM, HYDRAULIC (Meritor WABCO) Split System, Full Power, With Automatic Adjustment And With Four Channel ABS	\$0.00
4GAR	BRAKE, PARKING (Bosch) DSSA Type, 12" x 3"; for Hydraulic Brake Chassis; Activated by Lever in Cab; Differential Mounted <u>Includes</u> : PARKING BRAKE CONTROL Lever, Floor Mounted, Located Right of Driver	\$0.00
4JNP	BRAKES, FRONT, HYDRAULIC DISC Quadraulic; four 70mm Diameter Pistons	\$0.00
4NNL	BRAKES, REAR, HYDRAULIC DISC Quadraulic; four 70mm Diameter Pistons	\$0.00
5708	STEERING COLUMN Tilting	\$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	\$0.00
5PRG	STEERING GEAR (TRW (Ross) TAS-40) Power	\$0.00
7BDM	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Right Side Back of Cab; Includes Vertical Tail Pipe and Guard <u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height) : MUFFLER/TAIL PIPE GUARD Bright Finish	\$671.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u> : BATTERY BOX Steel : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab	\$0.00

Code	Description	List (USA DOLLAR)
	<ul style="list-style-type: none"> : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered 	
8518	CIGAR LIGHTER Includes Ash Cup	\$18.00
8GDW	ALTERNATOR (Delco Remy 22-SI) Brush Type, 12 Volt 100 Amp. Capacity, Pad Mounted	\$42.00
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	\$63.00
8MEZ	BATTERY SYSTEM (International) Maintenance-Free, (2) 12-Volt 1850CCA Total	\$113.00
8RJV	RADIO (International) AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Dual Cone Speakers	\$338.00
	<u>Includes</u>	
	: SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior	
	: SPEAKERS IN CAB (4) Coaxial with Premium Interior	
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	\$26.00
8WPB	HEADLIGHTS Halogen; Composite Aero Design for Two Light System; Includes Daytime Running Lights	\$58.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	\$42.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	\$22.00
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	\$60.00
8WYA	STARTING MOTOR (Leece-Neville M101R) 12-Volt; With Integrated Magnetic Switch, less Thermal Over-Crank Protection	\$24.00
8XBK	SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at PDC and Control in Cab	\$84.00
9HAD	GRILLE Chrome	\$0.00
9WAY	FRONT END Tilting, Fiberglass, With Three Piece Construction	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
	<u>Includes</u>	
	: PAINT SCHEMATIC ID LETTERS "GA"	

Code	Description	List (USA DOLLAR)
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10769	PAINT CLASS Premium Color.	\$110.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00
12890	BLOCK HEATER, ENGINE (Phillips) 120 Volt/1000 Watt	\$48.00
	<u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	
12NTE	ENGINE, DIESEL (International MaxxForce 7) EPA 07, 200 HP @ 2600 RPM, 560 lb-ft Torque @ 1400 RPM, 2800 RPM Governed Speed, 200 Peak HP (Max)	\$0.00
	<u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Engine Mounted : FUEL HEATER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Engine Mounted : GLOW PLUG Automatic with Indicator Light : GOVERNOR Electronic : OIL FILTER, ENGINE Drop-In Cartridge Type	
12TTB	FAN DRIVE (Borg-Warner Series 790) Viscous Type, Screw On	\$0.00
	<u>Includes</u> : FAN Nylon	
12UXV	FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines	\$0.00
12UYE	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, With 313 SqIn Charge Air Cooler. With In-Tank Transmission Cooler	\$0.00
	<u>Includes</u> : ANTI-FREEZE Red Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	
12VBC	AIR CLEANER Single Element	\$0.00
	<u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	
12VXU	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel	\$0.00
12VYY	FEDERAL EMISSIONS 2007 for International MaxxForce 7 Engines (V8)	\$0.00
12VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxForce post 2007 Emissions Electronic Engines	\$45.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations	\$0.00
13AHP	TRANSMISSION, AUTOMATIC (Allison 2100_RDS_P) 4th Generation Controls; Close Ratio, 5-Speed, With Overdrive; With PTO Provision, Less Retarder, With 26,000-lb GVW & GCW Max., on/off hwy	\$3,832.00
	<u>Includes</u>	

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan	
14AGE	AXLE, REAR, SINGLE (Dana Spicer 17060S) Single Reduction, 17,500-lb Capacity, With 190 Wheel Ends . Gear Ratio: 5.57 <u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	\$439.00
14SAH	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 18,500-lb Capacity <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	\$48.00
14WAP	SHOCK ABSORBERS, REAR (2)	\$93.00
15DMN	FUEL TANK (2) Top Draw; D Style, Steel, 50 U.S. Gal., Total Capacity 100 U.S. Gal., 378 L; 16" Tank Depth, Mounted Under Cab Left and Right Side	\$680.00
16030	CAB Conventional <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps per Door	\$0.00
16HBA	GAUGE CLUSTER English With English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	\$0.00
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	\$48.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16JHN	SEAT, DRIVER (Gra-Mag) Non-Suspension, Mid Back, Vinyl, With Fixed Back <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	(\$89.00)
16PHJ	SEAT, TWO-MAN PASSENGER (Gra-Mag) Fixed Back, Two Integral Headrest, Vinyl, Less Under Seat Storage Compartment	\$362.00

Code	Description	List (USA DOLLAR)
	<u>Includes</u> : SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position)	
16SDJ	MIRRORS (2) (Lang Mekra) Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Black Heads, Brackets & Arms	\$22.00
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	\$0.00
16WKB	AIR CONDITIONER (International Blend-Air) With Integral Heater & Defroster	\$823.00
	<u>Includes</u> : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A	
16WRX	CAB INTERIOR TRIM Deluxe	\$0.00
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	
27DNA	WHEELS, FRONT DISC; 19.5" Painted Steel, 4 Hand Hole, 8-Stud (275 MM BC) Hub Piloted, Flanged Nut, Metric Mount, 6.75 DC Rims; With Steel Hubs	\$0.00
	<u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White : WHEEL SEALS, FRONT Grease Lubricated, Includes Wheel Bearings	
	<u>Notes</u> : Compatible Tire Sizes: 225/70R19.5, 245/70R19.5, 265/70R19.5	
28DNA	WHEELS, REAR DUAL DISC; 19.5" Painted Steel, 4 Hand Hole, 8-Stud (275 MM BC) Hub Piloted, Flanged Nut, Metric Mount, 6.75 DC Rims; With Steel Hubs	\$0.00
	<u>Includes</u> : PAINT IDENTITY, REAR WHEELS White : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings	
	<u>Notes</u> : Compatible Tire Sizes: 225/70R19.5, 245/70R19.5, 265/70R19.5	
29580	WHEEL SEALS, FRONT (International) Oil-Lubricated Wheel Bearings	\$37.00
60AAA	BDY INTG, REMOTE POWER MODULE Mounted Under Cab or On Battery Box; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp. Total (Includes 1 Switch Pack With Latched Switches)	\$508.00
7689453253	(2) TIRE, FRONT 245/70R19.5 XZE (MICHELIN) 619 rev/mile, load range H, 16 ply	\$254.00
7689453253	(4) TIRE, REAR 245/70R19.5 XZE (MICHELIN) 619 rev/mile, load range H, 16 ply	\$508.00
	Total of Product Features	\$68,941.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	Total List Price Including Options:	\$68,941.00
	2010 Federal Mandate Emissions Charge	\$6,000.00
	Total Goods Purchased:	\$6,000.00

<u>Description</u>	<u>(USA DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$68,941.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$68,941.00
Total Goods Purchased:		\$6,000.00
MI-Deal Administrative Fee	\$549.00	
Total Preparation And Delivery:		\$549.00
Freight Charge	\$1,505.00	
Total Freight:		\$1,505.00
Total Factory List Price Including Freight:		\$76,995.00
Less Customer Allowance:		(\$21,576.00)
Total Vehicle Price:		\$55,419.00
Total Sale Price:		\$55,419.00
Total Per Vehicle Sales Price:		\$55,419.00
Net Sales Price:		\$55,419.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without
Seller's Authorized Signature

Official Title and Date

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

PRICING SHEET

TRUCK: CAB AND CHASSIS (G.V.W.R. 21,000 lbs., min.)*		
Mich. Spec. #3958-0135		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: International Model: 4300M7 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.20	\$55,321.00*	
Final Point of Assembly: Springfield, OH		
Dealer Information		
Dealer Name: International Truck & Engine Corp		
Street Address: 773 Windmill Dr. Suite C		
City: Pickerington	State: OH	Zip: 43147
Contact Name: Tom Drobot		
Telephone: 614-367-7925		
Cell: 313-410-2397		
Fax: 614-367-7925		
E-mail: tom.drobot@navistar.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: INT'L ITEM NO(s). 3958-0135

MAKE OF TRUCK: INT'L MODEL: 4300 M7 4x2 GVWR 25,200 lbs.

PAYLOAD: 25,200 W.B. 152 C.A. 44.9 C.E. _____

ENGINE: (GAS - DIESEL) DIESEL MAKE: INT'L MODEL: M7 SAE H.P. 200

FUEL TANK(S) CAPACITY: 120 (GALS. TOTAL) TRANSMISSION: ALLISON 2500 RDS

SPRING CAP. @ GROUND EACH: FRONT 8000 lbs. REAR 18,500 lbs. AUX. 4500 lbs.

AXLES: FRONT 8000 lbs. REAR 17,500 lbs. REAR RATIO 6.117

ALTERNATOR: 100 amps. BATTERY 1P50 cca.

TIRE SIZE: FRONT 9R22.5 PR REAR 9R22.5 PR SINGLE _____ DUAL M&S _____

TIRE: MAKE GOODYEAR STYLE NO. RADIAL MFG. CODE F G149 / R G124

HOIST: MAKE MODEL INSTALLING CO.

BODY: MAKE MODEL INSTALLING CO.

POWER LIFT GATE: MAKE MODEL CAPACITY lbs.

PLATFORM SIZE:


OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Prepared For:
MICHIGAN STATE OF
Laura Gyorkos
530 W Allegan St.
Lansing, MI 48933-1521
(517)373 - 2090
Reference ID: 0135 MI-Deal

Presented By:
INTL TRK & ENGINE CORP
Tom Drobot
2050 Academy St.
Dearborn MI 48124 -
(313)410-2397

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2011 4300M7 SBA 4X2 (MA065)

- APPLICATION:** Stake Flat
- MISSION:** Requested GVWR: 25200. Calc. GVWR: 25200
Calc. Start / Grade Ability: 25.20% / 2.08% @ 55 MPH
Calc. Geared Speed: 71.3 MPH
- FUEL ECONOMY:** 8.28 MPG @ 55 MPH
- DIMENSION:** Wheelbase: 152.00, CA: 84.90, Axle to Frame: 63.00
- ENGINE, DIESEL:** {International MaxxForce 7} EPA 07, 200 HP @ 2600 RPM, 560 lb-ft Torque @ 1400 RPM, 2800 RPM Governed Speed, 200 Peak HP (Max)
- TRANSMISSION, AUTOMATIC:** {Allison 2100_RDS_P} 4th Generation Controls; Close Ratio, 5-Speed, With Overdrive; With PTO Provision, Less Retarder, With 28,000-lb GVW & GCW Max., on/off hwy
- CLUTCH:** Omit Item (Clutch & Control)
- AXLE, FRONT NON-DRIVING:** {Dana Spicer D800-F} I-Beam Type, 8,000-lb Capacity
- AXLE, REAR, SINGLE:** {Dana Spicer 17080S} Single Reduction, 17,500-lb Capacity, With 190 Wheel Ends Gear Ratio: 6.17
- CAB:** Conventional
- TIRE, FRONT:** (2) 9R22.5 G149 RSA/RH (GOODYEAR) 541 rev/mile, load range F, 12 ply
- TIRE, REAR:** (4) 9R22.5 UNISTEEL G124 M+S (GOODYEAR) 538 rev/mile, load range F, 12 ply
- SUSPENSION, RR, SPRING, SINGLE:** Vari-Rate; 18,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring
- PAINT:** Cab schematic 100GA
Location 1: 3026, Orange (Prem)
Chassis schematic N/A

Code	Description	List (USA DOLLAR)
MA06500	Base Chassis, Model 4300M7 SBA 4X2 with 152.00 Wheelbase, 84.90 CA, and 63.00 Axle to Frame.	\$59,417.00
1CAD	FRAME RAILS High Strength Low Alloy Steel (80,000 PSI Yield); 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5mm); 427.0" (10846mm) Maximum OAL	\$197.00
1LLD	BUMPER, FRONT Full Width, Aerodynamic, Steel; 0.142" Material Thickness	\$0.00
	<u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color	
1WEB	WHEELBASE RANGE 128" (325cm) Through and Including 183" (465cm)	\$0.00
2AEM	AXLE, FRONT NON-DRIVING (Dana Spicer D800-F) I-Beam Type, 8,000-lb Capacity	\$198.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
3ADA	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 8,000-lb Capacity; With Shock Absorbers	\$0.00
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free	
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4085	BRAKE SYSTEM, HYDRAULIC (Meritor WABCO) Split System, Full Power, With Automatic Adjustment And With Four Channel ABS	\$0.00
4GAR	BRAKE, PARKING (Bosch) DSSA Type, 12" x 3"; for Hydraulic Brake Chassis; Activated by Lever in Cab; Differential Mounted	\$0.00
	<u>Includes</u> : PARKING BRAKE CONTROL Lever, Floor Mounted, Located Right of Driver	
4JNP	BRAKES, FRONT, HYDRAULIC DISC Quadraulic; four 70mm Diameter Pistons	\$0.00
4NNL	BRAKES, REAR, HYDRAULIC DISC Quadraulic; four 70mm Diameter Pistons	\$0.00
5708	STEERING COLUMN Tilting	\$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	\$0.00
5PRG	STEERING GEAR (TRW (Ross) TAS-40) Power	\$0.00
7BDN	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Right Side Under Cab; Includes Vertical Tail Pipe & Bright Guard	\$858.00
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height)	
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u> : BATTERY BOX Steel : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HORN, ELECTRIC Single	

Code	Description	List (USA DOLLAR)
	: JUMP START STUD Located on Positive Terminal of Outermost Battery	
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light	
	: STARTER SWITCH Electric, Key Operated	
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector	
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature	
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted	
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever	
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted	
	: WIRING, CHASSIS Color Coded and Continuously Numbered	
8518	CIGAR LIGHTER Includes Ash Cup	\$18.00
8GDW	ALTERNATOR (Delco Remy 22-SI) Brush Type, 12 Volt 100 Amp. Capacity, Pad Mounted	\$42.00
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	\$63.00
8MEZ	BATTERY SYSTEM (International) Maintenance-Free, (2) 12-Volt 1850CCA Total	\$113.00
8RJV	RADIO (International) AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Dual Cone Speakers	\$338.00
	<u>Includes</u>	
	: SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior	
	: SPEAKERS IN CAB (4) Coaxial with Premium Interior	
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	\$26.00
8WPB	HEADLIGHTS Halogen; Composite Aero Design for Two Light System; Includes Daytime Running Lights	\$58.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	\$42.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	\$22.00
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	\$60.00
8WYA	STARTING MOTOR (Leece-Neville M101R) 12-Volt; With Integrated Magnetic Switch, less Thermal Over-Crank Protection	\$24.00
8XBK	SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at PDC and Control in Cab	\$84.00
9HAD	GRILLE Chrome	\$0.00
9WAY	FRONT END Tilting, Fiberglass, With Three Piece Construction	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
	<u>Includes</u>	
	: PAINT SCHEMATIC ID LETTERS "GA"	
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10769	PAINT CLASS Premium Color.	\$110.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00

Code	Description	List (USA DOLLAR)
12890	BLOCK HEATER, ENGINE (Phillips) 120 Volt/1000 Watt <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	\$48.00
12NTE	ENGINE, DIESEL (International MaxxForce 7) EPA 07, 200 HP @ 2600 RPM, 560 lb-ft Torque @ 1400 RPM, 2800 RPM Governed Speed, 200 Peak HP (Max) <u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Engine Mounted : FUEL HEATER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Engine Mounted : GLOW PLUG Automatic with Indicator Light : GOVERNOR Electronic : OIL FILTER, ENGINE Drop-In Cartridge Type	\$0.00
12TTB	FAN DRIVE (Borg-Warner Series 790) Viscous Type, Screw On <u>Includes</u> : FAN Nylon	\$0.00
12UXV	FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines	\$0.00
12UYE	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, With 313 SqIn Charge Air Cooler. With In-Tank Transmission Cooler <u>Includes</u> : ANTI-FREEZE Red Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	\$0.00
12VBC	AIR CLEANER Single Element <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	\$0.00
12VXU	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel	\$0.00
12VYY	FEDERAL EMISSIONS 2007 for International MaxxForce 7 Engines (V8)	\$0.00
12VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxForce post 2007 Emissions Electronic Engines	\$45.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations	\$0.00
13AHP	TRANSMISSION, AUTOMATIC (Allison 2100_RDS_P) 4th Generation Controls; Close Ratio, 5-Speed, With Overdrive; With PTO Provision, Less Retarder, With 26,000-lb GVW & GCW Max., on/off hwy <u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan	\$3,832.00
14AGE	AXLE, REAR, SINGLE (Dana Spicer 17060S) Single Reduction, 17,500-lb Capacity, With 190 Wheel Ends . Gear Ratio: 6.17	\$439.00

Code	Description	List (USA DOLLAR)
	<u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle	
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	
14VAD	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 18,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring	\$46.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
14WAP	SHOCK ABSORBERS, REAR (2)	\$93.00
15DUH	FUEL TANK (2) Top Draw; D Style, Steel, 19" Tank Depth, 50 U.S. Gal., 190L, Right Side, 70 U.S. Gal., 265L Total Capacity 120 U.S. Gal., 455L; With Quick Connect Outlets, Mounted Under Cab Left and Right Side	\$680.00
	<u>Notes</u> : N/A with 19.5" Tires	
16030	CAB Conventional	\$0.00
	<u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps per Door	
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	\$0.00
	<u>Includes</u> : GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	\$48.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16JHN	SEAT, DRIVER (Gra-Mag) Non-Suspension, Mid Back, Vinyl, With Fixed Back	(\$89.00)
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	
16PHJ	SEAT, TWO-MAN PASSENGER (Gra-Mag) Fixed Back, Two Integral Headrest, Vinyl, Less Under Seat Storage Compartment	\$362.00
	<u>Includes</u>	

Code	Description	List (USA DOLLAR)
	: SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position)	
16SDJ	MIRRORS (2) (Lang Mekra) Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Black Heads, Brackets & Arms	\$22.00
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	\$0.00
16WKB	AIR CONDITIONER (International Blend-Air) With Integral Heater & Defroster	\$823.00
	<u>Includes</u> : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A	
16WRX	CAB INTERIOR TRIM Deluxe	\$0.00
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	
27DNS	WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, 5 Hand Hold, Flanged Nut, Metric Mount, 7.50 DC Rims; With Steel Hubs.	\$9.00
	<u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White : WHEEL SEALS, FRONT Grease Lubricated, Includes Wheel Bearings	
	<u>Notes</u> : Compatible Tire Sizes: 9R22.5, 10R22.5, 11R22.5, 235/80R22.5, 245/75R22.5, 255/70R22.5, 265/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5	
28DNS	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, 5 Hand Hold, Flanged Nut, Metric Mount, 7.50 DC Rims; With Steel Hubs	(\$162.00)
	<u>Includes</u> : PAINT IDENTITY, REAR WHEELS White : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings	
	<u>Notes</u> : Compatible Tire Sizes: 9R22.5, 10R22.5, 11R22.5, 235/80R22.5, 245/75R22.5, 255/70R22.5, 265/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5	
29580	WHEEL SEALS, FRONT (International) Oil-Lubricated Wheel Bearings	\$37.00
60AAA	BDY INTG, REMOTE POWER MODULE Mounted Under Cab or On Battery Box; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp. Total (Includes 1 Switch Pack With Latched Switches)	\$508.00
7362090155	(2) TIRE, FRONT 9R22.5 G149 RSA/RH (GOODYEAR) 541 rev/mile, load range F, 12 ply	\$44.00
7362090192	(4) TIRE, REAR 9R22.5 UNISTEEL G124 M+S (GOODYEAR) 538 rev/mile, load range F, 12 ply	\$120.00

INTERNATIONAL®

Vehicle Specifications
2011 4300M7 SBA 4X2 (MA065)

December 09, 2009

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	Total of Product Features	\$68,700.00
	Total List Price Including Options:	\$68,700.00
	2010 Federal Mandate Emissions Charge	\$6,000.00
	Total Goods Purchased:	\$6,000.00

<u>Description</u>	(USA DOLLAR)	<u>Price</u>
Factory List Prices:		
Product Items	\$88,700.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$88,700.00
Total Goods Purchased:		\$8,000.00
MI-Deal Administrative Fee	\$548.00	
Total Preparation And Delivery:		\$548.00
Freight Charge	\$1,505.00	
Total Freight:		\$1,505.00
Total Factory List Price Including Freight:		\$76,753.00
Less Customer Allowance:		(\$21,432.00)
Total Vehicle Price:		\$55,321.00
Total Sale Price:		\$55,321.00
Total Per Vehicle Sales Price:		\$55,321.00
Net Sales Price:		\$55,321.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

PRICING SHEET

TRUCK: CAB AND CHASSIS (G.V.W.R. 23,500 lbs., min.)*		
Mich. Spec. #3958-0136		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: International Model: 4300M7 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.20	\$56,519.00*	
Final Point of Assembly: Springfield, OH		
Dealer Information		
Dealer Name: International Truck & Engine Corp		
Street Address: 773 Windmill Dr. Suite C		
City: Pickerington	State: OH	Zip: 43147
Contact Name: Tom Drobot		
Telephone: 614-367-7925		
Cell: 313-410-2397		
Fax: 614-367-7925		
E-mail: tom.drobot@navistar.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: TAT'L ITEM NO(s). 3958-0136

MAKE OF TRUCK: TAT'L MODEL: 4300 M7 482 GVWR 25,200 lbs.

PAYLOAD: 25,200 W.B. 152 C.A. 84.9 C.E.

ENGINE: (GAS - DIESEL) DIESEL MAKE: TAT'L MODEL: M7 SAE H.P. 200

FUEL TANK(S) CAPACITY: 120 (GALS. TOTAL) TRANSMISSION: ALLISON 250 RDS

SPRING CAP. @ GROUND EACH: FRONT 8000 lbs. REAR 18,500 lbs. AUX. 4500 lbs.

AXLES: FRONT 8000 lbs. REAR 17,500 lbs. REAR RATIO 6.17

ALTERNATOR: 100 amps. BATTERY 1100 cca.

TIRE SIZE: FRONT 9R22.5 PR REAR 9R22.5 PR SINGLE _____ DUAL M&S

TIRE: MAKE GOODYEAR STYLE NO. RADIAL MFG. CODE F6149/R 6149

HOIST: MAKE MODEL INSTALLING CO.

BODY: MAKE MODEL INSTALLING CO.

POWER LIFT GATE: MAKE MODEL CAPACITY lbs.

PLATFORM SIZE:

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS


✓

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Prepared For:
MICHIGAN STATE OF
Laura Gyorkos
425 W Ottawa St.
Lansing, MI 48933-1532
(517)373 - 2090
Reference ID: 0136 MI-Deal

Presented By:
INT'L TRK & ENGINE CORP
Tom Drobot
2050 Academy St.
Dearborn MI 48124 -
(313)410-2397

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2011 4300M7 SBA 4X2 (MA065)

APPLICATION:	Stake Flat
MISSION:	Requested GVWR: 25200. Calc. GVWR: 25200 Calc. Start / Grade Ability: 29.10% / 2.09% @ 55 MPH Calc. Geared Speed: 68.0 MPH
FUEL ECONOMY:	8.05 MPG @ 55 MPH
DIMENSION:	Wheelbase: 152.00, CA: 84.90, Axle to Frame: 63.00
ENGINE, DIESEL:	{International MaxxForce 7} EPA 07, 200 HP @ 2600 RPM, 560 lb-ft Torque @ 1400 RPM, 2800 RPM Governed Speed, 200 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 2500_RDS_P} 4th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; On/Off Hwy; 33,000 lb GVW & GCW Max., With PTO Provision, Less Retarder
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Dana Spicer D800-F} I-Beam Type, 8,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer 17060S} Single Reduction, 17,500-lb Capacity, With 180 Wheel Ends Gear Ratio: 8.17
CAB:	Conventional
TIRE, FRONT:	(2) 9R22.5 G149 RSA/RH (GOODYEAR) 541 rev/mile, load range F, 12 ply
TIRE, REAR:	(4) 9R22.5 G149 RSA/RH (GOODYEAR) 541 rev/mile, load range F, 12 ply
SUSPENSION, RR, SPRING, SINGLE:	Vari-Rate; 18,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring
PAINT:	Cab schematic 100GA Location 1: 3026, Orange (Prem) Chassis schematic N/A

Code	Description	List (USA DOLLAR)
MA06500	Base Chassis, Model 4300M7 SBA 4X2 with 152.00 Wheelbase, 84.90 CA, and 63.00 Axle to Frame.	\$59,417.00
1CAD	FRAME RAILS High Strength Low Alloy Steel (80,000 PSI Yield); 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5mm); 427.0" (10846mm) Maximum OAL	\$197.00
1LLD	BUMPER, FRONT Full Width, Aerodynamic, Steel; 0.142" Material Thickness <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color	\$0.00
1WEB	WHEELBASE RANGE 128" (325cm) Through and Including 183" (465cm)	\$0.00
2AEM	AXLE, FRONT NON-DRIVING (Dana Spicer D800-F) I-Beam Type, 8,000-lb Capacity <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	\$198.00
3ADA	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 8,000-lb Capacity; With Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	\$0.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4 <u>Notes</u> : Front and Rear Dust Shields not Included : Rear Axle is Limited to 19,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Code 04NCL BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered. : Rear Axle is Limited to 20,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Code 04NCG BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered.	(\$339.00)
4722	DRAIN VALVE, AUTOMATIC (Bendix DV-2) With Heater; for Air Tank <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank	\$119.00
4AZA	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel)	\$1,357.00
4EBD	AIR DRYER (Meritor WABCO System Saver 1200) with Heater, Mounted in Standard Location	\$445.00
4ESX	BRAKE CHAMBERS, FRONT AXLE (Haldex) 20 SqIn	\$0.00

Code	Description	List (USA DOLLAR)
4EVR	BRAKE CHAMBERS, REAR AXLE (MGM MJS3028ET) 30/28 Piston Spring Brake	\$288.00
4JCG	BRAKES, FRONT, AIR CAM S-Cam; 16.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers	\$0.00
	<u>Notes</u> : Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM.	
4NCZ	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston-Type Spring Activated Parking Brakes	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4SBC	AIR COMPRESSOR (Bendix Tu-Flo 550) 13.2 CFM Capacity	\$69.00
5708	STEERING COLUMN Tilting	\$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	\$0.00
5PRG	STEERING GEAR (TRW (Ross) TAS-40) Power	\$0.00
7BDN	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Right Side Under Cab; Includes Vertical Tail Pipe & Bright Guard	\$858.00
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height)	
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u> : BATTERY BOX Steel : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered	
8518	CIGAR LIGHTER Includes Ash Cup	\$18.00
8GDW	ALTERNATOR (Delco Remy 22-SI) Brush Type, 12 Volt 100 Amp. Capacity, Pad Mounted	\$42.00
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	\$63.00
8MED	BATTERY SYSTEM (International) Maintenance-Free (2) 12-Volt 1100CCA Total	\$0.00

Code	Description	List (USA DOLLAR)
8RJV	RADIO (International) AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Dual Cone Speakers <u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior	\$338.00
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	\$26.00
8WPB	HEADLIGHTS Halogen; Composite Aero Design for Two Light System; Includes Daytime Running Lights	\$58.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	\$42.00
8WRB	HEADLIGHTS ON WWIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	\$22.00
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	\$60.00
8WYA	STARTING MOTOR (Leece-Neville M101R) 12-Volt; With Integrated Magnetic Switch, less Thermal Over-Crank Protection	\$24.00
8XBK	SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at PDC and Control in Cab	\$84.00
9HAD	GRILLE Chrome	\$0.00
9WAY	FRONT END Tilting, Fiberglass, With Three Piece Construction	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GA"	\$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10769	PAINT CLASS Premium Color.	\$110.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00
12890	BLOCK HEATER, ENGINE (Phillips) 120 Volt/1000 Watt <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	\$48.00
12NTE	ENGINE, DIESEL (International MaxxForce 7) EPA 07, 200 HP @ 2600 RPM, 560 lb-ft Torque @ 1400 RPM, 2800 RPM Governed Speed, 200 Peak HP (Max) <u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Engine Mounted : FUEL HEATER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Engine Mounted : GLOW PLUG Automatic with Indicator Light : GOVERNOR Electronic : OIL FILTER, ENGINE Drop-In Cartridge Type	\$0.00
12TTB	FAN DRIVE (Borg-Warner Series 790) Viscous Type, Screw On	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	<u>Includes</u> : FAN Nylon	
12UXV	FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines	\$0.00
12UYE	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, With 313 SqIn Charge Air Cooler. With In-Tank Transmission Cooler	\$0.00
	<u>Includes</u> : ANTI-FREEZE Red Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	
12VBC	AIR CLEANER Single Element	\$0.00
	<u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	
12VXU	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel	\$0.00
12VYY	FEDERAL EMISSIONS 2007 for International MaxxForce 7 Engines (V8)	\$0.00
12VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxForce post 2007 Emissions Electronic Engines	\$45.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations	\$0.00
13ALX	TRANSMISSION, AUTOMATIC {Allison 2500_RDS_P} 4th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; On/Off Hwy; 33,000 lb GVW & GCW Max., With PTO Provision, Less Retarder	\$3,897.00
	<u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan	
14AGE	AXLE, REAR, SINGLE (Dana Spicer 17060S) Single Reduction, 17,500-lb Capacity, With 190 Wheel Ends . Gear Ratio: 6.17	\$439.00
	<u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle	
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	
14VAD	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 18,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring	\$46.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
14WAP	SHOCK ABSORBERS, REAR (2)	\$93.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
15DUH	FUEL TANK (2) Top Draw; D Style, Steel, 19" Tank Depth, 50 U.S. Gal., 190L, Right Side, 70 U.S. Gal., 265L Total Capacity 120 U.S. Gal., 455L; With Quick Connect Outlets, Mounted Under Cab Left and Right Side <u>Notes</u> : N/A with 19.5" Tires	\$680.00
16030	CAB Conventional <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps per Door	\$0.00
16HBA	GAUGE CLUSTER English With English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	\$0.00
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	\$48.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16JHN	SEAT, DRIVER (Gra-Mag) Non-Suspension, Mid Back, Vinyl, With Fixed Back <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	(\$89.00)
16PHJ	SEAT, TWO-MAN PASSENGER (Gra-Mag) Fixed Back, Two Integral Headrest, Vinyl, Less Under Seat Storage Compartment <u>Includes</u> : SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position)	\$362.00
16SDJ	MIRRORS (2) (Lang Mekra) Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Black Heads, Brackets & Arms	\$22.00
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	\$0.00
16WKB	AIR CONDITIONER (International Blend-Air) With Integral Heater & Defroster <u>Includes</u> : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A	\$823.00
16WRX	CAB INTERIOR TRIM Deluxe <u>Includes</u> : "A" PILLAR COVER Molded Plastic	\$0.00

Code	Description	List (USA DOLLAR)
	: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	
27DNS	WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, 5 Hand Hold, Flanged Nut, Metric Mount, 7.50 DC Rims; With Steel Hubs. <u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White : WHEEL SEALS, FRONT Grease Lubricated, Includes Wheel Bearings <u>Notes</u> : Compatible Tire Sizes: 9R22.5, 10R22.5, 11R22.5, 235/80R22.5, 245/75R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5	\$9.00
28DNS	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, 5 Hand Hold, Flanged Nut, Metric Mount, 7.50 DC Rims; With Steel Hubs <u>Includes</u> : PAINT IDENTITY, REAR WHEELS White : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings <u>Notes</u> : Compatible Tire Sizes: 9R22.5, 10R22.5, 11R22.5, 235/80R22.5, 245/75R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5	(\$162.00)
29580	WHEEL SEALS, FRONT (International) Oil-Lubricated Wheel Bearings	\$37.00
60AAA	BDY INTG, REMOTE POWER MODULE Mounted Under Cab or On Battery Box; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp. Total (Includes 1 Switch Pack With Latched Switches)	\$508.00
7382090155	(2) TIRE, FRONT 9R22.5 G149 RSA/RH (GOODYEAR) 541 rev/mile, load range F, 12 ply	\$44.00
7382090155	(4) TIRE, REAR 9R22.5 G149 RSA/RH (GOODYEAR) 541 rev/mile, load range F, 12 ply	\$88.00
	Total of Product Features	\$70,559.00
	Total List Price Including Options:	\$70,559.00
	2010 Federal Mandate Emissions Charge	\$6,000.00
	Total Goods Purchased:	\$6,000.00

<u>Description</u>	(USA DOLLAR)	<u>Price</u>
Factory List Prices:		
Product Items	\$70,559.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$70,559.00
Total Goods Purchased:		\$6,000.00
MI-Deal Administrative Fee	\$560.00	
Total Preparation And Delivery:		\$560.00
Freight Charge	\$1,505.00	
Total Freight:		\$1,505.00
Total Factory List Price Including Freight:		\$78,624.00
Less Customer Allowance:		(\$22,105.00)
Total Vehicle Price:		\$56,519.00
Total Sale Price:		\$56,519.00
Total Per Vehicle Sales Price:		\$56,519.00
Net Sales Price:		\$56,519.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRICING SHEET

TRUCK: CAB AND CHASSIS (G.V.W.R. 33,000 lbs., min.)* Mich. Spec. #3958-0160		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: International Model: 7400SBA 4x2 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.20	\$67,818.00*	
Final Point of Assembly: Garland, TX		
Dealer Information		
Dealer Name: International Truck & Engine Corp		
Street Address: 773 Windmill Dr. Suite C		
City: Pickerington	State: OH	Zip: 43147
Contact Name: Tom Drobot		
Telephone: 614-367-7925		
Cell: 313-410-2397		
Fax: 614-367-7925		
E-mail: tom.drobot@navistar.com		

***Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.**



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: INT'L ITEM NO(s). 3958-0160
 MAKE OF TRUCK: INT'L MODEL: 7400 SBA 4X2 GVWR 33,000 lbs.
 PAYLOAD: 33,000 W.B. 171 C.A. 103.9 C.E.
 ENGINE: (GAS - DIESEL) DIESEL MAKE: INT'L MODEL: MAXXACE DT SAE H.P. 260
 FUEL TANK(S) CAPACITY: 100 (GALS. TOTAL) TRANSMISSION: ALLISON 3500 RDS
 SPRING CAP. @ GROUND EACH: FRONT 12,000 lbs. REAR 23,500 lbs. AUX. 4500 lbs.
 AXLES: FRONT 12,000 lbs. REAR 21,000 lbs. REAR RATIO 6.50
 ALTERNATOR: 135 amps. BATTERY 1300 cca.
 TIRE SIZE: FRONT 11R22.5 PR REAR 11R22.5 PR SINGLE DUAL M&S
 TIRE: MAKE GOODYEAR STYLE NO. RADIAL MFG. CODE F 62M / R 6182
 HOIST: MAKE MODEL INSTALLING CO.
 BODY: MAKE MODEL INSTALLING CO.
 POWER LIFT GATE: MAKE MODEL CAPACITY lbs.
 PLATFORM SIZE:

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS


Y

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Prepared For:
MICHIGAN STATE OF
Laura Gyorkos
425 W Ottawa St.
Lansing, MI 48933-1532
(517)373 - 2090
Reference ID: 0160 MI-Deal

Presented By:
INT'L TRK & ENGINE CORP
Tom Drobot
2050 Academy St.
Dearborn MI 48124 -
(313)410-2397

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2011 7400 SBA 4X2 (SA625)

APPLICATION:	Construction Dump
MISSION:	Requested GVWR: 33000. Calc. GVWR: 33000 Calc. Start / Grade Ability: 44.50% / 2.78% @ 55 MPH Calc. Geared Speed: 68.7 MPH
FUEL ECONOMY:	7.97 MPG @ 55 MPH
DIMENSION:	Wheelbase: 171.00, CA: 103.90, Axle to Frame: 63.00
ENGINE, DIESEL:	{International MaxxForce DT} EPA 07, 260 HP, 800 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, # 2 Bell Housing
TRANSMISSION, AUTOMATIC:	{Allison 3500_RDS_P} 4th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Dana Spicer I-120W} Wide Track, I-Beam Type, 12,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer 21060D} Single Reduction, 21,000-lb Capacity, With 200 Wheel Ends, Driver Control Locking Differential Gear Ratio: 6.50
CAB:	Conventional
TIRE, FRONT:	(2) 11R22.5 G287 MSA (GOODYEAR) 498 rev/mile, load range H, 16 ply
TIRE, REAR:	(4) 11R22.5 G182 RSD (GOODYEAR) 496 rev/mile, load range H, 16 ply
SUSPENSION, RR, SPRING, SINGLE:	Vari-Rate; 23,500-lb Capacity
PAINT:	Cab schematic 100GN Location 1: 3026, Orange (Prem) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
SA62500	Base Chassis, Model 7400 SBA 4X2 with 171.00 Wheelbase, 103.90 CA, and 63.00 Axle to Frame.	\$67,810.00
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL	\$0.00
1LLA	BUMPER, FRONT Steel, Swept Back <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color	\$0.00
1WGR	WHEELBASE RANGE 138" (350cm) Through and Including 187" (475cm)	\$0.00
2AES	AXLE, FRONT NON-DRIVING {Dana Spicer I-120W} Wide Track, I-Beam Type, 12,000-lb Capacity <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	\$494.00
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf, 12,000-lb Capacity; With Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	\$67.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4 <u>Notes</u> : Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered.	\$0.00
4722	DRAIN VALVE, AUTOMATIC {Bendix DV-2} With Heater; for Air Tank <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank	\$119.00
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	\$0.00
4EBD	AIR DRYER {Meritor WABCO System Saver 1200} with Heater, Mounted in Standard Location	\$445.00
4ESX	BRAKE CHAMBERS, FRONT AXLE {Haldex} 20 Sqli	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
4EVL	BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 Spring Brake	\$0.00
4JCG	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers	\$0.00
	<u>Notes</u> : Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM.	
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
4SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity	\$0.00
5710	STEERING COLUMN Tilting and Telescoping	\$344.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	\$0.00
5PSA	STEERING GEAR {Sheppard M-100} Power	\$0.00
7BDA	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device, Frame Mounted Right Side Back of Cab, Includes Horizontal Tail Pipe	\$468.00
	<u>Includes</u> : NOTE: The Horizontal Tailpipe Includes a Temperature Control Device	
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u> : BATTERY BOX Steel with Fiberglass Cover : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered	
8518	CIGAR LIGHTER Includes Ash Cup	\$18.00
8GGB	ALTERNATOR {Delco Remy 35-SI} Brushless Type, 12 Volt 135 Amp. Capacity, Pad Mounted, High Temperature	\$431.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	\$63.00
8MEP	BATTERY SYSTEM {International} Maintenance-Free (2) 12-Volt 1300CCA Total.	\$0.00
8RKB	RADIO {Panasonic CQ120} AM/FM, Includes Multiple Dual Cone Speakers, Includes Auxiliary Input <u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior	\$305.00
8VZY	STARTING MOTOR {Leece-Neville M105R} 12 Volt; Less Thermal Over-Crank Protection	\$188.00
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	\$0.00
8WMA	SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light	\$42.00
8WPP	ENGINE SHUTDOWN Automatic; With 30 Second Delay, With International Engines	\$147.00
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	\$0.00
8XBK	SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at PDC and Control in Cab	\$84.00
9ANG	HOOD, HATCH (01) for Servicing	\$444.00
9HAN	INSULATION, UNDER HOOD for Sound Abatement	\$167.00
9HBM	GRILLE Stationary, Chrome	\$0.00
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	\$76.00
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 Emissions	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GN"	\$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10769	PAINT CLASS Premium Color.	\$110.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00
12NTA	ENGINE, DIESEL {International MaxxForce DT} EPA 07, 260 HP, 800 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, # 2 Bell Housing <u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted : GOVERNOR Electronic	\$1,476.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: OIL FILTER, ENGINE Spin-On Type : WET TYPE CYLINDER SLEEVES	
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed	\$241.00
	<u>Includes</u> : FAN Nylon	
12UWY	RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core and 1167 SqIn Charge Air Cooler	\$0.00
	<u>Includes</u> : ANTI-FREEZE Red Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	
12UXV	FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines	\$0.00
12VBC	AIR CLEANER Single Element	\$0.00
	<u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	
12VXU	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel	\$0.00
12VYX	FEDERAL EMISSIONS 2007 for International MaxxFORCE DT Engines (DT466)	\$0.00
12VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxFORCE post 2007 Emissions Electronic Engines	\$45.00
12WTH	BLOCK HEATER, ENGINE {Phillips} 120 Volt/1250 Watt; With "Y" Cord From Socket in Standard Location, With Provision in Oil Pan For a Dealer Installed Oil Pan Heater, With Extended Life Coated Oil Pan, for I6 Engines	\$82.00
	<u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	
12WYS	EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature Range; Includes Nylon Surge Tank and 15 psi Pressure Cap	\$0.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations	\$0.00
13AJN	TRANSMISSION, AUTOMATIC {Allison 3500_RDS_P} 4th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.	\$8,341.00
	<u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan	
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil, for Allison or CEEMAT Transmission	\$667.00
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission	\$0.00
13WDY	SHIFT CONTROL PARAMETERS WT-Allison S-1 Performance Programming in Primary and Allison S-4 Economy Programming in Secondary	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	\$0.00
14AGR	AXLE, REAR, SINGLE {Dana Spicer 21060D} Single Reduction, 21,000-lb Capacity, With 200 Wheel Ends, Driver Control Locking Differential . Gear Ratio: 6.50 <u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	\$1,757.00
14SAN	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	\$87.00
14SZB	SPRINGS, REAR AUXILIARY Multileaf, 4,500-lb Capacity	\$120.00
14WAP	SHOCK ABSORBERS, REAR (2)	\$93.00
15DMN	FUEL TANK (2) Top Draw; D Style, Steel, 50 U.S. Gal., Total Capacity 100 U.S. Gal., 378 L; 16" Tank Depth, Mounted Under Cab Left and Right Side	\$680.00
15LKG	FUEL/WATER SEPARATOR With Thermostatic Fuel Temperature Controlled Electric Heater, and Filter Restriction/Change Indicator, Includes Standard Equipment Water-in-Fuel Sensor	\$64.00
16030	CAB Conventional <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps per Door	\$0.00
16HBA	GAUGE CLUSTER English With English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	\$0.00
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel	\$30.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16JDY	SEAT, DRIVER (Gra-Mag) Non-Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back	\$0.00
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	
16PHJ	SEAT, TWO-MAN PASSENGER (Gra-Mag) Fixed Back, Two Integral Headrest, Vinyl, Less Under Seat Storage Compartment	\$74.00
	<u>Includes</u> : SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position)	
16SDJ	MIRRORS (2) (Lang Mekra) Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Black Heads, Brackets & Arms	\$22.00
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	\$0.00
16WKB	AIR CONDITIONER (International Blend-Air) With Integral Heater & Defroster	\$823.00
	<u>Includes</u> : FRESH AIR FILTER : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A	
16WKY	FRESH AIR FILTER for HVAC	\$0.00
16WRX	CAB INTERIOR TRIM Deluxe	\$0.00
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	
16WSK	CAB REAR SUSPENSION Air Bag Type	\$0.00
27DMA	WHEELS, FRONT DISC; 22.5" Painted Steel, 2 Hand Hole, 10 Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs.	\$47.00
	<u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White : WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings	
	<u>Notes</u> : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	\$80.00
	<u>Includes</u> : PAINT IDENTITY, REAR WHEELS White : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings	

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	<u>Notes</u> : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	
60AAA	BDY INTG, REMOTE POWER MODULE Mounted Under Cab or On Battery Box; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp. Total (Includes 1 Switch Pack With Latched Switches)	\$508.00
7382130121	(4) TIRE, REAR 11R22.5 G182 RSD (GOODYEAR) 496 rev/mile, load range H, 16 ply	\$964.00
7382130125	(2) TIRE, FRONT 11R22.5 G287 MSA (GOODYEAR) 498 rev/mile, load range H, 16 ply	\$508.00
	Total of Product Features	\$88,579.00
	Total List Price Including Options:	\$88,579.00
	2010 Federal Mandate Emissions Charge	\$6,000.00
	Total Goods Purchased:	\$6,000.00

<u>Description</u>	<u>(USA DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$88,579.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$88,579.00
Total Goods Purchased:		\$6,000.00
MI-Deal Administrative Fee	\$671.00	
Total Preparation And Delivery:		\$671.00
Freight Charge	\$1,505.00	
Total Freight:		\$1,505.00
Total Factory List Price Including Freight:		\$96,755.00
Less Customer Allowance:		(\$29,260.00)
Total Vehicle Price:		\$67,495.00
Total Warranty:		\$323.00
Total Sale Price:		\$67,818.00
Total Per Vehicle Sales Price:		\$67,818.00
Net Sales Price:		\$67,818.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

PRICING SHEET

TRUCK: CAB AND CHASSIS (G.V.W.R. 27,000 LBS., MIN.)*		
Mich. Spec. #3958-0164		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: International Model: 4300M7 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.20	\$58,005.00*	
Final Point of Assembly: Springfield, OH		
Dealer Information		
Dealer Name: International Truck & Engine Corp		
Street Address: 773 Windmill Dr. Suite C		
City: Pickerington	State: OH	Zip: 43147
Contact Name: Tom Drobot		
Telephone: 614-367-7925		
Cell: 313-410-2397		
Fax: 614-367-7925		
E-mail: tom.drobot@navistar.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: IAT'L ITEM NO(s): 3958-064

MAKE OF TRUCK: IAT'L MODEL: 4300 M7 GVWR 21,000 lbs.

PAYLOAD: 21,000 W.B. 224 C.A. 156.9 C.E. X

ENGINE: (GAS - DIESEL) DIESEL MAKE: IAT'L MODEL: M7 SAE H.P. 215

FUEL TANK(S) CAPACITY: 100 (GALS. TOTAL) TRANSMISSION: ALLISON 250 RDS

SPRING CAP. @ GROUND EACH: FRONT 8,000 lbs. REAR 20,000 lbs. AUX. 4500 lbs.

AXLES: FRONT 8,000 lbs. REAR 19,000 lbs. REAR RATIO 6.50

ALTERNATOR: 100 amps. BATTERY 1850 cca.

TIRE SIZE: FRONT 11R22.5 SPR REAR 11R22.5 PR SINGLE _____ DUAL X M&S X

TIRE: MAKE GOODYEAR STYLE NO. RADIAL MFG. CODE F 6271 / R 6182

HOIST: MAKE X MODEL _____ INSTALLING CO. X

BODY: MAKE X MODEL _____ INSTALLING CO. X

POWER LIFT GATE: MAKE X MODEL _____ CAPACITY X lbs.

PLATFORM SIZE: X


OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Prepared For:
 MICHIGAN STATE OF
 Laura Gyorkos
 425 W Ottawa St.
 Lansing, MI 48933-1532
 (517)373 - 2090
 Reference ID: 0164 MI-Deal

Presented By:
 INT'L TRK & ENGINE CORP
 Tom Drobot
 2050 Academy St.
 Dearborn MI 48124 -
 (313)410-2397

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
 2011 4300M7 SBA 4X2 (MA065)

APPLICATION:	Stake Flat
MISSION:	Requested GVWR: 27000. Calc. GVWR: 27000 Calc. Start / Grade Ability: 27.90% / 2.38% @ 55 MPH Calc. Geared Speed: 70.4 MPH 8.31 MPG @ 55 MPH
FUEL ECONOMY:	
DIMENSION:	Wheelbase: 224.00, CA: 156.90, Axle to Frame: 81.00
ENGINE, DIESEL:	{International MaxxForce 7} EPA 07, 215 HP @ 2600 RPM, 560 lb-ft Torque @ 1400 RPM, 2800 RPM Governed Speed, 215 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 2500_RDS_P} 4th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; On/Hwy; 33,000 lb GVW & GCW Max., With PTO Provision, Less Retarder
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Dana Spicer D800-F} I-Beam Type, 8,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer 19080S} Single Reduction, Hypoid Gearing, 19,000-lb Capacity, With 190 Wheel Ends Gear Ratio: 6.50
CAB:	Conventional
TIRE, FRONT:	(2) 11R22.5 G287 MSA (GOODYEAR) 498 rev/mile, load range H, 16 ply
TIRE, REAR:	(4) 11R22.5 G182 RSD (GOODYEAR) 498 rev/mile, load range G, 14 ply
SUSPENSION, RR, SPRING, SINGLE:	Vari-Rate; 20,000-lb Capacity, With 4500 lb Auxiliary Rubber Spring
PAINT:	Cab schematic 100GA Location 1: 3026, Orange (Prem) Chassis schematic N/A

Code	Description	List (USA DOLLAR)
MA06500	Base Chassis, Model 4300M7 SBA 4X2 with 224.00 Wheelbase, 156.90 CA, and 81.00 Axle to Frame.	\$59,417.00
1CAD	FRAME RAILS High Strength Low Alloy Steel (80,000 PSI Yield); 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5mm); 427.0" (10846mm) Maximum OAL	\$197.00
1LLD	BUMPER, FRONT Full Width, Aerodynamic, Steel; 0.142" Material Thickness <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color	\$0.00
1WEC	WHEELBASE RANGE 185" (470cm) Through and Including 236" (600cm)	\$244.00
2AEM	AXLE, FRONT NON-DRIVING (Dana Spicer D800-F) I-Beam Type, 8,000-lb Capacity <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	\$198.00
3ADA	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 8,000-lb Capacity; With Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	\$0.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4 <u>Notes</u> : Front and Rear Dust Shields not Included : Rear Axle is Limited to 19,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Code 04NCL BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered. : Rear Axle is Limited to 20,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Code 04NCG BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered.	(\$339.00)
4722	DRAIN VALVE, AUTOMATIC (Bendix DV-2) With Heater; for Air Tank <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank	\$119.00
4AZA	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel)	\$1,357.00
4EBD	AIR DRYER (Meritor WABCO System Saver 1200) with Heater, Mounted in Standard Location	\$445.00
4ESX	BRAKE CHAMBERS, FRONT AXLE (Haldex) 20 SqIn	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
4EVL	BRAKE CHAMBERS, REAR AXLE (Haldex GC3030LHDHO) 30/30 Spring Brake	\$0.00
4JCG	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers	\$0.00
	<u>Notes</u> : Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM.	
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4SBC	AIR COMPRESSOR (Bendix Tu-Flo 550) 13.2 CFM Capacity	\$69.00
5708	STEERING COLUMN Tilting	\$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	\$0.00
5PRG	STEERING GEAR (TRW (Ross) TAS-40) Power	\$0.00
7BDM	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Right Side Back of Cab; Includes Vertical Tail Pipe and Guard	\$671.00
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1' Height) : MUFFLER/TAIL PIPE GUARD Bright Finish	
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u> : BATTERY BOX Steel : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered	
8518	CIGAR LIGHTER Includes Ash Cup	\$18.00
8540	HORN, ELECTRIC (2)	\$20.00
8GDW	ALTERNATOR (Delco Remy 22-SI) Brush Type, 12 Volt 100 Amp. Capacity, Pad Mounted	\$42.00
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	\$63.00

Code	Description	List (USA DOLLAR)
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total	\$113.00
8RJV	RADIO {International} AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Dual Cone Speakers	\$338.00
	<u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior	
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	\$26.00
8WPB	HEADLIGHTS Halogen; Composite Aero Design for Two Light System; Includes Daytime Running Lights	\$58.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	\$42.00
8WRB	HEADLIGHTS ON WWIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	\$22.00
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	\$60.00
8WYA	STARTING MOTOR {Leece-Neville M101R} 12-Volt; With Integrated Magnetic Switch, less Thermal Over-Crank Protection	\$24.00
8XBK	SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at PDC and Control in Cab	\$84.00
9HAD	GRILLE Chrome	\$0.00
9WAY	FRONT END Tilting, Fiberglass, With Three Piece Construction	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GA"	
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10769	PAINT CLASS Premium Color.	\$110.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00
12890	BLOCK HEATER, ENGINE {Phillips} 120 Volt/1000 Watt	\$48.00
	<u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	
12NTG	ENGINE, DIESEL {International MaxxForce 7} EPA 07, 215 HP @ 2600 RPM, 560 lb-ft Torque @ 1400 RPM, 2800 RPM Governed Speed, 215 Peak HP (Max)	\$670.00
	<u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Engine Mounted : FUEL HEATER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Engine Mounted : GLOW PLUG Automatic with Indicator Light : GOVERNOR Electronic : OIL FILTER, ENGINE Drop-In Cartridge Type	

INTERNATIONAL***Vehicle Specifications**
2011 4300M7 SBA 4X2 (MA065)

December 10, 2009

Code	Description	List (USA DOLLAR)
12TTB	FAN DRIVE (Borg-Warner Series 790) Viscous Type, Screw On <u>Includes</u> : FAN Nylon	\$0.00
12UXV	FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines	\$0.00
12UYE	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, With 313 SqIn Charge Air Cooler. With In-Tank Transmission Cooler <u>Includes</u> : ANTI-FREEZE Red Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	\$0.00
12VBC	AIR CLEANER Single Element <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	\$0.00
12VXU	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel	\$0.00
12VYY	FEDERAL EMISSIONS 2007 for International MaxxForce 7 Engines (V8)	\$0.00
12VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxForce post 2007 Emissions Electronic Engines	\$45.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations	\$0.00
13ALX	TRANSMISSION, AUTOMATIC (Allison 2500_RDS_P) 4th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; On/Off Hwy; 33,000 lb GVW & GCW Max., With PTO Provision, Less Retarder <u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan	\$3,897.00
14AGA	AXLE, REAR, SINGLE (Dana Spicer 19060S) Single Reduction, Hypoid Gearing, 19,000-lb Capacity, With 190 Wheel Ends . Gear Ratio: 6.50 <u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	\$1,124.00
14VAG	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 20,000-lb Capacity, With 4500 lb Auxiliary Rubber Spring <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	\$88.00
14WAP	SHOCK ABSORBERS, REAR (2)	\$93.00

Code	Description	List (USA DOLLAR)
15DMN	FUEL TANK (2) Top Draw; D Style, Steel, 50 U.S. Gal., Total Capacity 100 U.S. Gal., 378 L; 16" Tank Depth, Mounted Under Cab Left and Right Side	\$680.00
16030	CAB Conventional	\$0.00
	<u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps per Door	
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	\$0.00
	<u>Includes</u> : GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	\$48.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16JHN	SEAT, DRIVER (Gra-Mag) Non-Suspension, Mid Back, Vinyl, With Fixed Back	(\$89.00)
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	
16PHJ	SEAT, TWO-MAN PASSENGER (Gra-Mag) Fixed Back, Two Integral Headrest, Vinyl, Less Under Seat Storage Compartment	\$362.00
	<u>Includes</u> : SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position)	
16SDJ	MIRRORS (2) (Lang Mekra) Rectangular, 7.44" x 14.84" & 7.44" sq, Convex Both Sides, 102" Inside Spacing, Breakaway Type, Black Heads, Brackets & Arms	\$22.00
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	\$0.00
16WKB	AIR CONDITIONER (International Blend-Air) With Integral Heater & Defroster	\$823.00
	<u>Includes</u> : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A	
16WRX	CAB INTERIOR TRIM Deluxe	\$0.00
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors	

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	
27DMA	WHEELS, FRONT DISC; 22.5" Painted Steel, 2 Hand Hole, 10 Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs.	\$56.00
	<u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White : WHEEL SEALS, FRONT Grease Lubricated, Includes Wheel Bearings	
	<u>Notes</u> : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stub (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	(\$82.00)
	<u>Includes</u> : PAINT IDENTITY, REAR WHEELS White : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings	
	<u>Notes</u> : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	
29580	WHEEL SEALS, FRONT (International) Oil-Lubricated Wheel Bearings	\$37.00
60AAA	BDY INTG, REMOTE POWER MODULE Mounted Under Cab or On Battery Box; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp. Total (Includes 1 Switch Pack With Latched Switches)	\$508.00
7372130121	(4) TIRE, REAR 11R22.5 G182 RSD (GOODYEAR) 498 rev/mile, load range G, 14 ply	\$552.00
7382130125	(2) TIRE, FRONT 11R22.5 G287 MSA (GOODYEAR) 498 rev/mile, load range H, 16 ply	\$540.00
	Total of Product Features	\$72,945.00
	Total List Price Including Options:	\$72,945.00
	2010 Federal Mandate Emissions Charge	\$6,000.00
	Total Goods Purchased:	\$6,000.00

<u>Description</u>	<u>(USA DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$72,945.00	
Service Items	\$0.00	
Total Factory List Price including Options:		\$72,945.00
Total Goods Purchased:		\$6,000.00
MI-Deal Administrative Fee	\$574.00	
Total Preparation And Delivery:		\$574.00
Freight Charge	\$1,505.00	
Total Freight:		\$1,505.00
Total Factory List Price including Freight:		\$81,024.00
Less Customer Allowance:		(\$23,019.00)
Total Vehicle Price:		\$58,005.00
Total Sale Price:		\$58,005.00
Total Per Vehicle Sales Price:		\$58,005.00
Net Sales Price:		\$58,005.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Wiring:** *Dash switched for hood mounted snow plow headlights. Wiring with connectors to be coiled under hood. Snow plow headlights to be supplied and installed by M-DOT.*

Warranty: To begin with date vehicle is placed in service. This will be approximately 270 days after delivery to MDOT. MDOT will advise the contractor, in writing, of the actual in-service dates and the contractor must insure that the manufacturer's records accurately reflect the service dates.

The successful bidder shall provide a minimum of eight hours training at a central M-DOT location, to M-DOT mechanics on the servicing and repair of new technology componentry, particularly electronic related.

It shall be the Vendor's responsibility to hold a vehicle pilot inspection at his manufacturing facility and furnish adequate transportation and lodging (if required) for four (4) personnel from the State of Michigan, before production. This inspection shall be held within 120 days of award.

PRICING SHEET

TRUCK: CAB AND CHASSIS (G.V.W.R. 44,000 lbs., min.) 300 H.P. DIESEL ENGINE, SINGLE AXLE Mich. Spec. #3958-0170	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: International Model: 7600SFA 4x2 F.O.B. - Dealership Delivery Cost Per Mile \$1.20	\$100,186.00*
Final Point of Assembly: Garland, TX	
Dealer Information	
Dealer Name: International Truck & Engine Corp	
Street Address: 773 Windmill Dr. Suite C	
City: Pickerington	State: OH Zip: 43147
Contact Name: Tom Drobot	
Telephone: 614-367-7925	
Cell: 313-410-2397	
Fax: 614-367-7925	
E-mail: tom.drobot@navistar.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: INTERNATIONAL TRUCK + ENGINE ^{CRP} ITEM NO(s) 3958-0170

MAKE OF TRUCK: INTERNATIONAL MODEL 7600 SFA 4X2 GVWR lbs.

PAYLOAD: PER SPEC W.B. 187 C.A. 112 C.E. 187

ENGINE: (GAS - DIESEL) DIESEL MAKE: CUMMINS MODEL: ISM 320V SAE H.P. 310

FUEL TANK(S) CAPACITY: 50 (GALS. TOTAL) TRANSMISSION: ALLISON 4500 RDS

SPRING CAP. @ GROUND EACH: FRONT 9000 lbs. REAR 15500 lbs. AUX. 2250 lbs.

AXLES: FRONT 18000 lbs. REAR 26000 lbs. REAR RATIO 5.63

ALTERNATOR: Delco 135 amps. BATTERY 2775 cca.

TIRE SIZE: FRONT 385/65R22.5 PR REAR 12R22.5 PR SINGLE 18M DUAL 12M M&S G-286A FR F G-124 REAR

TIRE: MAKE GOODYEAR STYLE NO. RADIAL MFG. CODE G-286 G-124

HOIST: MAKE MODEL INSTALLING CO.

BODY: MAKE MODEL INSTALLING CO.

POWER LIFT GATE: MAKE MODEL CAPACITY lbs.

PLATFORM SIZE:

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS


Blank lines for additional comments or equipment details.

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Prepared For:
MICHIGAN STATE OF
Laura Gyorkos
530 W Allegan St.
Lansing, MI 48933-1521
(517)373 - 2090
Reference ID: 0170 MI-Deal

Presented By:
INT'L TRK & ENGINE CORP
Tom Drobot
2050 Academy St.
Dearborn MI 48124 -
(313)410-2397

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2011 7600 SFA 4X2 (SA547)

APPLICATION:	Construction Dump
MISSION:	Requested GVWR: 44000. Calc. GVWR: 44000 Calc. Start / Grade Ability: 41.40% / 3.08% @ 55 MPH Calc. Geared Speed: 69.3 MPH
FUEL ECONOMY:	8.2 MPG @ 55 MPH
DIMENSION:	Wheelbase: 187.00, CA: 112.00, Axle to Frame: 75.00
ENGINE, DIESEL:	{International MaxxForce 11} EPA 07, 330 HP @ 2100 RPM Governed Speed, 1250 lb-ft Torque @ 1000 RPM; 330 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 4500_RDS_P} 4th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder Omit Item (Clutch & Control)
CLUTCH:	
AXLE, FRONT NON-DRIVING:	{Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity
AXLE, REAR, SINGLE:	{Meritor RS-26-185} Single Reduction, Standard Track, 26,000-lb Capacity, With R Wheel Ends Gear Ratio: 5.63
CAB:	Conventional
TIRE, FRONT:	(2) 385/65R22.5 UNISTEEL G286A (GOODYEAR) 490 rev/mile, load range J, 18 ply
TIRE, REAR:	(4) 12R22.5 UNISTEEL G124 M+S (GOODYEAR) 482 rev/mile, load range H, 16 ply
SUSPENSION, RR, SPRING, SINGLE:	Vari-Rate; 31,000-lb Capacity, Includes 4500-lb Capacity Multileaf Auxiliary
PAINT:	Cab schematic 100GR Location 1: 3026, Orange (Prem) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
SA54700	Base Chassis, Model 7600 SFA 4X2 with 187.00 Wheelbase, 112.00 CA, and 75.00 Axle to Frame.	\$115,988.00
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	\$665.00
1LLA	BUMPER, FRONT Steel, Swept Back	\$0.00
	<u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color	
1WDS	FRAME EXTENSION, FRONT Integral; 20" In Front of Grille	\$221.00
1WHB	WHEELBASE RANGE 156" (395cm) Through and Including 201" (510cm)	\$506.00
2ARZ	AXLE, FRONT NON-DRIVING {Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity	\$2,088.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
3708	SHOCK ABSORBERS, FRONT	\$265.00
3770	SPRINGS, FRONT AUXILIARY Rubber	\$104.00
3ACR	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type; 18,000-lb Capacity; Less Shock Absorbers	\$79.00
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free	
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00
	<u>Includes</u> : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4	
	<u>Notes</u> : Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered.	
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers	\$265.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
4619	TRAILER CONNECTIONS Four-Wheel, With Hand Control Valve and Tractor Protection Valve, for Straight Truck	\$317.00
4722	DRAIN VALVE, AUTOMATIC (Bendix DV-2) With Heater; for Air Tank	\$119.00
	<u>Includes</u> : DRAIN VALVE Mounted in Wet Tank	
4773	BRAKE SHOES, REAR Cast	\$770.00
	<u>Notes</u> : Provides Rear Axle GAWR Up to 26,000-Lb. : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
4AZJ	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel) With Automatic Traction Control	\$397.00
4EBD	AIR DRYER (Meritor WABCO System Saver 1200) with Heater, Mounted in Standard Location	\$445.00
4ETE	BRAKE CHAMBERS, FRONT AXLE (Haldex) 24 SqIn	\$13.00
4EVH	BRAKE CHAMBERS, REAR AXLE (MGM TR3030LP3TSHD) 30/30 Spring Brake	\$106.00
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
4SBU	AIR COMPRESSOR (Knorr Bremse LP-360 DLU) 15.9 CFM Capacity, Single Cylinder	\$0.00
4VCJ	AIR TANK LOCATION (2) Mounted Under Cab, Outside Left Rail, On Step Bracket, With 24" Ground Clearance	\$99.00
5708	STEERING COLUMN Tilting	\$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	\$0.00
5PTB	STEERING GEAR (2) (Sheppard M-100/M-80) Dual Power	\$0.00
7BDL	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Outside Right Rail Under Cab; Includes Vertical Tail Pipe and Guard	\$0.00
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height) : MUFFLER/TAIL PIPE GUARD Bright Finish	
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u> : BATTERY BOX Steel with Fiberglass Cover : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery	

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered	
8518	CIGAR LIGHTER Includes Ash Cup	\$18.00
8GGN	ALTERNATOR {Bosch LH160} Brush Type, 12 Volt 160 Amp. Capacity, Pad Mounted	\$0.00
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	\$63.00
8MKX	BATTERY SYSTEM {International} Maintenance-Free (3) 12-Volt 2775CCA Total	\$189.00
8REA	2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness	\$133.00
8RJV	RADIO {International} AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Dual Cone Speakers	\$338.00
	<u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior	
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	\$64.00
8TMG	TRAILER CONNECTION SOCKET 7-Way; Mounted at rear of Frame, Wired for Turn Signals Combined With Stop, Compatible With Trailers That Use Combined Stop, Tail, Turn Lamps	\$164.00
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	\$0.00
8WEK	BATTERY BOX Steel, With Fiberglass Cover; 35" Back of Cab, Mounted Right Side Perpendicular to Frame Rail	\$54.00
8WLS	TURN SIGNALS, FRONT Dual Face, Amber/Red, Mounted on Top of Fender, Used With Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	\$74.00
8WML	HEADLIGHTS Long Life Halogen; for Two Light System	\$22.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	\$70.00
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	\$0.00
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt	\$0.00
	<u>Notes</u> : This starter is designed to work reliably without the need for thermal overcrank protection and provides the same warranty coverage as starters with thermal overcrank protection.	
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
8XBK	SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at PDC and Control in Cab	\$84.00
9585	FENDER EXTENSIONS Rubber	\$0.00
9HBM	GRILLE Stationary, Chrome	\$0.00
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 Emissions	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GR"	
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10769	PAINT CLASS Premium Color.	\$110.00
10WPK	GROUND CLEARANCE IDENTITY For 24" Ground Clearance.	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00
12854	PTO EFFECTS, ENGINE FRONT for MaxxFace 11 and 13 International Engines, Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	\$0.00
12BAE	ENGINE, DIESEL {International MaxxFace 11} EPA 07, 330 HP @ 2100 RPM Governed Speed, 1250 lb-ft Torque @ 1000 RPM; 330 Peak HP (Max)	\$0.00
	<u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : COLD STARTING EQUIPMENT Automatic; With Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE BLOCK Compacted Graphite Iron : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Top Access, Cartridge Type Filter Element; Engine Mounted : FUEL SYSTEM High Pressure Common Rail : GOVERNOR Electronic : HEAT MANAGEMENT SYSTEM Eco-Therm : OIL FILTER, ENGINE Drop-In Cartridge Type : OIL PAN Laminate Steel Composite : TURBO Twin Series : WET TYPE CYLINDER SLEEVES	
12THJ	FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, With Normally Closed Temperature Control	\$0.00
	<u>Includes</u> : FAN Nylon	
12UXY	FEDERAL EMISSIONS 2007 for International MaxxFace 11 Liter Engines	\$0.00
12UYP	RADIATOR Aluminum; Front to back system. 1464 SqIn, Main, Down flow; 1358 SqIn, Aux, Cross flow Radiator	\$0.00
	<u>Includes</u> : ANTI-FREEZE Red Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Clear Fill/Surge Tank and Black Deaeration Tank (2 Tanks) : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	
12VAG	AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control	\$157.00
	<u>Includes</u>	

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	
12WCT	BLOCK HEATER, ENGINE (Phillips) 120 Volt/1500 Watt With "Y" Cord for Fuel Heater; Cord to Operate Both Heaters	\$125.00
	<u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	
12WEG	COLD STARTING EQUIPMENT Automatic; With Engine ECM Control	\$0.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations	\$0.00
13AMN	TRANSMISSION, AUTOMATIC (Allison 4500_RDS_P) 4th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder	\$23,327.00
	<u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan	
13WAW	OIL COOLER, AUTO TRANSMISSION (Modine) Water to Oil, for Allison or CEEMAT Transmission	\$667.00
13WBL	TRANSMISSION SHIFT CONTROL (Allison) Push-Button Type; for Allison 3000 & 4000 Series Transmission	\$0.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	\$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	\$141.00
14ARZ	AXLE, REAR, SINGLE (Meritor RS-26-185) Single Reduction, Standard Track, 26,000-lb Capacity, With R Wheel Ends . Gear Ratio: 5.63	\$2,201.00
	<u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle	
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	
14SAL	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 31,000-lb Capacity, Includes 4500-lb Capacity Multileaf Auxiliary	\$218.00
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
15LGM	FUEL/WATER SEPARATOR (Davco Fuel Pro 382 (382040)) With 120V Pre Heater and Fuel Heated, Thermostatic Fuel Temperature Control Mounted In Standard Position	\$632.00
15SPT	FUEL TANK Temporary; Top Draw; D-Style, Steel, 16" Tank Depth, 50 U.S. Gal., 189 L; Capacity, With Quick Connect Outlet, Mounted Right Side Back of Cab	\$0.00
16030	CAB Conventional	\$0.00
	<u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window	

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps per Door	
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	\$0.00
	<u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	\$0.00
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	
16RPV	SEAT, PASSENGER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Adjust	\$508.00
16SDU	MIRRORS (2) {Lang Mekra} Styled; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatically Controlled, Power Both Sides, Clearance Lights LED, Bright Finish Heads & Brackets	\$443.00
16SEE	GRAB HANDLE Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar	\$70.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	\$39.00
16WBZ	ARM REST, LEFT, PASSENGER SEAT	\$39.00
16WJT	INSTRUMENT PANEL Center Section, Ergonomic Panel	\$167.00
16WJU	WINDOW, POWER (2) And Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$367.00
16WKB	AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster	\$823.00
	<u>Includes</u> : FRESH AIR FILTER : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A	
16WKY	FRESH AIR FILTER for HVAC	\$0.00
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door	\$0.00
16WRX	CAB INTERIOR TRIM Deluxe	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	
16WSK	CAB REAR SUSPENSION Air Bag Type	\$0.00
27DNP	WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, 5 Hand Hole, Flanged Nut, Metric Mount, 12.25 DC Rims; With Steel Hubs.	\$684.00
	<u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White : WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings	
	<u>Notes</u> : Compatible Tire Sizes: 385/65R22.5, 425/65R22.5	
28DPM	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With .472" Thick Increased Capacity Disc and With Steel Hubs	\$242.00
	<u>Includes</u> : PAINT IDENTITY, REAR WHEELS White : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings	
	<u>Notes</u> : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	
29WLA	WHEEL BEARING, FRONT, LUBE (EmGard 50W) Synthetic Oil	\$25.00
60AAH	BDY INTG, REMOTE POWER MODULE (2) Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 2 Switch Packs With Latched Switches)	\$846.00
7382150192	(4) TIRE, REAR 12R22.5 UNISTEEL G124 M+S (GOODYEAR) 482 rev/mile, load range H, 16 ply	\$1,392.00
7702650164	(2) TIRE, FRONT 385/65R22.5 UNISTEEL G286A (GOODYEAR) 490 rev/mile, load range J, 18 ply	\$1,160.00
	Total of Product Features	\$158,306.00
	Total List Price Including Options:	\$158,306.00
	2010 Federal Mandate Emissions Charge	\$8,000.00
	Total Goods Purchased:	\$8,000.00

<u>Description</u>	<u>(USA DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$158,306.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$158,306.00
Total Goods Purchased:		\$8,000.00
MI Deal Administrative Fee	\$992.00	
Total Preparation And Delivery:		\$992.00
Freight Charge	\$1,505.00	
Total Freight:		\$1,505.00
Total Factory List Price Including Freight:		\$168,803.00
Less Customer Allowance:		(\$68,617.00)
Total Vehicle Price:		\$100,186.00
Total Sale Price:		\$100,186.00
Total Per Vehicle Sales Price:		\$100,186.00
Net Sales Price:		\$100,186.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

- Wiring:** Dash switched for hood mounted snow plow headlights. Wiring with connectors to be coiled under hood. Snow plow headlights to be supplied and installed by M-DOT.

Warranty: To begin with date vehicle is placed in service. This will be approximately 270 days after delivery to MDOT. MDOT will advise the contractor, in writing, of the actual in-service dates and the contractor must insure that the manufacturer's records accurately reflect the service dates.

The successful bidder shall provide a minimum of eight hours training at a central M-DOT location, to M-DOT mechanics on the servicing and repair of new technology componentry, particularly electronic related.

It shall be the Vendor's responsibility to hold a vehicle pilot inspection at his manufacturing facility and furnish adequate transportation and lodging (if required) for four (4) personnel from the State of Michigan, before production. This inspection shall be held within 120 days of award.

PRICING SHEET

<u>TRUCK: CAB AND CHASSIS (G.V.W.R. 64,000 lbs., min.) TANDEM AXLE 365 H.P. DIESEL ENGINE, WALKING BEAM AND SPRING SUSPENSION</u>	
Mich. Spec. #3958-0172	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: International Model: 7600SFA 6x4 F.O.B. - Dealership Delivery Cost Per Mile \$1.20	\$106,779.00*
Final Point of Assembly: Garland, TX	
<u>Dealer Information</u>	
Dealer Name: International Truck & Engine Corp	
Street Address: 773 Windmill Dr. Suite C	
City: Pickerington	State: OH Zip: 43147
Contact Name: Tom Drobot	
Telephone: 614-367-7925	
Cell: 313-410-2397	
Fax: 614-367-7925	
E-mail: tom.drobot@navistar.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: INT'L ITEM NO(s): 3958-0172

MAKE OF TRUCK: INT'L MODEL: 7600 SFA 644 GVWR 64,000 lbs.

PAYLOAD: 60,000 W.B. 213 C.A. 138 C.E. _____

ENGINE: (GAS - DIESEL) DIESEL MAKE: INT'L MODEL: MAXIMUM II SAE H.P. 390

FUEL TANK(S) CAPACITY: 50 TEMP. _____ (GALS. TOTAL) TRANSMISSION: ALLISON 450D

SPRING CAP. @ GROUND EACH: FRONT 18,000 lbs. REAR 46,000 lbs. AUX. ND lbs.

AXLES: FRONT 18,000 lbs. REAR 46,000 lbs. REAR RATIO 5.63

ALTERNATOR: 160 amps. BATTERY 2775 cca.

TIRE SIZE: FRONT 385/65R22.5 PR REAR 12R22.5 PR SINGLE _____ DUAL M&S

TIRE: MAKE GOODYEAR STYLE NO. RADIAL MFG. CODE E 6206A/R 6124

HOIST: MAKE MODEL _____ INSTALLING CO.

BODY: MAKE MODEL _____ INSTALLING CO.

POWER LIFT GATE: MAKE MODEL _____ CAPACITY _____ lbs.

PLATFORM SIZE:


OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Prepared For:
 MICHIGAN STATE OF
 Laura Gyorkos
 530 W Allegan St.
 Lansing, MI 48933-1521
 (517)373 - 2090
 Reference ID: 0172 MI-Deal

Presented By:
 INT'L TRK & ENGINE CORP
 Tom Drobot
 2050 Academy St.
 Dearborn MI 48124 -
 (313)410-2397

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2011 7600 SFA 6X4 (SF547)

APPLICATION:	Front Plow with spreader
MISSION:	Requested GVWR: 64000. Calc. GVWR: 64000 Calc. Start / Grade Ability: 32.10% / 2.40% @ 55 MPH Calc. Geared Speed: 69.3 MPH
FUEL ECONOMY:	N/A
DIMENSION:	Wheelbase: 213.00, CA: 138.00, Axle to Frame: 77.00
ENGINE, DIESEL:	{International MaxxForce 11} EPA 07, 390 HP @ 2100 RPM Governed Speed, 1400 lb-ft Torque @ 1000 RPM; 390 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 4500_RDS_P} 4th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor RT-46-160} Single Reduction 46,000-lb Capacity With 200 Wheel Ends Gear Ratio: 5.63
CAB:	Conventional
TIRE, FRONT:	(2) 385/65R22.5 UNISTEEL G286A (GOODYEAR) 490 rev/mile, load range J, 18 ply
TIRE, REAR:	(8) 12R22.5 UNISTEEL G124 M+S (GOODYEAR) 482 rev/mile, load range H, 16 ply
SUSPENSION, REAR, TANDEM:	{Hendrickson RT-463} Walking Beam Type 54" Axle Spacing; 46,000-lb Capacity With Bronze Center Bushings
PAINT:	Cab schematic 100GR Location 1: 3026, Orange (Prem) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
SF54700	Base Chassis, Model 7600 SFA 6X4 with 213.00 Wheelbase, 138.00 CA, and 77.00 Axle to Frame.	\$126,129.00
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	\$665.00
1LLA	BUMPER, FRONT Steel, Swept Back <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color	\$0.00
1WDS	FRAME EXTENSION, FRONT Integral; 20" In Front of Grille	\$221.00
1WHG	WHEELBASE RANGE 191" (485cm) Through and Including 256" (650cm)	\$637.00
2ARZ	AXLE, FRONT NON-DRIVING (Meritor MFS-18-133A) Wide Track, I-Beam Type, 18,000-lb Capacity <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	\$2,088.00
3708	SHOCK ABSORBERS, FRONT	\$265.00
3770	SPRINGS, FRONT AUXILIARY Rubber	\$104.00
3ACR	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type; 18,000-lb Capacity; Less Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	\$79.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE CHAMBERS, SPRING (4) Rear Parking : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4 <u>Notes</u> : Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered.	\$0.00
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
4619	TRAILER CONNECTIONS Four-Wheel, With Hand Control Valve and Tractor Protection Valve, for Straight Truck	\$317.00
4722	DRAIN VALVE, AUTOMATIC {Bendix DV-2} With Heater; for Air Tank	\$119.00
	<u>Includes</u> : DRAIN VALVE Mounted in Wet Tank	
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	\$0.00
4EBD	AIR DRYER {Meritor WABCO System Saver 1200} with Heater, Mounted in Standard Location	\$445.00
4ETE	BRAKE CHAMBERS, FRONT AXLE {Haldex} 24 SqIn	\$13.00
4EVH	BRAKE CHAMBERS, REAR AXLE {MGM TR3030LP3TSHD} 30/30 Spring Brake	\$212.00
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
4SBU	AIR COMPRESSOR {Knorr Bremse LP-360 DLU} 15.9 CFM Capacity, Single Cylinder	\$0.00
4VCJ	AIR TANK LOCATION (2) Mounted Under Cab, Outside Left Rail, On Step Bracket, With 24" Ground Clearance	\$99.00
5708	STEERING COLUMN Tilting	\$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	\$0.00
5PTB	STEERING GEAR (2) {Sheppard M-100/M-80} Dual Power	\$0.00
7BDL	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Outside Right Rail Under Cab; Includes Vertical Tail Pipe and Guard	\$0.00
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height) : MUFFLER/TAIL PIPE GUARD Bright Finish	
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u> : BATTERY BOX Steel with Fiberglass Cover : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature	

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered	
8518	CIGAR LIGHTER Includes Ash Cup	\$18.00
8GGN	ALTERNATOR (Bosch LH160) Brush Type, 12 Volt 160 Amp. Capacity, Pad Mounted	\$0.00
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	\$63.00
8MKX	BATTERY SYSTEM {International} Maintenance-Free (3) 12-Volt 2775CCA Total	\$189.00
8REA	2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness	\$133.00
8RJV	RADIO {International} AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Dual Cone Speakers	\$338.00
	<u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior	
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	\$64.00
8TME	TRAILER CONNECTION SOCKET 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible With Trailers That Have Amber or Side Turn Lamps	\$164.00
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	\$0.00
8WEL	BATTERY BOX Steel, With Fiberglass Cover; Mounted 26" BOC, Left Side Perpendicular to Frame Rail	\$79.00
8WLS	TURN SIGNALS, FRONT Dual Face, Amber/Red, Mounted on Top of Fender, Used With Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	\$74.00
8WML	HEADLIGHTS Long Life Halogen; for Two Light System	\$22.00
8WXG	STARTING MOTOR (Mitsubishi Electric Automotive America 105P) 12-Volt	\$0.00
	<u>Notes</u> : This starter is designed to work reliably without the need for thermal overcrank protection and provides the same warranty coverage as starters with thermal overcrank protection.	
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	\$0.00
8XBK	SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at PDC and Control in Cab	\$84.00
9585	FENDER EXTENSIONS Rubber	\$0.00
9ANG	HOOD, HATCH (01) for Servicing	\$444.00
9HBM	GRILLE Stationary, Chrome	\$0.00
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 Emissions	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GR"	
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10769	PAINT CLASS Premium Color.	\$110.00
10WPK	GROUND CLEARANCE IDENTITY For 24" Ground Clearance.	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00
12854	PTO EFFECTS, ENGINE FRONT for MaxxFORCE 11 and 13 International Engines, Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	\$0.00
12BAH	ENGINE, DIESEL {International MaxxFORCE 11} EPA 07, 390 HP @ 2100 RPM Governed Speed, 1400 lb-ft Torque @ 1000 RPM; 390 Peak HP (Max)	\$669.00
	<u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : COLD STARTING EQUIPMENT Automatic; With Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE BLOCK Compacted Graphite Iron : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Top Access, Cartridge Type Filter Element; Engine Mounted : FUEL SYSTEM High Pressure Common Rail : GOVERNOR Electronic : HEAT MANAGEMENT SYSTEM Eco-Therm : OIL FILTER, ENGINE Drop-In Cartridge Type : OIL PAN Laminate Steel Composite : TURBO Twin Series	
12THJ	FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, With Normally Closed Temperature Control	\$0.00
	<u>Includes</u> : FAN Nylon	
12UXY	FEDERAL EMISSIONS 2007 for International MaxxFORCE 11 Liter Engines	\$0.00
12UYP	RADIATOR Aluminum; Front to back system. 1464 SqIn, Main, Down flow; 1358 SqIn, Aux, Cross flow Radiator	\$0.00
	<u>Includes</u> : ANTI-FREEZE Red Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Clear Fill/Surge Tank and Black Deaeration Tank (2 Tanks) : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	
12VAL	AIR CLEANER Dual Element, with Integral Snow Valve and In-Cab Control	\$241.00
	<u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	
12WCT	BLOCK HEATER, ENGINE {Phillips} 120 Volt/1500 Watt With "Y" Cord for Fuel Heater; Cord to Operate Both Heaters	\$125.00
	<u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	
12WEG	COLD STARTING EQUIPMENT Automatic; With Engine ECM Control	\$0.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
13AMN	TRANSMISSION, AUTOMATIC {Allison 4500_RDS_P} 4th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder <u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan	\$23,327.00
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil, for Allison or CEEMAT Transmission	\$667.00
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission	\$0.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	\$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	\$141.00
14GRD	AXLE, REAR, TANDEM {Meritor RT-46-160} Single Reduction 46,000-lb Capacity With 200 Wheel Ends . Gear Ratio: 5.63 <u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	\$2,860.00
14UHK	SUSPENSION, REAR, TANDEM {Hendrickson RT-463} Walking Beam Type 54" Axle Spacing; 46,000-lb Capacity With Bronze Center Bushings <u>Includes</u> : CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	(\$320.00)
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions	\$191.00
15LGM	FUEL/WATER SEPARATOR {Davco Fuel Pro 382 (382040)} With 120V Pre Heater and Fuel Heated, Thermostatic Fuel Temperature Control Mounted In Standard Position	\$632.00
15SPT	FUEL TANK Temporary; Top Draw; D-Style, Steel, 16" Tank Depth, 50 U.S. Gal., 189 L; Capacity, With Quick Connect Outlet, Mounted Right Side Back of Cab	\$0.00
16030	CAB Conventional <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps per Door	
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	\$0.00
	<u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	\$0.00
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	
16RPV	SEAT, PASSENGER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Adjust	\$508.00
16SDU	MIRRORS (2) {Lang Mekra} Styled; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatically Controlled, Power Both Sides, Clearance Lights LED, Bright Finish Heads & Brackets	\$443.00
16SEE	GRAB HANDLE Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar	\$70.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	\$39.00
16WBZ	ARM REST, LEFT, PASSENGER SEAT	\$39.00
16WJT	INSTRUMENT PANEL Center Section, Ergonomic Panel	\$167.00
16WJU	WINDOW, POWER (2) And Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$367.00
16WKB	AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster	\$823.00
	<u>Includes</u> : FRESH AIR FILTER : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A	
16WKY	FRESH AIR FILTER for HVAC	\$0.00
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door	\$0.00
16WRX	CAB INTERIOR TRIM Deluxe	\$0.00
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic	

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	
16WSK	CAB REAR SUSPENSION Air Bag Type	\$0.00
27DNP	WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, 5 Hand Hole, Flanged Nut, Metric Mount, 12.25 DC Rims; With Steel Hubs. <u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White : WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings <u>Notes</u> : Compatible Tire Sizes: 385/65R22.5, 425/65R22.5	\$684.00
28DPM	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With .472" Thick Increased Capacity Disc and With Steel Hubs <u>Includes</u> : PAINT IDENTITY, REAR WHEELS White : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings <u>Notes</u> : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	\$462.00
29WLA	WHEEL BEARING, FRONT, LUBE {EmGard 50W} Synthetic Oil	\$25.00
60AAH	BDY INTG, REMOTE POWER MODULE (2) Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 2 Switch Packs With Latched Switches)	\$846.00
7382150192	(8) TIRE, REAR 12R22.5 UNISTEEL G124 M+S (GOODYEAR) 482 rev/mile, load range H, 16 ply	\$2,784.00
7702650164	(2) TIRE, FRONT 385/65R22.5 UNISTEEL G286A (GOODYEAR) 490 rev/mile, load range J, 18 ply	\$1,160.00
	Total of Product Features	\$170,328.00
	Total List Price Including Options:	\$170,328.00
	2010 Federal Mandate Emission Charge	\$8,000.00
	Total Goods Purchased:	\$8,000.00

<u>Description</u>	(USA DOLLAR)	<u>Price</u>
Factory List Prices:		
Product Items	\$170,328.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$170,328.00
Total Goods Purchased:		\$8,000.00
MI-Deal Administrative Fee	\$1,057.00	
Total Preparation And Delivery:		\$1,057.00
FREIGHT	\$1,505.00	
Total Freight:		\$1,505.00
Total Factory List Price Including Freight:		\$180,890.00
Less Customer Allowance:		(\$74,111.00)
Total Vehicle Price:		\$106,779.00
Total Sale Price:		\$106,779.00
Total Per Vehicle Sales Price:		\$106,779.00
Net Sales Price:		\$106,779.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without
Seller's Authorized Signature

Official Title and Date

PRICING SHEET


<u>TRUCK: CAB AND CHASSIS (G.V.W.R. 52,000 lbs., min.)</u> <u>TANDEM-Diesel Engine*</u> <u>Mich. Spec. #3958-0173</u>		
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost	
Make: International Model: 7600SFA 6x4 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.20	\$102,459.00*	
Final Point of Assembly: Garland, TX		
<u>Dealer Information</u>		
Dealer Name: International Truck & Engine Corp		
Street Address: 773 Windmill Dr. Suite C		
City: Pickerington	State: OH	Zip: 43147
Contact Name: Tom Drobot		
Telephone: 614-367-7925		
Cell: 313-410-2397		
Fax: 614-367-7925		
E-mail: tom.drobot@navistar.com		

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Prepared For:
MICHIGAN STATE OF
Laura Gyorkos
530 W Allegan St.
Lansing, MI 48933-1521
(517)373 - 2090
Reference ID: 0173 MI-Deal

Presented By:
INT'L TRK & ENGINE CORP
Tom Drobot
2050 Academy St.
Dearborn MI 48124 -
(313)410-2397

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2011 7600 SFA 6X4 (SF547)

APPLICATION:	Front Plow with spreader
MISSION:	Requested GVWR: 54000. Calc. GVWR: 54000 Calc. Start / Grade Ability: 34.00% / 2.23% @ 55 MPH Calc. Geared Speed: 70.0 MPH 7.3 MPG @ 55 MPH
FUEL ECONOMY:	7.3 MPG @ 55 MPH
DIMENSION:	Wheelbase: 177.00, CA: 102.00, Axle to Frame: 63.00
ENGINE, DIESEL:	{International MaxxForce 11} EPA 07, 330 HP @ 2100 RPM Governed Speed, 1250 lb-ft Torque @ 1000 RPM; 330 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 4500_RDS_P} 4th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity
AXLE, REAR, TANDEM:	{Dana Spicer DS405/RS405} Single Reduction, 40,000-lb Capacity, With 200 Wheel Ends Gear Ratio: 5.57
CAB:	Conventional
TIRE, FRONT:	(2) 12R22.5 G287 MSA (GOODYEAR) 482 rev/mile, load range H, 16 ply
TIRE, REAR:	(8) 12R22.5 UNISTEEL G124 M+S (GOODYEAR) 482 rev/mile, load range H, 16 ply
SUSPENSION, REAR, TANDEM:	{Hendrickson RT-403} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings
PAINT:	Cab schematic 100GR Location 1: 3026, Orange (Prem) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
SF54700	Base Chassis, Model 7600 SFA 6X4 with 177.00 Wheelbase, 102.00 CA, and 63.00 Axle to Frame.	\$126,129.00
1570	TOW HOOK, FRONT (2) Inside Rail, Frame Mounted.	\$73.00
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	\$665.00
1LLA	BUMPER, FRONT Steel, Swept Back	\$0.00
	<u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color	
1WDS	FRAME EXTENSION, FRONT Integral; 20" In Front of Grille	\$221.00
1WHE	WHEELBASE RANGE 160" (405cm) Through and Including 189" (480cm)	\$0.00
2ARV	AXLE, FRONT NON-DRIVING {Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity	\$700.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
3770	SPRINGS, FRONT AUXILIARY Rubber	\$104.00
3AGU	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type; 14,000-lb Capacity; With Shock Absorbers, for Reduced Deflection Vocational Use	\$69.00
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free	
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00
	<u>Includes</u> : BRAKE CHAMBERS, SPRING (4) Rear Parking : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4	
	<u>Notes</u> : Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered.	
4619	TRAILER CONNECTIONS Four-Wheel, With Hand Control Valve and Tractor Protection Valve, for Straight Truck	\$317.00
4722	DRAIN VALVE, AUTOMATIC {Bendix DV-2} With Heater; for Air Tank	\$119.00
	<u>Includes</u>	

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: DRAIN VALVE Mounted in Wet Tank	
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	\$0.00
4EBD	AIR DRYER {Meritor WABCO System Saver 1200} with Heater, Mounted in Standard Location	\$445.00
4ESX	BRAKE CHAMBERS, FRONT AXLE {Haldex} 20 SqIn	\$0.00
4EVH	BRAKE CHAMBERS, REAR AXLE {MGM TR3030LP3TSHD} 30/30 Spring Brake	\$212.00
4JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
4SBU	AIR COMPRESSOR {Knorr Bremse LP-360 DLU} 15.9 CFM Capacity, Single Cylinder	\$0.00
5708	STEERING COLUMN Tilting	\$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	\$0.00
5PSA	STEERING GEAR {Sheppard M-100} Power	\$0.00
7BDL	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Outside Right Rail Under Cab; Includes Vertical Tail Pipe and Guard	\$0.00
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height) : MUFFLER/TAIL PIPE GUARD Bright Finish	
7WAZ	TAIL PIPE (1) Turnback Type, Non-Bright, for Single Exhaust	\$64.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u> : BATTERY BOX Steel with Fiberglass Cover : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature	

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered	
8518	CIGAR LIGHTER Includes Ash Cup	\$18.00
8GGN	ALTERNATOR (Bosch LH160) Brush Type, 12 Volt 160 Amp. Capacity, Pad Mounted	\$0.00
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	\$63.00
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total	(\$37.00)
8REA	2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness	\$133.00
8RJV	RADIO {International} AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Dual Cone Speakers	\$338.00
	<u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior	
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	\$64.00
8TME	TRAILER CONNECTION SOCKET 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible With Trailers That Have Amber or Side Turn Lamps	\$164.00
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	\$0.00
8WEL	BATTERY BOX Steel, With Fiberglass Cover; Mounted 26" BOC, Left Side Perpendicular to Frame Rail	\$79.00
8WLS	TURN SIGNALS, FRONT Dual Face, Amber/Red, Mounted on Top of Fender, Used With Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	\$74.00
8WML	HEADLIGHTS Long Life Halogen; for Two Light System	\$22.00
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt	\$0.00
	<u>Notes</u> : This starter is designed to work reliably without the need for thermal overcrank protection and provides the same warranty coverage as starters with thermal overcrank protection.	
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	\$0.00
8XBK	SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at PDC and Control in Cab	\$84.00
9585	FENDER EXTENSIONS Rubber	\$0.00
9HBM	GRILLE Stationary, Chrome	\$0.00
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 Emissions	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
	<u>Includes</u>	

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: PAINT SCHEMATIC ID LETTERS "GR"	
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10769	PAINT CLASS Premium Color.	\$110.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00
12854	PTO EFFECTS, ENGINE FRONT for MaxxForce 11 and 13 International Engines, Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	\$0.00
12926	RADIATOR HOSES Silicone; Molded	\$104.00
12BAE	ENGINE, DIESEL {International MaxxForce 11} EPA 07, 330 HP @ 2100 RPM Governed Speed, 1250 lb-ft Torque @ 1000 RPM; 330 Peak HP (Max)	\$0.00
	<u>Includes</u>	
	: AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated	
	: COLD STARTING EQUIPMENT Automatic; With Engine ECM Control	
	: CRUISE CONTROL Electronic; Controls Integral to Steering Wheel	
	: ENGINE BLOCK Compacted Graphite Iron	
	: ENGINE SHUTDOWN Electric, Key Operated	
	: FUEL FILTER Top Access, Cartridge Type Filter Element; Engine Mounted	
	: FUEL SYSTEM High Pressure Common Rail	
	: GOVERNOR Electronic	
	: HEAT MANAGEMENT SYSTEM Eco-Therm	
	: OIL FILTER, ENGINE Drop-In Cartridge Type	
	: OIL PAN Laminate Steel Composite	
	: TURBO Twin Series	
	: WET TYPE CYLINDER SLEEVES	
12THJ	FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, With Normally Closed Temperature Control	\$0.00
	<u>Includes</u>	
	: FAN Nylon	
12UXY	FEDERAL EMISSIONS 2007 for International MaxxForce 11 Liter Engines	\$0.00
12UYP	RADIATOR Aluminum; Front to back system. 1464 SqIn, Main, Down flow; 1358 SqIn, Aux, Cross flow Radiator	\$0.00
	<u>Includes</u>	
	: ANTI-FREEZE Red Shell Rotella Extended Life Coolant -40F (-40C)	
	: DEAERATION SYSTEM with Clear Fill/Surge Tank and Black Deaeration Tank (2 Tanks)	
	: HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps	
	: RADIATOR HOSES Premium, Rubber	
12VAL	AIR CLEANER Dual Element, with Integral Snow Valve and In-Cab Control	\$241.00
	<u>Includes</u>	
	: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	
12WCT	BLOCK HEATER, ENGINE {Phillips} 120 Volt/1500 Watt With "Y" Cord for Fuel Heater; Cord to Operate Both Heaters	\$125.00
	<u>Includes</u>	
	: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	
12WEG	COLD STARTING EQUIPMENT Automatic; With Engine ECM Control	\$0.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
13AMN	TRANSMISSION, AUTOMATIC {Allison 4500_RDS_P} 4th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder <u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan	\$23,327.00
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil, for Allison or CEEMAT Transmission	\$667.00
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission	\$0.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	\$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	\$141.00
14GEP	AXLE, REAR, TANDEM {Dana Spicer DS405/RS405} Single Reduction, 40,000-lb Capacity, With 200 Wheel Ends . Gear Ratio: 5.57 <u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	\$983.00
14UHC	SUSPENSION, REAR, TANDEM {Hendrickson RT-403} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings <u>Includes</u> : CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	(\$818.00)
14WAK	SUSPENSION/REAR-AXLE IDENTITY for Dana Spicer Eaton Style Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions	\$191.00
15LGM	FUEL/WATER SEPARATOR {Davco Fuel Pro 382 (382040)} With 120V Pre Heater and Fuel Heated, Thermostatic Fuel Temperature Control Mounted In Standard Position	\$632.00
15SCR	FUEL TANK Top Draw; D Style, Steel, 100 U.S. Gal., 378.5 L Capacity, 19.0" Tank Depth, Mounted Left Side Under Cab	\$335.00
16030	CAB Conventional <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps per Door	
16975	HEATER HOSES Silicone	\$78.00
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	\$0.00
	<u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	\$0.00
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	
16PJH	SEAT, PASSENGER {Gra-Mag} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl	\$288.00
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	
16SDJ	MIRRORS (2) {Lang Mekra} Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Black Heads, Brackets & Arms	\$22.00
16SEE	GRAB HANDLE Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar	\$70.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	\$39.00
16WJT	INSTRUMENT PANEL Center Section, Ergonomic Panel	\$167.00
16WJU	WINDOW, POWER (2) And Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$367.00
16WKB	AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster	\$823.00
	<u>Includes</u> : FRESH AIR FILTER : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A	
16WKY	FRESH AIR FILTER for HVAC	\$0.00
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door	\$0.00
16WRX	CAB INTERIOR TRIM Deluxe	\$0.00
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic	

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	
16WSK	CAB REAR SUSPENSION Air Bag Type	\$0.00
27DMA	WHEELS, FRONT DISC; 22.5" Painted Steel, 2 Hand Hole, 10 Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs. <u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White : WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings <u>Notes</u> : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	\$0.00
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs <u>Includes</u> : PAINT IDENTITY, REAR WHEELS White : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings <u>Notes</u> : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	\$0.00
29WLA	WHEEL BEARING, FRONT, LUBE (EmGard 50W) Synthetic Oil	\$25.00
60AAH	BDY INTG, REMOTE POWER MODULE (2) Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 2 Switch Packs With Latched Switches)	\$846.00
7382150125	(2) TIRE, FRONT 12R22.5 G287 MSA (GOODYEAR) 482 rev/mile, load range H, 16 ply	\$786.00
7382150192	(8) TIRE, REAR 12R22.5 UNISTEEL G124 M+S (GOODYEAR) 482 rev/mile, load range H, 16 ply	\$2,784.00
	Total of Product Features	\$162,656.00
	Total List Price Including Options:	\$162,656.00
	2010 Federal Mandate Emission Charge	\$8,000.00
	Total Goods Purchased:	\$8,000.00

<u>Description</u>	<u>(USA DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$162,656.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$162,656.00
Total Goods Purchased:		\$8,000.00
2010 Federal Mandate Emissions Charge	\$1,014.00	
Total Preparation And Delivery:		\$1,014.00
FREIGHT	\$1,505.00	
Total Freight:		\$1,505.00
Total Factory List Price Including Freight:		\$173,175.00
Less Customer Allowance:		(\$70,716.00)
Total Vehicle Price:		\$102,459.00
Total Sale Price:		\$102,459.00
Total Per Vehicle Sales Price:		\$102,459.00
Net Sales Price:		\$102,459.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

- Seats-air suspension, cloth, high back.
- Silicon hoses-heater and radiator.
- Starting Aid-Cold weather, Ether type.
- Steering-Power.
- Switches (6), outfitter, with remote power module (MDOT)
- Tachometer.
- Tow Hooks-front, frame mounted.
- Wheels-Hub Piloted disc .

PRICING SHEET

TRACTOR: (G.C.W.R. 70,000 lbs., min.) TANDEM AXLE Mich. Spec. #3958-0178	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: International Model: 7400SBA 6x4 <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.20	\$85,949.00*
Final Point of Assembly: Garland, TX	
<u>Dealer Information</u>	
Dealer Name: International Truck & Engine Corp	
Street Address: 773 Windmill Dr. Suite C	
City: Pickerington	State: OH Zip: 43147
Contact Name: Tom Drobot	
Telephone: 614-367-7925	
Cell: 313-410-2397	
Fax: 614-367-7925	
E-mail: tom.drobot@navistar.com	

***Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.**

STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	
-------------------------------	-----------------------------------	--

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: INT'L ITEM NO(s). 3958-0178

MAKE OF TRUCK: INT'L MODEL: 7600 GVWR 52,000 lbs.

PAYLOAD: 80,000 W.B. 152 C.A. 84.9 C.E. _____

ENGINE: (GAS - DIESEL) DIESEL MAKE: INT'L MODEL: MAXFACE II SAE H.P. 330

FUEL TANK(S) CAPACITY: 160 (GALS. TOTAL) TRANSMISSION: FULLER 10 SPD

SPRING CAP. @ GROUND EACH: FRONT 12,000 lbs. REAR 40,000 lbs. AUX. NA lbs.

AXLES: FRONT 12,000 lbs. REAR 40,000 lbs. REAR RATIO 5.57

ALTERNATOR: 160 amps. BATTERY 1950 cca.

TIRE SIZE: FRONT 11R22.5 PR REAR 12R22.5 PR SINGLE _____ DUAL M&S

TIRE: MAKE GOODYEAR STYLE NO. RA000L MFG. CODE F 6395 / R 6674

HOIST: MAKE MODEL INSTALLING CO.

BODY: MAKE MODEL INSTALLING CO.

POWER LIFT GATE: MAKE MODEL CAPACITY lbs.

PLATFORM SIZE:

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**


INTERNATIONAL®

December 10, 2009

Prepared For:
MICHIGAN STATE OF
Laura Gyorkos
530 W Allegan St.
Lansing, MI 48933-1521
(517)373 - 2090
Reference ID: 0178 MI-Deal

Presented By:
INTL TRK & ENGINE CORP
Tom Drobot
2050 Academy St.
Dearborn MI 48124 -
(313)410-2397

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



**Model Profile
2011 7600 SBA 6X4 (SF647)**

APPLICATION:	General Freight Regional Haul 6x4 (DayCab)
MISSION:	Requested GCWR: 80000. Calc. GVWR: 52000 Calc. Start / Grade Ability: 19.30% / 1.18% @ 55 MPH Calc. Geared Speed: 63.4 MPH
FUEL ECONOMY:	5.63 MPG @ 55 MPH
DIMENSION:	Wheelbase: 152.00, CA: 84.90, Axle to Frame: 57.00
ENGINE, DIESEL:	{International MaxxForce 11} EPA 07, 330 HP @ 2100 RPM Governed Speed, 1250 lb-ft Torque @ 1000 RPM; 330 Peak HP (Max)
TRANSMISSION, MANUAL:	{Fuller FRO-13210C} 10-Speed Manual, With Overdrive, With Air Shift
CLUTCH:	{Eaton Fuller EP1552} Easy-Pedal Plus, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, Soft Clutch 7-Spring Damper, Mechanical Pull-Type Control, With Kwik-Adjust(Manual) Feature, 1700 lb-ft Torque Capacity
AXLE, FRONT NON-DRIVING:	{Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity
AXLE, REAR, TANDEM:	{Dana Spicer DS405/RS405} Single Reduction, 40,000-lb Capacity, With 200 Wheel Ends Gear Ratio: 5.57
CAB:	Conventional
TIRE, FRONT:	(2) 11R22.5 G395 LHS (GOODYEAR) 504 rev/mile, load range G, 14 ply
TIRE, REAR:	(8) 12R22.5 UNISTEEL G124 M+S (GOODYEAR) 482 rev/mile, load range H, 16 ply
SUSPENSION, REAR, TANDEM:	{International} 4-Spring Type, Multileaf, 52" Axle Spacing; 40,000-lb Capacity
PAINT:	Cab schematic 100GS Location 1: 3026, Orange (Prem) Chassis schematic N/A

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INTERNATIONAL*

Vehicle Specifications
2011 7600 SBA 6X4 (SF647)

December 10, 2009

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
SF64700	Base Chassis, Model 7600 SBA 6X4 with 152.00 Wheelbase, 84.90 CA, and 57.00 Axle to Frame.	\$126,129.00
1570	TOW HOOK, FRONT (2) Inside Rail, Frame Mounted.	\$73.00
1616	FRAME RAILS WITH TAPERED REAR	\$87.00
1CAG	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL	\$337.00
1LLA	BUMPER, FRONT Steel, Swept Back	\$0.00
	<u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color	
1WHN	WHEELBASE RANGE 152" (385cm) Through and Including 181" (460cm)	\$0.00
2ARW	AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; With Shock Absorbers	\$0.00
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free	
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4092	BRAKE SYSTEM, AIR Dual System for Tractor Applications	\$232.00
	<u>Includes</u> : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab : HAND CONTROL VALVE, AIR Mounted on Steering Column : HOSE TENDER Back of Cab Mounted : PARKING BRAKE CONTROL Yellow and Red Knobs, Located on Instrument Panel : PARKING BRAKE VALVE Combination Valve for Tractor and Trailer : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for Forward Rear Axle : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights (Blinks Lights with Headlight Switch in "OFF" or "ON" Position) Instrument Panel Mounted : TRACTOR PROTECTION VALVE	
	<u>Notes</u> : Front and Rear Dust Shields not Included : Rear Axle is Limited to 17,000-lb GAWR with Code 04092 BRAKE SYSTEM, AIR and Code 04NCL BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered. : Rear Axle is Limited to 40,000-lb GAWR with Code 04092 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered.	
4722	DRAIN VALVE, AUTOMATIC {Bendix DV-2} With Heater; for Air Tank	\$119.00

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INTERNATIONAL®

Vehicle Specifications
2011 7600 SBA 6X4 (SF647)

December 10, 2009

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	<u>Includes</u> : DRAIN VALVE Mounted in Wet Tank	
4AZA	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel)	\$0.00
4EBD	AIR DRYER (Meritor WABCO System Saver 1200) with Heater, Mounted in Standard Location	\$445.00
4ESX	BRAKE CHAMBERS, FRONT AXLE (Haldex) 20 SqIn	\$0.00
4EVH	BRAKE CHAMBERS, REAR AXLE (MGM TR3030LP3TSHD) 30/30 Spring Brake	\$212.00
4JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
4SBU	AIR COMPRESSOR (Knorr Bremse LP-360 DLU) 15.9 CFM Capacity, Single Cylinder	\$0.00
4WBX	DUST SHIELDS, FRONT BRAKE for Air Brakes	\$35.00
4WDM	DUST SHIELDS, REAR BRAKE for Air Brakes	\$67.00
5708	STEERING COLUMN Tilting	\$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	\$0.00
5PSA	STEERING GEAR (Sheppard M-100) Power	\$0.00
7BDS	EXHAUST SYSTEM Single, Vertical Aftertreatment Device Frame Mounted Right Side; Includes Vertical Tail Pipe & Guard	\$282.00
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height) : MUFFLER/TAIL PIPE GUARD Non-Bright Finish	
7WAZ	TAIL PIPE (1) Turnback Type, Non-Bright, for Single Exhaust	\$64.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u> : BATTERY BOX Steel with Fiberglass Cover : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated	

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INTERNATIONAL®

Vehicle Specifications
2011 7600 SBA 6X4 (SF647)

December 10, 2009

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered	
8518	CIGAR LIGHTER Includes Ash Cup	\$18.00
8540	HORN, ELECTRIC (2)	\$20.00
8GGN	ALTERNATOR (Bosch LH160) Brush Type, 12 Volt 160 Amp. Capacity, Pad Mounted	\$0.00
8MKL	BATTERY SYSTEM (International) Maintenance-Free, (3) 12-Volt 1950CCA Total	\$0.00
8RJV	RADIO (International) AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Dual Cone Speakers	\$338.00
	<u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior	
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	\$0.00
8WML	HEADLIGHTS Long Life Halogen; for Two Light System	\$22.00
8WXG	STARTING MOTOR (Mitsubishi Electric Automotive America 105P) 12-Volt	\$0.00
	<u>Notes</u> : This starter is designed to work reliably without the need for thermal overcrank protection and provides the same warranty coverage as starters with thermal overcrank protection.	
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	\$0.00
8XBK	SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at PDC and Control in Cab	\$84.00
9585	FENDER EXTENSIONS Rubber	\$0.00
9HBM	GRILLE Stationary, Chrome	\$0.00
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 Emissions	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GS"	
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10769	PAINT CLASS Premium Color.	\$110.00
10GCH	FIFTH WHEEL, AIR SLIDE (Fontaine SL7ATB775024) 24" Slide, Cast Top Plate, 7.75" Above Top of Frame; Left Side Release	\$1,864.00
10WPT	MUD FLAP HOLDER Spring Loaded, Painted Black; With 45-Degree End, With Red and White Reflective Tape; Less Flaps	\$93.00
10WSX	MUD FLAPS, REAR Black Poly With International Logo; Less Holders	\$55.00

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INTERNATIONAL®

Vehicle Specifications
2011 7600 SBA 6X4 (SF647)

December 10, 2009

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
11MDE	CLUTCH {Eaton Fuller EP1552} Easy-Pedal Plus, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, Soft Clutch 7-Spring Damper, Mechanical Pull-Type Control, With Kwik-Adjust(Manual) Feature, 1700 lb-ft Torque Capacity	\$0.00
	<u>Includes</u> : CLUTCH RELEASE BEARING Greasable	
12926	RADIATOR HOSES Silicone; Molded	\$104.00
12BAE	ENGINE, DIESEL {International MaxxForce 11} EPA 07, 330 HP @ 2100 RPM Governed Speed, 1250 lb-ft Torque @ 1000 RPM; 330 Peak HP (Max)	\$0.00
	<u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : COLD STARTING EQUIPMENT Automatic; With Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE BLOCK Compacted Graphite Iron : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Top Access, Cartridge Type Filter Element; Engine Mounted : FUEL SYSTEM High Pressure Common Rail : GOVERNOR Electronic : HEAT MANAGEMENT SYSTEM Eco-Therm : OIL FILTER, ENGINE Drop-In Cartridge Type : OIL PAN Laminate Steel Composite : TURBO Twin Series : WET TYPE CYLINDER SLEEVES	
12THJ	FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, With Normally Closed Temperature Control	\$0.00
	<u>Includes</u> : FAN Nylon	
12UXY	FEDERAL EMISSIONS 2007 for International MaxxForce 11 Liter Engines	\$0.00
12UYP	RADIATOR Aluminum; Front to back system. 1464 SqIn, Main, Down flow; 1358 SqIn, Aux, Cross flow Radiator	\$0.00
	<u>Includes</u> : ANTI-FREEZE Red Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Clear Fill/Surge Tank and Black Deaeration Tank (2 Tanks) : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	
12VBC	AIR CLEANER Single Element	\$0.00
	<u>Includes</u> : AIR CLEANER with Vacuator : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	
12WCT	BLOCK HEATER, ENGINE {Phillips} 120 Volt/1500 Watt With "Y" Cord for Fuel Heater; Cord to Operate Both Heaters	\$125.00
	<u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	
12WEG	COLD STARTING EQUIPMENT Automatic; With Engine ECM Control	\$0.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations	\$0.00
13GHC	TRANSMISSION, MANUAL {Fuller FRO-13210C} 10-Speed Manual, With Overdrive, With Air Shift	\$234.00

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INTERNATIONAL®

Vehicle Specifications
2011 7600 SBA 6X4 (SF647)

December 10, 2009

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	<u>Includes</u> : CLUTCH BRAKE Torque Limiting : FILL PLUG, MAGNETIC	
14GEP	AXLE, REAR, TANDEM {Dana Spicer DS405/RS405} Single Reduction, 40,000-lb Capacity, With 200 Wheel Ends . Gear Ratio: 5.57 <u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	\$983.00
14UNA	SUSPENSION, REAR, TANDEM {International} 4-Spring Type, Multileaf, 52" Axle Spacing; 40,000-lb Capacity <u>Includes</u> : CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	(\$3,578.00)
15DMU	FUEL TANK (2) Top Draw; D Style, Steel, 80 U.S. Gal., Total Capacity 160 U.S. Gal., 606 L; 23" Tank Depth, Mounted Under Cab Left and Right Side	\$587.00
15LGM	FUEL/WATER SEPARATOR {Davco Fuel Pro 382 (382040)} With 120V Pre Heater and Fuel Heated, Thermostatic Fuel Temperature Control Mounted In Standard Position	\$632.00
16030	CAB Conventional <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps per Door	\$0.00
16975	HEATER HOSES Silicone	\$78.00
16HBA	GAUGE CLUSTER English With English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	\$0.00

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INTERNATIONAL®

Vehicle Specifications
2011 7600 SBA 6X4 (SF647)

December 10, 2009

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
16HHE	GAUGE, AIR CLEANER RESTRICTION (Filter-Minder) With Black Bezel Mounted in Instrument Panel	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16JNV	SEAT, DRIVER (National 2000) Air Suspension, High Back With Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust	\$41.00
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	
16RPX	SEAT, PASSENGER (National) Air-Suspension, High Back With Integral Headrest, Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment	\$568.00
16SDJ	MIRRORS (2) (Lang Mekra) Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Black Heads, Brackets & Arms	\$22.00
16SEE	GRAB HANDLE Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar	\$70.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	\$39.00
16WBZ	ARM REST, LEFT, PASSENGER SEAT	\$39.00
16WJT	INSTRUMENT PANEL Center Section, Ergonomic Panel	\$167.00
16WKB	AIR CONDITIONER (International Blend-Air) With Integral Heater & Defroster	\$823.00
	<u>Includes</u> : FRESH AIR FILTER : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A	
16WKY	FRESH AIR FILTER for HVAC	\$0.00
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door	\$0.00
16WRX	CAB INTERIOR TRIM Deluxe	\$0.00
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	
16WSK	CAB REAR SUSPENSION Air Bag Type	\$0.00
27DMA	WHEELS, FRONT DISC; 22.5" Painted Steel, 2 Hand Hole, 10 Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs.	\$0.00
	<u>Includes</u>	

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INTERNATIONAL®

Vehicle Specifications
2011 7600 SBA 6X4 (SF647)

December 10, 2009

<u>Code</u>	<u>Description</u>	<u>List</u> (USA DOLLAR)
	: PAINT IDENTITY, FRONT WHEELS White : WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings	
	<u>Notes</u> : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22,5	
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	\$0.00
	<u>Includes</u> : PAINT IDENTITY, REAR WHEELS White : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings	
	<u>Notes</u> : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22,5 : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
29WLA	WHEEL BEARING, FRONT, LUBE {EmGard 50W} Synthetic Oil	\$25.00
60AAH	BDY INTG, REMOTE POWER MODULE (2) Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 2 Switch Packs With Latched Switches)	\$846.00
7372130122	(2) TIRE, FRONT 11R22.5 G395 LHS (GOODYEAR) 504 rev/mile, load range G, 14 ply	\$264.00
7382150192	(8) TIRE, REAR 12R22.5 UNISTEEL G124 M+S (GOODYEAR) 482 rev/mile, load range H, 16 ply	\$2,784.00
810000	FIFTH WHEEL LOCATION On Rear Axle Centerline	\$0.00
	Total of Product Features	\$135,694.00
	Total List Price Including Options:	\$135,694.00
	2010 Federal Mandate Emission Charge	\$8,000.00
	Total Goods Purchased:	\$8,000.00

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INTERNATIONAL®

Financial Summary
2011 7600 SBA 6X4 (SF647)

December 10, 2009

<u>Description</u>	<u>(USA DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$135,694.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$135,694.00
Total Goods Purchased:		\$8,000.00
Install Quarter Fenders	\$400.00	
MI-Deal Administrative Fee	\$851.00	
Total Preparation And Delivery:		\$1,251.00
FREIGHT	\$1,505.00	
Total Freight:		\$1,505.00
Total Factory List Price Including Freight:		\$146,450.00
Less Customer Allowance:		(\$60,501.00)
Total Vehicle Price:		\$85,949.00
Total Sale Price:		\$85,949.00
Total Per Vehicle Sales Price:		\$85,949.00
Net Sales Price:		\$85,949.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

**STATE OF MICHIGAN
 DEPARTMENT OF MANAGEMENT AND BUDGET
 PURCHASING OPERATIONS
 P.O. BOX 30026, LANSING, MI 48909
 OR
 530 W. ALLEGAN, LANSING, MI 48933**

September 29, 2009

**CHANGE NOTICE NO. 1
 TO
 CONTRACT NO. 071B8200147
 between
 THE STATE OF MICHIGAN
 And**

Fax: 614-367-7925

NAME & ADDRESS OF CONTRACTOR		TELEPHONE Tom Drobot Cell: 313-410-2397
International Truck and Engine Corp. 37750 Northline Rd. Romulus, MI 48174 Email: tom.drobot@navistar.com		CONTRACTOR NUMBER/MAIL CODE
		BUYER/CA (517) 373-1455 Laura Gyorkos, CPPB
Contract Compliance Inspector: Laura Gyorkos (517) 373-1455 Vehicles, Passenger Cars, Pick-Up Trucks, Vans, for MiDEAL Members ONLY		
CONTRACT PERIOD: From: March 1, 2008		To: December 31, 2009
TERMS	Net 30 Days	SHIPMENT 90 – 120 Days A.R.O.
F.O.B.	Dealership	SHIPPED FROM Lansing, MI
MINIMUM DELIVERY REQUIREMENTS 1 Unit		
MISCELLANEOUS INFORMATION:		

THIS CONTRACT IS EXTENDED TO LOCAL UNITS OF GOVERNMENT

NATURE OF CHANGE(S):

Effective immediately this Contract is hereby EXTENDED three (3) months through December 31, 2009.

All other terms, conditions, specifications and prices remain unchanged.

AUTHORITY/REASON:

Per Vendor letter dated September 25, 2009 and DMB Purchasing Operations.

TOTAL ESTIMATED CONTRACT VALUE REMAINS: \$5,032,035.10

**STATE OF MICHIGAN
 DEPARTMENT OF MANAGEMENT AND BUDGET
 PURCHASING OPERATIONS
 P.O. BOX 30026, LANSING, MI 48909
 OR
 530 W. ALLEGAN, LANSING, MI 48933**

April 14, 2008

**NOTICE
 OF
 CONTRACT NO. 071B8200147
 between
 THE STATE OF MICHIGAN
 And**

Fax: 614-367-7925

NAME & ADDRESS OF CONTRACTOR		TELEPHONE Tom Drobot Cell: 313-410-2397
International Truck and Engine Corp. 37750 Northline Rd. Romulus, MI 48174 Email: <u>tom.drobot@navistar.com</u>		CONTRACTOR NUMBER/MAIL CODE
		BUYER/CA (517) 373-1455 Laura Gyorkos, CPPB
Contract Compliance Inspector: Laura Gyorkos (517) 373-1455 Vehicles, Passenger Cars, Pick-Up Trucks, Vans, for MiDEAL Members ONLY		
CONTRACT PERIOD: From: March 1, 2008 To: October 1, 2009		
TERMS	Net 30 Days	SHIPMENT 90 – 120 Days A.R.O.
F.O.B.	Dealership	SHIPPED FROM Lansing, MI
MINIMUM DELIVERY REQUIREMENTS 1 Unit		
MISCELLANEOUS INFORMATION:		

THIS CONTRACT IS EXTENDED TO LOCAL UNITS OF GOVERNMENT

The terms and conditions of this Contract are those of ITB #07118200027, this Contract Agreement and the vendor's quote dated 1/3/08. In the event of any conflicts between the specifications, and terms and conditions, indicated by the State and those indicated by the vendor, those of the State take precedence.

Estimated Contract Value: \$5,032,035.10

**STATE OF MICHIGAN
 DEPARTMENT OF MANAGEMENT AND BUDGET
 PURCHASING OPERATIONS
 P.O. BOX 30026, LANSING, MI 48909
 OR
 530 W. ALLEGAN, LANSING, MI 48933**

CONTRACT NO. 071B8200147
between
THE STATE OF MICHIGAN
And

Fax: 614-367-7925

NAME & ADDRESS OF CONTRACTOR International Truck and Engine Corp. 37750 NorthlineRd Romulus, MI 48174 Email: tom.drobot@navistar.com	TELEPHONE Tom Drobot Cell: 313-410-2397 CONTRACTOR NUMBER/MAIL CODE BUYER/CA (517) 373-1455 Laura Gyorkos, CPPB
Contract Compliance Inspector: Laura Gyorkos (517) 373-1455 Vehicles, Passenger Cars, Pick-Up Trucks, Vans, for MiDEAL Members ONLY	
CONTRACT PERIOD: From: March 1, 2008 To: October 1, 2009	
TERMS <p style="text-align: center;">Net 30 Days</p>	SHIPMENT <p style="text-align: center;">90 – 120 Days A.R.O.</p>
F.O.B. <p style="text-align: center;">Dealership</p>	SHIPPED FROM <p style="text-align: center;">Lansing, MI</p>
MINIMUM DELIVERY REQUIREMENTS <p style="text-align: center;">1 Unit</p>	
MISCELLANEOUS INFORMATION: THIS CONTRACT IS EXTENDED TO LOCAL UNITS OF GOVERNMENT The terms and conditions of this Contract are those of ITB #07118200027, this Contract Agreement and the vendor's quote dated 1/3/08. In the event of any conflicts between the specifications, and terms and conditions, indicated by the State and those indicated by the vendor, those of the State take precedence. Estimated Contract Value: \$5,032,035.10	

THIS IS NOT AN ORDER: This Contract Agreement is awarded on the basis of our inquiry bearing the ITB No. **07118200027**. Orders for delivery will be issued directly by the Local Units of Government through the issuance of a Purchase Order Form.

All terms and conditions of the invitation to bid are made a part hereof.

FOR THE CONTRACTOR:

International Truck & Engine Corporation

 Firm Name

 Authorized Agent Signature

 Authorized Agent (Print or Type)

 Date

FOR THE STATE:

 Signature

Anthony Des Chenes, Director

 Name/Title

Commodities Division, Purchasing Operations

 Division

 Date



STATE OF MICHIGAN
Department of Management and Budget
Purchasing Operations

Contract No. 071B8200147
Passenger Vehicles and Trucks – F.O.B. Dealership

Buyer Name: [Laura Gyorkos](#)
Telephone Number: (517) 373-1455
E-Mail Address: gyorkosL@michigan.gov



Passenger Vehicles and Trucks

Article 1 – Statement of Work (SOW) 1

1.0 Introduction **1**

 1.001 DEFINING DOCUMENT 1

 1.002 PROJECT TITLE AND DESCRIPTION 1

 1.003 PROJECT CONTROL 1

 1.004 COMMENCEMENT OF WORK 1

1.1 Product Quality **1**

 1.101 SPECIFICATIONS 1

 1.102 RESEARCH AND DEVELOPMENT- Reserved 1

 1.103 QUALITY ASSURANCE PROGRAM 2

 1.104 WARRANTY FOR PRODUCTS OR SERVICES 2

1.2 Service Capabilities **2**

 1.201 CUSTOMER SERVICE/ORDERING 2

 1.202 TRAINING - Reserved 2

 1.203 REPORTING -Reserved 2

 1.204 SPECIAL PROGRAMS 2

 1.205 SECURITY- Reserved 2

1.3 Delivery Capabilities **2**

 1.301 TIME FRAMES 2

 1.302 MINIMUM ORDER 3

 1.303 PACKAGING - Reserved 3

 1.304 PALLETIZING - Reserved 3

 1.305 DELIVERY TERM 3

 1.306 ACCEPTABLE DELIVERABLES/PPM EXPLANATION 3

 1.307 DRIVER DELIVERY 3

 1.308 PRE-DELIVERY SERVICE & CONDITIONS 4

1.4 Project Price **4**

 1.401 PROPOSAL PRICING 4

 1.402 QUICK PAYMENT TERMS 5

 1.403 PRICE TERM 5

 1.404 INVOICING 5

 1.405 TITLE FEES 5

 1.406 LATE PAYMENT TERMS 6

 1.407 MANUFACTURER’S REBATE (INCENTIVES) 6

1.5 Quantity term **6**

1.6 Other Terms and Conditions Needed for this Contract **6**

 1.601 NON-FACTORY INSTALLED EQUIPMENT 6

 1.602 COMPLIANCE WITH SPECIFICATIONS 6

 1.603 OPTIONAL EQUIPMENT AND ACCESSORIES 6

 1.604 AFFIDAVIT FOR DRIVER DELIVERY 6

Article 2 – General Terms and Conditions 8

2.0 Introduction **8**

 2.001 GENERAL PURPOSE 8

 2.002 ISSUING OFFICE AND CONTRACT ADMINISTRATOR 8

 2.003 NOTICE 8

 2.004 CONTRACT TERM 8

 2.005 GOVERNING LAW 9

 2.006 APPLICABLE STATUTES 9

 2.007 RELATIONSHIP OF THE PARTIES 9

 2.008 HEADINGS 9

 2.009 MERGER 10

 2.010 SEVERABILITY 10

 2.011 SURVIVORSHIP 10

 2.012 NO WAIVER OF DEFAULT 10

 2.013 PURCHASE ORDERS 10

2.1 Vendor/Contractor Obligations **10**



2.101	ACCOUNTING RECORDS.....	10
2.102	NOTIFICATION OF OWNERSHIP	10
2.103	SOFTWARE COMPLIANCE - Reserved.....	11
2.104	LIABILITY INSURANCE	11
2.105	PERFORMANCE AND RELIABILITY EVALUATION (PARE) - Reserved.....	13
2.106	PREVAILING WAGE - Reserved.....	14
2.107	PAYROLL AND BASIC RECORDS - Reserved	14
2.108	COMPETITION IN SUB-CONTRACTING	14
2.109	CALL CENTER DISCLOSURE.....	14
2.110	WORKPLACE DISCRIMINATION	14
2.111	LABOR RELATIONS	14
2.2	Contract Performance	15
2.201	TIME IS OF THE ESSENCE	15
2.202	CONTRACT PAYMENT SCHEDULE.....	15
2.203	POSSIBLE PROGRESS PAYMENTS- Reserved.....	15
2.204	POSSIBLE PERFORMANCE-BASED PAYMENTS (Actual performance rendered) - Reserved 15	
2.205	ELECTRONIC PAYMENT REQUIREMENT	15
2.206	PERFORMANCE OF WORK BY CONTRACTOR - Reserved	15
2.207	QUALIFIED BIDDERS.....	15
2.3	Contract Rights and Obligations.....	15
2.301	INCURRING COSTS	15
2.302	CONTRACTOR RESPONSIBILITIES	15
2.303	ASSIGNMENT AND DELEGATION	16
2.304	TAXES	16
2.305	INDEMNIFICATION.....	16
2.306	LIMITATION OF LIABILITY- Reserved	18
2.307	CONTRACT DISTRIBUTION	18
2.308	FORM, FUNCTION, AND UTILITY.....	18
2.309	ASSIGNMENT OF ANTITRUST CAUSE OF ACTION.....	19
2.310	PURCHASING FROM OTHER STATE AGENCIES - Reserved	19
2.311	TRANSITION ASSISTANCE - Reserved	19
2.312	RESERVED	19
2.313	RESERVED	19
2.314	WEBSITE INCORPORATION	19
2.4	Contract Review and Evaluation	19
2.401	CONTRACT COMPLIANCE INSPECTOR.....	19
2.402	PERFORMANCE REVIEWS	19
2.403	AUDIT OF CONTRACT COMPLIANCE/ RECORDS AND INSPECTIONS.....	20
2.5	Quality and Warranties	21
2.501	PROHIBITED PRODUCTS.....	21
2.502	QUALITY ASSURANCE	21
2.503	INSPECTION	21
2.504	GENERAL WARRANTIES (goods)	21
2.505	CONTRACTOR WARRANTIES	22
2.506	STAFF.....	23
2.507	RESERVED	23
2.508	EQUIPMENT WARRANTY	23
2.509	RESERVED	24
2.6	Breach of Contract.....	24
2.601	BREACH DEFINED	24
2.602	NOTICE AND THE RIGHT TO CURE	24
2.603	EXCUSABLE FAILURE	24
2.7	Remedies	25
2.701	CANCELLATION	25
2.702	RIGHTS UPON CANCELLATION	26
2.703	LIQUIDATED DAMAGES	27
2.704	STOP WORK	28
2.705	SUSPENSION OF WORK.....	29
2.8	Changes, Modifications, and Amendments	29



2.801	APPROVALS	29
2.802	TIME EXTENSIONS	29
2.803	MODIFICATION.....	29
2.804	AUDIT AND RECORDS UPON MODIFICATION.....	30
2.805	CHANGES	30

Attachments:

Appendix A – Specifications and Pricing Information for Passenger Vehicles and Trucks 2008 Model Year



Article 1 – Statement of Work (SOW)

1.0 Introduction

1.001 DEFINING DOCUMENT

This is a contract. This is a formal agreement between the prime contractor and the State of Michigan. This document contains or incorporates defined requirements, the specifications and scope of work, and all contractual terms and conditions.

1.002 PROJECT TITLE AND DESCRIPTION

The purpose of this contract is for the purchase of a vehicle(s) as defined within the contract. Article 1 is designed to provide the contractor with information on requirements associated with this agreement.

1.003 PROJECT CONTROL

Project Control

- a. **The Contractor will carry out this project under the direction and control of the State of Michigan and Authorized Local Units of Government.**

1.004 COMMENCEMENT OF WORK

Contractor shall not proceed with performance of the work to be done under this "Contract Agreement" until they receive a formal executed Purchase Order, including the purchase of necessary materials.

1.1 Product Quality

1.101 SPECIFICATIONS

Definite Specifications - All commodities and/or services to be furnished hereunder shall conform to the specifications as noted in the "State of Michigan, Department of Management and Budget, Specifications, Passenger Vehicles and Trucks, 2008 Model Year", as updated for model years covered by this contract, and/or copies of specifications attached.

Contracts will be for the 2008, 2009, and 2010 model year, for Passenger Vehicles and Trucks, per State of Michigan, Specifications, dated August 2007.

All vehicles must be new and of the manufacturer's current models in production at the time of order. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Equipment not available from the factory may be dealer installed, in compliance with specifications.

1.102 RESEARCH AND DEVELOPMENT- Reserved



1.103 QUALITY ASSURANCE PROGRAM - Reserved

1.104 WARRANTY FOR PRODUCTS OR SERVICES

The prime contractor will be responsible for all materials and accessories used in the vehicle, whether the same is ready made or from an outside source; and this responsibility may not be transferred, conveyed, assigned to any other person, company, corporation or entity without the previous written approval of the State.

Extension of warranty and or other policy adjustments will be considered when constant maintenance is required or if replacement parts prove unsound. The State of Michigan shall expect the manufacturer to have an adequate stock of replacement parts available to service State of Michigan and Authorized Local Units of Government vehicles and to make delivery of all replacement parts to their dealers who may service State of Michigan and Authorized Local Units of Government vehicles, within a reasonable time. The prime contractor will be required to contact the State of Michigan and Authorized Local Units of Government within ten (10) days after receipt of a contract release or purchase order, to arrange procedures concerning the implementation of warranty claims and to designate personnel to handle claims.

The State further expects that warranty service and repairs as well as non-warranty service and repairs will be handled without prejudice.

1.2 Service Capabilities

1.201 CUSTOMER SERVICE/ORDERING

Orders can be received by the contractor electronically, by phone, facsimile, and by written order. It is the preference of the State that the Contractor provide a statewide toll-free phone number for service.

The Contractor's customer service must respond to State agency and Authorized Local Units of Government inquiries promptly.

The dealership's contact information can be found on the pricing page contained in Appendix A.

1.202 TRAINING - Reserved

1.203 REPORTING -Reserved

1.204 SPECIAL PROGRAMS-Reserved

1.205 SECURITY- Reserved

1.3 Delivery Capabilities

1.301 TIME FRAMES

All vehicles ordered from this contract shall be for the 2008, 2009, and possibly partial 2010 model years.

Delivery shall be within:

- 90-120 calendar days after receipt of the order for passenger vehicles, Light Trucks, Vans, and Cab & Chassis without body equipment
- 120-240 calendar days after receipt of order for Cab & Chassis equipped with Dump, Stake, or Van Type Bodies



Alternate schedules may be mutually agreed upon in writing by the contractor and the ordering agency. Exact Delivery Due Date will be determined by the delivery schedule, plus (+) seven (7) calendar days from the order date indicated on the Departmental Contract Release/Purchase Order.

1.302 MINIMUM ORDER

It is required that the minimum order shall be one (1) unit.

1.303 PACKAGING - Reserved

1.304 PALLETIZING - Reserved

1.305 DELIVERY TERM

F.O.B. DEALERSHIP ITEMS

Prices are "F.O.B. Dealership" with transportation charges prepaid to the primary contractor location on all orders for Authorized Local Units of Government. The delivery cost per mile will be added to the unit cost of the vehicle unit price to determine the "Total Unit Price". Mileage will be calculated based upon the "Official Michigan Department of Transportation Highway Map".

1.306 ACCEPTABLE DELIVERABLES/PPM EXPLANATION

- A. Principle Period of Maintenance (PPM) will be the same hours as the State's normal working hours (currently Monday through Friday, 8:00 A.M. to 5:00 P.M., excluding a one (1) hour lunch period, excepting State observed holidays).
- B. The PPM hours may be changed upon thirty (30) days written notice by mutual agreement, except the Contractor shall make every reasonable effort to change his schedule in a shorter period of time.

The contractor will proceed expeditiously to complete the repair of any defect or failure reported by the State in the shortest practicable time except that it shall not exceed five (5) State working days following notice of defect unless agency and contractor mutually agree on alternate repair arrangements. Such alternate arrangements shall be made within five (5) State working days of defect notice. If the Contractor fails to repair the equipment within five (5) State working days, the State shall have as its option the right to obtain the required repair from other sources, or to complete the work itself and hold the contractor liable for any cost incurred. The State as it option for amounts due may deduct such from any money payable to the Contractor or may bill the Contractor as a separate item.

If the Contractor fails to remit amounts due, these claims shall be subject to the standard State of Michigan Collection Claim Procedures by the State Treasury Department, in addition failure to remit amounts due may be considered cause for a contractor to be considered in default.

1.307 DRIVER DELIVERY

Contractors will be permitted to drive vehicles to final destinations in compliance with the "Affidavit for Driver Delivery" attached, however, the affidavit must be completed, submitted, and in the contract file within Purchasing Operations to be applicable.

Delivery must be made between the hours of 8:00 A.M. and 4:00 P.M., Monday through Friday ONLY, excluding State Holidays. Contractors must contact the ordering agency 48 hours prior to scheduled delivery time and date, to obtain confirmation of staff availability.



1.308 PRE-DELIVERY SERVICE & CONDITIONS

Prior to delivery, each vehicle shall be serviced and inspected by the dealer or his agent. At a minimum, this pre-delivery service and inspection shall cover the specifications listed in the State of Michigan Specifications. A copy of the contractor's inspection and service check, including the contractors and vehicle identification, check off of service and inspection performed and the service manager's signature shall be furnished with each vehicle delivered. The vehicles crank case, differential and transmission shall be filled to the manufacturer's recommended capacity and the fuel tank shall have a minimum of one-fourth (3) of a tank of fuel when the vehicle arrives at the delivery destination. The vehicle shall be clean and free from defects when delivered.

Each unit shall have an initial fill of windshield washer solution with solvent giving winter protection.

The receiving Departments have been instructed to make immediate inspection on receipt of units and to process payment documents promptly. Payment documents, however, will be delayed if the vehicle fails to comply with specification requirements. Therefore, we wish to impress on contract dealers that close pre-delivery inspection in accordance with specifications be made.

1.4 Project Price
1.401 PROPOSAL PRICING

Pricing for the items included on this contract are shown in the appropriate space on Appendix A – Specification and Pricing Information packet. The Contract prices include the Administrative Fee to be remitted by the contractor to the State of Michigan.

STATE ADMINISTRATIVE FEE

The Contractor must collect an Administrative Fee on the sales transacted under this contract for Authorized Local Units of Government purchases only, not orders from Michigan Department of Transportation. The 1% Administrative Fee shall be based upon the contract unit cost, without consideration of the addition of optional equipment. The Contractor must remit the Administrative Fee in U.S. dollars within thirty (30) days after the end of the quarterly sales reporting period. The Contractor must include the Administrative Fee in their bid prices for "F.O.B. Dealership" items.

The Contractor must pay the Administrative Fee collected by check. To ensure the payment is credited properly, the Contractor must identify the check as an "Administrative Fee" and include the following information with the payment:

An itemized quarterly reports, each line shall state the BPO (Contract Number), name of the local unit of government which made a purchase, the item number purchased, the unit cost of the item purchased, the quantity purchased, the sales amount subject to the administrative fee, and the amount of the 1% administrative fee due the State of Michigan.

QUARTERLY CHECKS:

Contractor must forward the check to the following address:

Department of Management and Budget
Financial Services – Cashier Unit
Lewis Cass Building
320 South Walnut St.
P.O. Box 30681
Lansing, MI 48909

Please make check payable to: State of Michigan

**QUARTERLY REPORTS**

An itemized quarterly reports, each line shall state the BPO (Contract Number), name of the local unit of government which made a purchase, the item number purchased, the unit cost of the item purchased, the quantity purchased, the sales amount subject to the administrative fee, and the amount of the 1% administrative fee due the State of Michigan.

E-mail Reports to: mideal@michigan.gov

Any questions about reports or checks, e-mail the address above.

1.402 QUICK PAYMENT TERMS- Reserved

1.403 PRICE TERM

Prices quoted are the maximum to be charged during the contract period, with the following exceptions; the state shall receive the benefit of any decrease in price that may occur, if changes in manufacturer standard equipment or federal regulations affect the cost of the vehicles required during the contract period by more than fifty-dollars (\$50), the prime contractor may request a price revision to reflect the actual cost increase experienced. The request must be accompanied by evidence that the change actually affected the prime contractor's cost.

If the State of Michigan raises the cost of the vehicle title fees during the contract period, contractors may request a price adjustment to reflect the actual cost increase experienced.

Changes may be either increases or decreases, and may be requested by either party. Approved changes shall be firm for the next 365 day period, and shall take effect 30 days after authorization of the revision by Purchasing Operations. The postmark date on the Contract Release/Purchase Order shall determine prices to be charged on order that may have been in transit prior to implementation of price revisions.

Requests for price changes shall be RECEIVED IN WRITING AT LEAST 30 DAYS PRIOR TO THEIR EFFECTIVE DATE, and are subject to written acceptance before becoming effective. In the event new prices are not acceptable, the CONTRACT may be cancelled. The continued payment of any charges due after September 30th of any fiscal year will be subject to the availability of an appropriation for this purpose.

1.404 INVOICING

The contractor shall submit two (2) copies of invoices, one (1) to the "Bill To" address and one (1) the "Ship To" address.

1.405 TITLE FEES

Prices shall include the cost of title fees for each vehicle.

If the State of Michigan modifies the cost of vehicle titles during the contract period, either the state or the contractor may request a price adjustment to reflect the actual change.



1.406 LATE PAYMENT TERMS

The maximum payment of "Vendor Late Payment Charges" will be approved if the deliveries are within the specified time and if the vehicles satisfactorily comply with the inspections requirements of this contract in accordance with Public Act 279 of 1984. If a bidder proposes "Vendor Late Payment Charges" that exceed those established within Public Act 279 will not be accepted.

1.407 MANUFACTURER'S REBATE (INCENTIVES)

In any circumstance during or prior to completion of the contract, whereupon the State of Michigan and/or Authorized Local Units of Government (customer) becomes eligible to receive a rebate for any vehicle purchased under the contract, it shall be the prime contractors responsibility to inform the State of Michigan and/or Authorized Local Units of Government, in writing, of its qualification for such rebate and to advise the procedures of obtaining such rebates.

1.5 Quantity term

(X) Requirements – Vendor agrees to supply all that the State of Michigan and Authorized Local Units of Government may order.

1.6 Other Terms and Conditions Needed for this Contract

1.601 NON-FACTORY INSTALLED EQUIPMENT

The contract includes, if applicable, a listing of equipment to be furnished that is not installed at the point of vehicle manufacturer. The list of non-factory installed equipment is identified with the item number(s) to which it applies and list the description of equipment involved.

1.602 COMPLIANCE WITH SPECIFICATIONS

If equipment does not fully comply with specifications, the contract shall include a list of designated exceptions to specifications. When no statement of exception is indicated, conformance to specifications will be required. Exceptions must be registered with the item number(s) to which it applies and list the description of equipment involved.

1.603 OPTIONAL EQUIPMENT AND ACCESSORIES

Factory Equipment not specifically listed in the contract and/or State of Michigan Specifications may be added in accordance with the current Kelley Blue Book in effect at the time of order, using the Dealer Cost Column. Authorized Local Units of Government may implement such changes on a direct basis with the contractor.

1.604 AFFIDAVIT FOR DRIVER DELIVERY

Vehicles may be driven to the final delivery destination if the following conditions are met:

1. The drivers of the vehicles are correctly licensed and trained in proper vehicle operation.
2. The dealership accepts all responsibility and liability for vehicles in transit.
3. The requesting contractor must sign the affidavit below and submit this with the bid.

The contractor accepts all responsibility and liability for vehicles in transit and guarantees vehicles shall be transported in a safe, proper, and efficient manner.



I understand that the State may cancel approval of this affidavit at any time during the contract if the contractor fails to meet the above obligations.

Signed

Dated

Title

Contractor



Article 2 – General Terms and Conditions

2.0 Introduction

2.001 GENERAL PURPOSE

The Contract is for *Passenger Vehicles and Trucks* for the State of Michigan and local units of government. Exact quantities to be purchased are unknown, however the Contractor will be required to furnish all such materials and services as may be ordered during the CONTRACT period.

2.002 ISSUING OFFICE AND CONTRACT ADMINISTRATOR

This contract is issued by Purchasing Operations, State of Michigan, Department of Management and Budget, and for Authorized Local Units of Government. Where actions are a combination of those of the State and Authorized Local Units of Government, the authority will be known as the State.

Purchasing Operations is the sole point of contact in the State with regard to all procurement and contractual matters relating to the commodities and/or services described herein. Purchasing Operations is the only office authorized to negotiate, change, modify, amend, alter, clarify, etc., the specifications, terms, and conditions of the Contract. Purchasing Operations will remain the SOLE POINT OF CONTACT throughout the procurement process.

Contractor proceeds at its own risk if it takes negotiation, changes, modification, alterations, amendments, clarification, etc., of the specifications, terms, or conditions of the contract from any individual or office other than Purchasing Operations and the listed contract administrator

All communications covering this procurement must be addressed to contract administrator indicated below:

Department of Management
Purchasing Operations
Attn: Laura Gyorkos
2nd Floor, Mason Building
P.O. Box 30026
Lansing, Michigan 48909
(517) 373-1455
gyorkosL@michigan.gov

2.003 NOTICE

Any notice given to a party under this Contract must be written and shall be deemed effective, if addressed to such party as addressed below upon (i) delivery, if hand delivered; (ii) receipt of a confirmed transmission by facsimile if a copy of the notice is sent by another means specified in this section; (iii) the third (3rd) Business Day after being sent by U.S. mail, postage pre-paid, return receipt requested; or (iv) the next Business Day after being sent by a nationally recognized overnight express courier with a reliable tracking system.

2.004 CONTRACT TERM

The term of this Contract will be for two (2) calendar years and will commence with the issuance of a Contract. This will be approximately **March 1, 2008** through **October 1, 2009**

Option. The State reserves the right to exercise **(1)** one-year options, at the sole option of the State. Contractor performance, quality of products, price, cost savings, and the contractor's ability to deliver on time are some of the criteria that will be used as a basis for any decision by Purchasing Operations to exercise an option year.

Extension. At the sole option of the State, with contractor agreement, the contract may also be extended. Contractor performance, quality of products, price, cost savings, and the contractor's ability to deliver on time are some of the criteria that will be used as a basis for any decision by Purchasing Operations to exercise an option year.

**2.005 GOVERNING LAW**

The Contract shall in all respects be governed by, and construed in accordance with, the laws of the State of Michigan. By signing this agreement, vendor consents to personal jurisdiction in the state of Michigan. Any dispute arising herein shall be resolved in the State of Michigan.

2.006 APPLICABLE STATUTES

The following statutes, rules, and laws are applicable to the performance of this contract; some statutes are reflected in the clauses of this contract. This list is NOT exhaustive.

MI Uniform Commercial Code (MIUCC) MCL 440. (All sections unless otherwise altered by agreement)

MI OSHA MCL §§ 408.1001 – 408.1094

Freedom of Information Act (FIOA) MCL §§ 15.231, et seq.

Natural Resources and Environmental Protection Act MCL §§ 324.101, et seq.

MI Consumer Protection Act MCL §§ 445.901 – 445.922

Laws relating to wages, payments of wages, and fringe benefits on state projects MCL §§ 408.551 – 408.558, 408.471 – 408.490, 1965 PA 390.

Department of Civil Service Rules and regulations

Elliot Larsen Civil Rights Act MCL §§ 37.2201, et seq.

Persons with disabilities Civil Rights Act MCL §§ 37.1101, et seq.

MCL §§ 423.321, et seq.

MCL § 18.1264 (law regarding debarment)

Davis-Bacon Act (DBA) 40 USCU § 276(a), et seq.

Contract Work Hours and Safety Standards Act (CWHSSA) 40 USCS § 327, et seq.

Business Opportunity Act for Persons with Disabilities MCL §§ 450.791 – 450.795

Rules and regulations of the Environmental Protection Agency

Internal Revenue Code

Rules and regulations of the Equal Employment Opportunity Commission (EEOC)

The Civil Rights Act of 1964, USCS Chapter 42

Title VII, 42 USCS §§ 2000e et seq.

The Americans with Disabilities Act (ADA), 42 USCS §§ 12101 et seq.

The Age Discrimination in Employment Act of 1967 (ADEA), 29 USCS §§ 621, 623 et seq.

The Old Workers Benefit and Protection Act of 1990 (OWBPA), 29 USCS §§ 626, et seq.

The Family Medical Leave Act of 1993 (FMLA), 29 USC §§ 651 et seq.

The Fair Labor Standards Act (FLSA), 29 USC §§ 201 et seq.

Pollution Prevention Act of 1990 (PPA) 42 U.S.C. §13106

Sherman Act, 15 U.S.C.S. § 1 et seq.

Robinson-Patman Act, 15 U.S.C.S. § 13 et. seq.

Clayton Act, 15 U.S.C.S. § 14 et seq.

2.007 RELATIONSHIP OF THE PARTIES

The relationship between the State of Michigan and Authorized Local Units of Government and the Contractor is that of client and independent Contractor. No agent, employee, or servant of the Contractor or any of its subcontractors shall be or shall be deemed to be an employee, agent, or servant of the State of Michigan and Authorized Local Units of Government for any reason. The Contractor will be solely and entirely responsible for its acts and the acts of its agents, employees, servants and subcontractors during the performance of this Contract.

2.008 HEADINGS

Captions and headings used in the Contract are for information and organization purposes. Captions and headings, including inaccurate references, do not, in any way, define or limit the requirements or terms and conditions of this Contract.



2.009 MERGER

This document constitutes the complete, final, and exclusive agreement between the parties. All other prior writings and negotiations are ineffective.

2.010 SEVERABILITY

Each provision of the Contract shall be deemed to be severable from all other provisions of the Contract and, if one or more of the provisions of the Contract shall be declared invalid, the remaining provisions of the Contract shall remain in full force and effect.

2.011 SURVIVORSHIP

Any provisions of the Contract that impose continuing obligations on the parties including, but not limited to the Contractor's indemnity and other obligations shall survive the expiration or cancellation of the Contract for any reason.

2.012 NO WAIVER OF DEFAULT

The failure of a party to insist upon strict adherence to any term of the Contract shall not be considered a waiver or deprive the party of the right thereafter to insist upon strict adherence to that term or any other term of the Contract.

2.013 PURCHASE ORDERS

Orders for delivery of commodities and/or services will be issued directly by Authorized Local Units of Government through the issuance of a Purchase Order referencing this Contract and the terms and conditions contained herein. Contractor is asked to reference the Purchase Order Number on all invoices for payment.

2.1 Vendor/Contractor Obligations

2.101 ACCOUNTING RECORDS

The Contractor and all subcontractors shall maintain all pertinent financial and accounting records and evidence pertaining to the Contract in accordance with generally accepted principles of accounting and other procedures specified by the State of Michigan. Financial and accounting records shall be made available, upon request, to the State of Michigan, its designees, or the Michigan Auditor General at any time during the Contract period and any extension thereof, and for three years from expiration date and final payment on the Contract or extension thereof.

2.102 NOTIFICATION OF OWNERSHIP

The Contractor shall make the following notifications in writing:

- 1. When the Contractor becomes aware that a change in its ownership or officers has occurred, or is certain to occur, that could result in changes in the valuation of its capitalized assets in the accounting records, the Contractor shall notify Purchasing Operations within 30 days.**
- 2. The Contractor shall also notify the Purchasing Operations within 30 days whenever changes to asset valuations or any other cost changes have occurred or are certain to occur as a result of a change in ownership or officers.**

The Contractor shall:

- 1. Maintain current, accurate, and complete inventory records of assets and their costs;**
- 2. Provide Purchasing Operations or designated representative ready access to the records upon request;**



3. Ensure that all individual and grouped assets, their capitalized values, accumulated depreciation or amortization, and remaining useful lives are identified accurately before and after each of the Contractor's ownership or officer changes; and
4. Retain and continue to maintain depreciation and amortization schedules based on the asset records maintained before each Contractor ownership or officer change.

2.103 SOFTWARE COMPLIANCE - Reserved

2.104 LIABILITY INSURANCE

A. Insurance

The Contractor is required to provide proof of the minimum levels of insurance coverage as indicated below. The purpose of this coverage shall be to protect the State from claims which may arise out of or result from the Contractor's performance of services under the terms of this Contract, whether such services are performed by the Contractor, or by any subcontractor, or by anyone directly or indirectly employed by any of them, or by anyone for whose acts they may be liable.

The Contractor waives all rights against the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees and agents for recovery of damages to the extent these damages are covered by the insurance policies the Contractor is required to maintain pursuant to this Contract.

All insurance coverage provided relative to this Contract/Purchase Order is PRIMARY and NON-CONTRIBUTING to any comparable liability insurance (including self-insurances) carried by the State.

The insurance shall be written for not less than any minimum coverage specified in this Contract or required by law, whichever is greater.

The insurers selected by Contractor shall have an A.M. Best rating of A or better, or as otherwise approved in writing by the State, or if such ratings are no longer available, with a comparable rating from a recognized insurance rating agency. Companies that have been approved to do business in the State shall issue all policies of insurance required in this Contract.

See www.michigan.gov/cis

Where specific limits are shown, they are the minimum acceptable limits. If Contractor's policy contains higher limits, the State shall be entitled to coverage to the extent of such higher limits.

Before both parties sign the Contract or before the purchase order is issued by the State, the Contractor must furnish to the Director of Purchasing Operations, certificate(s) of insurance verifying insurance coverage ("Certificates"). The Certificate must be on the standard "accord" form or equivalent. THE CONTRACT OR PURCHASE ORDER NO. MUST BE SHOWN ON THE CERTIFICATE OF INSURANCE TO ASSURE CORRECT FILING. All Certificate(s) are to be prepared and submitted by the Insurance Provider. All Certificate(s) shall contain a provision indicating that coverage afforded under the policies WILL NOT BE CANCELED, MATERIALLY CHANGED, OR NOT RENEWED without THIRTY (30) days prior written notice, except for ten (10) days for non-payment of premium, having been given to the Director of Purchasing Operations, Department of Management and Budget. The notice must include the Contract or Purchase Order number affected and be mailed to: Director, Purchasing Operations, Department of Management and Budget, P.O. Box 30026, Lansing, Michigan 48909. Failure to provide evidence of coverage, may, at the State's sole option, result in this Contract's termination.



The Contractor is required to pay for and provide the type and amount of insurance checked below:

1. Commercial General Liability with the following minimum coverage:
- | | |
|-------------|--|
| \$2,000,000 | General Aggregate Limit other than Products/Completed Operations |
| \$2,000,000 | Products/Completed Operations Aggregate Limit |
| \$1,000,000 | Personal & Advertising Injury Limit |
| \$1,000,000 | Each Occurrence Limit |
| \$500,000 | Fire Damage Limit (any one fire) |

The Contractor must list the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees and agents as **ADDITIONAL INSUREDS** on the Commercial General Liability certificate. The Contractor also agrees to provide evidence that insurance policies contain a waiver of subrogation by the insurance company.

2. If a motor vehicle is used to provide services or products under this Contract, the Contractor must have vehicle liability insurance on any auto including owned, hired and non-owned vehicles used in Contractor's business for bodily injury and property damage as required by law.

The Contractor must list the State of Michigan, its departments, divisions, agencies, offices, commissions, officers, employees and agents as **ADDITIONAL INSUREDS** on the vehicle liability certificate. The Contractor also agrees to provide evidence that insurance policies contain a waiver of subrogation by the insurance company.

3. Workers' compensation coverage must be provided in accordance with applicable laws governing the employees and employers work activities in the state of the Contractor's domicile. If a self-insurer provides the applicable coverage, proof must be provided of approved self-insured authority by the jurisdiction of domicile. For employees working outside of the state of qualification, Contractor must provide appropriate certificates of insurance proving mandated coverage levels for the jurisdictions where the employees' activities occur.

Any certificates of insurance received must also provide a list of states where the coverage is applicable.

The Contractor also agrees to provide evidence that insurance policies contain a waiver of subrogation by the insurance company. This provision shall not be applicable where prohibited or limited by the laws of the jurisdiction in which the work is to be performed.

4. Employers liability insurance with the following minimum limits:
- | | |
|-----------|--------------------------|
| \$100,000 | each accident |
| \$100,000 | each employee by disease |
| \$500,000 | aggregate disease |

5. Employee Fidelity, including Computer Crimes, insurance naming the State as a loss payee, providing coverage for direct loss to the State and any legal liability of the State arising out of or related to fraudulent or dishonest acts committed by the employees of Contractor or its Subcontractors, acting alone or in collusion with others, in a minimum amount of one million dollars (\$1,000,000.00) with a maximum deductible of fifty thousand dollars (\$50,000.00).

6. Umbrella or Excess Liability Insurance in a minimum amount of ten million dollars (\$10,000,000.00), which shall apply, at a minimum, to the insurance required in Subsection 1 (Commercial General Liability) above.



- 7. Professional Liability (Errors and Omissions) Insurance with the following minimum coverage: three million dollars (\$3,000,000.00) each occurrence and three million dollars (\$3,000,000.00) annual aggregate.
- 8. Fire and Personal Property Insurance covering against any loss or damage to the office space used by Contractor for any reason under this Contract, and the equipment, software and other contents of such office space, including without limitation, those contents used by Contractor to provide the Services to the State, up to the replacement value thereof, where such office space and its contents are under the care, custody and control of Contractor. Such policy shall cover all risks of direct physical loss or damage, including without limitation, flood and earthquake coverage and coverage for computer hardware and software. The State shall be endorsed on the policy as a loss payee as its interests appear.

B. Subcontractors

Except where the State has approved in writing a Contractor subcontract with other insurance provisions, Contractor shall require all of its Subcontractors under this Contract to purchase and maintain the insurance coverage as described in this Section for the Contractor in connection with the performance of work by those Subcontractors. Alternatively, Contractor may include any Subcontractors under Contractor's insurance on the coverage required in this Section. Subcontractor(s) shall fully comply with the insurance coverage required in this Section. Failure of Subcontractor(s) to comply with insurance requirements does not limit Contractor's liability or responsibility.

C. Certificates of Insurance and Other Requirements

Contractor shall furnish to the Office of Purchasing Operations certificate(s) of insurance verifying insurance coverage or providing satisfactory evidence of self-insurance as required in this Section (the "Certificates"). Before the Contract is signed, and not less than 20 days before the insurance expiration date every year thereafter, the Contractor shall provide evidence that the State and its agents, officers and employees are listed as additional insureds, but only to the extent of liabilities assumed by Contractor as set forth in Indemnification Section of this Contract, under each commercial general liability and commercial automobile liability policy. In the event the State approves the representation of the State by the insurer's attorney, the attorney may be required to be designated as a Special Assistant Attorney General by the Attorney General of the State of Michigan.

Contractor shall maintain all required insurance coverage throughout the term of the Contract and any extensions thereto and, in the case of claims-made Commercial General Liability policies, shall secure tail coverage for at least three (3) years following the expiration or termination for any reason of this Contract. The minimum limits of coverage specified above are not intended, and shall not be construed, to limit any liability or indemnity of Contractor under this Contract to any indemnified party or other persons. Contractor shall be responsible for all deductibles with regard to such insurance. If Contractor fails to pay any premium for required insurance as specified in this Contract, or if any insurer cancels or significantly reduces any required insurance as specified in this Contract without the State's written consent, at the State's election (but without any obligation to do so) after the State has given Contractor at least thirty (30) days written notice, the State may pay such premium or procure similar insurance coverage from another company or companies; and at the State's election, the State may deduct the entire cost (or part thereof) from any payment due Contractor, or Contractor shall pay the entire cost (or any part thereof) upon demand by the State.

2.106 PREVAILING WAGE - **Reserved**2.107 PAYROLL AND BASIC RECORDS - **Reserved**

2.108 COMPETITION IN SUB-CONTRACTING

The Contractor shall select subcontractors (including suppliers) on a competitive basis to the maximum practical extent consistent with the objectives and requirements of the contract.

2.109 CALL CENTER DISCLOSURE

Vendor and/or all subcontractors involved in the performance of this contract providing call or contact center services to the State of Michigan must disclose the location of its call or contact center services to inbound callers. Failure to disclose this information shall be a material breach of this agreement.

2.110 WORKPLACE DISCRIMINATION

The Contractor represents and warrants that in performing services for the State pursuant to this Contract, the Contractor agrees not to discriminate against any employee or applicant for employment, with respect to their hire, tenure, terms, conditions or privileges of employment, or any matter directly or indirectly related to employment, because of race, color, religion, national origin, ancestry, age, sex, height, weight, marital status, physical or mental handicap or disability. The Contractor further agrees that every subcontract entered into for the performance of any Contract or purchase order resulting here from will contain a provision requiring non-discrimination in employment, as herein specified, binding upon each subcontractor. This covenant is required pursuant to the Elliot Larsen Civil Rights Act, 1976 Public Act 453, as amended, MCL 37.2201, et seq., and the Persons With Disabilities Civil Rights Act, 1976 Public Act 220, as amended, MCL 37.1101, et seq., and any breach thereof may be regarded as a material breach of the Contract or purchase order.

Vendor hereby represents that in performing this contract it will not violate The Civil Rights Act of 1964, USCS Chapter 42, including, but not limited to, Title VII, 42 USCS §§ 2000e et seq.; the Americans with Disabilities Act (ADA), 42 USCS §§ 12101 et seq.; or The Age Discrimination in Employment Act of 1967 (ADEA), 29 USCS §§ 621, 623 et seq.; the Old Workers Benefit and Protection Act of 1990 (OWBPA), 29 USCS §§ 626 et seq.; the Family Medical Leave Act of 1993 (FMLA), 29 USC §§ 651 et seq.; or the Fair Labor Standards Act (FLSA), 29 USC §§ 201 et seq.

_____ (Initial)

2.111 LABOR RELATIONS

Pursuant to 1980 Public Act 278, as amended, MCL 423.231, et seq., the State shall not award a Contract or subcontract to an employer whose name appears in the current register of employers failing to correct an unfair labor practice compiled pursuant to Section 2 of the Act. A Contractor of the State, in relation to the Contract, shall not enter into a Contract with a subcontractor, manufacturer, or supplier whose name appears in this register. Pursuant to Section 4 of 1980 Public Act 278, MCL 423.324, the State may void any Contract if, subsequent to award of the Contract, the name of the Contractor as an employer, or the name of the subcontractor, manufacturer or supplier of the Contractor appears in the register.

The Contractor represents and warrants that the company does not appear in the current register of employers failing to correct an unfair labor practice.

_____ (Initial)



2.2 Contract Performance

2.201 TIME IS OF THE ESSENCE

Contractor/Vendor is on notice that time is of the essence in the performance of this contract. Late performance will be considered a material breach of this contract, giving the State a right to invoke all remedies available to it under this contract.

2.202 CONTRACT PAYMENT SCHEDULE

The specific payment schedule for any Contract(s) entered into, as the State and the Contractor(s) will mutually agree upon. The schedule should show payment amount and should reflect actual work done by the payment dates, less any penalty cost charges accrued by those dates. As a general policy statements shall be forwarded to the designated representative by the 15th day of the following month.

2.203 POSSIBLE PROGRESS PAYMENTS- Reserved

2.204 POSSIBLE PERFORMANCE-BASED PAYMENTS (Actual performance rendered) - Reserved

2.205 ELECTRONIC PAYMENT REQUIREMENT

Electronic transfer of funds is available to State contractors. Contractor is required to register with the State electronically at <http://www.cpexpress.state.mi.us>. Public Act 533 of 2004 requires all payments be transitioned over to EFT for State of Michigan payments.

2.206 PERFORMANCE OF WORK BY CONTRACTOR - Reserved

2.207 QUALIFIED BIDDERS

In order to be considered for award of any contract(s) the primary contractor must have been an "Authorized Dealership", at the time the bid was submitted, for the manufacturer of the vehicles, which the bidder proposed to furnish.

2.3 Contract Rights and Obligations

2.301 INCURRING COSTS

The State of Michigan is not liable for any cost incurred by the Contractor prior to signing of the Contract. The State fiscal year is October 1st through September 30th. The Contractor(s) should realize that payments in any given fiscal year are contingent upon enactment of legislative appropriations. Total liability of the State is limited to terms and conditions of the Contract.

2.302 CONTRACTOR RESPONSIBILITIES

The Contractor will be required to assume responsibility for all contractual activities, whether or not that Contractor performs them. Further, the State will consider the Contractor to be the sole point of contact with regard to contractual matters, including payment of any and all charges resulting from the anticipated Contract. If any part of the work is to be subcontracted, the Contract must include a list of subcontractors, including firm name and address, contact person and a complete description of work to be subcontracted. The State reserves the right to approve subcontractors and to require the Contractor to replace subcontractors found to be unacceptable. The Contractor is totally responsible for adherence by the subcontractor to all provisions of the Contract. Any change in subcontractors must be approved by the State, in writing, prior to such change.



2.303 ASSIGNMENT AND DELEGATION

The Contractor shall not have the right to assign this Contract, to assign its rights under this contract, or delegate any of its duties or obligations under the Contract to any other party (whether by operation of law or otherwise), without the prior written consent of the State. Any purported assignment in violation of this Section shall be null and void. Further, the Contractor may not assign the right to receive money due under the Contract without the prior written consent of the Director of Purchasing Operations.

The Contractor shall not delegate any duties or obligations under the Contract to a subcontractor other than a subcontractor named and approved in the bid unless the Director of Purchasing Operations has given written consent to the delegation.

The Contractor must obtain the approval of the Director of Purchasing Operations before using a place of performance that is different from the address that bidder provided in the bid.

2.304 TAXES

Sales Tax: For purchases made directly by the State of Michigan, the State is exempt from State and Local Sales Tax. Prices shall not include such taxes. Exemption Certificates for State Sales Tax will be furnished upon request.

Federal Excise Tax: The State of Michigan may be exempt for Federal Excise Tax, or such taxes may be reimbursable, if articles purchased under this Contract are used for the State's exclusive use. Certificates exclusive use for the purposes of substantiating a tax-free, or tax-reimbursable sale will be sent to the Contractor upon request. If a sale is tax exempt or tax reimbursable under the Internal Revenue Code, prices shall not include the Federal Excise Tax.

The State's Tax Exempt Certification is available for vendor viewing upon request to the Contract Administrator.

2.305 INDEMNIFICATION

General Indemnification

To the fullest extent permitted by law, the Contractor shall indemnify, defend and hold harmless the State, its departments, divisions, agencies, sections, commissions, officers, employees and agents, from and against all losses, liabilities, penalties, fines, damages and claims (including taxes), and all related costs and expenses (including reasonable attorneys' fees and disbursements and costs of investigation, litigation, settlement, judgments, interest and penalties), arising from or in connection with any of the following:

1. Any claim, demand, action, citation or legal proceeding against the State, its employees and agents arising out of or resulting from (1) the product provided or (2) performance of the work, duties, responsibilities, actions or omissions of the Contractor or any of its subcontractors under this Contract.
2. Any claim, demand, action, citation or legal proceeding against the State, its employees and agents arising out of or resulting from a breach by the Contractor of any representation or warranty made by the Contractor in the Contract;
3. Any claim, demand, action, citation or legal proceeding against the State, its employees and agents arising out of or related to occurrences that the Contractor is required to insure against as provided for in this Contract;
4. Any claim, demand, action, citation or legal proceeding against the State, its employees and agents arising out of or resulting from the death or bodily injury of any person, or the damage, loss or destruction of any real or tangible personal property, in connection with the performance of services by the Contractor, by any of its subcontractors, by



anyone directly or indirectly employed by any of them, or by anyone for whose acts any of them may be liable; provided, however, that this indemnification obligation shall not apply to the extent, if any, that such death, bodily injury or property damage is caused solely by the negligence or reckless or intentional wrongful conduct of the State;

5. Any claim, demand, action, citation or legal proceeding against the State, its employees and agents which results from an act or omission of the Contractor or any of its subcontractors in its or their capacity as an employer of a person.

Patent/Copyright Infringement Indemnification

To the fullest extent permitted by law, the Contractor shall indemnify, defend and hold harmless the State, its employees and agents from and against all losses, liabilities, damages (including taxes), and all related costs and expenses (including reasonable attorneys' fees and disbursements and costs of investigation, litigation, settlement, judgments, interest and penalties) incurred in connection with any action or proceeding threatened or brought against the State to the extent that such action or proceeding is based on a claim that any piece of equipment, software, commodity or service supplied by the Contractor or its subcontractors, or the operation of such equipment, software, commodity or service, or the use or reproduction of any documentation provided with such equipment, software, commodity or service infringes any United States or foreign patent, copyright, trade secret or other proprietary right of any person or entity, which right is enforceable under the laws of the United States. In addition, should the equipment, software, commodity, or service, or the operation thereof, become or in the Contractor's opinion be likely to become the subject of a claim of infringement, the Contractor shall at the Contractor's sole expense (i) procure for the State the right to continue using the equipment, software, commodity or service or, if such option is not reasonably available to the Contractor, (ii) replace or modify the same with equipment, software, commodity or service of equivalent function and performance so that it becomes non-infringing, or, if such option is not reasonably available to Contractor, (iii) accept its return by the State with appropriate credits to the State against the Contractor's charges and reimburse the State for any losses or costs incurred as a consequence of the State ceasing its use and returning it.

Code Indemnification

To the extent permitted by law, the Contractor shall indemnify, defend and hold harmless the State from any claim, loss, or expense arising from Contractor's breach of the No Surreptitious Code Warranty.

Indemnification Obligation Not Limited

In any and all claims against the State of Michigan, or any of its agents or employees, by any employee of the Contractor or any of its subcontractors, the indemnification obligation under the Contract shall not be limited in any way by the amount or type of damages, compensation or benefits payable by or for the Contractor or any of its subcontractors under worker's disability compensation acts, disability benefits acts, or other employee benefits acts. This indemnification clause is intended to be comprehensive. Any overlap in sub clauses, or the fact that greater specificity is provided as to some categories of risk, is not intended to limit the scope of indemnification under any other sub clause.

Continuation of Indemnification Obligation

The duty to indemnify will continue in full force and affect notwithstanding the expiration or early termination of the Contract with respect to any claims based on facts or conditions, which occurred prior to termination.

Indemnification Procedures

The procedures set forth below shall apply to all indemnity obligations under this Contract.



- (a) After receipt by the State of notice of the action or proceeding involving a claim in respect of which it will seek indemnification, the State shall promptly notify Contractor of such claim in writing and take or assist Contractor in taking, as the case may be, any reasonable action to avoid the imposition of a default judgment against Contractor. No failure to so notify Contractor shall relieve Contractor of its indemnification obligations except to the extent that Contractor can demonstrate damages attributable to such failure. Within ten (10) days following receipt of written notice from the State relating to any claim, Contractor shall notify the State in writing whether Contractor agrees to assume control of the defense and settlement of that claim (a "Notice of Election"). After notifying Contractor of a claim and prior to the State receiving Contractor's Notice of Election, the State shall be entitled to defend against the claim, at Contractor's expense, and Contractor will be responsible for any reasonable costs incurred by the State in defending against the claim during such period.
- (b) If Contractor delivers a Notice of Election relating to any claim: (i) the State shall be entitled to participate in the defense of such claim and to employ counsel at its own expense to assist in the handling of such claim and to monitor and advise the State about the status and progress of the Defense; (ii) Contractor shall, at the request of the State, demonstrate to the reasonable satisfaction of the State, Contractor's financial ability to carry out its defense and indemnity obligations under this Contract; (iii) Contractor shall periodically advise the State about the status and progress of the defense and shall obtain the prior written approval of the State before entering into any settlement of such claim or ceasing to defend against such claim and (iv) to the extent that any principles of Michigan governmental or public law may be involved or challenged, the State shall have the right, at its own expense, to control the defense of that portion of such claim involving the principles of Michigan governmental or public law. Notwithstanding the foregoing, the State may retain control of the defense and settlement of a claim by written notice to Contractor given within ten (10) days after the State's receipt of Contractor's information requested by the State pursuant to clause (ii) of this paragraph if the State determines that Contractor has failed to demonstrate to the reasonable satisfaction of the State Contractor's financial ability to carry out its defense and indemnity obligations under this Section. Any litigation activity on behalf of the State of Michigan, or any of its subdivisions pursuant to this Section, must be coordinated with the Department of Attorney General. In the event the insurer's attorney represents the State pursuant to this Section, the insurer's attorney may be required to be designated as a Special Assistant Attorney General by the Attorney General of the State of Michigan.
- (c) If Contractor does not deliver a Notice of Election relating to any claim of which it is notified by the State as provided above, the State shall have the right to defend the claim in such manner as it may deem appropriate, at the cost and expense of Contractor. If it is determined that the claim was one against which Contractor was required to indemnify the State, upon request of the State, Contractor shall promptly reimburse the State for all such reasonable costs and expenses.

2.306 LIMITATION OF LIABILITY- Reserved

2.307 CONTRACT DISTRIBUTION

Purchasing Operations shall retain the sole right of Contract distribution to all State agencies and local units of government unless other arrangements are authorized by Purchasing Operations.

2.308 FORM, FUNCTION, AND UTILITY

If the Contract is for use of more than one State agency and if the good or service provided under this Contract do not the meet the form, function, and utility required by a State agency, that agency may, subject to State purchasing policies, procure the good or service from another source.



2.309 ASSIGNMENT OF ANTITRUST CAUSE OF ACTION

For and in consideration of the opportunity to submit a quotation and other good and valuable consideration, the contractor hereby assigns, sells and transfers to the State of Michigan all rights, title and interest in and to all causes of action it may have under the antitrust laws of the United States or this State for price fixing, which causes of action have accrued prior to the date of payment and which relate solely to the particular goods, commodities, or services purchased or procured by this State pursuant to this transaction.

2.310 PURCHASING FROM OTHER STATE AGENCIES - Reserved

2.311 TRANSITION ASSISTANCE - Reserved

2.312 RESERVED

2.313 RESERVED

2.314 WEBSITE INCORPORATION

State expressly states that it will not be bound by any content on the Contractor's website, even if the Contractor's documentation specifically referenced that content and attempts to incorporate it into any other communication, unless the State has actual knowledge of such content and has expressly agreed to be bound by it in a writing that has been manually signed by an authorized representation of the State.

2.4 Contract Review and Evaluation

2.401 CONTRACT COMPLIANCE INSPECTOR

The persons named below will be allowed to oversee the contract performance on a day-to-day basis. However, overseeing the Contract implies no authority to negotiate, change, modify, clarify, amend, or otherwise alter the terms, conditions, and specifications of such Contract(s). That authority is retained by Purchasing Operations. The Contract Compliance Inspectors for this project are:

Laura Gyorkos
Department of Management and Budget
Purchasing Operations
Commodities Division
Lansing, MI
Telephone No. (517) 373-1455
gyorkosL@michigan.gov

2.402 PERFORMANCE REVIEWS

Purchasing Operations may review with the Contractor their performance under the Contract. Performance reviews shall be conducted quarterly, semi-annually or annually depending on Contractor's past performance with the State. Performance reviews shall include, but not limited to, quality of products/services being delivered and provided, timeliness of delivery, percentage of completion of orders, the amount of back orders, status of such orders, accuracy of billings, customer service, completion and submission of required paperwork, the number of substitutions and the reasons for substitutions, and other requirements of the Contract.

Upon a finding of poor performance, which has been documented by Purchasing Operations, the Contractor shall be given an opportunity to respond and take corrective action. If corrective action is not taken in a reasonable amount of time as determined by Purchasing Operations, the Contract may be canceled for default. Delivery by the Contractor of unsafe and/or adulterated or off-condition products to any State agency is considered a material breach of Contract subject to the cancellation provisions contained herein.



2.403 AUDIT OF CONTRACT COMPLIANCE/ RECORDS AND INSPECTIONS

The Contractor agrees that the State may, upon 24-hour notice, perform an audit at Contractor's location(s) to determine if the Contractor is complying with the requirements of the Contract. The Contractor agrees to cooperate with the State during the audit and produce all records and documentation that verifies compliance with the Contract requirements.

- (a) **Inspection of Work Performed.** The State's authorized representatives shall at all reasonable times and with ten (10) days prior written request, have the right to enter Contractor's premises, or any other places, where the Services are being performed, and shall have access, upon reasonable request, to interim drafts of Deliverables or work-in-progress. Upon ten (10) Days prior written notice and during business hours, the State's representatives shall be allowed to inspect, monitor, or otherwise evaluate the work being performed and to the extent that such access will not interfere or jeopardize the safety or operation of the systems or facilities. Contractor must provide all reasonable facilities and assistance for the State's representatives, so long as no security, labor relations policies and propriety information policies are violated.
- (b) **Examination of Records.** No more than once per year, Contractor agrees that the State, including its duly authorized representatives, until the expiration of seven (7) years following the creation of the material (collectively, the "Audit Period"), shall, upon twenty (20) days prior written notice, have access to and the right to examine and copy any of Contractor's books, records, documents and papers pertinent to establishing Contractor's compliance with the terms and conditions of the Contract and with applicable laws and rules, including the State's procurement rules, regulations and procedures, and actual performance of the Contract for the purpose of conducting an audit, examination, excerpt and/or transcription but the State shall not have access to any information deemed confidential to Contractor to the extent such access would require such confidential information to become publicly available. This provision also applies to the books, records, accounts, documents and papers, in print or electronic form, of any parent, affiliated or subsidiary organization of Contractor, or any Subcontractor of Contractor performing services in connection with the Contract.
- (c) **Retention of Records.** Contractor shall maintain at least until the end of the Audit Period all pertinent financial and accounting records (including time sheets and payroll records, and information pertaining to the Contract and to the Services, equipment, and commodities provided under the Contract) pertaining to the Contract in accordance with generally accepted accounting principles and other procedures specified in this Section. Financial and accounting records shall be made available, upon request, to the State at any time during the Audit Period. If an audit, litigation, or other action involving Contractor's records is initiated before the end of the Audit Period, the records must be retained until all issues arising out of the audit, litigation, or other action are resolved or until the end of the Audit Period, whichever is later.
- (d) **Audit Resolution.** If necessary, the Contractor and the State shall meet to review each audit report promptly after issuance. The Contractor will respond to each audit report in writing within thirty (30) days from receipt of such report, unless a shorter response time is specified in such report. The Contractor and the State shall develop and agree upon an action plan to promptly address and resolve any deficiencies, concerns, and/or recommendations in such audit report.
 1. **Errors.** If the audit demonstrates any errors in the statements provided to the State, then the amount in error shall be reflected as a credit or debit on the next invoice and in subsequent invoices until the amount is paid or refunded in full. However, a credit or debit may not be carried for more than four (4) quarterly statements. If a balance remains after four (4) quarterly statements, then the remaining amount will be due as a payment or refund within forty-five (45) days of the last quarterly statement that the balance appeared on or termination of the contract, whichever is earlier.



2. In addition to other available remedies, the difference between the payment received and the correct payment amount is greater than ten (10%), then the Contractor shall pay all of the reasonable costs of the audit.

2.5 Quality and Warranties

2.501 PROHIBITED PRODUCTS

The State of Michigan and Authorized Local Units of Government will not accept salvage, distressed, outdated or discontinued merchandise. Shipping of such merchandise to any State of Michigan and Authorized Local Units of Government agency, as a result of an order placed against the Contract, shall be considered default by the Contractor of the terms and conditions of the Contract and may result in cancellation of the Contract by the State. The brand and product number offered for all items shall remain consistent for the term of the Contract, unless Purchasing Operations has approved a change.

2.502 QUALITY ASSURANCE

The State reserves the right to periodically test products, which have been received to verify compliance with specifications. If laboratory analysis shows that the product does not meet specifications or fails to perform satisfactorily at any time, the Contractor shall be responsible for:

1. All costs of testing and laboratory analysis.
2. Disposal and/or replacement of all products which fail to meet specifications.
3. All costs of repair and/or replacement of equipment deemed to have been damaged by substandard products as determined by the State.

2.503 INSPECTION

All goods are subject to inspection and testing. In the event goods are defective in material or workmanship, or otherwise fail to meet the requirements of the Contract, the State shall have the right to reject the goods or retain the goods and correct the defects. The Contractor shall pay the Authorized Local Unit of Government for expenses incurred in correcting defects. Rejected goods will be held for 45 days after delivery. The Contractor must arrange for the return of said goods, including paying for handling, packing, and transportation costs. The Authorized Local Unit of Government have the authority to dispose of the goods without further liability to the State, Automotive & Equipment Division in the event the Contractor fails to make arrangements within the specified time period.

The contractor WILL NOT be responsible for any expense or transportation for Authorized Local Unit of Government employee involvement in any of the above meetings or inspections.

2.504 GENERAL WARRANTIES (goods)

Warranty of Merchantability – Goods provided by vendor under this agreement shall be merchantable. All goods provided under this contract shall be of good quality within the description given by the State, shall be fit for their ordinary purpose, shall be adequately contained and packaged within the description given by the State, shall conform to the agreed upon specifications, and shall conform to the affirmations of fact made by the vendor or on the container or label.

Warranty of fitness for a particular purpose – When vendor has reason to know or knows any particular purpose for which the goods are required, and the State is relying on the vendor's skill or judgment to select or furnish suitable goods, there is a warranty that the goods are fit for such purpose.

Warranty of title – Vendor shall, in providing goods to the State, convey good title in those goods, whose transfer is right and lawful. All goods provided by vendor shall be delivered free from any security interest, lien, or encumbrance of which the State, at the time of contracting, has no knowledge. Goods provided by vendor, under this agreement, shall be delivered free of any rightful claim of any third person by or infringement or the like.



2.505 CONTRACTOR WARRANTIES

The Contract will contain customary representations and warranties by the Contractor, including, without limitation, the following:

1. The Contractor will perform all services in accordance with high professional standards in the industry;
2. The Contractor will use adequate numbers of qualified individuals with suitable training, education, experience and skill to perform the services;
3. The Contractor will use its best efforts to use efficiently any resources or services necessary to provide the services that are separately chargeable to the State;
4. The Contractor will use its best efforts to perform the services in the most cost effective manner consistent with the required level of quality and performance;
5. The Contractor will perform the services in a manner that does not infringe the proprietary rights of any third party;
6. The Contractor will perform the services in a manner that complies with all applicable laws and regulations;
7. The Contractor has duly authorized the execution, delivery and performance of the Contract;
8. The Contractor is capable in all respects of fulfilling and shall fulfill all of its obligations under this contract.
9. The contract appendices, attachments, and exhibits identify all equipment and software services necessary for the deliverable(s) to perform and operate in compliance with the contract's requirements.
10. The Contractor is the lawful owner or licensee of any Deliverable licensed or sold to any local unit of Government by Contractor or developed by Contractor under this contract, and Contractor has all of the rights necessary to convey to the state the ownership rights or license use, as applicable, of any and all Deliverables.
11. If, under this Contract, Contractor procures any equipment, software or other Deliverable for any local unit of Government (including equipment, software and other Deliverables manufactured, re-marketed or otherwise sold by Contractor under Contractor's name), then in addition to Contractor's other responsibilities with respect to such items as set forth in this Contract, Contractor shall assign or otherwise transfer to any local unit of Government or its designees, or afford any local unit of Government the benefits of, any manufacturer's warranty for the Deliverable.
12. The contract signatory has the power and authority, including any necessary corporate authorizations, necessary to enter this contract, on behalf of Contractor.
13. The Contractor is qualified and registered to transact business in all locations where required.
14. Neither the Contractor nor any Affiliates, nor any employee of either, has, shall have, or shall acquire, any contractual, financial, business, or other interest, direct or indirect, that would conflict in any manner or degree with Contractor's performance of its duties and responsibilities to the State under this Contract or otherwise create an appearance of impropriety with respect to the award or performance of this Agreement. Contractor shall notify the State within two (2) days of any such interest that may be incompatible with the interests of the State.



15. All financial statements, reports, and other information furnished by Contractor to the State as part of its response to the ITB or otherwise in connection with the award of this Contract fairly and accurately represent the business, properties, financial condition, and results of operations of Contractor as of the respective dates, or for the respective periods, covered by such financial statements, reports, other information. Since the respective dates or periods covered by such financial statements, reports, or other information, there have been no material adverse changes in the business, properties, financial condition, or results of operations of Contractor. All written information furnished to the State by or behalf of Contractor in connection with this Contract, including its bid, is true, accurate, and complete, and contains no untrue statement of material fact or omits any material fact necessary to make such information not misleading.
16. The successful contractor shall have a factory dealer with repair facilities and personnel in Michigan, or may be a factory dealer with repair facilities and personnel in Michigan capable of handling corrections, and warranty follow-up.

2.506 STAFF

The State reserves the right to approve the Contractor's assignment of Key Personnel to this project and to recommend reassignment of personnel deemed unsatisfactory by the State.

The Contractor shall not remove or reassign, without the State's prior written approval any of the Key Personnel until such time as the Key Personnel have completed all of their planned and assigned responsibilities in connection with performance of the Contractor's obligations under this Contract. The Contractor agrees that the continuity of Key Personnel is critical and agrees to the continuity of Key Personnel. Removal of Key Personnel without the written consent of the State may be considered by the State to be a material breach of this Contract. The prohibition against removal or reassignment shall not apply where Key Personnel must be replaced for reasons beyond the reasonable control of the Contractor including but not limited to illness, disability, resignation or termination of the Key Personnel's employment.

2.507 RESERVED

2.508 EQUIPMENT WARRANTY

A minimum warranty of one year shall be provided on all components of the utility body, including all parts and labor. The warranty shall start on the in-service date, which is when end user first begins to use the unit. The truck warranty shall also start on the in-service date.

To the extent Contractor is responsible under this Contract for maintaining equipment/system(s), Contractor represents and warrants that it will maintain such equipment/system(s) in good operating condition and will undertake all repairs and preventive maintenance in accordance with the applicable manufacturer's recommendations for the period specified in this Contract.

- A. Principle Period of Maintenance (PPM) will be the same hours as the State's normal working hours (currently Monday through Friday, 8:00 A.M. to 4:00 P.M., excluding a one (1) hour lunch period, excepting State observed holidays).
- B. The PPM hours may be changed upon thirty (30) days written notice by mutual agreement, except the Contractor shall make every reasonable effort to change his schedule in a shorter period of time.

Within five (5) business days of notification from the State of Michigan and Authorized Local Units of Government, the Contractor shall adjust, repair or replace all equipment that is defective or not performing in compliance with the Contract. The Contractor shall assume all costs for replacing parts or units and their installation including transportation and delivery fees, if any.



The Contractor shall provide a toll-free telephone number to allow the State of Michigan and Authorized Local Units of Government to report equipment failures and problems to be remedied by the Contractor.

The Contractor agrees that all warranty service it provides under this Contract shall be performed by original equipment manufacturer (OEM) trained, certified and authorized technicians.

The Contractor shall act as the sole point of contact for warranty service. The Contractor warrants that it shall pass through to the State of Michigan and Authorized Local Units of Government any and all warranties obtained or available from the original equipment manufacturer, including any replacement, upgraded, or additional equipment warranties.

2.509 RESERVED

2.6 Breach of Contract

2.601 BREACH DEFINED

Failure to comply with articles, sections, or subsections of this agreement, or making any false statement in this agreement will be considered a material breach of this agreement giving the state authority to invoke any and all remedies available to it under this agreement.

In addition to any remedies available in law and by the terms of this contract, if the Contractor breaches Sections 2.508, 2.509, or 2.510, such a breach may be considered as a default in the performance of a material obligation of this contract.

2.602 NOTICE AND THE RIGHT TO CURE

In the event of a curable breach by the Contractor, the State shall provide the Contractor written notice of the breach and a time period to cure said breach described in the notice. This section requiring notice and an opportunity to cure shall not be applicable in the event of successive or repeated breaches of the same nature or if the State determines in its sole discretion that the breach poses a serious and imminent threat to the health or safety of any person or the imminent loss, damage or destruction of any real or tangible personal property.

2.603 EXCUSABLE FAILURE

1. Neither party shall be liable for any default or delay in the performance of its obligations under the Contract if and to the extent such default or delay is caused, directly or indirectly, by: fire, flood, earthquake, elements of nature or acts of God; riots, civil disorders, rebellions or revolutions in any country; the failure of the other party to perform its material responsibilities under the Contract (either itself or through another contractor); injunctions (provided the injunction was not issued as a result of any fault or negligence of the party seeking to have its default or delay excused); or any other cause beyond the reasonable control of such party; provided the non-performing party and its subcontractors are without fault in causing such default or delay, and such default or delay could not have been prevented by reasonable precautions and cannot reasonably be circumvented by the non-performing party through the use of alternate sources, workaround plans or other means, including disaster recovery plans. In such event, the non-performing party will be excused from any further performance or observance of the obligation(s) so affected for as long as such circumstances prevail and such party continues to use its best efforts to recommence performance or observance whenever and to whatever extent possible without delay provided such party promptly notifies the other party in writing of the inception of the excusable failure occurrence, and also of its abatement or cessation.
2. If any of the above enumerated circumstances substantially prevent, hinder, or delay performance of the services necessary for the performance of the State's functions for more than 14 consecutive days, and the State determines that performance is not likely to be resumed within a period of time that is satisfactory to the State in its reasonable discretion, then at the State's option: (a) the State may procure the affected services from an alternate



source, and the State shall not be liable for payments for the unperformed services under the Contract for so long as the delay in performance shall continue; (b) the State may cancel any portions of the Contract so affected and the charges payable hereunder shall be equitably adjusted to reflect those services canceled; or (c) the Contract will be canceled without liability of the State to the Contractor as of the date specified by the State in a written notice of cancellation to the Contractor. The Contractor will not have the right to any additional payments from the State as a result of any excusable failure occurrence or to payments for services not rendered as a result of the excusable failure condition. Defaults or delays in performance by the Contractor which are caused by acts or omissions of its subcontractors will not relieve the Contractor of its obligations under the Contract except to the extent that a subcontractor is itself subject to any excusable failure condition described above and the Contractor cannot reasonably circumvent the effect of the subcontractor's default or delay in performance through the use of alternate sources, workaroud plans or other means.

2.7 Remedies

2.701 CANCELLATION

The State may cancel this Contract without further liability or penalty to the State, its departments, divisions, agencies, offices, commissions, officers, agents, and employees for any of the following reasons:

1. **Material Breach by the Contractor.** In the event that the Contractor breaches any of its material duties or obligations under the Contract, which are either not capable of or subject to being cured, or are not cured within the time period specified in the written notice of breach provided by the State, or pose a serious and imminent threat to the health and safety of any person, or the imminent loss, damage or destruction of any real or tangible personal property, the State may, having provided written notice of cancellation to the Contractor, cancel this Contract in whole or in part, for cause, as of the date specified in the notice of cancellation.

In the event that this Contract is canceled for cause, in addition to any legal remedies otherwise available to the State by law or equity, the Contractor shall be responsible for all costs incurred by the State in canceling the Contract, including but not limited to, State administrative costs, attorneys fees and court costs, and any additional costs the State may incur to procure the services required by this Contract from other sources. All excess re-procurement costs and damages shall not be considered by the parties to be consequential, indirect or incidental, and shall not be excluded by any other terms otherwise included in the Contract.

In the event the State chooses to partially cancel this Contract for cause charges payable under this Contract will be equitably adjusted to reflect those services that are canceled.

In the event this Contract is canceled for cause pursuant to this section, and it is therefore determined, for any reason, that the Contractor was not in breach of contract pursuant to the provisions of this section, that cancellation for cause shall be deemed to have been a cancellation for convenience, effective as of the same date, and the rights and obligations of the parties shall be limited to that otherwise provided in the Contract for a cancellation for convenience.

2. **Cancellation For Convenience By the State.** The State may cancel this Contract for its convenience, in whole or part, if the State determines that such a cancellation is in the State's best interest. Reasons for such cancellation shall be left to the sole discretion of the State and may include, but not limited to (a) the State no longer needs the services or products specified in the Contract, (b) relocation of office, program changes, changes in laws, rules, or regulations make implementation of the Contract services no longer practical or feasible, and (c) unacceptable prices for additional services requested by the State. The State may cancel the Contract for its convenience, in whole or in part, by giving the Contractor written notice 30 days prior to the date of cancellation. If the State chooses to cancel this Contract in part, the charges payable under this Contract shall be equitably adjusted to reflect those services that are canceled.



3. **Non-Appropriation.** In the event that funds to enable the State to effect continued payment under this Contract are not appropriated or otherwise made available. The Contractor acknowledges that, if this Contract extends for several fiscal years, continuation of this Contract is subject to appropriation or availability of funds for this project. If funds are not appropriated or otherwise made available, the State shall have the right to cancel this Contract at the end of the last period for which funds have been appropriated or otherwise made available by giving written notice of cancellation to the Contractor. The State shall give the Contractor written notice of such non-appropriation or unavailability within 30 days after it receives notice of such non-appropriation or unavailability.
4. **Criminal Conviction.** In the event the Contractor, an officer of the Contractor, or an owner of a 25% or greater share of the Contractor, is convicted of a criminal offense incident to the application for or performance of a State, public or private Contract or subcontract; or convicted of a criminal offense including but not limited to any of the following: embezzlement, theft, forgery, bribery, falsification or destruction of records, receiving stolen property, attempting to influence a public employee to breach the ethical conduct standards for State of Michigan employees; convicted under State or federal antitrust statutes; or convicted of any other criminal offense which in the sole discretion of the State, reflects upon the Contractor's business integrity.
5. **Approvals Rescinded.** The State may terminate this Contract without further liability or penalty in the event any final administrative or judicial decision or adjudication disapproves a previously approved request for purchase of personal services pursuant to Constitution 1963, Article 11, section 5, and Civil Service Rule 7. Termination may be in whole or in part and may be immediate as of the date of the written notice to Contractor or may be effective as of the date stated in such written notice.

2.702 RIGHTS UPON CANCELLATION

A. Rights and Obligations Upon Termination

- (1) If this Contract is terminated by the State for any reason, Contractor shall (a) stop all work as specified in the notice of termination, (b) take any action that may be necessary, or that the State may direct, for preservation and protection of Deliverables or other property derived or resulting from this Contract that may be in Contractor's possession, (c) return all materials and property provided directly or indirectly to Contractor by any entity, agent or employee of the State, (d) in the event that the Contractor maintains title in equipment and software that is intended to be transferred to the State at the termination of the Contract, Contractor will transfer title in, and deliver to, the State, unless otherwise directed, all Deliverables and other Developed Materials intended to be transferred to the State at the termination of the Contract and which are resulting from the Contract (which shall be provided to the State on an "As-Is" basis except to the extent the amounts paid by the State in respect of such items included compensation to Contractor for the provision of warranty services in respect of such materials), and (e) take any action to mitigate and limit any potential damages, or requests for Contractor adjustment or termination settlement costs, to the maximum practical extent, including terminating or limiting as otherwise applicable those subcontracts and outstanding orders for material and supplies resulting from the terminated Contract.
- (2) In the event the State terminates this Contract prior to its expiration for its own convenience, the State shall pay Contractor for all charges due for Services provided prior to the date of termination and, if applicable, as a separate item of payment pursuant to this Contract, for partially completed Deliverables, on a percentage of completion basis. All completed or partially completed Deliverables prepared by Contractor pursuant to this Contract shall, at the option of the State, become the State's property, and Contractor shall be entitled to receive equitable fair compensation for such Deliverables. Regardless of the basis for the termination, the State shall not be obligated to pay, or otherwise compensate, Contractor for any lost expected future profits, costs or expenses incurred with respect to Services not actually performed for the State.



- (3.) If any such termination by the State is for cause, the State shall have the right to set-off against any amounts due Contractor the amount of any damages for which Contractor is liable to the State under this Contract or pursuant to law or equity.
- (4.) Upon a good faith termination, the State shall have the right to assume, at its option, any and all subcontracts and agreements for services and materials provided under this Contract, and may further pursue completion of the Services under this Contract by replacement contract or otherwise as the State may in its sole judgment deem expedient.
- B. Termination Assistance - **Reserved**
- C. Reservation of Rights

Any termination of the Contract or any Statement of Work issued under it by a party shall be with full reservation of, and without prejudice to, any rights or remedies otherwise available to such party with respect to any claims arising prior to or as a result of such termination.

- D. End of Contract Transition - **Reserved**
- E. Transition out of this Contract - **Reserved**

2.703 LIQUIDATED DAMAGES

- A. The State of Michigan and Authorized Local Units of Government and the Contractor hereby agree to the specific standards set forth in this Contract. It is agreed between the Contractor and the State of Michigan and Authorized Local Units of Government that the actual damages to the State of Michigan and Authorized Local Units of Government as a result of Contractor's failure to provide promised services would be difficult or impossible to determine with accuracy. The State of Michigan and Authorized Local Units of Government and the Contractor therefore agree that liquidated damages as set out herein shall be a reasonable approximation of the damages that shall be suffered by the State of Michigan and Authorized Local Units of Government as a result thereof. Accordingly, in the event of such damages, at the written direction of the State of Michigan and Authorized Local Units of Government, the Contractor shall pay the State of Michigan or Authorized Local Units of Government the indicated amount as liquidated damages, and not as a penalty. Amounts due the State of Michigan and Authorized Local Units of Government as liquidated damages, if not paid by the Contractor within fifteen (15) days of notification of assessment, may be deducted by the State of Michigan and Authorized Local Units of Government from any money payable to the Contractor pursuant to this Contract. The State of Michigan or Authorized Local Units of Government will notify the Contractor in writing of any claim for liquidated damages pursuant to this paragraph on or before the date the State of Michigan and Authorized Local Units of Government deducts such sums from money payable to the Contractor. No delay by the State of Michigan and Authorized Local Units of Government in assessing or collecting liquidated damages shall be construed as a waiver of such rights.
- B. The Contractor shall not be liable for liquidated damages when, in the opinion of the State of Michigan and Authorized Local Units of Government, incidents or delays result directly from causes beyond the control and without the fault or negligence of the Contractor. Such causes may include, but are not restricted to, acts of God, fires, floods, epidemics, and labor unrest; but in every case the delays must be beyond the control and without the fault or negligence of the Contractor.



C. Liquidated damages will be assessed as follows:

If the contractor does not deliver the vehicle/s, ready for use on or before the scheduled delivery date, the contractor shall pay to the State and/or Local Unit of Government, as fixed and agreed, liquidated damages, for each calendar day between the delivery date specified and the date of final delivery, but not more than 30 calendar days in lieu of all other damages due to such non-delivery, an amount of 2/10th of 1% of the Purchase Order/Departmental Contract Release Form unit cost per vehicle.

If some, but not all, of the vehicle/s described in the Purchase Order/Departmental Contract Release Form are delivered ready for use, by the scheduled delivery date, liquidated damages shall not accrue against the vehicle/s delivered.

If the delay is more than thirty 30 calendar days, then by written notice to the Contractor, the State and/or Local Unit of Government may terminate the right of the contractor to deliver, and may obtain substitute vehicle/s. In this event, the Contractor shall be liable for liquidated damages in the amounts specified above until acceptable substitute vehicle/s are delivered, ready for use, or for 30 days from the scheduled delivery date, whichever occurs first.

2.704 STOP WORK

1. The State and/or Local Unit of Government may, at any time, by written stop work order to the Contractor, require that the Contractor stop all, or any part, of the work called for by this Contract for a period of up to 90 days after the stop work order is delivered to the Contractor, and for any further period to which the parties may agree. The stop work order shall be specifically identified as such and shall indicate that it is issued under this section. Upon receipt of the stop work order, the Contractor shall immediately comply with its terms and take all reasonable steps to minimize the incurrence of costs allocable to the work covered by the stop work order during the period of work stoppage. Within the period of the stop work order, the State shall either:

 - a) Cancel the stop work order; or
 - b) Cancel the work covered by the stop work order as provided in the cancellation section of this Contract.
2. If a stop work order issued under this section is canceled or the period of the stop work order or any extension thereof expires, the Contractor shall resume work. The State and/or Local Unit of Government shall make an equitable adjustment in the delivery schedule, the contract price, or both, and the Contract shall be modified, in writing, accordingly, if:

 - a) The stop work order results in an increase in the time required for, or in the Contractor's costs properly allocable to the performance of any part of this Contract; and
 - b) The Contractor asserts its right to an equitable adjustment within 30 days after the end of the period of work stoppage; provided, that if the State decides the facts justify the action, the State and/or Local Unit of Government may receive and act upon a proposal submitted at any time before final payment under this Contract.
3. If the stop work order is not canceled and the work covered by the stop work order is canceled for reasons other than material breach, the State and/or Local Unit of Government shall allow reasonable costs resulting from the stop work order in arriving at the cancellation settlement.
4. If a stop work order is not canceled and the work covered by the stop work order is canceled for material breach, the State and/or Local Unit of Government shall not allow, by equitable adjustment or otherwise, reasonable costs resulting from the stop work order.

An appropriate equitable adjustment may be made in any related contract of the Contractor that provides for adjustment and is affected by any stop work order under this section. The State and/or Local Unit of Government shall not be liable to the Contractor for loss of profits because of a stop work order issued under this section.

**2.705 SUSPENSION OF WORK**

The Contract Administrator may order the Contractor, in writing, to suspend, delay, or interrupt all or any part of the work of this contract for the period of time that the Contract Administrator determines appropriate for the convenience of the Government.

If the performance of all or any part of the work is, for an unreasonable period of time, suspended, delayed, or interrupted (1) by an act of the Contract Administrator in the administration of this contract, or (2) by the Contract Administrator's failure to act within the time specified in this contract (or within a reasonable time if not specified), an adjustment shall be made for any increase in the cost of performance of this contract (excluding profit) necessarily caused by the unreasonable suspension, delay, or interruption, and the contract modified in writing accordingly. However, no adjustment shall be made under this clause for any suspension, delay, or interruption to the extent that performance would have been so suspended, delayed, or interrupted by any other cause, including the fault or negligence of the Contractor, or for which an equitable adjustment is provided for or excluded under any other term or condition of this contract.

A claim under this clause shall not be allowed:

- (1) For any costs incurred more than 20 days before the Contractor shall have notified the Contract Administrator in writing of the act or failure to act involved (but this requirement shall not apply as to a claim resulting from a suspension order); and
- (2) Unless the claim, in an amount stated, is asserted in writing as soon as practicable after the termination of the suspension, delay, or interruption, but not later than the date of final payment under the contract.

2.8 Changes, Modifications, and Amendments**2.801 APPROVALS**

The Contract may not be modified, amended, extended, or augmented except by a writing executed by the parties hereto, and any breach or default by a party shall not be waived or released other than in writing signed by the other party.

2.802 TIME EXTENTIONS

Time extensions for contract changes will depend upon the extent, if any, by which the changes cause delay in the completion of the various elements of performance as described in the statement of work. The change order granting the time extension may provide that the contract completion date will be extended only for those specific elements related to the changed work and that the remaining contract completion dates for all other portions of the work will not be altered. The change order also may provide an equitable readjustment of liquidated damages under the new completion schedule.

2.803 MODIFICATION

Purchasing Operations reserves the right to modify this contract at any time during the contract term. Such modification may include changing the locations to be serviced, additional locations to be serviced, method or manner of performance of the work, number of days service is to be performed, addition or deletion of tasks to be performed, addition or deletion of items, and/or any other modifications deemed necessary. Any changes in pricing proposed by the Contractor resulting from the proposed changes are subject to acceptance by the State. Changes may be increases or decreases. **IN THE EVENT PRICES ARE NOT ACCEPTABLE TO THE STATE, THE CONTRACT SHALL BE SUBJECT TO COMPETITIVE BIDDING BASED UPON THE NEW SPECIFICATION.**

The State reserves the right to add an item(s) that is not described on the item listing and is available from the Contract vendor. The item(s) may be included on the Contract, only if prior written approval has been granted by Purchasing Operations.



2.804 AUDIT AND RECORDS UPON MODIFICATION

Some local units of government may be using Federal grants to purchase vehicles from this contract. Contractors may be required to provide evidence of compliance to the Federal Transportation Administration's (FTA) 49 DFR Part 663 for Pre-Order and Post Delivery Audits of Rolling Stock Purchases.

DEFINITION: records includes books, documents, accounting procedures and practices, and other data, regardless of whether such items are in written form, electronic form, or in any other form

Contractor shall be required to submit cost or pricing data with the pricing of any modification of this contract to the Contract Administrator in Acquisition Services. Data may include accounting records, payroll records, employee time sheets, and other information the state deems necessary to perform a fair evaluation of the modification proposal. Contract Administrator or authorized representative of the state shall have the right to examine and audit all of the contractor's records, including computations and projections, related to:

1. The proposal for modification;
2. The discussions conducted on the proposal, including those related to negotiation;
3. Pricing of the modification; or
4. Performance of the modification.

Contractor shall make available at its office at all reasonable times the materials described in the paragraphs above.

If this contract is completely or partially terminated, the records relating to the work terminated shall be made available for 3 years after any resulting final termination settlement.

2.805 CHANGES

(a) The Contract Administrator may, at any time, without notice to the sureties, if any, by written order designated or indicated to be a change order, make changes in the work within the general scope of the contract, including changes:

- (1) In the specifications (including drawings and designs);
- (2) In the method or manner of performance of the work;
- (3) In the Government-furnished facilities, equipment, materials, services, or site; or
- (4) Directing acceleration in the performance of the work.

(a) Any other written or oral order (which, as used in this paragraph (b), includes direction, instruction, interpretation, or determination) from the Contract Administrator that causes a change shall be treated as a change order under this clause; Provided, that the Contractor gives the Contract Administrator written notice stating:

- (1) The date, circumstances, and source of the order; and
- (2) That the Contractor regards the order as a change order.

(b) Except as provided in this clause, no order, statement, or conduct of the Contract Administrator shall be treated as a change under this clause or entitle the Contractor to an equitable adjustment.