

Table 3: Demographic information on HIV infection cases currently living in the Detroit Metro Area, 2012

REPORTED HIV INFECTION PREVALENCE												
	EST PREV*	HIV, non-stage 3		HIV, stage 3 (AIDS)		TOTAL		Late HIV diagnosis			CENSUS 2010 [†]	
	Num	Num	Percent	Num	Percent	Num	Percent	Rate per 100,000	Num	Percent of stage 3 cases	Num	Percent
RACE/ ETHNICITY[§]												
White	3,410	1,154	26%	1,443	26%	2,597	26%	90	683	47%	2,884,240	68%
Black	8,840	3,033	68%	3,688	67%	6,721	68%	689	1,506	41%	975,057	23%
Hispanic	460	158	4%	191	3%	349	4%	206	87	46%	169,272	4%
Asian/NH/OPI	60	21	<1%	27	<1%	48	<1%	34	17	63%	140,727	3%
AI/AN	20	11	<1%	5	<1%	16	<1%	131	1	20%	12,250	<1%
Multi/other/unk	250	76	2%	112	2%	188	2%	N/A	31	28%	85,758	2%
SEX & RACE												
Male	9,980	3,352	75%	4,241	78%	7,593	77%	367	1,858	44%	2,066,529	48%
White male	3,020	998	22%	1,300	24%	2,298	23%	162	631	49%	1,415,046	33%
Black male	6,360	2,152	48%	2,686	49%	4,838	49%	1076	1,120	42%	449,599	11%
Hispanic male	350	124	3%	142	3%	266	3%	311	66	46%	85,575	2%
Other male	250	78	2%	113	2%	191	2%	164	41	36%	116,309	3%
Female	3,060	1,101	25%	1,225	22%	2,326	23%	106	467	38%	2,200,775	52%
White female	390	156	4%	143	3%	299	3%	20	52	36%	1,469,194	34%
Black female	2,480	881	20%	1,002	18%	1,883	19%	358	386	39%	525,458	12%
Hispanic female	110	34	1%	49	1%	83	1%	99	21	43%	83,697	2%
Other female	80	30	1%	31	1%	61	1%	50	8	26%	122,426	3%
RISK[†]												
Male-male Sex (MSM)	6,360	2,132	48%	2,707	50%	4,839	49%	--	1,162	43%	--	--
Injection drug use (IDU)	1,380	386	9%	661	12%	1,047	11%	--	225	34%	--	--
MSM/IDU	480	139	3%	229	4%	368	4%	--	76	33%	--	--
Blood products	60	15	<1%	31	1%	46	<1%	--	11	35%	--	--
Heterosexual contact (HC)	2,270	788	18%	939	17%	1,727	17%	--	356	38%	--	--
HCFR (male)	420	134	3%	184	3%	318	3%	--	70	38%	--	--
HCM (female)	1,850	654	15%	755	14%	1,409	14%	--	286	38%	--	--
Perinatal	140	65	1%	44	1%	109	1%	--	16	36%	--	--
Undetermined	2,340	928	21%	855	16%	1,783	18%	--	479	56%	--	--
AGE AT HIV DIAGNOSIS												
0 - 12 years	160	70	2%	49	1%	119	1%	--	14	29%	--	--
13 - 19 years	690	318	7%	209	4%	527	5%	--	45	22%	--	--
20 - 24 years	1,770	781	18%	566	10%	1,347	14%	--	133	23%	--	--
25 - 29 years	2,040	753	17%	799	15%	1,552	16%	--	242	30%	--	--
30 - 39 years	4,440	1,347	30%	2,027	37%	3,374	34%	--	850	42%	--	--
40 - 49 years	2,760	808	18%	1,295	24%	2,103	21%	--	717	55%	--	--
50 - 59 years	960	307	7%	420	8%	727	7%	--	254	60%	--	--
60 years and over	220	66	1%	101	2%	167	2%	--	70	69%	--	--
Unspecified	10	3	<1%	0	0%	3	<1%	--	0	0%	--	--
CURRENT RESIDENCE												
Lapeer Co.	50	17	<1%	24	<1%	41	<1%	46	10	42%	88,319	2%
Macomb Co.	990	365	8%	391	(7%)	756	8%	90	189	48%	840,978	20%
Monroe Co.	100	37	1%	42	(1%)	79	1%	52	22	52%	152,021	4%
Oakland Co.	2,400	865	19%	958	(18%)	1,823	18%	152	402	42%	1,202,362	28%
St Clair Co.	150	51	1%	61	(1%)	112	1%	69	29	48%	163,040	4%
Wayne Co. Total	9,340	3,118	70%	3,990	(73%)	7,108	72%	390	1,673	42%	1,820,584	43%
Wayne Co. (excl. Detroit)	2,040	672	15%	882	(16%)	1,554	16%	140	385	44%	1,106,807	26%
City of Detroit	7,300	2,446	55%	3,108	(57%)	5,554	56%	778	1,288	41%	713,777	17%
Detroit Metro Area Total	13,040	4,453	100 %	5,466	100 %	9,919	100 %	232	2,325	43 %	4,267,304	100 %

*See pages iv-v for descriptions of prevalence estimate calculations. NOTE: prevalence estimates throughout this document are based on the number of people currently living with HIV in Michigan as of January 2012. Prevalence estimates in other MDCH documents are based on the number of people living with HIV who were diagnosed in MI.

† See page vi of the Forward and Appendix 2 for risk category groupings. Risk categories used in Michigan are redefined as of January 2012. NOTE: Heterosexual contact for males includes only males whose sexual partners are known to be HIV infected or at high risk for HIV (HCFR). Heterosexual contact for females includes all females who have had sex with a male regardless of what is known about the male's HIV status or behaviors (HCM).

§ In this report, persons described as white, black, Asian/Native Hawaiian or Other Pacific Islander (Asian/NH/OPI), or American Indian/Alaskan Native (AI/AN) are all non-Hispanic; persons described as Hispanic may be of any race.

¶ Rates are not reported for risk categories and age at diagnosis because no reliable denominator data exist for these groups.

TABLE 4: Risk transmission and exposure categories for HIV infection cases currently living in the Detroit Metro Area by sex, 2012

REPORTED HIV INFECTION PREVALENCE							
	Male		Female		Overall		
	Num	Percent	Num	Percent	Num	Percent	
RISK TRANSMISSION CATEGORIES (CDC Hierarchy) *\$							
(Mutually Exclusive: one case is represented in ONLY one category)							
Male-male sex (MSM)	4,839	64%	N/A	--	4,839	49%	
Injection drug use (IDU)	589	8%	458	20%	1,047	11%	
MSM/IDU	368	5%	N/A	--	368	4%	
Blood products	37	<1%	9	<1%	46	<1%	
Heterosexual contact (HC)	318	4%	1,409	61%	1,727	17%	
HCFR (male)	318	4%	N/A	--	318	3%	
HCM (female)	N/A	--	1,409	61%	1,409	14%	
Perinatal	62	1%	47	2%	109	1%	
Undetermined	1,380	18%	403	17%	1,783	18%	
EXPOSURE CATEGORIES **							
(Mutually Exclusive: one case is represented in ONLY one category)							
Male-male sex only	3,154	42%	N/A	--	3,154	32%	
MSM & HC	1,663	22%	N/A	--	1,663	17%	
MSM & IDU	150	2%	N/A	--	150	2%	
MSM & blood products	12	<1%	N/A	--	12	<1%	
MSM & HC & IDU	210	3%	N/A	--	210	2%	
MSM & HC & blood products	10	<1%	N/A	--	10	<1%	
MSM & IDU & blood products	3	<1%	N/A	--	3	<1%	
MSM & HC & IDU & blood products	5	<1%	N/A	--	5	<1%	
Heterosexual contact only	1,192	16%	1,631	70%	2,823	28%	
HC & IDU	431	6%	394	17%	825	8%	
HC & blood products	21	<1%	23	1%	44	<1%	
HC & IDU & blood products	11	<1%	13	1%	24	<1%	
Injection drug use only	147	2%	51	2%	198	2%	
IDU & blood products	0	0%	0	0%	0	0%	
Perinatal exposure	62	1%	47	2%	109	1%	
Exposure to blood products only	21	<1%	3	<1%	24	<1%	
Undetermined	501	7%	164	7%	665	7%	
TOTAL	7,593	100 %	2,326	100 %	9,919	100 %	
SUMMARIZED EXPOSURE CATEGORIES *							
(NOT Mutually Exclusive: one case may be represented in multiple categories)							
Any MSM	5,207	69%	N/A	--	5,207	52%	
Behaviorally bisexual men	1,888	25%	N/A	--	1,888	19%	
Any heterosexual contact	3,543	47%	2,061	89%	5,604	56%	
Any IDU	957	13%	458	20%	1,415	14%	

*See page ii for descriptions of risk transmission and exposure categories.

^s Risk transmission categories are grouped based on hierarchical categories determined by the CDC. Any one person with multiple risks is only represented in the highest category, with the exception of MSM/IDU (based on the hierarchical algorithm).

^t Exposure categories are mutually exclusive and grouped to allow all possible combinations of exposures that any one person may have. NOTE: Heterosexual contact (HC) in exposure categories includes males and females who had heterosexual contact, regardless of what is known about their partners' risk or HIV status.

^y Summarized exposure categories are NOT mutually exclusive, i.e. a case may be represented in multiple categories. These summarized categories are meant to give a broader picture of exposure and will NOT add up to the total number of persons living with HIV infection.

Table 5: Sex, race, and risk among HIV infection cases currently living in the Detroit Metro Area, 2012

MALE

	White		Black		Hispanic		Other or unknown		All male	
	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent
Male-male sex (MSM)	1,743	76%	2,836	59%	149	56%	111	58%	4,839	64%
Injection drug use (IDU)	79	3%	465	10%	30	11%	15	8%	589	8%
MSM/IDU	121	5%	226	5%	7	3%	14	7%	368	5%
Blood products	27	1%	6	<1%	2	1%	2	1%	37	<1%
Heterosexual contact (HCFR)	47	2%	252	5%	14	5%	5	3%	318	4%
Perinatal	8	<1%	48	1%	2	1%	4	2%	62	1%
Undetermined	273	12%	1,005	21%	62	23%	40	21%	1,380	18%
Male Subtotal	2,298	30 %	4,838	64 %	266	4 %	191	3 %	7,593	100 %

FEMALE

	White		Black		Hispanic		Other or unknown		All female	
	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent
Injection drug use (IDU)	68	23%	361	19%	18	22%	11	18%	458	20%
Blood products	5	2%	3	<1%	1	1%	0	0%	9	<1%
Heterosexual contact (HCM)	173	58%	1,144	61%	55	66%	37	61%	1,409	61%
Perinatal	2	1%	40	2%	2	2%	3	5%	47	2%
Undetermined	51	17%	335	18%	7	8%	10	16%	403	17%
Female Subtotal	299	13 %	1,883	81 %	83	4 %	61	3 %	2,326	100 %

ALL

	White		Black		Hispanic		Other or unknown		Risk all	
	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent
Male-male sex (MSM)	1,743	67%	2,836	42%	149	43%	111	44%	4,839	49%
Injection drug use (IDU)	147	6%	826	12%	48	14%	26	10%	1,047	11%
MSM/IDU	121	5%	226	3%	7	2%	14	6%	368	4%
Blood products	32	1%	9	<1%	3	1%	2	1%	46	<1%
Heterosexual contact (HC)	220	8%	1,396	21%	69	20%	42	17%	1,727	17%
HCFR (male)	47	2%	252	4%	14	4%	5	2%	318	3%
HCM (female)	173	7%	1,144	17%	55	16%	37	15%	1,409	14%
Perinatal	10	<1%	88	1%	4	1%	7	3%	109	1%
Undetermined	324	12%	1,340	20%	69	20%	50	20%	1,783	18%
RACE ALL	2,597	26 %	6,721	68 %	349	4 %	252	3 %	9,919	100 %

Table 6: Sex, race, and age at HIV diagnosis among HIV infection cases currently living in the Detroit Metro Area, 2012

MALE	White		Black		Hispanic		Other or unknown		All male	
	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent
0 - 12 years	14	1%	49	1%	2	1%	5	3%	70	1%
13 - 19 years	36	2%	346	7%	13	5%	7	4%	402	5%
20 - 24 years	188	8%	825	17%	35	13%	24	13%	1,072	14%
25 - 29 years	365	16%	737	15%	48	18%	37	19%	1,187	16%
30 - 39 years	904	39%	1,507	31%	93	35%	65	34%	2,569	34%
40 - 49 years	575	25%	966	20%	46	17%	37	19%	1,624	21%
50 - 59 years	172	7%	340	7%	16	6%	13	7%	541	7%
60 years and over	44	2%	66	1%	13	5%	3	2%	126	2%
Unknown	0	0%	2	<1%	0	0%	0	0%	2	<1%
Male Subtotal	2,298	30 %	4,838	64 %	266	4 %	191	3 %	7,593	100 %

FEMALE	White		Black		Hispanic		Other or unknown		All female	
	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent
0 - 12 years	3	1%	41	2%	2	2%	3	5%	49	2%
13 - 19 years	16	5%	101	5%	7	8%	1	2%	125	5%
20 - 24 years	38	13%	221	12%	11	13%	5	8%	275	12%
25 - 29 years	59	20%	288	15%	9	11%	9	15%	365	16%
30 - 39 years	96	32%	649	34%	33	40%	27	44%	805	35%
40 - 49 years	59	20%	397	21%	12	14%	11	18%	479	21%
50 - 59 years	22	7%	153	8%	6	7%	5	8%	186	8%
60 years and over	5	2%	33	2%	3	4%	0	0%	41	2%
Unknown	1	<1%	0	0%	0	0%	0	0%	1	<1%
Female Subtotal	299	13 %	1,883	81 %	83	4 %	61	3 %	2,326	100 %

ALL	White		Black		Hispanic		Other or unknown		Age all	
	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent
0 - 12 years	17	1%	90	1%	4	1%	8	3%	119	1%
13 - 19 years	52	2%	447	7%	20	6%	8	3%	527	5%
20 - 24 years	226	9%	1,046	16%	46	13%	29	12%	1,347	14%
25 - 29 years	424	16%	1,025	15%	57	16%	46	18%	1,552	16%
30 - 39 years	1,000	39%	2,156	32%	126	36%	92	37%	3,374	34%
40 - 49 years	634	24%	1,363	20%	58	17%	48	19%	2,103	21%
50 - 59 years	194	7%	493	7%	22	6%	18	7%	727	7%
60 years and over	49	2%	99	1%	16	5%	3	1%	167	2%
Unknown	1	<1%	2	<1%	0	0%	0	0%	3	<1%
RACE ALL	2,597	26 %	6,721	68 %	349	4 %	252	3 %	9,919	100 %

Table 7: Sex, risk, and age at HIV dDiagnosis among HIV infection cases currently living in the Detroit Metro Area, 2012

MALE	0 - 12 years		13 - 19 years		20 - 24 years		25 - 29 years		30 - 39 years		40 - 49 years		50 - 59 years		60 years and over		All male	
	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent
Male-male sex	0	0%	315	78%	867	81%	868	73%	1,660	65%	834	51%	240	44%	55	44%	4,839	64%
Injection drug use	0	0%	4	1%	16	1%	36	3%	203	8%	241	15%	77	14%	11	9%	588	8%
MSM/IDU	0	0%	6	1%	32	3%	56	5%	159	6%	91	6%	23	4%	1	1%	368	5%
Blood products	6	9%	9	2%	4	<1%	5	<1%	10	<1%	3	<1%	0	0%	0	0%	37	<1%
Heterosexual contact (HCFR)	0	0%	3	1%	13	1%	46	4%	133	5%	80	5%	33	6%	10	8%	318	4%
Perinatal	59	84%	3	1%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	62	1%
Undetermined	5	7%	62	15%	140	13%	176	15%	404	16%	375	23%	168	31%	49	39%	1,379	18%
Male Subtotal*	70	1%	402	5%	1,072	14%	1,187	16%	2,569	34%	1,624	21%	541	7%	126	2%	7,591	100%
FEMALE	0 - 12 years		13 - 19 years		20 - 24 years		25 - 29 years		30 - 39 years		40 - 49 years		50 - 59 years		60 years and over		All female	
	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent
Injection drug use	0	0%	6	5%	34	12%	56	15%	187	23%	137	29%	32	17%	6	15%	458	20%
Blood products	0	0%	2	2%	1	<1%	0	0%	2	<1%	2	<1%	0	0%	2	5%	9	<1%
Heterosexual contact (HCM)	0	0%	98	78%	191	69%	242	66%	478	59%	263	55%	113	61%	24	59%	1,409	61%
Perinatal	47	96%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	47	2%
Undetermined	2	4%	19	15%	49	18%	67	18%	138	17%	77	16%	41	22%	9	22%	402	17%
Female Subtotal*	49	2%	125	5%	275	12%	365	16%	805	35%	479	21%	186	8%	41	2%	2,325	100%
ALL	0 - 12 years		13 - 19 years		20 - 24 years		25 - 29 years		30 - 39 years		40 - 49 years		50 - 59 years		60 years and over		Risk all	
	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent	Num	Percent
Male-male sex	0	0%	315	60%	867	64%	868	56%	1,660	49%	834	40%	240	33%	55	33%	4,839	49%
Injection drug use	0	0%	10	2%	50	4%	92	6%	390	12%	378	18%	109	15%	17	10%	1,046	11%
MSM/IDU	0	0%	6	1%	32	2%	56	4%	159	5%	91	4%	23	3%	1	1%	368	4%
Blood products	6	5%	11	2%	5	<1%	5	<1%	12	<1%	5	<1%	0	0%	2	1%	46	<1%
Heterosexual contact (HC)	0	0%	101	19%	204	15%	288	19%	611	18%	343	16%	146	20%	34	20%	1,727	17%
HCFR (male)	0	0%	3	1%	13	1%	46	3%	133	4%	80	4%	33	5%	10	6%	318	3%
HCM (female)	0	0%	98	19%	191	14%	242	16%	478	14%	263	13%	113	16%	24	14%	1,409	14%
Perinatal	106	89%	3	1%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	109	1%
Undetermined	7	6%	81	15%	189	14%	243	16%	542	16%	452	21%	209	29%	58	35%	1,781	18%
AGE TOTAL *	119	1%	527	5%	1,347	14%	1,552	16%	3,374	34%	2,103	21%	727	7%	167	2%	9,916	100%

* Not included in this table are the following cases with unknown age at diagnosis: one male IDU, one male with unknown risk, and one female with unknown risk.

Table 8: Gonorrhea, syphilis, and chlamydia cases by sex, race, and age group, Detroit Metro Area, 2011

	Gonorrhea			P&S syphilis*			Chlamydia			Census 2010	
	Num	Percent	Rate[^]	Num	Percent	Rate[^]	Num	Percent	Rate[^]	Num	Percent
RACE/ ETHNICITY											
White	506	6%	17.5	39	20%	1.4	2,978	11%	103.3	2,884,240	68%
Black	4,414	48%	452.7	148	76%	15.2	10,319	39%	1058.3	975,057	23%
Hispanic	56	1%	33.1	3	2%	1.8	281	1%	166.0	169,272	4%
Other/multi	61	1%	25.6	1	1%	0.4	299	1%	125.2	238,735	6%
Unknown race	4,095	45%	N/A	4	2%	N/A	12,861	48%	N/A	N/A	N/A
SEX & RACE											
Male	3,869	42%	187.2	175	90%	8.5	7,116	27%	344.3	2,066,529	48%
White male	167	2%	11.8	38	19%	2.7	775	3%	54.8	1,415,046	33%
Black male	2,154	24%	479.1	130	67%	28.9	3,209	12%	713.7	449,599	11%
Hispanic male	17	<1%	19.9	3	2%	3.5	80	<1%	93.5	85,575	2%
Other male	32	<1%	27.5	1	1%	0.9	77	<1%	66.2	116,309	3%
Unknown male	1,499	16%	N/A	3	2%	N/A	2,975	11%	N/A	N/A	N/A
Female	5,247	57%	238.4	20	10%	0.9	19,552	73%	888.4	2,200,775	52%
White female	339	4%	23.1	1	1%	0.1	2,198	8%	149.6	1,469,194	34%
Black female	2,260	25%	430.1	18	9%	3.4	7,105	27%	1352.2	525,458	12%
Hispanic female	39	<1%	46.6	0	0%	0.0	200	1%	239.0	83,697	2%
Other female	29	<1%	23.7	0	0%	0.0	221	1%	180.5	122,426	3%
Unknown female	2,580	28%	N/A	1	1%	N/A	9,828	37%	N/A	N/A	N/A
Unknown sex - all races	16	<1%	N/A	0	0%	N/A	70	<1%	N/A	N/A	N/A
Age											
0-4 years	8	<1%	3.1	0	0%	0.0	8	<1%	3.1	258,378	6%
5-9 years	3	<1%	1.1	0	0%	0.0	7	<1%	2.5	280,044	7%
10-14 years	113	1%	37.7	0	0%	0.0	412	2%	137.4	299,859	7%
15-19 years	3,069	34%	981.7	9	5%	2.9	11,030	41%	3528.3	312,619	7%
20-24 years	3,080	34%	1209.6	48	25%	18.9	9,678	36%	3800.9	254,622	6%
25-29 years	1,199	13%	477.2	31	16%	12.3	2,933	11%	1167.4	251,236	6%
30-34 years	607	7%	238.9	24	12%	9.4	1,259	5%	495.5	254,112	6%
35-39 years	400	4%	141.4	33	17%	11.7	648	2%	229.0	282,959	7%
40-44 years	243	3%	79.8	23	12%	7.6	333	1%	109.4	304,354	7%
45-54 years	273	3%	40.9	20	10%	3.0	253	1%	37.9	668,027	16%
55-64 years	75	1%	14.0	6	3%	1.1	58	<1%	10.8	535,245	13%
65 and over	17	<1%	3.0	1	1%	0.2	16	<1%	2.8	565,849	13%
Unknown age	46	1%	N/A	0	0%	N/A	103	<1%	N/A	N/A	N/A
Total	9,132	100 %	214.0	195	100 %	4.6	26,738	100 %	626.6	4,267,304	100 %

* P&S: Primary and secondary syphilis.

[^] Rate per 100,000 population.

Table 9: Reported cases of acute and chronic hepatitis C by sex, race, and age group, Detroit Metro Area, 2011

	Acute hepatitis C		Chronic hepatitis C			Census 2010
	Num	Percent	Num	Percent	Rate*	Num
SEX						
Male	5	63%	2,145	62%	104	2,066,529
Female	3	38%	1,293	37%	59	2,200,775
Unknown	0	0%	14	<1%	N/A	N/A
RACE[†]						
White	6	75%	952	28%	32	2,979,700
Black	2	25%	872	25%	89	982,879
Asian	0	0%	9	<1%	--	140,734
Native Hawaiian/Other Pacific Islander	0	0%	3	<1%	--	901
American Indian/Alaska Native	0	0%	4	<1%	--	14,612
Other	0	0%	54	2%	101	53,428
Unknown race	0	0%	1,535	44%	N/A	N/A
Multiracial	0	0%	23	1%	24	95,050
AGE						
0-4 years	0	0%	2	<1%	--	258,378
5-9 years	0	0%	1	<1%	--	280,044
10-14 years	0	0%	1	<1%	--	299,859
15-19 years	0	0%	34	1%	11	312,619
20-24 years	2	25%	175	5%	69	254,622
25-29 years	1	13%	174	5%	69	251,236
30-34 years	3	38%	123	4%	48	254,112
35-39 years	0	0%	95	3%	34	282,959
40-44 years	0	0%	152	4%	50	304,354
45-54 years	2	25%	904	26%	135	668,027
55-59 years	0	0%	899	26%	306	293,490
60-64 years	0	0%	539	16%	223	241,755
65 and over	0	0%	338	10%	60	565,849
Unknown age	0	0%	15	<1%	N/A	N/A
TOTAL	8	100 %	3,452	99 %	81	4,267,304

* Rates are not displayed for <10 cases.

[†] Hispanic ethnicity is not categorized due to incomplete data. Each race category includes both Hispanic and non-Hispanic persons.