

**Table 4A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
0101	194	93.3	0.0	2.1	0.0	0.0	4.6	0.0
0102	578	88.6	1.6	4.8	0.2	0.3	4.5	0.0
0103	570	91.4	0.4	3.2	0.0	0.0	4.9	0.2
0104	187	90.9	0.5	4.3	0.0	0.0	4.3	0.0
0250	251	80.1	0.0	0.8	2.0	0.0	17.1	0.0
0251	199	79.4	0.0	0.5	1.5	1.0	17.6	0.0
0252	220	45.0	0.9	4.1	1.8	0.5	47.7	0.0
0253	237	63.7	0.0	1.7	4.6	0.0	30.0	0.0
0401	777	91.5	0.0	2.1	0.0	0.4	6.0	0.0
0402	605	82.3	0.3	2.0	0.2	0.0	15.0	0.2
0403	231	96.1	0.0	2.2	0.4	0.0	1.3	0.0
0404	220	91.4	0.0	1.8	0.0	0.0	6.8	0.0
0501	800	92.9	0.1	1.9	0.1	0.0	5.0	0.0
0502	5	*	*	*	*	*	*	*
0503	246	93.1	0.0	4.5	0.0	0.0	2.4	0.0
0504	845	88.2	0.6	1.3	1.9	0.8	7.2	0.0
0505	606	85.5	0.8	4.5	0.3	0.2	8.7	0.0
0506	313	93.0	0.0	4.2	0.0	0.0	2.9	0.0
0650	1,462	85.2	3.4	3.8	1.0	0.7	5.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
0651	951	89.0	0.4	4.5	0.0	0.3	5.8	0.0
0652	541	91.1	0.0	3.5	0.0	0.0	5.4	0.0
0653	700	97.7	0.1	1.1	0.1	0.4	0.4	0.0
0654	618	92.4	1.1	1.9	0.2	0.0	4.4	0.0
0655	543	94.8	0.0	0.7	0.4	0.7	3.3	0.0
0657	131	95.4	0.0	2.3	0.0	0.0	2.3	0.0
0701	613	91.5	0.7	1.0	0.0	3.6	3.3	0.0
0702	142	90.8	0.0	0.0	0.0	0.0	9.2	0.0
0703	337	90.5	0.0	2.1	0.9	0.0	6.5	0.0
0704	133	91.7	0.0	5.3	0.0	0.0	3.0	0.0
0705	271	94.1	0.0	1.1	0.0	0.0	4.8	0.0
0850	1,626	81.5	4.2	7.6	0.0	0.4	6.0	0.1
0851	1,414	91.2	0.5	4.6	0.1	0.4	3.2	0.1
0901	2,586	69.8	1.5	16.6	0.1	0.0	11.9	0.0
0902	138	93.5	0.0	4.3	0.0	0.0	2.2	0.0
1051	1,937	86.6	0.6	6.5	0.2	0.2	6.0	0.0
1101	2,593	30.9	57.7	4.9	0.1	1.0	5.4	0.0
1102	1,260	69.4	10.1	7.0	0.2	0.6	12.9	0.0
1106	172	79.7	1.7	12.2	0.0	0.0	6.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
1250	1,676	78.8	0.6	15.9	0.1	0.6	3.9	0.2
1251	1,282	92.4	0.1	3.7	0.1	0.0	3.7	0.0
1252	1	*	*	*	*	*	*	*
1253	2,257	67.7	3.4	23.5	0.0	0.1	5.3	0.0
1350	3,519	53.4	17.7	11.8	0.1	2.6	14.3	0.1
1351	231	88.3	0.4	3.9	0.0	0.9	6.5	0.0
1352	637	56.2	25.4	7.5	0.0	0.3	10.4	0.2
1401	405	86.9	0.2	5.7	0.7	0.0	6.4	0.0
1402	281	45.6	0.4	35.2	8.9	0.4	9.3	0.4
1403	42	*	*	*	*	*	*	*
1404	29	*	*	*	*	*	*	*
1501	1,811	37.0	6.7	49.9	0.2	0.0	5.9	0.3
1503	1,962	52.4	6.1	33.0	0.3	0.4	7.1	0.7
1504	3,635	38.5	3.6	49.9	0.0	3.2	4.7	0.0
1505	1,386	84.6	2.4	8.9	0.0	0.5	3.7	0.0
1506	978	75.8	1.5	17.4	0.1	0.0	5.1	0.1
1507	1,005	86.0	0.4	5.9	0.0	0.6	6.8	0.4
1508	194	0.0	0.0	98.5	0.0	0.0	0.0	1.5
1509	1,075	51.6	1.9	44.4	0.0	0.1	2.0	0.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
1511	1,072	88.6	1.6	5.5	0.1	0.2	3.7	0.3
1512	564	89.2	0.5	6.0	0.0	0.2	4.1	0.0
1701	1,120	46.7	0.6	3.1	18.5	1.2	29.9	0.0
1950	997	88.6	0.2	7.3	0.2	0.2	3.2	0.3
1952	232	91.4	0.0	4.3	0.4	0.4	3.4	0.0
1953	503	87.5	0.8	7.6	0.4	0.2	3.6	0.0
1954	993	80.3	0.0	17.3	0.0	0.0	2.4	0.0
1955	228	73.7	0.4	21.5	0.0	0.0	4.4	0.0
1957	722	83.4	1.2	10.1	0.3	0.1	4.8	0.0
1959	221	74.7	4.1	14.0	0.0	0.5	6.8	0.0
2150	1,030	83.9	0.2	2.0	1.0	0.0	12.9	0.0
2151	368	90.5	0.0	3.3	0.3	0.0	6.0	0.0
2251	635	88.2	0.3	2.8	0.0	0.3	8.2	0.2
2252	334	88.9	0.0	4.5	0.3	0.0	6.3	0.0
2551	3,097	22.0	71.1	2.4	0.1	0.1	4.3	0.0
2554	196	85.7	8.2	4.6	0.0	0.0	1.5	0.0
2555	7,634	59.9	29.2	4.7	0.1	0.3	5.9	0.0
3001	1,497	11.2	65.6	18.6	0.1	0.7	3.8	0.0
3002	426	12.7	51.9	30.8	0.0	0.0	4.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
3003	9	*	*	*	*	*	*	*
3004	298	0.3	0.0	99.7	0.0	0.0	0.0	0.0
3007	59	*	*	*	*	*	*	*
3009	23	*	*	*	*	*	*	*
3010	5	*	*	*	*	*	*	*
3201	850	90.0	0.4	6.0	0.2	0.4	3.1	0.0
3301	5,087	31.9	28.1	23.3	0.1	3.3	13.2	0.0
3302	540	16.3	40.4	25.0	0.0	3.5	14.6	0.2
3304	212	34.9	25.0	10.8	0.0	23.6	5.7	0.0
3305	237	68.8	8.0	12.7	0.0	3.4	7.2	0.0
3306	435	85.7	0.5	6.0	0.0	0.5	7.1	0.2
3308	98	*	*	*	*	*	*	*
3309	85	*	*	*	*	*	*	*
3550	146	1.4	0.0	3.4	11.6	0.0	83.6	0.0
3551	37	*	*	*	*	*	*	*
3552	71	*	*	*	*	*	*	*
3701	1,553	82.4	0.3	13.0	0.1	0.1	4.1	0.0
3805	4,741	64.6	12.0	9.3	0.1	0.4	13.6	0.0
3950	2,882	57.6	16.4	10.7	0.0	1.0	14.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
3952	4	*	*	*	*	*	*	*
3953	9	*	*	*	*	*	*	*
3954	120	70.0	6.7	7.5	0.0	6.7	9.2	0.0
4001	1,807	18.4	59.3	9.7	0.2	0.8	11.5	0.1
4002	1,620	38.7	25.0	20.6	0.1	0.6	15.1	0.0
4103	159	5.7	77.4	9.4	0.0	0.6	6.9	0.0
4106	2,332	8.8	45.3	39.7	0.0	0.0	6.0	0.1
4107	4,133	42.7	26.0	18.0	0.2	1.2	12.0	0.0
4109	1,961	81.1	1.7	9.7	0.0	0.2	7.2	0.0
4110	2,610	25.0	7.5	57.4	0.0	0.4	9.7	0.0
4112	1,055	0.0	0.3	99.7	0.0	0.0	0.0	0.0
4113	1,080	3.3	14.0	79.7	0.0	0.2	2.8	0.0
4120	3,174	45.9	6.9	35.7	0.0	2.1	9.4	0.0
4160	2,680	35.5	30.6	17.0	0.0	7.0	9.8	0.0
4351	943	85.6	0.2	7.6	0.0	0.2	6.2	0.2
4352	286	59.8	17.5	3.8	0.3	0.0	18.5	0.0
4353	817	63.6	0.2	32.1	0.0	0.1	3.9	0.0
4354	1,138	85.2	3.5	2.8	0.1	0.0	8.3	0.1
4355	515	71.8	0.0	11.7	0.0	0.2	16.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
4356	840	78.2	0.7	14.2	0.1	0.6	6.2	0.0
4358	343	2.9	0.0	96.8	0.0	0.0	0.0	0.3
4359	885	62.4	0.1	35.1	0.1	0.0	2.3	0.0
4360	269	86.6	0.0	11.2	0.0	0.0	2.2	0.0
4361	334	92.2	0.9	1.5	0.0	0.0	5.4	0.0
4362	490	91.2	0.0	3.3	0.0	0.2	5.1	0.2
4363	1,338	89.6	0.3	4.4	0.1	0.4	5.1	0.1
4401	1,829	83.7	0.6	7.7	0.0	0.1	7.9	0.0
4501	1,519	87.9	0.9	7.2	0.1	0.2	3.7	0.0
4502	1	*	*	*	*	*	*	*
4601	2,114	67.9	0.7	24.1	0.0	0.1	7.1	0.0
4701	1,771	90.9	0.7	4.5	0.1	0.8	3.0	0.0
5050	2,194	60.8	24.9	2.8	0.0	1.3	10.1	0.0
5051	3,506	54.8	26.6	6.2	0.0	1.8	10.6	0.0
5052	3,303	59.1	19.3	2.8	0.1	8.6	10.1	0.0
5101	3,052	66.2	8.5	14.9	0.1	0.8	9.4	0.1
5202	831	85.1	0.4	2.2	0.2	0.1	12.0	0.0
5203	264	80.7	2.3	6.8	0.0	0.0	10.2	0.0
5204	150	78.7	2.0	2.7	1.3	0.0	15.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
5601	1,790	91.2	1.0	1.7	0.0	0.6	5.5	0.0
5801	2,635	77.8	5.0	8.2	0.0	0.2	8.6	0.2
5803	360	85.6	1.9	5.6	0.0	1.9	4.7	0.3
5804	160	85.0	1.3	8.8	0.0	0.6	4.4	0.0
6101	145	84.1	1.4	9.0	0.0	0.0	5.5	0.0
6102	366	84.4	0.8	3.8	0.0	0.3	10.7	0.0
6103	5,344	50.8	24.5	13.4	0.1	0.2	10.9	0.0
6104	440	23.2	51.6	15.7	0.0	0.7	8.9	0.0
6105	113	86.7	0.9	11.5	0.0	0.0	0.9	0.0
6106	38	*	*	*	*	*	*	*
6301	6,481	40.3	25.9	25.3	0.1	2.6	5.8	0.0
6312	3,705	40.5	48.7	2.6	0.1	1.7	6.4	0.0
6316	2,091	69.0	13.0	10.5	0.2	1.6	5.7	0.0
6320	393	60.3	29.8	2.3	0.0	3.8	3.8	0.0
6325	238	92.4	2.9	2.5	0.0	0.4	1.7	0.0
6330	517	21.1	53.2	18.4	0.0	0.2	7.2	0.0
6335	892	78.0	9.9	3.1	0.0	3.9	5.0	0.0
6340	217	34.1	13.4	42.4	0.0	4.6	5.5	0.0
6345	55	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
6350	396	52.8	36.9	1.8	0.0	1.0	7.6	0.0
7304	355	85.1	0.3	11.3	0.0	0.3	3.1	0.0
7306	3,618	40.1	31.7	20.0	0.0	0.5	7.7	0.0
7308	316	87.0	1.6	5.1	0.0	0.0	6.3	0.0
7310	67	*	*	*	*	*	*	*
7401	3,619	75.2	4.6	8.0	0.1	0.2	11.9	0.0
7601	1,070	87.7	0.0	8.0	0.1	0.1	4.1	0.0
7850	1,586	86.6	0.4	6.4	0.0	0.1	6.5	0.1
7852	132	93.9	0.0	0.8	0.0	0.0	5.3	0.0
8150	108	46.3	27.8	14.8	0.9	0.9	9.3	0.0
8151	3,955	33.6	39.6	12.5	0.5	1.6	12.2	0.0
8152	435	25.5	51.0	4.4	0.0	0.0	19.1	0.0
8153	40	*	*	*	*	*	*	*
8154	406	35.5	22.2	13.3	0.0	26.4	2.7	0.0
8155	127	49.6	26.0	7.1	1.6	7.1	8.7	0.0
8156	45	*	*	*	*	*	*	*
8157	35	*	*	*	*	*	*	*
8201	2,428	54.1	23.5	7.9	0.0	3.0	11.5	0.0
8202	4,325	85.1	7.7	4.2	0.2	0.7	2.1	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
8203	463	65.4	24.2	3.7	0.2	0.4	6.0	0.0
8250	1,021	35.5	50.1	5.4	0.3	1.6	7.1	0.0
8252	2	*	*	*	*	*	*	*
8255	2,873	58.7	21.8	9.6	0.1	1.4	8.3	0.0
8257	699	51.1	18.5	0.4	0.0	28.0	2.0	0.0
8258	1,808	61.3	23.9	5.8	0.1	0.7	8.1	0.1
8260	873	49.6	26.5	2.1	0.0	19.1	2.7	0.0
8901	1,505	0.4	95.9	0.9	0.1	0.7	1.9	0.1
8902	973	3.0	93.0	0.8	0.0	0.3	2.9	0.0
8903	1,830	1.6	95.1	1.0	0.1	0.4	1.8	0.0
8904	1,460	4.5	80.1	0.3	0.2	12.0	2.9	0.0
8905	4,554	39.1	23.9	27.1	0.1	5.5	4.2	0.0
9012	82	*	*	*	*	*	*	*
9013	102	0.0	93.1	1.0	0.0	2.9	2.9	0.0
9015	57	*	*	*	*	*	*	*
9016	143	0.0	97.9	0.0	0.0	0.0	2.1	0.0
9017	87	*	*	*	*	*	*	*
9018	139	0.0	95.7	0.7	0.0	0.0	3.6	0.0
9019	69	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
9021	131	0.0	96.2	1.5	0.0	0.0	2.3	0.0
9041	320	0.0	96.9	1.9	0.0	0.0	1.3	0.0
9045	2,136	6.0	39.8	52.2	0.0	0.4	1.5	0.0
9050	2,797	13.6	48.1	36.5	0.0	0.5	1.3	0.0
9051	2,808	4.9	8.7	85.3	0.0	0.0	1.2	0.0
9053	2,708	1.1	95.6	1.0	0.0	0.9	1.3	0.0
9055	2	*	*	*	*	*	*	*
9058	1,205	71.7	20.6	0.3	0.0	6.1	1.2	0.0
9066	2,549	1.0	97.8	0.4	0.1	0.2	0.5	0.0
9068	1,942	1.5	96.5	0.5	0.0	0.4	1.1	0.0
9069	2,530	1.3	95.9	0.6	0.0	0.1	2.0	0.0
9070	2,460	2.0	85.1	0.3	0.0	9.3	3.4	0.0
9072	1,901	1.5	93.0	0.4	0.0	2.5	2.6	0.1
9074	1,719	1.0	94.8	0.5	0.0	0.3	3.4	0.0
9080	3,731	27.9	66.0	2.5	0.1	0.2	3.2	0.1
Unknown Clinics	207	33.8	23.7	10.6	4.3	3.4	24.2	0.0
<b>Michigan</b>	<b>235,300</b>	<b>51.6</b>	<b>25.2</b>	<b>14.4</b>	<b>0.2</b>	<b>1.5</b>	<b>7.0</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>8,938,527</b>	<b>31.8</b>	<b>18.7</b>	<b>40.6</b>	<b>0.9</b>	<b>2.6</b>	<b>2.5</b>	<b>3.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
0101	194	27.3	26.8	45.9
0102	578	36.3	17.6	46.0
0103	570	31.8	18.9	49.3
0104	187	36.4	21.4	42.2
0250	251	29.1	23.1	47.8
0251	199	31.7	21.6	46.7
0252	220	21.8	19.5	58.6
0253	237	29.1	22.8	48.1
0401	777	32.6	19.6	47.9
0402	605	31.1	18.5	50.4
0403	231	25.1	17.7	57.1
0404	220	27.7	18.2	54.1
0501	800	30.1	22.3	47.6
0502	5	*	*	*
0503	246	37.4	19.1	43.5
0504	845	32.1	17.8	50.2
0505	606	32.2	17.0	50.8
0506	313	26.2	17.9	55.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
0650	1,462	30.2	24.0	45.8
0651	951	27.8	23.2	49.0
0652	541	23.8	21.4	54.7
0653	700	25.9	22.4	51.7
0654	618	29.3	21.7	49.0
0655	543	27.8	25.6	46.6
0657	131	22.9	19.1	58.0
0701	613	33.4	18.1	48.5
0702	142	33.8	19.7	46.5
0703	337	32.9	18.4	48.7
0704	133	24.8	16.5	58.6
0705	271	26.9	20.3	52.8
0850	1,626	31.7	23.2	45.0
0851	1,414	27.8	21.4	50.8
0901	2,586	31.7	21.4	46.9
0902	138	30.4	21.7	47.8
1051	1,937	29.7	21.5	48.8
1101	2,593	29.4	23.6	47.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years (2)**

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months %</b>	<b>12 - 23 Months %</b>	<b>24 - 59 Months %</b>
1102	1,260	31.7	22.5	45.8
1106	172	30.2	20.9	48.8
1250	1,676	31.0	20.5	48.4
1251	1,282	32.5	17.9	49.6
1252	1	*	*	*
1253	2,257	29.5	21.6	48.9
1350	3,519	32.4	20.8	46.7
1351	231	26.8	22.9	50.2
1352	637	28.3	21.2	50.5
1401	405	30.9	20.0	49.1
1402	281	26.3	23.1	50.5
1403	42	*	*	*
1404	29	*	*	*
1501	1,811	28.8	20.4	50.8
1503	1,962	27.3	21.9	50.8
1504	3,635	23.1	24.9	52.0
1505	1,386	21.9	23.8	54.3
1506	978	28.9	21.5	49.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
1507	1,005	27.1	22.5	50.4
1508	194	25.8	27.8	46.4
1509	1,075	24.7	23.9	51.3
1511	1,072	31.3	22.5	46.3
1512	564	25.9	24.1	50.0
1701	1,120	30.4	21.6	47.9
1950	997	34.9	21.4	43.7
1952	232	28.4	21.6	50.0
1953	503	29.0	18.5	52.5
1954	993	30.7	21.3	47.9
1955	228	26.8	19.3	53.9
1957	722	35.2	20.2	44.6
1959	221	27.6	20.8	51.6
2150	1,030	30.7	21.0	48.3
2151	368	34.8	20.1	45.1
2251	635	27.1	22.5	50.4
2252	334	28.1	26.3	45.5
2551	3,097	37.8	19.7	42.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
2554	196	25.0	23.5	51.5
2555	7,634	36.6	20.8	42.6
3001	1,497	27.9	20.8	51.4
3002	426	28.6	19.0	52.3
3003	9	*	*	*
3004	298	18.5	19.5	62.1
3007	59	*	*	*
3009	23	*	*	*
3010	5	*	*	*
3201	850	36.1	17.6	46.2
3301	5,087	34.3	22.3	43.4
3302	540	27.4	19.1	53.5
3304	212	24.1	18.4	57.5
3305	237	29.5	17.3	53.2
3306	435	32.4	21.4	46.2
3308	98	*	*	*
3309	85	*	*	*
3550	146	23.3	22.6	54.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
3551	37	*	*	*
3552	71	*	*	*
3701	1,553	26.4	24.1	49.5
3805	4,741	30.0	22.4	47.6
3950	2,882	32.7	21.3	46.0
3952	4	*	*	*
3953	9	*	*	*
3954	120	11.7	20.0	68.3
4001	1,807	31.5	19.3	49.2
4002	1,620	32.5	18.6	48.8
4103	159	20.8	25.8	53.5
4106	2,332	32.4	19.2	48.4
4107	4,133	31.9	22.9	45.2
4109	1,961	28.1	21.5	50.4
4110	2,610	27.4	22.6	50.0
4112	1,055	24.6	19.1	56.3
4113	1,080	29.3	20.5	50.3
4120	3,174	31.1	20.1	48.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
4160	2,680	33.5	19.6	46.9
4351	943	26.5	21.7	51.7
4352	286	19.2	27.3	53.5
4353	817	29.4	20.6	50.1
4354	1,138	31.9	21.7	46.4
4355	515	27.6	22.1	50.3
4356	840	27.0	25.7	47.3
4358	343	24.2	20.1	55.7
4359	885	22.7	21.6	55.7
4360	269	28.6	22.3	49.1
4361	334	25.7	29.0	45.2
4362	490	24.3	26.5	49.2
4363	1,338	31.2	21.4	47.4
4401	1,829	30.7	23.9	45.4
4501	1,519	27.3	21.9	50.8
4502	1	*	*	*
4601	2,114	35.5	21.8	42.7
4701	1,771	28.2	26.2	45.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
5050	2,194	34.4	25.5	40.2
5051	3,506	36.0	25.5	38.5
5052	3,303	36.0	24.6	39.4
5101	3,052	33.9	24.0	42.0
5202	831	31.5	24.1	44.4
5203	264	27.3	21.2	51.5
5204	150	29.3	32.0	38.7
5601	1,790	27.7	24.5	47.8
5801	2,635	35.5	22.0	42.5
5803	360	27.8	23.1	49.2
5804	160	19.4	24.4	56.3
6101	145	21.4	22.8	55.9
6102	366	24.6	20.8	54.6
6103	5,344	28.8	23.2	48.0
6104	440	40.2	15.9	43.9
6105	113	16.8	23.0	60.2
6106	38	*	*	*
6301	6,481	38.5	19.4	42.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
6312	3,705	38.9	19.3	41.8
6316	2,091	39.6	21.2	39.2
6320	393	30.5	17.6	51.9
6325	238	31.5	20.2	48.3
6330	517	35.0	22.2	42.7
6335	892	29.5	20.9	49.7
6340	217	26.7	19.8	53.5
6345	55	*	*	*
6350	396	36.6	22.7	40.7
7304	355	30.1	18.9	51.0
7306	3,618	32.6	20.2	47.2
7308	316	32.3	20.9	46.8
7310	67	*	*	*
7401	3,619	31.1	22.9	46.1
7601	1,070	33.0	22.1	45.0
7850	1,586	24.4	23.3	52.3
7852	132	30.3	21.2	48.5
8150	108	25.9	18.5	55.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
8151	3,955	35.4	21.0	43.6
8152	435	47.6	22.8	29.7
8153	40	*	*	*
8154	406	26.4	23.9	49.8
8155	127	18.1	18.9	63.0
8156	45	*	*	*
8157	35	*	*	*
8201	2,428	50.1	28.0	21.8
8202	4,325	29.6	19.2	51.1
8203	463	40.6	26.6	32.8
8250	1,021	48.1	22.7	29.2
8252	2	*	*	*
8255	2,873	42.2	31.7	26.1
8257	699	34.0	19.0	46.9
8258	1,808	35.0	28.0	37.1
8260	873	30.4	20.6	49.0
8901	1,505	36.2	19.6	44.2
8902	973	35.0	20.7	44.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
8903	1,830	36.4	19.2	44.4
8904	1,460	36.2	18.3	45.5
8905	4,554	32.3	20.5	47.2
9012	82	*	*	*
9013	102	35.3	21.6	43.1
9015	57	*	*	*
9016	143	36.4	18.2	45.5
9017	87	*	*	*
9018	139	40.3	18.7	41.0
9019	69	*	*	*
9021	131	33.6	21.4	45.0
9041	320	11.3	32.8	55.9
9045	2,136	30.5	19.2	50.3
9050	2,797	35.9	18.2	45.9
9051	2,808	28.2	22.0	49.8
9053	2,708	39.7	19.9	40.4
9055	2	*	*	*
9058	1,205	27.4	19.8	52.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
<b>Clinic</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
9066	2,549	37.5	20.3	42.2
9068	1,942	37.7	19.8	42.5
9069	2,530	44.1	19.6	36.4
9070	2,460	35.8	21.0	43.3
9072	1,901	37.8	23.1	39.1
9074	1,719	38.0	19.6	42.4
9080	3,731	31.5	20.5	48.1
Unknown Clinics	207	28.0	18.4	53.6
<b>Michigan</b>	<b>235,300</b>	<b>32.5</b>	<b>21.7</b>	<b>45.9</b>
<b>Nation (Prior Year)</b>	<b>8,938,527</b>	<b>34.5</b>	<b>22.6</b>	<b>42.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
0101	28	* *	* *	192	5.7(121)	5.2(153)	8.9 (18)	88	* *	* *	132	15.9(115)
0102	107	5.6 (12)	15.9(105)	573	6.5(154)	4.5(141)	15.4(154)	266	17.3 (92)	18.0(143)	312	14.4(103)
0103	91	* *	* *	564	6.0(135)	2.7 (57)	15.2(153)	273	19.0(122)	17.6(139)	337	10.1 (72)
0104	35	* *	* *	187	4.8 (81)	4.3(135)	12.8(110)	78	* *	* *	103	7.8 (48)
0250	49	* *	* *	245	2.9 (13)	5.7(159)	13.5(124)	115	14.8 (40)	18.3(145)	157	8.9 (61)
0251	34	* *	* *	199	3.5 (29)	0.5 (1)	15.6(157)	94	* *	* *	114	4.4 (19)
0252	36	* *	* *	212	2.8 (9)	1.9 (17)	14.6(144)	119	29.4(154)	17.6(139)	136	5.9 (30)
0253	40	* *	* *	232	2.6 (6)	11.6(178)	4.7 (1)	107	13.1 (17)	3.7 (2)	141	6.4 (35)
0401	151	8.6 (53)	13.9(103)	772	4.4 (58)	2.5 (48)	12.6(100)	367	14.2 (31)	16.3(133)	413	4.4 (19)
0402	97	* *	* *	596	3.2 (17)	3.2 (87)	12.6(100)	303	13.5 (22)	14.9(114)	322	9.0 (63)
0403	37	* *	* *	228	4.4 (58)	2.6 (55)	16.2(163)	130	19.2(125)	18.5(146)	125	1.6 (3)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
0404	37	* *	* *	218	3.7 (34)	5.5(155)	11.0 (54)	118	13.6 (24)	15.3(122)	126	12.7 (89)
0501	140	5.7 (16)	9.3 (85)	788	4.1 (43)	2.4 (40)	12.6(100)	373	17.7(100)	13.7 (80)	454	5.3 (26)
0502	0	* *	* *	4	* *	* *	* *	1	* *	* *	3	* *
0503	48	* *	* *	241	5.8(127)	4.1(126)	13.3(120)	105	9.5 (4)	9.5 (14)	143	7.7 (46)
0504	134	6.7 (27)	10.4 (93)	833	4.7 (77)	2.3 (35)	14.2(139)	416	20.0(136)	15.9(130)	507	4.5 (22)
0505	98	* *	* *	593	5.7(121)	5.1(151)	11.0 (54)	305	15.4 (50)	11.1 (34)	367	5.2 (25)
0506	42	* *	* *	308	4.2 (51)	6.5(165)	12.7(107)	176	19.9(134)	11.9 (48)	200	8.5 (56)
0650	254	8.3 (51)	8.7 (70)	1,439	6.2(143)	2.8 (64)	13.6(129)	656	18.1(107)	17.8(142)	846	6.1 (32)
0651	180	7.8 (41)	5.0 (20)	938	6.0(135)	4.1(126)	11.4 (65)	456	14.9 (42)	14.5(105)	580	8.8 (59)
0652	77	* *	* *	531	7.7(170)	2.8 (64)	12.4 (93)	289	17.6 (99)	13.1 (72)	317	4.4 (19)
0653	119	10.1 (77)	9.2 (84)	693	5.5(111)	2.7 (57)	12.3 (87)	358	19.8(131)	12.8 (63)	415	12.3 (86)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
0654	107	6.5 (24)	16.8 (106)	603	4.1 (43)	2.2 (31)	9.1 (21)	296	16.6 (76)	12.8 (63)	400	18.0 (123)
0655	94	* *	* *	534	6.7 (159)	1.9 (17)	11.8 (76)	243	14.4 (33)	11.9 (48)	328	4.3 (17)
0657	16	* *	* *	128	4.7 (77)	2.3 (35)	13.3 (120)	76	* *	* *	92	* *
0701	111	9.0 (60)	9.9 (90)	609	7.1 (162)	2.5 (48)	10.3 (34)	295	10.8 (6)	10.5 (25)	323	7.7 (46)
0702	29	* *	* *	140	3.6 (31)	1.4 (8)	10.0 (29)	65	* *	* *	56	* *
0703	64	* *	* *	333	5.1 (99)	1.5 (9)	11.4 (65)	166	21.1 (145)	12.0 (51)	168	4.2 (14)
0704	17	* *	* *	133	8.3 (173)	1.5 (9)	16.5 (166)	81	* *	* *	81	* *
0705	38	* *	* *	268	3.7 (34)	1.9 (17)	11.2 (59)	141	17.7 (100)	9.9 (17)	152	3.3 (9)
0850	304	4.3 (4)	5.6 (26)	1,602	4.5 (66)	3.6 (103)	11.9 (77)	714	19.5 (127)	14.7 (110)	926	6.3 (34)
0851	237	5.5 (11)	10.5 (94)	1,375	4.1 (43)	3.8 (113)	10.2 (30)	717	17.0 (84)	10.3 (20)	800	5.4 (27)
0901	486	7.8 (41)	8.8 (72)	2,561	5.3 (108)	2.7 (57)	11.9 (77)	1,186	16.5 (72)	13.7 (80)	1,556	14.3 (100)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)													
<b>Clinic</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
0902	27	* *	* *	137	8.8(176)	3.6(103)	10.9 (48)	64	* *	* *		83	* *
1051	376	6.4 (23)	8.8 (72)	1,899	5.2(103)	6.6(167)	10.5 (39)	931	17.1 (86)	11.8 (46)		1,088	11.0 (78)
1101	490	10.0 (74)	7.8 (57)	2,554	5.8(127)	2.1 (26)	12.8(110)	1,202	17.4 (95)	13.8 (85)		1,562	13.0 (91)
1102	269	7.8 (41)	8.9 (76)	1,237	4.9 (87)	1.3 (7)	12.8(110)	563	16.7 (79)	14.2 (93)		716	5.9 (30)
1106	31	* *	* *	171	4.1 (43)	1.2 (5)	12.3 (87)	83	* *	* *		99	* *
1250	269	6.7 (27)	8.6 (69)	1,654	5.3(108)	2.8 (64)	14.2(139)	808	16.8 (82)	13.7 (80)		989	3.8 (11)
1251	214	7.0 (32)	12.6(101)	1,275	6.0(135)	2.0 (21)	11.6 (70)	626	17.7(100)	14.2 (93)		784	2.2 (4)
1252	0	* *	* *	1	* *	* *	* *	1	* *	* *		1	* *
1253	389	8.2 (50)	8.0 (63)	2,227	6.6(156)	4.2(131)	14.8(146)	1,096	21.5(147)	15.4(125)		1,347	10.8 (75)
1350	665	7.8 (41)	6.8 (42)	3,474	5.5(111)	2.8 (64)	15.8(160)	1,615	18.8(120)	15.1(116)		2,081	14.4(103)
1351	30	* *	* *	230	8.3(173)	0.9 (3)	19.6(174)	114	12.3 (11)	17.5(138)		149	12.1 (85)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
1352	106	4.7 (5)	6.6 (39)	624	4.8 (81)	3.2 (87)	14.1(137)	317	18.3(112)	13.6 (78)	369	27.6(146)
1401	68	* *	* *	395	4.6 (73)	6.3(161)	13.4(123)	194	14.4 (33)	13.9 (87)	248	3.2 (7)
1402	47	* *	* *	271	4.1 (43)	3.7(108)	15.1(151)	141	20.6(142)	12.1 (54)	171	8.2 (55)
1403	7	* *	* *	41	* *	* *	* *	22	* *	* *	27	* *
1404	4	* *	* *	27	* *	* *	* *	12	* *	* *	23	* *
1501	303	6.6 (25)	8.9 (76)	1,781	4.9 (87)	2.2 (31)	17.6(171)	902	17.3 (92)	15.2(120)	1,108	21.8(137)
1503	280	6.8 (30)	9.6 (87)	1,936	4.5 (66)	3.6(103)	13.3(120)	986	13.0 (15)	12.9 (69)	1,229	33.0(155)
1504	626	7.3 (35)	7.0 (48)	3,559	3.4 (23)	3.9(117)	11.7 (72)	1,860	16.0 (65)	14.2 (93)	2,314	18.3(124)
1505	223	6.7 (27)	10.8 (98)	1,364	3.4 (23)	4.2(131)	10.2 (30)	744	13.3 (19)	9.3 (13)	839	20.6(133)
1506	149	9.4 (67)	10.1 (92)	971	6.2(143)	3.0 (77)	15.4(154)	479	19.0(122)	14.2 (93)	586	23.2(141)
1507	164	6.1 (20)	9.1 (83)	988	2.5 (4)	3.1 (83)	8.6 (14)	490	18.2(110)	10.6 (29)	603	28.2(147)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
1508	36	* *	* *	188	2.7 (7)	3.2 (87)	17.0(169)	88	* *	* *	123	22.0 (139)
1509	153	13.1 (100)	10.5 (94)	1,051	3.4 (23)	3.5 (98)	12.5 (96)	543	19.0(122)	14.5(105)	682	18.5 (125)
1511	184	2.2 (1)	8.2 (66)	1,064	3.5 (29)	2.7 (57)	11.4 (65)	487	18.7(119)	14.6(108)	638	26.2 (145)
1512	84	* *	* *	551	4.4 (58)	2.4 (40)	12.3 (87)	277	16.6 (76)	11.6 (41)	351	23.4 (142)
1701	182	3.3 (2)	11.5 (99)	1,109	4.6 (73)	4.0(120)	14.9(147)	525	16.6 (76)	16.0(132)	685	6.6 (39)
1950	205	7.3 (35)	5.9 (30)	981	6.3(148)	3.5 (98)	12.3 (87)	421	18.1(107)	14.3(101)	570	4.0 (12)
1952	41	* *	* *	226	4.4 (58)	4.9(148)	11.1 (57)	116	14.7 (36)	11.2 (37)	150	4.7 (23)
1953	79	* *	* *	498	5.8(127)	2.8 (64)	13.9(134)	252	12.7 (12)	15.9(130)	318	4.1 (13)
1954	140	8.6 (53)	7.9 (58)	972	7.5(167)	3.6(103)	13.1(116)	462	13.0 (15)	13.6 (78)	570	5.4 (27)
1955	30	* *	* *	226	3.1 (15)	1.8 (15)	15.5(156)	119	10.9 (8)	17.6(139)	140	6.4 (35)
1957	124	7.3 (35)	8.9 (76)	711	5.2(103)	2.1 (26)	14.1(137)	323	16.7 (79)	14.2 (93)	428	5.6 (29)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
1959	30	* *	* *	219	5.9(131)	3.7(108)	12.3 (87)	112	9.8 (5)	13.4 (76)	143	2.8 (6)
2150	142	5.6 (12)	10.6 (96)	1,021	5.2(103)	2.8 (64)	12.6(100)	491	15.9 (61)	15.5(126)	639	2.5 (5)
2151	61	* *	* *	366	4.4 (58)	2.5 (48)	10.4 (36)	162	19.8(131)	11.1 (34)	226	3.5 (10)
2251	114	7.0 (32)	7.9 (58)	630	4.8 (81)	2.2 (31)	13.2(117)	320	15.9 (61)	14.7(110)	373	7.8 (48)
2252	53	* *	* *	330	3.6 (31)	2.7 (57)	16.1(162)	151	20.5(139)	21.2(152)	216	4.2 (14)
2551	675	11.4 (89)	2.8 (4)	3,029	5.9(131)	3.2 (87)	13.5(124)	1,297	15.9 (61)	12.8 (63)	1,868	17.2(117)
2554	29	* *	* *	188	5.9(131)	3.2 (87)	19.1(173)	99	* *	* *	99	* *
2555	1,498	10.0 (74)	5.9 (30)	7,516	4.7 (77)	4.0(120)	13.0(114)	3,199	15.6 (57)	13.4 (76)	4,339	15.2(109)
3001	231	9.1 (61)	5.2 (21)	1,466	5.6(114)	2.3 (35)	16.7(167)	762	20.5(139)	14.8(113)	905	6.9 (41)
3002	64	* *	* *	421	5.0 (92)	1.2 (5)	15.7(159)	221	20.4(138)	14.0 (91)	260	18.5(125)
3003	0	* *	* *	9	* *	* *	* *	6	* *	* *	9	* *

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3004	33	* *	* *	286	4.2 (51)	0.7 (2)	22.4(177)	173	19.7(129)	24.3(153)	204	7.8 (48)
3007	7	* *	* *	57	* *	* *	* *	30	* *	* *	49	* *
3009	4	* *	* *	18	* *	* *	* *	8	* *	* *	16	* *
3010	2	* *	* *	3	* *	* *	* *	2	* *	* *	3	* *
3201	175	9.7 (72)	9.7 (88)	838	4.5 (66)	4.4(137)	13.2(117)	386	15.5 (55)	12.2 (55)	416	13.5 (96)
3301	1,013	8.1 (48)	6.8 (42)	5,034	4.9 (87)	4.1(126)	14.3(142)	2,172	15.6 (57)	15.7(128)	3,019	12.0 (83)
3302	87	* *	* *	524	5.0 (92)	3.4 (97)	13.9(134)	277	20.2(137)	15.2(120)	337	12.8 (90)
3304	28	* *	* *	208	4.8 (81)	2.4 (40)	10.6 (40)	117	15.4 (50)	10.3 (20)	145	11.7 (81)
3305	41	* *	* *	236	3.4 (23)	4.7(145)	10.6 (40)	127	16.5 (72)	8.7 (11)	144	4.2 (14)
3306	69	* *	* *	431	3.9 (40)	2.3 (35)	9.3 (26)	205	17.1 (86)	5.4 (3)	263	7.2 (44)
3308	23	* *	* *	95	* *	* *	* *	39	* *	* *	52	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3309	12	* *	* *	83	* *	* *	* *	39	* *	* *	57	* *
3550	21	* *	* *	143	4.9 (87)	4.2(131)	23.8(178)	80	* *	* *	91	* *
3551	4	* *	* *	37	* *	* *	* *	23	* *	* *	20	* *
3552	15	* *	* *	70	* *	* *	* *	36	* *	* *	38	* *
3701	290	5.2 (9)	6.2 (35)	1,532	5.2(103)	3.7(108)	10.2 (30)	755	24.0(151)	10.5 (25)	1,014	9.4 (68)
3805	872	8.6 (53)	8.9 (76)	4,616	4.3 (56)	5.1(151)	10.8 (47)	2,176	17.1 (86)	14.3(101)	1,938	10.9 (77)
3950	574	7.8 (41)	8.7 (70)	2,850	3.7 (34)	5.2(153)	12.1 (81)	1,318	18.4(116)	13.1 (72)	1,666	20.6(133)
3952	0	* *	* *	4	* *	* *	* *	4	* *	* *	3	* *
3953	1	* *	* *	9	* *	* *	* *	7	* *	* *	8	* *
3954	8	* *	* *	119	5.0 (92)	2.5 (48)	10.9 (48)	80	* *	* *	91	* *
4001	311	13.5 (102)	3.5 (6)	1,772	4.5 (66)	4.6(142)	13.0(114)	862	13.9 (29)	13.7 (80)	1,115	32.6(154)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>Clinic</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
4002	281	10.7 (81)	4.6 (17)	1,592	5.1 (99)	4.7(145)	15.1(151)	775	18.3(112)	16.5(135)	972	31.1 (153)
4103	22	* *	* *	155	1.9 (3)	7.1(171)	12.3 (87)	84	* *	* *	103	15.5 (111)
4106	431	10.7 (81)	4.6 (17)	2,309	6.3(148)	2.3 (35)	11.7 (72)	1,108	15.3 (49)	14.1 (92)	1,377	20.3 (131)
4107	677	9.6 (70)	7.4 (55)	4,081	6.2(143)	2.1 (26)	12.2 (84)	1,851	16.2 (67)	12.2 (55)	2,474	13.2 (94)
4109	296	5.1 (7)	9.8 (89)	1,945	4.2 (51)	2.7 (57)	8.3 (13)	981	15.2 (46)	10.5 (25)	1,214	8.9 (61)
4110	400	9.3 (64)	5.8 (28)	2,569	5.2(103)	2.0 (21)	13.8(133)	1,273	17.5 (96)	16.7(136)	1,670	11.0 (78)
4112	152	5.3 (10)	9.9 (90)	1,036	5.6(114)	3.3 (95)	20.1(175)	588	19.2(125)	19.6(148)	847	13.0 (91)
4113	182	3.8 (3)	6.6 (39)	1,069	3.9 (40)	2.0 (21)	15.0(148)	532	17.3 (92)	19.7(150)	622	8.0 (53)
4120	519	7.3 (35)	10.6 (96)	3,132	6.6(156)	2.1 (26)	13.6(129)	1,523	16.5 (72)	12.9 (69)	1,901	14.5 (105)
4160	499	8.6 (53)	6.8 (42)	2,637	6.3(148)	2.1 (26)	12.7(107)	1,235	16.5 (72)	11.3 (38)	1,473	11.7 (81)
4351	143	5.6 (12)	11.9(100)	928	5.7(121)	3.1 (83)	12.8(110)	485	18.1(107)	15.1(116)	559	10.7 (74)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
4352	33	* *	* *	275	6.2(143)	1.5 (9)	13.5(124)	148	26.4(152)	12.8 (63)	191	13.6 (98)
4353	137	8.8 (58)	13.9(103)	798	5.8(127)	4.0(120)	12.5 (96)	400	20.5(139)	13.0 (71)	516	12.4 (87)
4354	205	5.9 (18)	13.7(102)	1,127	3.3 (19)	2.9 (76)	11.3 (63)	524	21.0(144)	12.2 (55)	660	10.6 (73)
4355	83	* *	* *	493	6.5(154)	3.0 (77)	15.8(160)	245	19.6(128)	19.6(148)	314	10.8 (75)
4356	147	8.8 (58)	6.1 (33)	818	7.3(164)	2.4 (40)	11.7 (72)	381	21.8(148)	13.9 (87)	499	15.6(112)
4358	52	* *	* *	335	5.7(121)	1.8 (15)	21.8(176)	188	26.6(153)	26.1(154)	214	17.8(119)
4359	126	5.6 (12)	7.9 (58)	865	4.3 (56)	2.2 (31)	16.4(165)	484	19.8(131)	15.5(126)	565	14.9(107)
4360	45	* *	* *	266	3.4 (23)	1.1 (4)	7.9 (10)	129	17.1 (86)	7.0 (7)	168	12.5 (88)
4361	56	* *	* *	329	4.6 (73)	1.5 (9)	12.2 (84)	152	23.0(149)	15.1(116)	225	14.2 (99)
4362	77	* *	* *	482	7.5(167)	3.3 (95)	9.1 (21)	235	13.2 (18)	11.5 (40)	300	9.0 (63)
4363	244	6.1 (20)	9.0 (81)	1,320	4.5 (66)	2.4 (40)	10.4 (36)	630	15.4 (50)	14.3(101)	797	19.3(129)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
4401	334	7.8 (41)	9.0 (81)	1,804	5.6(114)	3.9(117)	13.2(117)	823	17.9(104)	15.7(128)	1,111	9.2 (67)
4501	257	4.7 (5)	7.0 (48)	1,506	5.0 (92)	3.1 (83)	8.6 (14)	750	13.7 (26)	9.5 (14)	975	9.4 (68)
4502	0	* *	* *	1	* *	* *	* *	1	* *	* *	1	* *
4601	406	8.1 (48)	6.2 (35)	2,080	4.6 (73)	3.8(113)	12.6(100)	897	17.7(100)	13.9 (87)	1,036	7.0 (43)
4701	385	6.0 (19)	9.4 (86)	1,758	4.2 (51)	3.1 (83)	10.6 (40)	802	18.8(120)	15.1(116)	1,063	6.4 (35)
5050	490	10.6 (80)	4.3 (13)	2,126	4.0 (42)	3.8(113)	13.5(124)	864	15.0 (43)	13.2 (74)	1,281	17.8(119)
5051	741	11.2 (86)	5.4 (24)	3,361	5.7(121)	3.6(103)	12.6(100)	1,318	13.4 (20)	9.6 (16)	2,041	17.9(121)
5052	777	10.2 (78)	4.5 (16)	3,186	4.8 (81)	3.2 (87)	13.6(129)	1,285	16.3 (71)	15.3(122)	1,903	14.8(106)
5101	616	6.3 (22)	8.8 (72)	3,017	4.5 (66)	3.5 (98)	11.1 (57)	1,267	18.3(112)	13.7 (80)	1,744	10.0 (70)
5202	159	5.7 (16)	6.3 (37)	789	5.4(110)	2.8 (64)	15.0(148)	355	17.5 (96)	18.0(143)	386	13.5 (96)
5203	42	* *	* *	252	4.4 (58)	4.4(137)	14.3(142)	123	15.4 (50)	12.2 (55)	135	11.1 (80)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
5204	25	* *	* *	145	4.1 (43)	2.8 (64)	12.4 (93)	59	* *	* *	64	* *
5601	359	8.4 (52)	8.9 (76)	1,766	7.7(170)	2.5 (48)	16.3(164)	842	15.4 (50)	14.5(105)	962	8.6 (57)
5801	526	9.3 (64)	7.2 (51)	2,607	7.4(166)	2.0 (21)	12.5 (96)	1,108	18.5(118)	14.2 (93)	1,517	7.6 (45)
5803	57	* *	* *	356	6.7(159)	3.9(117)	11.0 (54)	174	16.1 (66)	10.3 (20)	225	8.0 (53)
5804	13	* *	* *	160	2.5 (4)	4.4(137)	6.3 (3)	89	* *	* *	116	7.8 (48)
6101	22	* *	* *	141	6.4(151)	5.0(150)	13.5(124)	79	* *	* *	87	* *
6102	46	* *	* *	359	6.1(139)	2.8 (64)	11.7 (72)	197	15.7 (59)	11.7 (45)	211	15.2(109)
6103	943	7.5 (39)	6.6 (39)	5,239	3.3 (19)	3.8(113)	11.2 (59)	2,531	16.8 (82)	11.6 (41)	3,253	23.7(143)
6104	153	14.4(104)	5.9 (30)	428	3.3 (19)	6.5(165)	8.2 (12)	191	18.3(112)	12.0 (51)	207	15.0(108)
6105	13	* *	* *	111	1.8 (2)	2.7 (57)	5.4 (2)	67	* *	* *	75	* *
6106	15	* *	* *	38	* *	* *	* *	17	* *	* *	16	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
6301	1,388	9.6 (70)	7.3 (53)	6,396	5.6(114)	3.0 (77)	11.6 (70)	2,687	15.2 (46)	14.7(110)	3,797	12.0 (83)
6312	763	9.4 (67)	6.9 (46)	3,654	6.7(159)	3.0 (77)	10.6 (40)	1,527	17.2 (90)	13.2 (74)	2,142	15.6(112)
6316	455	9.2 (63)	6.8 (42)	2,069	4.9 (87)	2.4 (40)	10.3 (34)	800	13.6 (24)	11.1 (34)	1,192	8.7 (58)
6320	61	* *	* *	384	3.6 (31)	6.0(160)	9.1 (21)	198	16.7 (79)	10.1 (18)	230	9.1 (66)
6325	37	* *	* *	236	6.4(151)	3.0 (77)	9.7 (28)	111	18.0(106)	12.6 (62)	148	6.1 (32)
6330	85	* *	* *	508	5.9(131)	2.4 (40)	12.4 (93)	221	15.8 (60)	11.8 (46)	316	21.2(135)
6335	137	5.1 (7)	8.0 (63)	878	3.0 (14)	4.0(120)	8.9 (18)	434	14.7 (36)	9.0 (12)	509	8.8 (59)
6340	27	* *	* *	216	3.7 (34)	2.8 (64)	7.9 (10)	113	14.2 (31)	12.4 (60)	130	10.0 (70)
6345	4	* *	* *	55	* *	* *	* *	26	* *	* *	33	* *
6350	82	* *	* *	391	6.1(139)	4.6(142)	12.5 (96)	163	14.7 (36)	15.3(122)	218	18.8(128)
7304	60	* *	* *	351	2.8 (9)	3.7(108)	17.4(170)	174	23.0(149)	20.1(151)	220	1.4 (2)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
7306	676	10.7 (81)	8.4 (68)	3,536	4.4 (58)	4.0(120)	12.2 (84)	1,666	15.5 (55)	13.8 (85)	2,219	13.4 (95)
7308	51	* *	* *	312	3.2 (17)	3.2 (87)	11.9 (77)	146	19.9(134)	11.6 (41)	193	7.8 (48)
7310	14	* *	* *	67	* *	* *	* *	30	* *	* *	45	* *
7401	643	9.8 (73)	7.0 (48)	3,567	6.2(143)	2.6 (55)	10.2 (30)	1,636	14.6 (35)	10.1 (18)	2,145	6.4 (35)
7601	197	6.6 (25)	5.6 (26)	1,062	3.4 (23)	5.5(155)	6.4 (4)	474	10.8 (6)	8.2 (10)	678	3.2 (7)
7850	294	7.5 (39)	5.8 (28)	1,544	3.8 (38)	6.7(168)	10.7 (44)	804	18.4(116)	13.9 (87)	990	1.3 (1)
7852	26	* *	* *	129	3.1 (15)	7.8(174)	10.9 (48)	62	* *	* *	70	* *
8150	14	* *	* *	106	2.8 (9)	2.8 (64)	7.5 (8)	58	* *	* *	62	* *
8151	788	9.1 (61)	4.4 (14)	3,891	5.0 (92)	3.2 (87)	12.1 (81)	1,693	16.2 (67)	12.3 (59)	2,328	21.7(136)
8152	110	10.9 (84)	6.4 (38)	424	6.6(156)	7.3(173)	14.2(139)	123	17.9(104)	17.1(137)	232	42.2(159)
8153	6	* *	* *	39	* *	* *	* *	21	* *	* *	26	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
8154	68	* *	* *	403	2.7 (7)	5.5(155)	7.2 (6)	198	17.2 (90)	7.1 (8)	229	4.8 (24)
8155	15	* *	* *	124	0.8 (1)	2.4 (40)	8.9 (18)	79	* *	* *	91	* *
8156	3	* *	* *	41	* *	* *	* *	28	* *	* *	32	* *
8157	4	* *	* *	35	* *	* *	* *	22	* *	* *	22	* *
8201	749	8.7 (57)	8.0 (63)	2,387	7.1(162)	2.0 (21)	12.7(107)	537	18.2(110)	12.8 (63)	1,101	6.7 (40)
8202	871	6.8 (30)	7.9 (58)	4,286	4.5 (66)	2.5 (48)	11.4 (65)	2,189	16.2 (67)	12.5 (61)	2,654	29.9(152)
8203	127	9.4 (67)	7.9 (58)	456	6.1(139)	3.5 (98)	9.4 (27)	147	21.1(145)	6.1 (5)	223	17.9(121)
8250	268	11.2 (86)	4.9 (19)	1,007	6.0(135)	4.9(148)	8.6 (14)	293	13.7 (26)	11.9 (48)	503	21.9(138)
8252	0	* *	* *	2	* *	* *	* *	2	* *	* *	0	* *
8255	852	10.0 (74)	8.8 (72)	2,847	7.6(169)	1.9 (17)	12.6(100)	740	19.7(129)	15.0(115)	1,371	14.3(100)
8257	139	12.9 (98)	7.2 (51)	683	5.0 (92)	6.4(164)	8.6 (14)	322	12.7 (12)	10.6 (29)	347	6.9 (41)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
8258	275	10.5 (79)	4.4 (14)	1,790	5.5(111)	2.5 (48)	13.7(132)	669	15.2 (46)	14.2 (93)	974	4.3 (17)
8260	178	11.2 (86)	3.9 (9)	852	3.8 (38)	4.3(135)	7.2 (6)	419	14.8 (40)	8.1 (9)	520	24.2(144)
8901	338	13.3(101)	5.3 (23)	1,457	4.7 (77)	6.7(168)	11.4 (65)	648	14.7 (36)	10.3 (20)	907	46.2(161)
8902	190	11.6 (93)	1.6 (1)	943	4.2 (51)	6.3(161)	10.7 (44)	422	11.1 (9)	10.7 (31)	584	37.2(157)
8903	389	12.9 (98)	3.6 (7)	1,792	5.7(121)	5.5(155)	13.9(134)	804	15.0 (43)	12.8 (63)	1,088	43.8(160)
8904	319	11.9 (95)	6.9 (46)	1,422	3.3 (19)	7.2(172)	10.7 (44)	663	12.8 (14)	10.4 (24)	887	41.1(158)
8905	773	7.2 (34)	8.3 (67)	4,446	5.1 (99)	6.8(170)	15.0(148)	2,132	16.2 (67)	14.6(108)	2,915	34.8(156)
9012	10	* *	* *	79	* *	* *	* *	41	* *	* *	9	* *
9013	27	* *	* *	101	5.0 (92)	3.0 (77)	10.9 (48)	44	* *	* *	52	* *
9015	5	* *	* *	56	* *	* *	* *	32	* *	* *	20	* *
9016	41	* *	* *	141	8.5(175)	3.5 (98)	9.2 (25)	62	* *	* *	75	* *

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)													
<b>Clinic</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
9017	20	* *	* *	86	* *	* *	* *	41	* *	* *		15	* *
9018	39	* *	* *	137	8.8(176)	10.2(177)	10.9 (48)	55	* *	* *		4	* *
9019	8	* *	* *	69	* *	* *	* *	37	* *	* *		3	* *
9021	35	* *	* *	128	9.4(178)	6.3(161)	15.6(157)	58	* *	* *		14	* *
9041	20	* *	* *	315	4.1 (43)	4.1(126)	12.1 (81)	183	20.8(143)	10.9 (32)		103	29.1 (150)
9045	407	12.5 (97)	6.1 (33)	2,089	5.6(114)	1.6 (13)	16.9(168)	1,050	17.0 (84)	14.2 (93)		921	20.5 (132)
9050	537	11.5 (91)	7.3 (53)	2,757	6.1(139)	4.0(120)	14.7(145)	1,267	13.4 (20)	16.4(134)		1,507	16.1 (116)
9051	347	7.8 (41)	7.5 (56)	2,767	4.1 (43)	1.6 (13)	17.8(172)	1,364	17.5 (96)	19.3(147)		1,925	14.3 (100)
9053	534	15.7 (105)	4.1 (10)	2,672	6.4(151)	3.7(108)	10.9 (48)	1,083	15.1 (45)	12.0 (51)		1,594	22.7 (140)
9055	2	* *	* *	2	* *	* *	* *	0	* *	* *		0	* *
9058	172	9.3 (64)	5.2 (21)	1,189	2.8 (9)	4.2(131)	10.4 (36)	627	12.0 (10)	11.0 (33)		748	20.1 (130)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>Clinic</b>	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			(8)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
9066	471	12.1 (96)	3.6 (7)	2,499	5.1 (99)	8.9(175)	7.6 (9)	1,045	5.9 (2)	5.5 (4)	1,466	13.0 (91)
9068	477	11.7 (94)	2.7 (3)	1,859	4.4 (58)	12.1(179)	6.8 (5)	759	4.7 (1)	3.2 (1)	1,081	29.1(150)
9069	580	11.4 (89)	5.5 (25)	2,479	5.6(114)	4.7(145)	11.3 (63)	892	14.1 (30)	14.3(101)	1,356	28.8(149)
9070	579	16.6(106)	3.3 (5)	2,392	8.2(172)	8.9(175)	12.0 (80)	1,029	7.5 (3)	6.3 (6)	1,389	18.6(127)
9072	416	11.1 (85)	4.1 (10)	1,865	5.6(114)	4.1(126)	11.2 (59)	731	15.9 (61)	11.4 (39)	1,108	9.0 (63)
9074	293	13.7(103)	2.4 (2)	1,676	7.3(164)	2.8 (64)	11.2 (59)	717	13.5 (22)	11.6 (41)	984	17.3(118)
9080	714	11.5 (91)	4.2 (12)	3,670	4.8 (81)	4.4(137)	9.1 (21)	1,770	13.7 (26)	10.5 (25)	2,197	28.6(148)
Unknown Clinics	29	* *	* *	173	12.7(179)	4.6(142)	31.2(179)	89	* *	* *	140	15.7(114)
<b>Michigan</b>	<b>44,244</b>	<b>9.0</b>	<b>7.0</b>	<b>231,205</b>	<b>5.2</b>	<b>3.7</b>	<b>12.4</b>	<b>106,019</b>	<b>16.3</b>	<b>13.3</b>	<b>137,121</b>	<b>15.6</b>
<b>Nation (Prior Year)</b>	<b>1,961,342</b>	<b>8.9</b>	<b>6.4</b>	<b>8,451,215</b>	<b>6.0</b>	<b>4.3</b>	<b>14.0</b>	<b>3,678,355</b>	<b>16.4</b>	<b>14.7</b>	<b>5,524,196</b>	<b>14.9</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
<b>Clinic</b>	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	% Breastfed At Least 12 Months  (Rank)	Number	% Breastfed At Least 3 Months  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	%   (Rank)		
0101	29	* *	20	* *	25	* *	14	* *	19	* *	95	* *	194	9.3 (128)
0102	116	62.1 (42)	86	* *	65	* *	60	* *	77	* *	276	84.8 (93)	576	10.6 (146)
0103	92	* *	88	* *	64	* *	60	* *	77	* *	289	83.7(103)	568	12.5 (157)
0104	36	* *	23	* *	28	* *	22	* *	21	* *	81	* *	186	23.7 (179)
0250	49	* *	39	* *	34	* *	27	* *	37	* *	120	82.5(110)	251	10.0 (140)
0251	34	* *	24	* *	20	* *	16	* *	23	* *	97	* *	199	6.5 (78)
0252	36	* *	21	* *	24	* *	6	* *	21	* *	134	85.1 (88)	218	10.6 (146)
0253	40	* *	28	* *	34	* *	18	* *	28	* *	113	87.6 (63)	237	13.1 (159)
0401	151	48.3 (78)	117	17.1 (48)	104	10.6 (21)	92	* *	113	8.0 (30)	383	90.9 (31)	777	7.2 (93)
0402	97	* *	75	* *	60	* *	67	* *	73	* *	313	86.6 (77)	605	7.4 (95)
0403	37	* *	28	* *	33	* *	21	* *	28	* *	137	84.7 (96)	231	7.4 (95)
0404	37	* *	22	* *	30	* *	18	* *	21	* *	124	83.9(100)	220	20.5 (175)
0501	147	67.3 (18)	103	35.9 (4)	97	* *	72	* *	89	* *	401	90.8 (32)	793	12.5 (157)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
0502	0	* *	0	* *	1	* *	0	* *	0	* *	2	* *	5	* *
0503	48	* *	40	* *	38	* *	34	* *	38	* *	107	94.4 (10)	244	5.3 (54)
0504	145	77.9 (2)	122	39.3 (1)	88	* *	80	* *	108	20.4 (1)	431	91.9 (20)	845	4.9 (44)
0505	103	69.9 (13)	80	* *	55	* *	59	* *	68	* *	321	90.7 (34)	605	4.6 (37)
0506	43	* *	39	* *	37	* *	23	* *	36	* *	177	85.9 (83)	311	17.4 (171)
0650	255	66.3 (25)	230	24.3 (15)	250	8.8 (36)	147	22.4 (5)	213	11.3 (11)	682	84.3 (98)	1,457	9.1 (125)
0651	180	51.7 (69)	98	* *	153	8.5 (39)	61	* *	93	* *	484	89.7 (43)	948	14.3 (166)
0652	77	* *	44	* *	72	* *	36	* *	41	* *	301	86.4 (79)	538	14.5 (167)
0653	119	65.5 (28)	79	* *	92	* *	41	* *	73	* *	376	86.7 (75)	699	15.2 (168)
0654	106	63.2 (35)	69	* *	87	* *	56	* *	68	* *	313	91.4 (25)	618	15.7 (170)
0655	94	* *	69	* *	86	* *	42	* *	68	* *	264	88.3 (55)	543	7.9 (104)
0657	16	* *	7	* *	14	* *	8	* *	7	* *	78	* *	131	21.4 (176)
0701	111	73.9 (5)	80	* *	51	* *	71	* *	79	* *	310	97.4 (4)	613	0.7 (4)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
0702	29	* *	18	* *	11	* *	14	* *	15	* *	68	* *	141	2.8 (22)
0703	64	* *	57	* *	34	* *	34	* *	55	* *	171	91.2 (27)	337	6.2 (70)
0704	17	* *	11	* *	11	* *	7	* *	11	* *	81	* *	133	9.0 (124)
0705	38	* *	27	* *	25	* *	17	* *	25	* *	147	91.2 (27)	271	2.6 (21)
0850	301	64.8 (31)	234	23.5 (21)	252	10.7 (19)	144	16.0 (18)	213	9.9 (17)	749	88.9 (49)	1,623	4.7 (41)
0851	237	66.7 (23)	201	19.9 (34)	183	6.0 (61)	118	19.5 (8)	180	8.3 (28)	742	86.8 (73)	1,411	6.2 (70)
0901	486	57.6 (61)	360	13.9 (64)	341	6.2 (59)	289	12.5 (29)	342	2.3 (74)	1,252	93.2 (15)	2,585	7.9 (104)
0902	27	* *	19	* *	11	* *	13	* *	17	* *	69	* *	138	8.7 (122)
1051	376	78.2 (1)	233	37.3 (2)	264	16.7 (2)	145	32.4 (1)	214	10.3 (16)	960	91.5 (24)	1,932	4.0 (31)
1101	490	45.5 (89)	326	13.5 (66)	380	5.3 (73)	227	11.0 (34)	317	3.5 (66)	1,237	75.4(130)	2,592	10.0 (140)
1102	269	49.1 (76)	183	16.4 (51)	173	11.6 (14)	137	12.4 (30)	179	9.5 (20)	591	83.9(100)	1,260	11.7 (154)
1106	32	* *	33	* *	24	* *	29	* *	32	* *	83	* *	172	9.9 (137)
1250	271	59.8 (58)	194	21.6 (28)	196	8.2 (42)	132	13.6 (25)	183	9.8 (18)	846	87.6 (63)	1,672	8.0 (109)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
1251	214	71.0 (9)	170	24.1 (16)	128	10.9 (18)	118	20.3 (7)	163	14.1 (4)	658	90.1 (40)	1,280	6.3 (74)
1252	0	* *	0	* *	0	* *	0	* *	0	* *	1	* *	1	* *
1253	392	62.0 (45)	287	19.9 (34)	261	7.3 (52)	207	10.1 (37)	272	8.5 (27)	1,155	90.0 (41)	2,254	4.9 (44)
1350	668	48.7 (77)	476	14.3 (60)	415	6.0 (61)	372	8.3 (43)	443	4.5 (54)	1,676	90.8 (32)	3,510	4.6 (37)
1351	31	* *	29	* *	36	* *	21	* *	28	* *	121	97.5 (3)	231	1.7 (10)
1352	106	47.2 (80)	60	* *	72	* *	57	* *	59	* *	331	94.3 (11)	637	10.0 (140)
1401	69	* *	36	* *	41	* *	33	* *	33	* *	203	89.2 (46)	404	3.7 (28)
1402	47	* *	26	* *	35	* *	16	* *	24	* *	149	83.2(106)	281	7.1 (90)
1403	7	* *	3	* *	5	* *	1	* *	3	* *	27	* *	42	* *
1404	4	* *	5	* *	5	* *	3	* *	5	* *	14	* *	28	* *
1501	313	70.0 (12)	241	24.1 (16)	232	12.1 (13)	174	23.0 (2)	211	9.5 (20)	932	86.7 (75)	1,802	6.8 (85)
1503	299	61.9 (46)	265	25.7 (12)	275	12.4 (10)	177	16.4 (15)	230	10.4 (15)	1,016	85.4 (85)	1,953	5.7 (63)
1504	650	69.8 (14)	280	23.6 (20)	528	10.6 (21)	140	22.9 (3)	243	7.4 (34)	1,931	85.4 (85)	3,615	4.6 (37)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
1505	225	75.1 (3)	119	37.0 (3)	196	13.8 (6)	62	* *	114	17.5 (2)	767	91.9 (20)	1,380	1.7 (10)
1506	149	71.8 (7)	140	17.9 (42)	142	8.5 (39)	106	22.6 (4)	123	12.2 (8)	498	92.4 (19)	974	4.9 (44)
1507	166	70.5 (11)	104	25.0 (13)	148	16.2 (3)	78	* *	100	13.0 (5)	518	91.7 (22)	997	4.4 (36)
1508	38	* *	23	* *	25	* *	9	* *	18	* *	92	* *	193	0.5 (3)
1509	154	62.3 (39)	135	31.1 (5)	167	8.4 (41)	90	* *	119	10.9 (13)	554	82.1(111)	1,069	7.6 (97)
1511	188	71.3 (8)	168	17.3 (47)	136	4.4 (78)	118	18.6 (9)	163	4.3 (58)	514	88.3 (55)	1,068	3.5 (26)
1512	85	* *	61	* *	70	* *	44	* *	58	* *	291	90.7 (34)	562	4.1 (33)
1701	180	65.0 (30)	151	23.2 (23)	146	8.2 (42)	137	20.4 (6)	137	11.7 (10)	551	87.5 (65)	1,119	8.5 (119)
1950	204	67.6 (17)	108	21.3 (29)	110	7.3 (52)	81	* *	103	7.8 (32)	445	87.2 (69)	996	9.7 (133)
1952	41	* *	16	* *	20	* *	8	* *	14	* *	121	88.4 (54)	232	9.5 (130)
1953	79	* *	61	* *	59	* *	38	* *	58	* *	272	86.8 (73)	501	7.0 (89)
1954	157	63.1 (36)	164	26.8 (8)	143	9.1 (33)	97	* *	155	14.8 (3)	487	91.2 (27)	992	7.6 (97)
1955	31	* *	28	* *	22	* *	16	* *	25	* *	128	90.6 (38)	228	8.3 (116)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
1957	125	69.6 (15)	119	23.5 (21)	94	* *	94	* *	111	4.5 (54)	333	85.6 (84)	718	4.0 (31)
1959	33	* *	22	* *	18	* *	16	* *	20	* *	118	88.1 (60)	219	5.5 (61)
2150	142	64.8 (31)	152	20.4 (32)	127	7.9 (45)	102	17.6 (12)	144	9.0 (24)	515	91.7 (22)	1,026	7.1 (90)
2151	61	* *	49	* *	42	* *	39	* *	48	* *	172	89.0 (48)	361	5.8 (64)
2251	114	64.0 (33)	87	* *	89	* *	57	* *	84	* *	329	87.2 (69)	634	6.6 (79)
2252	53	* *	42	* *	49	* *	24	* *	36	* *	162	90.7 (34)	334	6.0 (66)
2551	677	36.6(101)	423	7.1 (86)	327	3.4 (84)	337	5.9 (54)	415	1.7 (78)	1,339	74.1(135)	3,083	9.1 (125)
2554	29	* *	18	* *	15	* *	17	* *	18	* *	105	84.8 (93)	188	13.8 (162)
2555	1,504	49.2 (75)	1,227	14.5 (59)	947	5.8 (66)	951	7.8 (48)	1,179	4.1 (61)	3,302	81.2(114)	7,609	6.4 (76)
3001	231	45.0 (91)	177	6.2 (87)	179	6.1 (60)	120	3.3 (63)	173	0.6 (85)	796	77.1(127)	1,496	13.6 (161)
3002	64	* *	56	* *	48	* *	33	* *	55	* *	232	89.2 (46)	425	5.4 (57)
3003	0	* *	1	* *	1	* *	0	* *	1	* *	6	* *	9	* *
3004	33	* *	15	* *	29	* *	15	* *	15	* *	193	71.5(138)	298	0.0 (1)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
<b>Clinic</b>	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	% Breastfed At Least 12 Months  (Rank)	Number	% Breastfed At Least 3 Months  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	%   (Rank)		
3007	7	* *	4	* *	4	* *	3	* *	4	* *	37	* *	59	* *
3009	4	* *	3	* *	3	* *	2	* *	3	* *	10	* *	23	* *
3010	2	* *	1	* *	0	* *	1	* *	1	* *	3	* *	5	* *
3201	175	48.0 (79)	105	18.1 (40)	75	* *	87	* *	100	5.0 (50)	400	95.5 (7)	848	5.4 (57)
3301	1,019	62.1 (42)	734	17.4 (46)	693	8.8 (36)	469	9.6 (40)	694	3.7 (63)	2,253	80.2(116)	5,074	6.7 (82)
3302	87	* *	68	* *	58	* *	48	* *	62	* *	295	85.4 (85)	537	4.7 (41)
3304	28	* *	22	* *	27	* *	9	* *	22	* *	124	76.6(128)	212	0.9 (6)
3305	41	* *	24	* *	21	* *	13	* *	23	* *	132	84.8 (93)	237	1.7 (10)
3306	70	* *	55	* *	52	* *	46	* *	53	* *	212	92.9 (16)	434	6.7 (82)
3308	23	* *	9	* *	11	* *	7	* *	9	* *	43	* *	98	* *
3309	12	* *	11	* *	15	* *	5	* *	11	* *	43	* *	85	* *
3550	21	* *	14	* *	20	* *	13	* *	12	* *	84	* *	146	6.2 (70)
3551	4	* *	4	* *	3	* *	4	* *	4	* *	23	* *	37	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
3552	15	* *	11	* *	9	* *	9	* *	11	* *	39	* *	71	* *
3701	292	61.3 (52)	163	14.1 (62)	209	11.5 (15)	91	* *	159	11.3 (11)	798	97.4 (4)	1,553	7.9 (104)
3805	874	57.3 (62)	738	12.9 (68)	668	9.0 (34)	451	13.3 (27)	711	5.9 (45)	2,284	85.1 (88)	4,722	8.0 (109)
3950	579	61.7 (49)	409	22.0 (27)	369	12.2 (12)	329	17.3 (13)	395	8.6 (26)	1,366	84.9 (92)	2,876	6.6 (79)
3952	0	* *	0	* *	0	* *	0	* *	0	* *	4	* *	4	* *
3953	1	* *	0	* *	0	* *	0	* *	0	* *	7	* *	9	* *
3954	8	* *	3	* *	15	* *	3	* *	3	* *	84	* *	120	2.5 (19)
4001	319	59.9 (57)	216	18.1 (40)	194	7.2 (54)	180	13.3 (27)	192	6.3 (39)	907	63.9(152)	1,804	8.5 (119)
4002	282	62.1 (42)	182	26.4 (11)	152	10.5 (25)	197	15.2 (20)	172	9.3 (22)	825	70.7(139)	1,620	8.1 (111)
4103	22	* *	11	* *	16	* *	2	* *	11	* *	88	* *	159	8.2 (112)
4106	433	62.8 (37)	333	16.2 (52)	254	8.7 (38)	252	8.3 (43)	314	4.5 (54)	1,152	78.0(125)	2,322	6.3 (74)
4107	677	62.3 (39)	637	23.9 (18)	528	10.6 (21)	435	15.9 (19)	588	10.9 (13)	1,970	88.3 (55)	4,119	3.7 (28)
4109	298	61.7 (49)	273	19.4 (36)	247	9.3 (31)	182	14.3 (22)	247	9.7 (19)	1,030	88.9 (49)	1,958	5.2 (50)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
4110	400	66.8 (22)	364	19.0 (37)	359	9.2 (32)	226	5.8 (55)	307	3.3 (68)	1,353	79.0(122)	2,603	5.0 (48)
4112	153	49.7 (74)	102	26.5 (10)	113	15.0 (4)	94	* *	98	* *	621	99.4 (1)	1,055	5.2 (50)
4113	182	67.0 (20)	93	* *	97	* *	99	* *	89	* *	548	83.2(106)	1,080	1.0 (7)
4120	525	61.0 (55)	463	17.9 (42)	379	11.3 (16)	300	13.7 (24)	437	8.2 (29)	1,601	86.9 (72)	3,164	2.3 (17)
4160	506	62.8 (37)	408	27.5 (7)	311	14.5 (5)	300	18.3 (11)	362	12.2 (8)	1,274	85.0 (91)	2,669	3.0 (23)
4351	143	67.1 (19)	97	* *	107	13.1 (8)	72	* *	95	* *	510	88.6 (53)	938	10.9 (148)
4352	33	* *	27	* *	41	* *	13	* *	25	* *	156	75.0(134)	285	22.1 (177)
4353	138	61.6 (51)	93	* *	94	* *	67	* *	90	* *	422	75.1(132)	814	10.2 (143)
4354	205	63.4 (34)	157	20.4 (32)	155	9.7 (29)	120	16.7 (14)	151	9.3 (22)	537	95.5 (7)	1,138	6.4 (76)
4355	83	* *	65	* *	83	* *	32	* *	61	* *	266	91.4 (25)	515	9.3 (128)
4356	147	66.0 (27)	84	* *	126	11.1 (17)	80	* *	80	* *	408	90.0 (41)	837	7.8 (101)
4358	52	* *	36	* *	34	* *	38	* *	34	* *	201	94.0 (12)	343	0.3 (2)
4359	126	70.6 (10)	77	* *	102	9.8 (28)	55	* *	73	* *	508	80.9(115)	885	7.8 (101)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
4360	45	* *	33	* *	34	* *	20	* *	32	* *	135	92.6 (17)	268	11.2 (151)
4361	57	* *	32	* *	62	* *	14	* *	32	* *	160	84.4 (97)	333	10.2 (143)
4362	78	* *	46	* *	77	* *	18	* *	45	* *	247	89.5 (45)	485	12.0 (156)
4363	244	72.1 (6)	174	17.8 (44)	148	3.4 (84)	137	16.1 (17)	169	5.3 (47)	658	87.4 (67)	1,337	9.1 (125)
4401	332	61.1 (54)	281	17.1 (48)	290	10.7 (19)	197	12.2 (32)	270	6.7 (36)	855	93.8 (14)	1,826	4.9 (44)
4501	257	55.6 (65)	148	14.9 (57)	186	6.5 (58)	67	* *	143	7.0 (35)	793	84.1 (99)	1,517	7.6 (97)
4502	0	* *	0	* *	0	* *	0	* *	0	* *	1	* *	1	* *
4601	430	66.3 (25)	356	22.2 (26)	310	10.6 (21)	242	14.9 (21)	335	7.5 (33)	931	76.2(129)	1,978	5.3 (54)
4701	385	65.5 (28)	145	20.7 (31)	261	10.0 (27)	73	* *	139	6.5 (38)	833	91.1 (30)	1,770	5.3 (54)
5050	493	44.8 (92)	288	12.2 (74)	350	8.0 (44)	214	10.3 (36)	272	4.4 (57)	899	83.1(108)	2,187	6.0 (66)
5051	740	46.8 (82)	489	16.2 (52)	574	5.4 (71)	404	9.7 (38)	450	5.8 (46)	1,395	80.1(118)	3,491	5.4 (57)
5052	774	46.9 (81)	427	14.3 (60)	530	7.5 (50)	385	6.0 (53)	401	6.7 (36)	1,338	78.6(124)	3,287	5.6 (62)
5101	625	61.9 (46)	477	17.6 (45)	498	12.7 (9)	349	8.3 (43)	452	4.6 (53)	1,308	85.1 (88)	3,042	3.5 (26)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>			<b>Exclusive Breastfeeding (7)</b>			<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
5202	159	62.3 (39)	121	23.1 (24)	133	17.3 (1)	78	* *	116	12.9 (6)	378	90.7 (34)	829	3.1 (25)
5203	42	* *	31	* *	36	* *	26	* *	31	* *	138	86.2 (80)	261	6.1 (69)
5204	25	* *	19	* *	29	* *	17	* *	19	* *	63	* *	150	6.0 (66)
5601	359	68.5 (16)	137	22.6 (25)	251	10.4 (26)	51	* *	133	9.0 (24)	893	88.0 (61)	1,784	4.7 (41)
5801	526	58.4 (60)	426	13.6 (65)	391	7.7 (47)	340	14.1 (23)	414	6.3 (39)	1,154	82.8(109)	2,635	7.8 (101)
5803	57	* *	47	* *	52	* *	37	* *	46	* *	182	79.7(120)	360	6.7 (82)
5804	13	* *	22	* *	29	* *	10	* *	22	* *	95	* *	160	3.8 (30)
6101	22	* *	13	* *	20	* *	9	* *	12	* *	83	* *	145	15.2 (168)
6102	46	* *	45	* *	51	* *	21	* *	35	* *	204	89.7 (43)	365	8.8 (123)
6103	944	50.1 (73)	611	12.8 (70)	763	4.7 (77)	484	13.4 (26)	570	3.7 (63)	2,614	87.1 (71)	5,322	6.8 (85)
6104	153	46.4 (84)	29	* *	37	* *	30	* *	28	* *	195	77.4(126)	440	14.1 (163)
6105	13	* *	10	* *	16	* *	6	* *	9	* *	73	* *	113	9.7 (133)
6106	15	* *	3	* *	4	* *	6	* *	3	* *	15	* *	37	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
6301	1,398	52.1 (68)	944	16.2 (52)	697	7.7 (47)	782	10.9 (35)	913	4.8 (51)	2,804	81.8(113)	6,468	4.2 (35)
6312	767	61.9 (46)	569	23.9 (18)	374	12.3 (11)	455	12.3 (31)	552	8.0 (30)	1,576	80.2(116)	3,696	3.0 (23)
6316	454	54.6 (66)	339	20.9 (30)	250	9.6 (30)	287	11.8 (33)	321	6.2 (41)	851	83.5(105)	2,090	2.5 (19)
6320	61	* *	50	* *	34	* *	32	* *	50	* *	210	86.2 (80)	393	1.0 (7)
6325	38	* *	25	* *	23	* *	13	* *	23	* *	120	87.5 (65)	237	4.6 (37)
6330	91	* *	89	* *	69	* *	67	* *	86	* *	228	75.4(130)	516	7.9 (104)
6335	143	45.5 (89)	120	26.7 (9)	112	5.4 (71)	91	* *	114	5.3 (47)	456	90.6 (38)	892	2.1 (16)
6340	27	* *	20	* *	28	* *	14	* *	20	* *	118	96.6 (6)	217	1.4 (9)
6345	4	* *	7	* *	9	* *	6	* *	6	* *	26	* *	55	* *
6350	85	* *	55	* *	43	* *	50	* *	49	* *	168	88.7 (52)	396	1.8 (13)
7304	61	* *	42	* *	33	* *	26	* *	37	* *	186	86.0 (82)	354	9.9 (137)
7306	677	46.4 (84)	368	14.9 (57)	379	5.3 (73)	302	8.6 (42)	341	6.2 (41)	1,756	80.0(119)	3,552	8.2 (112)
7308	50	* *	32	* *	40	* *	27	* *	31	* *	152	88.2 (58)	303	6.9 (87)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
7310	14	* *	8	* *	12	* *	6	* *	8	* *	31	* *	67	* *
7401	641	50.4 (72)	574	12.4 (73)	502	7.4 (51)	362	8.3 (43)	548	4.2 (60)	1,707	88.2 (58)	3,612	10.2 (143)
7601	197	60.9 (56)	172	18.6 (38)	126	4.8 (76)	110	16.4 (15)	166	6.0 (44)	479	83.7(103)	1,054	8.3 (116)
7850	293	57.0 (63)	114	13.2 (67)	213	8.9 (35)	52	* *	110	0.9 (83)	849	92.6 (17)	1,581	11.4 (152)
7852	26	* *	11	* *	14	* *	4	* *	11	* *	66	* *	132	9.8 (136)
8150	14	* *	13	* *	9	* *	6	* *	10	* *	62	* *	108	1.9 (15)
8151	790	66.7 (23)	581	30.5 (6)	492	13.4 (7)	450	18.4 (10)	549	12.9 (6)	1,752	83.8(102)	3,906	9.5 (130)
8152	111	61.3 (52)	90	* *	57	* *	60	* *	82	* *	133	94.0 (12)	434	14.1 (163)
8153	6	* *	4	* *	5	* *	3	* *	4	* *	23	* *	40	* *
8154	68	* *	49	* *	57	* *	36	* *	48	* *	210	97.6 (2)	388	1.8 (13)
8155	15	* *	11	* *	7	* *	8	* *	11	* *	87	* *	126	7.9 (104)
8156	3	* *	4	* *	5	* *	1	* *	4	* *	31	* *	44	* *
8157	4	* *	4	* *	2	* *	5	* *	3	* *	22	* *	35	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
8201	754	54.1 (67)	382	15.2 (56)	416	6.0 (61)	244	9.4 (41)	370	3.8 (62)	578	87.7 (62)	2,406	5.4 (57)
8202	906	58.7 (59)	336	25.0 (13)	415	7.0 (55)	334	5.4 (58)	332	2.7 (72)	2,288	79.0(122)	4,274	5.2 (50)
8203	127	44.1 (93)	68	* *	73	* *	52	* *	63	* *	156	86.5 (78)	461	5.0 (48)
8250	268	45.9 (87)	249	10.8 (76)	212	4.2 (80)	161	7.5 (50)	237	5.1 (49)	301	87.4 (67)	1,016	5.2 (50)
8252	0	* *	0	* *	0	* *	0	* *	0	* *	2	* *	2	* *
8255	854	51.1 (71)	319	10.3 (78)	509	5.5 (70)	178	5.6 (56)	312	3.2 (70)	796	82.0(112)	2,866	6.9 (87)
8257	158	37.3(100)	68	* *	64	* *	55	* *	66	* *	341	94.7 (9)	697	0.7 (4)
8258	344	42.7 (94)	262	14.1 (62)	297	5.7 (67)	185	9.7 (38)	257	6.2 (41)	704	88.8 (51)	1,795	6.6 (79)
8260	181	75.1 (3)	86	* *	98	* *	90	* *	84	* *	443	68.6(145)	873	4.1 (33)
8901	338	31.1(105)	203	8.9 (83)	137	2.9 (87)	185	3.2 (64)	193	1.6 (80)	681	66.5(149)	1,502	11.9 (155)
8902	192	38.5 (97)	108	9.3 (81)	103	7.8 (46)	113	8.0 (47)	106	2.8 (71)	444	63.3(153)	971	9.9 (137)
8903	391	21.2(107)	250	8.4 (84)	174	2.9 (87)	237	1.7 (69)	233	2.6 (73)	834	67.9(146)	1,825	11.4 (152)
8904	319	42.3 (95)	182	15.4 (55)	132	6.8 (56)	163	7.4 (51)	169	3.6 (65)	688	73.0(136)	1,453	9.7 (133)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
8905	775	37.8 (98)	539	9.6 (80)	490	5.7 (67)	479	1.9 (67)	510	1.8 (77)	2,229	75.1(132)	4,551	7.3 (94)
9012	11	* *	7	* *	14	* *	2	* *	7	* *	43	* *	82	* *
9013	27	* *	9	* *	15	* *	6	* *	9	* *	44	* *	102	18.6 (172)
9015	5	* *	2	* *	4	* *	1	* *	2	* *	33	* *	56	* *
9016	41	* *	12	* *	12	* *	10	* *	12	* *	66	* *	143	22.4 (178)
9017	20	* *	6	* *	12	* *	1	* *	5	* *	40	* *	87	* *
9018	40	* *	20	* *	16	* *	8	* *	20	* *	59	* *	139	5.8 (64)
9019	8	* *	6	* *	7	* *	2	* *	6	* *	37	* *	69	* *
9021	35	* *	7	* *	15	* *	8	* *	6	* *	60	* *	130	7.7 (100)
9041	20	* *	11	* *	37	* *	4	* *	11	* *	193	64.8(151)	320	14.1 (163)
9045	419	46.8 (82)	243	5.3 (88)	237	5.9 (64)	194	2.1 (65)	219	0.0 (87)	1,089	70.2(141)	2,133	6.2 (70)
9050	536	31.5(104)	425	12.9 (68)	287	5.2 (75)	345	2.0 (66)	407	0.5 (86)	1,320	64.9(150)	2,794	7.1 (90)
9051	371	55.8 (64)	359	12.8 (70)	322	5.9 (64)	199	3.5 (62)	290	3.4 (67)	1,418	79.7(120)	2,797	2.4 (18)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
9053	560	40.4 (96)	457	11.6 (75)	326	6.7 (57)	340	4.7 (59)	446	4.3 (58)	1,122	67.6(148)	2,701	19.5 (173)
9055	2	* *	0	* *	0	* *	0	* *	0	* *	0	* *	2	* *
9058	179	67.0 (20)	158	17.1 (48)	157	5.7 (67)	121	0.8 (71)	146	1.4 (81)	651	72.5(137)	1,204	8.2 (112)
9066	475	28.4(106)	384	3.6 (89)	286	1.0 (89)	304	1.3 (70)	383	0.8 (84)	1,102	69.2(143)	2,529	8.2 (112)
9068	477	34.0(102)	237	12.7 (72)	228	3.5 (83)	217	4.1 (61)	230	4.8 (51)	850	68.9(144)	1,941	13.2 (160)
9069	588	46.4 (84)	473	9.3 (81)	277	3.6 (82)	361	5.5 (57)	467	2.1 (75)	942	70.6(140)	2,519	11.1 (150)
9070	588	33.0(103)	277	9.7 (79)	314	3.2 (86)	206	7.3 (52)	246	3.3 (68)	1,084	62.4(154)	2,445	9.6 (132)
9072	418	37.6 (99)	304	7.9 (85)	251	4.4 (78)	236	7.6 (49)	298	1.7 (78)	755	62.0(155)	1,889	8.5 (119)
9074	296	45.9 (87)	290	10.7 (77)	192	4.2 (80)	206	1.9 (67)	286	1.4 (81)	742	69.3(142)	1,713	10.9 (148)
9080	718	51.3 (70)	499	18.6 (38)	463	7.6 (49)	431	4.4 (60)	468	1.9 (76)	1,826	67.7(147)	3,724	8.3 (116)
Unknown Clinics	31	* *	20	* *	11	* *	20	* *	20	* *	109	54.1(156)	197	20.3 (174)
<b>Michigan</b>	<b>44,728</b>	<b>54.9</b>	<b>31,130</b>	<b>17.8</b>	<b>29,900</b>	<b>8.4</b>	<b>22,987</b>	<b>11.6</b>	<b>29,396</b>	<b>6.0</b>	<b>110,890</b>	<b>82.5</b>	<b>234,313</b>	<b>7.0</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)  
Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>			<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>				
<b>Clinic</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
		(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)		
<b>Nation (Prior Year)</b>	<b>1,769,160</b>	<b>61.7</b>	<b>911,779</b>	<b>27.0</b>	<b>1,092,573</b>	<b>18.5</b>	<b>317,037</b>	<b>9.9</b>	<b>420,655</b>	<b>5.3</b>	<b>1,022,933</b>	<b>77.3</b>	<b>4,355,723</b>	<b>10.2</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>Clinic</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
0101	119	5.0 (10)	7.6 (79)	597	3.9 (26)	3.9(133)	11.2 (55)	271	17.7(126)	11.8 (46)	361	13.3(117)
0102	376	6.6 (29)	9.8(135)	1,778	6.2(132)	4.7(167)	14.6(162)	807	18.7(147)	14.7(125)	1,054	16.0(135)
0103	372	6.7 (32)	11.3(154)	1,756	6.0(119)	2.3 (34)	15.8(177)	804	19.0(157)	17.7(173)	1,118	10.1 (74)
0104	117	9.4(109)	8.5(113)	614	5.0 (66)	3.4(103)	12.9(114)	302	15.9 (58)	12.6 (62)	404	7.9 (53)
0250	170	8.2 (78)	10.0(137)	786	4.2 (34)	3.8(128)	14.0(148)	373	21.7(185)	17.2(170)	519	11.8 (96)
0251	111	6.3 (24)	8.1(102)	634	4.3 (36)	1.6 (8)	14.4(158)	305	20.0(169)	18.4(177)	397	7.6 (47)
0252	120	7.5 (61)	12.5(162)	698	3.4 (13)	2.1 (22)	14.2(152)	374	23.3(190)	16.6(169)	471	10.2 (75)
0253	148	10.8(139)	11.5(155)	771	3.1 (9)	10.5(203)	7.3 (4)	362	13.5 (17)	8.3 (8)	491	12.6(110)
0401	517	10.3(132)	9.5(128)	2,459	6.7(155)	3.1 (81)	13.5(138)	1,154	17.2(105)	15.1(136)	1,527	9.7 (73)
0402	398	4.3 (6)	8.5(113)	2,043	4.1 (30)	3.6(115)	13.8(145)	990	14.9 (39)	18.3(176)	1,338	9.6 (70)
0403	121	8.3 (86)	5.8 (30)	688	6.0(119)	4.1(145)	16.6(182)	366	16.9 (91)	21.6(182)	442	5.2 (23)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>Clinic</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
0404	135	6.7 (32)	8.9 (121)	732	2.5 (6)	4.2 (149)	10.7 (41)	384	14.3 (26)	13.3 (81)	469	10.4 (80)
0501	441	6.6 (29)	10.2 (139)	2,424	4.7 (53)	3.0 (78)	12.9 (114)	1,207	17.4 (116)	13.9 (96)	1,650	5.3 (26)
0502	1	* *	* *	17	* *	* *	* *	8	* *	* *	14	* *
0503	161	9.9 (120)	8.7 (119)	746	5.4 (87)	4.8 (170)	12.2 (85)	338	11.5 (7)	9.2 (15)	477	5.5 (28)
0504	517	9.1 (105)	11.8 (157)	2,792	5.6 (100)	2.5 (47)	13.3 (125)	1,380	19.1 (159)	14.3 (108)	1,907	3.9 (10)
0505	335	8.1 (74)	7.2 (72)	1,836	5.4 (87)	4.0 (141)	12.3 (88)	945	17.1 (99)	11.3 (36)	1,281	4.3 (14)
0506	169	11.8 (149)	5.9 (36)	1,012	5.3 (81)	4.8 (170)	13.3 (125)	539	17.8 (128)	13.5 (90)	709	5.6 (30)
0650	1,019	8.8 (99)	7.5 (78)	4,620	7.1 (167)	2.7 (60)	12.7 (105)	2,024	16.7 (84)	16.4 (166)	2,887	6.9 (33)
0651	627	8.3 (86)	4.9 (22)	2,947	5.8 (108)	3.7 (124)	12.8 (109)	1,387	18.3 (142)	14.3 (108)	1,943	9.1 (64)
0652	282	9.6 (113)	9.6 (133)	1,677	6.8 (160)	3.1 (81)	13.4 (133)	889	19.6 (165)	15.5 (148)	1,132	4.4 (15)
0653	435	9.0 (103)	8.3 (107)	2,232	6.0 (119)	2.3 (34)	13.4 (133)	1,126	16.9 (91)	15.3 (144)	1,504	12.9 (113)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
0654	394	7.1 (39)	12.2 (159)	1,775	4.7 (53)	3.3 (94)	10.0 (28)	840	15.5 (53)	13.1 (74)	1,187	21.1 (167)
0655	364	6.0 (19)	6.0 (40)	1,816	7.3 (177)	2.3 (34)	12.7 (105)	836	17.6 (120)	14.2 (104)	1,214	6.9 (33)
0657	61	* *	* *	428	5.8 (108)	3.7 (124)	12.4 (93)	245	17.6 (120)	14.3 (108)	323	19.2 (153)
0701	394	7.1 (39)	10.9 (152)	1,815	7.2 (170)	3.1 (81)	10.0 (28)	855	15.1 (44)	9.6 (17)	1,007	5.7 (31)
0702	96	* *	* *	457	6.1 (126)	2.8 (69)	13.3 (125)	222	18.9 (154)	16.2 (163)	248	4.0 (11)
0703	242	7.4 (51)	7.9 (91)	1,063	7.1 (167)	2.3 (34)	11.0 (49)	494	18.4 (144)	13.0 (73)	624	2.2 (3)
0704	68	* *	* *	433	7.2 (170)	2.5 (47)	17.1 (189)	241	17.8 (128)	14.9 (130)	274	3.6 (6)
0705	166	3.6 (3)	10.2 (139)	914	4.7 (53)	2.3 (34)	10.0 (28)	469	16.6 (81)	9.8 (21)	535	4.7 (17)
0850	1,159	7.3 (44)	8.3 (107)	5,018	5.2 (77)	3.9 (133)	11.8 (73)	2,121	18.7 (147)	13.8 (94)	2,844	4.6 (16)
0851	845	6.0 (19)	8.0 (95)	4,099	4.8 (58)	3.9 (133)	9.5 (22)	1,950	16.4 (72)	10.4 (26)	2,428	5.2 (23)
0901	1,705	8.3 (86)	10.2 (139)	7,968	6.4 (145)	2.4 (43)	12.2 (85)	3,660	16.8 (87)	14.1 (103)	5,242	13.8 (120)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
0902	78	* *	* *	397	7.8(187)	3.0 (78)	12.1 (82)	183	20.2(172)	12.6 (62)	264	20.8(166)
1051	1,341	7.3 (44)	10.1(138)	6,249	5.5 (93)	5.7(186)	11.6 (67)	2,998	16.5 (77)	12.5 (59)	3,750	9.6 (70)
1101	1,807	9.7(115)	6.0 (40)	8,018	6.6(154)	2.2 (27)	12.3 (88)	3,564	17.1 (99)	12.8 (67)	5,114	19.1(151)
1102	910	6.8 (35)	8.5(113)	3,904	5.5 (93)	2.2 (27)	12.5 (98)	1,777	16.9 (91)	13.2 (77)	2,469	7.0 (38)
1106	100	4.0 (4)	5.0 (23)	495	4.6 (49)	0.8 (2)	11.7 (71)	225	16.4 (72)	13.3 (81)	316	8.9 (61)
1250	1,020	5.9 (18)	8.1(102)	5,138	6.1(126)	3.2 (89)	14.5(159)	2,487	17.8(128)	14.3(108)	3,206	8.2 (55)
1251	733	7.2 (41)	8.3(107)	3,997	6.4(145)	3.1 (81)	12.3 (88)	1,952	18.9(154)	15.6(152)	2,663	3.6 (6)
1252	396	6.6 (29)	6.1 (44)	2,242	6.2(132)	3.9(133)	19.4(196)	1,090	20.7(179)	26.9(189)	1,467	11.2 (88)
1253	1,092	7.0 (38)	7.8 (88)	5,086	6.3(136)	4.4(156)	14.3(156)	2,353	19.1(159)	16.5(167)	3,229	10.6 (83)
1350	2,407	8.7 (97)	7.1 (67)	10,584	6.8(160)	3.3 (94)	14.3(156)	4,627	18.2(141)	15.2(140)	6,203	14.3(125)
1351	165	6.7 (32)	8.5(113)	777	7.3(177)	1.5 (6)	16.6(182)	349	14.0 (22)	15.8(157)	491	14.1(124)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
1352	408	7.4 (51)	7.6 (79)	2,006	6.1(126)	3.4(103)	14.8(165)	973	16.9 (91)	15.2(140)	1,208	22.4(173)
1401	230	10.0(125)	9.6(133)	1,215	4.9 (62)	4.9(175)	13.6(139)	598	13.7 (19)	15.7(154)	783	4.1 (12)
1402	165	5.5 (15)	15.8(164)	825	3.9 (26)	3.4(103)	16.0(180)	428	20.3(175)	15.4(145)	561	7.5 (44)
1403	23	* *	* *	178	7.9(191)	4.5(164)	9.0 (14)	102	19.6(165)	6.9 (4)	127	0.8 (1)
1404	11	* *	* *	89	* *	* *	* *	42	* *	* *	75	* *
1501	1,065	7.2 (41)	8.5(113)	5,516	5.3 (81)	2.8 (69)	16.7(184)	2,707	17.3(111)	14.7(125)	3,648	25.8(177)
1503	1,177	8.1 (74)	9.2(125)	6,189	5.2 (77)	4.4(156)	13.2(121)	3,019	14.0 (22)	13.4 (86)	4,008	27.3(180)
1504	2,327	7.4 (51)	6.9 (59)	11,480	4.9 (62)	3.9(133)	12.6(101)	5,560	16.4 (72)	13.9 (96)	7,405	19.1(151)
1505	863	7.3 (44)	10.2(139)	4,328	4.2 (34)	3.5(109)	10.7 (41)	2,198	12.4 (11)	9.1 (14)	2,724	21.1(167)
1506	600	8.7 (97)	10.8(151)	2,974	6.1(126)	4.2(149)	16.7(184)	1,401	18.9(154)	15.4(145)	1,888	19.8(160)
1507	645	6.5 (26)	10.7(150)	3,120	3.7 (21)	3.6(115)	11.0 (49)	1,466	17.6(120)	11.7 (44)	1,995	28.9(183)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
1508	120	4.2 (5)	20.0(165)	669	7.8(187)	4.6(166)	21.7(198)	329	19.8(167)	22.8(183)	441	26.1 (178)
1509	621	8.2 (78)	8.5(113)	3,365	4.1 (30)	3.5(109)	13.7(141)	1,722	19.2(162)	13.8 (94)	2,250	16.7 (138)
1510	105	8.6 (93)	9.5(128)	502	5.0 (66)	2.8 (69)	13.3(125)	216	18.5(146)	11.6 (41)	295	9.2 (66)
1511	651	7.4 (51)	9.1(123)	3,077	3.6 (17)	3.7(124)	11.5 (63)	1,411	18.7(147)	14.5(118)	1,939	22.3(172)
1512	280	10.4(135)	11.1(153)	1,599	4.7 (53)	2.6 (51)	13.4(133)	801	17.1 (99)	14.4(115)	1,067	19.6(158)
1701	634	6.0 (19)	11.7(156)	3,006	5.3 (81)	3.1 (81)	13.8(145)	1,358	17.1 (99)	14.7(125)	1,964	7.5 (44)
1712	52	* *	* *	373	7.2(170)	4.0(141)	14.5(159)	225	12.9 (14)	15.1(136)	273	13.6(118)
1950	696	7.2 (41)	6.6 (50)	3,139	6.3(136)	3.2 (89)	11.8 (73)	1,429	17.6(120)	12.0 (54)	1,980	4.2 (13)
1952	135	4.4 (7)	8.9(121)	774	5.4 (87)	3.1 (81)	12.3 (88)	383	16.4 (72)	13.3 (81)	539	7.2 (41)
1953	289	7.3 (44)	7.6 (79)	1,581	5.6(100)	2.5 (47)	12.1 (82)	779	17.2(105)	12.5 (59)	1,057	5.3 (26)
1954	592	8.4 (91)	6.4 (47)	3,031	6.9(162)	3.3 (94)	14.5(159)	1,436	17.1 (99)	15.2(140)	1,839	5.2 (23)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
1955	119	3.4 (2)	12.6(163)	774	5.0 (66)	2.6 (51)	14.6(162)	409	15.4 (50)	14.7(125)	519	6.4 (32)
1957	463	6.5 (26)	9.3(126)	2,101	6.0(119)	2.3 (34)	14.7(164)	931	16.3 (69)	16.3(165)	1,346	7.0 (38)
1959	170	8.2 (78)	10.6(148)	901	7.2(170)	3.1 (81)	14.1(150)	420	15.5 (53)	14.0(101)	593	4.7 (17)
1963	0	* *	* *	1	* *	* *	* *	0	* *	* *	1	* *
2150	620	6.3 (24)	9.5(128)	3,178	6.3(136)	2.4 (43)	12.3 (88)	1,529	17.3(111)	14.3(108)	2,085	2.5 (4)
2151	271	7.7 (64)	7.7 (86)	1,209	4.5 (42)	2.7 (60)	10.7 (41)	538	17.7(126)	12.6 (62)	778	1.5 (2)
2251	444	7.4 (51)	9.5(128)	2,109	6.2(132)	1.9 (15)	12.8(109)	1,047	17.0 (97)	13.4 (86)	1,353	4.8 (20)
2252	225	6.2 (23)	8.4(111)	1,017	4.5 (42)	2.7 (60)	13.9(147)	466	17.8(128)	15.7(154)	675	4.7 (17)
2551	3,491	12.7 (153)	3.3 (4)	14,112	8.5(196)	3.6(115)	14.2(152)	5,918	16.7 (84)	13.1 (74)	8,951	24.2(175)
2554	104	4.8 (9)	5.8 (30)	625	5.6(100)	2.6 (51)	18.2(195)	316	14.9 (39)	15.8(157)	398	19.3(154)
2555	4,742	9.7 (115)	6.6 (50)	19,792	6.2(132)	4.2(149)	13.0(118)	8,257	15.3 (47)	13.4 (86)	12,111	17.4(143)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3001	955	13.2 (157)	3.8 (7)	4,662	6.5(147)	2.2 (27)	18.0(194)	2,406	18.8(152)	16.1(162)	3,062	12.6(110)
3002	242	11.6(146)	4.5 (16)	1,299	5.8(108)	1.9 (15)	15.5(173)	698	19.1(159)	14.2(104)	872	21.9(171)
3003	2	* *	* *	42	* *	* *	* *	26	* *	* *	37	* *
3004	154	5.2 (11)	2.6 (1)	1,030	4.9 (62)	1.1 (3)	23.2(203)	596	22.0(188)	24.3(186)	771	8.8 (59)
3007	32	* *	* *	201	3.5 (14)	2.0 (19)	22.9(202)	104	21.2(182)	25.0(188)	154	12.3(107)
3009	17	* *	* *	69	* *	* *	* *	37	* *	* *	54	* *
3010	2	* *	* *	11	* *	* *	* *	8	* *	* *	11	* *
3201	579	6.9 (37)	10.5(147)	2,738	4.4 (39)	4.2(149)	11.7 (71)	1,304	17.3(111)	12.0 (54)	1,592	10.2 (75)
3301	3,390	8.2 (78)	7.1 (67)	15,561	5.6(100)	3.3 (94)	13.7(141)	6,718	16.3 (69)	15.0(134)	9,331	12.5(109)
3302	276	10.1(128)	5.8 (30)	1,626	6.7(155)	2.2 (27)	14.1(150)	859	21.9(186)	15.6(152)	1,040	15.0(131)
3304	92	* *	* *	634	3.3 (12)	4.1(145)	9.1 (17)	339	14.5 (28)	9.7 (19)	435	11.3 (90)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3305	108	4.6 (8)	10.2(139)	584	5.1 (74)	3.6(115)	9.2 (18)	285	16.8 (87)	7.0 (5)	375	6.9 (33)
3306	199	11.1(140)	10.6(148)	1,098	5.3 (81)	2.8 (69)	10.0 (28)	497	17.9(134)	8.2 (7)	698	6.9 (33)
3308	61	* *	* *	278	3.6 (17)	3.6(115)	11.2 (55)	115	20.0(169)	10.4 (26)	159	8.8 (59)
3309	30	* *	* *	230	3.5 (14)	2.6 (51)	17.0(187)	117	17.9(134)	21.4(180)	159	5.0 (21)
3311	0	* *	* *	1	* *	* *	* *	0	* *	* *	1	* *
3550	76	* *	* *	414	4.6 (49)	3.4(103)	22.7(200)	215	20.9(180)	24.7(187)	275	10.2 (75)
3551	25	* *	* *	132	1.5 (2)	1.5 (6)	20.5(197)	65	* *	* *	90	* *
3552	50	* *	* *	238	6.7(155)	2.1 (22)	26.9(204)	118	16.9 (91)	23.7(184)	149	16.8(139)
3701	1,095	6.8 (35)	5.9 (36)	4,977	5.9(114)	3.9(133)	11.3 (58)	2,323	21.5(183)	12.6 (62)	3,402	11.1 (85)
3702	16	* *	* *	126	6.3(136)	4.0(141)	15.9(178)	69	* *	* *	96	* *
3703	10	* *	* *	59	* *	* *	* *	23	* *	* *	43	* *

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3704	4	* *	* *	42	* *	* *	* *	21	* *	* *	34	* *
3805	3,277	8.3 (86)	8.1 (102)	14,363	4.9 (62)	5.2 (181)	10.4 (36)	6,309	17.0 (97)	13.2 (77)	6,266	10.4 (80)
3950	2,074	8.6 (93)	8.4 (111)	9,020	4.8 (58)	5.1 (179)	13.2 (121)	4,043	17.2 (105)	13.2 (77)	5,489	18.9 (149)
3952	22	* *	* *	165	2.4 (4)	0.6 (1)	17.6 (192)	87	* *	* *	114	11.4 (92)
3953	22	* *	* *	157	5.1 (74)	3.8 (128)	12.7 (105)	90	* *	* *	104	14.4 (127)
3954	82	* *	* *	566	5.1 (74)	4.8 (170)	13.3 (125)	290	17.2 (105)	13.1 (74)	400	17.3 (141)
4001	1,074	13.1 (155)	4.1 (11)	5,224	5.7 (104)	4.9 (175)	13.4 (133)	2,497	15.3 (47)	14.5 (118)	3,506	30.7 (185)
4002	987	9.9 (120)	6.0 (40)	4,686	6.3 (136)	4.8 (170)	15.9 (178)	2,202	18.3 (142)	16.5 (167)	3,110	27.5 (182)
4103	90	* *	* *	549	3.5 (14)	8.4 (201)	8.6 (10)	279	14.7 (35)	10.4 (26)	380	20.3 (163)
4106	1,099	9.8 (118)	4.6 (17)	5,797	6.1 (126)	2.6 (51)	13.2 (121)	2,866	16.0 (61)	14.6 (123)	3,818	19.0 (150)
4107	2,939	9.4 (109)	7.8 (88)	13,368	6.9 (162)	2.1 (22)	12.9 (114)	5,895	16.5 (77)	13.4 (86)	8,399	14.4 (127)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>Clinic</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
4109	1,194	8.8 (99)	9.9 (136)	6,126	4.8 (58)	2.7 (60)	9.2 (18)	2,935	14.9 (39)	10.8 (31)	4,058	7.6 (47)
4110	1,602	8.1 (74)	6.3 (46)	8,202	5.9 (114)	1.8 (11)	15.6 (175)	4,013	18.1 (139)	18.0 (175)	5,526	11.2 (88)
4112	616	3.1 (1)	12.2 (159)	3,248	7.5 (181)	3.6 (115)	21.9 (199)	1,669	20.2 (172)	23.7 (184)	2,559	11.1 (85)
4113	597	5.5 (15)	6.9 (59)	3,387	3.6 (17)	2.2 (27)	15.5 (173)	1,652	16.8 (87)	18.6 (178)	2,252	8.3 (56)
4120	1,936	8.0 (73)	9.5 (128)	10,041	7.2 (170)	1.9 (15)	14.9 (166)	4,804	17.6 (120)	14.3 (108)	6,626	14.6 (129)
4160	1,788	9.6 (113)	7.9 (91)	8,630	6.5 (147)	2.3 (34)	12.9 (114)	3,924	16.0 (61)	12.8 (67)	5,373	14.0 (122)
4351	560	7.9 (70)	12.3 (161)	2,966	5.4 (87)	3.3 (94)	11.6 (67)	1,483	17.1 (99)	14.3 (108)	1,972	12.3 (107)
4352	176	9.7 (115)	8.0 (95)	935	6.3 (136)	1.8 (11)	14.2 (152)	485	20.2 (172)	14.4 (115)	637	14.3 (125)
4353	485	8.5 (92)	9.1 (123)	2,489	6.0 (119)	2.9 (76)	12.4 (93)	1,205	19.2 (162)	14.9 (130)	1,697	11.3 (90)
4354	794	7.4 (51)	10.3 (144)	3,621	4.3 (36)	2.8 (69)	9.8 (26)	1,695	17.9 (134)	10.2 (24)	2,312	11.9 (100)
4355	341	8.2 (78)	7.0 (63)	1,613	6.0 (119)	2.7 (60)	12.4 (93)	756	21.6 (184)	15.9 (161)	1,070	7.5 (44)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)													
<b>Clinic</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
4356	579	7.8 (66)	7.6 (79)	2,636	6.5(147)	2.1 (22)	11.9 (76)	1,249	20.9(180)	15.4(145)		1,745	12.1(103)
4357	10	* *	* *	32	* *	* *	* *	10	* *	* *		19	* *
4358	188	7.4 (51)	8.0 (95)	1,132	7.5(181)	1.1 (3)	22.8(201)	640	27.3(192)	28.1(190)		807	7.9 (53)
4359	484	5.2 (11)	7.0 (63)	2,597	6.7(155)	2.2 (27)	17.4(190)	1,339	17.3(111)	16.2(163)		1,727	10.5 (82)
4360	161	7.5 (61)	8.1(102)	835	3.1 (9)	1.7 (9)	8.9 (13)	388	16.5 (77)	10.3 (25)		559	16.6(136)
4361	242	7.9 (70)	6.6 (50)	1,044	5.5 (93)	1.7 (9)	11.4 (61)	453	23.6(191)	13.9 (96)		680	12.2(105)
4362	336	9.8(118)	8.0 (95)	1,570	6.5(147)	3.2 (89)	9.0 (14)	715	13.7 (19)	11.2 (35)		1,044	12.7(112)
4363	912	7.8 (66)	9.3(126)	4,208	5.3 (81)	2.4 (43)	10.5 (39)	1,959	17.2(105)	13.9 (96)		2,777	17.5(144)
4401	1,300	9.1(105)	8.8(120)	5,771	8.6(197)	3.4(103)	12.8(109)	2,549	17.4(116)	14.2(104)		3,385	11.9(100)
4501	963	8.2 (78)	7.1 (67)	4,702	5.9(114)	3.7(124)	9.4 (21)	2,257	14.6 (33)	10.4 (26)		3,166	7.2 (41)
4502	0	* *	* *	1	* *	* *	* *	1	* *	* *		1	* *

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
4591	0	* *	* *	2	* *	* *	* *	1	* *	* *	2	* *
4601	1,458	8.6 (93)	6.9 (59)	6,490	7.9(191)	4.5(164)	13.4(133)	2,778	18.1(139)	15.7(154)	3,535	7.7 (50)
4701	1,304	7.3 (44)	10.4(145)	5,471	5.0 (66)	3.6(115)	10.4 (36)	2,372	18.7(147)	14.8(129)	3,483	5.0 (21)
5050	1,690	10.1(128)	5.4 (27)	6,051	5.5 (93)	2.9 (76)	13.3(125)	2,125	14.2 (25)	12.8 (67)	3,647	18.4(148)
5051	3,121	9.2(108)	6.6 (50)	11,285	6.5(147)	2.7 (60)	13.7(141)	3,973	14.5 (28)	10.6 (30)	6,875	19.9(161)
5052	2,576	10.3(132)	5.4 (27)	9,087	5.7(104)	2.4 (43)	13.7(141)	3,208	16.7 (84)	15.5(148)	5,500	17.9(146)
5101	2,052	7.9 (70)	7.2 (72)	8,185	5.3 (81)	2.6 (51)	11.4 (61)	3,380	17.6(120)	13.3 (81)	4,969	11.9(100)
5202	591	7.8 (66)	6.8 (56)	2,535	5.2 (77)	2.0 (19)	13.2(121)	1,123	19.5(164)	15.0(134)	1,454	9.4 (67)
5203	176	5.7 (17)	11.9(158)	882	4.5 (42)	1.9 (15)	15.0(169)	437	17.8(128)	11.9 (48)	524	7.1 (40)
5204	144	8.3 (86)	10.4(145)	625	2.4 (4)	1.8 (11)	11.5 (63)	292	19.9(168)	11.6 (41)	360	8.9 (61)
5601	1,232	8.8 (99)	8.0 (95)	5,352	7.8(187)	2.6 (51)	17.0(187)	2,447	16.6 (81)	14.5(118)	3,052	7.2 (41)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>Clinic</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
5801	2,093	8.2 (78)	7.1 (67)	8,400	7.5(181)	2.3 (34)	12.7(105)	3,335	17.8(128)	14.0(101)	4,910	9.1 (64)
5803	67	* *	* *	422	5.9(114)	4.0(141)	10.9 (47)	204	14.7 (35)	10.8 (31)	275	7.6 (47)
5804	27	* *	* *	240	2.9 (7)	3.3 (94)	7.1 (2)	125	11.2 (4)	8.8 (12)	178	8.4 (57)
6101	66	* *	* *	392	7.1(167)	3.3 (94)	12.5 (98)	207	15.9 (58)	12.6 (62)	274	13.9(121)
6102	197	8.1 (74)	7.6 (79)	1,149	5.0 (66)	4.4(156)	10.4 (36)	588	19.0(157)	11.6 (41)	729	13.7(119)
6103	4,013	9.1(105)	6.6 (50)	17,448	4.6 (49)	4.4(156)	11.6 (67)	8,084	15.8 (57)	12.5 (59)	11,039	20.4(164)
6104	218	11.5(145)	5.0 (23)	847	3.7 (21)	6.4(192)	10.0 (28)	445	15.3 (47)	11.9 (48)	485	20.2(162)
6105	52	* *	* *	369	4.1 (30)	3.5(109)	7.9 (7)	210	16.2 (67)	8.6 (10)	262	19.5(157)
6106	21	* *	* *	75	* *	* *	* *	38	* *	* *	45	* *
6301	4,751	9.9(120)	6.9 (59)	19,785	5.8(108)	2.8 (69)	11.8 (73)	8,258	16.8 (87)	15.5(148)	12,673	12.9(113)
6312	2,662	10.6(136)	6.8 (56)	11,060	6.5(147)	2.7 (60)	11.1 (53)	4,560	17.2(105)	12.9 (70)	7,041	15.8(134)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
6316	1,478	7.8 (66)	8.0 (95)	5,834	5.0 (66)	2.5 (47)	9.7 (23)	2,321	15.0 (43)	11.4 (39)	3,643	8.9 (61)
6320	234	7.3 (44)	6.0 (40)	1,299	4.5 (42)	5.8(187)	10.5 (39)	663	14.6 (33)	12.1 (56)	826	9.6 (70)
6325	147	9.5 (111)	5.4 (27)	750	4.4 (39)	3.9(133)	12.0 (78)	354	20.6(178)	14.4(115)	488	8.6 (58)
6330	389	12.3 (151)	6.2 (45)	1,664	5.5 (93)	3.3 (94)	12.4 (93)	736	14.5 (28)	13.3 (81)	1,026	19.4 (155)
6335	525	6.5 (26)	8.0 (95)	2,712	3.7 (21)	4.4(156)	9.9 (27)	1,266	14.3 (26)	9.8 (21)	1,709	9.4 (67)
6340	129	5.4 (14)	7.0 (63)	848	4.0 (28)	2.8 (69)	11.3 (58)	456	14.0 (22)	13.2 (77)	563	11.7 (95)
6345	34	* *	* *	215	6.5(147)	1.4 (5)	14.9(166)	106	15.1 (44)	14.2(104)	136	10.3 (79)
6350	272	10.3 (132)	5.9 (36)	1,200	5.5 (93)	5.8(187)	12.8(109)	479	15.7 (55)	14.6(123)	709	14.7 (130)
7304	221	7.7 (64)	8.1 (102)	1,168	4.7 (53)	3.6(115)	16.3(181)	611	21.9(186)	21.4(180)	853	5.5 (28)
7306	2,592	9.9 (120)	7.3 (76)	11,155	4.8 (58)	3.5(109)	12.8(109)	5,313	18.0(137)	13.9 (96)	7,852	14.0 (122)
7308	204	7.4 (51)	8.3 (107)	977	5.7(104)	3.3 (94)	13.0(118)	502	16.3 (69)	14.5(118)	701	11.4 (92)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
7310	47	* *	* *	160	7.5(181)	5.6(185)	13.1(120)	70	* *	* *	99	* *
7401	2,267	9.0 (103)	6.5 (49)	10,140	5.9(114)	4.4(156)	10.9 (47)	4,575	14.8 (37)	11.0 (33)	6,715	12.2(105)
7402	169	8.9 (102)	7.7 (86)	780	6.3(136)	4.9(175)	10.0 (28)	324	14.8 (37)	15.1(136)	535	12.1(103)
7403	63	* *	* *	272	7.4(179)	4.4(156)	14.0(148)	119	13.4 (15)	17.6(172)	181	7.7 (50)
7404	62	* *	* *	267	4.5 (42)	7.1(197)	10.1 (34)	114	12.3 (9)	9.6 (17)	186	11.8 (96)
7601	722	7.6 (63)	4.8 (21)	3,370	3.6 (17)	5.5(184)	7.1 (2)	1,548	11.3 (6)	8.6 (10)	2,272	3.5 (5)
7850	972	7.3 (44)	6.7 (55)	4,582	4.1 (30)	6.4(192)	12.0 (78)	2,222	16.4 (72)	15.8(157)	3,082	3.8 (9)
7851	114	5.3 (13)	7.0 (63)	630	7.0(166)	4.3(154)	13.3(125)	312	17.3(111)	17.9(174)	452	6.9 (33)
7852	115	6.1 (22)	7.8 (88)	497	4.6 (49)	6.6(194)	12.5 (98)	235	20.0(169)	14.9(130)	323	3.7 (8)
8150	50	* *	* *	392	3.8 (24)	4.1(145)	11.0 (49)	213	17.4(116)	11.7 (44)	260	15.0(131)
8151	2,614	9.9 (120)	6.8 (56)	11,437	5.4 (87)	3.9(133)	12.4 (93)	4,781	16.1 (63)	13.5 (90)	7,022	24.3(176)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>Clinic</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
8152	468	11.3 (144)	5.8 (30)	1,441	5.2 (77)	6.1(190)	12.2 (85)	430	18.4(144)	14.9(130)	803	34.2 (187)
8153	23	* *	* *	155	8.4(194)	3.2 (89)	14.2(152)	83	* *	* *	105	11.4 (92)
8154	278	8.6 (93)	7.9 (91)	1,405	2.3 (3)	4.8(170)	7.0 (1)	664	15.4 (50)	9.3 (16)	828	7.7 (50)
8155	57	* *	* *	429	3.0 (8)	2.3 (34)	8.6 (10)	224	17.4(116)	4.9 (2)	294	20.4(164)
8156	26	* *	* *	186	3.8 (24)	2.7 (60)	10.8 (45)	102	15.7 (55)	13.7 (93)	127	10.2 (75)
8157	20	* *	* *	147	8.8(199)	3.4(103)	10.2 (35)	94	* *	* *	91	* *
8201	2,587	9.5 (111)	7.6 (79)	7,865	6.9(162)	2.7 (60)	12.1 (82)	1,905	16.1 (63)	11.9 (48)	3,956	10.8 (84)
8202	2,706	7.4 (51)	7.4 (77)	13,430	4.0 (28)	3.5(109)	12.0 (78)	6,320	16.1 (63)	12.9 (70)	8,214	16.6 (136)
8203	421	11.6 (146)	7.6 (79)	1,290	9.1(201)	2.1 (22)	10.8 (45)	400	22.3(189)	9.0 (13)	671	19.4(155)
8250	727	10.7 (138)	5.8 (30)	1,805	6.0(119)	5.1(179)	7.8 (6)	491	13.6 (18)	11.8 (46)	834	23.5(174)
8252	0	* *	* *	2	* *	* *	* *	2	* *	* *	0	* *

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
8255	3,080	10.1 (128)	7.9 (91)	9,932	7.8(187)	2.2 (27)	13.3(125)	2,780	20.3(175)	17.3(171)	5,112	11.8 (96)
8257	477	10.1 (128)	5.0 (23)	2,405	5.5 (93)	4.7(167)	11.9 (76)	1,120	12.5 (12)	12.9 (70)	1,454	17.5 (144)
8258	1,663	10.6 (136)	6.4 (47)	6,549	7.2(170)	2.0 (19)	13.6(139)	2,369	18.0(137)	15.8(157)	3,935	12.9 (113)
8260	520	10.0 (125)	3.7 (6)	2,235	5.0 (66)	4.7(167)	8.0 (8)	1,048	14.9 (39)	8.4 (9)	1,406	26.3 (179)
8901	1,035	14.6 (163)	3.8 (7)	4,545	6.3(136)	6.0(189)	12.6(101)	2,069	14.5 (28)	11.3 (36)	2,694	41.1 (193)
8902	633	11.2 (142)	4.4 (14)	2,821	5.8(108)	7.2(198)	11.2 (55)	1,261	11.2 (4)	11.1 (34)	1,681	34.6 (189)
8903	1,269	13.1 (155)	3.8 (7)	5,367	6.1(126)	5.3(182)	12.6(101)	2,414	15.4 (50)	11.4 (39)	3,149	41.1 (193)
8904	963	13.0 (154)	5.8 (30)	4,232	4.5 (42)	6.8(195)	11.6 (67)	1,985	13.9 (21)	11.9 (48)	2,757	38.5 (192)
8905	2,740	8.2 (78)	7.2 (72)	12,481	5.8(108)	7.3(200)	15.1(170)	5,874	16.6 (81)	15.2(140)	6,046	34.5 (188)
9004	15	* *	* *	289	8.7(198)	3.5(109)	27.0(205)	123	20.3(175)	31.7(191)	219	37.0 (190)
9012	17	* *	* *	100	1.0 (1)	3.0 (78)	9.0 (14)	49	* *	* *	13	* *

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
9013	59	* *	* *	182	4.4 (39)	3.8(128)	11.0 (49)	79	* *	* *	96	* *
9015	13	* *	* *	76	* *	* *	* *	39	* *	* *	26	* *
9016	68	* *	* *	231	9.1(201)	2.6 (51)	11.3 (58)	99	* *	* *	122	46.7 (195)
9017	30	* *	* *	117	7.7(186)	2.6 (51)	17.9(193)	54	* *	* *	19	* *
9018	77	* *	* *	215	9.3(205)	11.6(204)	9.3 (20)	84	* *	* *	11	* *
9019	19	* *	* *	92	* *	* *	* *	49	* *	* *	5	* *
9021	48	* *	* *	153	9.2(204)	7.2(198)	15.7(176)	61	* *	* *	18	* *
9023	1	* *	* *	9	* *	* *	* *	6	* *	* *	5	* *
9040	11	* *	* *	222	4.5 (42)	5.0(178)	12.6(101)	126	15.9 (58)	11.9 (48)	151	38.4(191)
9041	456	16.4(165)	4.4 (14)	2,573	8.4(194)	6.3(191)	14.9(166)	1,232	18.8(152)	12.3 (57)	812	30.0(184)
9045	1,266	11.1(140)	7.1 (67)	6,274	5.7(104)	3.2 (89)	17.5(191)	3,085	16.9 (91)	15.1(136)	2,070	21.7(170)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
9050	1,949	11.2 (142)	5.9 (36)	8,598	7.2 (170)	4.2 (149)	15.1 (170)	3,911	14.5 (28)	15.5 (148)	4,932	15.2 (133)
9051	1,844	7.4 (51)	7.2 (72)	9,190	5.0 (66)	1.8 (11)	16.9 (186)	4,060	18.7 (147)	19.3 (179)	4,870	11.8 (96)
9053	2,416	14.4 (161)	4.1 (11)	9,772	6.9 (162)	4.1 (145)	11.5 (63)	3,957	16.2 (67)	12.4 (58)	6,223	19.7 (159)
9055	341	12.0 (150)	5.0 (23)	346	9.0 (200)	13.9 (206)	8.1 (9)	16	* *	* *	21	* *
9058	570	10.0 (125)	4.6 (17)	3,293	3.1 (9)	4.3 (154)	9.7 (23)	1,780	11.9 (8)	9.8 (21)	2,217	21.1 (167)
9066	2,104	13.4 (158)	3.9 (10)	8,499	6.7 (155)	6.8 (195)	9.7 (23)	3,421	9.2 (3)	7.3 (6)	4,534	13.0 (116)
9068	1,433	13.5 (160)	3.6 (5)	5,674	5.4 (87)	12.2 (205)	7.3 (4)	2,388	4.8 (1)	4.1 (1)	3,574	31.6 (186)
9069	2,155	12.4 (152)	4.7 (19)	7,778	6.3 (136)	5.4 (183)	10.7 (41)	2,817	16.5 (77)	13.5 (90)	4,224	17.3 (141)
9070	1,876	13.4 (158)	3.2 (3)	7,426	7.6 (185)	8.9 (202)	11.1 (53)	3,044	6.6 (2)	5.9 (3)	4,358	17.0 (140)
9072	1,525	14.5 (162)	4.1 (11)	6,069	7.4 (179)	3.8 (128)	12.0 (78)	2,467	16.1 (63)	11.3 (36)	3,511	9.5 (69)
9074	1,419	14.7 (164)	2.8 (2)	5,818	8.2 (193)	3.6 (115)	11.5 (63)	2,401	15.2 (46)	11.9 (48)	3,567	18.1 (147)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
9079	28	* *	* *	317	9.1(201)	3.8(128)	15.1(170)	138	12.3 (9)	14.5(118)	180	11.1 (85)
9080	2,278	11.6 (146)	4.7 (19)	10,951	4.3 (36)	4.4(156)	8.8 (12)	5,303	13.4 (15)	9.7 (19)	7,115	27.4(181)
9151	2	* *	* *	16	* *	* *	* *	8	* *	* *	16	* *
Unknown Clinics	62	* *	* *	389	11.3(206)	3.1 (81)	27.2(206)	120	12.5 (12)	33.3(192)	564	51.1(196)
<b>Michigan</b>	<b>162,623</b>	<b>9.3</b>	<b>7.0</b>	<b>727,012</b>	<b>5.9</b>	<b>3.7</b>	<b>12.7</b>	<b>324,031</b>	<b>16.5</b>	<b>13.6</b>	<b>447,062</b>	<b>15.4</b>

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
0101	192	64.1 (49)	142	21.1 (48)	110	13.6 (30)	110	26.4 (12)	106	6.6 (77)	186	87.1 (76)	249	8.4 (104)
0102	554	53.1(114)	436	14.4 (122)	336	6.8 (129)	267	12.0 (107)	260	2.7(136)	529	84.3(111)	721	9.0 (116)
0103	550	56.2(103)	438	15.3 (113)	330	7.3 (122)	255	18.4 (55)	250	5.6 (94)	564	82.8(123)	733	11.9 (157)
0104	166	51.2(120)	140	6.4 (169)	122	5.7 (147)	105	9.5 (121)	99	* *	177	78.5(145)	241	23.2 (186)
0250	250	63.6 (52)	201	17.4 (96)	151	9.9 (75)	126	18.3 (57)	130	9.2 (33)	233	86.3 (91)	316	10.4 (137)
0251	180	42.8(156)	121	8.3 (164)	106	9.4 (87)	84	* *	79	* *	193	91.7 (23)	244	6.6 (73)
0252	173	71.1 (13)	164	25.0 (21)	150	12.7 (35)	93	* *	109	13.8 (8)	267	87.3 (71)	288	10.4 (137)
0253	222	50.0(128)	191	15.2 (114)	178	8.4 (108)	135	15.6 (78)	140	8.6 (41)	233	87.1 (76)	310	14.5 (170)
0401	736	44.0(153)	638	17.9 (90)	553	11.8 (43)	448	17.0 (66)	448	8.0 (57)	744	93.1 (12)	983	7.2 (86)
0402	566	61.0 (77)	455	22.0 (35)	374	12.3 (38)	289	19.7 (46)	265	6.0 (84)	651	87.9 (67)	800	7.0 (83)
0403	177	62.1 (63)	154	16.9 (105)	126	9.5 (84)	108	19.4 (48)	112	5.4 (96)	248	84.3(111)	271	11.4 (152)
0404	180	56.1(105)	147	24.5 (23)	119	16.0 (17)	82	* *	74	* *	250	87.2 (73)	290	20.7 (183)
0501	672	67.0 (26)	552	21.2 (44)	467	10.7 (55)	379	24.8 (15)	372	9.4 (29)	803	89.9 (40)	1,022	11.8 (156)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
0502	4	* *	3	* *	6	* *	3	* *	3	* *	6	* *
0503	213	80.3 (3)	175	29.1 (12)	149	18.8 (9)	131	33.6 (2)	124	14.5 (6)	229	93.0 (13)
0504	735	72.1 (11)	627	24.4 (24)	504	13.1 (32)	322	27.3 (11)	328	13.7 (9)	867	91.6 (24)
0505	504	73.6 (10)	410	31.2 (9)	358	17.3 (11)	281	33.1 (3)	281	10.0 (24)	614	89.3 (46)
0506	254	70.1 (17)	225	16.0 (109)	212	10.4 (62)	129	22.5 (27)	130	8.5 (45)	346	88.2 (62)
0650	1,512	66.7 (29)	1,241	20.9 (49)	980	9.8 (77)	778	21.5 (36)	792	9.2 (33)	1,465	84.8(108)
0651	867	50.4(123)	695	13.2 (137)	648	7.4 (121)	461	13.7 (89)	480	3.3(129)	1,022	88.2 (62)
0652	418	57.7 (95)	354	18.9 (74)	313	10.5 (59)	210	15.2 (81)	209	8.1 (54)	642	84.4(110)
0653	603	61.9 (68)	499	18.4 (84)	445	10.3 (65)	270	23.0 (24)	287	9.4 (29)	798	85.1(105)
0654	550	62.9 (57)	437	17.4 (96)	361	9.7 (78)	319	21.9 (34)	308	8.8 (40)	615	89.6 (44)
0655	544	65.3 (35)	469	17.7 (93)	418	9.3 (92)	299	18.4 (55)	318	8.5 (45)	577	88.4 (59)
0657	93	* *	78	* *	79	* *	54	* *	55	* *	171	93.0 (13)
0701	561	75.9 (8)	434	38.9 (3)	304	22.4 (5)	332	31.0 (5)	309	13.9 (7)	581	97.6 (2)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
0702	135	57.0 (99)	104	17.3 (100)	82	* *	74	* *	73	* *	143	87.4 (70)	178	5.6 (50)
0703	358	61.7 (70)	270	20.7 (51)	191	8.4 (108)	191	22.5 (27)	197	8.1 (54)	345	92.2 (19)	445	7.6 (94)
0704	97	* *	91	* *	78	* *	56	* *	61	* *	156	78.2(146)	168	11.9 (157)
0705	251	65.3 (35)	211	31.8 (8)	158	10.8 (54)	139	20.9 (37)	140	8.6 (41)	299	94.6 (7)	362	2.5 (11)
0850	1,451	67.0 (26)	1,205	21.2 (44)	946	9.7 (78)	956	16.7 (70)	968	6.7 (76)	1,691	87.2 (73)	2,339	5.0 (36)
0851	1,110	59.5 (85)	1,005	17.3 (100)	764	8.4 (108)	779	18.6 (54)	810	6.4 (79)	1,593	86.4 (89)	1,958	6.4 (69)
0901	2,378	55.3(108)	1,929	13.5 (134)	1,522	6.0 (141)	1,278	12.6 (104)	1,230	3.5(124)	2,478	91.6 (24)	3,315	9.0 (116)
0902	112	70.5 (16)	81	* *	68	* *	43	* *	38	* *	128	85.9 (94)	161	14.3 (168)
1051	1,854	80.2 (4)	1,482	32.8 (6)	1,243	20.1 (7)	922	30.6 (6)	966	11.7 (15)	1,894	89.9 (40)	2,566	4.5 (27)
1101	2,476	45.8(144)	2,111	11.1 (154)	1,744	6.6 (132)	1,335	10.6 (112)	1,372	4.1(116)	2,587	73.8(157)	3,632	10.6 (139)
1102	1,257	51.9(119)	1,012	19.7 (60)	815	12.5 (36)	702	17.1 (65)	726	8.0 (57)	1,312	82.9(122)	1,839	11.6 (154)
1106	158	62.0 (66)	140	20.0 (57)	115	14.8 (22)	104	15.4 (80)	99	* *	172	86.6 (86)	248	12.9 (163)
1250	1,396	59.0 (89)	1,164	18.6 (78)	940	9.4 (87)	904	17.0 (66)	906	7.7 (61)	1,827	85.3(102)	2,265	9.0 (116)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
1251	1,058	65.1 (38)	928	21.4 (42)	730	10.1 (71)	716	24.2 (18)	718	13.2 (10)	1,469	88.4 (59)	1,830	7.4 (89)
1252	481	68.0 (23)	427	19.4 (67)	426	14.3 (26)	180	18.3 (57)	206	8.3 (50)	538	80.5(137)	683	6.7 (74)
1253	1,601	59.8 (82)	1,262	15.5 (111)	1,009	6.2 (137)	951	12.6 (104)	940	7.3 (68)	1,997	87.3 (71)	2,568	6.8 (76)
1350	2,998	50.1(126)	2,371	11.7 (150)	1,831	5.1 (153)	1,911	8.4 (125)	1,876	3.5(124)	3,693	89.1 (49)	4,924	5.6 (50)
1351	220	68.2 (21)	168	19.6 (62)	149	10.7 (55)	146	13.0 (100)	133	3.8(120)	285	97.9 (1)	366	4.1 (23)
1352	521	49.9(129)	437	10.1 (158)	360	3.3 (163)	364	7.7 (132)	369	3.3(129)	745	88.5 (56)	901	12.3 (161)
1401	318	67.0 (26)	258	21.7 (39)	227	10.1 (71)	185	23.2 (21)	177	10.2 (22)	394	87.1 (76)	478	4.6 (29)
1402	237	77.6 (7)	165	29.1 (12)	135	25.2 (3)	91	* *	88	* *	284	86.3 (91)	354	6.8 (76)
1403	37	* *	36	* *	36	* *	20	* *	24	* *	64	* *	66	* *
1404	26	* *	31	* *	24	* *	22	* *	23	* *	31	* *	53	* *
1501	1,471	63.9 (50)	1,205	22.6 (32)	1,003	9.5 (84)	812	19.8 (45)	800	8.4 (47)	2,010	85.7 (99)	2,480	7.1 (85)
1502	0	* *	0	* *	1	* *	0	* *	0	* *	0	* *	0	* *
1503	1,725	61.9 (68)	1,501	21.9 (36)	1,221	13.8 (28)	972	17.6 (62)	950	8.9 (39)	2,215	83.7(118)	2,788	7.2 (86)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
1504	3,356	66.3 (31)	2,449	21.6 (41)	2,297	10.2 (69)	1,547	20.0 (43)	1,592	7.3 (68)	4,126	84.9(107)	5,314	3.2 (16)
1505	1,184	69.9 (18)	918	29.4 (11)	853	13.0 (33)	625	29.8 (8)	657	14.8 (5)	1,666	90.8 (30)	1,996	2.6 (12)
1506	825	66.3 (31)	698	18.8 (76)	594	8.9 (96)	489	20.7 (38)	475	8.2 (53)	1,052	90.1 (38)	1,319	6.1 (64)
1507	932	64.4 (43)	704	24.3 (26)	685	11.7 (46)	529	27.8 (10)	531	11.9 (11)	1,110	90.6 (35)	1,435	5.6 (50)
1508	191	64.4 (43)	149	34.2 (5)	139	12.2 (39)	91	* *	101	25.7 (2)	241	92.1 (20)	316	0.0 (1)
1509	873	61.2 (74)	763	20.1 (56)	676	8.7 (102)	541	19.6 (47)	549	7.1 (72)	1,246	82.7(125)	1,522	7.6 (94)
1510	129	50.4(123)	118	13.6 (131)	111	9.0 (94)	51	* *	57	* *	83	* *	144	11.1 (147)
1511	903	62.5 (60)	746	17.0 (104)	630	9.0 (94)	606	16.8 (68)	594	6.2 (80)	1,076	85.9 (94)	1,427	4.3 (24)
1512	429	61.1 (76)	366	18.9 (74)	331	9.7 (78)	284	22.2 (30)	278	8.6 (41)	604	89.4 (45)	731	5.5 (46)
1701	913	61.4 (72)	720	22.9 (30)	586	11.4 (50)	501	22.0 (32)	469	9.6 (27)	946	88.1 (64)	1,243	8.1 (101)
1712	64	* *	56	* *	54	* *	25	* *	27	* *	89	* *	101	16.8 (177)
1950	1,004	60.5 (79)	772	18.3 (85)	607	9.4 (87)	521	19.4 (48)	539	8.3 (50)	991	86.7 (85)	1,428	10.1 (134)
1952	217	69.1 (20)	179	22.3 (33)	151	6.6 (132)	117	29.9 (7)	118	11.9 (11)	264	89.0 (51)	329	9.1 (120)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
1953	436	58.9 (90)	374	17.9 (90)	302	6.3 (135)	241	17.4 (64)	251	6.0 (84)	555	86.8 (84)	658	7.9 (99)
1954	896	62.1 (63)	778	23.3 (29)	572	11.7 (46)	513	22.2 (30)	522	10.5 (20)	1,033	92.8 (16)	1,323	6.3 (67)
1955	184	59.8 (82)	163	19.6 (62)	149	9.4 (87)	105	21.9 (34)	109	10.1 (23)	292	89.7 (43)	327	5.8 (56)
1957	669	64.6 (42)	596	21.8 (37)	421	14.5 (25)	425	20.2 (42)	426	7.7 (61)	674	85.9 (94)	939	4.8 (35)
1959	250	67.2 (25)	234	21.8 (37)	189	14.3 (26)	123	17.9 (61)	132	8.3 (50)	275	88.0 (66)	335	5.7 (54)
2150	913	61.2 (74)	779	18.6 (78)	639	8.6 (104)	473	13.7 (89)	456	6.1 (82)	1,000	92.3 (18)	1,282	6.9 (79)
2151	391	53.7(112)	287	12.5 (141)	253	6.3 (135)	229	13.1 (97)	220	4.5(111)	330	88.5 (56)	476	6.5 (71)
2251	612	62.9 (57)	512	23.6 (27)	423	10.6 (57)	336	25.0 (14)	356	8.4 (47)	649	89.1 (49)	815	5.5 (46)
2252	319	60.2 (80)	230	20.4 (54)	207	10.1 (71)	178	24.7 (17)	177	9.6 (27)	295	91.2 (26)	402	7.5 (92)
2551	4,629	35.3(166)	3,691	6.0 (170)	2,786	2.9 (165)	2,417	6.0 (141)	2,414	2.0(148)	3,597	75.7(151)	5,646	8.7 (110)
2554	174	36.2(165)	137	8.8 (163)	121	2.5 (166)	89	* *	90	* *	212	85.8 (98)	261	10.0 (133)
2555	6,992	48.7(132)	5,299	11.8 (146)	3,739	5.5 (149)	3,739	10.6 (112)	3,574	3.5(124)	5,890	82.8(123)	8,873	6.0 (62)
3001	1,336	43.1(155)	1,091	7.1 (166)	885	4.9 (156)	786	5.1 (147)	782	2.3(144)	1,597	76.1(150)	1,890	13.0 (165)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
3002	339	40.7(160)	275	2.5 (172)	233	0.9 (167)	203	2.5 (155)	202	1.0(154)	469	85.5(101)	519	6.2 (65)
3003	6	* *	8	* *	9	* *	8	* *	7	* *	18	* *	22	* *
3004	212	67.9 (24)	176	18.2 (86)	167	13.2 (31)	91	* *	94	* *	390	72.6(159)	378	1.3 (8)
3007	49	* *	45	* *	30	* *	29	* *	30	* *	74	* *	80	* *
3009	24	* *	14	* *	9	* *	10	* *	9	* *	22	* *	38	* *
3010	4	* *	4	* *	2	* *	2	* *	2	* *	6	* *	8	* *
3201	821	52.6(117)	650	14.2 (125)	473	7.0 (125)	477	16.6 (71)	463	5.8 (89)	851	93.9 (8)	1,141	7.6 (94)
3301	4,360	61.4 (72)	3,823	19.0 (73)	2,937	10.3 (65)	2,989	10.6 (112)	3,007	4.4(114)	5,204	80.0(138)	7,685	6.2 (65)
3302	382	55.0(109)	324	14.8 (117)	270	8.9 (96)	260	9.2 (123)	264	5.3 (99)	598	78.6(144)	735	4.4 (25)
3304	139	93.5 (1)	141	63.1 (2)	119	43.7 (1)	104	31.7 (4)	117	20.5 (3)	259	77.6(148)	291	1.0 (3)
3305	156	80.1 (5)	135	29.6 (10)	112	16.1 (16)	101	23.8 (19)	110	11.8 (13)	238	85.3(102)	287	3.5 (19)
3306	305	64.3 (47)	290	18.6 (78)	218	11.0 (51)	225	8.9 (124)	222	5.4 (96)	410	92.7 (17)	535	6.7 (74)
3308	81	* *	68	* *	47	* *	54	* *	54	* *	96	* *	140	6.4 (69)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2008 - 2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
3309	50	* *	53	* *	51	* *	40	* *	40	* *	96	* *	107	5.6 (50)
3550	104	51.0(121)	102	11.8 (146)	99	* *	71	* *	75	* *	158	91.8 (22)	174	5.7 (54)
3551	40	* *	31	* *	34	* *	21	* *	23	* *	46	* *	53	* *
3552	66	* *	53	* *	55	* *	39	* *	39	* *	75	* *	86	* *
3701	1,546	52.7(115)	1,201	14.4 (122)	1,026	8.6 (104)	796	20.0 (43)	823	11.1 (16)	1,719	96.7 (5)	2,253	8.8 (111)
3702	19	* *	27	* *	22	* *	0	* *	0	* *	0	* *	0	* *
3703	13	* *	15	* *	12	* *	0	* *	0	* *	0	* *	0	* *
3704	5	* *	16	* *	14	* *	0	* *	0	* *	0	* *	0	* *
3805	4,156	55.8(107)	3,577	14.9 (116)	2,843	6.6 (132)	2,846	13.4 (96)	2,943	5.3 (99)	5,038	83.7(118)	6,671	8.8 (111)
3950	2,907	58.7 (92)	2,320	20.6 (52)	1,825	11.0 (51)	1,688	18.7 (53)	1,629	9.9 (25)	2,858	83.7(118)	4,007	5.9 (57)
3952	33	* *	37	* *	32	* *	17	* *	19	* *	42	* *	50	* *
3953	39	* *	30	* *	26	* *	17	* *	15	* *	50	* *	58	* *
3954	125	48.0(138)	123	16.3 (107)	130	6.9 (127)	72	* *	72	* *	198	88.4 (59)	200	1.0 (3)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
4001	1,501	57.0 (99)	1,193	14.5 (121)	955	8.2 (113)	762	14.2 (85)	706	5.5 (95)	1,848	61.6(178)	2,273	11.2 (150)
4002	1,403	59.3 (86)	1,098	19.4 (67)	901	10.2 (69)	825	16.8 (68)	774	7.5 (63)	1,679	68.3(168)	2,142	8.9 (114)
4103	141	41.8(158)	141	12.1 (144)	123	5.7 (147)	87	* *	99	* *	210	70.5(163)	252	9.9 (130)
4106	1,627	57.3 (98)	1,344	18.5 (82)	1,040	9.1 (93)	1,050	9.3 (122)	1,035	5.1(103)	2,164	79.2(143)	2,719	6.0 (62)
4107	4,059	62.1 (63)	3,500	21.3 (43)	2,647	11.5 (49)	2,509	15.0 (82)	2,479	8.6 (41)	4,303	86.6 (86)	5,969	4.6 (29)
4109	1,641	62.2 (62)	1,472	17.3 (100)	1,161	8.8 (99)	932	16.5 (73)	932	9.1 (36)	2,217	88.5 (56)	2,725	5.9 (57)
4110	2,238	60.1 (81)	1,844	18.6 (78)	1,572	10.3 (65)	1,174	6.1 (140)	1,165	3.4(128)	2,934	83.0(121)	3,525	5.5 (46)
4112	834	64.7 (40)	699	28.9 (14)	638	15.5 (18)	492	3.0 (153)	493	1.4(153)	1,292	96.9 (3)	1,342	4.4 (25)
4113	826	70.6 (14)	732	23.4 (28)	587	15.0 (21)	377	4.2 (150)	338	1.8(150)	1,155	83.8(117)	1,368	1.2 (7)
4120	2,739	62.8 (59)	2,490	19.7 (60)	1,986	10.5 (59)	1,668	13.7 (89)	1,712	7.2 (70)	3,529	86.5 (88)	4,411	3.2 (16)
4160	2,510	62.0 (66)	2,226	21.2 (44)	1,661	11.7 (46)	1,388	15.7 (77)	1,383	9.0 (37)	2,821	84.3(111)	3,830	3.8 (21)
4351	807	65.3 (35)	645	19.5 (64)	545	9.7 (78)	436	23.2 (21)	432	7.9 (60)	1,030	87.2 (73)	1,217	10.6 (139)
4352	255	56.1(105)	210	14.3 (124)	189	5.8 (146)	150	14.0 (87)	159	5.7 (92)	315	76.8(149)	377	18.6 (181)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
4353	700	57.4 (97)	545	22.8 (31)	510	11.8 (43)	369	19.0 (51)	362	9.9 (25)	829	75.5(153)	1,016	11.9 (157)
4354	1,089	62.4 (61)	849	19.8 (59)	689	9.6 (82)	611	20.6 (39)	610	11.1 (16)	1,101	93.6 (10)	1,469	7.4 (89)
4355	479	63.9 (50)	385	17.4 (96)	343	8.2 (113)	231	18.2 (60)	230	5.7 (92)	513	90.8 (30)	664	8.6 (109)
4356	810	56.5(101)	571	21.2 (44)	516	9.5 (84)	425	23.1 (23)	400	9.3 (32)	838	87.8 (68)	1,080	9.5 (126)
4357	10	* *	6	* *	8	* *	2	* *	2	* *	2	* *	5	* *
4358	270	78.5 (6)	222	35.1 (4)	202	21.8 (6)	161	13.7 (89)	159	3.8(120)	421	89.3 (46)	462	1.1 (6)
4359	721	63.0 (54)	571	20.8 (50)	553	10.5 (59)	402	15.9 (74)	416	6.5 (78)	988	81.8(130)	1,125	8.4 (104)
4360	240	71.3 (12)	218	18.8 (76)	177	12.4 (37)	132	22.7 (26)	138	8.0 (57)	269	90.7 (32)	339	10.9 (144)
4361	324	63.0 (54)	224	14.7 (119)	205	8.8 (99)	132	13.6 (94)	131	6.1 (82)	303	87.1 (76)	421	9.3 (122)
4362	473	74.2 (9)	354	26.3 (17)	303	16.5 (13)	185	29.2 (9)	187	16.0 (4)	487	89.9 (40)	650	14.3 (168)
4363	1,298	70.6 (14)	1,040	17.4 (96)	832	8.5 (107)	724	19.3 (50)	728	7.4 (66)	1,322	88.8 (53)	1,732	9.4 (124)
4401	1,874	58.8 (91)	1,421	17.5 (95)	1,102	10.6 (57)	1,064	15.9 (74)	1,058	6.2 (80)	1,746	91.9 (21)	2,453	7.9 (99)
4501	1,387	59.8 (82)	1,082	16.1 (108)	910	8.6 (104)	639	18.3 (57)	669	7.5 (63)	1,522	83.9(116)	1,891	8.4 (104)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
4591	1	* *	1	* *	0	* *	1	* *	1	* *	1	* *	2	* *
4601	2,212	59.2 (87)	1,764	19.1 (71)	1,384	8.2 (113)	1,295	14.4 (83)	1,266	4.7(108)	1,977	81.1(132)	2,903	5.4 (43)
4701	1,885	65.1 (38)	1,223	19.5 (64)	1,154	10.3 (65)	864	20.5 (40)	885	7.0 (73)	1,685	90.0 (39)	2,530	5.5 (46)
5050	2,359	48.7(132)	1,690	13.3 (135)	1,424	7.0 (125)	1,209	12.9 (101)	1,170	4.9(106)	1,615	82.5(128)	2,820	5.9 (57)
5051	4,306	49.4(130)	3,102	15.5 (111)	2,587	7.3 (122)	2,186	11.8 (108)	2,047	5.3 (99)	2,738	80.9(133)	4,794	5.4 (43)
5052	3,561	45.2(149)	2,516	13.0 (139)	2,117	6.2 (137)	1,885	9.6 (119)	1,748	4.5(111)	2,410	79.3(142)	4,170	5.9 (57)
5101	3,009	59.1 (88)	2,296	18.5 (82)	1,750	10.4 (62)	1,778	13.1 (97)	1,718	5.2(102)	2,623	84.3(111)	4,132	4.6 (29)
5202	844	64.7 (40)	674	24.9 (22)	547	14.8 (22)	476	22.5 (27)	480	10.8 (19)	756	90.9 (28)	1,068	4.5 (27)
5203	239	61.5 (71)	201	25.9 (19)	189	17.5 (10)	138	25.4 (13)	148	8.1 (54)	283	87.6 (69)	337	5.9 (57)
5204	196	69.9 (18)	156	25.6 (20)	130	20.0 (8)	109	24.8 (15)	109	11.0 (18)	167	93.4 (11)	236	3.8 (21)
5601	1,717	68.2 (21)	1,273	17.6 (94)	1,130	10.4 (62)	822	23.6 (20)	879	9.0 (37)	1,741	88.6 (55)	2,324	5.1 (37)
5801	2,979	54.3(110)	2,540	14.1 (126)	1,905	6.9 (127)	1,734	13.7 (89)	1,705	5.9 (86)	2,589	82.6(126)	3,926	9.7 (129)
5803	161	65.8 (34)	129	21.7 (39)	99	* *	123	22.0 (32)	120	9.2 (33)	214	78.0(147)	272	7.0 (83)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
5804	69	* *	68	* *	55	* *	57	* *	61	* *	135	88.9 (52)	132	7.6 (94)
6101	102	44.1(151)	84	* *	83	* *	63	* *	65	* *	160	90.6 (35)	172	15.7 (175)
6102	309	63.1 (53)	262	24.4 (24)	253	11.9 (40)	166	22.9 (25)	181	9.4 (29)	440	90.9 (28)	518	8.5 (108)
6103	5,294	48.1(137)	3,966	12.3 (142)	3,694	5.9 (142)	2,851	12.8 (102)	2,786	3.8(120)	5,643	84.7(109)	7,484	8.1 (101)
6104	295	42.0(157)	140	12.9 (140)	135	5.9 (142)	136	9.6 (119)	127	2.4(140)	354	75.7(151)	498	15.1 (171)
6105	84	* *	75	* *	77	* *	50	* *	54	* *	161	90.7 (32)	160	11.3 (151)
6106	31	* *	19	* *	14	* *	21	* *	18	* *	36	* *	58	* *
6301	6,762	48.5(134)	5,232	16.9 (105)	3,771	8.7 (102)	3,850	14.0 (87)	3,696	5.9 (86)	5,714	82.4(129)	8,674	4.6 (29)
6312	3,765	57.9 (94)	2,987	22.2 (34)	2,034	10.9 (53)	2,167	17.6 (62)	2,107	8.4 (47)	3,112	79.8(140)	4,803	3.5 (19)
6316	2,150	53.6(113)	1,634	18.1 (88)	1,096	9.4 (87)	1,220	13.5 (95)	1,138	5.8 (89)	1,674	82.6(126)	2,722	3.2 (16)
6320	358	47.8(140)	312	20.5 (53)	217	14.7 (24)	218	15.6 (78)	224	10.3 (21)	435	87.1 (76)	546	1.8 (10)
6325	226	56.2(103)	189	14.8 (117)	135	11.9 (40)	132	18.9 (52)	136	5.9 (86)	223	87.0 (83)	305	5.2 (40)
6330	554	39.9(161)	452	11.1 (154)	322	5.9 (142)	348	7.8 (130)	337	2.7(136)	505	75.0(155)	756	8.2 (103)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
6335	804	45.5(147)	697	17.8 (92)	533	7.7 (119)	498	14.1 (86)	500	7.4 (66)	912	89.3 (46)	1,162	2.9 (14)
6340	186	48.9(131)	166	19.3 (70)	129	16.3 (15)	105	11.4 (110)	106	7.5 (63)	261	93.9 (8)	294	1.7 (9)
6345	55	* *	45	* *	35	* *	36	* *	32	* *	57	* *	84	* *
6350	416	43.3(154)	333	13.8 (129)	249	7.2 (124)	255	11.4 (110)	242	5.4 (96)	348	87.1 (76)	539	2.6 (12)
7304	318	50.6(122)	229	13.1 (138)	207	4.3 (159)	158	15.8 (76)	161	6.8 (75)	396	85.1(105)	486	10.1 (134)
7306	3,556	45.4(148)	2,315	10.0 (159)	2,051	4.1 (160)	1,635	7.8 (130)	1,569	4.3(115)	3,561	80.7(135)	4,761	8.9 (114)
7308	292	61.0 (77)	187	13.9 (127)	171	5.3 (150)	133	12.8 (102)	120	5.0(105)	319	88.7 (54)	416	8.4 (104)
7310	59	* *	34	* *	27	* *	34	* *	29	* *	55	* *	85	* *
7401	3,233	48.2(136)	2,629	11.8 (146)	2,093	6.1 (139)	1,775	10.3 (115)	1,821	4.6(109)	3,247	86.3 (91)	4,389	10.6 (139)
7402	215	47.9(139)	209	11.5 (152)	170	5.3 (150)	74	* *	83	* *	133	91.0 (27)	202	6.9 (79)
7403	73	* *	72	* *	60	* *	20	* *	24	* *	53	* *	80	* *
7404	82	* *	71	* *	69	* *	29	* *	34	* *	50	* *	73	* *
7601	1,010	58.5 (93)	814	13.9 (127)	618	6.8 (129)	554	16.6 (71)	556	5.8 (89)	989	84.0(115)	1,397	9.6 (128)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A  
2008 - 2010 Pediatric Nutrition Surveillance (1)  
Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
7850	1,393	57.6 (96)	1,110	13.7 (130)	978	8.0 (116)	689	10.2 (116)	730	2.9(135)	1,627	90.7 (32)	2,073	9.9 (130)
7851	126	64.3 (47)	131	19.1 (71)	109	11.9 (40)	49	* *	53	* *	143	96.5 (6)	192	9.9 (130)
7852	159	66.7 (29)	124	19.4 (67)	102	11.8 (43)	73	* *	76	* *	156	90.4 (37)	212	10.8 (143)
8150	91	* *	80	* *	77	* *	47	* *	48	* *	156	92.9 (15)	168	6.5 (71)
8151	3,985	64.4 (43)	3,125	26.0 (18)	2,268	15.1 (20)	2,235	20.4 (41)	2,146	11.8 (13)	3,603	80.9(133)	5,397	9.3 (122)
8152	612	56.5(101)	459	10.2 (157)	329	3.0 (164)	310	9.7 (118)	293	3.8(120)	303	88.1 (64)	626	17.1 (178)
8153	42	* *	36	* *	28	* *	20	* *	17	* *	64	* *	74	* *
8154	418	85.4 (2)	339	64.3 (1)	267	39.7 (2)	147	46.9 (1)	140	37.9 (1)	449	96.9 (3)	592	1.0 (3)
8155	92	* *	88	* *	80	* *	32	* *	35	* *	169	85.2(104)	163	11.7 (155)
8156	46	* *	50	* *	38	* *	18	* *	23	* *	64	* *	71	* *
8157	28	* *	20	* *	17	* *	14	* *	11	* *	53	* *	58	* *
8201	3,731	54.2(111)	2,570	15.9 (110)	1,958	8.3 (111)	1,920	12.3 (106)	1,861	4.6(109)	1,347	86.4 (89)	3,801	5.1 (37)
8202	4,191	63.0 (54)	2,709	26.9 (15)	2,442	15.5 (18)	1,813	7.9 (129)	1,805	4.8(107)	4,165	79.8(140)	5,377	5.4 (43)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
8203	583	52.7(115)	325	17.2 (103)	300	8.3 (111)	251	6.8 (135)	241	3.3(129)	283	85.9 (94)	617	6.8 (76)
8250	914	44.9(150)	596	13.6 (131)	390	7.9 (118)	625	8.0 (127)	569	5.1(103)	510	81.4(131)	1,283	5.1 (37)
8252	0	* *	1	* *	1	* *	0	* *	1	* *	2	* *	2	* *
8255	4,434	48.3(135)	2,651	14.7 (119)	2,559	7.7 (119)	1,994	11.5 (109)	2,024	4.5(111)	1,768	80.7(135)	4,468	7.3 (88)
8257	739	50.1(126)	471	26.5 (16)	430	16.7 (12)	337	13.1 (97)	347	6.9 (74)	785	87.1 (76)	1,036	4.7 (33)
8258	2,490	41.4(159)	1,573	11.9 (145)	1,582	6.1 (139)	1,190	8.0 (127)	1,198	4.1(116)	1,600	85.6(100)	2,754	6.9 (79)
8260	742	66.2 (33)	554	32.3 (7)	450	22.7 (4)	398	6.8 (135)	390	4.1(116)	766	65.3(173)	1,009	5.2 (40)
8901	1,455	27.7(173)	1,099	9.2 (162)	840	5.1 (153)	794	4.4 (149)	760	2.0(148)	1,418	64.1(175)	2,027	15.2 (172)
8902	945	34.4(167)	709	13.3 (135)	521	8.8 (99)	522	5.7 (144)	494	2.2(146)	892	65.6(172)	1,281	11.1 (147)
8903	1,789	24.1(175)	1,339	9.4 (160)	983	5.9 (142)	1,008	3.0 (153)	927	2.2(146)	1,680	63.7(176)	2,401	12.9 (163)
8904	1,369	44.1(151)	959	19.5 (64)	757	16.5 (13)	713	10.0 (117)	665	3.5(124)	1,377	71.3(161)	1,907	12.0 (160)
8905	3,896	34.1(168)	2,935	15.0 (115)	2,258	9.6 (82)	2,281	3.4 (152)	2,125	1.6(152)	4,475	74.7(156)	5,814	7.7 (98)
9004	10	* *	41	* *	71	* *	6	* *	6	* *	0	* *	9	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
9012	36	* *	23	* *	21	* *	22	* *	20	* *	52	* *	61	* *
9013	84	* *	50	* *	38	* *	44	* *	48	* *	79	* *	130	23.1 (185)
9015	23	* *	16	* *	13	* *	15	* *	16	* *	40	* *	38	* *
9016	104	46.2(143)	61	* *	47	* *	62	* *	61	* *	106	71.7(160)	176	25.0 (187)
9017	44	* *	24	* *	18	* *	22	* *	23	* *	54	* *	79	* *
9018	103	47.6(141)	53	* *	34	* *	53	* *	52	* *	91	* *	158	9.5 (126)
9019	30	* *	17	* *	12	* *	14	* *	15	* *	49	* *	56	* *
9021	81	* *	37	* *	31	* *	35	* *	32	* *	63	* *	110	9.1 (120)
9023	0	* *	2	* *	1	* *	0	* *	0	* *	0	* *	0	* *
9040	14	* *	36	* *	29	* *	4	* *	5	* *	13	* *	22	* *
9041	663	28.5(171)	561	7.1 (166)	514	8.9 (96)	290	4.1 (151)	315	1.0(154)	640	75.5(153)	806	12.3 (161)
9045	1,783	45.8(144)	1,315	12.2 (143)	1,193	8.0 (116)	873	5.6 (145)	838	1.7(151)	2,227	70.0(165)	2,741	7.4 (89)
9050	2,784	36.7(163)	2,111	18.0 (89)	1,530	10.0 (74)	1,557	6.2 (139)	1,494	3.2(132)	2,750	68.4(167)	3,770	6.9 (79)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Clinic</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
9051	2,788	52.1(118)	1,963	18.2 (86)	1,789	9.9 (75)	1,374	14.4 (83)	1,431	7.2 (70)	2,906	79.9(139)	3,719	3.0 (15)
9053	3,404	39.0(162)	2,554	11.4 (153)	1,909	6.7 (131)	1,932	5.8 (142)	1,903	3.2(132)	2,560	66.0(170)	4,124	16.7 (176)
9055	273	24.9(174)	103	5.8 (171)	52	* *	109	1.8 (156)	96	* *	0	* *	161	7.5 (92)
9058	859	64.4 (43)	731	20.0 (57)	594	12.8 (34)	564	5.3 (146)	556	2.3(144)	1,286	70.4(164)	1,437	10.9 (144)
9066	3,060	28.2(172)	2,108	6.8 (168)	1,794	3.9 (161)	1,783	6.4 (138)	1,765	2.4(140)	2,405	72.9(158)	3,742	8.8 (111)
9068	2,001	36.6(164)	1,506	11.8 (146)	1,167	5.2 (152)	1,089	5.8 (142)	1,055	3.9(119)	1,740	68.6(166)	2,649	13.7 (167)
9069	3,080	45.6(146)	2,287	10.6 (156)	1,524	4.7 (157)	1,830	6.9 (134)	1,748	2.6(138)	1,970	70.6(162)	3,653	10.9 (144)
9070	2,625	33.9(169)	1,656	9.3 (161)	1,489	4.6 (158)	1,225	8.4 (125)	1,203	3.2(132)	2,214	62.6(177)	3,384	9.0 (116)
9072	2,230	32.2(170)	1,442	7.8 (165)	1,226	3.6 (162)	1,213	7.5 (133)	1,187	2.6(138)	1,717	64.3(174)	2,790	10.6 (139)
9074	1,989	46.6(142)	1,650	11.6 (151)	1,158	5.1 (153)	1,189	6.7 (137)	1,178	2.4(140)	1,637	67.6(169)	2,592	11.5 (153)
9079	31	* *	49	* *	49	* *	0	* *	0	* *	0	* *	0	* *
9080	3,258	50.2(125)	2,599	20.3 (55)	2,203	13.8 (28)	2,006	4.7 (148)	1,942	2.4(140)	3,762	65.9(171)	4,886	9.4 (124)
9151	3	* *	2	* *	3	* *	1	* *	1	* *	1	* *	2	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)**  
**Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Unknown Clinics	369	16.3(176)	147	13.6 (131)	66	* *	98	* *	86	* *	153	50.3(179)	219	21.9 (184)
<b>Michigan</b>	<b>230,026</b>	<b>53.4</b>	<b>178,432</b>	<b>17.0</b>	<b>144,320</b>	<b>9.1</b>	<b>126,686</b>	<b>13.3</b>	<b>125,048</b>	<b>5.8</b>	<b>230,150</b>	<b>82.0</b>	<b>320,143</b>	<b>7.5</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

